



Test Report No.: RF200106W008-7



FCC TEST REPORT (PART 27)

Applicant:	Xiaomi Communications Co., Ltd.
Address:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China,10085

Manufacturer or Supplier:	Xiaomi Communications Co., Ltd.
Address:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China,10085
Product:	Mobile Phone
Brand Name:	Redmi
Model Name:	M2003J6A1G
FCC ID:	2AFZZJ6A1G
Date of tests:	Jan. 07, 2020 ~ Feb. 29, 2020

The tests have been carried out according to the requirements of the following standard:

- FCC Part 27, Subpart C, M ANSI/TIA/EIA-603-D
- FCC Part 2 ANSI/TIA/EIA-603-E ANSI C63.26-2015

CONCLUSION: The submitted sample was found to COMPLY with the test requirement

Prepared by Alex Chen Engineer / Mobile Department	Approved by Luke Lu Manager / Mobile Department
Date: Mar. 02, 2020	Date: Mar. 02, 2020

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



TABLE OF CONTENTS

RELEASE CONTROL RECORD 3

1 SUMMARY OF TEST RESULTS 4

1.1 MEASUREMENT UNCERTAINTY 4

1.2 TEST SITE AND INSTRUMENTS..... 5

2 GENERAL INFORMATION 6

2.1 GENERAL DESCRIPTION OF EUT 6

2.2 CONFIGURATION OF SYSTEM UNDER TEST 10

2.3 DESCRIPTION OF SUPPORT UNITS.....11

2.4 TEST ITEM AND TEST CONFIGURATION11

2.5 GENERAL DESCRIPTION OF APPLIED STANDARDS..... 17

3 TEST TYPES AND RESULTS 18

3.1 OUTPUT POWER MEASUREMENT 18

3.1.1 LIMITS OF OUTPUT POWER MEASUREMENT 18

3.1.2 TEST PROCEDURES 18

3.1.3 TEST SETUP 19

3.1.4 TEST RESULTS..... 20

3.2 FREQUENCY STABILITY MEASUREMENT 51

3.2.1 LIMITS OF FREQUENCY STABILITY MEASUREMENT 51

3.2.2 TEST PROCEDURE 51

3.2.3 TEST SETUP 51

3.2.4 TEST RESULTS..... 52

3.3 OCCUPIED BANDWIDTH MEASUREMENT 60

3.3.1 LIMITS OF OCCUPIED BANDWIDTH MEASUREMENT 60

3.3.2 TEST SETUP 60

3.3.3 TEST PROCEDURES 60

3.3.4 TEST RESULTS..... 61

3.5 BAND EDGE MEASUREMENT 78

3.5.1 LIMITS OF BAND EDGE MEASUREMENT 78

3.5.2 TEST SETUP 78

3.5.3 TEST PROCEDURES 79

3.5.4 TEST RESULTS..... 80

3.6 CONDUCTED SPURIOUS EMISSIONS 131

3.6.1 LIMITS OF CONDUCTED SPURIOUS EMISSIONS MEASUREMENT 131

3.6.2 TEST PROCEDURE 131

3.6.3 TEST SETUP 131

3.6.4 TEST RESULTS..... 132

3.7 RADIATED EMISSION MEASUREMENT 167

3.7.1 LIMITS OF RADIATED EMISSION MEASUREMENT 167

3.7.2 TEST PROCEDURES 167

3.7.3 DEVIATION FROM TEST STANDARD..... 167

3.7.4 TEST SETUP 168

3.7.5 TEST RESULTS..... 169

4 INFORMATION ON THE TESTING LABORATORIES 213

5 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB 214



Test Report No.: RF200106W008-7

RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
RF200106W008-7	Original release	Mar. 02, 2020

1 SUMMARY OF TEST RESULTS

The EUT has been tested according to the following specifications:

APPLIED STANDARD: FCC Part 27 & Part 2		
STANDARD SECTION	TEST TYPE AND LIMIT	RESULT
2.1046 27.50(h)(2)	Equivalent Isotropically Radiated Power	Compliance
2.1055 27.54	Frequency Stability	Compliance
2.1049 27.53(m)(6)	Occupied Bandwidth	Compliance
2.1051 27.53(m)(4)(6)	Band Edge Measurements	Compliance
2.1051 27.53(m)(4)(6)	Conducted Spurious Emissions	Compliance
2.1053 27.53(m)(4)(6)	Radiated Spurious Emissions	Compliance

1.1 MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2:

MEASUREMENT	UNCERTAINTY
Frequency Stability	$\pm 76.97\text{Hz}$
Radiated emissions & Radiated Power (30MHz~1GMHz)	$\pm 4.98\text{dB}$
Radiated emissions & Radiated Power (1GMHz ~6GMHz)	$\pm 4.70\text{dB}$
Radiated emissions (6GMHz ~18GMHz)	$\pm 4.60\text{dB}$
Radiated emissions (18GMHz ~40GMHz)	$\pm 4.12\text{dB}$
Conducted emissions	$\pm 4.01\text{dB}$
Occupied Channel Bandwidth	$\pm 43.58\text{KHz}$
Conducted Output power	$\pm 2.06\text{dB}$
Band Edge Measurements	$\pm 4.70\text{dB}$

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.



1.2 TEST SITE AND INSTRUMENTS

Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Next Cal.
MXE EMI Receiver	KEYSIGHT	N9038A-544	MY54450026	Feb. 26,20	Feb. 25,21
EXA Signal Analyzer	KEYSIGHT	N9010A-526	MY54510322	Feb. 26,20	Feb. 25,21
Bilog Antenna	ETS-LINDGREN	3143B	00161965	Feb. 26,20	Feb. 25,21
Horn Antenna (1GHz-18GHz)	ETS-LINDGREN	3117	00168692	Nov. 30, 19	Nov. 29, 20
Horn Antenna (18GHz-40GHz)	N/A	QWH-SL-18-40-K-SG/QMS-00361	15433	Nov. 21, 19	Nov. 20, 20
Radio Communication Analyzer	ANRITSU	MT8820C	6201465426	Feb. 26,20	Feb. 25,21
Signal Pre-Amplifier	EMSI	EMC 9135	980249	Jul. 08,19	Jul. 09,20
Signal Pre-Amplifier	EMSI	EMC 012645B	980257	Jul. 08,19	Jul. 09,20
Signal Pre-Amplifier	EMSI	EMC 184045B	980259	Jul. 08,19	Jul. 09,20
3m Semi-anechoic Chamber	ETS-LINDGREN	9m*6m*6m	Euroshieldpn-CT0001143-1216	Feb. 26,20	Feb. 25,21
Test Software	E3	V 9.160323	N/A	N/A	N/A
Test Software	ADT	ADT_Radiated_V7.6.15.9.2	N/A	N/A	N/A
10dB Attenuator	JFW/USA	50HF-010-SMA	1505	Jul. 08,19	Jul. 09,20
Power Meter	Anritsu	ML2495A	1506002	Feb. 26,20	Feb. 25,21
Power Sensor	Anritsu	MA2411B	1339352	Feb. 26,20	Feb. 25,21
Humid & Temp Programmable Tester	Juyi	ITH-120-45-CP-AR	IAA1504-001	Jul. 08,19	Jul. 09,20
MXG Analog Microwave Signal Generator	KEYSIGHT	N5183A	MY50143024	Feb. 26,20	Feb. 25,21
Power Divider	MCLI/USA	PS2-15	24880	Jul. 09,19	Jul. 08,20

- NOTE:**
1. The calibration interval of the above test instruments is 12 months or 24 months and the calibrations are traceable to CEPREI/CHINA, GRGT/CHINA and NIM/CHINA.
 2. The test was performed in 3m Semi-anechoic Chamber and RF Oven Room.
 3. The horn antenna is used only for the measurement of emission frequency above 1GHz if tested.
 4. The FCC Site Registration No. is 525120; The Designation No. is CN1171.

2 GENERAL INFORMATION

2.1 GENERAL DESCRIPTION OF EUT

PRODUCT	Mobile Phone	
BRAND NAME	Redmi	
MODEL NAME	M2003J6A1G	
POWER SUPPLY	5V/9V/10V/12Vdc (adapter or host equipment) 3.87Vdc (Li-ion, battery)	
MODULATION TECHNOLOGY	LTE	QPSK, 16QAM, 64QAM
FREQUENCY RANGE	LTE Band 7 Channel Bandwidth: 5MHz	2502.5MHz ~ 2567.5MHz
	LTE Band 7 Channel Bandwidth: 10MHz	2505MHz ~ 2565MHz
	LTE Band 7 Channel Bandwidth: 15MHz	2507.5MHz ~ 2562.5MHz
	LTE Band 7 Channel Bandwidth: 20MHz	2510MHz ~ 2560MHz
	LTE Band 38 Channel Bandwidth: 5MHz	2572.5MHz ~ 2617.5MHz
	LTE Band 38 Channel Bandwidth: 10MHz	2575MHz ~ 2615MHz
	LTE Band 38 Channel Bandwidth: 15MHz	2577.5MHz ~ 2612.5MHz
	LTE Band 38 Channel Bandwidth: 20MHz	2580MHz ~ 2610MHz
	LTE Band CA_7C Channel Bandwidth: 10MHz+20MHz	2505.5MHz ~ 2545.6MHz
	LTE Band CA_7C Channel Bandwidth: 15MHz+10MHz	2507.5MHz ~ 2552.7MHz
	LTE Band CA_7C Channel Bandwidth: 15MHz+15MHz	2507.5MHz ~ 2547.5MHz
	LTE Band CA_7C Channel Bandwidth: 15MHz+20MHz	2507.8MHz ~ 2542.9MHz
	LTE Band CA_7C Channel Bandwidth: 20MHz+10MHz	2510MHz ~ 2550.1MHz
	LTE Band CA_7C Channel Bandwidth: 20MHz+15MHz	2510MHz ~ 2545.1MHz
	LTE Band CA_7C Channel Bandwidth: 20MHz+20MHz	2510MHz ~ 2540.2MHz



**BUREAU
VERITAS**

Test Report No.: RF200106W008-7

	LTE Band CA_38C Channel Bandwidth: 15MHz+15MHz	2577.5MHz ~ 2597.5MHz
	LTE Band CA_38C Channel Bandwidth: 20MHz+20MHz	2580MHz ~ 2590.2MHz
EMISSION DESIGNATOR	LTE Band 7 Channel Bandwidth: 5MHz	QPSK: 4M49G7D
		16QAM: 4M49W7D
		64QAM: 4M47W7D
	LTE Band 7 Channel Bandwidth: 10MHz	QPSK: 8M96G7D
		16QAM: 8M96W7D
		64QAM: 8M95W7D
	LTE Band 7 Channel Bandwidth: 15MHz	QPSK: 13M5G7D
		16QAM: 13M4W7D
		64QAM: 13M4W7D
	LTE Band 7 Channel Bandwidth: 20MHz	QPSK: 17M9G7D
		16QAM: 18M0W7D
		64QAM: 17M9W7D
EMISSION DESIGNATOR	LTE Band CA_7C Channel Bandwidth: 10MHz+20MHz	QPSK: 28M2G7D
		16QAM: 28M1W7D
		64QAM: 28M1W7D
	LTE Band CA_7C Channel Bandwidth: 15MHz +10MHz	QPSK: 23M6G7D
		16QAM: 23M4W7D
		64QAM: 23M5W7D
	LTE Band CA_7C Channel Bandwidth: 15MHz +15MHz	QPSK: 28M6G7D
		16QAM: 28M7W7D
		64QAM: 28M7W7D
	LTE Band CA_7C Channel Bandwidth: 15MHz +20MHz	QPSK: 32M9G7D
		16QAM: 32M9W7D
		64QAM: 32M9W7D
	LTE Band CA_7C Channel Bandwidth: 20MHz +10MHz	QPSK: 28M1G7D
		16QAM: 28M0W7D
		64QAM: 28M1W7D
	LTE Band CA_7C Channel Bandwidth: 20MHz +15MHz	QPSK: 32M8G7D
		16QAM: 32M9W7D
		64QAM: 32M9W7D
	LTE Band CA_7C Channel Bandwidth: 20MHz +20MHz	QPSK: 37M8G7D
		16QAM: 37M7W7D
		64QAM: 37M7W7D
	LTE Band 38 Channel Bandwidth: 5MHz	QPSK: 4M48G7D
		16QAM: 4M48W7D
		64QAM: 4M69W7D
LTE Band 38	QPSK: 8M95G7D	



**BUREAU
VERITAS**

Test Report No.: RF200106W008-7

	Channel Bandwidth: 10MHz	16QAM: 8M95W7D
		64QAM: 8M96W7D
	LTE Band 38 Channel Bandwidth: 15MHz	QPSK: 13M4G7D
		16QAM: 13M4W7D
		64QAM: 13M4W7D
	LTE Band 38 Channel Bandwidth: 20MHz	QPSK: 17M9G7D
		16QAM: 17M9W7D
		64QAM: 17M9W7D
	LTE Band CA_38C Channel Bandwidth: 15MHz+15MHz	QPSK: 28M5G7D
		16QAM: 28M5W7D
		64QAM: 28M5W7D
	LTE Band CA_38C Channel Bandwidth: 20MHz+20MHz	QPSK: 37M5G7D
	16QAM: 37M6W7D	
	64QAM: 37M4W7D	
MAX. EIRP POWER	LTE Band 7 Channel Bandwidth: 5MHz	224mW
	LTE Band 7 Channel Bandwidth: 10MHz	223mW
	LTE Band 7 Channel Bandwidth: 15MHz	220mW
	LTE Band 7 Channel Bandwidth: 20MHz	222mW
	LTE Band CA_7C Channel Bandwidth: 10MHz+20MHz	209mW
	LTE Band CA_7C Channel Bandwidth: 15MHz+10MHz	199mW
	LTE Band CA_7C Channel Bandwidth: 15MHz+15MHz	208mW
	LTE Band CA_7C Channel Bandwidth: 15MHz+20MHz	212mW
	LTE Band CA_7C Channel Bandwidth: 20MHz+10MHz	210mW
	LTE Band CA_7C Channel Bandwidth: 20MHz+15MHz	214mW
	LTE Band CA_7C Channel Bandwidth: 20MHz+20MHz	217mW
	LTE Band 38 Channel Bandwidth: 5MHz	222mW
	LTE Band 38 Channel Bandwidth: 10MHz	223mW



	LTE Band 38 Channel Bandwidth: 15MHz	220mW
	LTE Band 38 Channel Bandwidth: 20MHz	223mW
	LTE Band CA_38C Channel Bandwidth: 15MHz+15MHz	217mW
	LTE Band CA_38C Channel Bandwidth: 20MHz+20MHz	219mW
ANTENNA TYPE	Main Antenna(ANT 0): Fixed Internal Antenna with 0.54dBi gain for LTE Band 7 Fixed Internal Antenna with 0.87dBi gain for LTE Band 38	
IMEI CODE	86590904	
HW VERSION	P1.1	
SW VERSION	MIUI 11	
I/O PORTS	Refer to user's manual	

NOTE:


1. For a more detailed features description, please refer to the manufacturer's specifications or the user's manual.
2. For the test results, the EUT had been tested with all conditions. But only the worst case was shown in test report.

List of Accessory:

ACCESSORIES	BRAND	MODEL	MANUFACTURER	SPECIFICATION
AC Adapter 1	MI	MDY-11-EQ	HUIZHOU BYD ELECTRONIC CO., LTD.	I/P: 100 - 240Vac, 600mA, O/P: 5Vdc, 3000mA/9V,2230mA/12V,1670mA/10V, 2250mA
AC Adapter 2	MI	MDY-11-EQ	Jiangsu Chenyang Electron Co., Ltd.	I/P: 100 - 240Vac, 600mA, O/P: 5Vdc, 3000mA/9V,2230mA/12V,1670mA/10V, 2250mA
Battery	MI	BN55	SUNWODA	Rating :3.87Vdc, 4920mAh, Li-ion, Y
USB Cable 1	MI	H73312	Weihai HongLin Technology Group Co., Ltd.	1.0 meter, non-shielded cable, without ferrite core
USB Cable 2	MI	L73312	Luxshare Precision Industry Co., Ltd.	1.0 meter, non-shielded cable, without ferrite core

2.2 CONFIGURATION OF SYSTEM UNDER TEST

FOR RADIATION EMISSION TEST



2.3 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

NO.	PRODUCT	BRAND	MODEL NO.	SERIAL NO.	FCC ID
1	DC source	LONG WEI	PS-6403D	010934269	N/A

NO.	SIGNAL CABLE DESCRIPTION OF THE ABOVE SUPPORT UNITS
1	DC Line: Unshielded, Detachable 1.8m

2.4 TEST ITEM AND TEST CONFIGURATION

Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, XYZ axis and antenna ports. The worst case was found when positioned on Y-plane for EIRP and X-axis for radiated emission. Following channel(s) was (were) selected for the final test as listed below:

EUT CONFIGURE MODE	DESCRIPTION
A	EUT + Adapter + USB Cable with LTE link
B	EUT + Battery with LTE link

LTE BAND 7 MODE

EUT CONFIGURE MODE	TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE		
B	EIRP	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
		20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM, 64QAM	1 RB / 0RB Offset		
		20825 to 21375	20825, 21100, 21375	15MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
		20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
B	FREQUENCY STABILITY	20775 to 21425	20775, 21425	5MHz	QPSK	1 RB / 0 RB Offset		
		20800 to 21400	20800, 21400	10MHz	QPSK	1 RB / 0RB Offset		
		20825 to 21375	20825, 21375	15MHz	QPSK	1 RB / 0 RB Offset		
		20850 to 21350	20850, 21350	20MHz	QPSK	1 RB / 0 RB Offset		
B	OCCUPIED BANDWIDTH	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM, 64QAM	25 RB / 0 RB Offset		
		20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM, 64QAM	50 RB / 0 RB Offset		
		20825 to 21375	20825, 21100, 21375	15MHz	QPSK, 16QAM, 64QAM	75 RB / 0 RB Offset		
		20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM, 64QAM	100 RB / 0 RB Offset		
B	BAND EDGE	20775 to 21425	20775	5MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
			21425	5MHz	QPSK, 16QAM, 64QAM	25 RB / 0 RB Offset		
		20800 to 21400	20800	10MHz	QPSK, 16QAM, 64QAM	1 RB / 24 RB Offset		
			21400	10MHz	QPSK, 16QAM, 64QAM	25 RB / 0 RB Offset		
		20825 to 21375	20825	15MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
			21375	15MHz	QPSK, 16QAM, 64QAM	75 RB / 0 RB Offset		
		20850 to 21350	20850	20MHz	QPSK, 16QAM, 64QAM	1 RB / 49 RB Offset		
			21350	20MHz	QPSK, 16QAM, 64QAM	50 RB / 0 RB Offset		
		B	CONDCUDET ED EMISSION	20775 to 21425	20775, 21100, 21425	5MHz	QPSK	1 RB / 0 RB Offset
				20800 to 21400	20800, 21100, 21400	10MHz	QPSK	1 RB / 0RB Offset
				20825 to 21375	20825, 21100, 21375	15MHz	QPSK	1 RB / 0 RB Offset
				20850 to 21350	20850, 21100, 21350	20MHz	QPSK	1 RB / 0 RB Offset
A	RADIATED EMISSION	20775 to 21425	21100	5MHz	QPSK	1 RB / 0 RB Offset		
		20800 to 21400	20800, 21100, 21400	10MHz	QPSK	1 RB / 0 RB Offset		
		20825 to 21375	21100	15MHz	QPSK	1 RB / 0 RB Offset		
		20850 to 21350	21100	20MHz	QPSK	1 RB / 0 RB Offset		

Note: This device was tested under all bandwidths, RB configurations and modulations. The worst case was found in QPSK modulation.

LTE BAND 38 MODE

EUT CONFIGURE MODE	TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE		
B	EIRP	3775 to 38225	3775, 38000, 38225	5MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
		37800 to 38200	37800, 38000, 38200	10MHz	QPSK, 16QAM, 64QAM	1 RB / 0RB Offset		
		37825 to 38175	37825, 38000, 38175	15MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
		37850 to38150	37850, 38000, 38150	20MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
B	FREQUENCY STABILITY	3775 to 38225	3775, 38225	5MHz	QPSK	1 RB / 0 RB Offset		
		37800 to 38200	37800, 38200	10MHz	QPSK	1 RB / 0RB Offset		
		37825 to 38175	37825, 38175	15MHz	QPSK	1 RB / 0 RB Offset		
		37850 to38150	37850, 38150	20MHz	QPSK	1 RB / 0 RB Offset		
B	OCCUPIED BANDWIDTH	3775 to 38225	3775, 38000, 38225	5MHz	QPSK, 16QAM, 64QAM	25 RB / 0 RB Offset		
		37800 to 38200	37800, 38000, 38200	10MHz	QPSK, 16QAM, 64QAM	50 RB / 0 RB Offset		
		37825 to 38175	37825, 38000, 38175	15MHz	QPSK, 16QAM, 64QAM	75 RB / 0 RB Offset		
		37850 to38150	37850, 38000, 38150	20MHz	QPSK, 16QAM, 64QAM	100 RB / 0 RB Offset		
B	BAND EDGE	3775 to 38225	3775	5MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
			38825	5MHz	QPSK, 16QAM, 64QAM	25 RB / 0 RB Offset		
		37800 to 38200	37800	10MHz	QPSK, 16QAM, 64QAM	1 RB / 24 RB Offset		
			38200	10MHz	QPSK, 16QAM, 64QAM	25 RB / 0 RB Offset		
		37825 to 38175	37825	15MHz	QPSK, 16QAM, 64QAM	1 RB / 0 RB Offset		
			38175	15MHz	QPSK, 16QAM, 64QAM	75 RB / 0 RB Offset		
		37850 to38150	37850	20MHz	QPSK, 16QAM, 64QAM	1 RB / 49 RB Offset		
			38150	20MHz	QPSK, 16QAM, 64QAM	50 RB / 0 RB Offset		
		B	CONDCUDET ED EMISSION	3775 to 38225	3775, 38000, 38225	5MHz	QPSK	1 RB / 0 RB Offset
				37800 to 38200	37800, 38000, 38200	10MHz	QPSK	1 RB / 0RB Offset
				37825 to 38175	37825, 38000, 38175	15MHz	QPSK	1 RB / 0 RB Offset
				37850 to38150	37850, 38000, 38150	20MHz	QPSK	1 RB / 0 RB Offset
A	RADIATED EMISSION	3775 to 38225	38000	5MHz	QPSK	1 RB / 0 RB Offset		
		37800 to 38200	37800, 38000, 38200	10MHz	QPSK	1 RB / 0RB Offset		
		37825 to 38175	38000	15MHz	QPSK	1 RB / 0 RB Offset		
		37850 to38150	38000	20MHz	QPSK	1 RB / 0 RB Offset		

Note: This device was tested under all bandwidths, RB configurations and modulations. The worst case was found in QPSK modulation.



Test Report No.: RF200106W008-7

LTE BAND CA_7C MODE

EUT CONFIGURE MODE	TEST ITEM	AVAILABLE PCC CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
B	EIRP	20805 to 21206	Low, Middle, High	10MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 49RB&1RB/ 0RB Offset
		20825 to 21277	Low, Middle, High	15MHz+10MHz	QPSK, 16QAM, 64QAM	1RB/ 74RB&1RB/ 0RB Offset
		20825 to 21225	Low, Middle, High	15MHz+15MHz	QPSK, 16QAM, 64QAM	1RB/ 74RB&1RB/ 0RB Offset
		20828 to 21179	Low, Middle, High	15MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 74RB&1RB/ 0RB Offset
		20850 to 21251	Low, Middle, High	20MHz+10MHz	QPSK, 16QAM, 64QAM	1RB/ 99RB&1RB/ 0RB Offset
		20850 to 21201	Low, Middle, High	20MHz+15MHz	QPSK, 16QAM, 64QAM	1RB/ 99RB&1RB/ 0RB Offset
		20850 to 21152	Low, Middle, High	20MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 99RB&1RB/ 0RB Offset
B	OCCUPIED BANDWIDTH	20805 to 21206	Low, Middle, High	10MHz+20MHz	QPSK, 16QAM, 64QAM	50RB/ 0RB&100RB/ 0RB Offset
		20825 to 21277	Low, Middle, High	15MHz+10MHz	QPSK, 16QAM, 64QAM	75RB/ 0RB&50RB/ 0RB Offset
		20825 to 21225	Low, Middle, High	15MHz+15MHz	QPSK, 16QAM, 64QAM	75RB/ 0RB&75RB/ 0RB Offset
		20828 to 21179	Low, Middle, High	15MHz+20MHz	QPSK, 16QAM, 64QAM	75RB/ 0RB&100RB/ 0RB Offset
		20850 to 21251	Low, Middle, High	20MHz+10MHz	QPSK, 16QAM, 64QAM	100RB/ 0RB&50RB/ 0RB Offset
		20850 to 21201	Low, Middle, High	20MHz+15MHz	QPSK, 16QAM, 64QAM	100RB/ 0RB&75RB/ 0RB Offset
		20850 to 21152	Low, Middle, High	20MHz+20MHz	QPSK, 16QAM, 64QAM	100RB/ 0RB&100RB/ 0RB Offset
B	BAND EDGE	20805 to 21206	Low	10MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 99RB Offset 1RB/ 49RB&1RB/ 0RB Offset 50RB/ 0RB&100RB/ 0RB Offset
			High	10MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 99RB Offset 1RB/ 49RB&1RB/ 0RB Offset 50RB/ 0RB&100RB/ 0RB Offset
		20825 to 21277	Low	15MHz+10MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 49RB Offset 1RB/ 74RB&1RB/ 0RB Offset 75RB/ 0RB&50RB/ 0RB Offset
			High	15MHz+10MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 49RB Offset 1RB/ 74RB&1RB/ 0RB Offset 75RB/ 0RB&50RB/ 0RB Offset
		20825 to 21225	Low	15MHz+15MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 74RB Offset 1RB/ 74RB&1RB/ 0RB Offset 75RB/ 0RB&75RB/ 0RB Offset
			High	15MHz+15MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 74RB Offset 1RB/ 74RB&1RB/ 0RB Offset 75RB/ 0RB&75RB/ 0RB Offset
		20828 to 21179	Low	15MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 99RB Offset 1RB/ 74RB&1RB/ 0RB Offset 75RB/ 0RB&100RB/ 0RB Offset
			High	15MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 99RB Offset 1RB/ 74RB&1RB/ 0RB Offset 75RB/ 0RB&100RB/ 0RB Offset
		20850 to 21251	Low	20MHz+10MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 49RB Offset 1RB/ 99RB&1RB/ 0RB Offset 100RB/ 0RB&50RB/ 0RB Offset
			High	20MHz+10MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 49RB Offset 1RB/ 99RB&1RB/ 0RB Offset 100RB/ 0RB&50RB/ 0RB Offset
		20850 to 21201	Low	20MHz+15MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 74RB Offset 1RB/ 99RB&1RB/ 0RB Offset



**BUREAU
VERITAS**

Test Report No.: RF200106W008-7

		20850 to 21152	High	20MHz+15MHz	QPSK, 16QAM, 64QAM	100RB/ 0RB&75RB/ 0RB Offset
						1RB/ 0RB&1RB/ 74RB Offset
						1RB/ 99RB&1RB/ 0RB Offset
		20850 to 21152	Low	20MHz+20MHz	QPSK, 16QAM, 64QAM	100RB/ 0RB&75RB/ 0RB Offset
						1RB/ 0RB&1RB/ 99RB Offset
						1RB/ 99RB&1RB/ 0RB Offset
		20850 to 21152	High	20MHz+20MHz	QPSK, 16QAM, 64QAM	100RB/ 0RB&100RB/ 0RB Offset
						1RB/ 0RB&1RB/ 99RB Offset
						1RB/ 99RB&1RB/ 0RB Offset
		20805 to 21206	Low, Middle, High	10MHz+20MHz	QPSK	100RB/ 0RB&100RB/ 0RB Offset
						1RB/ 0RB&1RB/ 99RB Offset
						1RB/ 49RB&1RB/ 0RB Offset
B	CONDCUDET ED EMISSION	20825 to 21277	Low, Middle, High	15MHz+10MHz	QPSK	50RB/ 0RB&100RB/ 0RB Offset
						1RB/ 0RB&1RB/ 49RB Offset
						1RB/ 74RB&1RB/ 0RB Offset
		20825 to 21225	Low, Middle, High	15MHz+15MHz	QPSK	75RB/ 0RB&50RB/ 0RB Offset
						1RB/ 0RB&1RB/ 74RB Offset
						1RB/ 74RB&1RB/ 0RB Offset
B	CONDCUDET ED EMISSION	20828 to 21179	Low, Middle, High	15MHz+20MHz	QPSK	75RB/ 0RB&75RB/ 0RB Offset
						1RB/ 0RB&1RB/ 99RB Offset
						1RB/ 74RB&1RB/ 0RB Offset
		20850 to 21251	Low, Middle, High	20MHz+10MHz	QPSK	75RB/ 0RB&100RB/ 0RB Offset
						1RB/ 0RB&1RB/ 49RB Offset
						1RB/ 99RB&1RB/ 0RB Offset
B	CONDCUDET ED EMISSION	20850 to 21201	Low, Middle, High	20MHz+15MHz	QPSK	100RB/ 0RB&50RB/ 0RB Offset
						1RB/ 0RB&1RB/ 74RB Offset
						1RB/ 99RB&1RB/ 0RB Offset
		20850 to 21152	Low, Middle, High	20MHz+20MHz	QPSK	100RB/ 0RB&75RB/ 0RB Offset
						1RB/ 0RB&1RB/ 99RB Offset
						1RB/ 99RB&1RB/ 0RB Offset
A	RADIATED EMISSION	20805 to 21206	Low, Middle, High	10MHz+20MHz	QPSK	100RB/ 0RB&100RB/ 0RB Offset
		20825 to 21277	Low, Middle, High	15MHz+10MHz	QPSK	1RB/ 49RB&1RB/ 0RB Offset
		20825 to 21225	Low, Middle, High	15MHz+15MHz	QPSK	1RB/ 74RB&1RB/ 0RB Offset
		20828 to 21179	Low, Middle, High	15MHz+20MHz	QPSK	1RB/ 74RB&1RB/ 0RB Offset
		20850 to 21251	Low, Middle, High	20MHz+10MHz	QPSK	1RB/ 99RB&1RB/ 0RB Offset
		20850 to 21201	Low, Middle, High	20MHz+15MHz	QPSK	1RB/ 99RB&1RB/ 0RB Offset
		20850 to 21152	Low, Middle, High	20MHz+20MHz	QPSK	1RB/ 99RB&1RB/ 0RB Offset

Note: This device was tested under all bandwidths, RB configurations and modulations. The worst case was found in QPSK modulation.

LTE BAND CA_38C MODE

EUT CONFIGURE MODE	TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE	
B	EIRP	37825 to 38025	Low, Middle, High	15MHz+15MHz	QPSK, 16QAM, 64QAM	1RB/ 74RB&1RB/ 0RB Offset	
		37850 to 37952	Low, Middle, High	20MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 99RB&1RB/ 0RB Offset	
B	OCCUPIED BANDWIDTH	37825 to 38025	Low, Middle, High	15MHz+15MHz	QPSK, 16QAM, 64QAM	75RB/ 0RB&75RB/ 0RB Offset	
		37850 to 37952	Low, Middle, High	20MHz+20MHz	QPSK, 16QAM, 64QAM	100RB/ 0RB&100RB/ 0RB Offset	
B	BAND EDGE	37825 to 38025	Low	15MHz+15MHz	QPSK, 16QAM, 64QAM	1RB/ 0RB&1RB/ 74RB Offset	
						1RB/ 74RB&1RB/ 0RB Offset	
			High	15MHz+15MHz	QPSK, 16QAM, 64QAM	75RB/ 0RB&75RB/ 0RB Offset	
						1RB/ 0RB&1RB/ 74RB Offset	
		37850 to 37952	Low	20MHz+20MHz	QPSK, 16QAM, 64QAM	1RB/ 74RB&1RB/ 0RB Offset	
						1RB/ 99RB&1RB/ 0RB Offset	
			High	20MHz+20MHz	QPSK, 16QAM, 64QAM	100RB/ 0RB&100RB/ 0RB Offset	
						1RB/ 0RB&1RB/ 99RB Offset	
B	CONDCUDET ED EMISSION	37825 to 38025	Low, Middle, High	15MHz+15MHz	QPSK	1RB/ 0RB&1RB/ 99RB Offset	
						1RB/ 99RB&1RB/ 0RB Offset	
						100RB/ 0RB&100RB/ 0RB Offset	
		37850 to 37952	Low, Middle, High	20MHz+20MHz	QPSK	QPSK	1RB/ 0RB&1RB/ 99RB Offset
							1RB/ 99RB&1RB/ 0RB Offset
							100RB/ 0RB&100RB/ 0RB Offset
A	RADIATED EMISSION	37825 to 38025	Low, Middle, High	15MHz+15MHz	QPSK	1RB/ 74RB&1RB/ 0RB Offset	
		37850 to 37952	Low, Middle, High	20MHz+20MHz	QPSK	1RB/ 99RB&1RB/ 0RB Offset	

Note: This device was tested under all bandwidths, RB configurations and modulations. The worst case was found in QPSK modulation.

TEST CONDITION:

TEST ITEM	ENVIRONMENTAL CONDITIONS	INPUT POWER	TESTED BY
EIRP	23deg. C, 70%RH	DC 3.87V By Battery	Jacky Liu
FREQUENCY STABILITY	23deg. C, 70%RH	DC 3.6V/3.87V/4.45V	Harris Wang
OCCUPIED BANDWIDTH	23deg. C, 70%RH	DC 3.87V By Battery	Harris Wang
BAND EDGE	23deg. C, 70%RH	DC 3.87V By Battery	Harris Wang
CONDCUDED EMISSION	23deg. C, 70%RH	DC 3.87V By Battery	Harris Wang
RADIATED EMISSION	23deg. C, 70%RH	DC 5/9/10/12V By Adapter	Jacky Liu

2.5 GENERAL DESCRIPTION OF APPLIED STANDARDS

The EUT is a RF product. According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

FCC 47 CFR Part 2

FCC 47 CFR Part 27

KDB 971168 D01 Power Meas License Digital Systems v03r01

ANSI/TIA/EIA-603-D

ANSI/TIA/EIA-603-E

ANSI C63.26-2015

NOTE: All test items have been performed and recorded as per the above standards.

3 TEST TYPES AND RESULTS

3.1 OUTPUT POWER MEASUREMENT

3.1.1 LIMITS OF OUTPUT POWER MEASUREMENT

The radiated peak output power shall be according to the specific rule Part 27.50(h)(2) that “User stations are limited to 2 watts” and 27.50(i) specific that “Peak transmit power must be measure over any interval of continuous transmission using instrumentation calibration in terms of rms-equivalent voltage.”

3.1.2 TEST PROCEDURES

EIRP MEASUREMENT:

Per KDB 971168 D01 Power Meas License Digital Systems v03r01 or subclause 5.2.5.5 of ANSI C63.26-2015, the relevant equation for determining the ERP or EIRP from the conducted RF output power measured using the guidance provided above is:

$$\text{ERP or EIRP} = P_{\text{Meas}} + G_{\text{T}} - L_{\text{C}}$$

Where:

ERP or EIRP = effective radiated power or equivalent isotropically radiated power, respectively

(expressed in the same units as P_{Meas} , typically dBW or dBm);

P_{Meas} = measured transmitter output power or PSD, in dBm or dBW;

G_{T} = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);


L_{C} = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

CONDUCTED POWER MEASUREMENT:

- a. The EUT was set up for the maximum power with LTE link data modulation and link up with simulator.
- b. Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.

3.1.3 TEST SETUP

CONDUCTED POWER MEASUREMENT:



For the actual test configuration, please refer to the attached file (Test Setup Photo).

3.1.4 TEST RESULTS

AVERAGE CONDUCTED OUTPUT POWER (dBm)

LTE Band 7								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		Low CH 20850	Mid CH 21100	High CH 21350		
		Frequency (MHz)		Frequency 2510 MHz	Frequency 2535 MHz	Frequency 2560 MHz		
20M	QPSK	1	0	22.83	22.51	22.60	0	24
		1	50	22.88	22.52	22.65	0	24
		1	99	22.92	22.59	22.73	0	24
		50	0	21.94	21.63	21.70	1	23
		50	25	21.94	21.71	21.74	1	23
		50	50	22.05	21.74	21.85	1	23
		100	0	22.01	21.75	21.79	1	23
	16QAM	1	0	22.17	21.89	21.99	1	23
		1	50	22.09	21.85	21.89	1	23
		1	99	22.13	21.77	21.90	1	23
		50	0	20.90	20.62	20.67	2	22
		50	25	20.95	20.69	20.72	2	22
		50	50	21.01	20.73	20.83	2	22
		100	0	20.99	20.68	20.77	2	22
	64QAM	1	0	21.07	20.79	20.89	2	22
		1	50	20.97	20.73	20.76	2	22
		1	99	21.03	20.80	20.86	2	22
		50	0	19.98	19.67	19.71	3	21
		50	25	19.97	19.74	19.80	3	21
		50	50	20.07	19.76	19.80	3	21
		100	0	20.03	19.77	19.83	3	21

BW	MCS Index	Channel		Low CH 20825	Mid CH 21100	High CH 21375	3GPP MPR	Max. Tune-up
		Frequency (MHz)		Frequency 2507.5 MHz	Frequency 2535 MHz	Frequency 2562.5 MHz		
15M	QPSK	1	0	22.80	22.54	22.60	0	24
		1	37	22.88	22.52	22.66	0	24
		1	74	22.89	22.63	22.69	0	24
		36	0	21.95	21.62	21.73	1	23
		36	19	22.00	21.65	21.74	1	23
		36	39	22.03	21.71	21.84	1	23
		75	0	22.06	21.75	21.76	1	23
	16QAM	1	0	22.17	21.86	21.95	1	23
		1	37	22.14	21.81	21.92	1	23
		1	74	22.13	21.78	21.87	1	23
		36	0	20.92	20.60	20.73	2	22
		36	19	20.99	20.63	20.77	2	22
		36	39	21.00	20.74	20.80	2	22
		75	0	21.03	20.67	20.81	2	22
	64QAM	1	0	21.06	20.80	20.86	2	22
		1	37	21.02	20.69	20.80	2	22
		1	74	21.09	20.74	20.83	2	22
		36	0	19.96	19.64	19.77	3	21
		36	19	20.04	19.73	19.74	3	21
		36	39	20.06	19.73	19.82	3	21
		75	0	20.08	19.73	19.84	3	21

BW	MCS Index	Channel		Low CH 20800	Mid CH 21100	High CH 21400	3GPP MPR	Max. Tune-up
		Frequency (MHz)		Frequency 2505 MHz	Frequency 2535 MHz	Frequency 2565 MHz		
10M	QPSK	1	0	22.87	22.54	22.57	0	24
		1	24	22.86	22.57	22.61	0	24
		1	49	22.95	22.66	22.70	0	24
		25	0	21.92	21.63	21.74	1	23
		25	12	22.01	21.70	21.74	1	23
		25	25	22.01	21.72	21.84	1	23
		50	0	22.06	21.73	21.81	1	23
	16QAM	1	0	22.21	21.93	21.95	1	23
		1	24	22.13	21.82	21.92	1	23
		1	49	22.09	21.83	21.89	1	23
		25	0	20.96	20.60	20.74	2	22
		25	12	20.93	20.67	20.73	2	22
		25	25	21.05	20.72	20.83	2	22
		50	0	21.04	20.70	20.74	2	22
	64QAM	1	0	21.08	20.81	20.87	2	22
		1	24	21.03	20.68	20.77	2	22
		1	49	21.05	20.73	20.86	2	22
		25	0	20.01	19.70	19.71	3	21
		25	12	19.98	19.67	19.76	3	21
		25	25	20.09	19.80	19.84	3	21
		50	0	20.07	19.71	19.85	3	21

BW	MCS Index	Channel		Low CH 20775	Mid CH 21100	High CH 21425	3GPP MPR	Max. Tune-up
		Frequency (MHz)		Frequency 2502.5 MHz	Frequency 2535 MHz	Frequency 2567.5 MHz		
5M	QPSK	1	0	22.88	22.58	22.65	0	24
		1	12	22.90	22.60	22.67	0	24
		1	24	22.97	22.67	22.74	0	24
		12	0	21.98	21.68	21.75	1	23
		12	6	22.02	21.72	21.79	1	23
		12	13	22.09	21.79	21.86	1	23
		25	0	22.07	21.77	21.84	1	23
	16QAM	1	0	22.24	21.94	22.01	1	23
		1	12	22.17	21.87	21.94	1	23
		1	24	22.15	21.85	21.92	1	23
		12	0	20.98	20.68	20.75	2	22
		12	6	21.01	20.71	20.78	2	22
		12	13	21.08	20.78	20.85	2	22
		25	0	21.05	20.75	20.82	2	22
	64QAM	1	0	21.14	20.84	20.91	2	22
		1	12	21.05	20.75	20.82	2	22
		1	24	21.11	20.81	20.88	2	22
		12	0	20.02	19.72	19.79	3	21
		12	6	20.05	19.75	19.82	3	21
		12	13	20.11	19.81	19.88	3	21
		25	0	20.09	19.79	19.86	3	21

LTE Band 38								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		Low CH 37850	Mid CH 38000	High CH 38150		
		Frequency (MHz)		Frequency 2580 MHz	Frequency 2595 MHz	Frequency 2610 MHz		
20M	QPSK	1	0	22.46	22.51	22.55	0	24
		1	50	22.53	22.58	22.62	0	24
		1	99	22.49	22.54	22.58	0	24
		50	0	21.53	21.58	21.62	1	23
		50	25	21.57	21.62	21.66	1	23
		50	50	21.59	21.64	21.68	1	23
		100	0	21.55	21.60	21.64	1	23
	16QAM	1	0	21.49	21.54	21.58	1	23
		1	50	21.61	21.66	21.70	1	23
		1	99	21.56	21.61	21.65	1	23
		50	0	20.60	20.65	20.69	2	22
		50	25	20.65	20.70	20.74	2	22
		50	50	20.70	20.75	20.79	2	22
		100	0	20.63	20.68	20.72	2	22
	64QAM	1	0	20.33	20.38	20.42	2	22
		1	50	20.37	20.42	20.46	2	22
		1	99	20.31	20.36	20.40	2	22
		50	0	19.65	19.70	19.74	3	21
		50	25	19.72	19.77	19.81	3	21
		50	50	19.67	19.72	19.76	3	21
		100	0	19.66	19.71	19.75	3	21

BW	MCS Index	Channel		Low CH 37825	Mid CH 38000	High CH 38175	3GPP MPR	Max. Tune-up
		Frequency (MHz)		Frequency 2577.5 MHz	Frequency 2595 MHz	Frequency 2612.5MHz		
15M	QPSK	1	0	22.45	22.47	22.47	0	24
		1	37	22.49	22.55	22.56	0	24
		1	74	22.47	22.53	22.54	0	24
		36	0	21.47	21.53	21.61	1	23
		36	19	21.56	21.60	21.61	1	23
		36	39	21.51	21.57	21.66	1	23
		75	0	21.54	21.56	21.61	1	23
	16QAM	1	0	21.46	21.53	21.52	1	23
		1	37	21.57	21.61	21.68	1	23
		1	74	21.50	21.59	21.62	1	23
		36	0	20.58	20.57	20.68	2	22
		36	19	20.57	20.66	20.69	2	22
		36	39	20.67	20.69	20.77	2	22
		75	0	20.62	20.63	20.64	2	22
	64QAM	1	0	20.27	20.35	20.38	2	22
		1	37	20.35	20.35	20.41	2	22
		1	74	20.25	20.28	20.38	2	22
		36	0	19.64	19.68	19.66	3	21
		36	19	19.65	19.69	19.75	3	21
		36	39	19.65	19.71	19.72	3	21
		75	0	19.64	19.63	19.74	3	21

BW	MCS Index	Channel		Low CH 37800	Mid CH 38000	High CH 38200	3GPP MPR	Max. Tune-up
		Frequency (MHz)		Frequency 2575 MHz	Frequency 2595 MHz	Frequency 2615 MHz		
10M	QPSK	1	0	22.38	22.47	22.50	0	24
		1	24	22.51	22.50	22.61	0	24
		1	49	22.41	22.50	22.53	0	24
		25	0	21.50	21.52	21.60	1	23
		25	12	21.55	21.55	21.61	1	23
		25	25	21.53	21.56	21.66	1	23
		50	0	21.54	21.58	21.56	1	23
	16QAM	1	0	21.42	21.46	21.52	1	23
		1	24	21.58	21.60	21.68	1	23
		1	49	21.54	21.54	21.60	1	23
		25	0	20.54	20.57	20.67	2	22
		25	12	20.63	20.62	20.73	2	22
		25	25	20.62	20.71	20.74	2	22
		50	0	20.61	20.60	20.71	2	22
	64QAM	1	0	20.25	20.34	20.37	2	22
		1	24	20.34	20.36	20.44	2	22
		1	49	20.29	20.29	20.35	2	22
		25	0	19.59	19.62	19.72	3	21
		25	12	19.71	19.75	19.73	3	21
		25	25	19.62	19.64	19.70	3	21
		50	0	19.65	19.65	19.73	3	21

BW	MCS Index	Channel		Low CH 37775	Mid CH 38000	High CH 38225	3GPP MPR	Max. Tune-up
		Frequency (MHz)		Frequency 2572.5 MHz	Frequency 2595 MHz	Frequency 2617.5MHz		
5M	QPSK	1	0	22.41	22.44	22.50	0	24
		1	12	22.51	22.50	22.60	0	24
		1	24	22.44	22.46	22.57	0	24
		12	0	21.49	21.53	21.57	1	23
		12	6	21.49	21.61	21.61	1	23
		12	13	21.55	21.59	21.67	1	23
		25	0	21.49	21.58	21.59	1	23
	16QAM	1	0	21.42	21.49	21.56	1	23
		1	12	21.53	21.64	21.65	1	23
		1	24	21.54	21.53	21.63	1	23
		12	0	20.52	20.59	20.61	2	22
		12	6	20.59	20.68	20.68	2	22
		12	13	20.63	20.70	20.77	2	22
		25	0	20.57	20.61	20.67	2	22
	64QAM	1	0	20.26	20.33	20.40	2	22
		1	12	20.29	20.40	20.40	2	22
		1	24	20.23	20.35	20.38	2	22
		12	0	19.61	19.65	19.66	3	21
		12	6	19.64	19.76	19.79	3	21
		12	13	19.63	19.67	19.68	3	21
		25	0	19.60	19.69	19.72	3	21

CA_7C								
Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20805	20949	QPSK	1	49	1	0	2	22.66
		16QAM	1	49	1	0	2	21.64
		64QAM	1	49	1	0	2	19.78
21006	21150	QPSK	1	49	1	0	2	22.36
		16QAM	1	49	1	0	2	21.41
		64QAM	1	49	1	0	2	19.38
21206	21350	QPSK	1	49	1	0	2	22.31
		16QAM	1	49	1	0	2	21.32
		64QAM	1	49	1	0	2	19.33
Combination 15MHz+10MHz (75RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20975	QPSK	1	74	1	0	2	22.42
		16QAM	1	74	1	0	2	21.45
		64QAM	1	74	1	0	2	19.48
21051	21171	QPSK	1	74	1	0	2	22.44
		16QAM	1	74	1	0	2	21.47
		64QAM	1	74	1	0	2	19.48
21277	21397	QPSK	1	74	1	0	2	22.43
		16QAM	1	74	1	0	2	21.51
		64QAM	1	74	1	0	2	19.45

CA_7C								
Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20975	QPSK	1	74	1	0	2	22.64
		16QAM	1	74	1	0	2	21.61
		64QAM	1	74	1	0	2	19.75
21025	21175	QPSK	1	74	1	0	2	22.32
		16QAM	1	74	1	0	2	21.39
		64QAM	1	74	1	0	2	19.35
21225	21375	QPSK	1	74	1	0	2	22.29
		16QAM	1	74	1	0	2	21.28
		64QAM	1	74	1	0	2	19.30
Combination 15MHz+20MHz (75RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20828	20999	QPSK	1	74	1	0	2	22.72
		16QAM	1	74	1	0	2	21.68
		64QAM	1	74	1	0	2	19.83
21003	21174	QPSK	1	74	1	0	2	22.42
		16QAM	1	74	1	0	2	21.47
		64QAM	1	74	1	0	2	19.44
21179	21350	QPSK	1	74	1	0	2	22.36
		16QAM	1	74	1	0	2	21.37
		64QAM	1	74	1	0	2	19.38

CA_7C								
Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20850	20994	QPSK	1	99	1	0	2	22.69
		16QAM	1	99	1	0	2	21.66
		64QAM	1	99	1	0	2	19.81
21051	21195	QPSK	1	99	1	0	2	22.39
		16QAM	1	99	1	0	2	21.43
		64QAM	1	99	1	0	2	19.41
21251	21395	QPSK	1	99	1	0	2	22.34
		16QAM	1	99	1	0	2	21.35
		64QAM	1	99	1	0	2	19.36
Combination 20MHz+15MHz (100RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20850	21021	QPSK	1	99	1	0	2	22.76
		16QAM	1	99	1	0	2	21.72
		64QAM	1	99	1	0	2	19.86
21026	21197	QPSK	1	99	1	0	2	22.48
		16QAM	1	99	1	0	2	21.51
		64QAM	1	99	1	0	2	19.49
21201	21372	QPSK	1	99	1	0	2	22.38
		16QAM	1	99	1	0	2	21.39
		64QAM	1	99	1	0	2	19.41

CA_7C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21048	QPSK	0	0	1	99	1	22.75
			1	0	0	0	1	22.81
			1	99	1	0	2	22.83
		16QAM	0	0	1	99	1	21.74
			1	0	0	0	1	21.79
			1	99	1	0	2	21.85
		64QAM	0	0	1	99	1	20.87
			1	0	0	0	1	20.89
			1	99	1	0	2	19.92
21001	21199	QPSK	0	0	1	99	1	22.49
			1	0	0	0	1	22.45
			1	99	1	0	2	22.52
		16QAM	0	0	1	99	1	21.53
			1	0	0	0	1	21.48
			1	99	1	0	2	21.56
		64QAM	0	0	1	99	1	20.49
			1	0	0	0	1	20.51
			1	99	1	0	2	19.55
21152	21350	QPSK	0	0	1	99	1	22.38
			1	0	0	0	1	22.36
			1	99	1	0	2	22.42
		16QAM	0	0	1	99	1	21.39
			1	0	0	0	1	21.41
			1	99	1	0	2	21.44
		64QAM	0	0	1	99	1	20.37
			1	0	0	0	1	20.42
			1	99	1	0	2	19.45

CA_38C								
Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
37825	37975	QPSK	1	74	1	0	2	22.46
		16QAM	1	74	1	0	2	21.48
		64QAM	1	74	1	0	2	19.52
37925	38075	QPSK	1	74	1	0	2	22.49
		16QAM	1	74	1	0	2	21.51
		64QAM	1	74	1	0	2	19.53
38025	38175	QPSK	1	74	1	0	2	22.47
		16QAM	1	74	1	0	2	21.53
		64QAM	1	74	1	0	2	19.49

CA_38C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
37850	38048	QPSK	0	0	1	99	1	22.46
			1	0	0	0	1	22.42
			1	99	1	0	2	22.50
		16QAM	0	0	1	99	1	21.51
			1	0	0	0	1	21.45
			1	99	1	0	2	21.53
		64QAM	0	0	1	99	1	20.57
			1	0	0	0	1	20.54
			1	99	1	0	2	19.56
37901	38099	QPSK	0	0	1	99	1	22.48
			1	0	0	0	1	22.52
			1	99	1	0	2	22.53
		16QAM	0	0	1	99	1	21.54
			1	0	0	0	1	21.51
			1	99	1	0	2	21.55
		64QAM	0	0	1	99	1	20.49
			1	0	0	0	1	20.52
			1	99	1	0	2	19.57
37952	38150	QPSK	0	0	1	99	1	22.47
			1	0	0	0	1	22.49
			1	99	1	0	2	22.50
		16QAM	0	0	1	99	1	21.52
			1	0	0	0	1	21.55
			1	99	1	0	2	21.56
		64QAM	0	0	1	99	1	20.53
			1	0	0	0	1	20.52
			1	99	1	0	2	19.54



BUREAU
VERITAS

Test Report No.: RF200106W008-7

EIRP

LTE BAND 7

CHANNEL BANDWIDTH: 5MHz QPSK

Channel	Frequency (MHz)	Conducted Power (dBm)	G _{T-Lc} (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20775	2502.5	22.97	0.54	23.51	224.39	1
21100	2535.0	22.67	0.54	23.21	209.41	1
21425	2567.5	22.74	0.54	23.28	212.81	1

CHANNEL BANDWIDTH: 5MHz 16QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _{T-Lc} (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20775	2502.5	22.24	0.54	22.78	189.67	1
21100	2535.0	21.94	0.54	22.48	177.01	1
21425	2567.5	22.01	0.54	22.55	179.89	1

CHANNEL BANDWIDTH: 5MHz 64QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _{T-Lc} (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20775	2502.5	21.14	0.54	21.68	147.23	1
21100	2535.0	20.84	0.54	21.38	137.40	1
21425	2567.5	20.91	0.54	21.45	139.64	1

CHANNEL BANDWIDTH: 10MHz QPSK

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20800	2505.0	22.95	0.54	23.49	223.36	1
21100	2535.0	22.66	0.54	23.20	208.93	1
21400	2565.0	22.70	0.54	23.24	210.86	1

CHANNEL BANDWIDTH: 10MHz 16QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20800	2505.0	22.21	0.54	22.75	188.36	1
21100	2535.0	21.93	0.54	22.47	176.60	1
21400	2565.0	21.95	0.54	22.49	177.42	1

CHANNEL BANDWIDTH: 10MHz 64QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20800	2505.0	21.08	0.54	21.62	145.21	1
21100	2535.0	20.81	0.54	21.35	136.46	1
21400	2565.0	20.87	0.54	21.41	138.36	1

CHANNEL BANDWIDTH: 15MHz QPSK

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	22.89	0.54	23.43	220.29	1
21100	2535.0	22.63	0.54	23.17	207.49	1
21375	2562.5	22.69	0.54	23.23	210.38	1

CHANNEL BANDWIDTH: 15MHz 16QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	22.17	0.54	22.71	186.64	1
21100	2535.0	21.86	0.54	22.40	173.78	1
21375	2562.5	21.95	0.54	22.49	177.42	1

CHANNEL BANDWIDTH: 15MHz 64QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	21.06	0.54	21.60	144.54	1
21100	2535.0	20.80	0.54	21.34	136.14	1
21375	2562.5	20.86	0.54	21.40	138.04	1

CHANNEL BANDWIDTH: 20MHz QPSK

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	22.92	0.54	23.46	221.82	1
21100	2535.0	22.59	0.54	23.13	205.59	1
21350	2560.0	22.73	0.54	23.27	212.32	1

CHANNEL BANDWIDTH: 20MHz 16QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	22.17	0.54	22.71	186.64	1
21100	2535.0	21.89	0.54	22.43	174.98	1
21350	2560.0	21.99	0.54	22.53	179.06	1

CHANNEL BANDWIDTH: 20MHz 64QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	21.07	0.54	21.61	144.88	1
21100	2535.0	20.79	0.54	21.33	135.83	1
21350	2560.0	20.89	0.54	21.43	139.00	1

REMARKS: 1. EIRP Output Power (dBm) = SPA LVL (dBm) + Correction Factor (dB).
 2. Correction factor (dB) = Free Space Loss + Antenna Factor + Cable Loss

LTE BAND 38

CHANNEL BANDWIDTH: 5MHz QPSK

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37775	2572.5	22.51	0.87	23.38	217.77	2
38000	2595.0	22.50	0.87	23.37	217.27	2
38225	2617.5	22.60	0.87	23.47	222.33	2

CHANNEL BANDWIDTH: 5MHz 16QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37775	2572.5	21.54	0.87	22.41	174.18	2
38000	2595.0	21.64	0.87	22.51	178.24	2
38225	2617.5	21.65	0.87	22.52	178.65	2

CHANNEL BANDWIDTH: 5MHz 64QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37775	2572.5	20.29	0.87	21.16	130.62	2
38000	2595.0	20.40	0.87	21.27	133.97	2
38225	2617.5	20.40	0.87	21.27	133.97	2

CHANNEL BANDWIDTH: 10MHz QPSK

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37800	2575.0	22.51	0.87	23.38	217.77	2
38000	2595.0	22.50	0.87	23.37	217.27	2
38200	2615.0	22.61	0.87	23.48	222.84	2

CHANNEL BANDWIDTH: 10MHz 16QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37800	2575.0	21.54	0.87	22.41	174.18	2
38000	2595.0	21.60	0.87	22.47	176.60	2
38200	2615.0	21.68	0.87	22.55	179.89	2

CHANNEL BANDWIDTH: 10MHz 64QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37800	2575.0	20.36	0.87	21.23	132.74	2
38000	2595.0	20.36	0.87	21.23	132.74	2
38200	2615.0	20.44	0.87	21.31	135.21	2

CHANNEL BANDWIDTH: 15MHz QPSK

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37825	2577.5	22.49	0.87	23.36	216.77	2
38000	2595.0	22.55	0.87	23.42	219.79	2
38175	2612.5	22.56	0.87	23.43	220.29	2

CHANNEL BANDWIDTH: 15MHz 16QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37825	2577.5	21.57	0.87	22.44	175.39	2
38000	2595.0	21.61	0.87	22.48	177.01	2
38175	2612.5	21.68	0.87	22.55	179.89	2

CHANNEL BANDWIDTH: 15MHz 64QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37825	2577.5	20.35	0.87	21.22	132.43	2
38000	2595.0	20.35	0.87	21.22	132.43	2
38175	2612.5	20.41	0.87	21.28	134.28	2

CHANNEL BANDWIDTH: 20MHz QPSK

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37850	2580.0	22.53	0.87	23.40	218.78	2
38000	2595.0	22.58	0.87	23.45	221.31	2
38150	2610.0	22.62	0.87	23.49	223.36	2

CHANNEL BANDWIDTH: 20MHz 16QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37850	2580.0	21.61	0.87	22.48	177.01	2
38000	2595.0	21.66	0.87	22.53	179.06	2
38150	2610.0	21.70	0.87	22.57	180.72	2

CHANNEL BANDWIDTH: 20MHz 64QAM

Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37850	2580.0	20.37	0.87	21.24	133.05	2
38000	2595.0	20.42	0.87	21.29	134.59	2
38150	2610.0	20.46	0.87	21.33	135.83	2



BUREAU
VERITAS

Test Report No.: RF200106W008-7

LTE BAND CA_7C

CHANNEL BANDWIDTH: 10MHz+20MHz QPSK

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20805	2505.5	20949	2519.9	22.66	0.54	23.20	208.93	2
21006	2525.6	21150	2540.0	22.36	0.54	22.90	194.98	2
21206	2545.6	21350	2560.0	22.31	0.54	22.85	192.75	2

CHANNEL BANDWIDTH: 10MHz+20MHz 16QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20805	2505.5	20949	2519.9	21.64	0.54	22.18	165.20	2
21006	2525.6	21150	2540.0	21.41	0.54	21.95	156.68	2
21206	2545.6	21350	2560.0	21.32	0.54	21.86	153.46	2

CHANNEL BANDWIDTH: 10MHz+20MHz 64QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20805	2505.5	20949	2519.9	19.78	0.54	20.32	107.65	2
21006	2525.6	21150	2540.0	19.38	0.54	19.92	98.17	2
21206	2545.6	21350	2560.0	19.33	0.54	19.87	97.05	2

CHANNEL BANDWIDTH: 15MHz+10MHz QPSK

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	20945	2519.5	22.42	0.54	22.96	197.70	2
21051	2530.1	21171	2542.1	22.44	0.54	22.98	198.61	2
21227	2552.7	21397	2564.7	22.43	0.54	22.97	198.15	2

CHANNEL BANDWIDTH: 15MHz+10MHz 16QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	20945	2519.5	21.45	0.54	21.99	158.12	2
21051	2530.1	21171	2542.1	21.47	0.54	22.01	158.85	2
21227	2552.7	21397	2564.7	21.51	0.54	22.05	160.32	2

CHANNEL BANDWIDTH: 15MHz+10MHz 64QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	20945	2519.5	19.48	0.54	20.02	100.46	2
21051	2530.1	21171	2542.1	19.48	0.54	20.02	100.46	2
21227	2552.7	21397	2564.7	19.45	0.54	19.99	99.77	2

CHANNEL BANDWIDTH: 15MHz+15MHz QPSK

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	2522.5	2502.5	22.64	0.54	23.18	207.97	2
21025	2527.5	2542.5	2535.0	22.32	0.54	22.86	193.20	2
21225	2547.5	2562.5	2567.5	22.29	0.54	22.83	191.87	2

CHANNEL BANDWIDTH: 15MHz+15MHz 16QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	2522.5	2502.5	21.61	0.54	22.15	164.06	2
21025	2527.5	2542.5	2535.0	21.39	0.54	21.93	155.96	2
21225	2547.5	2562.5	2567.5	21.28	0.54	21.82	152.05	2

CHANNEL BANDWIDTH: 15MHz+15MHz 64QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20825	2507.5	2522.5	2502.5	19.75	0.54	20.29	106.91	2
21025	2527.5	2542.5	2535.0	19.35	0.54	19.89	97.50	2
21225	2547.5	2562.5	2567.5	19.30	0.54	19.84	96.38	2

CHANNEL BANDWIDTH: 15MHz+20MHz QPSK

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20828	2507.8	20975	2522.5	22.72	0.54	23.26	211.84	2
21003	2525.3	21175	2542.5	22.42	0.54	22.96	197.70	2
21179	2542.9	21375	2562.5	22.36	0.54	22.90	194.98	2

CHANNEL BANDWIDTH: 15MHz+20MHz 16QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20828	2507.8	20975	2522.5	21.68	0.54	22.22	166.72	2
21003	2525.3	21175	2542.5	21.47	0.54	22.01	158.85	2
21179	2542.9	21375	2562.5	21.37	0.54	21.91	155.24	2

CHANNEL BANDWIDTH: 15MHz+20MHz 64QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20828	2507.8	20975	2522.5	19.83	0.54	20.37	108.89	2
21003	2525.3	21175	2542.5	19.44	0.54	19.98	99.54	2
21179	2542.9	21375	2562.5	19.38	0.54	19.92	98.17	2

CHANNEL BANDWIDTH: 20MHz+10MHz QPSK

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	20994	2524.4	22.69	0.54	23.23	210.38	2
21051	2530.1	21195	2544.5	22.39	0.54	22.93	196.34	2
21251	2550.1	21395	2564.5	22.34	0.54	22.88	194.09	2

CHANNEL BANDWIDTH: 20MHz+10MHz 16QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	20994	2524.4	21.66	0.54	22.20	165.96	2
21051	2530.1	21195	2544.5	21.43	0.54	21.97	157.40	2
21251	2550.1	21395	2564.5	21.35	0.54	21.89	154.53	2

CHANNEL BANDWIDTH: 20MHz+10MHz 64QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	20994	2524.4	19.81	0.54	20.35	108.39	2
21051	2530.1	21195	2544.5	19.41	0.54	19.95	98.86	2
21251	2550.1	21395	2564.5	19.36	0.54	19.90	97.72	2

CHANNEL BANDWIDTH: 20MHz+15MHz QPSK

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	21021	2527.1	22.76	0.54	23.30	213.80	2
21026	2527.6	21197	2544.7	22.48	0.54	23.02	200.45	2
21201	2545.1	21372	2562.2	22.38	0.54	22.92	195.88	2

CHANNEL BANDWIDTH: 20MHz+15MHz 16QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	21021	2527.1	21.72	0.54	22.26	168.27	2
21026	2527.6	21197	2544.7	21.51	0.54	22.05	160.32	2
21201	2545.1	21372	2562.2	21.39	0.54	21.93	155.96	2

CHANNEL BANDWIDTH: 20MHz+15MHz 64QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	21021	2527.1	19.86	0.54	20.40	109.65	2
21026	2527.6	21197	2544.7	19.49	0.54	20.03	100.69	2
21201	2545.1	21372	2562.2	19.41	0.54	19.95	98.86	2

CHANNEL BANDWIDTH: 20MHz+20MHz QPSK

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	21048	2529.8	22.83	0.54	23.37	217.27	2
21001	2525.1	21199	2544.9	22.52	0.54	23.06	202.30	2
21206	2540.2	21350	2560.0	22.42	0.54	22.96	197.70	2

CHANNEL BANDWIDTH: 20MHz+20MHz 16QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	21048	2529.8	21.85	0.54	22.39	173.38	2
21001	2525.1	21199	2544.9	21.56	0.54	22.10	162.18	2
21206	2540.2	21350	2560.0	21.44	0.54	21.98	157.76	2

CHANNEL BANDWIDTH: 20MHz+20MHz 64QAM

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
20850	2510.0	21048	2529.8	20.89	0.54	21.43	139.00	2
21001	2525.1	21199	2544.9	20.51	0.54	21.05	127.35	2
21206	2540.2	21350	2560.0	20.42	0.54	20.96	124.74	2



BUREAU
VERITAS

Test Report No.: RF200106W008-7

LTE BAND CA_38C

CHANNEL BANDWIDTH: 15MHz+15MHz QPSK

Channel (CC1)	Frequency (CC1) (MHz)	Channel (CC2)	Frequency (CC2) (MHz)	Conducted Power (dBm)	G _{T-LC} (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37825	2577.5	37975	2592.5	22.46	0.87	23.33	215.28	2
37925	2587.5	38075	2602.5	22.49	0.87	23.36	216.77	2
38025	2597.5	38150	2612.5	22.47	0.87	23.34	215.77	2

CHANNEL BANDWIDTH: 15MHz+15MHz 16QAM

Channel (CC1)	Frequency (CC1) (MHz)	Channel (CC2)	Frequency (CC2) (MHz)	Conducted Power (dBm)	G _{T-LC} (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37825	2577.5	37975	2592.5	21.48	0.87	22.35	171.79	2
37925	2587.5	38075	2602.5	21.51	0.87	22.38	172.98	2
38025	2597.5	38150	2612.5	21.53	0.87	22.40	173.78	2

CHANNEL BANDWIDTH: 15MHz+15MHz 64QAM

Channel (CC1)	Frequency (CC1) (MHz)	Channel (CC2)	Frequency (CC2) (MHz)	Conducted Power (dBm)	G _{T-LC} (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37825	2577.5	37975	2592.5	19.52	0.87	20.39	109.40	2
37925	2587.5	38075	2602.5	19.53	0.87	20.40	109.65	2
38025	2597.5	38150	2612.5	19.49	0.87	20.36	108.64	2

CHANNEL BANDWIDTH: 20MHz+20MHz QPSK

Channel (CC1)	Frequency (CC1) (MHz)	Channel (CC2)	Frequency (CC2) (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37850	2580.0	38048	2599.8	22.50	0.87	23.37	217.27	2
37901	2585.1	38099	2604.9	22.53	0.87	23.40	218.78	2
37952	2590.2	38150	2610.0	22.50	0.87	23.37	217.27	2

CHANNEL BANDWIDTH: 20MHz+20MHz 16QAM

Channel (CC1)	Frequency (CC1) (MHz)	Channel (CC2)	Frequency (CC2) (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37850	2580.0	38048	2599.8	21.53	0.87	22.40	173.78	2
37901	2585.1	38099	2604.9	21.54	0.87	22.41	174.18	2
37952	2590.2	38150	2610.0	21.44	0.87	22.31	170.22	2

CHANNEL BANDWIDTH: 20MHz+20MHz 64QAM

Channel (CC1)	Frequency (CC1) (MHz)	Channel (CC2)	Frequency (CC2) (MHz)	Conducted Power (dBm)	G _T -L _c (dB)	EIRP (dBm)	EIRP (mW)	Limit (W)
37850	2580.0	38048	2599.8	20.57	0.87	21.44	139.32	2
37901	2585.1	38099	2604.9	20.52	0.87	21.39	137.72	2
37952	2590.2	38150	2610.0	20.53	0.87	21.40	138.04	2

REMARKS: 1. EIRP Output Power (dBm) = SPA LVL (dBm) + Correction Factor (dB).
 2. Correction factor (dB) = Free Space Loss + Antenna Factor + Cable Loss