

## Modular Approval Letter

## 2020-04-28

Applicant: Xiaomi Communications Co.,Ltd.

Application Address: #019, 9th Floor, Building 6, 33Xi' erqi Middle Road,

Haidian District, Beijing, China

E-mail: mi-compliance@xiaomi.com

Product Name: 2.4Ghz WIFI+BLE dual-mode module

Model Name: MHCWB4P-IB FCC ID: 2AFZZMHCWB4P-IB

Section 15.212 Modular Transmitters		
Request for Modular Approval	Request for Limited Modular Approval	

## SingleModularApprovalRequirements:

Item	Requirements	EUT Conditions	Comply( Y/N)
1	The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements.	Refer to external photos. This module has shield cover.	Υ
2	The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part  15.247 requirements under conditions of excessive data rates or over-modulation.	All inputs to the modules are buffered through logic or microprocessor inputs. Refer to Schematics.	Y
3	The modular transmitter must have its own power supply regulation.	The Module uses the chip ESP32-D0WD-V3 with built-in power management components, the module rated power is 3.0-3.6V power. Refer to schematics.	Y

Item	Requirements	EUT Conditions	Comply( Y/N)
4	The modular transmitter must comply with the antenna and transmission system requirements of §15.203, §15.204(b) and §15.204(c).  The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of §15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	The modular transmitter has a IPEX antenna arrangement for 2.4G Wi-Fi/Bluetooth. Refer to internal photo.	Y
5	The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing for compliance with part §15.247 requirements. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in §15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see §15.27(a)). The length of these lines shall be the length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified and commercially available (see §15.31(i)).	The modular transmitter is connected to the controlled board when testing. Please refer to setup photo.	Y

Item	Requirements	EUT Conditions	Comply( Y/N)
	If using a permanently affixed label, the		
	modular transmitter must be labeled with its		
	own FCC identification number, and, if the FCC		
	identification number is not visible when the		
	module is installed inside another device, then		
	the outside of the device into which the		
	module is installed must also display a label		
	referring to the enclosed module. This exterior		Y
	label can use wording such as the following:		
6	"Contains Transmitter Module	Refer to the label.	
6	FCC ID: 2AFZZMHCWB4P-IB		
	Any similar wording that expresses the same		
	meaning may be used. The Grantee may either		
	provide such a label, an example of which must		
	be included in the application for equipment		
	authorization, or, must provide adequate		
	instructions along with the module which		
	explain this requirement. In the latter case, a		
	copy of these instructions must be included in		
	the application for equipment authorization.		
	The modular transmitter must comply with any		
	specific rules or operating requirements that	Refer to manual.	V
	ordinarily apply to a complete transmitter and		
_	the manufacturer must provide adequate		
7	instructions along with the module to explain		Y
	any such requirements. A copy of these		
	instructions must be included in the application		
	for equipment authorization.		



Item	Requirements	EUT Conditions	Comply( Y/N)
8	The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.	The EUT meets RF exposure evaluation § 2.1091.If the device built into a host as a portable usage, the additional RF exposure evaluation may be required as specified by § 2.1093	Υ

JAO XAO GAZIG

Contact Name/Title:Xiaogang Jiao E-mail:mi-compliance@xiaomi.com

Application Address: #019, 9th Floor, Building 6, 33Xi erqi Middle Road,

Haidian District, Beijing,China