


# **Annex A.5 Spurious Emission at Antenna Terminals**

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.86	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.76	-13	Pass	2986
30	500	0.1	Peak	474.3	-42.79	-13	Pass	4701
500	1000	0.1	Peak	824.3	31.96	-13	N/A	5001
1000	10000	1	Peak	7282	-40.13	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.4	-13	Pass	2986
30	500	0.1	Peak	442.9	-42.97	-13	Pass	4701
500	1000	0.1	Peak	836.7	31.96	-13	N/A	5001
1000	10000	1	Peak	8374	-39.86	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.07	-13	Pass	2986
30	500	0.1	Peak	425.4	-43.29	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.02	-13	N/A	5001
1000	10000	1	Peak	7720	-40.04	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.51	-13	Pass	2986
30	1000	0.1	Peak	920.3	-47.37	-13	Pass	9701
1000	3000	1	Peak	1850	28.87	-13	N/A	2001
3000	20000	1	Peak	19991	-38.71	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.87	-13	Pass	2986
30	1000	0.1	Peak	925.6	-46.8	-13	Pass	9701
1000	3000	1	Peak	1881	26.49	-13	N/A	2001
3000	20000	1	Peak	19778	-39.55	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.01	-13	Pass	2986
30	1000	0.1	Peak	774.5	-46.97	-13	Pass	9701
1000	3000	1	Peak	1909	28.1	-13	N/A	2001
3000	20000	1	Peak	19767	-38.72	-13	Pass	17001



### 3. EGPRS\_GSM850

#### 3.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.06	-13	Pass	2986
30	500	0.1	Peak	459.8	-42.87	-13	Pass	4701
500	1000	0.1	Peak	824.1	25.31	-13	N/A	5001
1000	10000	1	Peak	8144	-39.98	-13	Pass	9001






### 3.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.15	-13	Pass	2986
30	500	0.1	Peak	426.9	-42.88	-13	Pass	4701
500	1000	0.1	Peak	836.6	27.73	-13	N/A	5001
1000	10000	1	Peak	9944	-39.76	-13	Pass	9001



### 3.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.37	-13	Pass	2986
30	500	0.1	Peak	406.1	-43.04	-13	Pass	4701
500	1000	0.1	Peak	848.8	27.94	-13	N/A	5001
1000	10000	1	Peak	8164	-40.24	-13	Pass	9001



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.46	-13	Pass	2986
30	1000	0.1	Peak	916.5	-47.21	-13	Pass	9701
1000	3000	1	Peak	1850	23.55	-13	N/A	2001
3000	20000	1	Peak	19951	-39.61	-13	Pass	17001




## 4.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.52	-13	Pass	2986
30	1000	0.1	Peak	833	-46.59	-13	Pass	9701
1000	3000	1	Peak	1880	28.39	-13	N/A	2001
3000	20000	1	Peak	19992	-39.17	-13	Pass	17001



### 4.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.69	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.79	-13	Pass	2986
30	1000	0.1	Peak	902.2	-46.93	-13	Pass	9701
1000	3000	1	Peak	1910	27.88	-13	N/A	2001
3000	20000	1	Peak	19999	-38.69	-13	Pass	17001



## 5. WCDMA\_Band2


### 5.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.24	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.1	-13	Pass	2986
30	1000	0.1	Peak	827.5	-49.46	-13	Pass	9701
1000	3000	1	Peak	1854	24.26	-13	N/A	2001
3000	20000	1	Peak	19427	-18	-13	Pass	17003




## 5.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.54	-13	Pass	401
0.15	30	0.01	Peak	0.39	-62.13	-13	Pass	2986
30	1000	0.1	Peak	764.6	-48.71	-13	Pass	9701
1000	3000	1	Peak	1879	24.26	-13	N/A	2001
3000	20000	1	Peak	19372	-16.81	-13	Pass	17003



### 5.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.69	-13	Pass	401
0.15	30	0.01	Peak	0.34	-61.71	-13	Pass	2986
30	1000	0.1	Peak	913.543	-49.88	-13	Pass	9701
1000	3000	1	Peak	1906	24.27	-13	N/A	2001
3000	20000	1	Peak	19822	-18.15	-13	Pass	17003






## 6. WCDMA\_Band4


### 6.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.84	-13	Pass	401
0.15	30	0.01	Peak	0.28	-62.08	-13	Pass	2986
30	1000	0.1	Peak	874.817	-49.4	-13	Pass	9701
1000	3000	1	Peak	1714	24.2	-13	N/A	2001
3000	20000	1	Peak	19488	-16.99	-13	Pass	17003




## 6.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.8	-13	Pass	401
0.15	30	0.01	Peak	0.37	-62.45	-13	Pass	2986
30	1000	0.1	Peak	467.5	-49.63	-13	Pass	9701
1000	3000	1	Peak	1731	24.11	-13	N/A	2001
3000	20000	1	Peak	19564	-17.32	-13	Pass	17003



### 6.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.46	-13	Pass	401
0.15	30	0.01	Peak	0.2	-62.85	-13	Pass	2986
30	1000	0.1	Peak	618.7	-49.59	-13	Pass	9701
1000	3000	1	Peak	1754	24.31	-13	N/A	2001
3000	20000	1	Peak	19798	-18.16	-13	Pass	17003



## 7. WCDMA\_Band5


### 7.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.42	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.01	-13	Pass	2986
30	500	0.1	Peak	383.9	-50.93	-13	Pass	4701
500	1000	0.1	Peak	827	18.85	-13	N/A	5001
1000	10000	1	Peak	6986	-25.69	-13	Pass	9002




## 7.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.8	-13	Pass	401
0.15	30	0.01	Peak	23.64	-62.06	-13	Pass	2986
30	500	0.1	Peak	378.1	-50.07	-13	Pass	4701
500	1000	0.1	Peak	837	18.7	-13	N/A	5001
1000	10000	1	Peak	9597	-25.6	-13	Pass	9002



### 7.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.85	-13	Pass	401
0.15	30	0.01	Peak	0.4	-62.18	-13	Pass	2986
30	500	0.1	Peak	459.6	-50.62	-13	Pass	4701
500	1000	0.1	Peak	847.3	18.1	-13	N/A	5001
1000	10000	1	Peak	7725	-25.54	-13	Pass	9002



## 8. LTE\_Band2


### 8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.31	-70.68	-13	Pass	2986
30	1000	0.1	RMS	899.433	-61.4	-13	Pass	9701
1000	1840	1	RMS	1840	-48.76	-13	Pass	841
1840	1920	1	RMS	1850.2	23.6	60	Pass	401
1920	3000	1	RMS	2956	-47.19	-13	Pass	1081
3000	12000	1	RMS	7201	-35.3	-13	Pass	9002
12000	20000	1	RMS	19712	-26.28	-13	Pass	8001



**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	1000	0.1	RMS	892.028	-61.41	-13	Pass	9701
1000	1840	1	RMS	1840	-49.01	-13	Pass	841
1840	1920	1	RMS	1850.2	23.19	60	Pass	401
1920	3000	1	RMS	2955	-47.21	-13	Pass	1081
3000	12000	1	RMS	11466	-38.01	-13	Pass	9002
12000	20000	1	RMS	19792	-30.26	-13	Pass	8001






**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2986
30	1000	0.1	RMS	852.702	-61.47	-13	Pass	9701
1000	1840	1	RMS	1837	-50.28	-13	Pass	841
1840	1920	1	RMS	1879.4	23.66	60	Pass	401
1920	3000	1	RMS	2953	-47.24	-13	Pass	1081
3000	12000	1	RMS	11483	-38.06	-13	Pass	9002
12000	20000	1	RMS	19803	-30.29	-13	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2986
30	1000	0.1	RMS	905.637	-61.3	-13	Pass	9701
1000	1840	1	RMS	1814	-50.36	-13	Pass	841
1840	1920	1	RMS	1879.4	22.54	60	Pass	401
1920	3000	1	RMS	2963	-47.22	-13	Pass	1081
3000	12000	1	RMS	11493	-37.94	-13	Pass	9002
12000	20000	1	RMS	19796	-30.22	-13	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.33	-70.1	-13	Pass	2986
30	1000	0.1	RMS	856.005	-61.43	-13	Pass	9701
1000	1840	1	RMS	1837	-50.35	-13	Pass	841
1840	1920	1	RMS	1908.8	23.28	60	Pass	401
1920	3000	1	RMS	2964	-47.2	-13	Pass	1081
3000	12000	1	RMS	11498	-38.01	-13	Pass	9002
12000	20000	1	RMS	19795	-30.21	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.31	-13	Pass	2986
30	1000	0.1	RMS	905.337	-61.43	-13	Pass	9701
1000	1840	1	RMS	1817	-50.35	-13	Pass	841
1840	1920	1	RMS	1908.8	22.42	60	Pass	401
1920	3000	1	RMS	2955	-47.2	-13	Pass	1081
3000	12000	1	RMS	11472	-37.99	-13	Pass	9002
12000	20000	1	RMS	19798	-30.16	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.26	-13	Pass	2986
30	1000	0.1	RMS	885.124	-61.38	-13	Pass	9701
1000	1840	1	RMS	1840	-48.26	-13	Pass	841
1840	1920	1	RMS	1850.2	23.59	60	Pass	401
1920	3000	1	RMS	2964	-47.17	-13	Pass	1081
3000	12000	1	RMS	7184	-34.89	-13	Pass	9002
12000	20000	1	RMS	19700	-26.81	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.95	-13	Pass	2986
30	1000	0.1	RMS	996.398	-61.54	-13	Pass	9701
1000	1840	1	RMS	1840	-48.73	-13	Pass	841
1840	1920	1	RMS	1850.2	22.31	60	Pass	401
1920	3000	1	RMS	2965	-47.21	-13	Pass	1081
3000	12000	1	RMS	11495	-38.03	-13	Pass	9002
12000	20000	1	RMS	19791	-30.19	-13	Pass	8001



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.96	-13	Pass	2986
30	1000	0.1	RMS	909.14	-61.3	-13	Pass	9701
1000	1840	1	RMS	1838	-50.25	-13	Pass	841
1840	1920	1	RMS	1878.6	23.74	60	Pass	401
1920	3000	1	RMS	2967	-47.18	-13	Pass	1081
3000	12000	1	RMS	11853	-38.04	-13	Pass	9002
12000	20000	1	RMS	19789	-30.23	-13	Pass	8001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	Pass	2986
30	1000	0.1	RMS	901.335	-61.22	-13	Pass	9701
1000	1840	1	RMS	1839	-50.28	-13	Pass	841
1840	1920	1	RMS	1878.6	22.54	60	Pass	401
1920	3000	1	RMS	2973	-47.21	-13	Pass	1081
3000	12000	1	RMS	11500	-37.93	-13	Pass	9002
12000	20000	1	RMS	19799	-30.25	-13	Pass	8001






### 8.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	Pass	2986
30	1000	0.1	RMS	882.222	-61.36	-13	Pass	9701
1000	1840	1	RMS	1839	-50.33	-13	Pass	841
1840	1920	1	RMS	1907.2	23.31	60	Pass	401
1920	3000	1	RMS	2947	-47.14	-13	Pass	1081
3000	12000	1	RMS	11477	-38.04	-13	Pass	9002
12000	20000	1	RMS	19804	-30.22	-13	Pass	8001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.77	-13	Pass	2986
30	1000	0.1	RMS	899.533	-61.25	-13	Pass	9701
1000	1840	1	RMS	1822	-50.33	-13	Pass	841
1840	1920	1	RMS	1907.2	22.42	60	Pass	401
1920	3000	1	RMS	2957	-47.14	-13	Pass	1081
3000	12000	1	RMS	11471	-38.05	-13	Pass	9002
12000	20000	1	RMS	19796	-30.22	-13	Pass	8001



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.89	-13	Pass	2986
30	1000	0.1	RMS	916.545	-61.22	-13	Pass	9701
1000	1840	1	RMS	1838	-46.99	-13	Pass	841
1840	1920	1	RMS	1850.2	23.7	60	Pass	401
1920	3000	1	RMS	2960	-47.12	-13	Pass	1081
3000	12000	1	RMS	7153	-34.33	-13	Pass	9002
12000	20000	1	RMS	19680	-26.43	-13	Pass	8001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.55	-13	Pass	2986
30	1000	0.1	RMS	915.044	-61.36	-13	Pass	9701
1000	1840	1	RMS	1840	-48.7	-13	Pass	841
1840	1920	1	RMS	1850.2	21.76	60	Pass	401
1920	3000	1	RMS	2953	-47.04	-13	Pass	1081
3000	12000	1	RMS	11851	-38.05	-13	Pass	9002
12000	20000	1	RMS	19788	-30.09	-13	Pass	8001



### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.05	-13	Pass	2986
30	1000	0.1	RMS	995.197	-61.34	-13	Pass	9701
1000	1840	1	RMS	1814	-50.38	-13	Pass	841
1840	1920	1	RMS	1877.8	23.74	60	Pass	401
1920	3000	1	RMS	2951	-47.2	-13	Pass	1081
3000	12000	1	RMS	11462	-37.98	-13	Pass	9002
12000	20000	1	RMS	19801	-30.24	-13	Pass	8001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.11	-13	Pass	2986
30	1000	0.1	RMS	907.239	-61.12	-13	Pass	9701
1000	1840	1	RMS	1805	-50.33	-13	Pass	841
1840	1920	1	RMS	1877.8	22.54	60	Pass	401
1920	3000	1	RMS	2957	-47.17	-13	Pass	1081
3000	12000	1	RMS	11467	-38.03	-13	Pass	9002
12000	20000	1	RMS	19774	-30.3	-13	Pass	8001



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.15	-13	Pass	2986
30	1000	0.1	RMS	867.712	-61.44	-13	Pass	9701
1000	1840	1	RMS	1816	-50.36	-13	Pass	841
1840	1920	1	RMS	1905.2	23.29	60	Pass	401
1920	3000	1	RMS	2963	-47.21	-13	Pass	1081
3000	12000	1	RMS	11461	-37.96	-13	Pass	9002
12000	20000	1	RMS	19805	-30.15	-13	Pass	8001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.29	-70.57	-13	Pass	2986
30	1000	0.1	RMS	998.399	-61.6	-13	Pass	9701
1000	1840	1	RMS	1799	-50.37	-13	Pass	841
1840	1920	1	RMS	1905.2	22.53	60	Pass	401
1920	3000	1	RMS	2960	-47.14	-13	Pass	1081
3000	12000	1	RMS	11856	-38.09	-13	Pass	9002
12000	20000	1	RMS	19787	-30.22	-13	Pass	8001






### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.32	-70.56	-13	Pass	2986
30	1000	0.1	RMS	914.944	-61.51	-13	Pass	9701
1000	1840	1	RMS	1840	-48.4	-13	Pass	841
1840	1920	1	RMS	1850.4	23.57	60	Pass	401
1920	3000	1	RMS	2952	-47.17	-13	Pass	1081
3000	12000	1	RMS	7218	-34.86	-13	Pass	9002
12000	20000	1	RMS	19721	-27.26	-13	Pass	8001



### 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.51	-13	Pass	2986
30	1000	0.1	RMS	922.148	-61.51	-13	Pass	9701
1000	1840	1	RMS	1840	-48.92	-13	Pass	841
1840	1920	1	RMS	1850.6	22.25	60	Pass	401
1920	3000	1	RMS	2959	-47.2	-13	Pass	1081
3000	12000	1	RMS	11493	-38.06	-13	Pass	9002
12000	20000	1	RMS	19775	-30.27	-13	Pass	8001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.51	-13	Pass	2986
30	1000	0.1	RMS	986.891	-61.56	-13	Pass	9701
1000	1840	1	RMS	1831	-50.4	-13	Pass	841
1840	1920	1	RMS	1875.4	23.85	60	Pass	401
1920	3000	1	RMS	2966	-47.21	-13	Pass	1081
3000	12000	1	RMS	11498	-38.11	-13	Pass	9002
12000	20000	1	RMS	19808	-30.33	-13	Pass	8001



### 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.34	-13	Pass	2986
30	1000	0.1	RMS	906.338	-61.39	-13	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1920	1	RMS	1875.4	22.57	60	Pass	401
1920	3000	1	RMS	2958	-47.14	-13	Pass	1081
3000	12000	1	RMS	11459	-38.04	-13	Pass	9002
12000	20000	1	RMS	19800	-30.27	-13	Pass	8001



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.99	-13	Pass	2986
30	1000	0.1	RMS	992.195	-61.39	-13	Pass	9701
1000	1840	1	RMS	1818	-50.43	-13	Pass	841
1840	1920	1	RMS	1900.4	23.67	60	Pass	401
1920	3000	1	RMS	2963	-47.2	-13	Pass	1081
3000	12000	1	RMS	11769	-34.03	-13	Pass	9002
12000	20000	1	RMS	19786	-30.28	-13	Pass	8001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.76	-13	Pass	2986
30	1000	0.1	RMS	902.235	-61.34	-13	Pass	9701
1000	1840	1	RMS	1808	-50.36	-13	Pass	841
1840	1920	1	RMS	1900.4	21.94	60	Pass	401
1920	3000	1	RMS	2960	-47.18	-13	Pass	1081
3000	12000	1	RMS	11484	-38.08	-13	Pass	9002
12000	20000	1	RMS	19707	-26.57	-13	Pass	8001



### 8.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.43	-13	Pass	2986
30	1000	0.1	RMS	922.649	-61.41	-13	Pass	9701
1000	1840	1	RMS	1838	-46.86	-13	Pass	841
1840	1920	1	RMS	1850.8	23.66	60	Pass	401
1920	3000	1	RMS	2960	-47.15	-13	Pass	1081
3000	12000	1	RMS	11487	-37.97	-13	Pass	9002
12000	20000	1	RMS	19798	-30.24	-13	Pass	8001



### 8.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.62	-13	Pass	2986
30	1000	0.1	RMS	908.639	-61.3	-13	Pass	9701
1000	1840	1	RMS	1838	-47.97	-13	Pass	841
1840	1920	1	RMS	1850.8	22.44	60	Pass	401
1920	3000	1	RMS	2933	-47.24	-13	Pass	1081
3000	12000	1	RMS	11453	-38.01	-13	Pass	9002
12000	20000	1	RMS	19793	-30.2	-13	Pass	8001






### 8.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.35	-13	Pass	2986
30	1000	0.1	RMS	911.842	-61.48	-13	Pass	9701
1000	1840	1	RMS	1812	-50.32	-13	Pass	841
1840	1920	1	RMS	1873.2	23.87	60	Pass	401
1920	3000	1	RMS	2963	-47.21	-13	Pass	1081
3000	12000	1	RMS	11502	-37.99	-13	Pass	9002
12000	20000	1	RMS	19801	-30.21	-13	Pass	8001



### 8.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	Pass	2986
30	1000	0.1	RMS	905.637	-61.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.21	-13	Pass	841
1840	1920	1	RMS	1873.2	22.57	60	Pass	401
1920	3000	1	RMS	2956	-47.22	-13	Pass	1081
3000	12000	1	RMS	11852	-38.04	-13	Pass	9002
12000	20000	1	RMS	19800	-30.27	-13	Pass	8001



### 8.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.36	-13	Pass	2986
30	1000	0.1	RMS	908.239	-61.35	-13	Pass	9701
1000	1840	1	RMS	1834	-50.11	-13	Pass	841
1840	1920	1	RMS	1895.8	23.65	60	Pass	401
1920	3000	1	RMS	2955	-47.2	-13	Pass	1081
3000	12000	1	RMS	7173	-34.6	-13	Pass	9002
12000	20000	1	RMS	19802	-30.28	-13	Pass	8001



### 8.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2986
30	1000	0.1	RMS	875.217	-61.37	-13	Pass	9701
1000	1840	1	RMS	1834	-50.24	-13	Pass	841
1840	1920	1	RMS	1895.8	22.61	60	Pass	401
1920	3000	1	RMS	2959	-47.14	-13	Pass	1081
3000	12000	1	RMS	11853	-38.09	-13	Pass	9002
12000	20000	1	RMS	19686	-26.75	-13	Pass	8001



### 8.31. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	Pass	2986
30	1000	0.1	RMS	855.204	-61.41	-13	Pass	9701
1000	1840	1	RMS	1833	-46.66	-13	Pass	841
1840	1920	1	RMS	1851	23.71	60	Pass	401
1920	3000	1	RMS	2960	-47.16	-13	Pass	1081
3000	12000	1	RMS	11850	-38.03	-13	Pass	9002
12000	20000	1	RMS	19790	-30.32	-13	Pass	8001



### 8.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.52	-13	Pass	2986
30	1000	0.1	RMS	880.321	-61.23	-13	Pass	9701
1000	1840	1	RMS	1840	-47.52	-13	Pass	841
1840	1920	1	RMS	1851	22.54	60	Pass	401
1920	3000	1	RMS	2967	-47.16	-13	Pass	1081
3000	12000	1	RMS	11453	-37.98	-13	Pass	9002
12000	20000	1	RMS	19781	-30.28	-13	Pass	8001



### 8.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.06	-13	Pass	2986
30	1000	0.1	RMS	861.908	-61.22	-13	Pass	9701
1000	1840	1	RMS	1835	-48.55	-13	Pass	841
1840	1920	1	RMS	1871	23.95	60	Pass	401
1920	3000	1	RMS	2965	-47.17	-13	Pass	1081
3000	12000	1	RMS	11468	-38	-13	Pass	9002
12000	20000	1	RMS	19801	-30.31	-13	Pass	8001



### 8.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.69	-13	Pass	2986
30	1000	0.1	RMS	873.816	-61.6	-13	Pass	9701
1000	1840	1	RMS	1836	-49.73	-13	Pass	841
1840	1920	1	RMS	1871	22.31	60	Pass	401
1920	3000	1	RMS	2963	-47.15	-13	Pass	1081
3000	12000	1	RMS	11470	-38.03	-13	Pass	9002
12000	20000	1	RMS	19805	-30.23	-13	Pass	8001






### 8.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.23	-13	Pass	2986
30	1000	0.1	RMS	882.122	-61.35	-13	Pass	9701
1000	1840	1	RMS	1839	-50.28	-13	Pass	841
1840	1920	1	RMS	1891	23.96	60	Pass	401
1920	3000	1	RMS	2963	-47.19	-13	Pass	1081
3000	12000	1	RMS	11855	-38.01	-13	Pass	9002
12000	20000	1	RMS	19802	-30.1	-13	Pass	8001



### 8.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.72	-13	Pass	2986
30	1000	0.1	RMS	991.394	-61.36	-13	Pass	9701
1000	1840	1	RMS	1819	-50.36	-13	Pass	841
1840	1920	1	RMS	1891	22.82	60	Pass	401
1920	3000	1	RMS	2966	-47.21	-13	Pass	1081
3000	12000	1	RMS	11487	-38.04	-13	Pass	9002
12000	20000	1	RMS	19710	-26.54	-13	Pass	8001



## 9. LTE\_Band4


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.67	-13	Pass	2986
30	1000	0.1	RMS	900.934	-61.25	-13	Pass	9701
1000	1700	1	RMS	1700	-48.68	-13	Pass	701
1700	1765	1	RMS	1710.238	23.72	60	Pass	401
1765	3000	1	RMS	2967	-47.14	-13	Pass	1236
3000	12000	1	RMS	7206	-34.52	-13	Pass	9002
12000	20000	1	RMS	19713	-26.84	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.35	-70.59	-13	Pass	2986
30	1000	0.1	RMS	886.325	-61.27	-13	Pass	9701
1000	1700	1	RMS	1700	-48.92	-13	Pass	701
1700	1765	1	RMS	1710.238	23.38	60	Pass	401
1765	3000	1	RMS	2963	-47.16	-13	Pass	1236
3000	12000	1	RMS	11478	-37.96	-13	Pass	9002
12000	20000	1	RMS	19801	-30.23	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.61	-13	Pass	2986
30	1000	0.1	RMS	878.419	-61.36	-13	Pass	9701
1000	1700	1	RMS	1692	-50.69	-13	Pass	701
1700	1765	1	RMS	1732.013	23.57	60	Pass	401
1765	3000	1	RMS	2953	-47.15	-13	Pass	1236
3000	12000	1	RMS	11852	-38.05	-13	Pass	9002
12000	20000	1	RMS	19800	-30.21	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.47	-13	Pass	2986
30	1000	0.1	RMS	990.694	-61.39	-13	Pass	9701
1000	1700	1	RMS	1699	-50.65	-13	Pass	701
1700	1765	1	RMS	1732.013	23.14	60	Pass	401
1765	3000	1	RMS	2959	-47.18	-13	Pass	1236
3000	12000	1	RMS	11482	-38.06	-13	Pass	9002
12000	20000	1	RMS	19801	-30.25	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.09	-13	Pass	2986
30	1000	0.1	RMS	915.344	-61.29	-13	Pass	9701
1000	1700	1	RMS	1694	-50.69	-13	Pass	701
1700	1765	1	RMS	1753.788	23.98	60	Pass	401
1765	3000	1	RMS	2960	-47.21	-13	Pass	1236
3000	12000	1	RMS	11849	-38.04	-13	Pass	9002
12000	20000	1	RMS	19803	-30.27	-13	Pass	8001



**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.73	-13	Pass	2986
30	1000	0.1	RMS	925.851	-61.33	-13	Pass	9701
1000	1700	1	RMS	1700	-50.7	-13	Pass	701
1700	1765	1	RMS	1753.788	22.66	60	Pass	401
1765	3000	1	RMS	2951	-47.2	-13	Pass	1236
3000	12000	1	RMS	11500	-38.07	-13	Pass	9002
12000	20000	1	RMS	19795	-30.26	-13	Pass	8001






**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	1000	0.1	RMS	850.701	-61.32	-13	Pass	9701
1000	1700	1	RMS	1700	-48.58	-13	Pass	701
1700	1765	1	RMS	1710.238	23.63	60	Pass	401
1765	3000	1	RMS	2953	-47.12	-13	Pass	1236
3000	12000	1	RMS	7171	-34.52	-13	Pass	9002
12000	20000	1	RMS	19697	-26.94	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	Pass	2986
30	1000	0.1	RMS	881.722	-61.19	-13	Pass	9701
1000	1700	1	RMS	1700	-48.85	-13	Pass	701
1700	1765	1	RMS	1710.075	22.54	60	Pass	401
1765	3000	1	RMS	2957	-47.11	-13	Pass	1236
3000	12000	1	RMS	11465	-37.98	-13	Pass	9002
12000	20000	1	RMS	19778	-30.26	-13	Pass	8001



**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2986
30	1000	0.1	RMS	910.241	-61.47	-13	Pass	9701
1000	1700	1	RMS	1699	-50.56	-13	Pass	701
1700	1765	1	RMS	1731.2	23.65	60	Pass	401
1765	3000	1	RMS	2963	-47.17	-13	Pass	1236
3000	12000	1	RMS	11478	-37.99	-13	Pass	9002
12000	20000	1	RMS	19793	-30.22	-13	Pass	8001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.99	-13	Pass	2986
30	1000	0.1	RMS	901.535	-61.38	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1765	1	RMS	1731.2	23.04	60	Pass	401
1765	3000	1	RMS	2958	-47.17	-13	Pass	1236
3000	12000	1	RMS	11496	-38	-13	Pass	9002
12000	20000	1	RMS	19802	-30.3	-13	Pass	8001



### 9.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71	-13	Pass	2986
30	1000	0.1	RMS	897.232	-61.18	-13	Pass	9701
1000	1700	1	RMS	1695	-50.62	-13	Pass	701
1700	1765	1	RMS	1752.163	23.87	60	Pass	401
1765	3000	1	RMS	2959	-47.13	-13	Pass	1236
3000	12000	1	RMS	11487	-38.04	-13	Pass	9002
12000	20000	1	RMS	19801	-30.24	-13	Pass	8001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.43	-70.26	-13	Pass	2986
30	1000	0.1	RMS	895.931	-61.26	-13	Pass	9701
1000	1700	1	RMS	1699	-50.49	-13	Pass	701
1700	1765	1	RMS	1752.163	22.36	60	Pass	401
1765	3000	1	RMS	2969	-47.18	-13	Pass	1236
3000	12000	1	RMS	11848	-37.94	-13	Pass	9002
12000	20000	1	RMS	19813	-30.14	-13	Pass	8001



### 9.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.87	-13	Pass	2986
30	1000	0.1	RMS	887.826	-61.29	-13	Pass	9701
1000	1700	1	RMS	1700	-48.43	-13	Pass	701
1700	1765	1	RMS	1710.238	23.65	60	Pass	401
1765	3000	1	RMS	2962	-46.99	-13	Pass	1236
3000	12000	1	RMS	7162	-34.57	-13	Pass	9002
12000	20000	1	RMS	19677	-26.36	-13	Pass	8001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.65	-70.35	-13	Pass	2986
30	1000	0.1	RMS	916.945	-59.71	-13	Pass	9701
1000	1700	1	RMS	1700	-48.9	-13	Pass	701
1700	1765	1	RMS	1710.238	21.92	60	Pass	401
1765	3000	1	RMS	2968	-46.99	-13	Pass	1236
3000	12000	1	RMS	11463	-37.81	-13	Pass	9002
12000	20000	1	RMS	19807	-30.1	-13	Pass	8001






### 9.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.44	-68.8	-13	Pass	2986
30	1000	0.1	RMS	989.993	-59.48	-13	Pass	9701
1000	1700	1	RMS	1695	-50.3	-13	Pass	701
1700	1765	1	RMS	1730.225	23.62	60	Pass	401
1765	3000	1	RMS	2965	-47.01	-13	Pass	1236
3000	12000	1	RMS	11862	-37.89	-13	Pass	9002
12000	20000	1	RMS	19806	-30.17	-13	Pass	8001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	Pass	401
0.15	30	0.01	RMS	5.22	-69.03	-13	Pass	2986
30	1000	0.1	RMS	619.1	-59.9	-13	Pass	9701
1000	1700	1	RMS	1695	-50.39	-13	Pass	701
1700	1765	1	RMS	1730.225	22.58	60	Pass	401
1765	3000	1	RMS	2957	-46.99	-13	Pass	1236
3000	12000	1	RMS	11451	-37.77	-13	Pass	9002
12000	20000	1	RMS	19795	-30.12	-13	Pass	8001



### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	Pass	401
0.15	30	0.01	RMS	3.24	-69.83	-13	Pass	2986
30	1000	0.1	RMS	477.5	-59.9	-13	Pass	9701
1000	1700	1	RMS	1678	-50.56	-13	Pass	701
1700	1765	1	RMS	1750.213	23.65	60	Pass	401
1765	3000	1	RMS	2954	-47.02	-13	Pass	1236
3000	12000	1	RMS	11484	-37.86	-13	Pass	9002
12000	20000	1	RMS	19779	-30.1	-13	Pass	8001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	Pass	401
0.15	30	0.01	RMS	17.18	-69.5	-13	Pass	2986
30	1000	0.1	RMS	890.728	-59.7	-13	Pass	9701
1000	1700	1	RMS	1699	-50.41	-13	Pass	701
1700	1765	1	RMS	1750.213	22.28	60	Pass	401
1765	3000	1	RMS	2958	-46.96	-13	Pass	1236
3000	12000	1	RMS	11481	-37.89	-13	Pass	9002
12000	20000	1	RMS	19792	-30.21	-13	Pass	8001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.6	-13	Pass	2986
30	1000	0.1	RMS	899.834	-61.28	-13	Pass	9701
1000	1700	1	RMS	1700	-48.12	-13	Pass	701
1700	1765	1	RMS	1710.563	23.64	60	Pass	401
1765	3000	1	RMS	2956	-47.14	-13	Pass	1236
3000	12000	1	RMS	7181	-34.76	-13	Pass	9002
12000	20000	1	RMS	19702	-26.6	-13	Pass	8001



## 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-13	Pass	2986
30	1000	0.1	RMS	901.335	-61.23	-13	Pass	9701
1000	1700	1	RMS	1700	-48.54	-13	Pass	701
1700	1765	1	RMS	1710.563	22.39	60	Pass	401
1765	3000	1	RMS	2957	-47.21	-13	Pass	1236
3000	12000	1	RMS	11474	-38	-13	Pass	9002
12000	20000	1	RMS	19800	-30.16	-13	Pass	8001



### 9.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.5	-13	Pass	2986
30	1000	0.1	RMS	990.093	-61.44	-13	Pass	9701
1000	1700	1	RMS	1700	-50.53	-13	Pass	701
1700	1765	1	RMS	1728.113	23.75	60	Pass	401
1765	3000	1	RMS	2930	-47.19	-13	Pass	1236
3000	12000	1	RMS	11502	-38.02	-13	Pass	9002
12000	20000	1	RMS	19795	-30.29	-13	Pass	8001



### 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.31	-13	Pass	2986
30	1000	0.1	RMS	883.923	-61.46	-13	Pass	9701
1000	1700	1	RMS	1697	-50.67	-13	Pass	701
1700	1765	1	RMS	1727.95	22.47	60	Pass	401
1765	3000	1	RMS	2957	-47.23	-13	Pass	1236
3000	12000	1	RMS	11500	-38.09	-13	Pass	9002
12000	20000	1	RMS	19786	-30.2	-13	Pass	8001






### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.39	-13	Pass	2986
30	1000	0.1	RMS	985.991	-61.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1765	1	RMS	1745.5	23.89	60	Pass	401
1765	3000	1	RMS	2966	-47.18	-13	Pass	1236
3000	12000	1	RMS	11855	-37.94	-13	Pass	9002
12000	20000	1	RMS	19800	-30.21	-13	Pass	8001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.26	-13	Pass	2986
30	1000	0.1	RMS	897.832	-61.39	-13	Pass	9701
1000	1700	1	RMS	1698	-50.76	-13	Pass	701
1700	1765	1	RMS	1745.5	22.12	60	Pass	401
1765	3000	1	RMS	2961	-47.2	-13	Pass	1236
3000	12000	1	RMS	11491	-38.08	-13	Pass	9002
12000	20000	1	RMS	19794	-30.25	-13	Pass	8001



### 9.25. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.06	-13	Pass	2986
30	1000	0.1	RMS	893.529	-61.27	-13	Pass	9701
1000	1700	1	RMS	1698	-45.63	-13	Pass	701
1700	1765	1	RMS	1710.725	23.64	60	Pass	401
1765	3000	1	RMS	2955	-47.2	-13	Pass	1236
3000	12000	1	RMS	11495	-38.06	-13	Pass	9002
12000	20000	1	RMS	19707	-26.47	-13	Pass	8001



### 9.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	Pass	2986
30	1000	0.1	RMS	994.596	-61.49	-13	Pass	9701
1000	1700	1	RMS	1698	-47.49	-13	Pass	701
1700	1765	1	RMS	1710.725	22.47	60	Pass	401
1765	3000	1	RMS	2962	-47.17	-13	Pass	1236
3000	12000	1	RMS	11473	-38.08	-13	Pass	9002
12000	20000	1	RMS	19798	-30.2	-13	Pass	8001



### 9.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	Pass	2986
30	1000	0.1	RMS	883.123	-61.39	-13	Pass	9701
1000	1700	1	RMS	1699	-49.63	-13	Pass	701
1700	1765	1	RMS	1725.838	23.73	60	Pass	401
1765	3000	1	RMS	2963	-47.23	-13	Pass	1236
3000	12000	1	RMS	11487	-38.08	-13	Pass	9002
12000	20000	1	RMS	19797	-30.23	-13	Pass	8001



### 9.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.61	-13	Pass	2986
30	1000	0.1	RMS	903.536	-61.41	-13	Pass	9701
1000	1700	1	RMS	1699	-50.11	-13	Pass	701
1700	1765	1	RMS	1725.675	22.48	60	Pass	401
1765	3000	1	RMS	2952	-47.16	-13	Pass	1236
3000	12000	1	RMS	11475	-38.04	-13	Pass	9002
12000	20000	1	RMS	19800	-30.19	-13	Pass	8001



### 9.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.5	-13	Pass	2986
30	1000	0.1	RMS	897.832	-61.39	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1765	1	RMS	1740.788	23.85	60	Pass	401
1765	3000	1	RMS	1767	-41.69	-13	Pass	1236
3000	12000	1	RMS	11476	-38.06	-13	Pass	9002
12000	20000	1	RMS	19780	-30.32	-13	Pass	8001



### 9.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.09	-13	Pass	2986
30	1000	0.1	RMS	910.741	-61.48	-13	Pass	9701
1000	1700	1	RMS	1692	-50.75	-13	Pass	701
1700	1765	1	RMS	1740.788	22.63	60	Pass	401
1765	3000	1	RMS	1767	-42.94	-13	Pass	1236
3000	12000	1	RMS	7185	-34.98	-13	Pass	9002
12000	20000	1	RMS	19794	-30.27	-13	Pass	8001






### 9.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.64	-13	Pass	2986
30	1000	0.1	RMS	902.435	-61.41	-13	Pass	9701
1000	1700	1	RMS	1693	-45.61	-13	Pass	701
1700	1765	1	RMS	1711.05	23.75	60	Pass	401
1765	3000	1	RMS	1773	-42.9	-13	Pass	1236
3000	12000	1	RMS	11477	-38.02	-13	Pass	9002
12000	20000	1	RMS	19699	-26.22	-13	Pass	8001



### 9.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.29	-13	Pass	2986
30	1000	0.1	RMS	993.296	-61.54	-13	Pass	9701
1000	1700	1	RMS	1693	-48	-13	Pass	701
1700	1765	1	RMS	1711.05	22.44	60	Pass	401
1765	3000	1	RMS	1773	-44.1	-13	Pass	1236
3000	12000	1	RMS	11852	-37.98	-13	Pass	9002
12000	20000	1	RMS	19790	-30.29	-13	Pass	8001



### 9.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.27	-13	Pass	2986
30	1000	0.1	RMS	903.036	-61.5	-13	Pass	9701
1000	1700	1	RMS	1700	-50.3	-13	Pass	701
1700	1765	1	RMS	1723.563	23.75	60	Pass	401
1765	3000	1	RMS	1785	-42.7	-13	Pass	1236
3000	12000	1	RMS	11480	-38.04	-13	Pass	9002
12000	20000	1	RMS	19801	-30.27	-13	Pass	8001



### 9.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.43	-13	Pass	2986
30	1000	0.1	RMS	878.72	-61.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50.43	-13	Pass	701
1700	1765	1	RMS	1723.563	22.36	60	Pass	401
1765	3000	1	RMS	1785	-44.01	-13	Pass	1236
3000	12000	1	RMS	11469	-38.06	-13	Pass	9002
12000	20000	1	RMS	19807	-30.32	-13	Pass	8001



### 9.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.98	-13	Pass	2986
30	1000	0.1	RMS	899.934	-61.24	-13	Pass	9701
1000	1700	1	RMS	1700	-48.4	-13	Pass	701
1700	1765	1	RMS	1736.075	23.72	60	Pass	401
1765	3000	1	RMS	1772	-37.19	-13	Pass	1236
3000	12000	1	RMS	11495	-38.01	-13	Pass	9002
12000	20000	1	RMS	19789	-30.26	-13	Pass	8001



### 9.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.52	-13	Pass	2986
30	1000	0.1	RMS	901.635	-61.32	-13	Pass	9701
1000	1700	1	RMS	1700	-49.49	-13	Pass	701
1700	1765	1	RMS	1735.913	22.4	60	Pass	401
1765	3000	1	RMS	1772	-37.55	-13	Pass	1236
3000	12000	1	RMS	11846	-37.98	-13	Pass	9002
12000	20000	1	RMS	19807	-30.28	-13	Pass	8001



## 10. LTE\_Band5


### 10.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.3	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.34	-13	Pass	7841
814	860	0.1	RMS	824.2	20.87	60	Pass	461
860	1000	0.1	RMS	902.4	-61.36	-13	Pass	1401
1000	3000	1	RMS	1648	-47.23	-13	Pass	2001
3000	10000	1	RMS	7079	-33.81	-13	Pass	7001



**10.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.68	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.91	-13	Pass	7841
814	860	0.1	RMS	824.2	19.64	60	Pass	461
860	1000	0.1	RMS	908.8	-61.43	-13	Pass	1401
1000	3000	1	RMS	2962	-47.17	-13	Pass	2001
3000	10000	1	RMS	7098	-38.41	-13	Pass	7001






**10.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.49	-70.52	-13	Pass	2986
30	814	0.1	RMS	811.8	-61.94	-13	Pass	7841
814	860	0.1	RMS	836	20.79	60	Pass	461
860	1000	0.1	RMS	912	-61.57	-13	Pass	1401
1000	3000	1	RMS	1672	-45.19	-13	Pass	2001
3000	10000	1	RMS	7102	-38.36	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.87	-13	Pass	2986
30	814	0.1	RMS	805.5	-62.03	-13	Pass	7841
814	860	0.1	RMS	836.1	20.12	60	Pass	461
860	1000	0.1	RMS	878	-61.49	-13	Pass	1401
1000	3000	1	RMS	1672	-45.83	-13	Pass	2001
3000	10000	1	RMS	7101	-38.39	-13	Pass	7001




**10.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.26	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.96	-13	Pass	7841
814	860	0.1	RMS	847.8	20.75	60	Pass	461
860	1000	0.1	RMS	914.1	-61.5	-13	Pass	1401
1000	3000	1	RMS	1695	-44.8	-13	Pass	2001
3000	10000	1	RMS	7099	-38.38	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.89	-13	Pass	2986
30	814	0.1	RMS	632.8	-62.06	-13	Pass	7841
814	860	0.1	RMS	847.9	19.11	60	Pass	461
860	1000	0.1	RMS	868.4	-61.41	-13	Pass	1401
1000	3000	1	RMS	1695	-45.68	-13	Pass	2001
3000	10000	1	RMS	7101	-38.43	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.28	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.05	-13	Pass	7841
814	860	0.1	RMS	824.2	21.05	60	Pass	461
860	1000	0.1	RMS	905.9	-61.62	-13	Pass	1401
1000	3000	1	RMS	2964	-47.2	-13	Pass	2001
3000	10000	1	RMS	7069	-33.71	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.95	-13	Pass	2986
30	814	0.1	RMS	814	-60.79	-13	Pass	7841
814	860	0.1	RMS	824.2	19.63	60	Pass	461
860	1000	0.1	RMS	903.7	-61.24	-13	Pass	1401
1000	3000	1	RMS	2956	-47.24	-13	Pass	2001
3000	10000	1	RMS	7099	-38.38	-13	Pass	7001



**10.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.54	-13	Pass	2986
30	814	0.1	RMS	812.1	-61.85	-13	Pass	7841
814	860	0.1	RMS	835.2	21.13	60	Pass	461
860	1000	0.1	RMS	916	-61.63	-13	Pass	1401
1000	3000	1	RMS	1670	-45.07	-13	Pass	2001
3000	10000	1	RMS	7103	-38.49	-13	Pass	7001



### 10.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	Pass	2986
30	814	0.1	RMS	813.1	-61.92	-13	Pass	7841
814	860	0.1	RMS	835.2	20.38	60	Pass	461
860	1000	0.1	RMS	918.1	-61.34	-13	Pass	1401
1000	3000	1	RMS	1670	-45.69	-13	Pass	2001
3000	10000	1	RMS	7100	-38.47	-13	Pass	7001






### 10.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.35	-70.29	-13	Pass	2986
30	814	0.1	RMS	641.6	-61.9	-13	Pass	7841
814	860	0.1	RMS	846.2	20.88	60	Pass	461
860	1000	0.1	RMS	899.5	-61.61	-13	Pass	1401
1000	3000	1	RMS	1692	-45.59	-13	Pass	2001
3000	10000	1	RMS	7107	-38.33	-13	Pass	7001



### 10.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.73	-13	Pass	2986
30	814	0.1	RMS	813	-61.94	-13	Pass	7841
814	860	0.1	RMS	846.2	19.19	60	Pass	461
860	1000	0.1	RMS	907.4	-61.63	-13	Pass	1401
1000	3000	1	RMS	2960	-47.27	-13	Pass	2001
3000	10000	1	RMS	7100	-38.45	-13	Pass	7001



### 10.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.89	-13	Pass	7841
814	860	0.1	RMS	824.3	21.05	60	Pass	461
860	1000	0.1	RMS	905.7	-61.39	-13	Pass	1401
1000	3000	1	RMS	2959	-47.17	-13	Pass	2001
3000	10000	1	RMS	7057	-34.88	-13	Pass	7001



### 10.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.13	-13	Pass	7841
814	860	0.1	RMS	824.3	19.17	60	Pass	461
860	1000	0.1	RMS	905.4	-61.37	-13	Pass	1401
1000	3000	1	RMS	2961	-47.13	-13	Pass	2001
3000	10000	1	RMS	7099	-38.43	-13	Pass	7001



### 10.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.2	-13	Pass	2986
30	814	0.1	RMS	811.2	-61.66	-13	Pass	7841
814	860	0.1	RMS	834.3	20.89	60	Pass	461
860	1000	0.1	RMS	904.6	-61.44	-13	Pass	1401
1000	3000	1	RMS	1668	-45.77	-13	Pass	2001
3000	10000	1	RMS	7101	-38.4	-13	Pass	7001



### 10.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	814	0.1	RMS	813.3	-61.58	-13	Pass	7841
814	860	0.1	RMS	834.3	19.71	60	Pass	461
860	1000	0.1	RMS	997.8	-61.52	-13	Pass	1401
1000	3000	1	RMS	1668	-46.93	-13	Pass	2001
3000	10000	1	RMS	7097	-38.46	-13	Pass	7001



### 10.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2986
30	814	0.1	RMS	744.7	-61.95	-13	Pass	7841
814	860	0.1	RMS	844.3	20.97	60	Pass	461
860	1000	0.1	RMS	918.4	-61.39	-13	Pass	1401
1000	3000	1	RMS	2965	-47.22	-13	Pass	2001
3000	10000	1	RMS	7101	-38.25	-13	Pass	7001



### 10.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.13	-13	Pass	2986
30	814	0.1	RMS	478.1	-61.82	-13	Pass	7841
814	860	0.1	RMS	844.3	19.3	60	Pass	461
860	1000	0.1	RMS	903.4	-61.44	-13	Pass	1401
1000	3000	1	RMS	2959	-47.13	-13	Pass	2001
3000	10000	1	RMS	7101	-38.4	-13	Pass	7001






### 10.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.49	-70.47	-13	Pass	2986
30	814	0.1	RMS	807	-55.2	-13	Pass	7841
814	860	0.1	RMS	824.6	21.49	60	Pass	461
860	1000	0.1	RMS	861.6	-61.46	-13	Pass	1401
1000	3000	1	RMS	2964	-47.08	-13	Pass	2001
3000	10000	1	RMS	7041	-33.93	-13	Pass	7001



### 10.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.34	-69.17	-13	Pass	2986
30	814	0.1	RMS	806.9	-56.29	-13	Pass	7841
814	860	0.1	RMS	824.6	19.98	60	Pass	461
860	1000	0.1	RMS	929.9	-59.69	-13	Pass	1401
1000	3000	1	RMS	2959	-47.03	-13	Pass	2001
3000	10000	1	RMS	7101	-38.14	-13	Pass	7001



### 10.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	Pass	401
0.15	30	0.01	RMS	20.43	-69.64	-13	Pass	2986
30	814	0.1	RMS	780.7	-60.07	-13	Pass	7841
814	860	0.1	RMS	832.1	21.56	60	Pass	461
860	1000	0.1	RMS	904.8	-59.64	-13	Pass	1401
1000	3000	1	RMS	1664	-46.63	-13	Pass	2001
3000	10000	1	RMS	7096	-38.13	-13	Pass	7001



### 10.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.29	-69.93	-13	Pass	2986
30	814	0.1	RMS	644.5	-60.15	-13	Pass	7841
814	860	0.1	RMS	832.1	20.6	60	Pass	461
860	1000	0.1	RMS	893.2	-61.38	-13	Pass	1401
1000	3000	1	RMS	2971	-47.1	-13	Pass	2001
3000	10000	1	RMS	7097	-38.11	-13	Pass	7001



### 10.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	Pass	2986
30	814	0.1	RMS	446.6	-61.25	-13	Pass	7841
814	860	0.1	RMS	839.6	21.34	60	Pass	461
860	1000	0.1	RMS	884.5	-59.58	-13	Pass	1401
1000	3000	1	RMS	1679	-46.38	-13	Pass	2001
3000	10000	1	RMS	7094	-38.28	-13	Pass	7001



### 10.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.17	-13	Pass	2986
30	814	0.1	RMS	672.1	-60.23	-13	Pass	7841
814	860	0.1	RMS	839.6	19.6	60	Pass	461
860	1000	0.1	RMS	871.7	-61.15	-13	Pass	1401
1000	3000	1	RMS	2960	-46.94	-13	Pass	2001
3000	10000	1	RMS	7102	-38.12	-13	Pass	7001



## 11. LTE\_Band7


### 11.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-25	Pass	2986
30	1000	0.1	RMS	896.231	-61.46	-25	Pass	9701
1000	2490	1	RMS	2490	-47.68	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.21	60	Pass	401
2580	3000	1	RMS	2959	-47.2	-25	Pass	421
3000	12000	1	RMS	7174	-54.77	-25	Pass	9002
12000	26000	1	RMS	20062	-45.58	-25	Pass	14002



**11.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.14	-25	Pass	2986
30	1000	0.1	RMS	910.641	-61.33	-25	Pass	9701
1000	2490	1	RMS	2490	-47.76	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.38	60	Pass	401
2580	3000	1	RMS	2959	-47.18	-25	Pass	421
3000	12000	1	RMS	11870	-57.92	-25	Pass	9002
12000	26000	1	RMS	25100	-45.8	-25	Pass	14002






**11.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.3	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.15	-25	Pass	2986
30	1000	0.1	RMS	898.733	-61.12	-25	Pass	9701
1000	2490	1	RMS	2487	-48.42	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.05	60	Pass	401
2580	3000	1	RMS	2961	-47.24	-25	Pass	421
3000	12000	1	RMS	5066	-56.75	-25	Pass	9002
12000	26000	1	RMS	25101	-45.72	-25	Pass	14002




**11.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.9	-25	Pass	2986
30	1000	0.1	RMS	898.132	-61.4	-25	Pass	9701
1000	2490	1	RMS	2488	-48.51	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.24	60	Pass	401
2580	3000	1	RMS	2960	-47.19	-25	Pass	421
3000	12000	1	RMS	5066	-57.21	-25	Pass	9002
12000	26000	1	RMS	25116	-45.72	-25	Pass	14002




**11.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.81	-25	Pass	2986
30	1000	0.1	RMS	891.228	-61.31	-25	Pass	9701
1000	2490	1	RMS	2490	-48.37	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.03	60	Pass	401
2580	3000	1	RMS	2981	-47.21	-25	Pass	421
3000	12000	1	RMS	11862	-57.87	-25	Pass	9002
12000	26000	1	RMS	25101	-45.68	-25	Pass	14002




**11.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.29	-70.73	-25	Pass	2986
30	1000	0.1	RMS	896.031	-61.34	-25	Pass	9701
1000	2490	1	RMS	2488	-48.52	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.29	60	Pass	401
2580	3000	1	RMS	2957	-47.17	-25	Pass	421
3000	12000	1	RMS	11744	-54.66	-25	Pass	9002
12000	26000	1	RMS	25100	-45.56	-25	Pass	14002




**11.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-25	Pass	401
0.15	30	0.01	RMS	0.33	-70.44	-25	Pass	2986
30	1000	0.1	RMS	905.437	-61.49	-25	Pass	9701
1000	2490	1	RMS	2483	-47.02	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.36	60	Pass	401
2580	3000	1	RMS	2962	-47	-25	Pass	421
3000	12000	1	RMS	11452	-57.79	-25	Pass	9002
12000	26000	1	RMS	25099	-45.64	-25	Pass	14002




**11.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.77	-25	Pass	401
0.15	30	0.01	RMS	7.23	-69.57	-25	Pass	2986
30	1000	0.1	RMS	847.3	-59.78	-25	Pass	9701
1000	2490	1	RMS	2483	-45.89	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.6	60	Pass	401
2580	3000	1	RMS	2959	-47.09	-25	Pass	421
3000	12000	1	RMS	11839	-57.72	-25	Pass	9002
12000	26000	1	RMS	25102	-45.6	-25	Pass	14002



**11.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-25	Pass	2986
30	1000	0.1	RMS	990.093	-61.48	-25	Pass	9701
1000	2490	1	RMS	2490	-48.5	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.29	60	Pass	401
2580	3000	1	RMS	2959	-47.2	-25	Pass	421
3000	12000	1	RMS	5061	-56.96	-25	Pass	9002
12000	26000	1	RMS	25132	-45.84	-25	Pass	14002



### 11.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.3	-25	Pass	2986
30	1000	0.1	RMS	887.325	-61.25	-25	Pass	9701
1000	2490	1	RMS	2490	-48.58	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.43	60	Pass	401
2580	3000	1	RMS	2959	-47.25	-25	Pass	421
3000	12000	1	RMS	5061	-57.15	-25	Pass	9002
12000	26000	1	RMS	25101	-45.75	-25	Pass	14002






### 11.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.66	-25	Pass	2986
30	1000	0.1	RMS	900.234	-61.45	-25	Pass	9701
1000	2490	1	RMS	2490	-48.45	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.21	60	Pass	401
2580	3000	1	RMS	2958	-47.2	-25	Pass	421
3000	12000	1	RMS	11850	-57.86	-25	Pass	9002
12000	26000	1	RMS	25100	-45.74	-25	Pass	14002



### 11.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-25	Pass	2986
30	1000	0.1	RMS	905.537	-61.52	-25	Pass	9701
1000	2490	1	RMS	2489	-48.39	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.47	60	Pass	401
2580	3000	1	RMS	2957	-47.24	-25	Pass	421
3000	12000	1	RMS	7215	-54.73	-25	Pass	9002
12000	26000	1	RMS	25108	-45.83	-25	Pass	14002



### 11.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-25	Pass	2986
30	1000	0.1	RMS	853.503	-61.3	-25	Pass	9701
1000	2490	1	RMS	2488	-46.29	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.63	60	Pass	401
2580	3000	1	RMS	2980	-47.24	-25	Pass	421
3000	12000	1	RMS	11849	-57.83	-25	Pass	9002
12000	26000	1	RMS	25106	-45.76	-25	Pass	14002



### 11.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.18	-25	Pass	2986
30	1000	0.1	RMS	883.523	-61.41	-25	Pass	9701
1000	2490	1	RMS	2488	-45.04	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.86	60	Pass	401
2580	3000	1	RMS	2955	-47.25	-25	Pass	421
3000	12000	1	RMS	11853	-57.9	-25	Pass	9002
12000	26000	1	RMS	25096	-45.72	-25	Pass	14002



### 11.15. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.94	-25	Pass	2986
30	1000	0.1	RMS	878.019	-61.41	-25	Pass	9701
1000	2490	1	RMS	2484	-48.49	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.58	60	Pass	401
2580	3000	1	RMS	2962	-47.17	-25	Pass	421
3000	12000	1	RMS	5057	-57.72	-25	Pass	9002
12000	26000	1	RMS	25109	-45.82	-25	Pass	14002



### 11.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.71	-25	Pass	401
0.15	30	0.01	RMS	0.36	-70.59	-25	Pass	2986
30	1000	0.1	RMS	913.243	-61.47	-25	Pass	9701
1000	2490	1	RMS	2486	-48.43	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.65	60	Pass	401
2580	3000	1	RMS	2959	-47.2	-25	Pass	421
3000	12000	1	RMS	11862	-57.9	-25	Pass	9002
12000	26000	1	RMS	25829	-45.8	-25	Pass	14002



### 11.17. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.66	-25	Pass	2986
30	1000	0.1	RMS	912.642	-61.39	-25	Pass	9701
1000	2490	1	RMS	2488	-48.39	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.59	60	Pass	401
2580	3000	1	RMS	2582	-37.15	-25	Pass	421
3000	12000	1	RMS	11786	-53.77	-25	Pass	9002
12000	26000	1	RMS	25792	-45.82	-25	Pass	14002



### 11.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.96	-25	Pass	2986
30	1000	0.1	RMS	844.2	-61.37	-25	Pass	9701
1000	2490	1	RMS	2488	-48.35	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.79	60	Pass	401
2580	3000	1	RMS	2582	-36.6	-25	Pass	421
3000	12000	1	RMS	11852	-57.82	-25	Pass	9002
12000	26000	1	RMS	25098	-45.76	-25	Pass	14002






### 11.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.74	-71.27	-25	Pass	2986
30	1000	0.1	RMS	908.339	-61.54	-25	Pass	9701
1000	2490	1	RMS	2483	-46.04	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.76	60	Pass	401
2580	3000	1	RMS	2953	-47.23	-25	Pass	421
3000	12000	1	RMS	11455	-57.84	-25	Pass	9002
12000	26000	1	RMS	25103	-45.72	-25	Pass	14002



### 11.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-25	Pass	2986
30	1000	0.1	RMS	989.993	-61.54	-25	Pass	9701
1000	2490	1	RMS	2483	-44.58	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.99	60	Pass	401
2580	3000	1	RMS	2960	-47.23	-25	Pass	421
3000	12000	1	RMS	11861	-57.9	-25	Pass	9002
12000	26000	1	RMS	25099	-45.81	-25	Pass	14002



### 11.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.57	-70.29	-25	Pass	2986
30	1000	0.1	RMS	997.198	-61.38	-25	Pass	9701
1000	2490	1	RMS	2490	-43.55	-25	Pass	1491
2490	2580	1	RMS	2526	22.76	60	Pass	401
2580	3000	1	RMS	2958	-47.24	-25	Pass	421
3000	12000	1	RMS	5052	-57.89	-25	Pass	9002
12000	26000	1	RMS	25101	-45.73	-25	Pass	14002



### 11.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.4	-25	Pass	2986
30	1000	0.1	RMS	876.718	-61.52	-25	Pass	9701
1000	2490	1	RMS	2490	-42.39	-25	Pass	1491
2490	2580	1	RMS	2526	22.86	60	Pass	401
2580	3000	1	RMS	2958	-47.25	-25	Pass	421
3000	12000	1	RMS	11776	-54.51	-25	Pass	9002
12000	26000	1	RMS	25084	-45.73	-25	Pass	14002



### 11.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-25	Pass	2986
30	1000	0.1	RMS	893.029	-61.38	-25	Pass	9701
1000	2490	1	RMS	2482	-48.38	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.57	60	Pass	401
2580	3000	1	RMS	2586	-39	-25	Pass	421
3000	12000	1	RMS	11854	-57.83	-25	Pass	9002
12000	26000	1	RMS	25097	-45.83	-25	Pass	14002



### 11.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.69	-25	Pass	2986
30	1000	0.1	RMS	914.043	-61.36	-25	Pass	9701
1000	2490	1	RMS	2482	-48.3	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.63	60	Pass	401
2580	3000	1	RMS	2586	-38.53	-25	Pass	421
3000	12000	1	RMS	11848	-57.85	-25	Pass	9002
12000	26000	1	RMS	21074	-44.47	-25	Pass	14002



## 12. LTE\_Band13


### 12.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.83	-13	Pass	2986
30	767	0.1	RMS	766.6	-61.44	-13	Pass	7371
767	797	0.1	RMS	777.35	21.17	60	Pass	401
797	1000	0.1	RMS	887	-61.41	-13	Pass	2031
1000	3000	1	RMS	1554	-46.87	-13	Pass	2001
3000	10000	1	RMS	7056	-34.26	-13	Pass	7001



**12.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.69	-13	Pass	2986
30	767	0.1	RMS	748.8	-61.94	-13	Pass	7371
767	797	0.1	RMS	777.35	19.37	60	Pass	401
797	1000	0.1	RMS	910	-61.34	-13	Pass	2031
1000	3000	1	RMS	2958	-47.26	-13	Pass	2001
3000	10000	1	RMS	7102	-38.41	-13	Pass	7001






**12.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.52	-13	Pass	2986
30	767	0.1	RMS	486.9	-62.02	-13	Pass	7371
767	797	0.1	RMS	779.825	21.42	60	Pass	401
797	1000	0.1	RMS	982.3	-61.41	-13	Pass	2031
1000	3000	1	RMS	1559	-47.03	-13	Pass	2001
3000	10000	1	RMS	7101	-38.27	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.38	-13	Pass	2986
30	767	0.1	RMS	721.3	-62.07	-13	Pass	7371
767	797	0.1	RMS	779.825	20.15	60	Pass	401
797	1000	0.1	RMS	903.2	-61.33	-13	Pass	2031
1000	3000	1	RMS	2946	-47.1	-13	Pass	2001
3000	10000	1	RMS	7094	-38.29	-13	Pass	7001




**12.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.02	-13	Pass	2986
30	767	0.1	RMS	744.9	-62.12	-13	Pass	7371
767	797	0.1	RMS	782.3	21.01	60	Pass	401
797	1000	0.1	RMS	852.2	-61.47	-13	Pass	2031
1000	3000	1	RMS	1564	-46.91	-13	Pass	2001
3000	10000	1	RMS	7097	-38.21	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.3	-70.84	-13	Pass	2986
30	767	0.1	RMS	470.6	-60.3	-13	Pass	7371
767	797	0.1	RMS	782.3	19.66	60	Pass	401
797	1000	0.1	RMS	887.5	-59.79	-13	Pass	2031
1000	3000	1	RMS	2953	-47.02	-13	Pass	2001
3000	10000	1	RMS	7097	-38.3	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	Pass	401
0.15	30	0.01	RMS	26.1	-68.83	-13	Pass	2986
30	767	0.1	RMS	574.2	-60.73	-13	Pass	7371
767	797	0.1	RMS	777.575	21.37	60	Pass	401
797	1000	0.1	RMS	975.5	-59.77	-13	Pass	2031
1000	3000	1	RMS	2962	-46.98	-13	Pass	2001
3000	10000	1	RMS	7040	-34.47	-13	Pass	7001



**12.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.95	-13	Pass	401
0.15	30	0.01	RMS	5.55	-69.88	-13	Pass	2986
30	767	0.1	RMS	714.2	-60.23	-13	Pass	7371
767	797	0.1	RMS	777.575	19.85	60	Pass	401
797	1000	0.1	RMS	892.5	-59.67	-13	Pass	2031
1000	3000	1	RMS	2965	-47.08	-13	Pass	2001
3000	10000	1	RMS	7105	-38.24	-13	Pass	7001



### 13. LTE\_Band26(part22)


13.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.26	-13	Pass	7841
814	860	0.1	RMS	824.2	20.82	60	Pass	461
860	1000	0.1	RMS	912.4	-61.44	-13	Pass	1401
1000	3000	1	RMS	1648	-47.21	-13	Pass	2001
3000	10000	1	RMS	7052	-33.95	-13	Pass	7001



**13.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.77	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.03	-13	Pass	7841
814	860	0.1	RMS	824.2	19.81	60	Pass	461
860	1000	0.1	RMS	893.6	-61.45	-13	Pass	1401
1000	3000	1	RMS	2962	-47.15	-13	Pass	2001
3000	10000	1	RMS	7112	-38.49	-13	Pass	7001






**13.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.49	-13	Pass	2986
30	814	0.1	RMS	499.5	-61.91	-13	Pass	7841
814	860	0.1	RMS	836.1	20.86	60	Pass	461
860	1000	0.1	RMS	872.1	-61.58	-13	Pass	1401
1000	3000	1	RMS	1672	-45.11	-13	Pass	2001
3000	10000	1	RMS	7100	-38.44	-13	Pass	7001




**13.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	814	0.1	RMS	464.7	-61.89	-13	Pass	7841
814	860	0.1	RMS	836	19.52	60	Pass	461
860	1000	0.1	RMS	881.4	-61.58	-13	Pass	1401
1000	3000	1	RMS	1672	-46.63	-13	Pass	2001
3000	10000	1	RMS	7103	-38.32	-13	Pass	7001




**13.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.76	-13	Pass	2986
30	814	0.1	RMS	723	-62.06	-13	Pass	7841
814	860	0.1	RMS	847.8	20.65	60	Pass	461
860	1000	0.1	RMS	884.8	-61.58	-13	Pass	1401
1000	3000	1	RMS	1695	-44.83	-13	Pass	2001
3000	10000	1	RMS	7095	-38.46	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-13	Pass	2986
30	814	0.1	RMS	636.8	-62.07	-13	Pass	7841
814	860	0.1	RMS	847.8	18.98	60	Pass	461
860	1000	0.1	RMS	990.5	-61.55	-13	Pass	1401
1000	3000	1	RMS	1695	-45.81	-13	Pass	2001
3000	10000	1	RMS	7101	-38.36	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.73	-13	Pass	2986
30	814	0.1	RMS	809.9	-56.7	-13	Pass	7841
814	860	0.1	RMS	824.2	21.14	60	Pass	461
860	1000	0.1	RMS	919.1	-61.54	-13	Pass	1401
1000	3000	1	RMS	1648	-47.08	-13	Pass	2001
3000	10000	1	RMS	7044	-34.17	-13	Pass	7001




**13.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.45	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.97	-13	Pass	7841
814	860	0.1	RMS	824.2	19.65	60	Pass	461
860	1000	0.1	RMS	862.7	-60.55	-13	Pass	1401
1000	3000	1	RMS	2959	-47.05	-13	Pass	2001
3000	10000	1	RMS	7101	-38.25	-13	Pass	7001



**13.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.83	-13	Pass	401
0.15	30	0.01	RMS	2.22	-69.63	-13	Pass	2986
30	814	0.1	RMS	383	-60.49	-13	Pass	7841
814	860	0.1	RMS	835.2	21.1	60	Pass	461
860	1000	0.1	RMS	898	-60.04	-13	Pass	1401
1000	3000	1	RMS	1670	-45.01	-13	Pass	2001
3000	10000	1	RMS	7098	-38.34	-13	Pass	7001



### 13.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.91	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.82	-13	Pass	7841
814	860	0.1	RMS	835.2	19.62	60	Pass	461
860	1000	0.1	RMS	908.5	-61.6	-13	Pass	1401
1000	3000	1	RMS	1670	-46.52	-13	Pass	2001
3000	10000	1	RMS	7099	-38.46	-13	Pass	7001






### 13.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.86	-13	Pass	2986
30	814	0.1	RMS	810.3	-61.95	-13	Pass	7841
814	860	0.1	RMS	846.2	21.08	60	Pass	461
860	1000	0.1	RMS	875	-61.56	-13	Pass	1401
1000	3000	1	RMS	1692	-45.6	-13	Pass	2001
3000	10000	1	RMS	7087	-38.34	-13	Pass	7001



### 13.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.92	-13	Pass	2986
30	814	0.1	RMS	648.1	-62.06	-13	Pass	7841
814	860	0.1	RMS	846.2	19.21	60	Pass	461
860	1000	0.1	RMS	911	-61.6	-13	Pass	1401
1000	3000	1	RMS	2975	-47.23	-13	Pass	2001
3000	10000	1	RMS	7105	-38.37	-13	Pass	7001



### 13.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.47	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.81	-13	Pass	7841
814	860	0.1	RMS	824.3	21.15	60	Pass	461
860	1000	0.1	RMS	910.6	-61.42	-13	Pass	1401
1000	3000	1	RMS	2962	-47.14	-13	Pass	2001
3000	10000	1	RMS	7081	-33.97	-13	Pass	7001



### 13.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.37	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.99	-13	Pass	7841
814	860	0.1	RMS	824.3	18.97	60	Pass	461
860	1000	0.1	RMS	895.1	-61.64	-13	Pass	1401
1000	3000	1	RMS	2976	-47.21	-13	Pass	2001
3000	10000	1	RMS	7101	-38.44	-13	Pass	7001



### 13.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.73	-13	Pass	2986
30	814	0.1	RMS	635.2	-61.94	-13	Pass	7841
814	860	0.1	RMS	834.3	21.02	60	Pass	461
860	1000	0.1	RMS	906.4	-61.65	-13	Pass	1401
1000	3000	1	RMS	1668	-45.59	-13	Pass	2001
3000	10000	1	RMS	7101	-38.37	-13	Pass	7001



### 13.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.37	-13	Pass	2986
30	814	0.1	RMS	813.1	-61.76	-13	Pass	7841
814	860	0.1	RMS	834.3	19.78	60	Pass	461
860	1000	0.1	RMS	875.2	-61.68	-13	Pass	1401
1000	3000	1	RMS	1668	-46.8	-13	Pass	2001
3000	10000	1	RMS	7096	-38.4	-13	Pass	7001



### 13.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.71	-13	Pass	2986
30	814	0.1	RMS	811	-61.94	-13	Pass	7841
814	860	0.1	RMS	844.3	21.07	60	Pass	461
860	1000	0.1	RMS	923.3	-61.65	-13	Pass	1401
1000	3000	1	RMS	2960	-47.19	-13	Pass	2001
3000	10000	1	RMS	7100	-38.42	-13	Pass	7001



### 13.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.98	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.1	-13	Pass	7841
814	860	0.1	RMS	844.3	19.45	60	Pass	461
860	1000	0.1	RMS	902.4	-61.62	-13	Pass	1401
1000	3000	1	RMS	2960	-47.21	-13	Pass	2001
3000	10000	1	RMS	7101	-38.4	-13	Pass	7001






### 13.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.08	-13	Pass	2986
30	814	0.1	RMS	807	-55.27	-13	Pass	7841
814	860	0.1	RMS	824.6	21.43	60	Pass	461
860	1000	0.1	RMS	893	-61.67	-13	Pass	1401
1000	3000	1	RMS	2957	-47.23	-13	Pass	2001
3000	10000	1	RMS	7075	-34.46	-13	Pass	7001



### 13.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.59	-13	Pass	2986
30	814	0.1	RMS	807	-56.06	-13	Pass	7841
814	860	0.1	RMS	824.6	20.02	60	Pass	461
860	1000	0.1	RMS	895.9	-61.63	-13	Pass	1401
1000	3000	1	RMS	2953	-47.28	-13	Pass	2001
3000	10000	1	RMS	7101	-38.46	-13	Pass	7001



### 13.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.56	-71.01	-13	Pass	2986
30	814	0.1	RMS	814	-60.71	-13	Pass	7841
814	860	0.1	RMS	832.1	21.61	60	Pass	461
860	1000	0.1	RMS	982.5	-61.5	-13	Pass	1401
1000	3000	1	RMS	1664	-46.68	-13	Pass	2001
3000	10000	1	RMS	7101	-38.46	-13	Pass	7001



### 13.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.35	-70.37	-13	Pass	2986
30	814	0.1	RMS	814	-61.16	-13	Pass	7841
814	860	0.1	RMS	832.1	20.33	60	Pass	461
860	1000	0.1	RMS	887.5	-61.5	-13	Pass	1401
1000	3000	1	RMS	2960	-47.23	-13	Pass	2001
3000	10000	1	RMS	7108	-38.47	-13	Pass	7001



### 13.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.78	-13	Pass	2986
30	814	0.1	RMS	488.8	-62	-13	Pass	7841
814	860	0.1	RMS	839.6	21.45	60	Pass	461
860	1000	0.1	RMS	883.2	-61.6	-13	Pass	1401
1000	3000	1	RMS	1679	-46.24	-13	Pass	2001
3000	10000	1	RMS	7105	-38.42	-13	Pass	7001



### 13.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.35	-70.09	-13	Pass	2986
30	814	0.1	RMS	492.5	-62.06	-13	Pass	7841
814	860	0.1	RMS	839.6	19.6	60	Pass	461
860	1000	0.1	RMS	906.5	-61.43	-13	Pass	1401
1000	3000	1	RMS	2957	-47.25	-13	Pass	2001
3000	10000	1	RMS	7104	-38.5	-13	Pass	7001



### 13.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2986
30	814	0.1	RMS	811.5	-49.92	-13	Pass	7841
814	860	0.1	RMS	824.8	21.13	60	Pass	461
860	1000	0.1	RMS	899.8	-61.6	-13	Pass	1401
1000	3000	1	RMS	2960	-47.2	-13	Pass	2001
3000	10000	1	RMS	7065	-34.71	-13	Pass	7001



### 13.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.27	-13	Pass	2986
30	814	0.1	RMS	811.6	-53.08	-13	Pass	7841
814	860	0.1	RMS	824.8	19.45	60	Pass	461
860	1000	0.1	RMS	901.4	-61.63	-13	Pass	1401
1000	3000	1	RMS	2960	-47.2	-13	Pass	2001
3000	10000	1	RMS	7109	-38.53	-13	Pass	7001






### 13.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.19	-13	Pass	2986
30	814	0.1	RMS	813.8	-60.85	-13	Pass	7841
814	860	0.1	RMS	829.8	21.3	60	Pass	461
860	1000	0.1	RMS	884.6	-61.52	-13	Pass	1401
1000	3000	1	RMS	2962	-47.21	-13	Pass	2001
3000	10000	1	RMS	7101	-38.43	-13	Pass	7001



### 13.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.34	-70.58	-13	Pass	2986
30	814	0.1	RMS	813.1	-61.17	-13	Pass	7841
814	860	0.1	RMS	829.8	19.65	60	Pass	461
860	1000	0.1	RMS	905.1	-61.64	-13	Pass	1401
1000	3000	1	RMS	2959	-47.23	-13	Pass	2001
3000	10000	1	RMS	7101	-38.46	-13	Pass	7001



### 13.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.24	-13	Pass	2986
30	814	0.1	RMS	808.2	-54.06	-13	Pass	7841
814	860	0.1	RMS	834.8	20.82	60	Pass	461
860	1000	0.1	RMS	903.2	-61.38	-13	Pass	1401
1000	3000	1	RMS	1669	-45.56	-13	Pass	2001
3000	10000	1	RMS	7100	-38.37	-13	Pass	7001



### 13.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.33	-13	Pass	2986
30	814	0.1	RMS	808.3	-55.61	-13	Pass	7841
814	860	0.1	RMS	834.8	19.71	60	Pass	461
860	1000	0.1	RMS	990.5	-61.58	-13	Pass	1401
1000	3000	1	RMS	1669	-46.52	-13	Pass	2001
3000	10000	1	RMS	7106	-38.43	-13	Pass	7001



## 14. LTE\_Band26(part90)


14.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.73	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.31	-13	Pass	2986
30	809	0.1	Peak	808.8	-48.34	-13	Pass	7791
809	829	0.1	Peak	814.25	27.09	60	Pass	401
829	1000	0.1	Peak	958.4	-51.59	-13	Pass	1711
1000	3000	1	Peak	2773	-35.21	-13	Pass	2001
3000	10000	1	Peak	7629	-30.75	-13	Pass	7001




**14.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.82	-13	Pass	2986
30	809	0.1	Peak	809	-51.51	-13	Pass	7791
809	829	0.1	Peak	814.3	26.93	60	Pass	401
829	1000	0.1	Peak	831.9	-50.7	-13	Pass	1711
1000	3000	1	Peak	2977	-35.57	-13	Pass	2001
3000	10000	1	Peak	7699	-30.78	-13	Pass	7001




**14.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.1	-13	Pass	2986
30	809	0.1	Peak	808.2	-43.2	-13	Pass	7791
809	829	0.1	Peak	818.55	26.68	60	Pass	401
829	1000	0.1	Peak	829.6	-34.85	-13	Pass	1711
1000	3000	1	Peak	2691	-35.72	-13	Pass	2001
3000	10000	1	Peak	7709	-30.57	-13	Pass	7001



**14.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.53	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.42	-13	Pass	2986
30	809	0.1	Peak	803.2	-51.42	-13	Pass	7791
809	829	0.1	Peak	818.55	26.01	60	Pass	401
829	1000	0.1	Peak	866.7	-51.05	-13	Pass	1711
1000	3000	1	Peak	2628	-34.84	-13	Pass	2001
3000	10000	1	Peak	7760	-30.51	-13	Pass	7001






**14.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.2	-13	Pass	2986
30	809	0.1	Peak	786.7	-51.77	-13	Pass	7791
809	829	0.1	Peak	822.8	26.8	60	Pass	401
829	1000	0.1	Peak	928.4	-51.53	-13	Pass	1711
1000	3000	1	Peak	2666	-34.53	-13	Pass	2001
3000	10000	1	Peak	7682	-30.72	-13	Pass	7001




**14.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.73	-13	Pass	2986
30	809	0.1	Peak	777.8	-52.01	-13	Pass	7791
809	829	0.1	Peak	822.8	27.39	60	Pass	401
829	1000	0.1	Peak	831.8	-35.64	-13	Pass	1711
1000	3000	1	Peak	2950	-35.64	-13	Pass	2001
3000	10000	1	Peak	7754	-30.79	-13	Pass	7001




**14.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.55	-13	Pass	2986
30	809	0.1	Peak	809	-39.51	-13	Pass	7791
809	829	0.1	Peak	814.2	26.47	60	Pass	401
829	1000	0.1	Peak	831.3	-50.11	-13	Pass	1711
1000	3000	1	Peak	2991	-35.46	-13	Pass	2001
3000	10000	1	Peak	7658	-30.76	-13	Pass	7001




**14.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.16	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.09	-13	Pass	2986
30	809	0.1	Peak	809	-38.57	-13	Pass	7791
809	829	0.1	Peak	814.2	26.36	60	Pass	401
829	1000	0.1	Peak	841.5	-45.15	-13	Pass	1711
1000	3000	1	Peak	2648	-35.61	-13	Pass	2001
3000	10000	1	Peak	9534	-30.7	-13	Pass	7001




**14.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.65	-13	Pass	2986
30	809	0.1	Peak	806.9	-49.23	-13	Pass	7791
809	829	0.1	Peak	817.75	26.94	60	Pass	401
829	1000	0.1	Peak	831.6	-43.99	-13	Pass	1711
1000	3000	1	Peak	2787	-35.13	-13	Pass	2001
3000	10000	1	Peak	8148	-30.99	-13	Pass	7001




**14.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.3	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.93	-13	Pass	2986
30	809	0.1	Peak	808.2	-45.1	-13	Pass	7791
809	829	0.1	Peak	817.75	26.87	60	Pass	401
829	1000	0.1	Peak	829.7	-38.83	-13	Pass	1711
1000	3000	1	Peak	2881	-35.5	-13	Pass	2001
3000	10000	1	Peak	7737	-30.34	-13	Pass	7001




**14.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.83	-13	Pass	2986
30	809	0.1	Peak	770	-51.76	-13	Pass	7791
809	829	0.1	Peak	821.25	26.78	60	Pass	401
829	1000	0.1	Peak	829	-45.69	-13	Pass	1711
1000	3000	1	Peak	2763	-35.83	-13	Pass	2001
3000	10000	1	Peak	9577	-30.46	-13	Pass	7001



**14.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.52	-13	Pass	2986
30	809	0.1	Peak	807.4	-46.58	-13	Pass	7791
809	829	0.1	Peak	821.25	26.28	60	Pass	401
829	1000	0.1	Peak	829	-47.17	-13	Pass	1711
1000	3000	1	Peak	2688	-34.84	-13	Pass	2001
3000	10000	1	Peak	8134	-30.21	-13	Pass	7001






**14.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.71	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.89	-13	Pass	2986
30	809	0.1	Peak	808.7	-42.64	-13	Pass	7791
809	829	0.1	Peak	814.3	26.69	60	Pass	401
829	1000	0.1	Peak	829	-49.74	-13	Pass	1711
1000	3000	1	Peak	2655	-35.27	-13	Pass	2001
3000	10000	1	Peak	8167	-30.81	-13	Pass	7001




**14.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.54	-13	Pass	2986
30	809	0.1	Peak	808.7	-41.91	-13	Pass	7791
809	829	0.1	Peak	814.3	26.63	60	Pass	401
829	1000	0.1	Peak	831.9	-34.87	-13	Pass	1711
1000	3000	1	Peak	2639	-35.05	-13	Pass	2001
3000	10000	1	Peak	7752	-30.81	-13	Pass	7001




**14.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.13	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.48	-13	Pass	2986
30	809	0.1	Peak	808.2	-38.97	-13	Pass	7791
809	829	0.1	Peak	816.85	26.99	60	Pass	401
829	1000	0.1	Peak	829.9	-48.95	-13	Pass	1711
1000	3000	1	Peak	2661	-35.48	-13	Pass	2001
3000	10000	1	Peak	8146	-31.26	-13	Pass	7001




**14.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.73	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.05	-13	Pass	2986
30	809	0.1	Peak	808.2	-38.42	-13	Pass	7791
809	829	0.1	Peak	816.8	26.41	60	Pass	401
829	1000	0.1	Peak	847.8	-47.99	-13	Pass	1711
1000	3000	1	Peak	2919	-35.69	-13	Pass	2001
3000	10000	1	Peak	7765	-30.51	-13	Pass	7001




**14.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.5	-13	Pass	2986
30	809	0.1	Peak	784.5	-50.42	-13	Pass	7791
809	829	0.1	Peak	819.3	26.4	60	Pass	401
829	1000	0.1	Peak	831.6	-48.92	-13	Pass	1711
1000	3000	1	Peak	2646	-35.06	-13	Pass	2001
3000	10000	1	Peak	9544	-30.82	-13	Pass	7001




**14.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-42.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.82	-13	Pass	2986
30	809	0.1	Peak	803.7	-51.82	-13	Pass	7791
809	829	0.1	Peak	819.35	26.16	60	Pass	401
829	1000	0.1	Peak	832.4	-48.09	-13	Pass	1711
1000	3000	1	Peak	2676	-34.8	-13	Pass	2001
3000	10000	1	Peak	8140	-30.03	-13	Pass	7001




**14.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.23	-13	Pass	2986
30	809	0.1	Peak	809	-35.77	-13	Pass	7791
809	829	0.1	Peak	814.6	26.84	60	Pass	401
829	1000	0.1	Peak	832.2	-27.66	-13	Pass	1711
1000	3000	1	Peak	2692	-35.55	-13	Pass	2001
3000	10000	1	Peak	8171	-30.77	-13	Pass	7001



**14.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.67	-13	Pass	2986
30	809	0.1	Peak	809	-33.44	-13	Pass	7791
809	829	0.1	Peak	814.55	26.44	60	Pass	401
829	1000	0.1	Peak	832.2	-23.67	-13	Pass	1711
1000	3000	1	Peak	2993	-35.44	-13	Pass	2001
3000	10000	1	Peak	7713	-29.7	-13	Pass	7001






## 15. LTE\_Band38


### 15.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.95	-25	Pass	401
0.15	30	0.01	RMS	29.28	-65.71	-25	Pass	2986
30	1000	0.1	RMS	822.5	-55.99	-25	Pass	9701
1000	2560	1	RMS	2559	-43.46	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.51	60	Pass	401
2630	3000	1	RMS	2958.375	-43	-25	Pass	401
3000	12000	1	RMS	7162	-50.47	-25	Pass	9002
12000	26500	1	RMS	25097	-42.51	-25	Pass	14502




**15.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.56	-25	Pass	401
0.15	30	0.01	RMS	16.31	-65.42	-25	Pass	2986
30	1000	0.1	RMS	878.72	-55.89	-25	Pass	9701
1000	2560	1	RMS	2559	-43.7	-25	Pass	1561
2560	2630	1	RMS	2570.15	22.97	60	Pass	401
2630	3000	1	RMS	2967.625	-43.02	-25	Pass	401
3000	12000	1	RMS	11854	-53.67	-25	Pass	9002
12000	26500	1	RMS	25098	-42.42	-25	Pass	14502




**15.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.92	-25	Pass	2986
30	1000	0.1	RMS	917.645	-57.49	-25	Pass	9701
1000	2560	1	RMS	2501	-44.03	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.33	60	Pass	401
2630	3000	1	RMS	2960.225	-43.09	-25	Pass	401
3000	12000	1	RMS	11853	-53.6	-25	Pass	9002
12000	26500	1	RMS	25802	-42.5	-25	Pass	14502




**15.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.15	-25	Pass	401
0.15	30	0.01	RMS	14.34	-64.8	-25	Pass	2986
30	1000	0.1	RMS	885.324	-55.74	-25	Pass	9701
1000	2560	1	RMS	2514	-44.04	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.07	60	Pass	401
2630	3000	1	RMS	2959.3	-43.01	-25	Pass	401
3000	12000	1	RMS	11841	-53.69	-25	Pass	9002
12000	26500	1	RMS	25100	-42.48	-25	Pass	14502




**15.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.88	-25	Pass	401
0.15	30	0.01	RMS	0.22	-66.36	-25	Pass	2986
30	1000	0.1	RMS	500.9	-57.45	-25	Pass	9701
1000	2560	1	RMS	2506	-44.24	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.48	60	Pass	401
2630	3000	1	RMS	2957.45	-43.18	-25	Pass	401
3000	12000	1	RMS	5231	-53.28	-25	Pass	9002
12000	26500	1	RMS	25101	-42.54	-25	Pass	14502




**15.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.47	-25	Pass	401
0.15	30	0.01	RMS	0.26	-66.88	-25	Pass	2986
30	1000	0.1	RMS	999.8	-57.52	-25	Pass	9701
1000	2560	1	RMS	2517	-44.3	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.05	60	Pass	401
2630	3000	1	RMS	2962.075	-43.2	-25	Pass	401
3000	12000	1	RMS	11774	-49.92	-25	Pass	9002
12000	26500	1	RMS	25094	-42.65	-25	Pass	14502




**15.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.69	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.97	-25	Pass	2986
30	1000	0.1	RMS	851.301	-57.43	-25	Pass	9701
1000	2560	1	RMS	2545	-43.5	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.48	60	Pass	401
2630	3000	1	RMS	2961.15	-43.23	-25	Pass	401
3000	12000	1	RMS	11872	-53.81	-25	Pass	9002
12000	26500	1	RMS	20110	-42.63	-25	Pass	14502



**15.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.95	-25	Pass	401
0.15	30	0.01	RMS	0.23	-66.03	-25	Pass	2986
30	1000	0.1	RMS	921.048	-57.44	-25	Pass	9701
1000	2560	1	RMS	2553	-43.2	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.05	60	Pass	401
2630	3000	1	RMS	2961.15	-43.21	-25	Pass	401
3000	12000	1	RMS	5141	-53.49	-25	Pass	9002
12000	26500	1	RMS	25806	-42.64	-25	Pass	14502





**15.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.36	-25	Pass	401
0.15	30	0.01	RMS	0.3	-66.43	-25	Pass	2986
30	1000	0.1	RMS	987.592	-57.4	-25	Pass	9701
1000	2560	1	RMS	2524	-44.34	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.89	60	Pass	401
2630	3000	1	RMS	2960.225	-43.18	-25	Pass	401
3000	12000	1	RMS	11855	-53.72	-25	Pass	9002
12000	26500	1	RMS	25098	-42.55	-25	Pass	14502



### 15.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.65	-25	Pass	2986
30	1000	0.1	RMS	900.834	-57	-25	Pass	9701
1000	2560	1	RMS	2501	-44.35	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.92	60	Pass	401
2630	3000	1	RMS	2963.925	-43.22	-25	Pass	401
3000	12000	1	RMS	11863	-53.88	-25	Pass	9002
12000	26500	1	RMS	25097	-42.57	-25	Pass	14502



### 15.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.52	-25	Pass	2986
30	1000	0.1	RMS	882.722	-57.23	-25	Pass	9701
1000	2560	1	RMS	2487	-44.35	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.48	60	Pass	401
2630	3000	1	RMS	2960.225	-43.18	-25	Pass	401
3000	12000	1	RMS	11776	-49.91	-25	Pass	9002
12000	26500	1	RMS	25108	-42.55	-25	Pass	14502



### 15.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.26	-66.83	-25	Pass	2986
30	1000	0.1	RMS	878.519	-57.3	-25	Pass	9701
1000	2560	1	RMS	2488	-44.19	-25	Pass	1561
2560	2630	1	RMS	2610.4	23.56	60	Pass	401
2630	3000	1	RMS	2955.6	-43.21	-25	Pass	401
3000	12000	1	RMS	11849	-53.74	-25	Pass	9002
12000	26500	1	RMS	21108	-40.4	-25	Pass	14502



### 15.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.29	-66.17	-25	Pass	2986
30	1000	0.1	RMS	894.43	-57.34	-25	Pass	9701
1000	2560	1	RMS	2558	-40.78	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.26	60	Pass	401
2630	3000	1	RMS	2702.15	-41.96	-25	Pass	401
3000	12000	1	RMS	11869	-53.89	-25	Pass	9002
12000	26500	1	RMS	25105	-42.71	-25	Pass	14502



### 15.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.05	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.19	-25	Pass	2986
30	1000	0.1	RMS	985.891	-57.39	-25	Pass	9701
1000	2560	1	RMS	2558	-42.38	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.16	60	Pass	401
2630	3000	1	RMS	2702.15	-42.19	-25	Pass	401
3000	12000	1	RMS	11867	-53.81	-25	Pass	9002
12000	26500	1	RMS	25104	-42.6	-25	Pass	14502



### 15.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.21	-25	Pass	2986
30	1000	0.1	RMS	996.398	-57.43	-25	Pass	9701
1000	2560	1	RMS	2514	-44.27	-25	Pass	1561
2560	2630	1	RMS	2588.175	24.43	60	Pass	401
2630	3000	1	RMS	2710.475	-41.68	-25	Pass	401
3000	12000	1	RMS	11853	-53.91	-25	Pass	9002
12000	26500	1	RMS	25084	-42.61	-25	Pass	14502



### 15.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.11	-25	Pass	2986
30	1000	0.1	RMS	883.523	-57.31	-25	Pass	9701
1000	2560	1	RMS	2496	-44.35	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.15	60	Pass	401
2630	3000	1	RMS	2710.475	-41.77	-25	Pass	401
3000	12000	1	RMS	11768	-49.74	-25	Pass	9002
12000	26500	1	RMS	25089	-42.6	-25	Pass	14502






### 15.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.74	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.34	-25	Pass	2986
30	1000	0.1	RMS	472	-57.55	-25	Pass	9701
1000	2560	1	RMS	2483	-43.84	-25	Pass	1561
2560	2645	1	RMS	2605.688	24.19	60	Pass	401
2645	3000	1	RMS	2965.388	-43.22	-25	Pass	401
3000	12000	1	RMS	11870	-53.95	-25	Pass	9002
12000	26500	1	RMS	21092	-41.8	-25	Pass	14502



### 15.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.28	-66.4	-25	Pass	2986
30	1000	0.1	RMS	903.936	-57.44	-25	Pass	9701
1000	2560	1	RMS	2483	-43.05	-25	Pass	1561
2560	2645	1	RMS	2605.9	22.04	60	Pass	401
2645	3000	1	RMS	2966.275	-43.22	-25	Pass	401
3000	12000	1	RMS	11455	-53.9	-25	Pass	9002
12000	26500	1	RMS	25410	-42.59	-25	Pass	14502



### 15.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-70.06	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.97	-25	Pass	2986
30	1000	0.1	RMS	992.595	-57.51	-25	Pass	9701
1000	2560	1	RMS	2554	-42.39	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.95	60	Pass	401
2630	3000	1	RMS	2702.15	-39.34	-25	Pass	401
3000	12000	1	RMS	11850	-53.79	-25	Pass	9002
12000	26500	1	RMS	25095	-42.58	-25	Pass	14502



### 15.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.91	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.29	-25	Pass	2986
30	1000	0.1	RMS	922.148	-57.44	-25	Pass	9701
1000	2560	1	RMS	2535	-39.97	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.51	60	Pass	401
2630	3000	1	RMS	2702.15	-39.73	-25	Pass	401
3000	12000	1	RMS	11846	-53.81	-25	Pass	9002
12000	26500	1	RMS	25098	-42.59	-25	Pass	14502



### 15.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.77	-25	Pass	401
0.15	30	0.01	RMS	0.73	-66.5	-25	Pass	2986
30	1000	0.1	RMS	903.736	-56.9	-25	Pass	9701
1000	2560	1	RMS	2525	-42.5	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.16	60	Pass	401
2630	3000	1	RMS	2708.625	-38.46	-25	Pass	401
3000	12000	1	RMS	11753	-49.4	-25	Pass	9002
12000	26500	1	RMS	25100	-42.66	-25	Pass	14502



### 15.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.38	-25	Pass	401
0.15	30	0.01	RMS	0.22	-66.67	-25	Pass	2986
30	1000	0.1	RMS	916.445	-57.49	-25	Pass	9701
1000	2560	1	RMS	2525	-43.23	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.02	60	Pass	401
2630	3000	1	RMS	2708.625	-39.19	-25	Pass	401
3000	12000	1	RMS	11856	-53.83	-25	Pass	9002
12000	26500	1	RMS	21066	-41.32	-25	Pass	14502



### 15.23. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.01	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.48	-25	Pass	2986
30	1000	0.1	RMS	904.837	-57.45	-25	Pass	9701
1000	2560	1	RMS	2478	-42.07	-25	Pass	1561
2560	2645	1	RMS	2601.013	24.57	60	Pass	401
2645	3000	1	RMS	2661.863	-39.46	-25	Pass	401
3000	12000	1	RMS	11851	-53.85	-25	Pass	9002
12000	26500	1	RMS	25102	-42.62	-25	Pass	14502



### 15.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.12	-25	Pass	401
0.15	30	0.01	RMS	0.56	-66.74	-25	Pass	2986
30	1000	0.1	RMS	907.539	-57.41	-25	Pass	9701
1000	2560	1	RMS	2540	-42.11	-25	Pass	1561
2560	2645	1	RMS	2600.8	23.23	60	Pass	401
2645	3000	1	RMS	2661.863	-40.33	-25	Pass	401
3000	12000	1	RMS	11853	-53.6	-25	Pass	9002
12000	26500	1	RMS	25081	-42.48	-25	Pass	14502






## 16. LTE\_Band41 full


### 16.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.25	-66.45	-25	Pass	2986
30	1000	0.1	RMS	905.137	-57.28	-25	Pass	9701
1000	2486	1	RMS	2486	-43.54	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.05	60	Pass	401
2700	3000	1	RMS	2976	-43.2	-25	Pass	401
3000	12000	1	RMS	7169	-50.29	-25	Pass	9002
12000	27000	1	RMS	20088	-41.42	-25	Pass	15002




**16.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.32	-66.89	-25	Pass	2986
30	1000	0.1	RMS	912.042	-57.43	-25	Pass	9701
1000	2486	1	RMS	2486	-44.03	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.55	60	Pass	401
2700	3000	1	RMS	2963.25	-43.09	-25	Pass	401
3000	12000	1	RMS	4993	-43.45	-25	Pass	9002
12000	27000	1	RMS	20087	-41.19	-25	Pass	15002




**16.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.28	-66.5	-25	Pass	2986
30	1000	0.1	RMS	772.8	-56.56	-25	Pass	9701
1000	2486	1	RMS	2485	-44.46	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.53	60	Pass	401
2700	3000	1	RMS	2955.75	-43.09	-25	Pass	401
3000	12000	1	RMS	11454	-53.66	-25	Pass	9002
12000	27000	1	RMS	25103	-41.47	-25	Pass	15002




**16.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.44	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.59	-25	Pass	2986
30	1000	0.1	RMS	902.736	-57.39	-25	Pass	9701
1000	2486	1	RMS	2486	-44.55	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.75	60	Pass	401
2700	3000	1	RMS	2958.75	-43.15	-25	Pass	401
3000	12000	1	RMS	11842	-53.72	-25	Pass	9002
12000	27000	1	RMS	25103	-41.65	-25	Pass	15002




**16.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.03	-25	Pass	401
0.15	30	0.01	RMS	0.41	-66.53	-25	Pass	2986
30	1000	0.1	RMS	926.251	-57.37	-25	Pass	9701
1000	2486	1	RMS	2485	-44.68	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.46	60	Pass	401
2700	3000	1	RMS	2960.25	-43.21	-25	Pass	401
3000	12000	1	RMS	11849	-53.82	-25	Pass	9002
12000	27000	1	RMS	25809	-41.64	-25	Pass	15002




**16.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.25	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67	-25	Pass	2986
30	1000	0.1	RMS	887.726	-57.29	-25	Pass	9701
1000	2486	1	RMS	2482	-44.72	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.1	60	Pass	401
2700	3000	1	RMS	2956.5	-43.21	-25	Pass	401
3000	12000	1	RMS	7189	-50.59	-25	Pass	9002
12000	27000	1	RMS	20148	-41.47	-25	Pass	15002




**16.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.98	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.02	-25	Pass	2986
30	1000	0.1	RMS	901.835	-57.4	-25	Pass	9701
1000	2486	1	RMS	2479	-43.93	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.07	60	Pass	401
2700	3000	1	RMS	2960.25	-43.22	-25	Pass	401
3000	12000	1	RMS	4993	-42.9	-25	Pass	9002
12000	27000	1	RMS	25103	-41.64	-25	Pass	15002



**16.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.82	-25	Pass	2986
30	1000	0.1	RMS	905.237	-57.52	-25	Pass	9701
1000	2486	1	RMS	2479	-43.57	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.62	60	Pass	401
2700	3000	1	RMS	2961	-43.21	-25	Pass	401
3000	12000	1	RMS	4994	-50.85	-25	Pass	9002
12000	27000	1	RMS	25102	-41.61	-25	Pass	15002





**16.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.86	-25	Pass	401
0.15	30	0.01	RMS	0.22	-66.42	-25	Pass	2986
30	1000	0.1	RMS	881.321	-57.49	-25	Pass	9701
1000	2486	1	RMS	2485	-44.58	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.78	60	Pass	401
2700	3000	1	RMS	2958	-43.22	-25	Pass	401
3000	12000	1	RMS	11849	-53.78	-25	Pass	9002
12000	27000	1	RMS	25103	-41.67	-25	Pass	15002



### 16.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.57	-25	Pass	2986
30	1000	0.1	RMS	893.73	-57.48	-25	Pass	9701
1000	2486	1	RMS	2486	-44.68	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.34	60	Pass	401
2700	3000	1	RMS	2955.75	-43.22	-25	Pass	401
3000	12000	1	RMS	7186	-50.65	-25	Pass	9002
12000	27000	1	RMS	20148	-40.96	-25	Pass	15002



### 16.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.79	-66.93	-25	Pass	2986
30	1000	0.1	RMS	874.117	-57.37	-25	Pass	9701
1000	2486	1	RMS	2484	-44.59	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.91	60	Pass	401
2700	3000	1	RMS	2960.25	-43.23	-25	Pass	401
3000	12000	1	RMS	11850	-53.75	-25	Pass	9002
12000	27000	1	RMS	25095	-41.75	-25	Pass	15002



### 16.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.13	-25	Pass	401
0.15	30	0.01	RMS	0.22	-66.69	-25	Pass	2986
30	1000	0.1	RMS	987.192	-57.48	-25	Pass	9701
1000	2486	1	RMS	2481	-44.64	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.25	60	Pass	401
2700	3000	1	RMS	2958.75	-43.23	-25	Pass	401
3000	12000	1	RMS	11857	-53.88	-25	Pass	9002
12000	27000	1	RMS	25113	-41.73	-25	Pass	15002



### 16.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.89	-25	Pass	401
0.15	30	0.01	RMS	0.34	-66.34	-25	Pass	2986
30	1000	0.1	RMS	851.101	-57.55	-25	Pass	9701
1000	2486	1	RMS	2483	-40.68	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.46	60	Pass	401
2700	3000	1	RMS	2963.25	-43.25	-25	Pass	401
3000	12000	1	RMS	4994	-41.92	-25	Pass	9002
12000	27000	1	RMS	25778	-41.72	-25	Pass	15002



### 16.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.24	-25	Pass	2986
30	1000	0.1	RMS	857.506	-57.69	-25	Pass	9701
1000	2486	1	RMS	2483	-42.12	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.07	60	Pass	401
2700	3000	1	RMS	2953.5	-43.21	-25	Pass	401
3000	12000	1	RMS	4994	-43.78	-25	Pass	9002
12000	27000	1	RMS	20115	-41.42	-25	Pass	15002



### 16.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.43	-25	Pass	2986
30	1000	0.1	RMS	984.19	-57.44	-25	Pass	9701
1000	2486	1	RMS	2485	-44.53	-25	Pass	1487
2486	2700	1	RMS	2586.045	24.47	60	Pass	401
2700	3000	1	RMS	2709	-41.24	-25	Pass	401
3000	12000	1	RMS	11874	-53.87	-25	Pass	9002
12000	27000	1	RMS	25109	-41.69	-25	Pass	15002



### 16.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.89	-25	Pass	401
0.15	30	0.01	RMS	0.27	-67.14	-25	Pass	2986
30	1000	0.1	RMS	897.632	-57.46	-25	Pass	9701
1000	2486	1	RMS	2485	-44.62	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.1	60	Pass	401
2700	3000	1	RMS	2709	-41.17	-25	Pass	401
3000	12000	1	RMS	11855	-53.72	-25	Pass	9002
12000	27000	1	RMS	25101	-41.55	-25	Pass	15002






### 16.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.6	-25	Pass	401
0.15	30	0.01	RMS	0.27	-66.74	-25	Pass	2986
30	1000	0.1	RMS	883.723	-57.42	-25	Pass	9701
1000	2486	1	RMS	2486	-44.41	-25	Pass	1487
2486	2700	1	RMS	2675.39	23.14	60	Pass	401
2700	3000	1	RMS	2702.25	-33.85	-25	Pass	401
3000	12000	1	RMS	11847	-53.6	-25	Pass	9002
12000	27000	1	RMS	25119	-41.59	-25	Pass	15002



### 16.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.81	-25	Pass	401
0.15	30	0.01	RMS	16.04	-65.54	-25	Pass	2986
30	1000	0.1	RMS	855.404	-55.91	-25	Pass	9701
1000	2486	1	RMS	2485	-44.43	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.72	60	Pass	401
2700	3000	1	RMS	2702.25	-37.96	-25	Pass	401
3000	12000	1	RMS	11732	-49.8	-25	Pass	9002
12000	27000	1	RMS	21071	-40.38	-25	Pass	15002



### 16.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.89	-25	Pass	401
0.15	30	0.01	RMS	13.32	-65.01	-25	Pass	2986
30	1000	0.1	RMS	898.833	-57.52	-25	Pass	9701
1000	2486	1	RMS	2480	-41.05	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.94	60	Pass	401
2700	3000	1	RMS	2958	-43.17	-25	Pass	401
3000	12000	1	RMS	4995	-48.12	-25	Pass	9002
12000	27000	1	RMS	25102	-41.64	-25	Pass	15002



### 16.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.85	-25	Pass	401
0.15	30	0.01	RMS	0.95	-66.79	-25	Pass	2986
30	1000	0.1	RMS	898.733	-57.5	-25	Pass	9701
1000	2486	1	RMS	2479	-39.67	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.15	60	Pass	401
2700	3000	1	RMS	2963.25	-43.2	-25	Pass	401
3000	12000	1	RMS	4994	-48.27	-25	Pass	9002
12000	27000	1	RMS	25093	-41.72	-25	Pass	15002



### 16.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.79	-25	Pass	2986
30	1000	0.1	RMS	927.752	-57.48	-25	Pass	9701
1000	2486	1	RMS	2485	-44.71	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.39	60	Pass	401
2700	3000	1	RMS	2706.75	-37.72	-25	Pass	401
3000	12000	1	RMS	11847	-53.82	-25	Pass	9002
12000	27000	1	RMS	25098	-41.63	-25	Pass	15002



### 16.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.38	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.93	-25	Pass	2986
30	1000	0.1	RMS	881.822	-57.59	-25	Pass	9701
1000	2486	1	RMS	2483	-44.43	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.17	60	Pass	401
2700	3000	1	RMS	2706.75	-38.76	-25	Pass	401
3000	12000	1	RMS	7160	-50.35	-25	Pass	9002
12000	27000	1	RMS	20107	-41.47	-25	Pass	15002



### 16.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.22	-66.72	-25	Pass	2986
30	1000	0.1	RMS	994.196	-57.41	-25	Pass	9701
1000	2486	1	RMS	2486	-44.54	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.57	60	Pass	401
2700	3000	1	RMS	2706	-33.03	-25	Pass	401
3000	12000	1	RMS	11849	-53.78	-25	Pass	9002
12000	27000	1	RMS	25105	-41.61	-25	Pass	15002



### 16.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.48	-25	Pass	2986
30	1000	0.1	RMS	913.243	-57.6	-25	Pass	9701
1000	2486	1	RMS	2484	-44.6	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.62	60	Pass	401
2700	3000	1	RMS	2706.75	-33.31	-25	Pass	401
3000	12000	1	RMS	11844	-53.69	-25	Pass	9002
12000	27000	1	RMS	25820	-41.71	-25	Pass	15002






## 17. LTE\_Band66


**17.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	Pass	2986
30	1000	0.1	RMS	920.747	-61.23	-13	Pass	9701
1000	1700	1	RMS	1700	-49.37	-13	Pass	701
1700	1790	1	RMS	1710.125	23.55	60	Pass	401
1790	3000	1	RMS	2971	-47.21	-13	Pass	1211
3000	12000	1	RMS	7174	-35.31	-13	Pass	9002
12000	20000	1	RMS	19690	-26.07	-13	Pass	8001




**17.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.07	-13	Pass	2986
30	1000	0.1	RMS	908.339	-61.25	-13	Pass	9701
1000	1700	1	RMS	1700	-49.57	-13	Pass	701
1700	1790	1	RMS	1710.125	22.47	60	Pass	401
1790	3000	1	RMS	2953	-47.2	-13	Pass	1211
3000	12000	1	RMS	11497	-38	-13	Pass	9002
12000	20000	1	RMS	19782	-30.29	-13	Pass	8001




**17.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2986
30	1000	0.1	RMS	893.429	-61.41	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1790	1	RMS	1744.325	23.5	60	Pass	401
1790	3000	1	RMS	2967	-47.17	-13	Pass	1211
3000	12000	1	RMS	11489	-38.1	-13	Pass	9002
12000	20000	1	RMS	19797	-30.24	-13	Pass	8001




**17.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.84	-13	Pass	2986
30	1000	0.1	RMS	890.327	-61.45	-13	Pass	9701
1000	1700	1	RMS	1696	-50.44	-13	Pass	701
1700	1790	1	RMS	1744.325	22.48	60	Pass	401
1790	3000	1	RMS	2968	-47.1	-13	Pass	1211
3000	12000	1	RMS	11857	-37.91	-13	Pass	9002
12000	20000	1	RMS	19799	-30.09	-13	Pass	8001




**17.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	Pass	2986
30	1000	0.1	RMS	834	-59.87	-13	Pass	9701
1000	1700	1	RMS	1694	-50.55	-13	Pass	701
1700	1790	1	RMS	1778.75	23.76	60	Pass	401
1790	3000	1	RMS	2974	-47.11	-13	Pass	1211
3000	12000	1	RMS	11501	-37.9	-13	Pass	9002
12000	20000	1	RMS	19803	-29.95	-13	Pass	8001




**17.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.86	-13	Pass	401
0.15	30	0.01	RMS	1.01	-68.89	-13	Pass	2986
30	1000	0.1	RMS	719.8	-59.95	-13	Pass	9701
1000	1700	1	RMS	1680	-50.53	-13	Pass	701
1700	1790	1	RMS	1778.75	22.35	60	Pass	401
1790	3000	1	RMS	2959	-46.96	-13	Pass	1211
3000	12000	1	RMS	11490	-37.87	-13	Pass	9002
12000	20000	1	RMS	19780	-30.12	-13	Pass	8001




**17.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.65	-13	Pass	2986
30	1000	0.1	RMS	493.6	-60.27	-13	Pass	9701
1000	1700	1	RMS	1700	-48.31	-13	Pass	701
1700	1790	1	RMS	1710.125	23.5	60	Pass	401
1790	3000	1	RMS	2966	-47.03	-13	Pass	1211
3000	12000	1	RMS	11850	-37.96	-13	Pass	9002
12000	20000	1	RMS	19676	-27.12	-13	Pass	8001



**17.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.44	-70.22	-13	Pass	2986
30	1000	0.1	RMS	806	-60.68	-13	Pass	9701
1000	1700	1	RMS	1700	-48.54	-13	Pass	701
1700	1790	1	RMS	1710.125	22.25	60	Pass	401
1790	3000	1	RMS	2968	-47.03	-13	Pass	1211
3000	12000	1	RMS	11482	-37.9	-13	Pass	9002
12000	20000	1	RMS	19795	-30.2	-13	Pass	8001





**17.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.13	-13	Pass	2986
30	1000	0.1	RMS	999.5	-61.41	-13	Pass	9701
1000	1700	1	RMS	1697	-50.63	-13	Pass	701
1700	1790	1	RMS	1743.65	23.66	60	Pass	401
1790	3000	1	RMS	2970	-47.23	-13	Pass	1211
3000	12000	1	RMS	11497	-38	-13	Pass	9002
12000	20000	1	RMS	19794	-30.23	-13	Pass	8001



### 17.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.83	-13	Pass	2986
30	1000	0.1	RMS	994.196	-61.47	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1790	1	RMS	1743.65	22.69	60	Pass	401
1790	3000	1	RMS	2959	-47.07	-13	Pass	1211
3000	12000	1	RMS	11478	-38.06	-13	Pass	9002
12000	20000	1	RMS	19801	-30.22	-13	Pass	8001



### 17.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.31	-70.33	-13	Pass	2986
30	1000	0.1	RMS	872.516	-61.16	-13	Pass	9701
1000	1700	1	RMS	1699	-50.73	-13	Pass	701
1700	1790	1	RMS	1777.175	23.71	60	Pass	401
1790	3000	1	RMS	2951	-47.16	-13	Pass	1211
3000	12000	1	RMS	11466	-37.95	-13	Pass	9002
12000	20000	1	RMS	19809	-30.24	-13	Pass	8001



### 17.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.23	-13	Pass	2986
30	1000	0.1	RMS	919.046	-61.35	-13	Pass	9701
1000	1700	1	RMS	1697	-50.73	-13	Pass	701
1700	1790	1	RMS	1777.175	22.1	60	Pass	401
1790	3000	1	RMS	2958	-47.22	-13	Pass	1211
3000	12000	1	RMS	7208	-35.59	-13	Pass	9002
12000	20000	1	RMS	19802	-30.2	-13	Pass	8001



### 17.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	1000	0.1	RMS	897.632	-61.55	-13	Pass	9701
1000	1700	1	RMS	1700	-48.77	-13	Pass	701
1700	1790	1	RMS	1710.125	23.47	60	Pass	401
1790	3000	1	RMS	2969	-47.21	-13	Pass	1211
3000	12000	1	RMS	11502	-38	-13	Pass	9002
12000	20000	1	RMS	19715	-27.11	-13	Pass	8001



### 17.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.37	-13	Pass	2986
30	1000	0.1	RMS	900.834	-61.41	-13	Pass	9701
1000	1700	1	RMS	1700	-49.14	-13	Pass	701
1700	1790	1	RMS	1710.125	21.58	60	Pass	401
1790	3000	1	RMS	2969	-47.17	-13	Pass	1211
3000	12000	1	RMS	11497	-37.98	-13	Pass	9002
12000	20000	1	RMS	19801	-30.19	-13	Pass	8001



### 17.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.22	-13	Pass	2986
30	1000	0.1	RMS	927.452	-61.47	-13	Pass	9701
1000	1700	1	RMS	1694	-50.7	-13	Pass	701
1700	1790	1	RMS	1742.75	23.75	60	Pass	401
1790	3000	1	RMS	2955	-47.25	-13	Pass	1211
3000	12000	1	RMS	11481	-38.02	-13	Pass	9002
12000	20000	1	RMS	19785	-30.32	-13	Pass	8001



### 17.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.19	-13	Pass	2986
30	1000	0.1	RMS	861.808	-61.43	-13	Pass	9701
1000	1700	1	RMS	1697	-50.67	-13	Pass	701
1700	1790	1	RMS	1742.75	22.62	60	Pass	401
1790	3000	1	RMS	2964	-47.2	-13	Pass	1211
3000	12000	1	RMS	11470	-38.07	-13	Pass	9002
12000	20000	1	RMS	19807	-30.29	-13	Pass	8001






### 17.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.36	-70.51	-13	Pass	2986
30	1000	0.1	RMS	918.346	-61.57	-13	Pass	9701
1000	1700	1	RMS	1691	-50.76	-13	Pass	701
1700	1790	1	RMS	1775.15	23.72	60	Pass	401
1790	3000	1	RMS	2979	-47.21	-13	Pass	1211
3000	12000	1	RMS	11846	-38.04	-13	Pass	9002
12000	20000	1	RMS	19786	-30.34	-13	Pass	8001



### 17.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.65	-13	Pass	2986
30	1000	0.1	RMS	918.046	-61.51	-13	Pass	9701
1000	1700	1	RMS	1692	-50.79	-13	Pass	701
1700	1790	1	RMS	1775.15	22.46	60	Pass	401
1790	3000	1	RMS	2999	-47.24	-13	Pass	1211
3000	12000	1	RMS	11469	-38.07	-13	Pass	9002
12000	20000	1	RMS	19782	-30.24	-13	Pass	8001



### 17.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	Pass	2986
30	1000	0.1	RMS	913.243	-61.57	-13	Pass	9701
1000	1700	1	RMS	1700	-48.18	-13	Pass	701
1700	1790	1	RMS	1710.575	23.47	60	Pass	401
1790	3000	1	RMS	2976	-47.19	-13	Pass	1211
3000	12000	1	RMS	11455	-38	-13	Pass	9002
12000	20000	1	RMS	19709	-27.31	-13	Pass	8001



### 17.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.29	-13	Pass	2986
30	1000	0.1	RMS	929.053	-61.44	-13	Pass	9701
1000	1700	1	RMS	1700	-48.53	-13	Pass	701
1700	1790	1	RMS	1710.575	22.12	60	Pass	401
1790	3000	1	RMS	2960	-47.23	-13	Pass	1211
3000	12000	1	RMS	11467	-38.06	-13	Pass	9002
12000	20000	1	RMS	19776	-30.3	-13	Pass	8001



### 17.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.94	-13	Pass	2986
30	1000	0.1	RMS	881.722	-61.43	-13	Pass	9701
1000	1700	1	RMS	1700	-50.65	-13	Pass	701
1700	1790	1	RMS	1740.5	23.75	60	Pass	401
1790	3000	1	RMS	2999	-47.21	-13	Pass	1211
3000	12000	1	RMS	11497	-38.08	-13	Pass	9002
12000	20000	1	RMS	19807	-30.34	-13	Pass	8001



### 17.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	Pass	2986
30	1000	0.1	RMS	908.94	-61.44	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1790	1	RMS	1740.5	22.9	60	Pass	401
1790	3000	1	RMS	2962	-47.22	-13	Pass	1211
3000	12000	1	RMS	11460	-37.92	-13	Pass	9002
12000	20000	1	RMS	19796	-30.38	-13	Pass	8001



### 17.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.76	-13	Pass	2986
30	1000	0.1	RMS	995.297	-61.38	-13	Pass	9701
1000	1700	1	RMS	1694	-50.74	-13	Pass	701
1700	1790	1	RMS	1770.425	23.8	60	Pass	401
1790	3000	1	RMS	2966	-47.26	-13	Pass	1211
3000	12000	1	RMS	7190	-35.18	-13	Pass	9002
12000	20000	1	RMS	19791	-30.35	-13	Pass	8001



### 17.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.91	-13	Pass	2986
30	1000	0.1	RMS	901.235	-61.05	-13	Pass	9701
1000	1700	1	RMS	1699	-50.76	-13	Pass	701
1700	1790	1	RMS	1770.425	22.02	60	Pass	401
1790	3000	1	RMS	2963	-47.22	-13	Pass	1211
3000	12000	1	RMS	11456	-38	-13	Pass	9002
12000	20000	1	RMS	19796	-30.21	-13	Pass	8001






### 17.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.29	-13	Pass	2986
30	1000	0.1	RMS	923.649	-61.55	-13	Pass	9701
1000	1700	1	RMS	1698	-46.28	-13	Pass	701
1700	1790	1	RMS	1710.8	23.55	60	Pass	401
1790	3000	1	RMS	2956	-47.17	-13	Pass	1211
3000	12000	1	RMS	11493	-37.89	-13	Pass	9002
12000	20000	1	RMS	19698	-27.24	-13	Pass	8001



### 17.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.67	-13	Pass	2986
30	1000	0.1	RMS	991.194	-61.47	-13	Pass	9701
1000	1700	1	RMS	1698	-47.66	-13	Pass	701
1700	1790	1	RMS	1710.8	22.11	60	Pass	401
1790	3000	1	RMS	2978	-47.22	-13	Pass	1211
3000	12000	1	RMS	11454	-38.02	-13	Pass	9002
12000	20000	1	RMS	19802	-30.29	-13	Pass	8001



### 17.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	Pass	2986
30	1000	0.1	RMS	908.139	-61.34	-13	Pass	9701
1000	1700	1	RMS	1699	-50.52	-13	Pass	701
1700	1790	1	RMS	1738.25	23.65	60	Pass	401
1790	3000	1	RMS	2960	-47.14	-13	Pass	1211
3000	12000	1	RMS	11487	-38.02	-13	Pass	9002
12000	20000	1	RMS	19807	-30.31	-13	Pass	8001



### 17.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.54	-70.68	-13	Pass	2986
30	1000	0.1	RMS	885.424	-61.36	-13	Pass	9701
1000	1700	1	RMS	1699	-50.54	-13	Pass	701
1700	1790	1	RMS	1738.25	22.92	60	Pass	401
1790	3000	1	RMS	2961	-47.17	-13	Pass	1211
3000	12000	1	RMS	11852	-38.1	-13	Pass	9002
12000	20000	1	RMS	19796	-30.24	-13	Pass	8001



### 17.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.7	-13	Pass	2986
30	1000	0.1	RMS	870.014	-61.21	-13	Pass	9701
1000	1700	1	RMS	1680	-50.72	-13	Pass	701
1700	1790	1	RMS	1765.7	23.73	60	Pass	401
1790	3000	1	RMS	1792	-42.44	-13	Pass	1211
3000	12000	1	RMS	11510	-38.06	-13	Pass	9002
12000	20000	1	RMS	19804	-30.23	-13	Pass	8001



### 17.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.46	-13	Pass	2986
30	1000	0.1	RMS	891.328	-61.41	-13	Pass	9701
1000	1700	1	RMS	1694	-50.75	-13	Pass	701
1700	1790	1	RMS	1765.7	22.71	60	Pass	401
1790	3000	1	RMS	1792	-43.62	-13	Pass	1211
3000	12000	1	RMS	11497	-38.02	-13	Pass	9002
12000	20000	1	RMS	19794	-30.18	-13	Pass	8001



### 17.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.33	-70.67	-13	Pass	2986
30	1000	0.1	RMS	984.089	-61.49	-13	Pass	9701
1000	1700	1	RMS	1693	-46.16	-13	Pass	701
1700	1790	1	RMS	1711.025	23.67	60	Pass	401
1790	3000	1	RMS	2966	-47.08	-13	Pass	1211
3000	12000	1	RMS	11482	-38.04	-13	Pass	9002
12000	20000	1	RMS	19679	-26.28	-13	Pass	8001



### 17.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	891.928	-61.42	-13	Pass	9701
1000	1700	1	RMS	1700	-47.41	-13	Pass	701
1700	1790	1	RMS	1711.025	22.48	60	Pass	401
1790	3000	1	RMS	2960	-47.01	-13	Pass	1211
3000	12000	1	RMS	11483	-37.84	-13	Pass	9002
12000	20000	1	RMS	19796	-30.1	-13	Pass	8001






### 17.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	Pass	2986
30	1000	0.1	RMS	878.419	-59.77	-13	Pass	9701
1000	1700	1	RMS	1700	-48.51	-13	Pass	701
1700	1790	1	RMS	1736	23.84	60	Pass	401
1790	3000	1	RMS	2952	-47.05	-13	Pass	1211
3000	12000	1	RMS	11502	-37.88	-13	Pass	9002
12000	20000	1	RMS	19786	-30.08	-13	Pass	8001



### 17.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.59	-69.2	-13	Pass	2986
30	1000	0.1	RMS	967.278	-59.78	-13	Pass	9701
1000	1700	1	RMS	1700	-49.88	-13	Pass	701
1700	1790	1	RMS	1736	22.01	60	Pass	401
1790	3000	1	RMS	2959	-46.93	-13	Pass	1211
3000	12000	1	RMS	7159	-34.39	-13	Pass	9002
12000	20000	1	RMS	19799	-30.12	-13	Pass	8001



### 17.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.58	-13	Pass	401
0.15	30	0.01	RMS	25.79	-69.47	-13	Pass	2986
30	1000	0.1	RMS	859.207	-59.76	-13	Pass	9701
1000	1700	1	RMS	1700	-45.86	-13	Pass	701
1700	1790	1	RMS	1760.975	23.84	60	Pass	401
1790	3000	1	RMS	1797	-38.89	-13	Pass	1211
3000	12000	1	RMS	11854	-37.8	-13	Pass	9002
12000	20000	1	RMS	19808	-30.16	-13	Pass	8001



### 17.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	Pass	401
0.15	30	0.01	RMS	25.57	-69.73	-13	Pass	2986
30	1000	0.1	RMS	900.834	-59.58	-13	Pass	9701
1000	1700	1	RMS	1700	-46.93	-13	Pass	701
1700	1790	1	RMS	1760.975	22.64	60	Pass	401
1790	3000	1	RMS	1797	-39.47	-13	Pass	1211
3000	12000	1	RMS	11474	-37.82	-13	Pass	9002
12000	20000	1	RMS	19804	-30.28	-13	Pass	8001



--BLANK BELOW--