Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 1 of 237

TEST REPORT

| Test Result : | PASS * |
|--------------------------|--|
| Date of Issue: | 2023/12/15 |
| Date of Test: | 2023/11/14 to 2023/12/01 |
| Date of Receipt: | 2023/11/13 |
| Standards: | FCC 47 CFR Part 2, Subpart J FCC 47 CFR Part 15, Subpart E |
| FCC ID: | 2AFZZN87G |
| Trade Mark: | Redmi |
| Model No.: | 23124RN87G |
| EUT Description: | Mobile Phone |
| Address of Manufacturer: | #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085 |
| Manufacturer: | Xiaomi Communications Co., Ltd. |
| Address of Applicant: | #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085 |
| Applicant: | Xiaomi Communications Co., Ltd. |
| Application No.: | SEWM2311000456RG |

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

лен

Well Wei Wireless Laboratory Manager



et to its General Conditio d by the Company aspx a at http://www.sgs.co sdiction issues defin d therein. Any older of t limitatio findings at the time of its intervention to its Client and this document does the transaction documents. This docu only or fals law, U alaw. s only. e: (86-755) 8307 1443 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn

Soundrivo.ePlant, vo. 1, kunsheng koad, Suzhou industrial Park, Suzhou Area, China (Jiangsu) Plot Hee Irade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 2 of 237

1 Version

| | | Revision Record | | |
|---------|---------|------------------------|----------|----------|
| Version | Chapter | Date | Modifier | Remark |
| 01 | | 2023/12/15 | | Original |

| Prepared By | (Ives Cheng) / Test Engineer |
|-------------|-----------------------------------|
| Checked By | Stone Ju (Stone Gu) / Reviewer |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

 South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Fiee Trade Zone 215000
 t (86-51:

 中国 - 苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区洞脏路(号的6号厂房南部 単編: 215000
 t (86-51:

> Report No.: SEWM2311000456RG06 Rev.: 01 Page: 3 of 237

| Z Test | 2 Test Summary | | | | | |
|-----------------------------------|---------------------|----------------------------|---|----------------|---------|--|
| Test Item | Band ^[1] | FCC rules No. | Test Requirements | Test Result | Result | |
| Antenna Requirement | | 15.203/15.407(a) | | Clause 4.1 | PASS | |
| 26dB | Band I | 15.407(a)(1) | | Clause | For | |
| Emission | Band II-A | 15.407(a)(2) | No limit. | 4.5 | Report | |
| Bandwidth | Band II-C | 15.407(a)(2) | | 4.5 | Purpose | |
| 6dB Emission Bandwidth | Band III | 15.407(e) | ≥ 500 kHz. | Clause 4.6 | PASS | |
| 99% | Band I | | | | For | |
| Occupied | Band II-A | KDB 789033 | No limit. | Clause | Report | |
| Bandwidth | Band II-C | D02§ D | NO IIIII. | 4.7 | Purpose | |
| Danuwiutin | Band III | | | | Fulpose | |
| | Band I | | | | For | |
| Duty Cycle | Band II-A | | No limit. | Clause | Report | |
| Duly Cycle | Band II-C | | NO IIIII. | 4.3 | Purpose | |
| | Band III | | | | Fuipose | |
| Maximum | Band I | 15.407(a)(iv) | < 250mW | | | |
| Conducted | Band II-A | 15.407(a)(2) | <min{250mw,11dbm+10*lg(ebw)}< td=""><td>Clause</td><td rowspan="2">PASS</td></min{250mw,11dbm+10*lg(ebw)}<> | Clause | PASS | |
| Output Power | Band II-C | 15.407(a)(z) | | 4.4 | | |
| Output I ower | Band III | 15.407(a)(3) | < 1W | | | |
| Maximum | Band I | 15.407(a)(iv) | <11dBm/MHz | Clause 4.8 | PASS | |
| Power | Band II-A | 15.407(a)(2) | <11dBm/MHz | | | |
| Spectral | Band II-C | 15.407(a)(z) | | | | |
| Density | Band III | 15.407(a)(3) <30dBm/500KHz | | | | |
| | Band I | 15.209 15.407(b) | F<1GHz: §15.209/§7.2.5 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.15- 5.35 GHz). F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK). | | PASS | |
| Radiated Spurious Emissions | Band II-A | 15.407(b) 15.209 | F<1GHz: §15.209/§7.2.5 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.25- 5.35 GHz). F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK). | Clause 4.9 | PASS | |
| | Band II-C | 15.407(b) 15.209 | F<1GHz: §15.209/§7.2.5 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.47- 5.725 GHz). F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK). | | PASS | |
| | Band III | 15.407(b) 15.209 | F<1GHz: §15.209/§7.2.5 limit (QP) F≥1GHz &out-restricted:(QP) a) 27 dBm/MHz at frequencies from | | PASS | |

Test Summary 2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443, South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980

Report No.: SEWM2311000456RG06

| | | | Rev.: 01 | | |
|--|--|-----------|---|----------------|------|
| | | | Page: 4 of 237 | | |
| | | | the band edges decreasing linearly to 15.6 dBm/MHz at 5 MHz above or below the band edges; b) 15.6 dBm/MHz at 5 MHz above or below the band edges decreasing linearly to 10 dBm/MHz at 25 MHz above or below the band edges; c) 10 dBm/MHz at 25 MHz above or below the band edges decreasing linearly to -27 dBm/MHz at 75 MHz above or below the band edges; and d) -27 dBm/MHz at frequencies more than 75 MHz above or below the band edges. F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK). | | |
| Restricted bands around fundamental frequency | Band I Band II-A Band II-C Band III | 15.209 | | Clause 4.10 | PASS |
| AC Power Line Conducted Emissions | Band I Band II-A Band II-C Band III | 15.207 | | Clause 4.2 | PASS |
| Dynamic Frequency Selection | Band II-A Band II-C | 15.407 | Channel Move Time:10 Seconds | Clause 4.11 | PASS |
| Frequency Stability | Band I Band II-A Band II-C Band III | 15.407(g) | Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the users manual | N/A | N/A |
| Note 1: Band I: 5150-5 Band II-A: 5250 Band II-C: 5470 Band III: 5725- |)-5350MHz)-5725MHz | | | | |



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ses.com

of and the CHARDENT CALL STATE CONTINUE CONTINUE CONTINUE (Langeu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6日「房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 5 of 237

Contents

| 1 | Versior | ۱ | 2 | | |
|---|----------------------------|---|----|--|--|
| 2 | Test Su | ummary | 3 | | |
| 3 | Genera | al Information | 6 | | |
| | 3.1 | Details of Client | 6 | | |
| | 3.2 | Test Location | 6 | | |
| | 3.3 | Test Facility | 6 | | |
| | 3.4 | General Description of EUT | 7 | | |
| | 3.5 | Test Environment and Mode | 10 | | |
| | 3.6 | Description of Support Units | 10 | | |
| | 3.7 | Worst-case configuration and mode | 10 | | |
| 4 | Test re | sults and Measurement Data | 11 | | |
| | 4.1 | Antenna Requirement | 11 | | |
| | 4.2 | AC Power Line Conducted Emissions | 12 | | |
| | 4.3 | Duty Cycle | 16 | | |
| | 4.4 | Conducted Output Power | 17 | | |
| | 4.5 | 26dB Emission Bandwidth | 18 | | |
| | 4.6 | 6dB Emission Bandwidth | 19 | | |
| | 4.7 | 99% Occupied Bandwidth | 20 | | |
| | 4.8 | Power Spectral Density | 21 | | |
| | 4.9 | Radiated Spurious Emissions | 22 | | |
| | 4.10 | Restricted bands around fundamental frequency | 25 | | |
| | 4.11 | Dynamic Frequency Selection | 27 | | |
| | 4. | 11.1 DFS Overview | 27 | | |
| | 4. | 11.2 DFS Detection Thresholds | 28 | | |
| | 4. | 11.3 RADAR TEST WAVEFORMS | 29 | | |
| | 4. | 11.4 Response Requirements | 31 | | |
| 5 | Measu | rement Uncertainty (95% confidence levels, k=2) | 32 | | |
| 6 | 6 Equipment List | | | | |
| 7 | Photographs - Setup Photos | | | | |



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company any nauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 6 of 237

3 General Information

3.1 Details of Client

| Applicant: | Xiaomi Communications Co., Ltd. |
|--------------------------|---|
| Address of Applicant: | #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085 |
| Manufacturer: | Xiaomi Communications Co., Ltd. |
| Address of Manufacturer: | #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085 |

3.2 Test Location

| Company: | SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. |
|----------------|--|
| Address: | South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone |
| Post code: | 215000 |
| Test engineer: | Ives Cheng, King-p Li |

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, without the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the esuits shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing /inspection report & certificate, please contact us at telephone</u>: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stachou Industrial Park, Stachou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的45厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 7 of 237

| EUT Description: | - Mobile Pho | ne | | |
|----------------------|--|---|---|--|
| Model No.: | 23124RN87 | 7G | | |
| Trade Mark: | Redmi | | | |
| Hardware Version: | 13510C3V | | | |
| Software Version: | MIUI 14 | | | |
| Power Supply: | DC 3.84V f adapter. | rom internal rec | hargeable battery which can be charged by AC/DC | |
| | RF Conduc | ted | IMEI1:865408060039848 IMEI2:865408060039855 | |
| IMEI: | RSE & AC | power line | IMEI1:865408060041505 IMEI2:865408060041513 | |
| | 802.11a: | 20 MHz chann | el bandwidth | |
| WLAN Mode Supported: | 802.11n: | 20 MHz / 40 M | IHz channel bandwidth | |
| | 802.11ac: | 20 MHz / 40 N | IHz / 80 MHz channel bandwidth | |
| Operation Frequency: | 5150MHz to 5250MHz 5250MHz to 5350MHz 5470MHz to 5725MHz 5725MHz to 5850MHz | | | |
| | 802.11a: | OFDM (BPSK | , QPSK, 16QAM, 64QAM) | |
| Modulation Type: | 802.11n: | .11n: OFDM (BPSK, QPSK, 16QAM, 64QAM) | | |
| | 802.11ac: | OFDM (BPSK | , QPSK, 16QAM, 64QAM, 256QAM) | |
| | 20MHz: | 802.11a/n(HT2 | 20)/ac(VHT20) | |
| Channel Spacing: | 40MHz: | 802.11n(HT40)/ac(VHT40) | | |
| | 80MHz: | 802.11ac(VHT80) | | |
| Antenna Type: | PIFA Anten | ina | | |
| Antenna Gain: | 5150MHz to 5250MHz: -1.11dBi(Ant6) 5250MHz to 5350MHz: -1.25dBi(Ant6) 5470MHz to 5725MHz: -1.75dBi(Ant6) 5725MHz to 5850MHz: -1.44dBi(Ant6) | | | |
| | Note: The antenn manufactur | antenna gain are derived from the gain information report provided by the | | |
| | SISO 802.11a/n/ac | | | |
| | | | 1a/n/ac: Tx & Rx | |
| Smart System: | | | 11n/ac: Tx & Rx | |
| | | | 11n/ac: Tx & Rx | |
| | Diversity | ersity 802.11a: Tx & Rx | | |

3.4 General Description of EUT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAL Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Holustia/ Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 8 of 237

| | | Faye. | 0 UI 237 | | |
|---------------|------------------------------------|----------------|-----------------------|--|--|
| TPC Function: | □Support, ⊠Not Support | | | | |
| DFS Function: | Master | | | | |
| DFS Function. | Slave with radar detection | Slave withou | t radar detection | | |
| RF Cable: | 2.0dB | | | | |
| Remark: | rovided and confirmed by the appli | ant SCS is not | iable to the accuracy | | |

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

| Frequency range over which device operates | Number of Measurement Frequencies Required | Location of Measurement Frequency in Band of Operation |
|--|---|---|
| 1 MHz or less | 1 | centre |
| 1 MHz to 10 MHz | 2 | 1 near high end, 1 near low end |
| Greater than 10 MHz | 3 | 1 near high end, 1 near centre |

For UNII Band I:

| Mode | Channel | Frequency(MHz) | | |
|-------------------------|---------------------|----------------|--|--|
| | The Lowest channel | 5180 | | |
| IEEE 802.11a/n/ac 20MHz | The Middle channel | 5200 | | |
| | The Highest channel | 5240 | | |
| IEEE 802.11n/ac 40MHz | The Lowest channel | 5190 | | |
| | The Highest channel | 5230 | | |
| IEEE 802.11ac 80MHz | The Middle channel | 5210 | | |

| For UNII Band II-A: | | | | | | |
|-------------------------|---------------------|----------------|--|--|--|--|
| Mode | Channel | Frequency(MHz) | | | | |
| | The Lowest channel | 5260 | | | | |
| IEEE 802.11a/n/ac 20MHz | The Middle channel | 5280 | | | | |
| | The Highest channel | 5320 | | | | |
| | The Lowest channel | 5270 | | | | |
| IEEE 802.11n/ac 40MHz | The Highest channel | 5310 | | | | |
| IEEE 802.11ac 80MHz | The Middle channel | 5290 | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions,aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Area, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

| Report No.: | SEWM2311000456RG06 |
|-------------|--------------------|
| Rev.: | 01 |
| Page: | 9 of 237 |

| For UNII Band II-C: | | | | | | |
|-------------------------|---------------------|----------------|--|--|--|--|
| Mode | Channel | Frequency(MHz) | | | | |
| | The Lowest channel | 5500 | | | | |
| IEEE 802.11a/n/ac 20MHz | The Middle channel | 5580 | | | | |
| | The Highest channel | 5700 | | | | |
| | The Lowest channel | 5510 | | | | |
| IEEE 802.11n/ac 40MHz | The Middle channel | 5550 | | | | |
| | The Highest channel | 5670 | | | | |
| IEEE 802.11a/n/ac 20MHz | The Middle channel | 5530 | | | | |

| For UNII Band III: | | | | | | |
|-------------------------|---------------------|----------------|--|--|--|--|
| Mode | Channel | Frequency(MHz) | | | | |
| | The Lowest channel | 5745 | | | | |
| IEEE 802.11a/n/ac 20MHz | The Middle channel | 5785 | | | | |
| | The Highest channel | 5825 | | | | |
| | The Lowest channel | 5755 | | | | |
| IEEE 802.11n/ac 40MHz | The Highest channel | 5795 | | | | |
| IEEE 802.11ac 80MHz | The Middle channel | 5775 | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ses.com

South of No. 6 Part, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号约v号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 10 of 237

3.5 Test Environment and Mode

| Environment Parameter | 101.0 kPa Selected Values During Tests | | | | |
|---|--|------------|--|--|--|
| Relative Humidity | 44-46 % RH Ambient | | | | |
| Value | Temperature(°C) | Voltage(V) | | | |
| NTNV | 22~23 | 3.84 | | | |
| Remark: NV: Normal Voltage NT: Normal Temperature | | | | | |

3.6 Description of Support Units

| Test Equipment | Manufacturer | Model No. | Inventory No. |
|----------------|--------------|---------------------------------------|---------------|
| Router | ASUS | GT-AXE11000 (FCC ID: MSQ-RTAXJF00) | SUWI-03-14-02 |

3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

| Modulation Type | SISO - Data Rate | MIMO - Data Rate |
|-------------------|------------------|------------------|
| 802.11a | 6 Mbps | / |
| 802.11n (HT 20) | MCS0 (6.5 Mbps) | / |
| 802.11n (HT 40) | MCS0 (13.5 Mbps) | / |
| 802.11ac (VHT 20) | MCS0 (6.5 Mbps) | / |
| 802.11ac (VHT 40) | MCS0 (13.5 Mbps) | / |
| 802.11ac (VHT 80) | MCS0 (29.3 Mbps) | / |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Diless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Area, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 11 of 237

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement:47 CFR Part 15 Section 15.203The antenna is PIFA Antenna and no consideration of replacement.
The best case gain of the antenna is

5150MHz to 5250MHz: -1.11dBi(Ant6)* 5250MHz to 5350MHz: -1.25dBi(Ant6)*

5470MHz to 5725MHz: -1.75dBi(Ant6)*

5725MHz to 5850MHz: -1.44dBi(Ant6)*

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 5 Plant, No. 1, Runsleng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jangou) Plot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由貿易试验区苏州上区苏州工业型区湾融路/号約6号厂房南部 戦場: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 12 of 237

Test Requirement: 47 CFR Part 15 Section 15.207 Test Method: ANSI C63.10-2013 Section 6.2 **Test Frequency Range:** 150kHz to 30MHz **Receiver Setup:** RBW = 9kHz, VBW = 30kHzLimit: Limit (dBuV) Frequency range (MHz) Quasi-peak Average 66 to 56* 56 to 46* 0.15-0.5 0.5-5 56 46 5-30 60 50 * Decreases with the logarithm of the frequency. **Test Procedure:** 1) The mains terminal disturbance voltage test was conducted in a shielded room. 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50\Omega/50\mu$ H + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane, 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10-2013 on conducted measurement.

4.2 AC Power Line Conducted Emissions




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document tannot be reproduced except in full, without prior written approval of the Gompany. Any unauthorized alleration, forgery or falsification of the content or appresisneed in this termination of the sample(s) tested and such sample(s) tested and such sample(s) are related for the dot does one (s6-755) 8307 1443, remail: CB Doccheck/Bes com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 13 of 237





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleet actent of tro 30 years. Attention is to the student of to 30 agroups only. Attention is cocket the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pant, No. 1, Runsheng Road, Starbou Industrial Park, Starbou Area, Chine (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com


 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 14 of 237

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



| NO. | Frequency [MHz] | Factor [dB] | QP Reading [dBµV] | QP Value [dBµV] | QP Limit [dBµV] | QP Margin [dB] | AV Reading [dBµV] | AV Value [dBµV] | AV Limit [dBµV] | AV Margin [dB] | Verdict |
|------|--------------------|----------------|-------------------------|-----------------------|-----------------------|----------------------|-------------------------|-----------------------|-----------------------|----------------------|---------|
| 1 | 0.2715 | 11.64 | 32.14 | 43.78 | 61.07 | 17.29 | 14.03 | 25.67 | 51.07 | 25.40 | PASS |
| 2 | 0.5145 | 11.61 | 27.09 | 38.70 | 56.00 | 17.30 | 16.33 | 27.94 | 46.00 | 18.06 | PASS |
| 3 | 0.8160 | 11.70 | 18.36 | 30.06 | 56.00 | 25.94 | 7.55 | 19.25 | 46.00 | 26.75 | PASS |
| 4 | 2.0175 | 11.73 | 17.42 | 29.15 | 56.00 | 26.85 | 7.94 | 19.67 | 46.00 | 26.33 | PASS |
| 5 | 6.8145 | 11.88 | 13.69 | 25.57 | 60.00 | 34.43 | 3.99 | 15.87 | 50.00 | 34.13 | PASS |
| 6 | 13.5870 | 11.91 | 17.93 | 29.84 | 60.00 | 30.16 | 7.95 | 19.86 | 50.00 | 30.14 | PASS |
| Rema | rk. | | | | | | | | | | |

Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Comments, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the lass otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terse retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的4号厂店南部 邮编: 215000

| | | | | | | | Report No Rev.: Page: | 01 | VM2311 of 237 | 000456 | RG06 |
|--------------------|---|---|---|--|--|---|---|--|--|---|---------------------------------|
| hase: | Neut | tral | | | | | | | | | |
| | 120 | | | | (ENV21 | 6_N+ENV216_N) | | | | | 1 |
| | 110- | | | | | | | | | | |
| | 100 | | | | | | | | | | |
| | 90 | | | | | | | | | | |
| | 80 | | | | | | | | | | |
| | ₹ ⁷⁰ | | | | | | | | | | |
| 1 | | | | | | | | | | | |
| | Δ1 | 21 | A 3 | | | | | | | | |
| | | V. W | 1. M.M. J. 3 VA | why why have | hyman have personal | والمراجع المراجع المراجع | e e | | | et alemán. | |
| | 30 | ◆ ² | WIY V • | | | ALANA ANALA | A. HIT WAR WAR | a a a a a a a a a a a a a a a a a a a | 6 | No. of Concession, Name | |
| | 10 | | | • | | ◆ ⁵ | | | • | | |
| | | | | | | | | | | | |
| | 0 ++ | | | | | ++ | | | | | 4 |
| | 0 150k | | | 1M | Fre | euencv(Hz) | | 10 | M | 30 | DM |
| | 150k | | AV Limit - P | | Fre | equency[Hz] | | 10 | М | 30 | DM |
| | 150k | | AV Limit — Pi AV Detector | | Fre | equency[Hz] | | 10 | М | 30 | I DM |
| Data Li | 150k QF • QP | | | | Fre | equency[Hz] | | 10 | M | 30 | н М |
| | 150k QF • QP | | | | Fre QP Limit [dBµV] | QP Margin [dB] | AV Reading [dBµV] | AV Value [dBµV] | AV Limit [dBµV] | AV Margin [dB] | Verdict |
| | ist Frequency | Potector | AV Detector | k QP Value | QP Limit | QP Margin | Reading | AV Value | AV Limit | AV Margin | |
| NO. | ist Frequency [MHz] | Factor [dB] | QP Reading [dBµV] | QP Value [dBµV] | QP Limit [dBµV] | QP Margin [dB] | Reading [dBµV] | AV Value [dBµV] | AV Limit [dBµV] | AV Margin [dB] | Verdict |
| NO. | ist Frequency [MHz] 0.1770 | Factor [dB] 11.73 | QP Reading [dBµV] 30.02 | QP Value [dBµV] 41.75 | QP Limit [dBµV] 64.63 | QP Margin [dB] 22.88 | Reading [dBµV] 23.37 | AV Value [dBµV] 35.10 | ΑV Limit [dBµV] 54.63 | AV Margin [dB] 19.53 | Verdict PASS PASS |
| NO. 1 2 | ist Frequency [MHz] 0.1770 0.2580 | Factor [dB] 11.73 11.63 | QP Reading [dBµV] 30.02 31.02 | QP Value [dBµV] 41.75 42.65 | QP Limit [dBµV] 64.63 61.50 | QP Margin [dB] 22.88 18.85 | Reading [dBµV] 23.37 11.59 | AV Value [dBµV] 35.10 23.22 | ΑV Limit [dBμV] 54.63 51.50 | AV Margin [dB] 19.53 28.28 | Verdict PASS PASS PASS |
| NO. 1 2 3 | ist Frequency [MHz] 0.1770 0.2580 0.5190 | Factor [dB] 11.73 11.63 11.61 | QP Reading [dBμV] 30.02 31.02 28.76 | QP Value [dBμV] 41.75 42.65 40.37 | QP Limit [dBµV] 64.63 61.50 56.00 | QP Margin [dB] 22.88 18.85 15.63 | Reading [dBµV] 23.37 11.59 17.64 | AV Value [dBµV] 35.10 23.22 29.25 | AV Limit [dBμV] 54.63 51.50 46.00 | AV Margin [dB] 19.53 28.28 16.75 | Verdict |

Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[$dB\mu V$] – Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 16 of 237

4.3 Duty Cycle

| Test Requirement: | ANSI C63.10-2013 Section 12.2 | | | |
|-------------------------------|---|--|--|--|
| Test Method: | ANSI C63.10-2013 Section 12.2 | | | |
| Test Setup: | Pc E.U.T Erection Analyzer Fr Control Unit Fr Control Unit< | | | |
| Instruments Used: | Refer to section 6 for details | | | |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates | | | |
| Final Test Mode: | Refer to section 3.7 for details. | | | |
| Limit: | No restriction limits | | | |
| Test Results: | For report purpose | | | |
| The detailed test data see: A | opendix | | | |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pliot Free Trade Zone 215000 中国 - 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 17 of 237



4.4 Conducted Output Power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be produced to the fullest extent of the law. Dhess otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Area, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 18 of 237

4.5 26dB Emission Bandwidth

| Test Requirement: | 47 CFR Part 15 Section 15.407(a), KDB 789033 D02& C | | | | |
|-------------------------------|--|--|--|--|--|
| Test Method: | ANSI C63.10-2013 Section 12.4.1 | | | | |
| Test Setup: | PC Bectrum Analyzer BF Control Linit BF Control Linit BF Control Linit C Prover BF Control Linit BF Control Linit C Prover C Prover BF Control Linit BF Control Lin | | | | |
| Instruments Used: | Refer to section 6 for details. | | | | |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates | | | | |
| Final Test Mode: | Refer to section 3.7 for details. | | | | |
| Limit: | No restriction limits | | | | |
| Test Results: | For Report Purpose | | | | |
| The detailed test data see: A | ppendix | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law content such as the sample(s) lested and such sample(s) are relained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 19 of 237

4.6 6dB Emission Bandwidth

| Test Requirement: | 47 CFR Part 15 Section 15.407(e) | | | | |
|-------------------------------|----------------------------------|---|--|--|--|
| Test Method: | ANSI C63.10-2013 Section 1 | 2.4.1 | | | |
| Test Setup: | PC | SGS Test system Vector Signal Generator Image: Spectrum Analyzer Spectrum Analyzer Image: Spectrum Analyzer Image: Spectrum Analyzer Image: Spectrum Analyzer | | | |
| Test Instruments: | Refer to section 6 for details. | | | | |
| Exploratory Test Mode: | Transmitting with all kind of m | nodulations, data rates | | | |
| Final Test Mode: | Refer to section 3.7 for details | 5 | | | |
| Limit: | Frequency Band | Limit | | | |
| | 5725-5850MHz | At lease 500kHz | | | |
| Test Results: | Pass | | | | |
| The detailed test data see: A | opendix | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law content such as the sample(s) lested and such sample(s) are relained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suzhou Area, Chine (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 20 of 237

4.7 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Diless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 21 of 237

| Test Requirement: | 47 CFR Part 15 Sec | tion 15.407(a) | |
|--------------------------------------|---|--|--|
| Test Method: | ANSI C63.10-2013 Section 12.5 | | |
| | KDB 789033 D02 v0 | 02r01, Section F. | |
| Test Setup: | | SGS Test system Vector Signal Generator Image: Signal Generator Spectrum Analyter Image: Signal Generator Fertor Image: Signal Generator Image: Signal Generator Image: Signal Generator Fertor Image: Signal Generator Fertor Image: Signal Generator Image: Signal Generator Image: Signal Generator Image: Signal Generator Image: Signal Generator Image: Signal Generator Image: Signal Generator Image: Signal | |
| Instruments Used: | Refer to section 6 fo | r details. | |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates | | |
| Final Test Mode: | Refer to section 3.7 | for details. | |
| Limit: | Frequency Band Limit | | |
| | 5150-5250MHz The power spectral density less than 11dBm/1MHz | | |
| | 5250-5350MHz The power spectral density less than 11dBm/1MHz | | |
| | 5470-5725MHz The power spectral density less than 11dBm/1MHz | | |
| | 5725-5850MHz The power spectral density less than <30dBm/500KHz | | |
| Test Results: | Pass | | |
| The detailed test data see: Appendix | | | |

4.8 Power Spectral Density



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) testend and such sample(s) are retained for 30 days only. Attention: To check the <u>authenticity</u> of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 22 of 237

4.9 Radiated Spurious Emissions





| overleaf, available on request or accessible at <u>http://www.sgs.com/e</u> subject to Terms and Conditions for Electronic Documents at <u>http:</u> Attention is drawn to the limitation of liability, indemnification and advised that information contained hereon reflects the Company's Client's instructions, if any. The Company's sole responsibility is transaction from exercising all their rights and obligations under t | //www.sgs.com/en/Ten urisdiction issues de findings at the time o to its Client and this he transaction docum | ms-and-Conditions/Ter fined therein. Any hold f its intervention only a s document does not e nents. This document of | <u>ms-e-Document.aspx</u> . er of this document is nd within the limits of xonerate parties to a annot be reproduced | |
|--|---|---|--|--|
| except in full, without prior written approval of the Company. Any appearance of this document is unlawful and offenders may be pros results shown in this test report refer only to the sample(s) tested and Attention: To check the authenticity of testing inspection report | ecuted to the fullest of such sample(s) are n | extent of the law. Unles etained for 30 days only. | s otherwise stated the | |
| or email: <u>CN.Doccheck@sgs.com</u> | a certificate, please | contact us at telephot | ne. (00-155/0507 1445, | |
| South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone | 215000 | t (86-512) 62992980 | www.sgsgroup.com.cn | |
| 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: | 215000 | t (86-512) 62992980 | sgs.china@sgs.com | |

Report No.: SEWM2311000456RG06 Rev.: 01

| | • |
|-------|-----------|
| Page: | 23 of 237 |

| | Paye. 25 01 257 |
|------------------------|---|
| | e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. |
| | f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. |
| | g. Test the EUT in the outermost channels. |
| | The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is worse case. |
| | i. Repeat above procedures until all frequencies measured was complete. |
| | j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported |
| | K. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed. |
| | I. At a measurement distance of 1 meter the limit line was increased by $20*LOG(3/1) = 9.54 \text{ dB}.$ |
| Test Configuration: | Measurements below 30MHz RBW = 10 kHz VBW = 30 kHz Detector = Peak & Average & Quasi-peak Trace mode = max hold Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW ≥ 1/T, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates. Charge + Transmitting mode. |
| Final Test Mode: | Refer to section 3.7 for details. For below 1GHz part, through pre-scan all channels, but only the worst case is recorded in the report. |
| Instruments Used: | Refer to section 6 for details. |
| | |



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are relained for 30 days only. South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 www.sgsgroup.com.cn

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

| | | Report No.: Rev.: | SEWM2311000456RG06 01 |
|---------------|------|----------------------|--------------------------|
| | | Page: | 24 of 237 |
| Test Results: | Pass | | |
| | | | |

The detailed test data see: Appendix



sgs.china@sgs.com t (86-512) 62992980

www.sgsgroup.com.cn

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 25 of 237

4.10Restricted bands around fundamental frequency

| Test Requirement: | 47 CFR Part 15 Section 15.205/15.209/15.407(b) ANSI C63.10-2013 Section 12.7 | | | |
|-------------------|---|--------|---------------|--|
| Test Method: | | | | |
| Test Site: | Measurement Distance: 3m (Semi-Anechoic Chamber) | | | |
| Limit: | Frequency | Remark | | |
| | 30MHz-88MHz | 40.0 | Quasi-peak | |
| | 88MHz-216MHz | 43.5 | Quasi-peak | |
| | 216MHz-960MHz | 46.0 | Quasi-peak | |
| | 960MHz-1GHz | 54.0 | Quasi-peak | |
| | Above 1GHz | 54.0 | Average Value | |
| | | 74.0 | Peak Value | |

Test Setup:

SG

| | Antenna Tower Im or 3m Hurst Aktives Hurst Aktives Ground Reference Plane Test Receiver Test Receiver | | |
|-----------------|---|--|--|
| Test Procedure: | a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. | | |
| | e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel. g. Test the EUT in the outermost channels. | | |
| | g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for | | |



| Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at |
|---|
|---|

South of No. 6 Plant, No. 1, Runshing Hoad, Suzhou Indushia Plark, Suzhou Area, China (Jangsu) Plot Hee Inade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区润胜路1号的6号厂房南部 邮编: 215000

Report No.: SEWM2311000456RG06

Rev.: 01

| Page: 26 | 3 | of | 237 | 7 |
|----------|---|----|-----|---|
|----------|---|----|-----|---|

| | Transmitting mode, And found the X axis positioning which it is worse case. | |
|----------------------------|--|--|
| | i. Repeat above procedures until all frequencies measured was complete. | |
| Test Configuration: | Measurements Below 1000MHz | |
| - | • RBW = 120 kHz | |
| | • VBW = 300 kHz | |
| | Detector = Quasi-peak | |
| | Trace mode = max hold | |
| | Peak Measurements Above 1000 MHz | |
| | • RBW = 1 MHz | |
| | • VBW ≥ 3 MHz | |
| | • Detector = Peak | |
| | Sweep time = auto | |
| | Trace mode = max hold | |
| | Average Measurements Above 1000MHz | |
| | • RBW = 1 MHz | |
| | VBW = 10Hz, when duty cycle is no less than 98 percent. | |
| | VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. | |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates. | |
| | Charge + Transmitting mode. | |
| Final Test Mode: | Refer to section 3.7 for details. | |
| Instruments Used: | Refer to section 6 for details. | |
| Test Results: | Pass | |
| The detailed test data see | e: Appendix | |



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only. *Aremabil* 10 Decohards of Lesting Inspection report & certificate, please contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the Sample(s) lested and such sample(s) are tables others: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Ar*

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 27 of 237

4.11 Dynamic Frequency Selection

4.11.1 DFS Overview

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

| Requirement | Operational Mode | | | |
|---------------------------------|------------------|---|-----------------------------------|--|
| | Master | Client Without Radar Detection | Client With Radar Detection | |
| Non-Occupancy Period | Yes | Not required | Yes | |
| DFS Detection Threshold | Yes | Not required | Yes | |
| Channel Availability Check Time | Yes | Not required | Not required | |
| U-NII Detection Bandwidth | Yes | Not required | Yes | |

Table 2: Applicability of DFS requirements during normal operation

| Requirement | Operational Mode | | | |
|--|--|-----------------------------|--|--|
| | Master Device or Client | Client Without | | |
| | with Radar Detection | Radar Detection | | |
| DFS Detection Threshold | Yes | Not required | | |
| Channel Closing Transmission Time | Yes | Yes | | |
| Channel Move Time | Yes | Yes | | |
| U-NII Detection Bandwidth | Yes | Not required | | |
| Additional requirements for devices with | Master Device or Client with | Client Without Radar | | |
| multiple bandwidth modes | Radar Detection | Detection | | |
| U-NII Detection Bandwidth and Statistical | All BW modes must be tested | Not required | | |
| Performance Check | | | | |
| Channel Move Time and Channel Closing | Test using widest BW mode | Test using the widest | | |
| Transmission Time | available | BW mode available for | | |
| | | the link | | |
| All other tests | Any single BW mode | Not required | | |
| Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several | | | | |
| frequencies within the radar detection bandwidth and frequencies near the edge of the radar | | | | |
| detection bandwidth. For 802.11 devi | detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the | | | |
| bonded 20 MHz channels and the channel center frequency. | | | | |



| Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed |
|--|
| overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, |
| subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. |
| Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is |
| advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of |
| Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a |
| transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced |
| except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or |
| appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the |
| results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. |
| Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, |
| or email: CN.Doccheck@sgs.com |

of and the Chromosoft and the

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 28 of 237

4.11.2 DFS Detection Thresholds

S

 Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

| Maximum Transmit Power | Value |
|---|-------------------------------------|
| | (See Notes 1, 2, and 3) |
| $EIRP \ge 200 milliwatt$ | -64 dBm |
| EIRP < 200 milliwatt and | -62 dBm |
| power spectral density < 10 dBm/MHz | |
| EIRP < 200 milliwatt that do not meet the power spectral density | -64 dBm |
| requirement | |
| Note 1: This is the level at the input of the receiver assuming a 0 dB | Bi receive antenna. |
| Note 2: Throughout these test procedures an additional 1 dB has been | en added to the amplitude of the |
| test transmission waveforms to account for variations in measureme | nt equipment. This will ensure that |
| the test signal is at or above the detection threshold level to trigger a | |
| Note3: EIRP is based on the highest antenna gain. For MIMO device | ces refer to KDB Publication |
| 662911 D01. | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) testeng and such asmple(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsleng Road, Starbou industrial Plant, Suzhou Anea, Chine (Langsu) Plot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区测胜路(号約+5厂房商都 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 29 of 237

4.11.3 RADAR TEST WAVEFORMS

S

Table 5 – Short Pulse Radar Test Waveforms

| Radar | Pulse Width | PRI | Number of Pulses | Minimum | Minimum |
|--------------|----------------------------------|--|--|------------------|------------|
| Туре | (µsec) | (µsec) | | Percentage of | Number of |
| | | | | Successful | Trials |
| | | | | Detection | |
| 0 | 1 | 1428 | 18 | See Note 1 | See Note 1 |
| 1 | 1 | Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A | $\operatorname{Roundup} \left\{ \begin{pmatrix} \frac{1}{360} \end{pmatrix}, \\ \left(\frac{19 \cdot 10^{6}}{\operatorname{PRI}_{\mu \operatorname{sec}}} \right) \right\}$ | 60% | 30 |
| 2 | 1-5 | 150-230 | 23-29 | 60% | 30 |
| 3 | 6-10 | 200-500 | 16-18 | 60% | 30 |
| 4 | 11-20 | 200-500 | 12-16 | 60% | 30 |
| Aggregate (H | Radar Types 1- | 4) | | 80% | 120 |
| | ort Pulse Rada hannel closing | | sed for the detection ba | ndwidth test, ch | annel move |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, hay unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleet actent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000

Report No.: SEWM2311000456RG06 Rev.: 01 Page: 30 of 237

| Pulse Repetition Frequency Number | Pulse Repetition Frequency (Pulses Per Second) | Pulse Repetition Interval (Microseconds) |
|---|---|--|
| 1 | 1930.5 | 518 |
| 2 | 1858.7 | 538 |
| 3 | 1792.1 | 558 |
| 4 | 1730.1 | 578 |
| 5 | 1672.2 | 598 |
| 6 | 1618.1 | 618 |
| 7 | 1567.4 | 638 |
| 8 | 1519.8 | 658 |
| 9 | 1474.9 | 678 |
| 10 | 1432.7 | 698 |
| 11 | 1392.8 | 718 |
| 12 | 1355 | 738 |
| 13 | 1319.3 | 758 |
| 14 | 1285.3 | 778 |
| 15 | 1253.1 | 798 |
| 16 | 1222.5 | 818 |
| 17 | 1193.3 | 838 |
| 18 | 1165.6 | 858 |
| 19 | 1139 | 878 |
| 20 | 1113.6 | 898 |
| 21 | 1089.3 | 918 |
| 22 | 1066.1 | 938 |
| 23 | 326.2 | 3066 |

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

| Radar Type | Number of Trials | Number of Successful | Minimum Percentage | | | |
|---|------------------|----------------------|--------------------|--|--|--|
| | | Detections | of Successful | | | |
| | | | Detection | | | |
| 1 | 35 | 29 | 82.9% | | | |
| 2 | 30 | 18 | 60% | | | |
| 3 | 30 | 27 | 90% | | | |
| 4 | 50 | 44 | 88% | | | |
| Aggregate (82.9% + 60% + 90% + 88%)/4 = 80.2% | | | | | | |



S

so otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service p eaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.app</u> and, for electronic format docum tot to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document</u> tion is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document to its instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate partie action from exercising all their rights and obligations under the transaction documents. This document cannot be repro to in full, written approval of the Company. Any unathorized alteration, forgery or falsification of the sont arance of this lest report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. http://ts.com/such.attent.com/such.attent/suc except in content o appearar results st ne: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 31 of 237

| Table 6 – Long Pulse Radar Test Waveform | | | | | | | | |
|--|--------|-------|--------|-----------|-----------|---------------|-----------|--|
| Radar | Pulse | Chirp | PRI | Number | Number | Minimum | Minimum | |
| Type | Width | Width | (µsec) | of Pulses | of Bursts | Percentage of | Number of | |
| | (µsec) | (MHz) | | per Burst | | Successful | Trials | |
| | | | | | | Detection | | |
| 5 | 50-100 | 5-20 | 1000- | 1-3 | 8-20 | 80% | 30 | |
| | | | 2000 | | | | | |

Table 6 – Long Pulse Radar Test Waveform

Table 7 - Frequency Hopping Radar Test Waveform

| Radar | Pulse | PRI | Pulses | Hopping | Hopping | Minimum | Minimum |
|-------|--------|--------|--------|---------|----------|---------------|-----------|
| Type | Width | (µsec) | per | Rate | Sequence | Percentage of | Number of |
| | (µsec) | | Hop | (kHz) | Length | Successful | Trials |
| | | | - | | (msec) | Detection | |
| 6 | 1 | 333 | 9 | 0.333 | 300 | 70% | 30 |

4.11.4 Response Requirements

Table 4: DFS Response Requirement Values

| Parameter | Value |
|-----------------------------------|-----------------------------|
| Non-occupancy period | Minimum 30 minutes |
| Channel Availability Check Time | 60 seconds |
| Channel Move Time | 10 seconds |
| | See Note 1. |
| Channel Closing Transmission Time | 200 milliseconds + an |
| | aggregate of 60 |
| | milliseconds over remaining |
| | 10 second period. |
| | See Notes 1 and 2. |
| U-NII Detection Bandwidth | Minimum 100% of the U- |
| | NII 99% transmission |
| | power bandwidth. See Note |
| | 3. |

Note 1: *Channel Move Time* and the *Channel Closing Transmission Time* should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst. **Note 2:** The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions. **Note 3:** During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

The detailed test data see: Appendix



Report No.: SEWM2311000456RG06 Rev.: 01 Page: 32 of 237

Measurement Uncertainty (95% confidence levels, k=2) 5

| | | · · · · · |
|---------|-------------------------------|----------------------------|
| No. | Item | Measurement Uncertainty |
| 1 | Total RF power, conducted | ±0.54dB |
| 2 | RF power density, conducted | ±1.03dB |
| 3 | Spurious emissions, conducted | ±0.54dB |
| 4 | Radio Frequency | ±1.0 % |
| 5 | Duty Cycle | ±0.37% |
| 6 | Occupied Bandwidth | ±1.0 % |
| 7 | Conduction Emission | ± 2.90dB (150kHz to 30MHz) |
| | | ± 3.13dB (9k -30MHz) |
| 8 | Dedicted Emission | ± 4.8dB (30M -1GHz) |
| ö | Radiated Emission | ± 4.8dB (1GHz to 18GHz) |
| | | ± 4.80dB (Above 18GHz) |
| Remark: | • | |

S

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



ss otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service eaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format doc to to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document</u> iton is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this docu-ted that information contained hereon reflects the Company's findings at the time of its intervention only and within the it's instructions; if any. The Company's sole responsibility is to its Client and this document does not exonerate part action from exercising all their rights and obligations under the transaction documents. This document cannot be repr pi in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the cor-arance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise str ts shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only. except in t o ne: (86-755) 8307 1443

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 33 of 237

6 Equipment List

| RF Test Equipment | | | | | | | |
|---|-------------------|--|---------------|---------------------------|------------------------------|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy/mm/dd) | Cal.Due date (yyyy/mm/dd) | | |
| Shielding Room | Brilliant-emc | N/A | SUWI-04-01-06 | 2021/05/08 | 2024/05/07 | | |
| Temperature and humidity meter | MingGao | TH101B | SUWI-01-01-07 | 2023/02/06 | 2024/02/05 | | |
| Signal Analyzer | ROHDE&SCHWARZ | FSV3030 | SUWI-01-02-02 | 2023/05/11 | 2024/05/10 | | |
| Measurement Software | Tonscend | JS1120-3 Test System V 3.3.20 | SUWI-02-09-09 | NCR | NCR | | |
| Signal Analyzer | ROHDE& SCHWARZ | FSW43 | SUWI-01-02-04 | 2023/05/11 | 2024/05/10 | | |
| Temperature Chamber | ESPEC | SU-242 | SUWI-01-13-01 | 2023/02/06 | 2024/02/05 | | |
| Wideband Radio Communication Tester | ROHDE&SCHWARZ | CMW500 | SUWI-01-16-05 | 2023/02/06 | 2024/02/05 | | |
| DC Power Supply | HYELEC | HY3005B | SUWI-01-18-01 | 2023/02/06 | 2024/02/05 | | |
| Power meter | Apritou | ML2495A | SUWI-01-31-01 | 2022/11/23 | 2023/11/22 | | |
| Power meter | Anritsu | MLZ495A | 5000-01-31-01 | 2023/11/21 | 2024/11/20 | | |
| Pulse power | Apritou | MADAAAD | | 2022/11/23 | 2023/11/22 | | |
| sensor | Anritsu | MA2411B | SUWI-01-32-01 | 2023/11/21 | 2024/11/20 | | |
| MXG Vector signal genitor | KEYSIGHT | N5182B | SUWI-01-38-01 | 2023/02/06 | 2024/02/05 | | |

| CE Test System | | | | | | | |
|--------------------------------------|---------------|---------------------|---------------|--------------------------|------------------------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date (yyyy/mm/dd) | Cal Due Date (yyyy/mm/dd) | | |
| Temperature and humidity meter | MingGao | TH101B | SUWI-01-01-06 | 2023/02/07 | 2024/02/06 | | |
| Test receiver | ROHDE&SCHWARZ | ESR7 | SUWI-01-10-01 | 2023/02/08 | 2024/02/07 | | |
| Artificial network | ROHDE&SCHWARZ | ENV216 | SUWI-01-19-03 | 2023/02/08 | 2024/02/07 | | |
| Artificial network | ROHDE&SCHWARZ | ENV216 | SUWI-01-19-04 | 2023/02/08 | 2024/02/07 | | |
| Measurement Software | Tonscend | JS32-CE V4.0.0.2 | SUWI-02-09-05 | NCR | NCR | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relatined for 30 days only. Attention: Desch Handerson of Jesting inspection report à certificate, please contact us at telehome: (86-75) 8307 1443, Attention: Desch Handerson (90 testing inspection report à certificate, please contact us at telehome: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 34 of 237

| | RSE Test System | | | | | | | |
|--------------------------------------|-----------------------------------|--------------------|---------------|--------------------------|------------------------------|--|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date (yyyy/mm/dd) | Cal Due Date (yyyy/mm/dd) | | | |
| Semi-Anechoic Chamber | Brilliant-emc | N/A | SUWI-04-02-01 | 2021/05/08 | 2024/05/07 | | | |
| Temperature and humidity meter | MingGao | TH101B | SUWI-01-01-05 | 2023/02/07 | 2024/02/06 | | | |
| Signal Analyzer | ROHDE& SCHWARZ | FSW43 | SUWI-01-02-04 | 2023/05/11 | 2024/05/10 | | | |
| Test receiver | ROHDE&SCHWARZ | ESR7 | SUWI-01-10-01 | 2023/02/08 | 2024/02/07 | | | |
| Receiving antenna | SCHWRZBECK MESS- ELEKTRONIK | VULB 9163 | SUWI-01-11-01 | 2023/05/13 | 2024/05/12 | | | |
| Receiving antenna | SCHWRZBECK MESS- ELEKTRONIK | BBHA 9120D | SUWI-01-11-02 | 2023/05/13 | 2024/05/12 | | | |
| Receiving antenna | SCHWRZBECK MESS- ELEKTRONIK | BBHA 9170 | SUWI-01-11-03 | 2023/05/12 | 2024/05/11 | | | |
| Active Loop Antenna | SCHWRZBECK MESS- ELEKTRONIK | FMZB 1519B | SUWI-01-21-01 | 2023/05/13 | 2024/05/12 | | | |
| Amplifier | Tonscend | TAP9K3G40 | SUWI-01-14-01 | 2023/02/06 | 2024/02/05 | | | |
| Amplifier | Tonscend | TAP01018050 | SUWI-01-14-02 | 2023/02/06 | 2024/02/05 | | | |
| Amplifier | Tonscend | TAP18040048 | SUWI-01-14-03 | 2023/02/08 | 2024/02/07 | | | |
| Measurement Software | Tonscend | JS32-RE 4.0.0.0 | SUWI-02-09-04 | NCR | NCR | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.terms-e-Document.aspx. Attention is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of t

South of Na.6 Plant, No.1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的45厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 35 of 237

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/on/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jaingsu) Plich Fees Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区调胜路1号的6月厂房南都 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 36 of 237

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443,

 South of No. 6 Plant, Mo. 1, Runsheng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jaingsu) Pliot Free Trade Zone
 215000
 t (86-512) 62992980

 中国・苏州・中国(江苏)自由民勇试道区苏州上区苏州工业园区调胜路1号的号厂房南都
 戦場:
 215000
 t (86-512) 62992980

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 37 of 237

Emission Bandwidth

Test Result

| TestMode | Antenna | Frequency[MHz] | 26dB EBW [MHz] | FL[MHz] | FH[MHz] | Verdict |
|------------|---------|----------------|----------------|---------|---------|---------|
| 11a | Ant6 | 5180 | 32.16 | 5165.60 | 5197.76 | |
| 11a | Ant6 | 5220 | 21.92 | 5208.08 | 5230.00 | |
| 11a | Ant6 | 5240 | 23.24 | 5226.92 | 5250.16 | |
| 11a | Ant6 | 5260 | 22.36 | 5249.80 | 5272.16 | |
| 11a | Ant6 | 5300 | 22.60 | 5287.56 | 5310.16 | |
| 11a | Ant6 | 5320 | 21.08 | 5309.80 | 5330.88 | |
| 11a | Ant6 | 5500 | 19.92 | 5490.04 | 5509.96 | |
| 11a | Ant6 | 5580 | 20.00 | 5570.00 | 5590.00 | |
| 11a | Ant6 | 5700 | 20.44 | 5689.64 | 5710.08 | |
| 11a | Ant6 | 5745 | 20.52 | 5734.96 | 5755.48 | |
| 11a | Ant6 | 5785 | 20.60 | 5774.48 | 5795.08 | |
| 11a | Ant6 | 5825 | 22.36 | 5814.92 | 5837.28 | |
| 11ac20SISO | Ant6 | 5180 | 21.24 | 5169.68 | 5190.92 | |
| 11ac20SISO | Ant6 | 5220 | 21.76 | 5208.36 | 5230.12 | |
| 11ac20SISO | Ant6 | 5240 | 20.52 | 5229.68 | 5250.20 | |
| 11ac20SISO | Ant6 | 5260 | 20.48 | 5249.80 | 5270.28 | |
| 11ac20SISO | Ant6 | 5300 | 20.76 | 5289.72 | 5310.48 | |
| 11ac20SISO | Ant6 | 5320 | 20.36 | 5309.80 | 5330.16 | For |
| 11ac20SISO | Ant6 | 5500 | 20.52 | 5489.72 | 5510.24 | Report |
| 11ac20SISO | Ant6 | 5580 | 20.32 | 5569.92 | 5590.24 | Purpose |
| 11ac20SISO | Ant6 | 5700 | 20.64 | 5689.72 | 5710.36 | Fulpose |
| 11ac20SISO | Ant6 | 5745 | 20.28 | 5734.88 | 5755.16 | |
| 11ac20SISO | Ant6 | 5785 | 20.64 | 5774.72 | 5795.36 | |
| 11ac20SISO | Ant6 | 5825 | 20.44 | 5814.72 | 5835.16 | |
| 11ac40SISO | Ant6 | 5190 | 40.16 | 5169.92 | 5210.08 | |
| 11ac40SISO | Ant6 | 5230 | 44.32 | 5205.84 | 5250.16 | |
| 11ac40SISO | Ant6 | 5270 | 40.80 | 5249.76 | 5290.56 | |
| 11ac40SISO | Ant6 | 5310 | 42.40 | 5289.44 | 5331.84 | |
| 11ac40SISO | Ant6 | 5510 | 40.48 | 5489.68 | 5530.16 | |
| 11ac40SISO | Ant6 | 5550 | 40.40 | 5529.76 | 5570.16 | |
| 11ac40SISO | Ant6 | 5670 | 40.48 | 5649.60 | 5690.08 | |
| 11ac40SISO | Ant6 | 5755 | 40.40 | 5734.76 | 5775.16 | |
| 11ac40SISO | Ant6 | 5795 | 40.48 | 5774.76 | 5815.24 | |
| 11ac80SISO | Ant6 | 5210 | 81.44 | 5169.36 | 5250.80 | |
| 11ac80SISO | Ant6 | 5290 | 85.76 | 5248.24 | 5334.00 | |
| 11ac80SISO | Ant6 | 5530 | 81.28 | 5489.52 | 5570.80 | 1 |
| 11ac80SISO | Ant6 | 5610 | 81.28 | 5569.36 | 5650.64 | 1 |
| 11ac80SISO | Ant6 | 5775 | 81.44 | 5734.36 | 5815.80 | |

Remark:

For 802.11n HT20/ac VHT20 and 802.11n HT40/ac VHT40 mode, the whole testing have assessed only, 802.11ac VHT20/40 by referring to their higher output power.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Area, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 38 of 237




Test Graphs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or eventil: (N Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or eventil.

| | South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Tra | ade Zone | 215000 | t (86-512) 62992980 | www.sgsgroup.com.cn | |
|---|---|----------|--------|---------------------|---------------------|--|
| 1 | 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 | 邮编: | 215000 | t (86–512) 62992980 | sgs.china@sgs.com | |

Member of the SGS Group (SGS SA)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-an-Document.aspx</u>. Attention is days the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

sgs.china@sgs.com

t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T


South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

sgs.china@sgs.com

t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000


中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn

sgs.china@sgs.com

t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and defenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

sgs.china@sgs.com

t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T


South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

sgs.china@sgs.com

t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relatined for 30 days only. Attention: Desch Handerson of Jesting inspection report à certificate, please contact us at telehome: (86-75) 8307 1443, Attention: Desch Handerson (90 testing inspection report à certificate, please contact us at telehome: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jaingsu) Plich Fees Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区调胜路1号的6月厂房南都 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01

 Page:
 45 of 237

Occupied channel bandwidth Test Result

| TestMode | Antenna | Frequency[MHz] | OCB [MHz] | FL[MHz] | FH[MHz] | Verdict |
|------------|---------|----------------|-----------|-----------|-----------|---------|
| 11a | Ant6 | 5180 | 18.501 | 5170.7505 | 5189.2515 | |
| 11a | Ant6 | 5220 | 17.269 | 5211.3113 | 5228.5807 | |
| 11a | Ant6 | 5240 | 17.14 | 5231.3942 | 5248.5340 | |
| 11a | Ant6 | 5260 | 17.119 | 5251.4308 | 5268.5503 | |
| 11a | Ant6 | 5300 | 17.104 | 5291.4277 | 5308.5313 | |
| 11a | Ant6 | 5320 | 17.137 | 5311.3986 | 5328.5352 | |
| 11a | Ant6 | 5500 | 17.094 | 5491.4578 | 5508.5518 | |
| 11a | Ant6 | 5580 | 17.182 | 5571.3999 | 5588.5819 | |
| 11a | Ant6 | 5700 | 17.132 | 5691.4423 | 5708.5742 | |
| 11a | Ant6 | 5745 | 17.166 | 5736.4150 | 5753.5809 | |
| 11a | Ant6 | 5785 | 17.101 | 5776.4452 | 5793.5463 | |
| 11a | Ant6 | 5825 | 17.111 | 5816.4389 | 5833.5498 | |
| 11ac20SISO | Ant6 | 5180 | 17.984 | 5170.9744 | 5188.9587 | |
| 11ac20SISO | Ant6 | 5220 | 17.936 | 5211.0305 | 5228.9665 | |
| 11ac20SISO | Ant6 | 5240 | 18.007 | 5230.9705 | 5248.9777 | |
| 11ac20SISO | Ant6 | 5260 | 17.912 | 5251.0062 | 5268.9187 | |
| 11ac20SISO | Ant6 | 5300 | 17.95 | 5291.0530 | 5309.0027 | |
| 11ac20SISO | Ant6 | 5320 | 17.923 | 5311.0289 | 5328.9517 | For |
| 11ac20SISO | Ant6 | 5500 | 17.922 | 5491.0489 | 5508.9714 | Report |
| 11ac20SISO | Ant6 | 5580 | 17.916 | 5571.0251 | 5588.9407 | Purpose |
| 11ac20SISO | Ant6 | 5700 | 17.936 | 5691.0240 | 5708.9595 | rupose |
| 11ac20SISO | Ant6 | 5745 | 17.905 | 5736.0800 | 5753.9855 | |
| 11ac20SISO | Ant6 | 5785 | 17.925 | 5776.0060 | 5793.9306 | |
| 11ac20SISO | Ant6 | 5825 | 17.857 | 5816.0606 | 5833.9180 | |
| 11ac40SISO | Ant6 | 5190 | 36.555 | 5171.7740 | 5208.3289 | |
| 11ac40SISO | Ant6 | 5230 | 36.448 | 5211.8473 | 5248.2954 | |
| 11ac40SISO | Ant6 | 5270 | 36.394 | 5251.8118 | 5288.2055 | |
| 11ac40SISO | Ant6 | 5310 | 36.388 | 5291.8296 | 5328.2176 | |
| 11ac40SISO | Ant6 | 5510 | 36.296 | 5491.9168 | 5528.2130 | |
| 11ac40SISO | Ant6 | 5550 | 36.269 | 5531.8814 | 5568.1505 | |
| 11ac40SISO | Ant6 | 5670 | 36.377 | 5651.8166 | 5688.1940 | |
| 11ac40SISO | Ant6 | 5755 | 36.342 | 5736.8610 | 5773.2031 | |
| 11ac40SISO | Ant6 | 5795 | 36.302 | 5776.9149 | 5813.2171 | |
| 11ac80SISO | Ant6 | 5210 | 75.665 | 5172.2777 | 5247.9424 | |
| 11ac80SISO | Ant6 | 5290 | 75.534 | 5252.2518 | 5327.7859 | |
| 11ac80SISO | Ant6 | 5530 | 75.361 | 5492.4443 | 5567.8051 | |
| 11ac80SISO | Ant6 | 5610 | 75.383 | 5572.3424 | 5647.7250 | |
| 11ac80SISO | Ant6 | 5775 | 75.39 | 5737.3917 | 5812.7821 | |

Remark:

For 802.11n HT20/ac VHT20 and 802.11n HT40/ac VHT40 mode, the whole testing have assessed only, 802.11ac VHT20/40 by referring to their higher output power.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions,aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG06

 Rev.:
 01


 Page:
 46 of 237





检验检测专用章 spection & Testing Services Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.gs.com/en/Terms-and-Conditions for the company subject to its defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: Coeck the authenticity of testing Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

| or email: <u>CN.Doccheck@sgs.com</u> | riepon | a certificate. | , please contact us at telepho | ne. (60-155) 6501 1445, |
|---|------------|----------------|--------------------------------|-------------------------|
| South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free | Trade Zone | 215000 | t (86-512) 62992980 | www.sgsgroup.com.cn |
| 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 | 邮编: | 215000 | t (86-512) 62992980 | sgs.china@sgs.com |





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

sgs.china@sgs.com


t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is davised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document to exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and diffenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM-Doccheck@gsg.com SouhofNo.6Part,No.1,RunshengRoad,Suchou IndustriaPart,Suchou Avea,China (Jiangou)Phot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区测进路1号的6月了房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T


South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

sgs.china@sgs.com


t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such asmple(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

remail: CN.<u>Doccheck@sgs.com</u> SouthorfNo.6Part,No.1,Runsheng Road, Suchou Housha Park, Suchou Area, China (Jiangsu) Plot Fire Trade Zone 215000 t (86–512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6月广房南部 邮编: 215000 t (86–512) 62992980 sgs.china@sgs.com





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000

www.sgsgroup.com.cn

中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区湾胜路1号约6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com