

Report No.: SEWM2311000456RG01

Rev.: 01 Page: 1 of 48

TEST REPORT

Application No.: SEWM2311000456RG

Applicant: Xiaomi Communications Co., Ltd.

Address of Applicant: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

Manufacturer: Xiaomi Communications Co., Ltd.

Address of Manufacturer: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

EUT Description: Mobile Phone **Model No.:** 23124RN87G

Trade Mark: Redmi

FCC ID: 2AFZZN87G Standards: 47 CFR Part 2 47 CFR Part 22

47 CFR Part 22 47 CFR Part 24 47 CFR Part 27 47 CFR Part 90


Date of Receipt: 2023/11/13

Date of Test: 2023/11/22 to 2023/12/16

Date of Issue: 2023/12/16

Test Result : PASS *

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

Member of the SGS Group (SGS SA)

^{*} In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 2 of 48

Version

Revision Record					
Version Chapter Date Modifier Remark					
01		2023/12/16		Original	

Prepared By	(Levi Li) / Test Engineer
Checked By	Stone Ju
	(Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 3 of 48

Contents

1	Versio	n	2
2	Test S	Summary	5
	2.1	GSM 850/UMTS Band 5	5
	2.2	GSM 1900/UMTS Band 2	6
	2.3	UMTS Band 4	7
	2.4	LTE Band 2	8
	2.5	LTE Band 4 /66	9
	2.6	LTE Band 5/26(824~849 MHz)	10
	2.7	LTE Band 7/38/41	11
	2.8	LTE Band 12/17	12
	2.9	LTE Band 13	13
	2.10	LTE Band 26(814~824 MHz)	14
	2.11	LTE CA_7C/ CA_38C	15
3	Gener	al Information	16
	3.1	Details of Client	16
	3.2	Test Location	16
	3.3	Test Facility	16
	3.4	General Description of EUT	17
	3.5	Test Mode	19
	3.6	Test Environment	19
	3.7	Description of Support Units	19
	3.8	Technical Specification	20
	3.9	Test Frequencies	24
4	Descri	ption of Tests	33
	4.1	Conducted Output Power	33
	4.2	Effective (Isotropic) Radiated Power of Transmitter	34
	4.3	Occupied Bandwidth	35
	4.4	Band Edge at Antenna Terminals	36
	4.5	Spurious And Harmonic Emissions at Antenna Terminal	37
	4.6	Peak-Average Ratio	38



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 4 of 48

	4.7 Field Strength of Spurious Radiation	39
	4.8 Frequency Stability / Temperature Variation	40
	4.9 Test Setups	41
	4.9.1 Test Setup 1	41
	4.9.2 Test Setup 2	41
	4.9.3 Test Setup 3	42
	4.10 Test Conditions	43
5	Main Test Instruments	45
6	Measurement Uncertainty	47
	Appendixes	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 5 of 48

2 **Test Summary**

2.1 GSM 850/UMTS Band 5

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	ERP ≤ 7 W	Section 1 of Appendix B.1&B.5	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §22.355	±2.5ppm.	Section 2 of Appendix B.1&B.5	Pass
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	FCC: ≤ -13 dBm/100 kHz.	Section 3 of Appendix B.1&B.5	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 4 of Appendix B.1&B.5	Pass
Peak-Average Ratio	§22.913(d)	Limit≤13 dB	Section 5 of Appendix B.1&B.5	Pass
Spurious Emission at Antenna Terminals	§2.1051, §22.917(a)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges.	Section 6 of Appendix B.1&B.5	Pass
Band Edges Compliance	§2.1051, §22.917(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 6 of Appendix B.1&B.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 6 of 48

2.2 GSM 1900/UMTS Band 2

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §24.232(c)	EIRP ≤ 2 W	Section 1 of Appendix B.2&B.3	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §24.235	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.2&B.3	Pass
Field Strength of Spurious Radiation	§2.1053, §24.238(a)	≤ -13 dBm/1 MHz.	Section 3 of Appendix B.2&B.3	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 4 of Appendix B.2&B.3	Pass
Peak-Average Ratio	§24.232(d)	Limit≤13 dB	Section 5 of Appendix B.2&B.3	Pass
Spurious Emission at Antenna Terminals	§2.1051, §24.238(a)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 6 of Appendix B.2&B.3	Pass
Band Edges Compliance	§2.1051, §24.238(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 6 of Appendix B.2&B.3	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: Page: 7 of 48

2.3 UMTS Band 4

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP ≤ 1 W	Section 1 of Appendix B.4	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.4	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(h)	≤ -13 dBm/1 MHz.	Section 3 of Appendix B.4	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 4 of Appendix B.4	Pass
Peak-Average Ratio	§27.50(d)(5)	Limit≤13 dB	Section 5 of Appendix B.4	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 6 of Appendix B.4	Pass
Band Edges Compliance	§2.1051, §27.53(h)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 6 of Appendix B.4	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 8 of 48

2.4 LTE Band 2

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §24.232(c)	EIRP ≤ 2 W	Section 1 of Appendix B.6	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §24.235	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.6	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.6	Pass
Peak-Average Ratio	§24.232(d)	Limit≤13 dB	Section 4 of Appendix B.6	Pass
Spurious Emission at Antenna Terminals	§2.1051, §24.238(a)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.6	Pass
Band Edges Compliance	§2.1051, §24.238(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.6	Pass
Field Strength of Spurious Radiation	§2.1053, §24.238(a)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.6	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 9 of 48

2.5 LTE Band 4 /66

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP ≤ 1 W	Section 1 of Appendix B.7&B.17	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.7&B.17	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.7&B.17	Pass
Peak-Average Ratio	§27.50(d)(5)	Limit≤13 dB	Section 4 of Appendix B.7&B.17	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.7&B.17	Pass
Band Edges Compliance	§2.1051, §27.53(h)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.7&B.17	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(h)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.7&B.17	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Partl, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, Chine (Kiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜盛1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 www.sgsgroup.com.cn 215000 t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.:

Page: 10 of 48

2.6 LTE Band 5/26(824~849 MHz)

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	ERP ≤ 7 W	Section 1 of Appendix B.8&B.14	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §22.355	±2.5ppm.	Section 2 of Appendix B.8&B.14	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.8&B.14	Pass
Peak-Average Ratio	§22.913(d)	Limit≤13 dB	Section 4 of Appendix B.8&B.14	Pass
Spurious Emission at Antenna Terminals	§2.1051, §22.917(a)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.8&B.14	Pass
Band Edges Compliance	§2.1051, §22.917(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.8&B.14	Pass
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	FCC: ≤ -13 dBm/100 kHz.	Section 6 of Appendix B.8&B.14	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sqs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01

Page: 11 of 48

2.7 LTE Band 7/38/41

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)(2)	EIRP ≤ 2W	Section 1 of Appendix B.9&B.15&B.16	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.9&B.15&B.16	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.9&B.15&B.16	Pass
Peak-Average Ratio		≤13 dB	Section 4 of Appendix B.9&B.15&B.16	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)	Channel Edge -25dBm/ 1 MHz 1 MHz 1 MHz 9 kHz 95 MHz XMHz 10th harmonics X=Max {6MHz, EBW}	Section 5 of Appendix B.9&B.15&B.16	Pass
Band Edges Compliance	§2.1051, §27.53(m4)	For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.	Section 5 of Appendix B.9&B.15&B.16	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(m)	Channel Edge -25dBm/ 1 MHz 1 MHz 1 MHz 9 kHz 95 MHz × MHz 10th harmonics X=Max {6MHz, EBW}	Section 6 of Appendix B.9&B.15&B.16	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.:

Page: 12 of 48

2.8 LTE Band 12/17

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046 §27.50(c)(10)	ERP≤3W.	Section 1 of Appendix B.10&B.12	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.10&B.12	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.10&B.12	Pass
Peak-Average Ratio		Limit≤13 dB	Section 4 of Appendix B.10&B.12	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(g)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.10&B.12	Pass
Band Edges Compliance	§2.1051, §27.53(g)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.10&B.12	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(g)	FCC: ≤ -13 dBm/100 kHz.	Section 6 of Appendix B.10&B.12	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 13 of 48

2.9 LTE Band 13

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(b)(10)	ERP≤3W.	Section 1 of Appendix B.11	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.11	Pass
Bandwidth	§2.1049,	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.11	Pass
Peak-Average Ratio		Limit≤13 dB	Section 4 of Appendix B.11	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(c) §27.53(f)	 ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges. On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations. For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to −70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and −80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. 	Section 5 of Appendix B.11	Pass
Band Edges Compliance	§2.1051, §27.53(c)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.11	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(c) §27.53(f)	FCC: ≤ -13 dBm/100 kHz. For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to −70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and −80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.	Section 6 of Appendix B.11	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 www.sgsgroup.com.cn 215000 t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01

Page: 14 of 48

2.10 LTE Band 26(814~824 MHz)

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Transmitter Conducted Power Output	§2.1046, §90.635(b)	< 100 W.	Section 1 of Appendix B.13	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §90.213	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.13	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.13	Pass
Peak-Average Ratio		Limit≤13 dB	Section 4 of Appendix B.13	Pass
Spurious Emission at Antenna Terminals	§2.1051, §90.691	< 43 + 10Log10(P[Watts]) for all out-of-band emissions	Section 5 of Appendix B.13	Pass
Emission Mask	§2.1051 § 90.691(a)	For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or 50+10Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.	Section 5 of Appendix B.13	Pass
Field Strength of Spurious Radiation	§2.1053, §90.691	< 43 + 10Log10(P[Watts]) for all out-of-band emissions	Section 6 of Appendix B.13	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Condit

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trate Zone 年日 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号约6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 15 of 48

2.11 **LTE CA 7C/CA 38C**

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective	FCC Rule No.	Requirements	Test Result	verdict
(Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)(2)	EIRP ≤ 2W	Section 1 of Appendix B.27&B.28	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 2 of Appendix B.27&B.28	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(m)	Channel Edge -25dBm/ 1 MHz 1 MHz 1 MHz 9 kHz 95 MHz X MHz 10th harmonics X=Max {6MHz, EBW}	Section 3 of Appendix B.27&B.28	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)	Channel Edge -25dBm/ 1 MHz 1 MHz 1 MHz 9 kHz 95 MHz X MHz 10th harmonics X=Max {6MHz, EBW}	Section 4 of Appendix B.27&B.28	Pass
Band Edges Compliance	§2.1051, §27.53(m4)	For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.	Section 4 of Appendix B.27&B.28	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 16 of 48

3 General Information

3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Levi Li, King-p Li

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Appx Attention: The terms and the second of the second and the second and

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suchou Area, China (Kiangsu) Plot Free Trade Zone 215000 t (8 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000 t (8

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 17 of 48

3.4 General Description of EUT

EUT Description:	Mobile Phone								
Model No.:	23124RN87G								
Trade Mark:	Redmi	Redmi							
Hardware Version:	13510C3V								
Software Version:	MIUI 14								
Power Supply:	DC 3.84V from integration adapter.	ernal rechargeable b	pattery which can be cha	arged by AC/DC					
IMEI:	RF Conducted	· •	060040960(IMEI1)/8654 060039707(IMEI1)/8654	` ,					
	RSE	Sample1:8654080	060041505(IMEI1)/8654	08060041513(IMEI2)					
Antenna Type:	PIFA Antenna								
	GSM850:	-4.1dBi (Ant1) -2dBi (Ant4)	GSM1900:	-0.7dBi (Ant1) -1.4dBi (Ant4)					
	WCDMA Band II:	-0.7dBi (Ant1) -1.4dBi (Ant4)	WCDMA Band IV:	-1.8dBi (Ant1) -1.6dBi (Ant4)					
	WCDMA Band V:	-4.1dBi (Ant1) -2dBi (Ant4)							
	LTE Band 2:	-0.7dBi (Ant1) -2.2dBi (Ant3) -1.4dBi (Ant4)	LTE Band 4:	-1.8dBi (Ant1) -1.6dBi (Ant4)					
	LTE Band 5:	-4.1dBi (Ant1) -2dBi (Ant4)	LTE Band 7:	1.3dBi (Ant1) -2.5dBi (Ant3) -2.6dBi (Ant4)					
Antenna Gain:	LTE Band 12:	-4.7dBi (Ant1) -5.9dBi (Ant4)	LTE Band 13:	-5.9dBi (Ant1) -8.2dBi (Ant4)					
	LTE Band 17:	-4.7dBi (Ant1) -5.9dBi (Ant4)	LTE Band 26:	-4.1dBi (Ant1) -2dBi (Ant4)					
	LTE Band 38:	1.7dBi (Ant1) -2.5dBi (Ant3) -2.3dBi (Ant4) -2.8dBi (Ant7)	LTE Band 41:	1.7dBi (Ant1) -2.1dBi (Ant3) -2dBi (Ant4) -1.7dBi (Ant7)					
	LTE Band 66:	-1.8dBi (Ant1) -1.6dBi (Ant3) -1.6dBi (Ant4)							
	LTE CA_7C:	1.3dBi (Ant1) -2.5dBi (Ant3) -2.6dBi (Ant4)	LTE CA_38C:	1.7dBi (Ant1) -2.5dBi (Ant3) -2.3dBi (Ant4) -2.8dBi (Ant7)					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CND.Doccheck@gs.com"

 South of No. 6 Plant, No. 1, Runsheng Road, Suthou Industrial Park, Suthou Area, Chine (Jiangsu) Plot Free Trade Zone
 215000
 t (86–512) 6

 中国·苏州·中国(江苏)自由贸易试验区苏州上区苏州工业园区周胜路(号龄6号/户房商部
 邮编: 215000
 t (86–512) 6

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 18 of 48

	Note: The antenna gain are derive manufacturer.	ved from the gain information	report provided by the
RF Cable:	4.5dB(Below 1GHz)	4.8dB(1.0~2.4GHz)	5.2dB(2.4~3.4GHz)

Remark:

- 1. All antennas of Conduction Power & EIRP are tested, and only the worst data is presented.
- 2. As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

15000 t (86–512) 62992980 15000 t (86–512) 62992980

sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 19 of 48

3.5 Test Mode

Test Mode	Test Modes Description				
GSM/TM1	GSM system, GSM/GPRS, GMSK modulation				
GSM/TM2	GSM system, EGPRS, 8PSK modulation				
UMTS/TM1	UMTS system, WCDMA, QPSK modulation				
LTE/TM1	LTE system, QPSK modulation				
LTE/TM2	LTE system, 16QAM modulation				
LTE/TM3	LTE system, 64QAM modulation				
LTE/TM4	LTE system, 256QAM modulation				
Remark: The test mode(s	Remark: The test mode(s) are selected according to relevant radio technology specifications.				

3.6 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests					
Relative Humidity	44-46 % RH Ambient					
Value	Temperature(°C) Voltage(V)					
NTNV	22~23	3.84				
LTLV	-30	3.6				
LTHV	-30	4.25				
HTLV	50	3.6				
HTHV	50	4.25				

Remark:

NV: Normal Voltage LV: Low Extreme Test Voltage HV: High Extreme Test Voltage

NT: Normal Temperature LT: Low Extreme Test Temperature HT: High Extreme Test Temperature

3.7 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Appx Attention: The terms and the second of the second and the second and

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chira (Jiangsu) Plot Free Trade Zone 215000 t (86–512) 62992980 www.sgsgroup.com.
中国 - 苏州 - 中国(江苏) 自由贸易试验区苏州 | 区苏州工业园区润胜商(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 20 of 48

3.8 Technical Specification

Characteristics	Description					
Radio System Type	⊠GSM	⊠ UMTS	□ LTE			
	Band		T	(RX	
	GSM850		824 to 849 MHz		869 to 894 MHz	
	GSM1900		18	50 to 1910 MHz	1930 to 1990 MHz	
	UMTS Band II		18	50 to 1910 MHz	1930 to 1990 MHz	
	UMTS Band IV	/	17	10 to 1755 MHz	2110 to 2155 MHz	
	UMTS Band V	1	82	4 to 849 MHz	869 to 894 MHz	
	LTE Band 2		18	50 to 1910 MHz	1930 to 1990 MHz	
	LTE Band 4		17	10 to 1755 MHz	2110 to 2155 MHz	
	LTE Band 5		82	4 to 849 MHz	869 to 894 MHz	
	LTE Band 7		25	00 to 2570 MHz	2620 to 2690 MHz	
Supported Frequency Range	LTE Band 12		69	9 to 716 MHz	729 to 746 MHz	
	LTE Band 13		777 to 787 MHz		746 to 756 MHz	
	LTE Band 17		70	4 to 716 MHz	734 to 746 MHz	
	LTE Band 26 (814 to 824 MHz)		814 to 824MHz		859 to 869 MHz	
			01	4 to 024WI 12	009 to 009 Wi 12	
	LTE Band 26		82	4 to 849 MHz	869 to 894 MHz	
	(824 to 849 MHz)					
	LTE Band 38			70 to 2620 MHz	2570 to 2620 MHz	
	LTE Band 41		2496 to 2690MHz		2496 to 2690MHz	
	LTE Band 66		17	10 to 1780 MHz	2110 to 2200 MHz	
	LTE CA:					
	CA_7C, CA_38C, CA_4A-7A, CA_2A-4A;					
				test RSE, report only	show worst mode.	
	GSM system:		⊠0.2 MHz			
	UMTS system	:		5 MHz		
	LTE Band 2			I.4 MHz ⊠3 MHz	⊠5 MHz ⊠10 MHz	
Supported Channel Bandwidth			-	15 MHz ⊠20 MHz		
	LTE Band 4			I.4 MHz ⊠3 MHz	⊠5 MHz ⊠10 MHz	
				15 MHz ⊠20 MHz		
	LTE Band 5			1.4 MHz ⊠3 MHz	⊠5 MHz ⊠10 MHz	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CND.Doccheck@gs.com"

South of No. 6 Plant, No. 1, Runstering Road, Suzhou Industrial Park, Suzhou Area, China (Jángsu) Pilot Fee Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6月了房南部 邮编: 215000

000 t (86–512) 62992980 www.sgsgroup.com.cn 000 t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 21 of 48

			Page:	21 0	I 4 8	,
	LTE Band 7		⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz
	LTE Band 12		⊠1.4 MHz	⊠3 MHz	⊠5 MHz	⊠10 MHz
	LTE Band 13		⊠5 MHz	⊠10 MHz		
	LTE Band 17		⊠5 MHz	⊠10 MHz		
	LTE Band 26(814-824))	⊠1.4 MHz	⊠3 MHz	⊠5 MHz	⊠10 MHz
	LTE Band 26(824-849)	\	⊠1.4 MHz	⊠3 MHz	⊠5 MHz	⊠10 MHz
	LTE Ballu 20(024-049)	,	⊠15 MHz			
	LTE Band 38		⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz
	LTE Band 41		⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz
	LTE Band 66		⊠1.4 MHz	⊠3 MHz	⊠5 MHz	⊠10 MHz
	LIE Ballu 00		⊠15MHz	⊠20MHz		
			⊠10MHz+	20MHz	⊠15MHz+	10MHz
	LTE Band CA_7C		⊠15MHz+	15MHz	⊠15MHz+	20MHz
	LTE Balla CA_TC		⊠20MHz+	10MHz	⊠20MHz+	15MHz
			⊠20MHz+	20MHz		
	LTE Band CA_38C		⊠15MHz+	15MHz	⊠20MHz+	20MHz
	Note: WCDMA support worst case was tested					but only the
Characteristics	Description					
	GSM:	GM	ISK 8	PSK		
	GSM850	254	KGXW 2	48KG7W		
	GSM1900	250	KGXW 2	48KG7W		
	UMTS:	QP	SK			
	Band II	4M	19F9W			
Designation of Emissions	Band IV	4M:	20F9W			
(Remark: the necessary bandwidth of which is the	Band V	4M	18F9W			
worst value from the measured occupied	E-UTRA:	QP	SK 1	6QAM	64QAM	256QAM
bandwidths for each type of		1M	12G7D 1	M12W7D	1M12W7D	1M12W7D
channel bandwidth configuration.)		2M	74G7D 2	M74W7D	2M74W7D	2M74W7D
ougaradom,	LTE Band 2	4M	56G7D 4	M56W7D	4M56W7D	4M56W7D
	LIE Dallu Z	9M	07G7D 9	M09W7D	9M09W7D	9M09W7D
		131	/I6G7D 1	3M6W7D	13M6W7D	13M6W7D
		181	/I2G7D 1	8M2W7D	18M2W7D	18M2W7D
	LTE Band 4	1M	11G7D 1	M12W7D	1M12W7D	1M12W7D
		_				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 22 of 48 Page:

			,		
		2M74G7D	2M73W7D	2M73W7D	2M73W7D
		4M57G7D	4M57W7D	4M57W7D	4M57W7D
		9M06G7D	9M07W7D	9M07W7D	9M07W7D
		13M6G7D	13M6W7D	13M6W7D	13M6W7D
		18M1G7D	18M2W7D	18M2W7D	18M2W7D
		1M12G7D	1M12W7D	1M12W7D	1M12W7D
	LTE Dand E	2M75G7D	2M74W7D	2M74W7D	2M74W7D
	LTE Band 5	4M56G7D	4M56W7D	4M56W7D	4M56W7D
		9M07G7D	9M08W7D	9M08W7D	9M08W7D
		4M55G7D	4M56W7D	4M56W7D	4M56W7D
	1.TE D 1.7	9M07G7D	9M07W7D	9M07W7D	9M07W7D
	LTE Band 7	13M6G7D	13M6W7D	13M6W7D	13M6W7D
		18M1G7D	18M2W7D	18M2W7D	18M2W7D
		1M12G7D	1M12W7D	1M12W7D	1M12W7D
	LTE Band 12	2M74G7D	2M74W7D	2M74W7D	2M74W7D
		8M57G7D	8M58W7D	8M58W7D	8M58W7D
		9M06G7D	9M05W7D	9M05W7D	9M05W7D
	LTE Band13	4M55G7D	4M57W7D	4M57W7D	4M57W7D
		9M07G7D	9M05W7D	9M05W7D	9M05W7D
	LTE D	4M56G7D	4M56W7D	4M56W7D	4M56W7D
	LTE Band 17	9M07G7D	9M08W7D	9M08W7D	9M08W7D
		1M12G7D	1M12W7D	1M12W7D	1M12W7D
	LTE Band 26	2M74G7D	2M74W7D	2M74W7D	2M74W7D
	(814-824)	4M55G7D	4M56W7D	4M56W7D	4M56W7D
		9M04G7D	9M06W7D	9M06W7D	9M06W7D
		1M12G7D	1M12W7D	1M12W7D	1M12W7D
	LTE D. LOO	2M74G7D	2M74W7D	2M74W7D	2M74W7D
	LTE Band 26	4M55G7D	4M57W7D	4M57W7D	4M57W7D
	(824-849)	9M08G7D	9M07W7D	9M07W7D	9M07W7D
		13M6G7D	13M6W7D	13M6W7D	13M6W7D
		4M58G7D	4M75W7D	4M75W7D	4M75W7D
	LTE Band 38	9M14G7D	9M48W7D	9M48W7D	9M48W7D
		15M2G7D	14M5W7D	14M5W7D	14M5W7D
	I .	1			J



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) terretained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Ch.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 23 of 48

18M4G7D			ı aç	<u>, , , , , , , , , , , , , , , , , , , </u>	01 40	
LTE Band 41 9M18G7D 9M56W7D 9M56W7D 9M56W7D 15M1W7D 15M1W7D 15M1W7D 15M1W7D 15M1W7D 15M1W7D 16M1W7D 2M74W7D 2M74W7D 2M74W7D 2M74W7D 2M74W7D 2M74W7D 2M74W7D 3M6G7D 3M6W7D 3M6W7D 13M6W7D 13M6W7D 13M6W7D 13M6W7D 13M6W7D 13M6W7D 18M1W7D 18M1W7D 18M1W7D 18M1W7D 18M1W7D 18M1W7D 28M2W7D 28M2W7D 275R8+50R8: 28M2G7D 23M4W7D 23M4W7D 23M4W7D 23M4W7D 23M4W7D 23M4W7D 23M2W7D			18M4G7D	18M7W7D	18M7W7D	18M7W7D
LTE Band 41 15M4G7D 15M1W7D 15M1W7D 15M1W7D 18M8G7D 20M2W7D 20M2W7D 20M2W7D 20M2W7D 20M2W7D 20M2W7D 20M2W7D 2M74W7D 2M74W7D 2M74W7D 2M74G7D 2M74W7D 2M74W7D 2M74W7D 4M55G7D 4M55W7D 4M55W7D 4M55W7D 9M07G7D 9M05W7D 9M05W7D 9M05W7D 13M6G7D 13M6W7D 13M6W7D 13M6W7D 13M6W7D 18M1G7D 18M1W7D 18M1W7D 18M1W7D 28M2G7D 28M1W7D 28M2W7D 28M2W7D 75RB+50RB: 23M5G7D 23M4W7D 23M4W7D 23M4W7D 75RB+75RB: 28M8G7D 28M7W7D 28M7W7D 28M7W7D 75RB+100RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+50RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D			4M57G7D	4M80W7D	4M80W7D	4M80W7D
15M4G7D		LTE Dand 44	9M18G7D	9M56W7D	9M56W7D	9M56W7D
LTE Band 66 1M11G7D		LIE Banu 41	15M4G7D	15M1W7D	15M1W7D	15M1W7D
LTE Band 66 2M74G7D 2M74W7D 2M74W7D 2M74W7D 4M55W7D 4M55W7D 4M55W7D 4M55W7D 4M55W7D 9M05W7D 9M05W7D 9M05W7D 13M6W7D 13M6W7D 13M6W7D 13M6W7D 13M6W7D 13M6W7D 13M6W7D 13M1W7D 18M1W7D 18M1W7D 18M1W7D 18M1W7D 18M1W7D 28M2W7D 28M2W7D 28M2W7D 28M2W7D 28M2W7D 23M4W7D 23M4W7D 23M4W7D 23M4W7D 23M4W7D 23M4W7D 23M4W7D 25M7W7D 2			18M8G7D	20M2W7D	20M2W7D	20M2W7D
LTE Band 66 4M55G7D 4M55W7D 4M55W7D 9M05W7D 9M07G7D 9M05W7D 9M05W7D 13M6G7D 13M6W7D 13M6W7D 13M6W7D 18M1G7D 18M1W7D 18M1W7D 18M1W7D 18M1G7D 28M2W7D 28M2W7D 28M2W7D 75R8+50R8: 23M5G7D 23M4W7D 23M4W7D 23M4W7D 75R8+75R8: 28M8G7D 28M7W7D 28M7W7D 28M7W7D 75R8+100RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100R8+50RB: 28M2G7D 28M2W7D 28M2W7D 28M2W7D 75R8+100RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100R8+50RB: 28M2G7D 28M2W7D 28M2W7D 28M2W7D 100RB+50RB: 28M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+50RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+75RB: 28M2G7D 28M2W7D 28M2W7D 28M2W7D 100RB+75RB: 28M2G7D 38M0W7D 38M0W7D 38M1W7D 100RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+75RB:			1M11G7D	1M11W7D	1M11W7D	1M11W7D
LTE Band 66 9M07G7D 9M05W7D 9M05W7D 9M05W7D 13M6G7D 13M6W7D 13M6W7D 13M6W7D 18M1G7D 18M1W7D 18M1W7D 18M1W7D 18M1W7D 28M2W7D 28M2W7D 28M2G7D 28M1W7D 28M2W7D 28M2W7D 75RB+50RB:			2M74G7D	2M74W7D	2M74W7D	2M74W7D
9M07G7D 9M05W7D 9M05W7D 9M05W7D 13M6G7D 13M6W7D 13M6W7D 13M6W7D 18M1G7D 18M1W7D 18M1W7D 18M1W7D 50RB+100RB: 28M2G7D 28M1W7D 28M2W7D 28M2W7D 75RB+50RB: 23M5G7D 23M4W7D 23M4W7D 23M4W7D 75RB+75RB: 28M8G7D 28M7W7D 28M7W7D 28M7W7D 75RB+100RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+50RB: 28M2W7D 28M2W7D 28M2W7D 100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB: 28M7W7D 28M7W7D 28M7W7D		LTE Day 4 CC	4M55G7D	4M55W7D	4M55W7D	4M55W7D
18M1G7D		LIE Band 66	9M07G7D	9M05W7D	9M05W7D	9M05W7D
SORB+100RB: 28M2G7D 28M1W7D 28M2W7D 28M2W7D 75RB+50RB: 28M8G7D 28M7W7D 28M2W7D 28M2W2D			13M6G7D	13M6W7D	13M6W7D	13M6W7D
28M2G7D 28M1W7D 28M2W7D 28M2W7D 75RB+50RB: 23M5G7D 23M4W7D 23M4W7D 23M4W7D 75RB+75RB: 28M8G7D 28M7W7D 28M7W7D 28M7W7D 28M7W7D 28M7W7D 28M7W7D 28M7W7D 28M7W7D 28M2W7D 33M2W7D 33M2W7D 33M2W7D 33M2W7D 33M2W7D 100RB+50RB: 28M2G7D 28M2W7D 28M2W7D 28M2W7D 28M2W7D 100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB: 28M7G7D 28M7W7D			18M1G7D	18M1W7D	18M1W7D	18M1W7D
T5RB+50RB: 23M5G7D 23M4W7D 23M4W7D 23M4W7D 75RB+75RB: 28M8G7D 28M7W7D 28M7W7D 28M7W7D 28M7W7D 28M7W7D 75RB+100RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+50RB: 28M2G7D 28M2W7D 28M2W7D 28M2W7D 28M2W7D 100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D			50RB+100R	RB:		
LTE Band CA_7C			28M2G7D	28M1W7D	28M2W7D	28M2W7D
T5RB+75RB:			75RB+50RE	3:		
LTE Band CA_7C 28M8G7D 28M7W7D 28M7W7D 28M7W7D 75RB+100RB:			23M5G7D	23M4W7D	23M4W7D	23M4W7D
LTE Band CA_7C			75RB+75RB:			
LTE Band CA_7C 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+50RB: 28M2G7D 28M2W7D 28M2W7D 28M2W7D 100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:			28M8G7D	28M7W7D	28M7W7D	28M7W7D
33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+50RB: 28M2G7D 28M2W7D 28M2W7D 28M2W7D 100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:		LTE Dond CA 70	75RB+100R	RB:		
28M2G7D 28M2W7D 28M2W7D 28M2W7D 100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:		LIE Band CA_7C	33M2G7D	33M1W7D	33M2W7D	33M1W7D
100RB+75RB: 33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:			100RB+50RB:			
33M2G7D 33M1W7D 33M2W7D 33M1W7D 100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:			28M2G7D	28M2W7D	28M2W7D	28M2W7D
100RB+100RB: 38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:			100RB+75R	RB:		
38M2G7D 38M0W7D 38M0W7D 38M1W7D 75RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:			33M2G7D	33M1W7D	33M2W7D	33M1W7D
T5RB+75RB: 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:			100RB+100	RB:		
LTE Band CA_38C 28M7G7D 28M7W7D 28M7W7D 28M7W7D 100RB+100RB:			38M2G7D	38M0W7D	38M0W7D	38M1W7D
LTE Band CA_38C 100RB+100RB:			75RB+75RE	3:		
100RB+100RB:		ITE Band CA 38C	28M7G7D	28M7W7D	28M7W7D	28M7W7D
28M1G7D 38M0W7D 38M0W7D 38M0W7D		LIE BAIN OA_300	100RB+100	RB:		
			28M1G7D	38M0W7D	38M0W7D	38M0W7D



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Phlot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜数1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 www.sgsgroup.com.cn 215000 t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: Page: 24 of 48

3.9 Test Frequencies

Test Mode	TX / RX			
i est ivioue	17/17	Low (L)	Middle (M)	High (H)
	TX	Channel 128	Channel 190	Channel 251
GSM850	IX	824.2MHz	836.6 MHz	848.8 MHz
GSINI65U	DV	Channel 128	Channel 190	Channel 251
	RX	869.2 MHz	881.6 MHz	893.8 MHz

Test Mode	TX / RX	RF Channel				
rest Mode	IA/NA	Low (L)	Middle (M)	High (H)		
	TX	Channel 512	Channel 661	Channel 810		
GSM1900	17	1850.2MHz	1880.0 MHz	1909.8 MHz		
GSW1900	DV	Channel 512	Channel 661	Channel 810		
	RX	1930.2 MHz	1960.0 MHz	1989.8 MHz		

Test Mode	TX / RX			
rest wode	1// 1//	Low (L)	Middle (M)	High (H)
	TX	Channel 9262	Channel 9400	Channel 9538
WCDMA Band II		1852.4 MHz	1880.0 MHz	1907.6 MHz
WCDIVIA Band II	DV	Channel 9662	Channel 9800	Channel 9938
	RX	1932.4 MHz	1960.0 MHz	1987.6 MHz

Test Mode	TX / RX	TY / BY RF Channel				
1 63t Mode	17/17	Low (L)	Middle (M)	High (H)		
		Channel 1312	Channel 1413	Channel 1513		
MCDMA Bond IV	TX	1712.4MHz	1732.6 MHz	1752.6 MHz		
WCDMA Band IV	DV	Channel 1537	Channel 1638	Channel 1738		
	RX	2112.4 MHz	2132.6 MHz	2152.6 MHz		

Test Mode	TX / RX	TY / PY RF Channel				
rest wode	IA/IX	Low (L)	Middle (M)	High (H)		
	TX	Channel 4132	Channel 4182	Channel 4233		
WCDMA Band V	1.7	826.4MHz	836.4 MHz	846.6 MHz		
WCDIMA Band V	DV	Channel 4357	Channel 4407	Channel 4458		
	RX	871.4 MHz	881.4 MHz	891.6 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sqs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: Page: 25 of 48

P			raye.	23 01 46	
Test Mode	Bandwidth	TX / RX		RF Channel	
Test Mode	Danuwidin	IA/NA	Low (L)	Middle (M)	High (H)
			Channel 18607	Channel 18900	Channel 19193
		TX	1850.7 MHz	1880 MHz	1909.3 MHz
	1.4MHz	RX	Channel 607	Channel 900	Channel 1193
		KA	1930.7 MHz	1960 MHz	1989.3 MHz
			Channel 18615	Channel 18900	Channel 19185
		TX	1851.5 MHz	1880 MHz	1908.5 MHz
	3MHz	RX	Channel 615	Channel 900	Channel 1185
		KA	1931.5 MHz	1960 MHz	1988.5 MHz
			Channel 18625	Channel 18900	Channel 19175
		TX	1852.5 MHz	1880 MHz	1907.5 MHz
	5MHz	RX	Channel 625	Channel 900	Channel1175
LTE Band 2			1932.5 MHz	1960 MHz	1987.5 MHz
LIE Dallu Z		TX	Channel 18650	Channel 18900	Channel 19150
			1855 MHz	1880 MHz	1905 MHz
	10MHz	RX	Channel 650	Channel 900	Channel 1150
			1935 MHz	1960 MHz	1985 MHz
			Channel 18675	Channel 18900	Channel 19125
		TX	1857.5 MHz	1880 MHz	1902.5 MHz
	15MHz	RX	Channel 675	Channel 900	Channel 1125
		KΛ	1937.5 MHz	1960 MHz	1982.5 MHz
,			Channel 18700	Channel 18900	Channel 19100
		TX	1860 MHz	1880 MHz	1900 MHz
	20MHz	RX	Channel 700	Channel 900	Channel 1100
		KΛ	1940 MHz	1960 MHz	1980 MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 26 of 48

E		-	i agc.	20 01 40		
Test Mode	Test Mode Bandwidth		RF Channel			
rest Mode	Dariuwiuiii	TX / RX	Low (L)	Middle (M)	High (H)	
			Channel 19957	Channel 20175	Channel 20393	
		TX	1710.7 MHz	1732.5 MHz	1754.3 MHz	
	1.4MHz	RX	Channel 1975	Channel 2175	Channel 2375	
		NA	2112.5 MHz	2132.5MHz	2152.5 MHz	
			Channel 19965	Channel 20175	Channel 20385	
		TX	1711.5 MHz	1732.5 MHz	1753.5 MHz	
	3MHz	RX	Channel 2000	Channel 2175	Channel 2350	
		NA	2115 MHz	2132.5MHz	2150 MHz	
			Channel 19975	Channel 20175	Channel 20375	
		TX	1712.5 MHz	1732.5 MHz	1752.5 MHz	
	5MHz	RX	Channel 1975	Channel 2175	Channel 2375	
LTC Donal 4		IVΛ	2112.5 MHz	2132.5MHz	2152.5 MHz	
LTE Band 4	10MHz	TX	Channel 20000	Channel 20175	Channel 20350	
			1715 MHz	1732.5 MHz	1750 MHz	
		RX	Channel 2000	Channel 2175	Channel 2350	
			2115 MHz	2132.5MHz	2150 MHz	
			Channel 20025	Channel 20175	Channel 20325	
		TX	1717.5 MHz	1732.5 MHz	1747.5 MHz	
	15MHz	RX	Channel 2025	Channel 2175	Channel 2325	
		100	2117.5 MHz	2132.5MHz	2147.5 MHz	
			Channel 20050	Channel 20175	Channel 20300	
		TX	1720 MHz	1732.5 MHz	1745 MHz	
	20MHz	RX	Channel 2050	Channel 2175	Channel 2300	
		KΛ	2120 MHz	2132.5MHz	2145 MHz	

Took Mode	Donalis i dilib	TV / DV		RF Channel	
Test Mode	Bandwidth	TX / RX	Low (L)	Middle (M)	High (H)
			Channel 20407	Channel 20525	Channel 20643
		TX	824.7 MHz	836.5 MHz	848.3 MHz
	1.4MHz	RX	Channel 2407	Channel 2525	Channel 2643
		KA	869.7 MHz	881.5 MHz	893.3 MHz
			Channel 20415	Channel 20525	Channel 20635
		TX	825.5 MHz	836.5 MHz	847.5 MHz
	3MHz	RX	Channel 2415	Channel 2525	Channel 2635
LTE Day LE			870.5 MHz	881.5 MHz	892.5 MHz
LTE Band 5		TX	Channel 20425	Channel 20525	Channel 20625
	CMI I		826.5 MHz	836.5 MHz	846.5 MHz
	5MHz	RX	Channel 2425	Channel 2525	Channel 2625
		KA	871.5 MHz	881.5 MHz	891.5 MHz
	10MHz		Channel 20450	Channel 20525	Channel 20600
		TX	829 MHz	836.5 MHz	844 MHz
		RX	Channel 2450	Channel 2525	Channel 2600
		ľΛ	874 MHz	881.5 MHz	889 MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

 South of No. 6 Plant, No. 1, Runsherg Road, Surbou Industrial Park, Surbou Area, China (Liangsu) Pluk Free Trade Zone
 215000
 t (86–512) 62992980
 wwww.sgsgroup.com.cn

 中国 - 苏州 - 中国 (江苏) 自由贸易试量区苏州广区苏州工业园区湖胜路(号的6号厂房南部
 報稿:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 27 of 48

			ı ayc.	27 01 40	
Test Mode	Bandwidth	TX / RX	RF Channel		
rest ivioue	Dariuwiuiii	IA/NA	Low (L)	Middle (M)	High (H)
			Channel 20775	Channel 21100	Channel 21425
		TX	2502.5 MHz	2535 MHz	2567.5 MHz
	5MHz	RX	Channel 2775	Channel 3100	Channel 5825
		KA.	2622.5 MHz	2655 MHz	2687.5 MHz
			Channel 20800	Channel 21100	Channel 21400
	10MHz	TX	2505 MHz	2535 MHz	2565 MHz
		RX	Channel 2800	Channel 3100	Channel 3400
1.75.5			2625 MHz	2655 MHz	2685 MHz
LTE Band 7		TX	Channel 20825	Channel 21100	Channel 21375
	45141		2507.5 MHz	2535 MHz	2562.5 MHz
	15MHz	RX	Channel 2825	Channel 3100	Channel 3375
		KA	2627.5 MHz	2655 MHz	2682.5 MHz
			Channel 20850	Channel 21100	Channel 21350
	20MHz	TX	2510 MHz	2535 MHz	2560 MHz
		RX	Channel 2850	Channel 3100	Channel 3350
		INΛ	2630 MHz	2655 MHz	2680 MHz

Took Mode	Donalis i dila	TV / DV	RF Channel		
Test Mode	Bandwidth	TX / RX	Low (L)	Middle (M)	High (H)
			Channel 23017	Channel 23095	Channel 23173
		TX	699.7 MHz	707.5 MHz	715.3 MHz
	1.4MHz	RX	Channel 5017	Channel 5095	Channel 5173
		KA	729.7 MHz	737.5 MHz	745.3 MHz
			Channel 23025	Channel 23095	Channel 23165
		TX	700.5 MHz	707.5 MHz	714.5 MHz
	3MHz	RX	Channel 5025	Channel 5095	Channel 5165
1.TE D 140			730.5 MHz	737.5 MHz	744.5 MHz
LTE Band 12		TX	Channel 23035	Channel 23095	Channel 23155
	CMI		701.5 MHz	707.5 MHz	713.5 MHz
	5MHz	RX	Channel 5035	Channel 5095	Channel 5155
		KA	731.5 MHz	737.5 MHz	743.5 MHz
			Channel 23060	Channel 23095	Channel 23130
		TX	704 MHz	707.5 MHz	711 MHz
	10MHz	RX	Channel 5060	Channel 5095	Channel 5130
		KΛ	734 MHz	737.5 MHz	741 MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 www.sgsgroup.com.cn 215000 t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 28 of 48

				RF Channel		
Test Mode	Test Mode Bandwidth	TX / RX	Low (L)	Middle (M)	High (H)	
			Channel 23025	Channel 23230	Channel 23255	
		TX	779.5 MHz	782 MHz	784.5 MHz	
	5MHz	DV	Channel 5205	Channel 5230	Channel 5255	
LTE Band 13		RX	748.5 MHz	751 MHz	753.5 MHz	
LIE Band 13		TX	Channel 23230	Channel 23230	Channel 23230	
			782 MHz	782 MHz	782 MHz	
	10MHz	DV	Channel 5230	Channel 5230	Channel 5230	
		RX	751 MHz	751 MHz	751 MHz	

Test Mode	Bandwidth	TX / RX	RF Channel				
rest ivioue	Dariuwiutii	IA/KA	Low (L)	Middle (M)	High (H)		
			Channel 23755	Channel 23790	Channel 23825		
		TX	706.5 MHz	710 MHz	713.5 MHz		
	5MHz	RX	Channel 5755	Channel 5790	Channel 5825		
LTC Dond 17		KA.	736.5 MHz	740 MHz	743.5 MHz		
LTE Band 17	10MHz	TX	Channel 23780	Channel 23790	Channel 23800		
			709 MHz	710 MHz	711 MHz		
		DV	Channel 5780	Channel 5790	Channel 5800		
		RX	739 MHz	740 MHz	741 MHz		

Toot Mode	Dondwidth	TX / RX	RF Channel				
Test Mode	Bandwidth		Low (L)	Middle (M)	High (H)		
		TX	Channel 26697	Channel 26740	Channel 26783		
			814.7 MHz	819 MHz	823.3 MHz		
	1.4MHz	RX	Channel 8697	Channel 8740	Channel 8783		
		KA	859.7 MHz	864MHz	868.3 MHz		
			Channel 26705	Channel 26740	Channel 26775		
	3MHz	TX	815.5 MHz	819 MHz	822.5 MHz		
		RX	Channel 8705	Channel 8740	Channel 8775		
LTE Band 26			860.5 MHz	864MHz	867.5 MHz		
(814-824)	5MHz	TX	Channel 26715	Channel 26740	Channel 26765		
(0:: 0=:)			816.5 MHz	819 MHz	821.5 MHz		
		RX	Channel 8715	Channel 8740	Channel 8755		
			861.5 MHz	864MHz	866.5 MHz		
	_		Channel 26740	Channel 26740	Channel 26740		
		TX	819 MHz	819 MHz	819 MHz		
	10MHz	RX	Channel 8740	Channel 8740	Channel 8740		
		KX	864MHz	864MHz	864MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

Greenalt: C.N. DOCCHECK (位) S.G. S.COM S.Outhoff No. File M. F. Russhang (Post. S.Outhou Massifial Fast, S.Outhou Alea, China (Jiangsu) Plut Fine Trade Zone 中国・苏州・中国(江苏)自由因易试量区苏州片区苏州工业园区周胜路(号か6号) 房南部 解編: 215000 t

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 29 of 48

			DE Channel				
Test Mode	Bandwidth	TX / RX		RF Channel			
1 GOL WIOGC	Daridwidth	170,100	Low (L)	Middle (M)	High (H)		
		>-	Channel 26797	Channel 26915	Channel 27033		
		TX	824.7 MHz	836.5 MHz	848.3 MHz		
	1.4MHz	RX	Channel 8697	Channel 8915	Channel 9033		
		KA	859.7 MHz	881.5 MHz	893.3 MHz		
			Channel 26805	Channel 26915	Channel 27025		
		TX	825.5 MHz	836.5 MHz	847.5 MHz		
	3MHz	RX	Channel 8805	Channel 8915	Channel 9025		
			860.5 MHz	881.5 MHz	892.5 MHz		
	5MHz	TX	Channel 26815	Channel 26915	Channel 27015		
LTE Band26			826.5 MHz	836.5 MHz	846.5 MHz		
(824-849)		RX	Channel 8815	Channel 8915	Channel 9015		
(02:0:0)			871.5 MHz	881.5 MHz	891.5 MHz		
			Channel 26840	Channel 26915	Channel 26990		
		TX	829 MHz	836.5 MHz	844 MHz		
	10MHz	RX	Channel 8840	Channel 8915	Channel 8990		
		KA	874 MHz	881.5 MHz	889 MHz		
			Channel 26865	Channel 26915	Channel 26965		
	15MHz	TX	831.5 MHz	836.5 MHz	841.5 MHz		
		RX	Channel 8865	Channel 8915	Channel 8965		
		100	876.5 MHz	881.5 MHz	886.5 MHz		

Test Mode	Bandwidth	TX / RX	RF Channel				
rest Mode	Danuwidin		Low (L)	Middle (M)	High (H)		
	5MHz	TX/RX	Channel 37775	Channel38000	Channel 38225		
	SIVITZ		2572.5 MHz	2595 MHz	2617.5 MHz		
	10MHz	TX/RX	Channel 37800	Channel38000	Channel 38200		
LTE Band 38			2575 MHz	2595 MHz	2615 MHz		
LIE Dallu 30	15MHz	TX/RX	Channel 37825	Channel38000	Channel 38175		
			2577.5 MHz	2595 MHz	2612.5 MHz		
		TX/RX	Channel 37850	Channel38000	Channel 38150		
	20MHz	IAKA	2580 MHz	2595 MHz	2610 MHz		

Toot Mode	Bandwidth	TV / DV	RF Channel				
Test Mode	Danawiath	TX / RX	Low (L)	Middle (M)	High (H)		
			Channel 39675	Channel40620	Channel 41565		
	5MHz	TX / RX	2498.5 MHz	2593 MHz	2687.5 MHz		
			Channel 39700	Channel40620	Channel 41540		
1.75.5	10MHz	TX / RX	2501 MHz	2593 MHz	2685 MHz		
LTE Band 41			Channel 39725	Channel40620	Channel 41515		
	15MHz TX / RX		2503.5 MHz	2593 MHz	2682.5 MHz		
			Channel 39750	Channel40620	Channel 41490		
	20MHz	TX / RX	2506 MHz	2593 MHz	2680 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@qs.com"

 South of No. 6 Plant, No. 1, Runsherg Road, Surbou Industrial Park, Surbou Area, China (Liangsu) Pluk Free Trade Zone
 215000
 t (86–512) 62992980
 wwww.sgsgroup.com.cn

 中国 - 苏州 - 中国 (江苏) 自由贸易试量区苏州广区苏州工业园区湖胜路(号的6号厂房南部
 報稿:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 30 of 48

E			1 agc. 30 01 40				
Test Mode	Bandwidth	TX/RX		RF Channel			
rest ivioue	Dariuwiuiii	IA/ NA	Low (L)	Middle (M)	High (H)		
		_,,	Channel 131979	Channel 132322	Channel 132665		
		TX	1710.7 MHz	1745 MHz	1779.3 MHz		
	1.4MHz	RX	Channel 66443	Channel 66786	Channel 67329		
			2110.7 MHz	2145MHz	2199.3 MHz		
			Channel 131987	Channel 132322	Channel 132657		
		TX	1711.5 MHz	1745 MHz	1778.5MHz		
	3MHz	RX	Channel 66451	Channel 66786	Channel 67321		
		KA	2111.5 MHz	2145MHz	2198.5MHz		
	5MHz	TX	Channel 131997	Channel 132322	Channel 132647		
			1712.5 MHz	1745 MHz	1777.5 MHz		
		RX	Channel 66461	Channel 66786	Channel 67311		
LTE Daniel CC			2112.5 MHz	2145MHz	2197.5 MHz		
LTE Band 66	10MHz	TX	Channel 132022	Channel 132322	Channel 132622		
			1715 MHz	1745 MHz	1775 MHz		
		RX	Channel 66486	Channel 66786	Channel 67286		
			2115 MHz	2145MHz	2195 MHz		
			Channel 132047	Channel 132322	Channel 132597		
		TX	1717.5 MHz	1745 MHz	1772.5 MHz		
	15MHz	RX	Channel 66511	Channel 66786	Channel 67261		
		1070	2117.5 MHz	2145MHz	2192.5 MHz		
			Channel 132072	Channel 132322	Channel 132572		
		TX	1720 MHz	1745 MHz	1770 MHz		
	20MHz	DV	Channel 66536	Channel 66786	Channel 67236		
		RX	2120 MHz	2145MHz	2190 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 www.sgsgroup.com.cn 215000 t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000456RG01

Rev.: 01 31 of 48 Page:

Table 4.3.1.1.7A-1: Test frequencies for CA_7C

Range	CC-Combo / N _{RB_agg} [RB]	CC1 Note1				CC2 Note1					
		BW [RB]	NuL	fuL [MHz]	N _{DL}	f _{DL} [MHz]	BW [RB]	NuL	fuL [MHz]	N _{DL}	f _{DL} [MHz]
Low	50+100	50	20805	2505.5	2805	2625.5	100	20949	2519.9	2949	2639.9
		100	20850	2510	2850	2630	50	20994	2524.4	2994	2644.4
	75+50	75	20825	2507.5	2825	2627.5	50	20945	2519.5	2945	2639.5
	75+75	75	20825	2507.5	2825	2627.5	75	20975	2522.5	2975	2642.5
	75+100	75	20828	2507.8	2828	2627.8	100	20999	2524.9	2999	2644.9
		100	20850	2510	2850	2630	75	21021	2527.1	3021	2647.1
	100+100	100	20850	2510	2850	2630	100	21048	2529.8	3048	2649.8
Mid	50+100	50	21006	2525.6	3006	2645.6	100	21150	2540	3150	2660
		100	21051	2530.1	3051	2650.1	50	21195	2544.5	3195	2664.5
	75+50	75	21051	2530.1	3051	2650.1	50	21171	2542.1	3171	2662.1
	75+75	75	21025	2527.5	3025	2647.5	75	21175	2542.5	3175	2662.5
	75+100	75	21003	2525.3	3003	2645.3	100	21174	2542.4	3174	2662.4
		100	21026	2527.6	3026	2647.6	75	21197	2544.7	3197	2664.7
	100+100	100	21001	2525.1	3001	2645.1	100	21199	2544.9	3199	2664.9
High	50+100	50	21206	2545.6	3206	2665.6	100	21350	2560	3350	2680
		100	21251	2550.1	3251	2670.1	50	21395	2564.5	3395	2684.5
	75+50	75	21277	2552.7	3277	2672.7	50	21397	2564.7	3397	2684.7
	75+75	75	21225	2547.5	3225	2667.5	75	21375	2562.5	3375	2682.5
	75+100	75	21179	2542.9	3179	2662.9	100	21350	2560	3350	2680
		100	21201	2545.1	3201	2665.1	75	21372	2562.2	3372	2682.2
	100+100	100	21152	2540.2	3152	2660.2	100	21350	2560	3350	2680
Note 1:	Carriers in inc	reasing f	requency	order.							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@as.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 32 of 48

Table 4.3.1.2.6A-1: Test frequencies for CA_38C

Range	CC- Combo / NRB_agg [RB]		CC1 Note1			CC2 Note1			
		BW [RB]	N _{UL/DL}	ful/bl [MHz]	BW [RB]	N _{UL/DL}	ful/DL [MHz]		
Low	75+75	75	37825	2577.5	75	37975	2592.5		
	100+100	100	37850	2580	100	38048	2599.8		
Mid	75+75	75	37925	2587.5	75	38075	2602.5		
	100+100	100	37901	2585.1	100	38099	2604.9		
High	75+75	75	38025	2597.5	75	38175	2612.5		
	100+100	100	37952	2590.2	100	38150	2610		
Note 1:	Carriers in increasing frequency order.								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01

Page: 33 of 48

4 Description of Tests

4.1 Conducted Output Power

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.2.1

The transmitter output was connected to a calibrated coaxial cable, attenuator and power meter, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The power output at the transmitter antenna port was determined by adding the value of the cable insertion loss to the power reading. The tests were performed at three frequencies (low channel, middle channel and high channel) and on the highest power levels, which can be setup on the transmitters.

Remark: Reference test setup 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980 t (86–512) 62992980

Member of the SGS Group (SGS SA)

sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 34 of 48

4.2 Effective (Isotropic) Radiated Power of Transmitter

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8.4

Calculate power in dBm by the following formula:

ERP (dBm) = Conducted Power (dBm) + antenna gain (dBd) EIRP(dBm) = Conducted Power (dBm) + antenna gain (dBi)

EIRP=ERP+2.15dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 35 of 48

4.3 Occupied Bandwidth

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 4.2 & 4.3

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel, middle channel and high channel). The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1 percent of the selected span as is possible without being below 1 percent. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual. The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5 percent of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded. The span between the two recorded frequencies is the occupied bandwidth.

Remark: Reference test setup 1

Test Settings

- The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW ≥ 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443,

South of No. 6 Pant, No. 1, Runsharq Road, Suchou Industrial Park, Suzhou Area, Chira (Kargsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 36 of 48 Page:

4.4 Band Edge at Antenna Terminals

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at two frequencies (low channel and high channel).in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of 100kHz or 1% of the emission bandwidth of the fundamental emission of the transmitter may be employed. The EUT emission bandwidth is measured as the width of the signal between two points, outside of which all emission are attenuated at least 26dB below the transmitter power. The video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to rms.

Remark: Reference test setup 1

Test Settings

- Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW > 1% of the emission bandwidth
- VBW > 3 x RBW
- 5. Detector = RMS
- Number of sweep points ≥ 2 x Span/RBW
- Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000 t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 37 of 48

4.5 Spurious And Harmonic Emissions at Antenna Terminal

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyzer, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel). The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. On any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least 43 + 10 log(P) dB. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Remark: Reference test setup 1

Test Settings

- 1. Start frequency was set to 9kHz and stop frequency was set to at least 10* the fundamental frequency(Separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissinos, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州上区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 tt (86—512) 62992980

www.sgsgroup.com.c sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 38 of 48

4.6 Peak-Average Ratio

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.7.2

A peak to average ratio measurement is performed at the conducted port of the EUT. For WCDMA signals, the spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. For GSM signals, an average and a peak trace are used on a spectrum analyzer to determine the largest deviation between the average and the peak power of the EUT in a bandwidth greater than the emission bandwidth. The traces are generated with the spectrum analyzer set to zero span mode.

Remark: Reference test setup 1

Test Settings

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- 3. Measurement BW > Emission bandwidth of signal
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 39 of 48

4.7 Field Strength of Spurious Radiation

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8

Below 1GHz test procedure as below:

- 1). The EUT was powered ON and placed on a 80cm high table in the chamber. The antenna of the transmitter was extended to its maximum length.
- 2). The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3). Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
- 4). Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- 5). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 6). Repeat above procedures until all frequencies measured was complete.

E (dB μ V/m) = Measured amplitude level (dB μ V) + (Cable Loss (dB) + Antenna Factor (dB/m) – AMP(dB)) EIRP (dBm) = E (dB μ V/m) + 20 log D – 104.8; where D is the measurement distance in meters

Above 1GHz test procedure as below:

- Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber
- 2) Calculate power in dBm by the following formula:

E (dB μ V/m) = Measured amplitude level (dB μ V) + (Cable Loss (dB) + Antenna Factor (dB/m) – AMP(dB)) EIRP (dBm) = E (dB μ V/m) + 20 log D – 104.8; where D is the measurement distance in meters

- 3). Test the EUT in the lowest channel, the middle channel the Highest channel
- 4). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 5). Repeat above procedures until all frequencies measured was complete

Remark1: Reference test setup 2

Remark2: The emission below 18G were measured at a 3m test distance, while emissions above 18GHz were measured at a 1m test distance. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Remark: Reference test setup 2

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) All modes have been tested, but only the worst case data displayed in this report.



Report Template No./Rev.: WI-TRF-RG(FCC)001/v01

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Con

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

15000 t (86–512) 62992

t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 40 of 48

4.8 Frequency Stability / Temperature Variation

Measurement Procedure:

Frequency stability testing is performed in accordance with the guidelines of FCC KDB 971168 D01 V03r01; Section 9

- . The frequency stability of the transmitter is measured by:
- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

Specification – The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within ±0.00025% (±2.5 ppm) of the center frequency.

Time Period and Procedure:

- 1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
- 2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
- 3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Remark: Reference test setup 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980

sgs.china@sgs.com




Report No.: SEWM2311000456RG01


Rev.: 01 Page: 41 of 48

4.9 Test Setups

4.9.1 Test Setup 1



4.9.2 Test Setup 2





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industria Plant, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www t (86–512) 62992980 sgs.


sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 42 of 48

4.9.3 Test Setup 3





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 43 of 48

4.10Test Conditions

	Transmit Output Power Data - Average Power, Total			
Test Case	Test Conditions			
Test Environment	Ambient Climate & Rated Voltage			
Test Setup	Test Setup 1			
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)			
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;LTE/TM1;LTE/TM2;LTE/TM3;LTE/TM4;			
	Peak-to-Average Ratio			
Test Case	Test Conditions			
Test Environment	Ambient Climate & Rated Voltage			
Test Setup	Test Setup 1			
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)			
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;LTE/TM1;LTE/TM2;LTE/TM3;LTE/TM4;			
Bandwidth - Occupied Bandwidth				
Test Case	Test Conditions			
Test Environment	Ambient Climate & Rated Voltage			
Test Setup	Test Setup 1			
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)			
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;LTE/TM1;LTE/TM2;LTE/TM3;LTE/TM4;			
	Bandwidth - Emission Bandwidth			
Test Case	Test Conditions			
Test Environment	Ambient Climate & Rated Voltage			
Test Setup	Test Setup 1			
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)			
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;LTE/TM1;LTE/TM2;LTE/TM3;LTE/TM4;			
Band Edges Compliance				
Test Case	Test Conditions			
Test Environment	Ambient Climate & Rated Voltage			
Test Setup	Test Setup 1			
RF Channels (TX)	L, H (L= low channel, H= high channel)			
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;LTE/TM1;LTE/TM2;LTE/TM3;LTE/TM4;			
Spurious Emission at Antenna Terminals				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) terretained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Ch.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 44 of 48

rage.					
Test Environment	Ambient Climate & Rated Voltage				
Test Setup	Test Setup 1				
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)				
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;LTE/TM1;LTE/TM2;LTE/TM3;LTE/TM4;				
	Field Strength of Spurious Radiation				
Test Case	Test Conditions				
Test Environment	Ambient Climate & Rated Voltage				
Test Setup	Test Setup 2				
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)				
Test Mode	GSM/TM1;UMTS/TM1;LTE/TM1 Remark: All bandwidth and modulation of GSM/UMTS/LTE have been pre tested, and only the worst results are reflected in the report.				
	Frequency Stability				
Test Case	Test Conditions				
Test Environment	(1) -30 °C to +50 °C with step 10 °C at Rated Voltage (2) VL, VN and VH of Rated Voltage at Ambient Climate.				
Test Setup	Test Setup 3				
RF Channels (TX)	M (M= middle channel)				
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;LTE/TM1;LTE/TM2;LTE/TM3;LTE/TM4;				
	The report only show the bandwidth with the worst case.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 45 of 48

5 Main Test Instruments

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2023/02/06	2024/02/05
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2023/05/11	2024/05/10
Measurement Software	Tonscend	JS1120-3 Test System V 2.6.88.0336	SUWI-02-09-09	NCR	NCR
Measurement Software	TST	TST-271-2.0	SUWI-03-55-01	NCR	NCR
Radio Communication Analyzer	Anritsu	MT8821C	SUWI-01-26-03	2023/11/21	2024/11/20
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2023/02/06	2024/02/05
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2023/02/06	2024/02/05
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12
Wideband Radio Communication Test Ststion	Anritsu	MT8000A	SUWI-01-34-02	2023/09/12	2024/09/11
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CND.Doccheck@gs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 www.sgsgroup.com.cn 215000 t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 46 of 48

RSE Test System					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06
Signal Analyzer	ROHDE& SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2023/05/13	2024/05/12
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2023/05/13	2024/05/12
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-26-01	2023/09/13	2024/09/12
Wideband Radio Communication Tester	Anritsu	MT8821C	SUWI-01-26-03	2023/11/21	2024/11/20
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区润胜路1号866号厂房南部 邮编: 215000

215000 t (86–512) 6299290 215000 t (86–512) 6299290

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 47 of 48

6 Measurement Uncertainty

For a 95% confidence level (k = 2), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

No.	Item	Measurement Uncertainty	
1	Total RF power, conducted	±0.54dB	
2	RF power density, conducted	±1.03dB	
3	Spurious emissions, conducted	±0.54dB	
4	Radio Frequency	±1.0 %	
5	Duty Cycle	±0.37%	
6	Occupied Bandwidth	±1.0 %	
		± 3.13dB (9k -30MHz)	
7	Radiated Emission	± 4.8dB (30M -1GHz)	
	Radiated Emission	± 4.8dB (1GHz to 18GHz)	
		± 4.80dB (Above 18GHz)	

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Appx Attention: The terms and the second of the second and the second and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Bangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

15000 t (86–512) 62992980 15000 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2311000456RG01

Rev.: 01 Page: 48 of 48

7 Appendixes

Appendix A.3 WWAN Setup Photos Appendix B.1 GSM 850 Appendix B.2 GSM 1900 Appendix B.3 WCDMA Band II Appendix B.4 WCDMA Band IV Appendix B.5 WCDMA Band V Appendix B.6 LTE Band 2 Appendix B.7 LTE Band 4 Appendix B.8 LTE Band 5 Appendix B.9 LTE Band 7 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C Appendix B.28 LTE CA_38C		
Appendix B.2 GSM 1900 Appendix B.3 WCDMA Band II Appendix B.4 WCDMA Band IV Appendix B.5 WCDMA Band V Appendix B.6 LTE Band 2 Appendix B.7 LTE Band 4 Appendix B.8 LTE Band 5 Appendix B.9 LTE Band 7 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix A.3	WWAN Setup Photos
Appendix B.3 WCDMA Band II Appendix B.4 WCDMA Band IV Appendix B.5 WCDMA Band V Appendix B.6 LTE Band 2 Appendix B.7 LTE Band 4 Appendix B.8 LTE Band 5 Appendix B.9 LTE Band 7 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 38 Appendix B.15 LTE Band 41 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_TC	Appendix B.1	GSM 850
Appendix B.4 Appendix B.5 WCDMA Band V Appendix B.6 LTE Band 2 Appendix B.7 LTE Band 4 Appendix B.8 LTE Band 5 Appendix B.9 LTE Band 12 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.16 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.2	GSM 1900
Appendix B.5 WCDMA Band V Appendix B.6 LTE Band 2 Appendix B.7 LTE Band 4 Appendix B.8 LTE Band 5 Appendix B.9 LTE Band 7 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 41 Appendix B.16 LTE Band 66 Appendix B.17 LTE CA_7C	Appendix B.3	WCDMA Band II
Appendix B.6 LTE Band 2 Appendix B.7 LTE Band 4 Appendix B.8 LTE Band 5 Appendix B.9 LTE Band 7 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.4	WCDMA Band IV
Appendix B.7 Appendix B.8 LTE Band 5 Appendix B.9 LTE Band 7 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.5	WCDMA Band V
Appendix B.8 Appendix B.9 LTE Band 7 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.6	LTE Band 2
Appendix B.9 LTE Band 7 Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.7	LTE Band 4
Appendix B.10 LTE Band 12 Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.8	LTE Band 5
Appendix B.11 LTE Band 13 Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.9	LTE Band 7
Appendix B.12 LTE Band 17 Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.10	LTE Band 12
Appendix B.13 LTE Band 26(814-824) Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.11	LTE Band 13
Appendix B.14 LTE Band 26(824-849) Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.12	LTE Band 17
Appendix B.15 LTE Band 38 Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.13	LTE Band 26(814-824)
Appendix B.16 LTE Band 41 Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.14	LTE Band 26(824-849)
Appendix B.17 LTE Band 66 Appendix B.27 LTE CA_7C	Appendix B.15	LTE Band 38
Appendix B.27 LTE CA_7C	Appendix B.16	LTE Band 41
	Appendix B.17	LTE Band 66
Appendix B.28 LTE CA_38C	Appendix B.27	LTE CA_7C
	Appendix B.28	LTE CA_38C

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

 South of No. 6 Plant, No. 1, Runsheng Road, Sudhou Industrial Park, Sudhou Area, China (Jiangsu) Plot Free Trade Zone
 215000
 t (86–512) 62992980
 wwww.sgsgroup.com.cn

 中国 - 苏州 中国(江苏)自由贸易试验区苏州广区苏州工业园区周胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com