





11BE20MIMO_Ant18_6435_52+26_OFDMA_1





Date: 25.MAY.2023 15:48:27

11BE20MIMO_Ant18_6435_106+26_OFDMA_1




Date: 25.MAY.2023 15:51:08






11BE20MIMO_Ant18_6535_52+26_OFDMA_1







Date: 25.MAY.2023 15:54:07

11BE20MIMO_Ant18_6535_106+26_OFDMA_1




Date: 25.MAY.2023 15:56:27








11BE80MIMO_Ant5_5985_Large RU 484+242_4



Date: 26.MAY.2023 02:38:09


11BE80MIMO_Ant5_5985_Puncturing 20M_4



Date: 26.MAY.2023 05:58:41




11BE80MIMO_Ant18_5985_Large RU 484+242_4



Date: 26.MAY.2023 02:38:27


11BE80MIMO_Ant18_5985_Puncturing 20M_4



Date: 26.MAY.2023 05:59:27




11BE80MIMO_Ant5_7025_Large RU 484+242_1



Date: 26.MAY.2023 02:39:26


11BE80MIMO_Ant5_7025_Puncturing 20M_1



Date: 26.MAY.2023 06:08:28




11BE80MIMO_Ant18_7025_Large RU 484+242_1





Date: 26.MAY.2023 02:39:54

11BE80MIMO_Ant18_7025_Puncturing 20M_1




Date: 26.MAY.2023 06:08:49






11BE160MIMO_Ant5_6025_Puncturing 40M_4




11BE160MIMO_Ant5_6025_Puncturing 20M_8






11BE160MIMO_Ant18_6025_Large RU 996+484_4



Date: 26.MAY.2023 02:41:49


11BE160MIMO_Ant18_6025_Large RU 996+484+242_8




Date: 26.MAY.2023 02:42:51



11BE160MIMO_Ant18_6025_Puncturing 40M_4




11BE160MIMO_Ant18_6025_Puncturing 20M_8






11BE160MIMO_Ant5_6985_Large RU 996+484_1



Date: 26.MAY.2023 02:53:13


11BE160MIMO_Ant5_6985_Large RU 996+484+242_1



Date: 26.MAY.2023 02:54:29




11BE160MIMO_Ant5_6985_Puncturing 40M_1



Date: 26.MAY.2023 06:14:52


11BE160MIMO_Ant5_6985_Puncturing 20M_1



Date: 26.MAY.2023 06:11:54




11BE160MIMO_Ant18_6985_Large RU 996+484_1





Date: 26.MAY.2023 02:53:38

11BE160MIMO_Ant18_6985_Large RU 996+484+242_1




Date: 26.MAY.2023 02:54:52





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
 Condition: FCC 15E_QP LISN_20230420_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	25.80	-30.20	56.00	5.20	10.47	10.13	Average
2	0.15	43.00	-23.00	66.00	22.40	10.47	10.13	QP
3	0.18	23.39	-30.94	54.33	2.80	10.44	10.15	Average
4	0.18	41.29	-23.04	64.33	20.70	10.44	10.15	QP
5	0.25	20.23	-31.50	51.73	-0.30	10.38	10.15	Average
6	0.25	35.53	-26.20	61.73	15.00	10.38	10.15	QP
7	0.28	20.03	-30.82	50.85	-0.49	10.37	10.15	Average
8	0.28	31.43	-29.42	60.85	10.91	10.37	10.15	QP
9	0.83	23.80	-22.20	46.00	3.40	10.24	10.16	Average
10	0.83	32.60	-23.40	56.00	12.20	10.24	10.16	QP
11	0.99	27.60	-18.40	46.00	7.20	10.24	10.16	Average
12 *	0.99	40.10	-15.90	56.00	19.70	10.24	10.16	QP



Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15E_QP LISN_20230420_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	29.28	-26.28	55.56	8.69	10.45	10.14	Average
2	0.16	45.58	-19.98	65.56	24.99	10.45	10.14	QP
3	0.22	21.69	-31.01	52.70	1.20	10.34	10.15	Average
4	0.22	36.99	-25.71	62.70	16.50	10.34	10.15	QP
5	0.28	20.87	-29.94	50.81	0.41	10.31	10.15	Average
6	0.28	33.87	-26.94	60.81	13.41	10.31	10.15	QP
7	0.35	18.11	-30.80	48.91	-2.30	10.25	10.16	Average
8	0.35	30.81	-28.10	58.91	10.40	10.25	10.16	QP
9	0.41	17.30	-30.29	47.59	-3.10	10.24	10.16	Average
10	0.41	28.10	-29.49	57.59	7.70	10.24	10.16	QP
11	1.03	26.51	-19.49	46.00	6.10	10.25	10.16	Average
12 *	1.03	39.31	-16.69	56.00	18.90	10.25	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Hua Cong Liang	Temperature :	24~25°C
		Relative Humidity :	48~49%

U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant. 5+18		(MHz)	(dBμV/m)	(dB)	Line (dBμV/m)	Level (dBμV)	Factor (dB/m)	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	Avg. (P/A)	(H/V)
802.11be EHT20 Full CH 01 5955MHz		5917.26	52.83	-35.37	88.2	37.89	35.36	10.24	30.66	108	124	P	H
		5924.82	45.52	-22.68	68.2	30.56	35.39	10.24	30.67	108	124	A	H
	*	5955	105.95	-	-	90.95	35.42	10.26	30.68	108	124	P	H
	*	5955	96.74	-	-	81.74	35.42	10.26	30.68	108	124	A	H
		5860.84	52.25	-35.95	88.2	37.4	35.28	10.21	30.64	100	343	P	V
		5924.54	44.93	-23.27	68.2	29.97	35.39	10.24	30.67	100	343	A	V
	*	5955	103.77	-	-	88.77	35.42	10.26	30.68	100	343	P	V
*	5955	95.83	-	-	80.83	35.42	10.26	30.68	100	343	A	V	



U-NII 5 5925-6425MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11908.8	48.48	-25.52	74	53.7	39.1	13.66	57.98	-	-	P	H
EHT20 Full		17868	53.25	-20.75	74	28.62	41.55	16.37	33.29	-	-	P	H
CH 01		11908.8	49.08	-24.92	74	27.28	39.1	13.66	30.96	-	-	P	V
5955MHz		17868	52.25	-21.75	74	27.62	41.55	16.37	33.29	-	-	P	V
802.11be		12350	50.07	-23.93	74	53.73	39.34	14.35	57.35	-	-	P	H
EHT20 Full										-	-	P	V
CH 45		12350	49.57	-24.43	74	53.23	39.34	14.35	57.35				
6175MHz													
802.11be		12828	49.64	-38.56	88.2	52.52	39.47	15.28	57.63	-	-	P	H
EHT20 Full										-	-	P	V
CH 93		12828	48.87	-39.33	88.2	51.75	39.47	15.28	57.63				
6415MHz													

U-NII 5 5925-6425MHz

WIFI 802.11be EHT20 Single RU 52 (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		5851.04	52.81	-35.39	88.2	38.01	35.25	10.19	30.64	123	356	P	H
		5919.78	43.62	-24.58	68.2	28.68	35.36	10.24	30.66	123	356	A	H
EHT20	*	5955	92.38	-	-	77.38	35.42	10.26	30.68	123	356	P	H
Partial	*	5955	83.56	-	-	68.56	35.42	10.26	30.68	123	356	A	H
52+37		5870.36	53.45	-34.75	88.2	38.61	35.28	10.21	30.65	244	94	P	V
CH 01		5918.24	43.72	-24.48	68.2	28.78	35.36	10.24	30.66	244	94	A	V
5955MHz	*	5955	91.92	-	-	76.92	35.42	10.26	30.68	244	94	P	V
	*	5955	82.8	-	-	67.8	35.42	10.26	30.68	244	94	A	V



U-NII 5 5925-6425MHz

WIFI 802.11be EHT20 Small RU Index 52+26 (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 52+26 CH 01 5955MHz		5884.78	53.38	-34.82	88.2	38.51	35.31	10.21	30.65	100	1	P	H
		5918.94	43.5	-24.7	68.2	28.56	35.36	10.24	30.66	100	1	A	H
	*	5955	94.72	-	-	79.72	35.42	10.26	30.68	100	1	P	H
	*	5955	86.15	-	-	71.15	35.42	10.26	30.68	100	1	A	H
		5877.5	53.2	-35	88.2	38.33	35.31	10.21	30.65	114	359	P	V
		5918.94	43.41	-24.79	68.2	28.47	35.36	10.24	30.66	114	359	A	V
	*	5955	90.3	-	-	75.3	35.42	10.26	30.68	114	359	P	V
	*	5955	85.37	-	-	70.37	35.42	10.26	30.68	114	359	A	V

U-NII 5 5925-6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 5965MHz		5922.76	59.81	-28.39	88.2	44.85	35.39	10.24	30.67	118	134	P	H
		5921.16	56.31	-11.89	68.2	41.38	35.36	10.24	30.67	118	134	A	H
	*	5965	102.81	-	-	87.79	35.44	10.26	30.68	118	134	P	H
	*	5965	96.53	-	-	81.51	35.44	10.26	30.68	118	134	A	H
		5920.2	59.95	-28.25	88.2	45.01	35.36	10.24	30.66	120	342	P	V
		5925	52.25	-15.95	68.2	37.29	35.39	10.24	30.67	120	342	A	V
	*	5965	99.94	-	-	84.92	35.44	10.26	30.68	120	342	P	V
	*	5965	93.37	-	-	78.35	35.44	10.26	30.68	120	342	A	V



U-NII 5 5925-6425MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11930	47.9	-26.1	74	53.11	39.12	13.66	57.99	-	-	P	H
EHT40 Full		17895	49.99	-24.01	74	49	41.56	16.37	56.94	-	-	P	H
CH 03		11930	48.82	-25.18	74	54.03	39.12	13.66	57.99	-	-	P	V
5965MHz		17895	49.88	-24.12	74	48.89	41.56	16.37	56.94	-	-	P	V
802.11be		12330	49.99	-24.01	74	53.72	39.33	14.35	57.41	-	-	P	H
EHT40 Full												P	V
CH 43		12330	49.87	-24.13	74	53.6	39.33	14.35	57.41	-	-		
6165MHz													
802.11be		12810	50.44	-37.76	88.2	53.31	39.46	15.28	57.61	-	-	P	H
EHT40 Full												P	V
CH 91		12810	50.14	-38.06	88.2	53.01	39.46	15.28	57.61	-	-		
6405MHz													

U-NII 5 5925-6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 07 5985MHz		5922.28	58.34	-29.86	88.2	43.38	35.39	10.24	30.67	100	360	P	H
		5922.92	56.23	-11.97	68.2	41.27	35.39	10.24	30.67	100	360	A	H
	*	5985	100.65	-	-	85.58	35.47	10.29	30.69	100	360	P	H
	*	5985	95.12	-	-	80.05	35.47	10.29	30.69	100	360	A	H
		5923.72	60.33	-27.87	88.2	45.37	35.39	10.24	30.67	284	72	P	V
		5923.4	53.08	-15.12	68.2	38.12	35.39	10.24	30.67	284	72	A	V
	*	5985	100.18	-	-	85.11	35.47	10.29	30.69	284	72	P	V
*	5985	92.96	-	-	77.89	35.47	10.29	30.69	284	72	A	V	



U-NII 5 5925-6425MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 07 5985MHz		11970	48.03	-25.97	74	53.21	39.16	13.65	57.99	-	-	P	H
		17955	50.49	-23.51	74	49.48	41.58	16.35	56.92	-	-		H
		11970	49.21	-24.79	74	54.39	39.16	13.65	57.99	-	-	P	V
		17955	50.41	-23.59	74	49.4	41.58	16.35	56.92	-	-		V
802.11be EHT80 Full CH 39 6145MHz		12290	50.07	-23.93	74	54.03	39.32	14.19	57.47	-	-	P	H
		12290	50.34	-23.66	74	54.3	39.32	14.19	57.47	-	-	P	V
802.11be EHT80 Full CH 87 6385MHz		12770	49.64	-38.56	88.2	52.52	39.45	15.2	57.53	-	-	P	H
		12770	49.47	-38.73	88.2	52.35	39.45	15.2	57.53	-	-	P	V

U-NII 5 5925-6425MHz

WIFI 802.11be EHT80 Puncturing 20M- (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 07 5985MHz		5925	53.18	-35.02	88.2	38.22	35.39	10.24	30.67	100	0	P	H
		5909.4	44.08	-24.12	68.2	29.14	35.36	10.24	30.66	100	0	A	H
	*	5985	91.64	-	-	76.57	35.47	10.29	30.69	100	0	P	H
	*	5985	83.15	-	-	68.08	35.47	10.29	30.69	100	0	A	H
		5897	52.34	-35.86	88.2	37.43	35.33	10.24	30.66	100	3	P	V
		5913.4	44.03	-24.17	68.2	29.09	35.36	10.24	30.66	100	3	A	V
	*	5985	90.17	-	-	75.1	35.47	10.29	30.69	100	3	P	V
	*	5985	80.72	-	-	65.65	35.47	10.29	30.69	100	3	A	V



U-NII 5 5925-6425MHz

WIFI 802.11be EHT80 Large RU 484+242- (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 07 5985MHz		5872	53.56	-34.64	88.2	38.69	35.31	10.21	30.65	100	360	P	H
		5918.8	44.79	-23.41	68.2	29.85	35.36	10.24	30.66	100	360	A	H
	*	5985	95.46	-	-	80.39	35.47	10.29	30.69	100	360	P	H
	*	5985	86.09	-	-	71.02	35.47	10.29	30.69	100	360	A	H
		5910	53.39	-34.81	88.2	38.45	35.36	10.24	30.66	237	87	P	V
		5900	44.36	-23.84	68.2	29.45	35.33	10.24	30.66	237	87	A	V
	*	5985	92.41	-	-	77.34	35.47	10.29	30.69	237	87	P	V
	*	5985	84.52	-	-	69.45	35.47	10.29	30.69	237	87	A	V

U-NII 5 5925-6425MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 15 6025MHz		5917.4	61.09	-27.11	88.2	46.15	35.36	10.24	30.66	100	359	P	H
		5916.84	55.2	-13	68.2	40.26	35.36	10.24	30.66	100	359	A	H
	*	6025	96.9	-	-	81.77	35.52	10.31	30.7	100	359	P	H
	*	6025	90.39	-	-	75.26	35.52	10.31	30.7	100	359	A	H
		5919.92	56.7	-31.5	88.2	41.76	35.36	10.24	30.66	122	354	P	V
		5914.6	50.48	-17.72	68.2	35.54	35.36	10.24	30.66	122	354	A	V
	*	6025	93.6	-	-	78.47	35.52	10.31	30.7	122	354	P	V
	*	6025	87.73	-	-	72.6	35.52	10.31	30.7	122	354	A	V



U-NII 5 5925-6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 15 6025MHz		12050	49.33	-24.67	74	54.29	39.22	13.73	57.91	-	-	P	H
		12050	47.95	-26.05	74	52.91	39.22	13.73	57.91	-	-	P	V
802.11be EHT160 Full CH 47 6185MHz		12370	49.34	-24.66	74	52.88	39.35	14.43	57.32	-	-	P	H
		12370	50.21	-23.79	74	53.75	39.35	14.43	57.32	-	-	P	V
802.11be EHT160 Full CH 79 6345MHz		12690	50.64	-23.36	74	53.57	39.44	15.05	57.42	-	-	P	H
		12690	49.75	-24.25	74	52.68	39.44	15.05	57.42	-	-	P	V

U-NII 5 5925-6425MHz

WIFI 802.11be EHT160 Puncturing 40M- (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M CH 15 6025MHz		5905.92	53.43	-34.77	88.2	38.49	35.36	10.24	30.66	100	360	P	H
		5887.16	46.15	-22.05	68.2	31.28	35.31	10.21	30.65	100	360	A	H
	*	6025	92.91	-	-	77.78	35.52	10.31	30.7	100	360	P	H
	*	6025	85.3	-	-	70.17	35.52	10.31	30.7	100	360	A	H
		5922.72	53.08	-35.12	88.2	38.12	35.39	10.24	30.67	132	2	P	V
		5910.96	45.51	-22.69	68.2	30.57	35.36	10.24	30.66	132	2	A	V
	*	6025	89.65	-	-	74.52	35.52	10.31	30.7	132	2	P	V
	*	6025	82.28	-	-	67.15	35.52	10.31	30.7	132	2	A	V



U-NII 5 5925-6425MHz

WIFI 802.11be EHT160 Puncturing 20M- ③(Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M CH 15 6025MHz		5922.72	54.97	-33.23	88.2	40.01	35.39	10.24	30.67	100	0	P	H
		5916.84	48.63	-19.57	68.2	33.69	35.36	10.24	30.66	100	0	A	H
	*	6025	92.75	-	-	77.62	35.52	10.31	30.7	100	0	P	H
	*	6025	85.87	-	-	70.74	35.52	10.31	30.7	100	0	A	H
		5855.24	53.63	-34.57	88.2	38.8	35.28	10.19	30.64	196	266	P	V
		5908.44	47.16	-21.04	68.2	32.22	35.36	10.24	30.66	196	266	A	V
	*	6025	91.5	-	-	76.37	35.52	10.31	30.7	196	266	P	V
	*	6025	84.17	-	-	69.04	35.52	10.31	30.7	196	266	A	V

U-NII 5 5925-6425MHz

WIFI 802.11be EHT160 Large RU 996+484- ④(Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996+484 40M CH 15 6025MHz		5827.24	53.51	-34.69	88.2	38.73	35.22	10.19	30.63	100	0	P	H
		5897.8	47.28	-20.92	68.2	32.37	35.33	10.24	30.66	100	0	A	H
	*	6025	92.7	-	-	77.57	35.52	10.31	30.7	100	0	P	H
	*	6025	85.71	-	-	70.58	35.52	10.31	30.7	100	0	A	H
		5874.84	53.12	-35.08	88.2	38.25	35.31	10.21	30.65	100	358	P	V
		5875.96	46.22	-21.98	68.2	31.35	35.31	10.21	30.65	100	358	A	V
	*	6025	88.62	-	-	73.49	35.52	10.31	30.7	100	358	P	V
	*	6025	82.45	-	-	67.32	35.52	10.31	30.7	100	358	A	V



U-NII 5 5925-6425MHz

WIFI 802.11be EHT160 Large RU 996+484+242-⑧ (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996+484+242 CH 15 6025MHz		5866.44	58.74	-29.46	88.2	43.89	35.28	10.21	30.64	100	357	P	H
		5916	50.08	-18.12	68.2	35.14	35.36	10.24	30.66	100	357	A	H
	*	6025	93.59	-	-	78.46	35.52	10.31	30.7	100	357	P	H
	*	6025	86.52	-	-	71.39	35.52	10.31	30.7	100	357	A	H
		5912.08	57.44	-30.76	88.2	42.5	35.36	10.24	30.66	201	68	P	V
		5918.52	48.45	-19.75	68.2	33.51	35.36	10.24	30.66	201	68	A	V
	*	6025	91.34	-	-	76.21	35.52	10.31	30.7	201	68	P	V
	*	6025	84.19	-	-	69.06	35.52	10.31	30.7	201	68	A	V

U-NII 6 - 6425-6525MHzMHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 97 6435MHz		12870	50.1	-38.1	88.2	52.96	39.47	15.36	57.69	-	-	P	H
		12870	50.78	-37.42	88.2	53.64	39.47	15.36	57.69	-	-	P	V
802.11be EHT20 Full CH 105 6475MHz		12950	49.65	-38.55	88.2	52.47	39.49	15.51	57.82	-	-	P	H
		12950	49.82	-38.38	88.2	52.64	39.49	15.51	57.82	-	-	P	V
802.11be EHT20 Full CH 113 6515MHz		13030	49.59	-38.61	88.2	52.32	39.5	15.67	57.9	-	-	P	H
		13030	50.13	-38.07	88.2	52.86	39.5	15.67	57.9	-	-	P	V



U-NII 6 5925-6425MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full		12890	50.37	-37.83	88.2	53.16	39.48	15.44	57.71	-	-	P	H
		12890	50.64	-37.56	88.2	53.43	39.48	15.44	57.71	-	-	P	V
CH 99 6445MHz		12970	50.52	-37.68	88.2	53.29	39.49	15.59	57.85	-	-	P	H
		12970	50.52	-37.68	88.2	53.29	39.49	15.59	57.85	-	-	P	V
CH 107 6485MHz													

U-NII 6 6425-6525MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full		12930	50.69	-37.51	88.2	53.48	39.49	15.51	57.79	-	-	P	H
		12930	50.18	-38.02	88.2	52.97	39.49	15.51	57.79	-	-	P	V
CH 103 6465MHz													

UNII-6-7 - 6425-6875MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full		13050	50.42	-37.78	88.2	53.17	39.5	15.65	57.9	-	-	P	H
		13050	50.4	-37.8	88.2	53.15	39.5	15.65	57.9	-	-	P	V
CH 115 6525MHz													



WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13090	50.07	-38.13	88.2	52.85	39.5	15.62	57.9	-	-	P	H
EHT80 Full												P	V
CH 119		13090	50.32	-37.88	88.2	53.1	39.5	15.62	57.9	-	-		
6545MHz													

UNII-6-7 - 6425-6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13010	50.18	-38.02	88.2	52.91	39.5	15.67	57.9	-	-	P	H
EHT160												P	V
Full													
CH 111		13010	50.97	-37.23	88.2	53.7	39.5	15.67	57.9	-	-		
6505MHz													



U-NII 7 - 6525-6875MHzMHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+18		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be		13070	49.24	-38.96	88.2	51.99	39.5	15.65	57.9	-	-	P	H
EHT20 Full												P	V
CH 117		13070	49.36	-38.84	88.2	52.11	39.5	15.65	57.9	-	-		
6535MHz													
802.11be		13390	49.32	-24.68	74	52.3	39.5	15.42	57.9	-	-	P	H
EHT20 Full												P	V
CH 149		13390	49.2	-24.8	74	52.18	39.5	15.42	57.9	-	-		
6695MHz													
802.11be		13710	50.03	-38.17	88.2	53.6	39.59	15.22	58.38	-	-	P	H
EHT20 Full												P	V
CH 181		13710	49.92	-38.28	88.2	53.49	39.59	15.22	58.38	-	-		
6855MHz													

U-NII 7 6525-6875MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+18		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be		13130	50.57	-37.63	88.2	53.37	39.5	15.6	57.9	-	-	P	H
EHT40 Full												P	V
CH 123		13130	50.36	-37.84	88.2	53.16	39.5	15.6	57.9	-	-		
6565MHz													
802.11be		13370	50.33	-23.67	74	53.28	39.5	15.45	57.9	-	-	P	H
EHT40 Full												P	V
CH 147		13370	50.26	-23.74	74	53.21	39.5	15.45	57.9	-	-		
6685MHz													
802.11be		13690	50.47	-37.73	88.2	53.95	39.57	15.25	58.3	-	-	P	H
EHT40 Full												P	V
CH 179		13690	49.98	-38.22	88.2	53.46	39.57	15.25	58.3	-	-		
6845MHz													



U-NII 7 6525-6875MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13250	50.46	-23.54	74	53.34	39.5	15.52	57.9	-	-	P	H
EHT80 Full												P	V
CH 135		13250	50.04	-23.96	74	52.92	39.5	15.52	57.9	-	-		
6625MHz													
802.11be		13410	50.65	-37.55	88.2	53.63	39.5	15.42	57.9	-	-	P	H
EHT80 Full												P	V
CH 151		13410	49.76	-38.44	88.2	52.74	39.5	15.42	57.9	-	-		
6705MHz													
802.11be		13570	50.23	-37.97	88.2	53.43	39.53	15.32	58.05	-	-	P	H
EHT80 Full												P	V
CH 167		13570	50.8	-37.4	88.2	54	39.53	15.32	58.05	-	-		
6785MHz													

U-NII 7 6525-6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13330	50.69	-23.31	74	53.62	39.5	15.47	57.9	-	-	P	H
EHT160												P	V
Full													
CH 143		13330	49.13	-24.87	74	52.06	39.5	15.47	57.9	-	-		
6665MHz													



UNII-7-8 - 6525-7125MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13750	49.24	-38.96	88.2	52.89	39.6	15.2	58.45	-	-	P	H
EHT20 Full												P	V
CH 185		13750	50.62	-37.58	88.2	54.27	39.6	15.2	58.45	-	-		
6875MHz													

UNII-7-8 - 6525-7125MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13770	50.71	-37.49	88.2	54.39	39.61	15.2	58.49	-	-	P	H
EHT40 Full												P	V
CH 187		13770	50.67	-37.53	88.2	54.35	39.61	15.2	58.49	-	-		
688 5MHz													

UNII-7-8 - 6525-7125MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13730	50.38	-37.82	88.2	53.98	39.59	15.22	58.41	-	-	P	H
EHT80 Full												P	V
CH 183		13730	50.77	-37.43	88.2	54.37	39.59	15.22	58.41	-	-		
6865MHz													



UNII-7-8 - 6525-7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 175 6825MHz		13650	50.96	-37.24	88.2	54.36	39.56	15.27	58.23	-	-	P	H
		13650	50.87	-37.33	88.2	54.27	39.56	15.27	58.23	-	-	P	V

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 229 7095MHz	*	7095	106.72	-	-	90.22	36.22	11.44	31.16	135	112	P	H
	*	7095	99.38	-	-	82.88	36.22	11.44	31.16	135	112	A	H
		7126.165	58.93	-29.27	88.2	42.55	36.2	11.33	31.15	135	112	P	H
		7285.475	55.75	-18.25	74	39.57	36.07	11.19	31.08	135	112	P	H
		7125.87	48.15	-20.05	68.2	31.77	36.2	11.33	31.15	135	112	A	H
		7306.29	45.49	-8.51	54	29.27	36.05	11.24	31.07	135	112	A	H
	*	7095	103.96	-	-	87.46	36.22	11.44	31.16	100	346	P	V
	*	7095	96.48	-	-	79.98	36.22	11.44	31.16	100	346	A	V
		7126.165	58.47	-29.73	88.2	42.09	36.2	11.33	31.15	100	346	P	V
		7333.98	54.91	-19.09	74	38.71	36.02	11.24	31.06	100	346	P	V
		7125	46.94	-21.26	68.2	30.56	36.2	11.33	31.15	100	346	A	V
		7259.79	45.4	-8.6	54	29.21	36.09	11.19	31.09	100	346	A	V



U-NII 8 6875-7125MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13790	48.84	-39.36	88.2	52.58	39.61	15.17	58.52	-	-	P	H
EHT20 Full												P	V
CH 189		13790	49.59	-38.61	88.2	53.33	39.61	15.17	58.52	-	-		
6895MHz													
802.11be		13990	48.75	-39.45	88.2	52.97	39.69	15.05	58.96	-	-	P	H
EHT20 Full												P	V
CH 209		13990	48.75	-39.45	88.2	52.97	39.69	15.05	58.96	-	-		
6995MHz													
802.11be		14190	49.29	-38.91	88.2	53.4	39.85	15.12	59.08	-	-	P	H
EHT20 Full												P	V
CH 229		14190	49.8	-38.4	88.2	53.91	39.85	15.12	59.08	-	-		
7095MHz													

U-NII 8 6875-7125MHz

WIFI 802.11be EHT20 Single RU 26 (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 26+8 CH 229 7095MHz	*	7095	92.81	-	-	76.31	36.22	11.44	31.16	126	118	P	H
	*	7095	85.47	-	-	68.97	36.22	11.44	31.16	126	118	A	H
		7162.21	54.74	-33.46	88.2	38.48	36.18	11.22	31.14	126	118	P	H
		7280.58	54.13	-19.87	74	37.94	36.08	11.19	31.08	126	118	P	H
		7241.655	44.84	-23.36	68.2	28.69	36.11	11.15	31.11	126	118	A	H
		7295.13	44.92	-9.08	54	28.74	36.07	11.19	31.08	126	118	A	H
	*	7095	91.62	-	-	75.12	36.22	11.44	31.16	118	328	P	V
	*	7095	83.73	-	-	67.23	36.22	11.44	31.16	118	328	A	V
		7219.615	54.54	-33.66	88.2	38.43	36.12	11.11	31.12	118	328	P	V
		7288.59	54.99	-19.01	74	38.81	36.07	11.19	31.08	118	328	P	V
		7214.685	44.84	-23.36	68.2	28.73	36.12	11.11	31.12	118	328	A	V
		7323.03	44.81	-9.19	54	28.6	36.04	11.24	31.07	118	328	A	V



U-NII 8 6875~7125MHz

WIFI 802.11be EHT20 Small RU_Index 52+26 (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 SmallRU Index 52+26	*	7095	97.94	-	-	81.44	36.22	11.44	31.16	100	126	P	H
	*	7095	89.55	-	-	73.05	36.22	11.44	31.16	100	126	A	H
		7147.08	54.59	-33.61	88.2	38.33	36.18	11.22	31.14	100	126	P	H
		7313.51	53.99	-20.01	74	37.77	36.05	11.24	31.07	100	126	P	H
		7162.14	45.12	-23.08	68.2	28.86	36.18	11.22	31.14	100	126	A	H
		7311.405	45.09	-8.91	54	28.87	36.05	11.24	31.07	100	126	A	H
	*	7095	94.43	-	-	77.93	36.22	11.44	31.16	111	342	P	V
	*	7095	86.71	-	-	70.21	36.22	11.44	31.16	111	342	A	V
		7228.515	54.62	-33.58	88.2	38.46	36.12	11.15	31.11	111	342	P	V
		7287.7	55	-19	74	38.82	36.07	11.19	31.08	111	342	P	V
	7199.805	45.21	-22.99	68.2	29.09	36.13	11.11	31.12	111	342	A	V	
	7270.02	45.41	-8.59	54	29.23	36.08	11.19	31.09	111	342	A	V	

U-NII 8 6875~7125MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 227 7085MHz	*	7085	103.41	-	-	86.91	36.23	11.44	31.17	136	125	P	H
	*	7085	97.76	-	-	81.26	36.23	11.44	31.17	136	125	A	H
		7126.165	64.66	-23.54	88.2	48.28	36.2	11.33	31.15	136	125	P	H
		7294.375	53.86	-20.14	74	37.68	36.07	11.19	31.08	136	125	P	H
		7125.87	57.53	-10.67	68.2	41.15	36.2	11.33	31.15	136	125	P	H
		7348.14	47.31	-6.69	54	31.07	36.02	11.28	31.06	136	125	A	H
	*	7085	100.09	-	-	83.59	36.23	11.44	31.17	122	346	P	V
	*	7085	93.8	-	-	77.3	36.23	11.44	31.17	122	346	A	V
		7125	59.48	-28.72	88.2	43.1	36.2	11.33	31.15	122	346	P	V
		7285.92	54.36	-19.64	74	38.18	36.07	11.19	31.08	122	346	P	V
	7125	52.77	-15.43	68.2	36.39	36.2	11.33	31.15	122	346	P	V	
	7292.34	47.43	-6.57	54	31.25	36.07	11.19	31.08	122	346	A	V	



U-NII 8 6875-7125MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		13850	49.46	-38.74	88.2	53.34	39.64	15.15	58.67	-	-	P	H
EHT40 Full												P	V
CH 195		13850	50.3	-37.9	88.2	54.18	39.64	15.15	58.67	-	-		
6925MHz													
802.11be		13930	49.23	-38.97	88.2	53.34	39.67	15.07	58.85	-	-	P	H
EHT40 Full												P	V
CH 203		13930	48.91	-39.29	88.2	53.02	39.67	15.07	58.85	-	-		
6965MHz													
802.11be		14170	50.71	-37.49	88.2	54.82	39.84	15.12	59.07	-	-	P	H
EHT40 Full													V
CH 227		14170	50.13	-38.07	88.2	54.24	39.84	15.12	59.07	-	-		
7085MHz													

U-NII 8 6875-7125MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 215 7025MHz	*	7025	100.25	-	-	83.49	36.29	11.66	31.19	141	118	P	H
	*	7025	95.23	-	-	78.47	36.29	11.66	31.19	141	118	A	H
		7222.285	54.22	-33.98	88.2	38.06	36.12	11.15	31.11	141	118	P	H
		7258.33	54.13	-19.87	74	37.98	36.09	11.15	31.09	141	118	P	H
		7179.81	48.1	-20.1	68.2	31.86	36.15	11.22	31.13	141	118	P	H
		7263.045	47.97	-6.03	54	31.78	36.09	11.19	31.09	141	118	A	H
	*	7025	98.58	-	-	81.82	36.29	11.66	31.19	100	341	P	V
	*	7025	93.18	-	-	76.42	36.29	11.66	31.19	100	341	A	V
		7201.37	54.63	-33.57	88.2	38.51	36.13	11.11	31.12	100	341	P	V
		7345.995	54.41	-19.59	74	38.17	36.02	11.28	31.06	100	341	P	V
		7246.77	47.95	-20.25	68.2	31.8	36.11	11.15	31.11	100	341	P	V
		7282.575	47.83	-6.17	54	31.65	36.07	11.19	31.08	100	341	A	V



U-NII 8 6875~7125MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 199 6945MHz		13890	50.83	-37.37	88.2	54.82	39.65	15.1	58.74			P	H
		13890	50.84	-37.36	88.2	54.83	39.65	15.1	58.74			P	V
802.11be EHT80 Full CH 215 7025MHz		14050	50.34	-37.86	88.2	54.54	39.74	15.08	59.02			P	H
		14050	49.61	-38.59	88.2	53.81	39.74	15.08	59.02			P	V

U-NII 8 6875~7125MHz

WIFI 802.11be EHT80 Puncturing 20M- (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 215 7025MHz	*	7025	97.7	-	-	80.94	36.29	11.66	31.19	100	116	P	H
	*	7025	90.14	-	-	73.38	36.29	11.66	31.19	100	116	A	H
		7194.25	55.3	-32.9	88.2	39.17	36.15	11.11	31.13	100	116	P	H
		7272.125	54.17	-19.83	74	37.99	36.08	11.19	31.09	100	116	P	H
		7224.915	46.18	-22.02	68.2	30.02	36.12	11.15	31.11	100	116	A	H
		7285.365	45.91	-8.09	54	29.73	36.07	11.19	31.08	100	116	A	H
	*	7025	93.65	-	-	76.89	36.29	11.66	31.19	109	329	P	V
	*	7025	85.85	-	-	69.09	36.29	11.66	31.19	109	329	A	V
		7148.86	54.5	-33.7	88.2	38.24	36.18	11.22	31.14	109	329	P	V
		7333.535	54.3	-19.7	74	38.1	36.02	11.24	31.06	109	329	P	V
	7224.45	45.73	-22.47	68.2	29.57	36.12	11.15	31.11	109	329	A	V	
	7260.72	46.05	-7.95	54	29.86	36.09	11.19	31.09	109	329	A	V	



U-NII 8 6875~7125MHz

WIFI 802.11be EHT80 Large RU 484+242- ① (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 215 7025MHz	*	7025	96	-	-	79.24	36.29	11.66	31.19	100	121	P	H
	*	7025	88.41	-	-	71.65	36.29	11.66	31.19	100	121	A	H
		7183.125	55.46	-32.74	88.2	39.33	36.15	11.11	31.13	100	121	P	H
		7255.215	54.65	-19.35	74	38.5	36.09	11.15	31.09	100	121	P	H
		7145.865	46.34	-21.86	68.2	30.08	36.18	11.22	31.14	100	121	A	H
		7282.11	46.36	-7.64	54	30.18	36.07	11.19	31.08	100	121	A	H
	*	7025	95.94	-	-	79.18	36.29	11.66	31.19	247	96	P	V
	*	7025	88.1	-	-	71.34	36.29	11.66	31.19	247	96	A	V
		7195.14	54.61	-33.59	88.2	38.47	36.15	11.11	31.12	247	96	P	V
		7313.065	54.71	-19.29	74	38.49	36.05	11.24	31.07	247	96	P	V
	7242.585	46.38	-21.82	68.2	30.23	36.11	11.15	31.11	247	96	A	V	
	7253.28	46.32	-7.68	54	30.17	36.09	11.15	31.09	247	96	A	V	

U-NII 8 6875~7125MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 207 6985MHz		6985	97.77	-	-	81.17	36.28	11.52	31.2	152	118	P	H
		6985	91.67	-	-	75.07	36.28	11.52	31.2	152	118	A	H
	*	7127.5	58.82	-29.38	88.2	42.44	36.2	11.33	31.15	152	118	P	H
		7273.125	54.91	-19.09	74	38.72	36.08	11.19	31.08	152	118	P	H
		7126.875	51.32	-16.88	68.2	34.94	36.2	11.33	31.15	152	118	P	H
		7277.5	47.8	-5.52	54	31.61	36.08	11.19	31.08	152	118	A	H
		6985	96.75	-	-	80.15	36.28	11.52	31.2	269	84	P	V
		6985	90.49	-	-	73.89	36.28	11.52	31.2	269	84	A	V
	*	7129.375	55.64	-32.56	88.2	39.27	36.19	11.33	31.15	269	84	P	V
		7283.75	55.12	-18.88	74	38.94	36.07	11.19	31.08	269	84	P	V
		7128.125	49.22	-18.98	68.2	32.84	36.2	11.33	31.15	269	84	P	V
		7311.875	47.65	-6.35	54	31.43	36.05	11.24	31.07	269	84	A	V



U-NII 8 6875~7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 207 6985MHz		13970	49.31	-38.89	88.2	53.5	39.69	15.05	58.93	-	-	P	H
		13970	49.26	-38.94	88.2	53.45	39.69	15.05	58.93	-	-	P	V

U-NII 8 6875~7125MHz

WIFI 802.11be EHT160 Puncturing 40M - ① (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M CH 207 6985MHz	*	6985	98.68	-	-	82.08	36.28	11.52	31.2	146	125	P	H
	*	6985	90.65	-	-	74.05	36.28	11.52	31.2	146	125	A	H
		7135.51	54.76	-33.44	88.2	38.39	36.19	11.33	31.15	146	125	P	H
		7259.665	54.11	-19.89	74	37.92	36.09	11.19	31.09	146	125	P	H
		7131.45	47.83	-20.37	68.2	31.46	36.19	11.33	31.15	146	125	A	H
		7316.52	47.81	-6.19	54	31.6	36.04	11.24	31.07	146	125	A	H
	*	6985	94.73	-	-	78.13	36.28	11.52	31.2	175	295	P	V
	*	6985	88.24	-	-	71.64	36.28	11.52	31.2	175	295	A	V
		7135.065	54.52	-33.68	88.2	38.15	36.19	11.33	31.15	175	295	P	V
		7259.22	55.18	-18.82	74	39.03	36.09	11.15	31.09	175	295	P	V
	7158.885	48.11	-20.09	68.2	31.85	36.18	11.22	31.14	175	295	A	V	
	7326.75	47.73	-6.27	54	31.51	36.04	11.24	31.06	175	295	A	V	



U-NII 8 6875-7125MHz

WIFI 802.11be EHT160 Puncturing 20M - ① (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M CH 207 6985MHz	*	6985	95.38	-	-	78.78	36.28	11.52	31.2	133	118	P	H
	*	6985	88.2	-	-	71.6	36.28	11.52	31.2	133	118	A	H
		7191.135	55.03	-33.17	88.2	38.9	36.15	11.11	31.13	133	118	P	H
		7330.42	54.39	-19.61	74	38.17	36.04	11.24	31.06	133	118	P	H
		7140.75	47.81	-20.39	68.2	31.44	36.19	11.33	31.15	133	118	A	H
		7316.055	47.71	-6.29	54	31.5	36.04	11.24	31.07	133	118	A	H
	*	6985	94.75	-	-	78.15	36.28	11.52	31.2	277	98	P	V
	*	6985	87.39	-	-	70.79	36.28	11.52	31.2	277	98	A	V
		7209.38	54.96	-33.24	88.2	38.84	36.13	11.11	31.12	277	98	P	V
		7334.87	55.3	-18.7	74	39.1	36.02	11.24	31.06	277	98	P	V
	7130.52	47.59	-20.61	68.2	31.22	36.19	11.33	31.15	277	98	A	V	
	7343.955	47.81	-6.19	54	31.57	36.02	11.28	31.06	277	98	A	V	

U-NII 8 6875-7125MHz

WIFI 802.11be EHT160 Large RU 996+484- ① (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996+484 CH 207 6985MHz	*	6985	95.41	-	-	78.81	36.28	11.52	31.2	147	120	P	H
	*	6985	89.53	-	-	72.93	36.28	11.52	31.2	147	120	A	H
		7126.25	60.47	-27.73	88.2	44.09	36.2	11.33	31.15	147	120	P	H
		7251.875	55.49	-18.51	74	39.34	36.09	11.15	31.09	147	120	P	H
		7126.875	51.25	-16.95	68.2	34.87	36.2	11.33	31.15	147	120	A	H
		7310.625	47.88	-6.12	54	31.66	36.05	11.24	31.07	147	120	A	H
	*	6985	92.52	-	-	75.92	36.28	11.52	31.2	100	102	P	V
	*	6985	86.08	-	-	69.48	36.28	11.52	31.2	100	102	A	V
		7126.25	57.29	-30.91	88.2	40.91	36.2	11.33	31.15	100	102	P	V
		7333.125	55.64	-18.36	74	39.44	36.02	11.24	31.06	100	102	P	V
	7126.25	48.73	-19.47	68.2	32.35	36.2	11.33	31.15	100	102	A	V	
	7299.375	47.77	-6.23	54	31.55	36.05	11.24	31.07	100	102	A	V	



U-NII 8 6875-7125MHz

WIFI 802.11be EHT160 Large RU 996+484+242- ① (Band Edge @ 3m)

WIFI Ant. 5+18	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU	*	6985	95.83	-	-	79.23	36.28	11.52	31.2	100	126	P	H
	*	6985	87.25	-	-	70.65	36.28	11.52	31.2	100	126	A	H
		7132.5	62.7	-25.5	88.2	46.33	36.19	11.33	31.15	100	126	P	H
		7331.875	54.94	-19.06	74	38.72	36.04	11.24	31.06	100	126	P	H
		7131.875	53.57	-14.63	68.2	37.2	36.19	11.33	31.15	100	126	A	H
		7293.125	48.32	-5.68	54	32.14	36.07	11.19	31.08	100	126	A	H
996+484+242 CH 207 6985MHz	*	6985	95.42	-	-	78.82	36.28	11.52	31.2	258	100	P	V
	*	6985	87.75	-	-	71.15	36.28	11.52	31.2	258	100	A	V
		7133.75	60.34	-27.86	88.2	43.97	36.19	11.33	31.15	258	100	P	V
		7262.5	54.61	-19.39	74	38.42	36.09	11.19	31.09	258	100	P	V
		7131.875	51.24	-16.96	68.2	34.87	36.19	11.33	31.15	258	100	A	V
		7265	47.8	-6.2	54	31.62	36.08	11.19	31.09	258	100	A	V



Emission below 1GHz

WIFI 802.11be EHT160 (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT160 Full LF		54.25	19.1	-20.9	40	32.96	19.42	1.68	34.96	-	-	P	H
		156.1	18.78	-24.72	43.5	32.49	18.63	2.36	34.7	-	-	P	H
		291.9	22.64	-23.36	46	35.2	18.88	3.18	34.62	-	-	P	H
		377.26	27.42	-18.58	46	37.73	20.87	3.37	34.55	-	-	P	H
		474.26	24.72	-21.28	46	32.75	23.04	3.43	34.5	-	-	P	H
		616.85	25.95	-20.05	46	30.76	26.14	3.62	34.57	-	-	P	H
		34.85	21.56	-18.44	40	36.39	18.68	1.29	34.8	-	-	P	V
		78.5	19.81	-20.19	40	37.26	15.37	1.9	34.72	-	-	P	V
		137.67	22.69	-20.81	43.5	37.19	17.96	2.26	34.72	-	-	P	V
		247.28	21.36	-24.64	46	35.59	17.48	2.99	34.7	-	-	P	V
		287.05	24.06	-21.94	46	36.81	18.72	3.16	34.63	-	-	P	V
	483.96	27.53	-18.47	46	35.46	23.16	3.41	34.5	-	-	P	V	



<Simultaneous transmission>

11be160_TX_CH207+11g20_TX_CH01+B48 Link (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
WIFI 802. 11be160_T X_CH207+ 11g_TX_CH 01+B48 Link Co-location		2389.275	57.48	-16.52	74	50.41	32.36	6.44	31.73	100	326	P	H
		2389.38	47.79	-6.21	54	40.72	32.36	6.44	31.73	100	326	A	H
	*	2412	111.41	-	-	104.27	32.37	6.44	31.67	100	326	P	H
	*	2412	103.89	-	-	96.75	32.37	6.44	31.67	100	326	A	H
		2389.275	60.6	-13.4	74	53.53	32.36	6.44	31.73	100	11	P	V
		2389.485	50.51	-3.49	54	43.44	32.36	6.44	31.73	100	11	A	V
	*	2412	107.81	-	-	100.67	32.37	6.44	31.67	100	11	P	V
	*	2412	100.52	-	-	93.38	32.37	6.44	31.67	100	11	A	V

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
WIFI 802. 11be160_T X_CH207+ 11g_TX_CH 01+B48 Link Co-location	*	6985	96.09	-	-	79.49	36.28	11.52	31.2	134	122	P	H
	*	6985	88.66	-	-	72.06	36.28	11.52	31.2	134	122	A	H
		7127.5	56.74	-31.46	88.2	40.36	36.2	11.33	31.15	134	122	P	H
		7296.875	55.06	-18.94	74	38.88	36.07	11.19	31.08	134	122	P	H
		7126.875	50.76	-17.44	68.2	34.38	36.2	11.33	31.15	134	122	A	H
		7301.25	48.18	-5.82	54	31.96	36.05	11.24	31.07	134	122	A	H
	*	6985	91.17	-	-	74.57	36.28	11.52	31.2	100	355	P	V
	*	6985	85.54	-	-	68.94	36.28	11.52	31.2	100	355	A	V
		7129.375	56.22	-31.98	88.2	39.85	36.19	11.33	31.15	100	355	P	V
		7289.375	54.77	-19.23	74	38.59	36.07	11.19	31.08	100	355	P	V
		7128.75	49.66	-18.54	68.2	33.29	36.19	11.33	31.15	100	355	A	V
		7260	47.71	-6.29	54	31.52	36.09	11.19	31.09	100	355	A	V



11be160_TX_CH207+B48+11g20_TX_CH01+Link+BLE_TX_CH39 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
WIFI 802.		2389.905	64.67	-9.33	74	57.6	32.36	6.44	31.73	168	334	P	H
11be160_T		2389.905	49.48	-4.52	54	42.41	32.36	6.44	31.73	168	334	A	H
X_CH207+	*	2412	108.39	-	-	101.25	32.37	6.44	31.67	168	334	P	H
B48+11g20	*	2412	100.92	-	-	93.78	32.37	6.44	31.67	168	334	A	H
_TX_CH01		2389.905	64.04	-9.96	74	56.97	32.36	6.44	31.73	100	48	P	V
Link+BLE		2389.905	48.46	-5.54	54	41.39	32.36	6.44	31.73	100	48	A	V
TX_CH39	*	2412	108.13	-	-	100.99	32.37	6.44	31.67	100	48	P	V
Co-location	*	2412	100.32	-	-	93.18	32.37	6.44	31.67	100	48	A	V

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
	*	6985	99.21	-	-	82.61	36.28	11.52	31.2	100	120	P	H
	*	6985	92.26	-	-	75.66	36.28	11.52	31.2	100	120	A	H
WIFI 802.		7128.125	62.48	-25.72	88.2	46.1	36.2	11.33	31.15	100	120	P	H
11be160_T		7283.75	55.37	-18.63	74	39.19	36.07	11.19	31.08	100	120	P	H
X_CH207+		7126.875	53.83	-14.37	68.2	37.45	36.2	11.33	31.15	100	120	A	H
B48+11g20		7270.625	48.19	-5.81	54	32.01	36.08	11.19	31.09	100	120	A	H
_TX_CH01	*	6985	95	-	-	78.4	36.28	11.52	31.2	178	86	P	V
Link+BLE	*	6985	89.56	-	-	72.96	36.28	11.52	31.2	178	86	A	V
TX_CH39		7126.25	57.65	-30.55	88.2	41.27	36.2	11.33	31.15	178	86	P	V
Co-location		7277.5	54.86	-19.14	74	38.67	36.08	11.19	31.08	178	86	P	V
		7127.5	50.04	-18.16	68.2	33.66	36.2	11.33	31.15	178	86	A	V
		7260	48.67	-5.33	54	32.48	36.09	11.19	31.09	178	86	A	V



WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI 802.	*	2480	90.83	-	-	83.47	32.39	6.53	31.56	100	360	P	H
11be160_T	*	2480	90.26	-	-	82.9	32.39	6.53	31.56	100	360	A	H
X_CH207+		2497.08	53.36	-20.64	74	45.93	32.4	6.53	31.5	100	360	P	H
B48+11g20		2489.84	43.26	-10.74	54	35.83	32.4	6.53	31.5	100	360	A	H
_TX_CH01	*	2480	92.82	-	-	85.46	32.39	6.53	31.56	133	13	P	V
Link+BLE	*	2480	92.13	-	-	84.77	32.39	6.53	31.56	133	13	A	V
TX_CH39		2493.52	53.33	-20.67	74	45.9	32.4	6.53	31.5	133	13	P	V
Co-location		2484.96	46.33	-7.67	54	38.97	32.39	6.53	31.56	133	13	A	V

11be160_TX_CH207+11g20_TX_CH01+B48 Link (Harmonic @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI 802.		4824	51.68	-22.32	74	38.46	34.4	9.47	30.65	-	-	P	H
11be160_T		14230	50.9	-37.3	88.2	54.97	39.88	15.14	59.09	-	-	P	H
X_CH207+1		4824	51.35	-22.65	74	38.13	34.4	9.47	30.65	-	-	P	V
1g_TX_CH													V
01+B48		14230	50.79	-37.41	88.2	54.86	39.88	15.14	59.09	-	-	P	
Link													
Co-location													



WIFI 11be160_TX_CH207+B48+11g20_TX_CH01+Link+BLE_TX_CH39 (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
WIFI 802.		4824	54.26	-19.74	74	41.04	34.4	9.47	30.65	-	-	P	H
11be160_T		4960	53.19	-20.81	74	39.8	34.32	9.59	30.52	-	-	P	H
X_CH207+		7440	40.15	-33.85	74	23.94	35.94	11.29	31.02	-	-	P	H
B48+11g20		14230	52.19	-36.01	88.2	56.26	39.88	15.14	59.09	-	-	P	H
_TX_CH01		4824	52.04	-21.96	74	38.82	34.4	9.47	30.65	-	-	P	V
Link+BLE		4960	53.26	-20.74	74	39.87	34.32	9.59	30.52	-	-	P	V
TX_CH39		7440	40.35	-33.65	74	24.14	35.94	11.29	31.02	-	-	P	V
Co-location		14230	50.53	-37.67	88.2	54.6	39.88	15.14	59.09	-	-	P	V

Note symbol

*	Fundamental Frequency which can be ignored. However, tEHT level of any unwanted emissions shall not exceed tEHT level of tEHT fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
10+13		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
802.11b CH 01 2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with tEHT limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission





Note symbol

-L	Low channel location
-R	High channel location







U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
5+18	Horizontal	Fundamental
Peak	 <p>Date: 1 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_EE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 1 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 3.5</p>	 <p>Date: 3 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_EE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 1 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 3.5</p>
Avg.	 <p>Date: 2 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_EE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 1 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 3.5</p>	 <p>Date: 4 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_EE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 1 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 3.5</p>







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
5+18	Vertical	Fundamental
Peak	 <p>Date: 5 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 1 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting : 3.5</p>	 <p>Date: 7 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 1 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting : 3.5</p>
Avg.	 <p>Date: 6 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 1 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting : 3.5</p>	 <p>Date: 8 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 1 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting : 3.5</p>



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT20 Single 52/37 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Single 52/37 CH01 5955MHz	
5+18	Horizontal	Fundamental
Peak	<p>Date: 1 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PSEANU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 51 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52/37 MCS9 power setting : -5 Single RU</p>	<p>Date: 3 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PSEANU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 51 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52/37 MCS9 power setting : -5 Single RU</p>
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVGU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 51 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52/37 MCS9 power setting : -5 Single RU</p>	<p>Date: 4 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVGU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 51 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52/37 MCS9 power setting : -5 Single RU</p>



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Single 52/37 CH01 5955MHz	
5+18	Vertical	Fundamental
Peak	 <p>Date: 5 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 51 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52/37 MCS9 power setting -5 Single RU</p>	 <p>Date: 7 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 51 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52/37 MCS9 power setting -5 Single RU</p>
Avg.	 <p>Date: 6 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 51 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52/37 MCS9 power setting -5 Single RU</p>	 <p>Date: 8 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 51 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52/37 MCS9 power setting -5 Single RU</p>







U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT20 Small RU Index 52/26 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Small RU Index 52/26 CH01 5955MHz	
5+18	Horizontal	Fundamental
Peak	<p>Date: 1 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PSEANU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 53 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52+26_OFDMA_1 MCS9 power setting : 0.5 Small RU</p>	<p>Date: 3 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PSEANU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 53 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52+26_OFDMA_1 MCS9 power setting : 0.5 Small RU</p>
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVGU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 53 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52+26_OFDMA_1 MCS9 power setting : 0.5 Small RU</p>	<p>Date: 4 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVGU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 53 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52+26_OFDMA_1 MCS9 power setting : 0.5 Small RU</p>







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Small RU Index 52/26 CH01 5955MHz	
5+18	Vertical	Fundamental
Peak	 <p>Date: 5 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_E 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 53 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52+26_OFDMA_1 MCS9 power setting 0.5 Small RU</p>	 <p>Date: 7 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_E 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 53 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52+26_OFDMA_1 MCS9 power setting 0.5 Small RU</p>
Avg.	 <p>Date: 6 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_E 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 53 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52+26_OFDMA_1 MCS9 power setting 0.5 Small RU</p>	 <p>Date: 8 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_E 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 53 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories 52+26_OFDMA_1 MCS9 power setting 0.5 Small RU</p>



**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)**

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
5+18	Horizontal	Fundamental
Peak	<p>Date: 1 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PSEANU/NII_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 13 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS9 power setting 6</p>	<p>Date: 3 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PSEANU/NII_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 13 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS9 power setting 6</p>
Avg.	<p>Date: 2 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVQU/NII_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 261206 Mode : Mode 13 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS9 power setting 6</p>	<p>Date: 4 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVQU/NII_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 261206 Mode : Mode 13 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS9 power setting 6</p>







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full H03 5965MHz	
5+18	Vertical	Fundamental
Peak	 <p>Date: 5 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 13 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 6</p>	 <p>Date: 7 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 13 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 6</p>
Avg.	 <p>Date: 6 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 13 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 6</p>	 <p>Date: 8 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 13 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 6</p>



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
5+18	Horizontal	Fundamental
<p align="center">Peak</p>	<p>Date: 1 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PSEANU/NII_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 24 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories : MCS9 power setting 9</p>	<p>Date: 3 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PSEANU/NII_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 24 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories : MCS9 power setting 9</p>
<p align="center">Avg.</p>	<p>Date: 2 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVQU/NII_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 261206 Mode : Mode 24 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories : MCS9 power setting 9</p>	<p>Date: 4 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVQU/NII_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 261206 Mode : Mode 24 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories : MCS9 power setting 9</p>



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
5+18	Vertical	Fundamental
Peak	 <p>Date: 5 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 24 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 9</p>	 <p>Date: 7 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : PEAK(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 24 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 9</p>
Avg.	 <p>Date: 6 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 24 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 9</p>	 <p>Date: 8 Date: 2023-05-18</p> <p>Site : 03CH02-SZ Condition : AVG(U-NII)_BE 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 24 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS0 power setting 9</p>



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT80 Puncturing 20M_ ④ (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Puncturing 20M_ ④ CH07 5985MHz	
5+18	Horizontal	Fundamental
Peak	<p>Date: 1 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PSEANU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 55 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS9 power setting 8.5 Puncturing20M 484+242_Non-OFDMA_4</p>	<p>Date: 3 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : PSEANU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 55 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS9 power setting 8.5 Puncturing20M 484+242_Non-OFDMA_4</p>
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVGU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 55 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS9 power setting 8.5 Puncturing20M 484+242_Non-OFDMA_4</p>	<p>Date: 4 Level (dBuV/m) Date: 2023-05-29</p> <p>Site : 03CH02-SZ Condition : AVGU(N)_BE 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 55 IMEI : 861585060051503/861585060051551 Plane : Y with Accessories MCS9 power setting 8.5 Puncturing20M 484+242_Non-OFDMA_4</p>