



Mode	29																																																																																																	
	Harmonic																																																																																																	
	5.47-5.725_UNII 2C_802.11be EHT80_CH122_Full_5610MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 29 Setting : MCS0 Power setting 12.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>49.89</td> <td>74.00</td> <td>-24.11</td> <td>47.57</td> <td>37.53</td> <td>12.68</td> <td>47.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>50.18</td> <td>68.30</td> <td>-18.12</td> <td>42.83</td> <td>44.15</td> <td>15.41</td> <td>52.21</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	49.89	74.00	-24.11	47.57	37.53	12.68	47.89	---	---	Peak	2	16830.00	50.18	68.30	-18.12	42.83	44.15	15.41	52.21	---	---	Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 29 Setting : MCS0 Power setting 12.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>49.13</td> <td>74.00</td> <td>-24.87</td> <td>46.81</td> <td>37.53</td> <td>12.68</td> <td>47.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>50.73</td> <td>68.30</td> <td>-17.57</td> <td>43.38</td> <td>44.15</td> <td>15.41</td> <td>52.21</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	49.13	74.00	-24.87	46.81	37.53	12.68	47.89	---	---	Peak	2	16830.00	50.73	68.30	-17.57	43.38	44.15	15.41	52.21	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11220.00	49.89	74.00	-24.11	47.57	37.53	12.68	47.89	---	---	Peak																																																																																							
2	16830.00	50.18	68.30	-18.12	42.83	44.15	15.41	52.21	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11220.00	49.13	74.00	-24.87	46.81	37.53	12.68	47.89	---	---	Peak																																																																																							
2	16830.00	50.73	68.30	-17.57	43.38	44.15	15.41	52.21	---	---	Peak																																																																																							



<b>30</b>																																																																															
<b>Band Edge - L</b>																																																																															
<b>5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Full_5250MHz</b>																																																																															
<b>ANT CDD 5+18</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>																																																																														
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Date: 2023-05-20</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5140.25</td> <td>59.43</td> <td>74.00</td> <td>-14.57</td> <td>47.72</td> <td>36.14</td> <td>8.52</td> <td>32.95</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Date: 2023-05-20</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>97.51</td> <td>-----</td> <td>-----</td> <td>85.79</td> <td>36.11</td> <td>8.71</td> <td>33.10</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5140.25	59.43	74.00	-14.57	47.72	36.14	8.52	32.95	100	301	PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.51	-----	-----	85.79	36.11	8.71	33.10	100	301	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5140.25	59.43	74.00	-14.57	47.72	36.14	8.52	32.95	100	301	PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5250.00	97.51	-----	-----	85.79	36.11	8.71	33.10	100	301	PEAK																																																																				
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Date: 2023-05-20</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.00</td> <td>50.42</td> <td>54.00</td> <td>-3.58</td> <td>38.71</td> <td>36.14</td> <td>8.53</td> <td>32.96</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Date: 2023-05-20</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>89.73</td> <td>-----</td> <td>-----</td> <td>77.96</td> <td>36.10</td> <td>8.81</td> <td>33.14</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5145.00	50.42	54.00	-3.58	38.71	36.14	8.53	32.96	100	301	AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.73	-----	-----	77.96	36.10	8.81	33.14	100	301	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5145.00	50.42	54.00	-3.58	38.71	36.14	8.53	32.96	100	301	AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5250.00	89.73	-----	-----	77.96	36.10	8.81	33.14	100	301	AVERAGE																																																																				



Mode	30																																								
	Band Edge - R																																								
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Full_5250MHz																																								
ANT	CDD 5+18																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5384.61</td> <td>57.91</td> <td>74.00</td> <td>-16.09</td> <td>45.71</td> <td>36.05</td> <td>9.54</td> <td>33.39</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5384.61	57.91	74.00	-16.09	45.71	36.05	9.54	33.39	100	301	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5384.61	57.91	74.00	-16.09	45.71	36.05	9.54	33.39	100	301	PEAK																														
Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5385.03</td> <td>47.84</td> <td>54.00</td> <td>-6.16</td> <td>35.63</td> <td>36.05</td> <td>9.55</td> <td>33.39</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5385.03	47.84	54.00	-6.16	35.63	36.05	9.55	33.39	100	301	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5385.03	47.84	54.00	-6.16	35.63	36.05	9.55	33.39	100	301	AVERAGE																														



<b>30</b>																																																																															
<b>Band Edge - L</b>																																																																															
<b>5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Full_5250MHz</b>																																																																															
<b>ANT CDD 5+18</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>																																																																														
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5091.75</td> <td>60.62</td> <td>74.00</td> <td>-13.38</td> <td>48.90</td> <td>36.16</td> <td>8.43</td> <td>32.87</td> <td>363</td> <td>195</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>96.01</td> <td>-----</td> <td>-----</td> <td>84.20</td> <td>36.10</td> <td>8.87</td> <td>33.16</td> <td>363</td> <td>195</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5091.75	60.62	74.00	-13.38	48.90	36.16	8.43	32.87	363	195	PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	96.01	-----	-----	84.20	36.10	8.87	33.16	363	195	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5091.75	60.62	74.00	-13.38	48.90	36.16	8.43	32.87	363	195	PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5250.00	96.01	-----	-----	84.20	36.10	8.87	33.16	363	195	PEAK																																																																				
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5092.75</td> <td>50.31</td> <td>54.00</td> <td>-3.69</td> <td>38.59</td> <td>36.16</td> <td>8.43</td> <td>32.87</td> <td>363</td> <td>195</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 30 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>89.06</td> <td>-----</td> <td>-----</td> <td>77.30</td> <td>36.11</td> <td>8.77</td> <td>33.12</td> <td>363</td> <td>195</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5092.75	50.31	54.00	-3.69	38.59	36.16	8.43	32.87	363	195	AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.06	-----	-----	77.30	36.11	8.77	33.12	363	195	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5092.75	50.31	54.00	-3.69	38.59	36.16	8.43	32.87	363	195	AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5250.00	89.06	-----	-----	77.30	36.11	8.77	33.12	363	195	AVERAGE																																																																				



Mode	30																																								
	Band Edge - R																																								
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Full_5250MHz																																								
ANT	CDD 5+18																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-05-20</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 30          Setting : MCS0 Powersetting 11.5          Plane : X with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5371.59</td> <td>58.71</td> <td>74.00</td> <td>-15.29</td> <td>46.55</td> <td>36.05</td> <td>9.48</td> <td>33.37</td> <td>363</td> <td>195</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5371.59	58.71	74.00	-15.29	46.55	36.05	9.48	33.37	363	195	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5371.59	58.71	74.00	-15.29	46.55	36.05	9.48	33.37	363	195	PEAK																														
Avg	<p>Date: 2023-05-20</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL          : RBW:1000.000kHz VBW:10.000kHz          Mode : 30          Setting : MCS0 Powersetting 11.5          Plane : X with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.08</td> <td>48.54</td> <td>54.00</td> <td>-5.46</td> <td>36.33</td> <td>36.05</td> <td>9.55</td> <td>33.39</td> <td>363</td> <td>195</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5386.08	48.54	54.00	-5.46	36.33	36.05	9.55	33.39	363	195	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5386.08	48.54	54.00	-5.46	36.33	36.05	9.55	33.39	363	195	AVERAGE																														



Mode	30																																																																																																					
	Harmonic																																																																																																					
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Full_5250MHz																																																																																																					
ANT	CDD 5+18																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 30 Setting : MCS0 Power setting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td></td> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>10500.00</td> <td>50.92</td> <td>68.30</td> <td>-17.38</td> <td>48.96</td> <td>37.10</td> <td>12.16</td> <td>47.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15746.00</td> <td>49.76</td> <td>74.00</td> <td>-24.24</td> <td>44.18</td> <td>41.30</td> <td>14.68</td> <td>50.40</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	50.92	68.30	-17.38	48.96	37.10	12.16	47.30	---	---	Peak	2	15746.00	49.76	74.00	-24.24	44.18	41.30	14.68	50.40	---	---	Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 30 Setting : MCS0 Power setting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td></td> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm <td>deg</td> </td></tr> <tr> <td>1</td> <td>10500.00</td> <td>50.63</td> <td>68.30</td> <td>-17.67</td> <td>48.67</td> <td>37.10</td> <td>12.16</td> <td>47.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15750.00</td> <td>50.88</td> <td>74.00</td> <td>-23.12</td> <td>45.29</td> <td>41.31</td> <td>14.68</td> <td>50.40</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm <td>deg</td>	deg	1	10500.00	50.63	68.30	-17.67	48.67	37.10	12.16	47.30	---	---	Peak	2	15750.00	50.88	74.00	-23.12	45.29	41.31	14.68	50.40	---	---	Peak
	Limit									Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq		Level	Line Margin	Level Factor	Loss Factor	cm	deg																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10500.00	50.92	68.30	-17.38	48.96	37.10	12.16	47.30	---	---	Peak																																																																																											
2	15746.00	49.76	74.00	-24.24	44.18	41.30	14.68	50.40	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
								Freq	Level	Line Margin	Level Factor	Loss Factor	cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm <td>deg</td>	deg																																																																																												
1	10500.00	50.63	68.30	-17.67	48.67	37.10	12.16	47.30	---	---	Peak																																																																																											
2	15750.00	50.88	74.00	-23.12	45.29	41.31	14.68	50.40	---	---	Peak																																																																																											



<b>31</b>																																																	
<b>Mode</b>	<b>Band Edge - L</b>																																																
<b>5.15-5.35_UNII 1-2A_802.11be EHT160_CH114_Full_5570MHz</b>																																																	
<b>ANT</b>	<b>CDD 5+18</b>																																																
<b>Pol.</b>	<b>Horizontal</b>																																																
<b>Peak</b>	<b>Fundamental</b>																																																
<p>Level (dBuV/m) Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 31 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>59.28</td> <td>74.00</td> <td>-14.72</td> <td>47.10</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>100</td> <td>291</td> <td></td> </tr> <tr> <td>2</td> <td>5464.18</td> <td>59.31</td> <td>68.30</td> <td>-8.99</td> <td>47.15</td> <td>36.01</td> <td>9.69</td> <td>33.54</td> <td>100</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>		Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	1	5460.00	59.28	74.00	-14.72	47.10	36.02	9.69	33.53	100	291		2	5464.18	59.31	68.30	-8.99	47.15	36.01	9.69	33.54	100	291	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
	MHz	dBuV/m	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																																						
1	5460.00	59.28	74.00	-14.72	47.10	36.02	9.69	33.53	100	291																																							
2	5464.18	59.31	68.30	-8.99	47.15	36.01	9.69	33.54	100	291	PEAK																																						
<p>Level (dBuV/m) Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 31 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>99.09</td> <td>-----</td> <td>-----</td> <td>86.81</td> <td>36.10</td> <td>9.74</td> <td>33.56</td> <td>100</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>		Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	1	5570.00	99.09	-----	-----	86.81	36.10	9.74	33.56	100	291	PEAK												
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
	MHz	dBuV/m	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																																						
1	5570.00	99.09	-----	-----	86.81	36.10	9.74	33.56	100	291	PEAK																																						
<p>Level (dBuV/m) Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 31 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>50.38</td> <td>54.00</td> <td>-3.62</td> <td>38.20</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>100</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>		Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	1	5459.12	50.38	54.00	-3.62	38.20	36.02	9.69	33.53	100	291	AVERAGE												
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
	MHz	dBuV/m	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																																						
1	5459.12	50.38	54.00	-3.62	38.20	36.02	9.69	33.53	100	291	AVERAGE																																						
<p>Level (dBuV/m) Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 31 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>90.91</td> <td>-----</td> <td>-----</td> <td>78.60</td> <td>36.11</td> <td>9.75</td> <td>33.55</td> <td>100</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>		Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	1	5570.00	90.91	-----	-----	78.60	36.11	9.75	33.55	100	291	AVERAGE												
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
	MHz	dBuV/m	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																																						
1	5570.00	90.91	-----	-----	78.60	36.11	9.75	33.55	100	291	AVERAGE																																						



Mode	31																																					
	Band Edge - R																																					
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH114_Full_5570MHz																																					
ANT	CDD 5+18																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-05-24</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 31          Setting : MCS0 Powersetting 11          Plane : X with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.03</td> <td>55.39</td> <td>68.30</td> <td>-12.91</td> <td>42.51</td> <td>36.32</td> <td>10.02</td> <td>33.46</td> <td>100 291 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5725.03	55.39	68.30	-12.91	42.51	36.32	10.02	33.46	100 291 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5725.03	55.39	68.30	-12.91	42.51	36.32	10.02	33.46	100 291 PEAK																														





Mode	31																																																																														
	Band Edge - L																																																																														
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH114_Full_5570MHz																																																																														
ANT	CDD 5+18																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<p>Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 31 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.04</td> <td>57.91</td> <td>74.00</td> <td>-16.09</td> <td>45.67</td> <td>36.03</td> <td>9.67</td> <td>33.46</td> <td>400</td> <td>196 PEAK</td> </tr> <tr> <td>2</td> <td>5461.10</td> <td>57.19</td> <td>68.30</td> <td>-11.11</td> <td>45.01</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>400</td> <td>196 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	APos	TPos	Remark		MHz	dBuV/m	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5423.04	57.91	74.00	-16.09	45.67	36.03	9.67	33.46	400	196 PEAK	2	5461.10	57.19	68.30	-11.11	45.01	36.02	9.69	33.53	400	196 PEAK	<p>Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 31 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>95.67</td> <td>-----</td> <td>-----</td> <td>83.40</td> <td>36.09</td> <td>9.74</td> <td>33.56</td> <td>400</td> <td>196 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	APos	TPos	Remark		MHz	dBuV/m	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5570.00	95.67	-----	-----	83.40	36.09	9.74	33.56	400	196 PEAK
	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	APos	TPos	Remark																																																																				
	MHz	dBuV/m	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																					
1	5423.04	57.91	74.00	-16.09	45.67	36.03	9.67	33.46	400	196 PEAK																																																																					
2	5461.10	57.19	68.30	-11.11	45.01	36.02	9.69	33.53	400	196 PEAK																																																																					
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	APos	TPos	Remark																																																																					
	MHz	dBuV/m	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																					
1	5570.00	95.67	-----	-----	83.40	36.09	9.74	33.56	400	196 PEAK																																																																					
Avg	<p>Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 31 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.64</td> <td>49.30</td> <td>54.00</td> <td>-4.70</td> <td>37.11</td> <td>36.02</td> <td>9.68</td> <td>33.51</td> <td>400</td> <td>196 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	APos	TPos	Remark		MHz	dBuV/m	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5451.64	49.30	54.00	-4.70	37.11	36.02	9.68	33.51	400	196 AVERAGE	<p>Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 31 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>88.39</td> <td>-----</td> <td>-----</td> <td>76.08</td> <td>36.11</td> <td>9.75</td> <td>33.55</td> <td>400</td> <td>196 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	APos	TPos	Remark		MHz	dBuV/m	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5570.00	88.39	-----	-----	76.08	36.11	9.75	33.55	400	196 AVERAGE											
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	APos	TPos	Remark																																																																					
	MHz	dBuV/m	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																					
1	5451.64	49.30	54.00	-4.70	37.11	36.02	9.68	33.51	400	196 AVERAGE																																																																					
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	APos	TPos	Remark																																																																					
	MHz	dBuV/m	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																					
1	5570.00	88.39	-----	-----	76.08	36.11	9.75	33.55	400	196 AVERAGE																																																																					



Mode	31																																					
	Band Edge - R																																					
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH114_Full_5570MHz																																					
ANT	CDD 5+18																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-05-24</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 31          Setting : MCS0 Powersetting 11          Plane : X with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5737.12</td> <td>55.83</td> <td>68.30</td> <td>-12.47</td> <td>42.92</td> <td>36.33</td> <td>10.04</td> <td>33.46</td> <td>400 196 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5737.12	55.83	68.30	-12.47	42.92	36.33	10.04	33.46	400 196 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5737.12	55.83	68.30	-12.47	42.92	36.33	10.04	33.46	400 196 PEAK																														



Mode	31																																																																																																	
	Harmonic																																																																																																	
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH114_Full_5570MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 31 Setting : MCS0 Power setting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11140.00</td> <td>50.15</td> <td>74.00</td> <td>-23.85</td> <td>47.65</td> <td>37.48</td> <td>12.62</td> <td>47.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16710.00</td> <td>50.56</td> <td>68.30</td> <td>-17.74</td> <td>42.78</td> <td>43.83</td> <td>15.32</td> <td>51.37</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11140.00	50.15	74.00	-23.85	47.65	37.48	12.62	47.60	---	---	Peak	2	16710.00	50.56	68.30	-17.74	42.78	43.83	15.32	51.37	---	---	Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 31 Setting : MCS0 Power setting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11140.00</td> <td>50.19</td> <td>74.00</td> <td>-23.81</td> <td>47.69</td> <td>37.48</td> <td>12.62</td> <td>47.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16710.00</td> <td>50.44</td> <td>68.30</td> <td>-17.86</td> <td>42.66</td> <td>43.83</td> <td>15.32</td> <td>51.37</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11140.00	50.19	74.00	-23.81	47.69	37.48	12.62	47.60	---	---	Peak	2	16710.00	50.44	68.30	-17.86	42.66	43.83	15.32	51.37	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11140.00	50.15	74.00	-23.85	47.65	37.48	12.62	47.60	---	---	Peak																																																																																							
2	16710.00	50.56	68.30	-17.74	42.78	43.83	15.32	51.37	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11140.00	50.19	74.00	-23.81	47.69	37.48	12.62	47.60	---	---	Peak																																																																																							
2	16710.00	50.44	68.30	-17.86	42.66	43.83	15.32	51.37	---	---	Peak																																																																																							



<b>32</b>																																																													
<b>Band Edge</b>																																																													
<b>5.725-5.85_UNII 3_802.11a_CH149_5745MHZ</b>																																																													
<b>CDD 5+18</b>																																																													
<b>Pol.</b>	<b>Horizontal</b>																																																												
<b>Peak</b>	<p>Site : 03CH04-SZ          Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL          Mode : 32          Setting : 6M Powersetting 11          Plane : Z with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dB)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5607.11</td> <td>52.93</td> <td>68.30</td> <td>-15.37</td> <td>40.55</td> <td>36.15</td> <td>9.77</td> <td>33.54</td> <td>300</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>50.73</td> <td>68.32</td> <td>-17.59</td> <td>38.17</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>300</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.07</td> <td>50.98</td> <td>105.50</td> <td>-54.52</td> <td>38.21</td> <td>36.28</td> <td>9.97</td> <td>33.48</td> <td>300</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>50.93</td> <td>111.60</td> <td>-60.67</td> <td>38.08</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>300</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit Line (dB)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5607.11	52.93	68.30	-15.37	40.55	36.15	9.77	33.54	300	268	PEAK	2	5650.03	50.73	68.32	-17.59	38.17	36.21	9.86	33.51	300	268	PEAK	3	5701.07	50.98	105.50	-54.52	38.21	36.28	9.97	33.48	300	268	PEAK	4	5720.35	50.93	111.60	-60.67	38.08	36.31	10.01	33.47	300	268	PEAK
	Line	Freq (MHz)	Level (dBuV/m)	Limit Line (dB)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																	
1	5607.11	52.93	68.30	-15.37	40.55	36.15	9.77	33.54	300	268	PEAK																																																		
2	5650.03	50.73	68.32	-17.59	38.17	36.21	9.86	33.51	300	268	PEAK																																																		
3	5701.07	50.98	105.50	-54.52	38.21	36.28	9.97	33.48	300	268	PEAK																																																		
4	5720.35	50.93	111.60	-60.67	38.08	36.31	10.01	33.47	300	268	PEAK																																																		
<b>Fundamental</b>																																																													
<b>Avg</b>	<p>Site : 03CH04-SZ          Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL          Mode : 32          Setting : 6M Powersetting 11          Plane : Z with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dB)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>93.85</td> <td>93.85</td> <td>0.00</td> <td>80.90</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>300</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit Line (dB)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	93.85	93.85	0.00	80.90	36.34	10.06	33.45	300	268	PEAK																																				
	Line	Freq (MHz)	Level (dBuV/m)	Limit Line (dB)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																	
1	5745.00	93.85	93.85	0.00	80.90	36.34	10.06	33.45	300	268	PEAK																																																		
<b>Blank</b>																																																													
<p>Site : 03CH04-SZ          Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL          Mode : 32          Setting : 6M Powersetting 11          Plane : Z with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dB)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>85.72</td> <td>85.72</td> <td>0.00</td> <td>72.77</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>300</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>		Line	Freq (MHz)	Level (dBuV/m)	Limit Line (dB)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	85.72	85.72	0.00	72.77	36.34	10.06	33.45	300	268	AVERAGE																																				
Line	Freq (MHz)	Level (dBuV/m)	Limit Line (dB)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																		
1	5745.00	85.72	85.72	0.00	72.77	36.34	10.06	33.45	300	268	AVERAGE																																																		



<b>32</b>																																																																																					
<b>Band Edge</b>																																																																																					
<b>5.725-5.85_UNII 3_802.11a_CH149_5745MHZ</b>																																																																																					
<b>CDD 5+18</b>																																																																																					
<b>Mode</b>																																																																																					
<b>ANT</b>																																																																																					
<b>Pol.</b>	<b>Vertical</b>																																																																																				
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL Mode : 32 Setting : GM Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5618.13</td> <td>52.49</td> <td>68.30</td> <td>-15.81</td> <td>40.06</td> <td>36.17</td> <td>9.79</td> <td>33.53</td> <td>200</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>50.98</td> <td>68.32</td> <td>-17.34</td> <td>38.42</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>200</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.20</td> <td>51.75</td> <td>105.25</td> <td>-53.50</td> <td>38.98</td> <td>36.28</td> <td>9.97</td> <td>33.48</td> <td>200</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>51.75</td> <td>110.94</td> <td>-59.19</td> <td>38.90</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>200</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 32 Setting : GM Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.36</td> <td>92.41</td> <td>13.00</td> <td>92.41</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>200</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5618.13	52.49	68.30	-15.81	40.06	36.17	9.79	33.53	200	79	PEAK	2	5650.03	50.98	68.32	-17.34	38.42	36.21	9.86	33.51	200	79	PEAK	3	5700.20	51.75	105.25	-53.50	38.98	36.28	9.97	33.48	200	79	PEAK	4	5720.06	51.75	110.94	-59.19	38.90	36.31	10.01	33.47	200	79	PEAK	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	105.36	92.41	13.00	92.41	36.34	10.06	33.45	200	79	PEAK
Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																										
1	5618.13	52.49	68.30	-15.81	40.06	36.17	9.79	33.53	200	79	PEAK																																																																										
2	5650.03	50.98	68.32	-17.34	38.42	36.21	9.86	33.51	200	79	PEAK																																																																										
3	5700.20	51.75	105.25	-53.50	38.98	36.28	9.97	33.48	200	79	PEAK																																																																										
4	5720.06	51.75	110.94	-59.19	38.90	36.31	10.01	33.47	200	79	PEAK																																																																										
Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																										
1	5745.00	105.36	92.41	13.00	92.41	36.34	10.06	33.45	200	79	PEAK																																																																										
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL Mode : 32 Setting : GM Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.82</td> <td>83.87</td> <td>12.95</td> <td>83.87</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>200</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	96.82	83.87	12.95	83.87	36.34	10.06	33.45	200	79	AVERAGE																																																												
Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																										
1	5745.00	96.82	83.87	12.95	83.87	36.34	10.06	33.45	200	79	AVERAGE																																																																										



Mode	32																																																																																																	
	Harmonic																																																																																																	
	5.725-5.85_UNII 3_802.11a_CH149_5745MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-05-22</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 32 Setting : 6N Power setting 11 Plane : Z with Accessories Plane : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>50.99</td> <td>74.00</td> <td>-23.01</td> <td>47.38</td> <td>39.60</td> <td>12.87</td> <td>48.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>51.13</td> <td>68.30</td> <td>-17.17</td> <td>45.19</td> <td>44.18</td> <td>15.72</td> <td>53.96</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	50.99	74.00	-23.01	47.38	39.60	12.87	48.86	---	---	Peak	2	17235.00	51.13	68.30	-17.17	45.19	44.18	15.72	53.96	---	---	Peak	<p>Date: 2023-05-22</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 32 Setting : 6N Power setting 11 Plane : Z with Accessories Plane : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>46.61</td> <td>39.60</td> <td>12.87</td> <td>48.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>50.94</td> <td>68.30</td> <td>-17.36</td> <td>45.00</td> <td>44.18</td> <td>15.72</td> <td>53.96</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	50.22	74.00	-23.78	46.61	39.60	12.87	48.86	---	---	Peak	2	17235.00	50.94	68.30	-17.36	45.00	44.18	15.72	53.96	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11490.00	50.99	74.00	-23.01	47.38	39.60	12.87	48.86	---	---	Peak																																																																																							
2	17235.00	51.13	68.30	-17.17	45.19	44.18	15.72	53.96	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11490.00	50.22	74.00	-23.78	46.61	39.60	12.87	48.86	---	---	Peak																																																																																							
2	17235.00	50.94	68.30	-17.36	45.00	44.18	15.72	53.96	---	---	Peak																																																																																							



Mode	33																																																																																																	
	Harmonic																																																																																																	
	5.725-5.85_UNII 3_802.11a_CH157_5785MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 33 Setting : 6N Power setting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>50.57</td> <td>74.00</td> <td>-23.43</td> <td>46.93</td> <td>39.57</td> <td>12.93</td> <td>48.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.10</td> <td>68.30</td> <td>-18.20</td> <td>44.21</td> <td>44.33</td> <td>15.81</td> <td>54.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	50.57	74.00	-23.43	46.93	39.57	12.93	48.86	---	---	Peak	2	17355.00	50.10	68.30	-18.20	44.21	44.33	15.81	54.25	---	---	Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 33 Setting : 6N Power setting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>50.16</td> <td>74.00</td> <td>-23.84</td> <td>46.52</td> <td>39.57</td> <td>12.93</td> <td>48.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.87</td> <td>68.30</td> <td>-17.43</td> <td>44.98</td> <td>44.33</td> <td>15.81</td> <td>54.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	50.16	74.00	-23.84	46.52	39.57	12.93	48.86	---	---	Peak	2	17355.00	50.87	68.30	-17.43	44.98	44.33	15.81	54.25	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11570.00	50.57	74.00	-23.43	46.93	39.57	12.93	48.86	---	---	Peak																																																																																							
2	17355.00	50.10	68.30	-18.20	44.21	44.33	15.81	54.25	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11570.00	50.16	74.00	-23.84	46.52	39.57	12.93	48.86	---	---	Peak																																																																																							
2	17355.00	50.87	68.30	-17.43	44.98	44.33	15.81	54.25	---	---	Peak																																																																																							



Mode	34																																																																																					
	Band Edge																																																																																					
	5.725-5.85_UNII 3_802.11a_CH165_5825MHz																																																																																					
ANT	CDD 5+18																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL Mode : 34 Setting : 6M Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>51.62</td> <td>111.08</td> <td>-59.46</td> <td>38.22</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>200</td> <td>332</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>51.97</td> <td>105.48</td> <td>-53.51</td> <td>38.50</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>200</td> <td>332</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.25</td> <td>53.40</td> <td>68.85</td> <td>-15.45</td> <td>39.72</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>200</td> <td>332</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5950.00</td> <td>53.51</td> <td>68.30</td> <td>-14.79</td> <td>39.72</td> <td>36.63</td> <td>10.49</td> <td>33.33</td> <td>200</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5854.88	51.62	111.08	-59.46	38.22	36.50	10.29	33.39	200	332	PEAK	2	5874.00	51.97	105.48	-53.51	38.50	36.52	10.33	33.38	200	332	PEAK	3	5924.25	53.40	68.85	-15.45	39.72	36.59	10.44	33.35	200	332	PEAK	4	5950.00	53.51	68.30	-14.79	39.72	36.63	10.49	33.33	200	332	PEAK	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 34 Setting : 6M Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.08</td> <td>-----</td> <td>-----</td> <td>81.78</td> <td>36.46</td> <td>10.24</td> <td>33.40</td> <td>200</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	95.08	-----	-----	81.78	36.46	10.24	33.40	200	332	PEAK
	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																										
1	5854.88	51.62	111.08	-59.46	38.22	36.50	10.29	33.39	200	332	PEAK																																																																											
2	5874.00	51.97	105.48	-53.51	38.50	36.52	10.33	33.38	200	332	PEAK																																																																											
3	5924.25	53.40	68.85	-15.45	39.72	36.59	10.44	33.35	200	332	PEAK																																																																											
4	5950.00	53.51	68.30	-14.79	39.72	36.63	10.49	33.33	200	332	PEAK																																																																											
Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																											
1	5825.00	95.08	-----	-----	81.78	36.46	10.24	33.40	200	332	PEAK																																																																											
Avg	Blank	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL Mode : 34 Setting : 6M Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>86.91</td> <td>-----</td> <td>-----</td> <td>73.64</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>200</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	86.91	-----	-----	73.64	36.45	10.23	33.41	200	332	AVERAGE																																																												
Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																											
1	5825.00	86.91	-----	-----	73.64	36.45	10.23	33.41	200	332	AVERAGE																																																																											





Mode	34																																																																																					
	Band Edge																																																																																					
	5.725-5.85_UNII 3_802.11a_CH165_5825MHz																																																																																					
ANT	CDD 5+18																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL Mode : 34 Setting : 6M Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>51.41</td> <td>111.08</td> <td>-59.67</td> <td>38.01</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>230</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.38</td> <td>52.38</td> <td>105.37</td> <td>-52.99</td> <td>38.91</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>230</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>52.57</td> <td>68.48</td> <td>-15.91</td> <td>38.89</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>230</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.38</td> <td>53.61</td> <td>68.30</td> <td>-14.69</td> <td>39.90</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>230</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5854.88	51.41	111.08	-59.67	38.01	36.50	10.29	33.39	230	67	PEAK	2	5874.38	52.38	105.37	-52.99	38.91	36.52	10.33	33.38	230	67	PEAK	3	5924.75	52.57	68.48	-15.91	38.89	36.59	10.44	33.35	230	67	PEAK	4	5929.38	53.61	68.30	-14.69	39.90	36.60	10.45	33.34	230	67	PEAK	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 34 Setting : 6M Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.64</td> <td>-----</td> <td>-----</td> <td>89.37</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>230</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	102.64	-----	-----	89.37	36.45	10.23	33.41	230	67	PEAK
	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																										
1	5854.88	51.41	111.08	-59.67	38.01	36.50	10.29	33.39	230	67	PEAK																																																																											
2	5874.38	52.38	105.37	-52.99	38.91	36.52	10.33	33.38	230	67	PEAK																																																																											
3	5924.75	52.57	68.48	-15.91	38.89	36.59	10.44	33.35	230	67	PEAK																																																																											
4	5929.38	53.61	68.30	-14.69	39.90	36.60	10.45	33.34	230	67	PEAK																																																																											
Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																											
1	5825.00	102.64	-----	-----	89.37	36.45	10.23	33.41	230	67	PEAK																																																																											
Avg	Blank	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL Mode : 34 Setting : 6M Powersetting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>94.82</td> <td>-----</td> <td>-----</td> <td>81.55</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>230</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	94.82	-----	-----	81.55	36.45	10.23	33.41	230	67	AVERAGE																																																												
Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																											
1	5825.00	94.82	-----	-----	81.55	36.45	10.23	33.41	230	67	AVERAGE																																																																											



Mode	34																																																																																																	
	Harmonic																																																																																																	
	5.725-5.85_UNII 3_802.11a_CH165_5825MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-05-22</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 34 Setting : 6N Power setting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.16</td> <td>74.00</td> <td>-23.84</td> <td>46.44</td> <td>39.54</td> <td>12.99</td> <td>48.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>50.17</td> <td>68.30</td> <td>-18.13</td> <td>44.34</td> <td>44.47</td> <td>15.90</td> <td>54.54</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	50.16	74.00	-23.84	46.44	39.54	12.99	48.81	---	---	Peak	2	17475.00	50.17	68.30	-18.13	44.34	44.47	15.90	54.54	---	---	Peak	<p>Date: 2023-05-22</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 34 Setting : 6N Power setting 11 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>49.50</td> <td>74.00</td> <td>-24.50</td> <td>45.78</td> <td>39.54</td> <td>12.99</td> <td>48.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>50.67</td> <td>68.30</td> <td>-17.63</td> <td>44.84</td> <td>44.47</td> <td>15.90</td> <td>54.54</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	49.50	74.00	-24.50	45.78	39.54	12.99	48.81	---	---	Peak	2	17475.00	50.67	68.30	-17.63	44.84	44.47	15.90	54.54	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11650.00	50.16	74.00	-23.84	46.44	39.54	12.99	48.81	---	---	Peak																																																																																							
2	17475.00	50.17	68.30	-18.13	44.34	44.47	15.90	54.54	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11650.00	49.50	74.00	-24.50	45.78	39.54	12.99	48.81	---	---	Peak																																																																																							
2	17475.00	50.67	68.30	-17.63	44.84	44.47	15.90	54.54	---	---	Peak																																																																																							



Mode	35																																																																																					
	Band Edge																																																																																					
	5.725-5.85_UNII 3_802.11be EHT20_CH149_Full_5745MHz																																																																																					
ANT	CDD 5+18																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2023-05-21</p> <p>PEAK_BE(B4)_16-24</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL Mode : 35 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.60</td> <td>53.50</td> <td>68.30</td> <td>-14.80</td> <td>40.98</td> <td>36.20</td> <td>9.84</td> <td>33.52</td> <td>200</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>52.32</td> <td>68.96</td> <td>-16.64</td> <td>39.76</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>200</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.92</td> <td>67.79</td> <td>110.78</td> <td>-42.99</td> <td>54.94</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>200</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.37</td> <td>70.79</td> <td>113.91</td> <td>-43.12</td> <td>57.94</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>200</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	APos (dB)	TPos (cm)	Remark	1	5640.60	53.50	68.30	-14.80	40.98	36.20	9.84	33.52	200	302	PEAK	2	5650.90	52.32	68.96	-16.64	39.76	36.21	9.86	33.51	200	302	PEAK	3	5719.92	67.79	110.78	-42.99	54.94	36.31	10.01	33.47	200	302	PEAK	4	5721.37	70.79	113.91	-43.12	57.94	36.31	10.01	33.47	200	302	PEAK	<p>Date: 2023-05-21</p> <p>PART 15.407</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 35 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dB)</th> <th>Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.02</td> <td>-----</td> <td>-----</td> <td>95.07</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>200</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dB)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	108.02	-----	-----	95.07	36.34	10.06	33.45	200	302	PEAK
	Line	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	APos (dB)	TPos (cm)	Remark																																																																										
1	5640.60	53.50	68.30	-14.80	40.98	36.20	9.84	33.52	200	302	PEAK																																																																											
2	5650.90	52.32	68.96	-16.64	39.76	36.21	9.86	33.51	200	302	PEAK																																																																											
3	5719.92	67.79	110.78	-42.99	54.94	36.31	10.01	33.47	200	302	PEAK																																																																											
4	5721.37	70.79	113.91	-43.12	57.94	36.31	10.01	33.47	200	302	PEAK																																																																											
Line	Freq (MHz)	Level (dBuV/m)	Limit (dB)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	APos (dB)	TPos (cm)	Remark																																																																											
1	5745.00	108.02	-----	-----	95.07	36.34	10.06	33.45	200	302	PEAK																																																																											
Avg	Blank	<p>Date: 2023-05-21</p> <p>PART 15.407 AVG</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL Mode : 35 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047238</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dB)</th> <th>Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.25</td> <td>-----</td> <td>-----</td> <td>86.30</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>200</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Line	Freq (MHz)	Level (dBuV/m)	Limit (dB)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	99.25	-----	-----	86.30	36.34	10.06	33.45	200	302	AVERAGE																																																												
Line	Freq (MHz)	Level (dBuV/m)	Limit (dB)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	APos (dB)	TPos (cm)	Remark																																																																											
1	5745.00	99.25	-----	-----	86.30	36.34	10.06	33.45	200	302	AVERAGE																																																																											



<b>35</b>																																																																									
<b>Band Edge</b>																																																																									
<b>5.725-5.85_UNII 3_802.11be EHT20_CH149_Full_5745MHz</b>																																																																									
<b>ANT CDD 5+18</b>																																																																									
<b>Pol.</b>	<b>Vertical</b>																																																																								
<b>Peak</b>	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ          Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL          Mode : 35          Setting : MCS0 Powersetting 18          Plane : Z with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.08</td> <td>53.62</td> <td>68.30</td> <td>-14.68</td> <td>41.12</td> <td>36.19</td> <td>9.83</td> <td>33.52</td> <td>200</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>52.96</td> <td>68.96</td> <td>-16.00</td> <td>40.40</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>200</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.92</td> <td>72.79</td> <td>110.78</td> <td>-37.99</td> <td>59.94</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>200</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>74.75</td> <td>111.60</td> <td>-36.85</td> <td>61.90</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>200</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5634.08	53.62	68.30	-14.68	41.12	36.19	9.83	33.52	200	73	PEAK	2	5650.90	52.96	68.96	-16.00	40.40	36.21	9.86	33.51	200	73	PEAK	3	5719.92	72.79	110.78	-37.99	59.94	36.31	10.01	33.47	200	73	PEAK	4	5720.35	74.75	111.60	-36.85	61.90	36.31	10.01	33.47	200	73	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																															
1	5634.08	53.62	68.30	-14.68	41.12	36.19	9.83	33.52	200	73	PEAK																																																														
2	5650.90	52.96	68.96	-16.00	40.40	36.21	9.86	33.51	200	73	PEAK																																																														
3	5719.92	72.79	110.78	-37.99	59.94	36.31	10.01	33.47	200	73	PEAK																																																														
4	5720.35	74.75	111.60	-36.85	61.90	36.31	10.01	33.47	200	73	PEAK																																																														
<b>Fundamental</b>																																																																									
<b>Peak</b>	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL          Mode : 35          Setting : MCS0 Powersetting 18          Plane : Z with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.72</td> <td>-----</td> <td>-----</td> <td>97.77</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>200</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	110.72	-----	-----	97.77	36.34	10.06	33.45	200	73	PEAK																																				
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																															
1	5745.00	110.72	-----	-----	97.77	36.34	10.06	33.45	200	73	PEAK																																																														
<b>Avg</b>	<b>Blank</b>																																																																								
<b>Blank</b>	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL          Mode : 35          Setting : MCS0 Powersetting 18          Plane : Z with Accessories          : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.40</td> <td>-----</td> <td>-----</td> <td>89.45</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>200</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	102.40	-----	-----	89.45	36.34	10.06	33.45	200	73	AVERAGE																																				
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																															
1	5745.00	102.40	-----	-----	89.45	36.34	10.06	33.45	200	73	AVERAGE																																																														



Mode	35																																																																																	
	Harmonic																																																																																	
	5.725-5.85_UNII 3_802.11be EHT20_CH149_Full_5745MHz																																																																																	
ANT	CDD 5+18																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Date: 2023-05-23</p> <p>Site : 03CH04-SZ            Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL            Mode : 35            Setting : MCS0 Power setting 18            Plane : Z with Accessories            : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>50.82</td> <td>74.00</td> <td>-23.18</td> <td>49.12</td> <td>37.69</td> <td>12.87</td> <td>48.86</td> </tr> <tr> <td>2 17235.00</td> <td>49.93</td> <td>68.30</td> <td>-18.37</td> <td>44.28</td> <td>43.89</td> <td>15.72</td> <td>53.96</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	50.82	74.00	-23.18	49.12	37.69	12.87	48.86	2 17235.00	49.93	68.30	-18.37	44.28	43.89	15.72	53.96	<p>Date: 2023-05-23</p> <p>Site : 03CH04-SZ            Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL            Mode : 35            Setting : MCS0 Power setting 18            Plane : Z with Accessories            : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>50.58</td> <td>74.00</td> <td>-23.42</td> <td>48.88</td> <td>37.69</td> <td>12.87</td> <td>48.86</td> </tr> <tr> <td>2 17235.00</td> <td>50.79</td> <td>68.30</td> <td>-17.51</td> <td>45.14</td> <td>43.89</td> <td>15.72</td> <td>53.96</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	50.58	74.00	-23.42	48.88	37.69	12.87	48.86	2 17235.00	50.79	68.30	-17.51	45.14	43.89	15.72	53.96
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 11490.00	50.82	74.00	-23.18	49.12	37.69	12.87	48.86																																																																											
2 17235.00	49.93	68.30	-18.37	44.28	43.89	15.72	53.96																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 11490.00	50.58	74.00	-23.42	48.88	37.69	12.87	48.86																																																																											
2 17235.00	50.79	68.30	-17.51	45.14	43.89	15.72	53.96																																																																											



Mode	36																																																																																															
	Harmonic																																																																																															
	5.725-5.85_UNII 3_802.11be EHT20_CH157_Full_5785MHz																																																																																															
ANT	CDD 5+18																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 36 Setting : MCS0 Power setting 18 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>50.95</td> <td>74.00</td> <td>-23.05</td> <td>49.08</td> <td>37.80</td> <td>12.93</td> <td>48.86</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.22</td> <td>68.30</td> <td>-18.08</td> <td>45.13</td> <td>43.53</td> <td>15.81</td> <td>54.25</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	50.95	74.00	-23.05	49.08	37.80	12.93	48.86	--- Peak	2	17355.00	50.22	68.30	-18.08	45.13	43.53	15.81	54.25	--- Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 36 Setting : MCS0 Power setting 18 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>50.86</td> <td>74.00</td> <td>-23.14</td> <td>48.99</td> <td>37.80</td> <td>12.93</td> <td>48.86</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.03</td> <td>68.30</td> <td>-18.27</td> <td>44.94</td> <td>43.53</td> <td>15.81</td> <td>54.25</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	50.86	74.00	-23.14	48.99	37.80	12.93	48.86	--- Peak	2	17355.00	50.03	68.30	-18.27	44.94	43.53	15.81	54.25	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																								
1	11570.00	50.95	74.00	-23.05	49.08	37.80	12.93	48.86	--- Peak																																																																																							
2	17355.00	50.22	68.30	-18.08	45.13	43.53	15.81	54.25	--- Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																								
1	11570.00	50.86	74.00	-23.14	48.99	37.80	12.93	48.86	--- Peak																																																																																							
2	17355.00	50.03	68.30	-18.27	44.94	43.53	15.81	54.25	--- Peak																																																																																							



Mode	37																																																																																																													
	Band Edge																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT20_CH165_Full_5825MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL Mode : 37 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.38</td> <td>73.51</td> <td>121.34</td> <td>-47.83</td> <td>60.13</td> <td>36.49</td> <td>10.28</td> <td>33.39</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5858.75</td> <td>63.82</td> <td>109.75</td> <td>-45.93</td> <td>50.40</td> <td>36.50</td> <td>10.30</td> <td>33.38</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>52.89</td> <td>68.39</td> <td>-15.50</td> <td>39.21</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.88</td> <td>53.70</td> <td>68.30</td> <td>-14.60</td> <td>39.97</td> <td>36.61</td> <td>10.46</td> <td>33.34</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5850.38	73.51	121.34	-47.83	60.13	36.49	10.28	33.39	100	238	PEAK	2	5858.75	63.82	109.75	-45.93	50.40	36.50	10.30	33.38	100	238	PEAK	3	5924.88	52.89	68.39	-15.50	39.21	36.59	10.44	33.35	100	238	PEAK	4	5932.88	53.70	68.30	-14.60	39.97	36.61	10.46	33.34	100	238	PEAK	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 37 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.87</td> <td>-----</td> <td>-----</td> <td>95.60</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	108.87	-----	-----	95.60	36.45	10.23	33.41	100	238	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5850.38	73.51	121.34	-47.83	60.13	36.49	10.28	33.39	100	238	PEAK																																																																																																			
2	5858.75	63.82	109.75	-45.93	50.40	36.50	10.30	33.38	100	238	PEAK																																																																																																			
3	5924.88	52.89	68.39	-15.50	39.21	36.59	10.44	33.35	100	238	PEAK																																																																																																			
4	5932.88	53.70	68.30	-14.60	39.97	36.61	10.46	33.34	100	238	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	108.87	-----	-----	95.60	36.45	10.23	33.41	100	238	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL Mode : 37 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.67</td> <td>-----</td> <td>-----</td> <td>86.40</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>100</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	99.67	-----	-----	86.40	36.45	10.23	33.41	100	238	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	99.67	-----	-----	86.40	36.45	10.23	33.41	100	238	AVERAGE																																																																																																			



Mode	37																																																																																																													
	Band Edge																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT20_CH165_Full_5825MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL Mode : 37 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>67.75</td> <td>110.80</td> <td>-43.05</td> <td>54.35</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>369</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.50</td> <td>65.75</td> <td>110.10</td> <td>-44.35</td> <td>52.34</td> <td>36.50</td> <td>10.30</td> <td>33.39</td> <td>369</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>53.90</td> <td>68.58</td> <td>-14.68</td> <td>40.22</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>369</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.25</td> <td>54.53</td> <td>68.30</td> <td>-13.77</td> <td>40.82</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>369</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5855.00	67.75	110.80	-43.05	54.35	36.50	10.29	33.39	369	92	PEAK	2	5857.50	65.75	110.10	-44.35	52.34	36.50	10.30	33.39	369	92	PEAK	3	5924.63	53.90	68.58	-14.68	40.22	36.59	10.44	33.35	369	92	PEAK	4	5928.25	54.53	68.30	-13.77	40.82	36.60	10.45	33.34	369	92	PEAK	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 37 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.85</td> <td>-----</td> <td>-----</td> <td>98.58</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>369</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	111.85	-----	-----	98.58	36.45	10.23	33.41	369	92	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5855.00	67.75	110.80	-43.05	54.35	36.50	10.29	33.39	369	92	PEAK																																																																																																			
2	5857.50	65.75	110.10	-44.35	52.34	36.50	10.30	33.39	369	92	PEAK																																																																																																			
3	5924.63	53.90	68.58	-14.68	40.22	36.59	10.44	33.35	369	92	PEAK																																																																																																			
4	5928.25	54.53	68.30	-13.77	40.82	36.60	10.45	33.34	369	92	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	111.85	-----	-----	98.58	36.45	10.23	33.41	369	92	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL Mode : 37 Setting : MCS0 Powersetting 18 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.59</td> <td>-----</td> <td>-----</td> <td>90.32</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>369</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	103.59	-----	-----	90.32	36.45	10.23	33.41	369	92	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	103.59	-----	-----	90.32	36.45	10.23	33.41	369	92	AVERAGE																																																																																																			





Mode	37																																																																																																	
	Harmonic																																																																																																	
	5.725-5.85_UNII 3_802.11be EHT20_CH165_Full_5825MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 37 Setting : MCS0 Power setting 18 Plane : Z with Accessories Plane : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.02</td> <td>74.00</td> <td>-23.98</td> <td>47.91</td> <td>37.93</td> <td>12.99</td> <td>48.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>49.10</td> <td>68.30</td> <td>-19.20</td> <td>44.57</td> <td>43.17</td> <td>15.90</td> <td>54.54</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	50.02	74.00	-23.98	47.91	37.93	12.99	48.81	---	---	Peak	2	17475.00	49.10	68.30	-19.20	44.57	43.17	15.90	54.54	---	---	Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 37 Setting : MCS0 Power setting 18 Plane : Z with Accessories Plane : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.64</td> <td>74.00</td> <td>-23.36</td> <td>48.53</td> <td>37.93</td> <td>12.99</td> <td>48.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>50.64</td> <td>68.30</td> <td>-17.66</td> <td>46.11</td> <td>43.17</td> <td>15.90</td> <td>54.54</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	50.64	74.00	-23.36	48.53	37.93	12.99	48.81	---	---	Peak	2	17475.00	50.64	68.30	-17.66	46.11	43.17	15.90	54.54	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11650.00	50.02	74.00	-23.98	47.91	37.93	12.99	48.81	---	---	Peak																																																																																							
2	17475.00	49.10	68.30	-19.20	44.57	43.17	15.90	54.54	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11650.00	50.64	74.00	-23.36	48.53	37.93	12.99	48.81	---	---	Peak																																																																																							
2	17475.00	50.64	68.30	-17.66	46.11	43.17	15.90	54.54	---	---	Peak																																																																																							



Mode	38																																																																																																													
	Band Edge - L																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT40_CH151_Full_5755MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL Mode : 38 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.72</td> <td>52.39</td> <td>68.30</td> <td>-15.91</td> <td>39.94</td> <td>36.17</td> <td>9.81</td> <td>33.53</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.38</td> <td>52.19</td> <td>68.58</td> <td>-16.39</td> <td>39.63</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5716.56</td> <td>73.13</td> <td>109.84</td> <td>-36.71</td> <td>60.30</td> <td>36.30</td> <td>10.00</td> <td>33.47</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>70.76</td> <td>111.09</td> <td>-40.33</td> <td>57.91</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5623.72	52.39	68.30	-15.91	39.94	36.17	9.81	33.53	345	41	PEAK	2	5650.38	52.19	68.58	-16.39	39.63	36.21	9.86	33.51	345	41	PEAK	3	5716.56	73.13	109.84	-36.71	60.30	36.30	10.00	33.47	345	41	PEAK	4	5720.13	70.76	111.09	-40.33	57.91	36.31	10.01	33.47	345	41	PEAK	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 38 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>102.94</td> <td>102.94</td> <td>0.00</td> <td>89.94</td> <td>36.36</td> <td>10.09</td> <td>33.45</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5755.00	102.94	102.94	0.00	89.94	36.36	10.09	33.45	345	41	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5623.72	52.39	68.30	-15.91	39.94	36.17	9.81	33.53	345	41	PEAK																																																																																																			
2	5650.38	52.19	68.58	-16.39	39.63	36.21	9.86	33.51	345	41	PEAK																																																																																																			
3	5716.56	73.13	109.84	-36.71	60.30	36.30	10.00	33.47	345	41	PEAK																																																																																																			
4	5720.13	70.76	111.09	-40.33	57.91	36.31	10.01	33.47	345	41	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5755.00	102.94	102.94	0.00	89.94	36.36	10.09	33.45	345	41	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL Mode : 38 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>93.31</td> <td>102.94</td> <td>-9.63</td> <td>80.31</td> <td>36.36</td> <td>10.09</td> <td>33.45</td> <td>345</td> <td>41</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5755.00	93.31	102.94	-9.63	80.31	36.36	10.09	33.45	345	41	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5755.00	93.31	102.94	-9.63	80.31	36.36	10.09	33.45	345	41	AVERAGE																																																																																																			



Mode	38																																																																												
	Band Edge - R																																																																												
	5.725-5.85_UNII 3_802.11be EHT40_CH151_Full_5755MHz																																																																												
ANT	CDD 5+18																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ          Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL          Mode : 38          Setting : NCS0 Powersetting 17          Plane : Z with Accessories          : 061585060047220/061585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.87</td> <td>52.67</td> <td>113.39</td> <td>-60.72</td> <td>39.27</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.34</td> <td>52.30</td> <td>105.38</td> <td>-53.08</td> <td>38.83</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.65</td> <td>52.39</td> <td>68.56</td> <td>-16.17</td> <td>38.71</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.91</td> <td>53.40</td> <td>68.30</td> <td>-14.90</td> <td>39.63</td> <td>36.62</td> <td>10.48</td> <td>33.33</td> <td>345</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5853.87	52.67	113.39	-60.72	39.27	36.50	10.29	33.39	345	41	PEAK	2	5874.34	52.30	105.38	-53.08	38.83	36.52	10.33	33.38	345	41	PEAK	3	5924.65	52.39	68.56	-16.17	38.71	36.59	10.44	33.35	345	41	PEAK	4	5945.91	53.40	68.30	-14.90	39.63	36.62	10.48	33.33	345	41	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5853.87	52.67	113.39	-60.72	39.27	36.50	10.29	33.39	345	41	PEAK																																																																		
2	5874.34	52.30	105.38	-53.08	38.83	36.52	10.33	33.38	345	41	PEAK																																																																		
3	5924.65	52.39	68.56	-16.17	38.71	36.59	10.44	33.35	345	41	PEAK																																																																		
4	5945.91	53.40	68.30	-14.90	39.63	36.62	10.48	33.33	345	41	PEAK																																																																		



Mode	38																																																																																																													
	Band Edge - L																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT40_CH151_Full_5755MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL Mode : 38 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.91</td> <td>54.44</td> <td>68.30</td> <td>-13.86</td> <td>41.88</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.07</td> <td>54.74</td> <td>68.35</td> <td>-13.61</td> <td>42.18</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5716.25</td> <td>77.39</td> <td>109.75</td> <td>-32.36</td> <td>64.56</td> <td>36.30</td> <td>10.00</td> <td>33.47</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>76.92</td> <td>111.09</td> <td>-34.17</td> <td>64.07</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5649.91	54.44	68.30	-13.86	41.88	36.21	9.86	33.51	201	75	PEAK	2	5650.07	54.74	68.35	-13.61	42.18	36.21	9.86	33.51	201	75	PEAK	3	5716.25	77.39	109.75	-32.36	64.56	36.30	10.00	33.47	201	75	PEAK	4	5720.13	76.92	111.09	-34.17	64.07	36.31	10.01	33.47	201	75	PEAK	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 38 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>108.03</td> <td>108.03</td> <td>0.00</td> <td>95.03</td> <td>36.36</td> <td>10.09</td> <td>33.45</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5755.00	108.03	108.03	0.00	95.03	36.36	10.09	33.45	201	75	PEAK
	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5649.91	54.44	68.30	-13.86	41.88	36.21	9.86	33.51	201	75	PEAK																																																																																																			
2	5650.07	54.74	68.35	-13.61	42.18	36.21	9.86	33.51	201	75	PEAK																																																																																																			
3	5716.25	77.39	109.75	-32.36	64.56	36.30	10.00	33.47	201	75	PEAK																																																																																																			
4	5720.13	76.92	111.09	-34.17	64.07	36.31	10.01	33.47	201	75	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5755.00	108.03	108.03	0.00	95.03	36.36	10.09	33.45	201	75	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL Mode : 38 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>98.58</td> <td>108.03</td> <td>-9.45</td> <td>85.60</td> <td>36.35</td> <td>10.08</td> <td>33.45</td> <td>201</td> <td>75</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5755.00	98.58	108.03	-9.45	85.60	36.35	10.08	33.45	201	75	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5755.00	98.58	108.03	-9.45	85.60	36.35	10.08	33.45	201	75	AVERAGE																																																																																																			



Mode	38																																																																									
	Band Edge - R																																																																									
	5.725-5.85_UNII 3_802.11be EHT40_CH151_Full_5755MHz																																																																									
ANT	CDD 5+18																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ          Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL          Mode : 38          Setting : NCS0 Powersetting 17          Plane : Z with Accessories          : 061585060047220/061585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Reed</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>53.21</td> <td>111.17</td> <td>-57.96</td> <td>39.81</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.17</td> <td>54.09</td> <td>105.71</td> <td>-51.62</td> <td>40.62</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>52.92</td> <td>68.41</td> <td>-15.49</td> <td>39.24</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.69</td> <td>55.14</td> <td>68.30</td> <td>-13.16</td> <td>41.40</td> <td>36.61</td> <td>10.47</td> <td>33.34</td> <td>201</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Reed	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg		1	5854.84	53.21	111.17	-57.96	39.81	36.50	10.29	33.39	201	75	PEAK	2	5873.17	54.09	105.71	-51.62	40.62	36.52	10.33	33.38	201	75	PEAK	3	5924.85	52.92	68.41	-15.49	39.24	36.59	10.44	33.35	201	75	PEAK	4	5938.69	55.14	68.30	-13.16	41.40	36.61	10.47	33.34	201	75	PEAK	Blank
Peak	Freq	Level	Limit	Margin	Reed	Ant	Cable	Preamp	APos	TPos	Remark																																																															
	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg																																																																
1	5854.84	53.21	111.17	-57.96	39.81	36.50	10.29	33.39	201	75	PEAK																																																															
2	5873.17	54.09	105.71	-51.62	40.62	36.52	10.33	33.38	201	75	PEAK																																																															
3	5924.85	52.92	68.41	-15.49	39.24	36.59	10.44	33.35	201	75	PEAK																																																															
4	5938.69	55.14	68.30	-13.16	41.40	36.61	10.47	33.34	201	75	PEAK																																																															



Mode	38																																																																																																	
	Harmonic																																																																																																	
	5.725-5.85_UNII 3_802.11be EHT40_CH151_Full_5755MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-05-23</p> <p>Site : 03CH04-SZ            Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL            Mode : 38            Setting : MCS0 Power setting 17            Plane : Z with Accessories            : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>50.76</td> <td>74.00</td> <td>-23.24</td> <td>49.05</td> <td>37.71</td> <td>12.89</td> <td>48.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>50.77</td> <td>68.30</td> <td>-17.53</td> <td>45.27</td> <td>43.80</td> <td>15.74</td> <td>54.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11510.00	50.76	74.00	-23.24	49.05	37.71	12.89	48.89	---	---	Peak	2	17265.00	50.77	68.30	-17.53	45.27	43.80	15.74	54.04	---	---	Peak	<p>Date: 2023-05-23</p> <p>Site : 03CH04-SZ            Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL            Mode : 38            Setting : MCS0 Power setting 17            Plane : Z with Accessories            : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>50.95</td> <td>74.00</td> <td>-23.05</td> <td>49.24</td> <td>37.71</td> <td>12.89</td> <td>48.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>50.06</td> <td>68.30</td> <td>-18.24</td> <td>44.56</td> <td>43.80</td> <td>15.74</td> <td>54.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11510.00	50.95	74.00	-23.05	49.24	37.71	12.89	48.89	---	---	Peak	2	17265.00	50.06	68.30	-18.24	44.56	43.80	15.74	54.04	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11510.00	50.76	74.00	-23.24	49.05	37.71	12.89	48.89	---	---	Peak																																																																																							
2	17265.00	50.77	68.30	-17.53	45.27	43.80	15.74	54.04	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11510.00	50.95	74.00	-23.05	49.24	37.71	12.89	48.89	---	---	Peak																																																																																							
2	17265.00	50.06	68.30	-18.24	44.56	43.80	15.74	54.04	---	---	Peak																																																																																							



Mode	39																																																																																																													
	Band Edge - L																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT40_CH159_Full_5795MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL Mode : 39 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5615.99</td> <td>52.52</td> <td>68.30</td> <td>-15.78</td> <td>40.10</td> <td>36.16</td> <td>9.79</td> <td>33.53</td> <td>200</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.12</td> <td>50.90</td> <td>68.39</td> <td>-17.49</td> <td>38.34</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>200</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.82</td> <td>55.01</td> <td>105.43</td> <td>-50.42</td> <td>42.24</td> <td>36.28</td> <td>9.97</td> <td>33.48</td> <td>200</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.71</td> <td>55.77</td> <td>112.41</td> <td>-56.64</td> <td>42.92</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>200</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5615.99	52.52	68.30	-15.78	40.10	36.16	9.79	33.53	200	252	PEAK	2	5650.12	50.90	68.39	-17.49	38.34	36.21	9.86	33.51	200	252	PEAK	3	5700.82	55.01	105.43	-50.42	42.24	36.28	9.97	33.48	200	252	PEAK	4	5720.71	55.77	112.41	-56.64	42.92	36.31	10.01	33.47	200	252	PEAK	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 39 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.47</td> <td>-----</td> <td>-----</td> <td>91.32</td> <td>36.41</td> <td>10.16</td> <td>33.42</td> <td>200</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5795.00	104.47	-----	-----	91.32	36.41	10.16	33.42	200	252	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5615.99	52.52	68.30	-15.78	40.10	36.16	9.79	33.53	200	252	PEAK																																																																																																			
2	5650.12	50.90	68.39	-17.49	38.34	36.21	9.86	33.51	200	252	PEAK																																																																																																			
3	5700.82	55.01	105.43	-50.42	42.24	36.28	9.97	33.48	200	252	PEAK																																																																																																			
4	5720.71	55.77	112.41	-56.64	42.92	36.31	10.01	33.47	200	252	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5795.00	104.47	-----	-----	91.32	36.41	10.16	33.42	200	252	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL Mode : 39 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>96.12</td> <td>-----</td> <td>-----</td> <td>82.94</td> <td>36.42</td> <td>10.18</td> <td>33.42</td> <td>200</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5795.00	96.12	-----	-----	82.94	36.42	10.18	33.42	200	252	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5795.00	96.12	-----	-----	82.94	36.42	10.18	33.42	200	252	AVERAGE																																																																																																			



Mode	39																																																																		
	Band Edge - R																																																																		
	5.725-5.85_UNII 3_802.11be EHT40_CH159_Full_5795MHz																																																																		
ANT	CDD 5+18																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ          Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL          Mode : 39          Setting : NCS0 Powersetting 17          Plane : Z with Accessories          : 061505060047220/061505060047230</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.99</td> <td>58.23</td> <td>110.83</td> <td>-52.60</td> <td>44.83</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>200</td> <td>252 PEAK</td> </tr> <tr> <td>2 5862.27</td> <td>56.76</td> <td>108.76</td> <td>-52.00</td> <td>43.32</td> <td>36.51</td> <td>10.31</td> <td>33.38</td> <td>200</td> <td>252 PEAK</td> </tr> <tr> <td>3 5923.03</td> <td>54.13</td> <td>69.75</td> <td>-15.62</td> <td>40.46</td> <td>36.59</td> <td>10.43</td> <td>33.35</td> <td>200</td> <td>252 PEAK</td> </tr> <tr> <td>4 5943.80</td> <td>54.08</td> <td>68.30</td> <td>-14.22</td> <td>40.31</td> <td>36.62</td> <td>10.48</td> <td>33.33</td> <td>200</td> <td>252 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5854.99	58.23	110.83	-52.60	44.83	36.50	10.29	33.39	200	252 PEAK	2 5862.27	56.76	108.76	-52.00	43.32	36.51	10.31	33.38	200	252 PEAK	3 5923.03	54.13	69.75	-15.62	40.46	36.59	10.43	33.35	200	252 PEAK	4 5943.80	54.08	68.30	-14.22	40.31	36.62	10.48	33.33	200	252 PEAK	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5854.99	58.23	110.83	-52.60	44.83	36.50	10.29	33.39	200	252 PEAK																																																										
2 5862.27	56.76	108.76	-52.00	43.32	36.51	10.31	33.38	200	252 PEAK																																																										
3 5923.03	54.13	69.75	-15.62	40.46	36.59	10.43	33.35	200	252 PEAK																																																										
4 5943.80	54.08	68.30	-14.22	40.31	36.62	10.48	33.33	200	252 PEAK																																																										





<b>39</b>																																																																
<b>Band Edge - L</b>																																																																
<b>5.725-5.85_UNII 3_802.11be EHT40_CH159_Full_5795MHz</b>																																																																
<b>ANT CDD 5+18</b>																																																																
<b>Pol.</b>	<b>Vertical</b>																																																															
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-21</p> <p style="text-align: right;">PEAK_BE(B4)_16-24</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL Mode : 39 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5634.91 53.10 68.30 -15.20</td> <td>40.60</td> <td>36.19</td> <td>9.83</td> <td>33.52</td> <td>200</td> <td>77 PEAK</td> </tr> <tr> <td>2 5651.09 52.91 69.11 -16.20</td> <td>40.35</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>200</td> <td>77 PEAK</td> </tr> <tr> <td>3 5700.43 59.28 105.32 -46.04</td> <td>46.51</td> <td>36.28</td> <td>9.97</td> <td>33.48</td> <td>200</td> <td>77 PEAK</td> </tr> <tr> <td>4 5721.29 61.03 113.74 -52.71</td> <td>48.18</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>200</td> <td>77 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-21</p> <p style="text-align: right;">PART 15.407</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 39 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5795.00 110.91 -----</td> <td>97.73</td> <td>36.42</td> <td>10.18</td> <td>33.42</td> <td>200</td> <td>77 PEAK</td> </tr> </tbody> </table> </div> </div>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor	dB	cm	deg	1 5634.91 53.10 68.30 -15.20	40.60	36.19	9.83	33.52	200	77 PEAK	2 5651.09 52.91 69.11 -16.20	40.35	36.21	9.86	33.51	200	77 PEAK	3 5700.43 59.28 105.32 -46.04	46.51	36.28	9.97	33.48	200	77 PEAK	4 5721.29 61.03 113.74 -52.71	48.18	36.31	10.01	33.47	200	77 PEAK	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor	dB	cm	deg	1 5795.00 110.91 -----	97.73	36.42	10.18	33.42	200	77 PEAK
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level	Factor	Loss Factor	dB	cm	deg																																																										
1 5634.91 53.10 68.30 -15.20	40.60	36.19	9.83	33.52	200	77 PEAK																																																										
2 5651.09 52.91 69.11 -16.20	40.35	36.21	9.86	33.51	200	77 PEAK																																																										
3 5700.43 59.28 105.32 -46.04	46.51	36.28	9.97	33.48	200	77 PEAK																																																										
4 5721.29 61.03 113.74 -52.71	48.18	36.31	10.01	33.47	200	77 PEAK																																																										
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level	Factor	Loss Factor	dB	cm	deg																																																										
1 5795.00 110.91 -----	97.73	36.42	10.18	33.42	200	77 PEAK																																																										
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-21</p> <p style="text-align: right;">PART 15.407 AVG</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL Mode : 39 Setting : MCS0 Powersetting 17 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5795.00 101.76 -----</td> <td>88.61</td> <td>36.41</td> <td>10.16</td> <td>33.42</td> <td>200</td> <td>77 AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor	dB	cm	deg	1 5795.00 101.76 -----	88.61	36.41	10.16	33.42	200	77 AVERAGE																																										
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level	Factor	Loss Factor	dB	cm	deg																																																										
1 5795.00 101.76 -----	88.61	36.41	10.16	33.42	200	77 AVERAGE																																																										



Mode	39																																																																									
	Band Edge - R																																																																									
	5.725-5.85_UNII 3_802.11be EHT40_CH159_Full_5795MHz																																																																									
ANT	CDD 5+18																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ          Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL          Mode : 39          Setting : MCSV0 Powersetting 17          Plane : Z with Accessories          : 061585060047220/061585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>61.28</td> <td>111.19</td> <td>-49.91</td> <td>47.88</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>200</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.23</td> <td>60.52</td> <td>107.37</td> <td>-46.85</td> <td>47.07</td> <td>36.51</td> <td>10.32</td> <td>33.38</td> <td>200</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.89</td> <td>53.49</td> <td>68.38</td> <td>-14.89</td> <td>39.81</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>200</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.65</td> <td>54.57</td> <td>68.30</td> <td>-13.73</td> <td>40.80</td> <td>36.62</td> <td>10.48</td> <td>33.33</td> <td>200</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5854.83	61.28	111.19	-49.91	47.88	36.50	10.29	33.39	200	77	PEAK	2	5867.23	60.52	107.37	-46.85	47.07	36.51	10.32	33.38	200	77	PEAK	3	5924.89	53.49	68.38	-14.89	39.81	36.59	10.44	33.35	200	77	PEAK	4	5943.65	54.57	68.30	-13.73	40.80	36.62	10.48	33.33	200	77	PEAK	Blank
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																
1	5854.83	61.28	111.19	-49.91	47.88	36.50	10.29	33.39	200	77	PEAK																																																															
2	5867.23	60.52	107.37	-46.85	47.07	36.51	10.32	33.38	200	77	PEAK																																																															
3	5924.89	53.49	68.38	-14.89	39.81	36.59	10.44	33.35	200	77	PEAK																																																															
4	5943.65	54.57	68.30	-13.73	40.80	36.62	10.48	33.33	200	77	PEAK																																																															



Mode	39																																																																																																					
	Harmonic																																																																																																					
	5.725-5.85_UNII 3_802.11be EHT40_CH159_Full_5795MHz																																																																																																					
ANT	CDD 5+18																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p>Date: 2023-05-23</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 39 Setting : MCS0 Power setting 17 Plane : Z with Accessories Plane : 861585060047220/061585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>50.39</td> <td>74.00</td> <td>-23.61</td> <td>48.45</td> <td>37.84</td> <td>12.95</td> <td>48.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>49.22</td> <td>68.30</td> <td>-19.08</td> <td>44.27</td> <td>43.44</td> <td>15.83</td> <td>54.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	50.39	74.00	-23.61	48.45	37.84	12.95	48.85	---	---	Peak	2	17385.00	49.22	68.30	-19.08	44.27	43.44	15.83	54.32	---	---	Peak	<p>Date: 2023-05-23</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 39 Setting : MCS0 Power setting 17 Plane : Z with Accessories Plane : 861585060047220/061585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>49.60</td> <td>74.00</td> <td>-24.40</td> <td>47.66</td> <td>37.84</td> <td>12.95</td> <td>48.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>50.98</td> <td>68.30</td> <td>-17.32</td> <td>46.03</td> <td>43.44</td> <td>15.83</td> <td>54.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	49.60	74.00	-24.40	47.66	37.84	12.95	48.85	---	---	Peak	2	17385.00	50.98	68.30	-17.32	46.03	43.44	15.83	54.32	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																														
Freq Level Line Margin	Level	Factor	Loss Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11590.00	50.39	74.00	-23.61	48.45	37.84	12.95	48.85	---	---	Peak																																																																																											
2	17385.00	49.22	68.30	-19.08	44.27	43.44	15.83	54.32	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																															
Freq Level Line Margin	Level	Factor	Loss Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11590.00	49.60	74.00	-24.40	47.66	37.84	12.95	48.85	---	---	Peak																																																																																											
2	17385.00	50.98	68.30	-17.32	46.03	43.44	15.83	54.32	---	---	Peak																																																																																											



Mode	40																																																																																																													
	Band Edge - L																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT80_CH155_Full_5775MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL Mode : 40 Setting : MCS0 Powersetting 16 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5616.98</td> <td>53.22</td> <td>68.30</td> <td>-15.08</td> <td>40.80</td> <td>36.16</td> <td>9.79</td> <td>33.53</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.28</td> <td>52.36</td> <td>69.24</td> <td>-16.88</td> <td>39.80</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5709.38</td> <td>67.52</td> <td>107.83</td> <td>-40.31</td> <td>54.71</td> <td>36.29</td> <td>9.99</td> <td>33.47</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>64.57</td> <td>110.91</td> <td>-46.34</td> <td>51.72</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5616.98	53.22	68.30	-15.08	40.80	36.16	9.79	33.53	100	42	PEAK	2	5651.28	52.36	69.24	-16.88	39.80	36.21	9.86	33.51	100	42	PEAK	3	5709.38	67.52	107.83	-40.31	54.71	36.29	9.99	33.47	100	42	PEAK	4	5720.05	64.57	110.91	-46.34	51.72	36.31	10.01	33.47	100	42	PEAK	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 40 Setting : MCS0 Powersetting 16 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>101.26</td> <td>-----</td> <td>-----</td> <td>88.11</td> <td>36.41</td> <td>10.16</td> <td>33.42</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	101.26	-----	-----	88.11	36.41	10.16	33.42	100	42	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5616.98	53.22	68.30	-15.08	40.80	36.16	9.79	33.53	100	42	PEAK																																																																																																			
2	5651.28	52.36	69.24	-16.88	39.80	36.21	9.86	33.51	100	42	PEAK																																																																																																			
3	5709.38	67.52	107.83	-40.31	54.71	36.29	9.99	33.47	100	42	PEAK																																																																																																			
4	5720.05	64.57	110.91	-46.34	51.72	36.31	10.01	33.47	100	42	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5775.00	101.26	-----	-----	88.11	36.41	10.16	33.42	100	42	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL Mode : 40 Setting : MCS0 Powersetting 16 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.11</td> <td>-----</td> <td>-----</td> <td>78.02</td> <td>36.39</td> <td>10.13</td> <td>33.43</td> <td>100</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	91.11	-----	-----	78.02	36.39	10.13	33.43	100	42	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5775.00	91.11	-----	-----	78.02	36.39	10.13	33.43	100	42	AVERAGE																																																																																																			



Mode	40																																																																												
	Band Edge - R																																																																												
	5.725-5.85_UNII 3_802.11be EHT80_CH155_Full_5775MHz																																																																												
ANT	CDD 5+18																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p>Date: 2023-05-21</p> <p>Site : 03CH04-SZ          Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL          Mode : 40          Setting : NCS0 Powersetting 16          Plane : Z with Accessories          : 061505060047220/061505060047230</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.28</td> <td>60.99</td> <td>112.45</td> <td>-51.46</td> <td>47.59</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.35</td> <td>58.79</td> <td>105.66</td> <td>-46.87</td> <td>45.32</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.40</td> <td>53.47</td> <td>69.48</td> <td>-16.01</td> <td>39.79</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.15</td> <td>53.86</td> <td>68.30</td> <td>-14.44</td> <td>40.09</td> <td>36.62</td> <td>10.48</td> <td>33.33</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.28	60.99	112.45	-51.46	47.59	36.50	10.29	33.39	100	42	PEAK	2	5873.35	58.79	105.66	-46.87	45.32	36.52	10.33	33.38	100	42	PEAK	3	5923.40	53.47	69.48	-16.01	39.79	36.59	10.44	33.35	100	42	PEAK	4	5946.15	53.86	68.30	-14.44	40.09	36.62	10.48	33.33	100	42	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.28	60.99	112.45	-51.46	47.59	36.50	10.29	33.39	100	42	PEAK																																																																		
2	5873.35	58.79	105.66	-46.87	45.32	36.52	10.33	33.38	100	42	PEAK																																																																		
3	5923.40	53.47	69.48	-16.01	39.79	36.59	10.44	33.35	100	42	PEAK																																																																		
4	5946.15	53.86	68.30	-14.44	40.09	36.62	10.48	33.33	100	42	PEAK																																																																		



Mode	40																																																																																																													
	Band Edge - L																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT80_CH155_Full_5775MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<p>Date: 2023-05-21 PEAK_BE(B4)_16-24</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL Mode : 40 Setting : MCS0 Powersetting 16 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.70</td> <td>55.17</td> <td>68.30</td> <td>-13.13</td> <td>42.61</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.85</td> <td>56.51</td> <td>70.41</td> <td>-13.90</td> <td>43.94</td> <td>36.21</td> <td>9.87</td> <td>33.51</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.98</td> <td>69.72</td> <td>105.47</td> <td>-35.75</td> <td>56.95</td> <td>36.28</td> <td>9.97</td> <td>33.48</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>72.71</td> <td>111.31</td> <td>-38.60</td> <td>59.86</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5649.70	55.17	68.30	-13.13	42.61	36.21	9.86	33.51	188	340	PEAK	2	5652.85	56.51	70.41	-13.90	43.94	36.21	9.87	33.51	188	340	PEAK	3	5700.98	69.72	105.47	-35.75	56.95	36.28	9.97	33.48	188	340	PEAK	4	5720.23	72.71	111.31	-38.60	59.86	36.31	10.01	33.47	188	340	PEAK	<p>Date: 2023-05-21 PART 15.407</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 40 Setting : MCS0 Powersetting 16 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>103.76</td> <td>-----</td> <td>-----</td> <td>90.67</td> <td>36.39</td> <td>10.13</td> <td>33.43</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	103.76	-----	-----	90.67	36.39	10.13	33.43	188	340	PEAK
	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5649.70	55.17	68.30	-13.13	42.61	36.21	9.86	33.51	188	340	PEAK																																																																																																			
2	5652.85	56.51	70.41	-13.90	43.94	36.21	9.87	33.51	188	340	PEAK																																																																																																			
3	5700.98	69.72	105.47	-35.75	56.95	36.28	9.97	33.48	188	340	PEAK																																																																																																			
4	5720.23	72.71	111.31	-38.60	59.86	36.31	10.01	33.47	188	340	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5775.00	103.76	-----	-----	90.67	36.39	10.13	33.43	188	340	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-05-21 PART 15.407 AVG</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL Mode : 40 Setting : MCS0 Powersetting 16 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>94.65</td> <td>-----</td> <td>-----</td> <td>81.55</td> <td>36.39</td> <td>10.14</td> <td>33.43</td> <td>188</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	94.65	-----	-----	81.55	36.39	10.14	33.43	188	340	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5775.00	94.65	-----	-----	81.55	36.39	10.14	33.43	188	340	AVERAGE																																																																																																			



Mode	40																																																																												
	Band Edge - R																																																																												
	5.725-5.85_UNII 3_802.11be EHT80_CH155_Full_5775MHz																																																																												
ANT	CDD 5+18																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p>Site : 03CH04-SZ          Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL          Mode : 40          Setting : NCS0 Powersetting 16          Plane : Z with Accessories          : 061505060047220/061505060047230</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.23</td> <td>69.54</td> <td>114.85</td> <td>-45.31</td> <td>56.15</td> <td>36.49</td> <td>10.29</td> <td>33.39</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.45</td> <td>68.07</td> <td>107.03</td> <td>-38.96</td> <td>54.61</td> <td>36.52</td> <td>10.32</td> <td>33.38</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>53.21</td> <td>68.58</td> <td>-15.37</td> <td>39.53</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.63</td> <td>54.01</td> <td>68.30</td> <td>-14.29</td> <td>40.30</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>188</td> <td>340</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5853.23	69.54	114.85	-45.31	56.15	36.49	10.29	33.39	188	340	PEAK	2	5868.45	68.07	107.03	-38.96	54.61	36.52	10.32	33.38	188	340	PEAK	3	5924.63	53.21	68.58	-15.37	39.53	36.59	10.44	33.35	188	340	PEAK	4	5931.63	54.01	68.30	-14.29	40.30	36.60	10.45	33.34	188	340	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5853.23	69.54	114.85	-45.31	56.15	36.49	10.29	33.39	188	340	PEAK																																																																		
2	5868.45	68.07	107.03	-38.96	54.61	36.52	10.32	33.38	188	340	PEAK																																																																		
3	5924.63	53.21	68.58	-15.37	39.53	36.59	10.44	33.35	188	340	PEAK																																																																		
4	5931.63	54.01	68.30	-14.29	40.30	36.60	10.45	33.34	188	340	PEAK																																																																		



Mode	40																																																																																																	
	Harmonic																																																																																																	
	5.725-5.85_UNII 3_802.11be EHT80_CH155_Full_5775MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 40 Setting : MCS0 Power setting 16 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>48.81</td> <td>74.00</td> <td>-25.19</td> <td>46.99</td> <td>37.77</td> <td>12.92</td> <td>48.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>50.97</td> <td>68.30</td> <td>-17.33</td> <td>45.74</td> <td>43.62</td> <td>15.79</td> <td>54.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	48.81	74.00	-25.19	46.99	37.77	12.92	48.87	---	---	Peak	2	17325.00	50.97	68.30	-17.33	45.74	43.62	15.79	54.18	---	---	Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 40 Setting : MCS0 Power setting 16 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.93</td> <td>74.00</td> <td>-26.07</td> <td>46.11</td> <td>37.77</td> <td>12.92</td> <td>48.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>50.39</td> <td>68.30</td> <td>-17.91</td> <td>45.16</td> <td>43.62</td> <td>15.79</td> <td>54.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	47.93	74.00	-26.07	46.11	37.77	12.92	48.87	---	---	Peak	2	17325.00	50.39	68.30	-17.91	45.16	43.62	15.79	54.18	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11550.00	48.81	74.00	-25.19	46.99	37.77	12.92	48.87	---	---	Peak																																																																																							
2	17325.00	50.97	68.30	-17.33	45.74	43.62	15.79	54.18	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11550.00	47.93	74.00	-26.07	46.11	37.77	12.92	48.87	---	---	Peak																																																																																							
2	17325.00	50.39	68.30	-17.91	45.16	43.62	15.79	54.18	---	---	Peak																																																																																							





**UNII-2C - Straddle Channel**  
**WIFI 802.11a (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m	
ANT	802.11a CH144 5720MHz - L	
5+18	Horizontal	Vertical
<b>Peak</b>	<p>Date: 1 Date: 2023-05-24</p> <p>Site : 03CH4-SZ Condition : UNII-2C AND U-NII-3 3m HF_ ANT_3117_0107 HORIZONTAL REBW: 1000.000kHz VIEW: 3000.000kHz Project : 351205 Mode : Mode 41 IMEI : 861585060051503/861585060051551 Plane : X with Accessories : 6M power setting 13</p>	<p>Date: 3 Date: 2023-05-24</p> <p>Site : 03CH4-SZ Condition : UNII-2C AND U-NII-3 3m HF_ ANT_3117_0107 VERTICAL REBW: 1000.000kHz VIEW: 3000.000kHz Project : 351205 Mode : Mode 41 IMEI : 861585060051503/861585060051551 Plane : X with Accessories : 6M power setting 13</p>
<b>Avg.</b>	<p>Date: 2 Date: 2023-05-24</p> <p>Site : 03CH4-SZ Condition : UNII-2C AND U-NII-3 3m HF_ ANT_3117_0107 HORIZONTAL REBW: 1000.000kHz VIEW: 1.000kHz Project : 351205 Mode : Mode 41 IMEI : 861585060051503/861585060051551 Plane : X with Accessories : 6M power setting 13</p>	<p>Date: 4 Date: 2023-05-24</p> <p>Site : 03CH4-SZ Condition : UNII-2C AND U-NII-3 3m HF_ ANT_3117_0107 VERTICAL REBW: 1000.000kHz VIEW: 1.000kHz Project : 351205 Mode : Mode 41 IMEI : 861585060051503/861585060051551 Plane : X with Accessories : 6M power setting 13</p>



**UNII-2C – Straddle Channel**  
**WIFI 802.11BE EHT20 (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m	
ANT	802.11BE EHT20 CH144 5720MHz - L	
5+18	Horizontal	Vertical
<b>Peak</b>	<p>Site : 03CH04-SZ            Condition : UNII-2C AND U-NB-3 3m HF_ANT_3117 HORIZONTAL            Project : 351205            Mode : Mode 42            IMEI : 861585060051503/861585060051551            Plane : X with Accessories                      : MCS0 power setting 13</p>	<p>Site : 03CH04-SZ            Condition : UNII-2C AND U-NB-3 3m HF_ANT_3117 VERTICAL            Project : 351205            Mode : Mode 42            IMEI : 861585060051503/861585060051551            Plane : X with Accessories                      : MCS0 power setting 13</p>
<b>Avg.</b>	<p>Site : 03CH04-SZ            Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL            Project : 351205            Mode : Mode 42            IMEI : 861585060051503/861585060051551            Plane : X with Accessories                      : MCS0 power setting 13</p>	<p>Site : 03CH04-SZ            Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL            Project : 351205            Mode : Mode 42            IMEI : 861585060051503/861585060051551            Plane : X with Accessories                      : MCS0 power setting 13</p>







**UNII-2C – Straddle Channel**  
**WIFI 802.11BE EHT 40 (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m	
ANT	802.11BE EHT 40 CH142 5710MHz - L	
5+18	Horizontal	Vertical
<b>Peak</b>	<p>Site : 03CH04-SZ            Condition : UNII-2C AND UNII-3 3m HF_ANT_3117_0107 HORIZONTAL            Project : 351205            Mode : Mode 43            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            MCS9 power setting 12.5</p>	<p>Site : 03CH04-SZ            Condition : UNII-2C AND UNII-3 3m HF_ANT_3117_0107 VERTICAL            Project : 351205            Mode : Mode 43            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            MCS9 power setting 12.5</p>
<b>Avg.</b>	<p>Site : 03CH04-SZ            Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL            Project : 351205            Mode : Mode 43            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            MCS9 power setting 12.5</p>	<p>Site : 03CH04-SZ            Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL            Project : 351205            Mode : Mode 43            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            MCS9 power setting 12.5</p>



**UNII-2C – Straddle Channel**  
**WIFI 802.11BE EHT 80 (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m	
ANT	802.11BE EHT80 CH138 5690MHz - L	
5+18	Horizontal	Vertical
<b>Peak</b>	 <p>Site : 03CH04-SZ            Condition : UNII-2C AND UNII-3 3m HF_ANT_3117_0107 HORIZONTAL            Project : 351205            Mode : Mode 44            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            MCS9 power setting 12.5</p>	 <p>Site : 03CH04-SZ            Condition : UNII-2C AND UNII-3 3m HF_ANT_3117_0107 VERTICAL            Project : 351205            Mode : Mode 44            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            MCS9 power setting 12.5</p>
<b>Avg.</b>	 <p>Site : 03CH04-SZ            Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL            Project : 351205            Mode : Mode 44            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            MCS9 power setting 12.5</p>	 <p>Site : 03CH04-SZ            Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL            Project : 351205            Mode : Mode 44            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            MCS9 power setting 12.5</p>



**UNII-2C - Straddle Channel**  
**WIFI 802.11a (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2C Straddle Channel Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11a CH144 5720MHz</b>	
<b>5+18</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>	<p>Site : 03CH04-02          Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL          Project : 351205          Mode : Mode #1          IMEI : 861585060051503/861585060051551          Plane : X with Accessories          GM power setting : 13</p>	<p>Site : 03CH04-02          Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL          Project : 351205          Mode : Mode #1          IMEI : 861585060051503/861585060051551          Plane : Y with Accessories          GM power setting : 13</p>



UNII-2C – Straddle Channel
IFI 802.11BE EHT20 (Harmonic @ 3m)

Table with 2 main columns: Horizontal and Vertical. Each column contains a spectral plot showing Level (dBu/m) vs Frequency (MHz) with peak and average values. Includes metadata like Date, Site, Condition, Project, Mode, IMEI, and Plane.





**UNII-2C – Straddle Channel  
WIFI 802.11BE EHT 40 (Harmonic @ 3m)**

WIFI	UNII-2C Straddle Channel Harmonic @ 3m	
ANT	802.11BE EHT 40 CH142 5710MHz	
5+18	Horizontal	Vertical
<p><b>Peak</b> <b>Avg.</b></p>	<p>Date: 9 Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 43 IMEI : 861585060051503/861585060051551 Plane : X with Accessories MCS9 power setting 12.5</p>	<p>Date: 10 Date: 2023-05-24</p> <p>Site : 03CH04-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 43 IMEI : 861585060051503/861585060051551 Plane : X with Accessories MCS9 power setting 12.5</p>



**UNII-2C – Straddle Channel  
WIFI 802.11BE EHT 80 (Harmonic @ 3m)**





WIFI	UNII-2C Straddle Channel Harmonic @ 3m	
ANT	802.11BE EHT80 CH138 5690MHz	
5+18	Horizontal	Vertical
<p><b>Peak</b></p> <p><b>Avg.</b></p>	 <p>Site : 03CH04-SZ            Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL            Project : 351205            Mode : Mode 44            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            : MCS9 power setting 12.5</p>	 <p>Site : 03CH04-SZ            Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL            Project : 351205            Mode : Mode 44            IMEI : 861585060051503/861585060051551            Plane : X with Accessories            : MCS9 power setting 12.5</p>





Mode	45																																																																										
	Band Edge																																																																										
	5.15-5.25_UNII 1_802.11be EHT20_CH36_Single RU 106/53_5180MHz																																																																										
ANT	CDD 5+18																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 45 Setting : MCS0 Powersetting 15.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.26</td> <td>59.02</td> <td>74.00</td> <td>-14.98</td> <td>47.31</td> <td>36.14</td> <td>8.53</td> <td>32.96</td> <td>100</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5145.26	59.02	74.00	-14.98	47.31	36.14	8.53	32.96	100	297	PEAK	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 45 Setting : MCS0 Powersetting 15.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.67</td> <td>-----</td> <td>-----</td> <td>96.98</td> <td>36.13</td> <td>8.57</td> <td>33.01</td> <td>100</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5180.00	108.67	-----	-----	96.98	36.13	8.57	33.01	100	297	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																				
1	5145.26	59.02	74.00	-14.98	47.31	36.14	8.53	32.96	100	297	PEAK																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																				
1	5180.00	108.67	-----	-----	96.98	36.13	8.57	33.01	100	297	PEAK																																																																
Avg	<p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 45 Setting : MCS0 Powersetting 15.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>41.86</td> <td>54.00</td> <td>-12.14</td> <td>30.15</td> <td>36.14</td> <td>8.54</td> <td>32.97</td> <td>100</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5149.94	41.86	54.00	-12.14	30.15	36.14	8.54	32.97	100	297	AVERAGE	<p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 45 Setting : MCS0 Powersetting 15.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.70</td> <td>-----</td> <td>-----</td> <td>90.01</td> <td>36.13</td> <td>8.57</td> <td>33.01</td> <td>100</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5180.00	101.70	-----	-----	90.01	36.13	8.57	33.01	100	297	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																				
1	5149.94	41.86	54.00	-12.14	30.15	36.14	8.54	32.97	100	297	AVERAGE																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																				
1	5180.00	101.70	-----	-----	90.01	36.13	8.57	33.01	100	297	AVERAGE																																																																



		45																																																																										
Mode		Band Edge																																																																										
		5.15-5.25_UNII 1_802.11be EHT20_CH36_Single RU 106/53_5180MHz																																																																										
ANT		CDD 5+18																																																																										
Pol.	Vertical	Fundamental																																																																										
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 45 Setting : MCS0 Powersetting 15.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.70</td> <td>60.13</td> <td>74.00</td> <td>-13.87</td> <td>48.42</td> <td>36.14</td> <td>8.53</td> <td>32.96</td> <td>400</td> <td>203 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5146.70	60.13	74.00	-13.87	48.42	36.14	8.53	32.96	400	203 PEAK	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 45 Setting : MCS0 Powersetting 15.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.40</td> <td>-----</td> <td>95.71</td> <td>36.13</td> <td>8.57</td> <td>33.01</td> <td>400</td> <td>203 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5180.00	107.40	-----	95.71	36.13	8.57	33.01	400	203 PEAK
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1	5146.70	60.13	74.00	-13.87	48.42	36.14	8.53	32.96	400	203 PEAK																																																																		
Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1	5180.00	107.40	-----	95.71	36.13	8.57	33.01	400	203 PEAK																																																																			
Avg	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 45 Setting : MCS0 Powersetting 15.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.52</td> <td>42.30</td> <td>54.00</td> <td>-11.70</td> <td>30.59</td> <td>36.14</td> <td>8.53</td> <td>32.96</td> <td>400</td> <td>203 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5146.52	42.30	54.00	-11.70	30.59	36.14	8.53	32.96	400	203 AVERAGE	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 45 Setting : MCS0 Powersetting 15.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.19</td> <td>-----</td> <td>87.50</td> <td>36.13</td> <td>8.58</td> <td>33.02</td> <td>400</td> <td>203 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5180.00	99.19	-----	87.50	36.13	8.58	33.02	400	203 AVERAGE
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1	5146.52	42.30	54.00	-11.70	30.59	36.14	8.53	32.96	400	203 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1	5180.00	99.19	-----	87.50	36.13	8.58	33.02	400	203 AVERAGE																																																																			







Mode	46																																																																									
	Band Edge																																																																									
	5.15-5.25_UNII 2A_802.11be EHT20_CH64_Single RU 52/40_5320MHz																																																																									
ANT	CDD 5+18																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 46 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5425.00</td> <td>53.06</td> <td>74.00</td> <td>-20.94</td> <td>40.83</td> <td>36.03</td> <td>9.67</td> <td>33.47</td> <td>100</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5425.00	53.06	74.00	-20.94	40.83	36.03	9.67	33.47	100	40	PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 46 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.67</td> <td>-----</td> <td>97.65</td> <td>36.07</td> <td>9.24</td> <td>33.29</td> <td>100</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5320.00	109.67	-----	97.65	36.07	9.24	33.29	100	40	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																			
1	5425.00	53.06	74.00	-20.94	40.83	36.03	9.67	33.47	100	40	PEAK																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																			
1	5320.00	109.67	-----	97.65	36.07	9.24	33.29	100	40	PEAK																																																																
Avg	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 46 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5422.06</td> <td>41.20</td> <td>54.00</td> <td>-12.80</td> <td>28.96</td> <td>36.03</td> <td>9.67</td> <td>33.46</td> <td>100</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5422.06	41.20	54.00	-12.80	28.96	36.03	9.67	33.46	100	40	AVERAGE	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 46 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.73</td> <td>-----</td> <td>90.71</td> <td>36.07</td> <td>9.24</td> <td>33.29</td> <td>100</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5320.00	102.73	-----	90.71	36.07	9.24	33.29	100	40	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																			
1	5422.06	41.20	54.00	-12.80	28.96	36.03	9.67	33.46	100	40	AVERAGE																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																			
1	5320.00	102.73	-----	90.71	36.07	9.24	33.29	100	40	AVERAGE																																																																







Mode	46																																																																									
	Band Edge																																																																									
	5.15-5.25_UNII 2A_802.11be EHT20_CH64_Single RU 52/40_5320MHz																																																																									
ANT	CDD 5+18																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 46 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5400.50</td> <td>52.42</td> <td>74.00</td> <td>-21.58</td> <td>40.17</td> <td>36.04</td> <td>9.63</td> <td>33.42</td> <td>390</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5400.50	52.42	74.00	-21.58	40.17	36.04	9.63	33.42	390	208	PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 46 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.91</td> <td>-----</td> <td>96.89</td> <td>36.07</td> <td>9.24</td> <td>33.29</td> <td>390</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5320.00	108.91	-----	96.89	36.07	9.24	33.29	390	208	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																			
1	5400.50	52.42	74.00	-21.58	40.17	36.04	9.63	33.42	390	208	PEAK																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																			
1	5320.00	108.91	-----	96.89	36.07	9.24	33.29	390	208	PEAK																																																																
Avg	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 46 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.58</td> <td>40.63</td> <td>54.00</td> <td>-13.37</td> <td>28.42</td> <td>36.02</td> <td>9.68</td> <td>33.49</td> <td>390</td> <td>208</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5438.58	40.63	54.00	-13.37	28.42	36.02	9.68	33.49	390	208	AVERAGE	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 46 Setting : MCS0 Powersetting 11.5 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.05</td> <td>-----</td> <td>89.03</td> <td>36.07</td> <td>9.24</td> <td>33.29</td> <td>390</td> <td>208</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5320.00	101.05	-----	89.03	36.07	9.24	33.29	390	208	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																			
1	5438.58	40.63	54.00	-13.37	28.42	36.02	9.68	33.49	390	208	AVERAGE																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																			
1	5320.00	101.05	-----	89.03	36.07	9.24	33.29	390	208	AVERAGE																																																																






Mode	47																																																																																												
	Band Edge																																																																																												
	5.25-5.35_UNII 2C_802.11be EHT20_CH100_Single RU 52/37_5500MHz																																																																																												
ANT	CDD 5+18																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz Mode : 47 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.15</td> <td>53.40</td> <td>74.00</td> <td>-20.60</td> <td>41.21</td> <td>36.02</td> <td>9.68</td> <td>33.51</td> <td>100</td> <td>40</td> <td>40</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.65</td> <td>52.68</td> <td>68.30</td> <td>-15.62</td> <td>40.51</td> <td>36.01</td> <td>9.69</td> <td>33.53</td> <td>100</td> <td>40</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5452.15	53.40	74.00	-20.60	41.21	36.02	9.68	33.51	100	40	40	PEAK	2	5462.65	52.68	68.30	-15.62	40.51	36.01	9.69	33.53	100	40	40	PEAK	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz Mode : 47 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.36</td> <td>-----</td> <td>-----</td> <td>97.25</td> <td>36.00</td> <td>9.70</td> <td>33.59</td> <td>100</td> <td>40</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	109.36	-----	-----	97.25	36.00	9.70	33.59	100	40	40	PEAK
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5452.15	53.40	74.00	-20.60	41.21	36.02	9.68	33.51	100	40	40	PEAK																																																																																	
2	5462.65	52.68	68.30	-15.62	40.51	36.01	9.69	33.53	100	40	40	PEAK																																																																																	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5500.00	109.36	-----	-----	97.25	36.00	9.70	33.59	100	40	40	PEAK																																																																																	
Avg	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz Mode : 47 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.90</td> <td>40.70</td> <td>54.00</td> <td>-13.30</td> <td>28.51</td> <td>36.02</td> <td>9.69</td> <td>33.52</td> <td>100</td> <td>40</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.90	40.70	54.00	-13.30	28.51	36.02	9.69	33.52	100	40	40	AVERAGE	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz Mode : 47 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.14</td> <td>-----</td> <td>-----</td> <td>90.03</td> <td>36.00</td> <td>9.70</td> <td>33.59</td> <td>100</td> <td>40</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	102.14	-----	-----	90.03	36.00	9.70	33.59	100	40	40	AVERAGE													
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5455.90	40.70	54.00	-13.30	28.51	36.02	9.69	33.52	100	40	40	AVERAGE																																																																																	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5500.00	102.14	-----	-----	90.03	36.00	9.70	33.59	100	40	40	AVERAGE																																																																																	






Mode	47																																																																																												
	Band Edge																																																																																												
	5.25-5.35_UNII 2C_802.11be EHT20_CH100_Single RU 52/37_5500MHz																																																																																												
ANT	CDD 5+18																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 47 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.55</td> <td>52.79</td> <td>74.00</td> <td>-21.21</td> <td>40.60</td> <td>36.02</td> <td>9.68</td> <td>33.51</td> <td>301</td> <td>215</td> <td>PEAK</td> <td></td> </tr> <tr> <td>2</td> <td>5462.05</td> <td>52.07</td> <td>68.30</td> <td>-16.23</td> <td>39.89</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>301</td> <td>215</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg		1	5451.55	52.79	74.00	-21.21	40.60	36.02	9.68	33.51	301	215	PEAK		2	5462.05	52.07	68.30	-16.23	39.89	36.02	9.69	33.53	301	215	PEAK		 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 47 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.41</td> <td>-----</td> <td>-----</td> <td>96.30</td> <td>36.00</td> <td>9.70</td> <td>33.59</td> <td>301</td> <td>215</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg		1	5500.00	108.41	-----	-----	96.30	36.00	9.70	33.59	301	215	PEAK	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5451.55	52.79	74.00	-21.21	40.60	36.02	9.68	33.51	301	215	PEAK																																																																																		
2	5462.05	52.07	68.30	-16.23	39.89	36.02	9.69	33.53	301	215	PEAK																																																																																		
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5500.00	108.41	-----	-----	96.30	36.00	9.70	33.59	301	215	PEAK																																																																																		
Avg	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 47 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.10</td> <td>40.73</td> <td>54.00</td> <td>-13.27</td> <td>28.55</td> <td>36.02</td> <td>9.68</td> <td>33.52</td> <td>301</td> <td>215</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg		1	5454.10	40.73	54.00	-13.27	28.55	36.02	9.68	33.52	301	215	AVERAGE		 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 47 Setting : MCS0 Powersetting 11 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.02</td> <td>-----</td> <td>-----</td> <td>87.91</td> <td>36.00</td> <td>9.70</td> <td>33.59</td> <td>301</td> <td>215</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg		1	5500.00	100.02	-----	-----	87.91	36.00	9.70	33.59	301	215	AVERAGE														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5454.10	40.73	54.00	-13.27	28.55	36.02	9.68	33.52	301	215	AVERAGE																																																																																		
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5500.00	100.02	-----	-----	87.91	36.00	9.70	33.59	301	215	AVERAGE																																																																																		



Mode	48																																																																																																	
	Band Edge																																																																																																	
	5.25-5.35_UNII 2C_802.11be EHT20_CH140_Single RU 106/54_5700MHz																																																																																																	
ANT	CDD 5+18																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 48 Setting : MCS0 Powersetting 14 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.03</td> <td>55.71</td> <td>68.30</td> <td>-12.59</td> <td>42.83</td> <td>36.32</td> <td>10.02</td> <td>33.46</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm								deg	1	5725.03	55.71	68.30	-12.59	42.83	36.32	10.02	33.46	100	289	PEAK	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 48 Setting : MCS0 Powersetting 14 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>112.16</td> <td>-----</td> <td>99.38</td> <td>36.29</td> <td>9.97</td> <td>33.48</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB								cm								deg	1	5700.00	112.16	-----	99.38	36.29	9.97	33.48	100	289	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																																											
							deg																																																																																											
1	5725.03	55.71	68.30	-12.59	42.83	36.32	10.02	33.46	100	289	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
							cm																																																																																											
							deg																																																																																											
1	5700.00	112.16	-----	99.38	36.29	9.97	33.48	100	289	PEAK																																																																																								
Avg	Blank	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 48 Setting : MCS0 Powersetting 14 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.63</td> <td>-----</td> <td>90.82</td> <td>36.29</td> <td>9.99</td> <td>33.47</td> <td>100</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB								cm								deg	1	5700.00	103.63	-----	90.82	36.29	9.99	33.47	100	289	AVERAGE																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
							cm																																																																																											
							deg																																																																																											
1	5700.00	103.63	-----	90.82	36.29	9.99	33.47	100	289	AVERAGE																																																																																								



Mode	48																																																																																		
	Band Edge																																																																																		
	5.25-5.35_UNII 2C_802.11be EHT20_CH140_Single RU 106/54_5700MHz																																																																																		
ANT	CDD 5+18																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 48 Setting : MCS0 Powersetting 14 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5726.00</td> <td>54.43</td> <td>68.30</td> <td>-13.87</td> <td>41.55</td> <td>36.32</td> <td>10.02</td> <td>33.46</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>369</td> <td>195 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1 5726.00	54.43	68.30	-13.87	41.55	36.32	10.02	33.46							369	195 PEAK	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 48 Setting : MCS0 Powersetting 14 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>113.55</td> <td>-----</td> <td>-----</td> <td>100.74</td> <td>36.29</td> <td>9.99</td> <td>33.47</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>369</td> <td>195 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1 5700.00	113.55	-----	-----	100.74	36.29	9.99	33.47							369	195 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																												
1 5726.00	54.43	68.30	-13.87	41.55	36.32	10.02	33.46																																																																												
						369	195 PEAK																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																												
1 5700.00	113.55	-----	-----	100.74	36.29	9.99	33.47																																																																												
						369	195 PEAK																																																																												
Avg	Blank	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 48 Setting : MCS0 Powersetting 14 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.36</td> <td>-----</td> <td>-----</td> <td>89.55</td> <td>36.29</td> <td>9.99</td> <td>33.47</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>369</td> <td>195 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1 5700.00	102.36	-----	-----	89.55	36.29	9.99	33.47							369	195 AVERAGE																																								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																												
1 5700.00	102.36	-----	-----	89.55	36.29	9.99	33.47																																																																												
						369	195 AVERAGE																																																																												





		49																																																																																																																
Mode	Band Edge																																																																																																																	
	5.725-5.85_UNII 3_802.11be EHT20_CH149_Single RU 106/53_5745MHz																																																																																																																	
ANT	CDD 5+18																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 49 Setting : MCS0 Powersetting 9 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.35</td> <td>52.68</td> <td>68.30</td> <td>-15.62</td> <td>40.12</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>100</td> <td>77 PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>52.00</td> <td>68.60</td> <td>-16.60</td> <td>39.44</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>100</td> <td>77 PEAK</td> </tr> <tr> <td>3</td> <td>5700.45</td> <td>51.32</td> <td>105.33</td> <td>-54.01</td> <td>38.55</td> <td>36.28</td> <td>9.97</td> <td>33.48</td> <td>100</td> <td>77 PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>52.58</td> <td>111.31</td> <td>-58.73</td> <td>39.73</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>100</td> <td>77 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5649.35	52.68	68.30	-15.62	40.12	36.21	9.86	33.51	100	77 PEAK	2	5650.40	52.00	68.60	-16.60	39.44	36.21	9.86	33.51	100	77 PEAK	3	5700.45	51.32	105.33	-54.01	38.55	36.28	9.97	33.48	100	77 PEAK	4	5720.23	52.58	111.31	-58.73	39.73	36.31	10.01	33.47	100	77 PEAK	<p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 49 Setting : MCS0 Powersetting 9 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.18</td> <td>-----</td> <td>-----</td> <td>91.25</td> <td>36.34</td> <td>10.05</td> <td>33.46</td> <td>100</td> <td>77 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.18	-----	-----	91.25	36.34	10.05	33.46	100	77 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5649.35	52.68	68.30	-15.62	40.12	36.21	9.86	33.51	100	77 PEAK																																																																																																								
2	5650.40	52.00	68.60	-16.60	39.44	36.21	9.86	33.51	100	77 PEAK																																																																																																								
3	5700.45	51.32	105.33	-54.01	38.55	36.28	9.97	33.48	100	77 PEAK																																																																																																								
4	5720.23	52.58	111.31	-58.73	39.73	36.31	10.01	33.47	100	77 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	(dB)	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5745.00	104.18	-----	-----	91.25	36.34	10.05	33.46	100	77 PEAK																																																																																																								
Avg	Blank		<p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 49 Setting : MCS0 Powersetting 9 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.23</td> <td>-----</td> <td>-----</td> <td>84.30</td> <td>36.34</td> <td>10.05</td> <td>33.46</td> <td>100</td> <td>77 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.23	-----	-----	84.30	36.34	10.05	33.46	100	77 AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	(dB)	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5745.00	97.23	-----	-----	84.30	36.34	10.05	33.46	100	77 AVERAGE																																																																																																								



<b>49</b>																																																																																									
<b>Band Edge</b>																																																																																									
<b>5.725-5.85_UNII 3_802.11be EHT20_CH149_Single RU 106/53_5745MHz</b>																																																																																									
<b>ANT CDD 5+18</b>																																																																																									
<b>Pol.</b>	<b>Vertical</b>																																																																																								
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 49 Setting : MCS0 Powersetting 9 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5645.15</td> <td>52.56</td> <td>68.30</td> <td>-15.74</td> <td>40.02</td> <td>36.20</td> <td>9.85</td> <td>33.51 387 187 PEAK</td> </tr> <tr> <td>2 5651.45</td> <td>51.29</td> <td>69.37</td> <td>-18.08</td> <td>38.73</td> <td>36.21</td> <td>9.86</td> <td>33.51 387 187 PEAK</td> </tr> <tr> <td>3 5701.33</td> <td>51.41</td> <td>105.57</td> <td>-54.16</td> <td>38.64</td> <td>36.28</td> <td>9.97</td> <td>33.48 387 187 PEAK</td> </tr> <tr> <td>4 5720.23</td> <td>51.26</td> <td>111.31</td> <td>-60.05</td> <td>38.41</td> <td>36.31</td> <td>10.01</td> <td>33.47 387 187 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 49 Setting : MCS0 Powersetting 9 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>103.97</td> <td>-----</td> <td>-----</td> <td>91.06</td> <td>36.33</td> <td>10.04</td> <td>33.46 387 187 PEAK</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1 5645.15	52.56	68.30	-15.74	40.02	36.20	9.85	33.51 387 187 PEAK	2 5651.45	51.29	69.37	-18.08	38.73	36.21	9.86	33.51 387 187 PEAK	3 5701.33	51.41	105.57	-54.16	38.64	36.28	9.97	33.48 387 187 PEAK	4 5720.23	51.26	111.31	-60.05	38.41	36.31	10.01	33.47 387 187 PEAK		Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1 5745.00	103.97	-----	-----	91.06	36.33	10.04	33.46 387 187 PEAK
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																																		
1 5645.15	52.56	68.30	-15.74	40.02	36.20	9.85	33.51 387 187 PEAK																																																																																		
2 5651.45	51.29	69.37	-18.08	38.73	36.21	9.86	33.51 387 187 PEAK																																																																																		
3 5701.33	51.41	105.57	-54.16	38.64	36.28	9.97	33.48 387 187 PEAK																																																																																		
4 5720.23	51.26	111.31	-60.05	38.41	36.31	10.01	33.47 387 187 PEAK																																																																																		
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																																		
1 5745.00	103.97	-----	-----	91.06	36.33	10.04	33.46 387 187 PEAK																																																																																		
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 49 Setting : MCS0 Powersetting 9 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>96.31</td> <td>-----</td> <td>-----</td> <td>83.38</td> <td>36.34</td> <td>10.05</td> <td>33.46 387 187 AVERAGE</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1 5745.00	96.31	-----	-----	83.38	36.34	10.05	33.46 387 187 AVERAGE																																																								
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																																		
1 5745.00	96.31	-----	-----	83.38	36.34	10.05	33.46 387 187 AVERAGE																																																																																		







Mode	50																																																																																																													
	Band Edge																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT20_CH165_Single RU 52/40_5825MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) HORIZONTAL Mode : 50 Setting : MCS0 Powersetting 6 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>51.34</td> <td>110.80</td> <td>-59.46</td> <td>37.94</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>51.98</td> <td>105.37</td> <td>-53.39</td> <td>38.51</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>51.92</td> <td>68.30</td> <td>-16.38</td> <td>38.23</td> <td>36.60</td> <td>10.44</td> <td>33.35</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.60</td> <td>54.22</td> <td>68.30</td> <td>-14.08</td> <td>40.51</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5855.00	51.34	110.80	-59.46	37.94	36.50	10.29	33.39	300	91	PEAK	2	5874.40	51.98	105.37	-53.39	38.51	36.52	10.33	33.38	300	91	PEAK	3	5925.00	51.92	68.30	-16.38	38.23	36.60	10.44	33.35	300	91	PEAK	4	5929.60	54.22	68.30	-14.08	40.51	36.60	10.45	33.34	300	91	PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL Mode : 50 Setting : MCS0 Powersetting 6 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.26</td> <td>-----</td> <td>-----</td> <td>90.94</td> <td>36.47</td> <td>10.25</td> <td>33.40</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	104.26	-----	-----	90.94	36.47	10.25	33.40	300	91	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5855.00	51.34	110.80	-59.46	37.94	36.50	10.29	33.39	300	91	PEAK																																																																																																			
2	5874.40	51.98	105.37	-53.39	38.51	36.52	10.33	33.38	300	91	PEAK																																																																																																			
3	5925.00	51.92	68.30	-16.38	38.23	36.60	10.44	33.35	300	91	PEAK																																																																																																			
4	5929.60	54.22	68.30	-14.08	40.51	36.60	10.45	33.34	300	91	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	104.26	-----	-----	90.94	36.47	10.25	33.40	300	91	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL Mode : 50 Setting : MCS0 Powersetting 6 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.31</td> <td>-----</td> <td>-----</td> <td>83.99</td> <td>36.47</td> <td>10.25</td> <td>33.40</td> <td>300</td> <td>91</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	97.31	-----	-----	83.99	36.47	10.25	33.40	300	91	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	97.31	-----	-----	83.99	36.47	10.25	33.40	300	91	AVERAGE																																																																																																			



<b>50</b>																																																																																																	
<b>Band Edge</b>																																																																																																	
<b>5.725-5.85_UNII 3_802.11be EHT20_CH165_Single RU 52/40_5825MHz</b>																																																																																																	
<b>ANT CDD 5+18</b>																																																																																																	
<b>Pol.</b>	<b>Vertical</b>																																																																																																
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m HF_ANT_3117(119436) VERTICAL Mode : 50 Setting : MCS0 Powersetting 6 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5872.60</td> <td>52.81</td> <td>105.87</td> <td>-53.06</td> <td>39.34</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>400</td> <td>197</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5923.40</td> <td>52.90</td> <td>69.48</td> <td>-16.58</td> <td>39.22</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>400</td> <td>197</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5935.20</td> <td>53.69</td> <td>68.30</td> <td>-14.61</td> <td>39.96</td> <td>36.61</td> <td>10.46</td> <td>33.34</td> <td>400</td> <td>197</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL Mode : 50 Setting : MCS0 Powersetting 6 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.26</td> <td>-----</td> <td>-----</td> <td>91.94</td> <td>36.47</td> <td>10.25</td> <td>33.40</td> <td>400</td> <td>197</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5872.60	52.81	105.87	-53.06	39.34	36.52	10.33	33.38	400	197	PEAK	2	5923.40	52.90	69.48	-16.58	39.22	36.59	10.44	33.35	400	197	PEAK	3	5935.20	53.69	68.30	-14.61	39.96	36.61	10.46	33.34	400	197	PEAK	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	105.26	-----	-----	91.94	36.47	10.25	33.40	400	197	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5872.60	52.81	105.87	-53.06	39.34	36.52	10.33	33.38	400	197	PEAK																																																																																						
2	5923.40	52.90	69.48	-16.58	39.22	36.59	10.44	33.35	400	197	PEAK																																																																																						
3	5935.20	53.69	68.30	-14.61	39.96	36.61	10.46	33.34	400	197	PEAK																																																																																						
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5825.00	105.26	-----	-----	91.94	36.47	10.25	33.40	400	197	PEAK																																																																																						
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL Mode : 50 Setting : MCS0 Powersetting 6 Plane : X with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.33</td> <td>-----</td> <td>-----</td> <td>85.03</td> <td>36.46</td> <td>10.24</td> <td>33.40</td> <td>400</td> <td>197</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	98.33	-----	-----	85.03	36.46	10.24	33.40	400	197	AVERAGE																																																												
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5825.00	98.33	-----	-----	85.03	36.46	10.24	33.40	400	197	AVERAGE																																																																																						







		51																																																								
Mode		Band Edge																																																								
		5.15-5.25_UNII 1_802.11be EHT20_CH36_Small RU 52/26 ①_5180MHz																																																								
ANT		CDD 5+18																																																								
Pol.	Horizontal	Fundamental																																																								
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 51 Setting : MCS0 power setting 13.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5064.44 52.07 74.00 -21.93</td> <td>42.35</td> <td>34.57</td> <td>7.86</td> <td>32.71</td> <td>100</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5064.44 52.07 74.00 -21.93	42.35	34.57	7.86	32.71	100	74 PEAK	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 51 Setting : MCS0 power setting 13.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00 106.32</td> <td>96.74</td> <td>34.53</td> <td>7.94</td> <td>32.89</td> <td>100</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00 106.32	96.74	34.53	7.94	32.89	100	74 PEAK
	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1 5064.44 52.07 74.00 -21.93	42.35	34.57	7.86	32.71	100	74 PEAK																																																				
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																				
Freq Level Line (dB)	Level Factor	Loss Factor																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1 5180.00 106.32	96.74	34.53	7.94	32.89	100	74 PEAK																																																				
Avg	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 51 Setting : MCS0 power setting 13.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5054.90 39.77 54.00 -14.23</td> <td>30.02</td> <td>34.58</td> <td>7.86</td> <td>32.69</td> <td>100</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5054.90 39.77 54.00 -14.23	30.02	34.58	7.86	32.69	100	74 AVERAGE	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 51 Setting : MCS0 power setting 13.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00 97.08</td> <td>87.50</td> <td>34.53</td> <td>7.94</td> <td>32.89</td> <td>100</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00 97.08	87.50	34.53	7.94	32.89	100	74 AVERAGE
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																				
Freq Level Line (dB)	Level Factor	Loss Factor																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1 5054.90 39.77 54.00 -14.23	30.02	34.58	7.86	32.69	100	74 AVERAGE																																																				
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																				
Freq Level Line (dB)	Level Factor	Loss Factor																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1 5180.00 97.08	87.50	34.53	7.94	32.89	100	74 AVERAGE																																																				



		51																																																																												
Mode	Band Edge																																																																													
	5.15-5.25_UNII 1_802.11be EHT20_CH36_Small RU 52/26 ①_5180MHz																																																																													
ANT	CDD 5+18																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 51 Setting : MCS0 power setting 13.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5021.96</td> <td>51.96</td> <td>74.00</td> <td>-22.04</td> <td>42.18</td> <td>34.59</td> <td>7.83</td> <td>32.64</td> <td>100</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5021.96	51.96	74.00	-22.04	42.18	34.59	7.83	32.64	100	72 PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 51 Setting : MCS0 power setting 13.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.69</td> <td>-----</td> <td>-----</td> <td>98.11</td> <td>34.53</td> <td>7.94</td> <td>32.89</td> <td>100</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.69	-----	-----	98.11	34.53	7.94	32.89	100	72 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5021.96	51.96	74.00	-22.04	42.18	34.59	7.83	32.64	100	72 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5180.00	107.69	-----	-----	98.11	34.53	7.94	32.89	100	72 PEAK																																																																				
Avg	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 51 Setting : MCS0 power setting 13.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5050.40</td> <td>39.94</td> <td>54.00</td> <td>-14.06</td> <td>30.19</td> <td>34.58</td> <td>7.85</td> <td>32.68</td> <td>100</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5050.40	39.94	54.00	-14.06	30.19	34.58	7.85	32.68	100	72 AVERAGE	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 51 Setting : MCS0 power setting 13.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.37</td> <td>-----</td> <td>-----</td> <td>89.79</td> <td>34.53</td> <td>7.94</td> <td>32.89</td> <td>100</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.37	-----	-----	89.79	34.53	7.94	32.89	100	72 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5050.40	39.94	54.00	-14.06	30.19	34.58	7.85	32.68	100	72 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5180.00	99.37	-----	-----	89.79	34.53	7.94	32.89	100	72 AVERAGE																																																																				



		52																																																																														
Mode		Band Edge																																																																														
		5.25-5.35_UNII 2A_802.11be EHT20_CH64_Small RU 52/26 ③_5320MHz																																																																														
ANT		CDD 5+18																																																																														
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 52 Setting : MCS0 power setting 13 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5429.62</td> <td>49.56</td> <td>74.00</td> <td>-24.44</td> <td>39.98</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>296</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5429.62	49.56	74.00	-24.44	39.98	34.43	8.45	33.30	296	77 PEAK	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 52 Setting : MCS0 power setting 13 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.26</td> <td>-----</td> <td>-----</td> <td>96.66</td> <td>34.47</td> <td>8.25</td> <td>33.12</td> <td>296</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.26	-----	-----	96.66	34.47	8.25	33.12	296	77 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5429.62	49.56	74.00	-24.44	39.98	34.43	8.45	33.30	296	77 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	106.26	-----	-----	96.66	34.47	8.25	33.12	296	77 PEAK																																																																						
Avg	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 52 Setting : MCS0 power setting 13 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.20</td> <td>38.21</td> <td>54.00</td> <td>-15.79</td> <td>28.59</td> <td>34.46</td> <td>8.33</td> <td>33.17</td> <td>296</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5352.20	38.21	54.00	-15.79	28.59	34.46	8.33	33.17	296	77 AVERAGE	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 52 Setting : MCS0 power setting 13 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.00</td> <td>-----</td> <td>-----</td> <td>88.40</td> <td>34.47</td> <td>8.25</td> <td>33.12</td> <td>296</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	98.00	-----	-----	88.40	34.47	8.25	33.12	296	77 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5352.20	38.21	54.00	-15.79	28.59	34.46	8.33	33.17	296	77 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	98.00	-----	-----	88.40	34.47	8.25	33.12	296	77 AVERAGE																																																																						







Mode	52																																																																													
	Band Edge																																																																													
	5.25-5.35_UNII 2A_802.11be EHT20_CH64_Small RU 52/26 ③_5320MHz																																																																													
ANT	CDD 5+18																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 52 Setting : MCS0 power setting 13 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.54</td> <td>49.94</td> <td>74.00</td> <td>-24.06</td> <td>40.29</td> <td>34.44</td> <td>8.46</td> <td>33.25</td> <td>100</td> <td>272 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5398.54	49.94	74.00	-24.06	40.29	34.44	8.46	33.25	100	272 PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 52 Setting : MCS0 power setting 13 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.17</td> <td>-----</td> <td>-----</td> <td>96.57</td> <td>34.47</td> <td>8.26</td> <td>33.13</td> <td>100</td> <td>272 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.17	-----	-----	96.57	34.47	8.26	33.13	100	272 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5398.54	49.94	74.00	-24.06	40.29	34.44	8.46	33.25	100	272 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5320.00	106.17	-----	-----	96.57	34.47	8.26	33.13	100	272 PEAK																																																																				
Avg	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 52 Setting : MCS0 power setting 13 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.56</td> <td>38.08</td> <td>54.00</td> <td>-15.92</td> <td>28.46</td> <td>34.45</td> <td>8.36</td> <td>33.19</td> <td>100</td> <td>272 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5362.56	38.08	54.00	-15.92	28.46	34.45	8.36	33.19	100	272 AVERAGE	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 52 Setting : MCS0 power setting 13 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.11</td> <td>-----</td> <td>-----</td> <td>88.51</td> <td>34.47</td> <td>8.25</td> <td>33.12</td> <td>100</td> <td>272 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	98.11	-----	-----	88.51	34.47	8.25	33.12	100	272 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5362.56	38.08	54.00	-15.92	28.46	34.45	8.36	33.19	100	272 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5320.00	98.11	-----	-----	88.51	34.47	8.25	33.12	100	272 AVERAGE																																																																				








Mode	53																																																																																					
	Band Edge																																																																																					
	5.47-5.725_UNII 2C_802.11be EHT20_CH100_Small RU 52/26 ①_5500MHz																																																																																					
ANT	CDD 5+18																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 53 Setting : MCS0 power setting 9.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.25</td> <td>50.06</td> <td>74.00</td> <td>-23.94</td> <td>40.44</td> <td>34.43</td> <td>8.47</td> <td>33.28</td> <td>309</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.95</td> <td>48.88</td> <td>68.30</td> <td>-19.42</td> <td>39.41</td> <td>34.41</td> <td>8.41</td> <td>33.35</td> <td>309</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5415.25	50.06	74.00	-23.94	40.44	34.43	8.47	33.28	309	69	PEAK	2	5462.95	48.88	68.30	-19.42	39.41	34.41	8.41	33.35	309	69	PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 53 Setting : MCS0 power setting 9.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.64</td> <td>-----</td> <td>-----</td> <td>98.28</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>309</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	107.64	-----	-----	98.28	34.40	8.36	33.40	309	69	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5415.25	50.06	74.00	-23.94	40.44	34.43	8.47	33.28	309	69	PEAK																																																																											
2	5462.95	48.88	68.30	-19.42	39.41	34.41	8.41	33.35	309	69	PEAK																																																																											
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5500.00	107.64	-----	-----	98.28	34.40	8.36	33.40	309	69	PEAK																																																																											
Avg	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 53 Setting : MCS0 power setting 9.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.45</td> <td>38.00</td> <td>54.00</td> <td>-16.00</td> <td>28.35</td> <td>34.44</td> <td>8.47</td> <td>33.26</td> <td>309</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Avg	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5404.45	38.00	54.00	-16.00	28.35	34.44	8.47	33.26	309	69	AVERAGE	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 53 Setting : MCS0 power setting 9.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>96.75</td> <td>-----</td> <td>-----</td> <td>87.39</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>309</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Avg	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	96.75	-----	-----	87.39	34.40	8.36	33.40	309	69	AVERAGE												
Avg	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5404.45	38.00	54.00	-16.00	28.35	34.44	8.47	33.26	309	69	AVERAGE																																																																											
Avg	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5500.00	96.75	-----	-----	87.39	34.40	8.36	33.40	309	69	AVERAGE																																																																											






Mode	53																																																																																												
	Band Edge																																																																																												
	5.47-5.725_UNII 2C_802.11be EHT20_CH100_Small RU 52/26 ①_5500MHz																																																																																												
ANT	CDD 5+18																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 53 Setting : MCS0 power setting 9.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5379.55</td> <td>49.77</td> <td>74.00</td> <td>-24.23</td> <td>40.13</td> <td>34.45</td> <td>8.41</td> <td>33.22</td> <td>300</td> <td>336</td> <td>336</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.25</td> <td>48.77</td> <td>68.30</td> <td>-19.53</td> <td>39.32</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>300</td> <td>336</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5379.55	49.77	74.00	-24.23	40.13	34.45	8.41	33.22	300	336	336	PEAK	2	5469.25	48.77	68.30	-19.53	39.32	34.41	8.40	33.36	300	336	336	PEAK	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 53 Setting : MCS0 power setting 9.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.76</td> <td>-----</td> <td>-----</td> <td>93.40</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>300</td> <td>336</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	102.76	-----	-----	93.40	34.40	8.36	33.40	300	336	336	PEAK
	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5379.55	49.77	74.00	-24.23	40.13	34.45	8.41	33.22	300	336	336	PEAK																																																																																	
2	5469.25	48.77	68.30	-19.53	39.32	34.41	8.40	33.36	300	336	336	PEAK																																																																																	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5500.00	102.76	-----	-----	93.40	34.40	8.36	33.40	300	336	336	PEAK																																																																																	
Avg	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 53 Setting : MCS0 power setting 9.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5416.90</td> <td>37.88</td> <td>54.00</td> <td>-16.12</td> <td>28.26</td> <td>34.43</td> <td>8.47</td> <td>33.28</td> <td>300</td> <td>336</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5416.90	37.88	54.00	-16.12	28.26	34.43	8.47	33.28	300	336	336	AVERAGE	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 53 Setting : MCS0 power setting 9.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>93.77</td> <td>-----</td> <td>-----</td> <td>84.41</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>300</td> <td>336</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	93.77	-----	-----	84.41	34.40	8.36	33.40	300	336	336	AVERAGE													
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5416.90	37.88	54.00	-16.12	28.26	34.43	8.47	33.28	300	336	336	AVERAGE																																																																																	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5500.00	93.77	-----	-----	84.41	34.40	8.36	33.40	300	336	336	AVERAGE																																																																																	



Mode	54																																																																								
	Band Edge																																																																								
	5.47-5.725_UNII 2C_802.11be EHT20_CH140_Small RU 106/26 ②_5700MHz																																																																								
ANT	CDD 5+18																																																																								
Pol.	Horizontal	Fundamental																																																																							
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 54 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5749.79</td> <td>51.51</td> <td>68.30</td> <td>-16.79</td> <td>41.14</td> <td>34.95</td> <td>8.77</td> <td>33.35</td> <td>269</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5749.79	51.51	68.30	-16.79	41.14	34.95	8.77	33.35	269	71	PEAK	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 54 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>107.11</td> <td>-----</td> <td>97.02</td> <td>34.85</td> <td>8.60</td> <td>33.36</td> <td>269</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	107.11	-----	97.02	34.85	8.60	33.36	269	71	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5749.79	51.51	68.30	-16.79	41.14	34.95	8.77	33.35	269	71	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5700.00	107.11	-----	97.02	34.85	8.60	33.36	269	71	PEAK																																																															
Avg	Blank	 <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 54 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>98.20</td> <td>-----</td> <td>88.08</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>269</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	98.20	-----	88.08	34.86	8.62	33.36	269	71	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5700.00	98.20	-----	88.08	34.86	8.62	33.36	269	71	AVERAGE																																																															



Mode	54																																																																									
	Band Edge																																																																									
	5.47-5.725_UNII 2C_802.11be EHT20_CH140_Small RU 106/26 ②_5700MHz																																																																									
ANT	CDD 5+18																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 54 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.22</td> <td>51.78</td> <td>68.30</td> <td>-16.52</td> <td>41.57</td> <td>34.90</td> <td>8.67</td> <td>33.36</td> <td>100</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5725.22	51.78	68.30	-16.52	41.57	34.90	8.67	33.36	100	269	PEAK	 <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 54 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>107.44</td> <td>-----</td> <td>-----</td> <td>97.35</td> <td>34.85</td> <td>8.60</td> <td>33.36</td> <td>100</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5700.00	107.44	-----	-----	97.35	34.85	8.60	33.36	100	269	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5725.22	51.78	68.30	-16.52	41.57	34.90	8.67	33.36	100	269	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5700.00	107.44	-----	-----	97.35	34.85	8.60	33.36	100	269	PEAK																																																															
Avg	Blank	 <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 54 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>98.41</td> <td>-----</td> <td>-----</td> <td>88.32</td> <td>34.85</td> <td>8.60</td> <td>33.36</td> <td>100</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5700.00	98.41	-----	-----	88.32	34.85	8.60	33.36	100	269	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5700.00	98.41	-----	-----	88.32	34.85	8.60	33.36	100	269	AVERAGE																																																															



Mode	55																																																																																																													
	Band Edge																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT20_CH149_Small RU 106/26 ①_5745MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m ANT3117_0057 HORIZONTAL Mode : 55 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5612.62</td> <td>50.35</td> <td>68.30</td> <td>-17.95</td> <td>40.82</td> <td>34.65</td> <td>8.26</td> <td>33.38</td> <td>100</td> <td>260</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.04</td> <td>49.36</td> <td>69.07</td> <td>-19.71</td> <td>39.60</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>100</td> <td>260</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5711.07</td> <td>58.74</td> <td>108.30</td> <td>-49.56</td> <td>48.62</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>100</td> <td>260</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.79</td> <td>64.04</td> <td>112.59</td> <td>-48.55</td> <td>53.85</td> <td>34.89</td> <td>8.66</td> <td>33.36</td> <td>100</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5612.62	50.35	68.30	-17.95	40.82	34.65	8.26	33.38	100	260	PEAK	2	5651.04	49.36	69.07	-19.71	39.60	34.73	8.40	33.37	100	260	PEAK	3	5711.07	58.74	108.30	-49.56	48.62	34.86	8.62	33.36	100	260	PEAK	4	5728.79	64.04	112.59	-48.55	53.85	34.89	8.66	33.36	100	260	PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL Mode : 55 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.66</td> <td>-----</td> <td>-----</td> <td>99.35</td> <td>34.93</td> <td>8.73</td> <td>33.35</td> <td>100</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	109.66	-----	-----	99.35	34.93	8.73	33.35	100	260	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5612.62	50.35	68.30	-17.95	40.82	34.65	8.26	33.38	100	260	PEAK																																																																																																			
2	5651.04	49.36	69.07	-19.71	39.60	34.73	8.40	33.37	100	260	PEAK																																																																																																			
3	5711.07	58.74	108.30	-49.56	48.62	34.86	8.62	33.36	100	260	PEAK																																																																																																			
4	5728.79	64.04	112.59	-48.55	53.85	34.89	8.66	33.36	100	260	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5745.00	109.66	-----	-----	99.35	34.93	8.73	33.35	100	260	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL Mode : 55 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.22</td> <td>-----</td> <td>-----</td> <td>89.91</td> <td>34.93</td> <td>8.73</td> <td>33.35</td> <td>100</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	100.22	-----	-----	89.91	34.93	8.73	33.35	100	260	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5745.00	100.22	-----	-----	89.91	34.93	8.73	33.35	100	260	AVERAGE																																																																																																			



Mode	55																																																																																																													
	Band Edge																																																																																																													
	5.725-5.85_UNII 3_802.11be EHT20_CH149_Small RU 106/26 ①_5745MHz																																																																																																													
ANT	CDD 5+18																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m ANT3117_0057 VERTICAL Mode : 55 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5609.57</td> <td>49.67</td> <td>68.30</td> <td>-18.63</td> <td>40.16</td> <td>34.64</td> <td>8.25</td> <td>33.38</td> <td>317</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>48.14</td> <td>68.53</td> <td>-20.39</td> <td>38.38</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>317</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.48</td> <td>58.00</td> <td>110.65</td> <td>-52.65</td> <td>47.83</td> <td>34.88</td> <td>8.65</td> <td>33.36</td> <td>317</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>60.39</td> <td>111.93</td> <td>-51.54</td> <td>50.20</td> <td>34.89</td> <td>8.66</td> <td>33.36</td> <td>317</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5609.57	49.67	68.30	-18.63	40.16	34.64	8.25	33.38	317	62	PEAK	2	5650.32	48.14	68.53	-20.39	38.38	34.73	8.40	33.37	317	62	PEAK	3	5719.48	58.00	110.65	-52.65	47.83	34.88	8.65	33.36	317	62	PEAK	4	5720.50	60.39	111.93	-51.54	50.20	34.89	8.66	33.36	317	62	PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL Mode : 55 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.33</td> <td>-----</td> <td>-----</td> <td>93.02</td> <td>34.93</td> <td>8.73</td> <td>33.35</td> <td>317</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	103.33	-----	-----	93.02	34.93	8.73	33.35	317	62	PEAK
	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5609.57	49.67	68.30	-18.63	40.16	34.64	8.25	33.38	317	62	PEAK																																																																																																			
2	5650.32	48.14	68.53	-20.39	38.38	34.73	8.40	33.37	317	62	PEAK																																																																																																			
3	5719.48	58.00	110.65	-52.65	47.83	34.88	8.65	33.36	317	62	PEAK																																																																																																			
4	5720.50	60.39	111.93	-51.54	50.20	34.89	8.66	33.36	317	62	PEAK																																																																																																			
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5745.00	103.33	-----	-----	93.02	34.93	8.73	33.35	317	62	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL Mode : 55 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.15</td> <td>-----</td> <td>-----</td> <td>84.84</td> <td>34.93</td> <td>8.73</td> <td>33.35</td> <td>317</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	95.15	-----	-----	84.84	34.93	8.73	33.35	317	62	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5745.00	95.15	-----	-----	84.84	34.93	8.73	33.35	317	62	AVERAGE																																																																																																			



<b>56</b>																																																																																																													
<b>Band Edge</b>																																																																																																													
<b>5.725-5.85_UNII 3_802.11be EHT20_CH165_Small RU 106/26 ②_5825MHz</b>																																																																																																													
<b>ANT CDD 5+18</b>																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>																																																																																																												
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m ANT3117_0057 HORIZONTAL Mode : 56 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.75</td> <td>61.02</td> <td>111.37</td> <td>-50.35</td> <td>50.30</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>100</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.50</td> <td>62.20</td> <td>110.38</td> <td>-48.18</td> <td>51.48</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>100</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.13</td> <td>51.19</td> <td>68.84</td> <td>-17.65</td> <td>40.39</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>100</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.88</td> <td>51.57</td> <td>68.30</td> <td>-16.73</td> <td>40.74</td> <td>35.36</td> <td>8.78</td> <td>33.31</td> <td>100</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL Mode : 56 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.23</td> <td>-----</td> <td>-----</td> <td>98.53</td> <td>35.14</td> <td>8.89</td> <td>33.33</td> <td>100</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5854.75	61.02	111.37	-50.35	50.30	35.18	8.87	33.33	100	261	PEAK	2	5856.50	62.20	110.38	-48.18	51.48	35.18	8.87	33.33	100	261	PEAK	3	5924.13	51.19	68.84	-17.65	40.39	35.33	8.79	33.32	100	261	PEAK	4	5935.88	51.57	68.30	-16.73	40.74	35.36	8.78	33.31	100	261	PEAK	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	109.23	-----	-----	98.53	35.14	8.89	33.33	100	261	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5854.75	61.02	111.37	-50.35	50.30	35.18	8.87	33.33	100	261	PEAK																																																																																																		
2	5856.50	62.20	110.38	-48.18	51.48	35.18	8.87	33.33	100	261	PEAK																																																																																																		
3	5924.13	51.19	68.84	-17.65	40.39	35.33	8.79	33.32	100	261	PEAK																																																																																																		
4	5935.88	51.57	68.30	-16.73	40.74	35.36	8.78	33.31	100	261	PEAK																																																																																																		
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5825.00	109.23	-----	-----	98.53	35.14	8.89	33.33	100	261	PEAK																																																																																																		
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL Mode : 56 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.20</td> <td>-----</td> <td>-----</td> <td>90.50</td> <td>35.13</td> <td>8.90</td> <td>33.33</td> <td>100</td> <td>261</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	101.20	-----	-----	90.50	35.13	8.90	33.33	100	261	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5825.00	101.20	-----	-----	90.50	35.13	8.90	33.33	100	261	AVERAGE																																																																																																		



<b>56</b>																																																																																																													
<b>Band Edge</b>																																																																																																													
<b>5.725-5.85_UNII 3_802.11be EHT20_CH165_Small RU 106/26 ②_5825MHz</b>																																																																																																													
<b>CDD 5+18</b>																																																																																																													
<b>Mode</b>																																																																																																													
<b>ANT</b>																																																																																																													
<b>Pol.</b>	<b>Vertical</b>																																																																																																												
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE(B4)_16-24 3m ANT3117_0057 VERTICAL Mode : 56 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>57.64</td> <td>110.80</td> <td>-53.16</td> <td>46.92</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.25</td> <td>57.69</td> <td>110.17</td> <td>-52.48</td> <td>46.96</td> <td>35.19</td> <td>8.87</td> <td>33.33</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>50.65</td> <td>68.20</td> <td>-17.55</td> <td>39.85</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.38</td> <td>52.02</td> <td>68.30</td> <td>-16.28</td> <td>41.21</td> <td>35.34</td> <td>8.79</td> <td>33.32</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL Mode : 56 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.78</td> <td>-----</td> <td>-----</td> <td>95.08</td> <td>35.13</td> <td>8.90</td> <td>33.33</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5855.00	57.64	110.80	-53.16	46.92	35.18	8.87	33.33	300	50	PEAK	2	5857.25	57.69	110.17	-52.48	46.96	35.19	8.87	33.33	300	50	PEAK	3	5925.00	50.65	68.20	-17.55	39.85	35.33	8.79	33.32	300	50	PEAK	4	5928.38	52.02	68.30	-16.28	41.21	35.34	8.79	33.32	300	50	PEAK	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	105.78	-----	-----	95.08	35.13	8.90	33.33	300	50	PEAK
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5855.00	57.64	110.80	-53.16	46.92	35.18	8.87	33.33	300	50	PEAK																																																																																																		
2	5857.25	57.69	110.17	-52.48	46.96	35.19	8.87	33.33	300	50	PEAK																																																																																																		
3	5925.00	50.65	68.20	-17.55	39.85	35.33	8.79	33.32	300	50	PEAK																																																																																																		
4	5928.38	52.02	68.30	-16.28	41.21	35.34	8.79	33.32	300	50	PEAK																																																																																																		
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5825.00	105.78	-----	-----	95.08	35.13	8.90	33.33	300	50	PEAK																																																																																																		
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL Mode : 56 Setting : MCS0 power setting 9.5 Plane : X with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.28</td> <td>-----</td> <td>-----</td> <td>86.58</td> <td>35.13</td> <td>8.90</td> <td>33.33</td> <td>300</td> <td>50</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	97.28	-----	-----	86.58	35.13	8.90	33.33	300	50	AVERAGE																																																																								
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5825.00	97.28	-----	-----	86.58	35.13	8.90	33.33	300	50	AVERAGE																																																																																																		





		<b>57</b>																																																																													
<b>Mode</b>	<b>Band Edge - L</b>																																																																														
	<b>5.15-5.25_UNII 1_802.11be EHT80_CH42_Puncturing 20M ①_5210MHz</b>																																																																														
<b>ANT</b>	<b>CDD 5+18</b>																																																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																													
<b>Peak</b>	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 57 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5059.64</td> <td>52.28</td> <td>74.00</td> <td>-21.72</td> <td>42.54</td> <td>34.58</td> <td>7.86</td> <td>32.70</td> <td>300</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5059.64	52.28	74.00	-21.72	42.54	34.58	7.86	32.70	300	86	PEAK	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 57 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>94.35</td> <td>-----</td> <td>84.80</td> <td>34.52</td> <td>7.94</td> <td>32.91</td> <td>300</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.35	-----	84.80	34.52	7.94	32.91	300	86	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5059.64	52.28	74.00	-21.72	42.54	34.58	7.86	32.70	300	86	PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5210.00	94.35	-----	84.80	34.52	7.94	32.91	300	86	PEAK																																																																					
<b>Avg</b>	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 57 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.31</td> <td>42.09</td> <td>54.00</td> <td>-11.91</td> <td>32.48</td> <td>34.54</td> <td>7.92</td> <td>32.85</td> <td>300</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.31	42.09	54.00	-11.91	32.48	34.54	7.92	32.85	300	86	AVERAGE	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 57 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>84.86</td> <td>-----</td> <td>75.33</td> <td>34.52</td> <td>7.96</td> <td>32.95</td> <td>300</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	84.86	-----	75.33	34.52	7.96	32.95	300	86	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.31	42.09	54.00	-11.91	32.48	34.54	7.92	32.85	300	86	AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5210.00	84.86	-----	75.33	34.52	7.96	32.95	300	86	AVERAGE																																																																					



Mode	57																																								
	Band Edge - R																																								
	5.15-5.25_UNII 1_802.11be EHT80_CH42_Puncturing 20M ④_5210MHz																																								
ANT	CDD 5+18																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 57          Setting : MCS0 power setting 11.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.50</td> <td>48.77</td> <td>74.00</td> <td>-25.23</td> <td>39.25</td> <td>34.42</td> <td>8.43</td> <td>33.33</td> <td>300</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5447.50	48.77	74.00	-25.23	39.25	34.42	8.43	33.33	300	86	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5447.50	48.77	74.00	-25.23	39.25	34.42	8.43	33.33	300	86	PEAK																														
Avg	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3.000kHz          Mode : 57          Setting : MCS0 power setting 11.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.25</td> <td>38.94</td> <td>54.00</td> <td>-15.06</td> <td>29.32</td> <td>34.43</td> <td>8.47</td> <td>33.28</td> <td>300</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5415.25	38.94	54.00	-15.06	29.32	34.43	8.47	33.28	300	86	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5415.25	38.94	54.00	-15.06	29.32	34.43	8.47	33.28	300	86	AVERAGE																														







<b>57</b>																																																																															
<b>Band Edge - L</b>																																																																															
<b>5.15-5.25 _UNII 1 _802.11be EHT80_CH42 _Puncturing 20M ①_5210MHz</b>																																																																															
<b>ANT CDD 5+18</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>																																																																														
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 57 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.11</td> <td>54.30</td> <td>74.00</td> <td>-19.70</td> <td>44.68</td> <td>34.54</td> <td>7.92</td> <td>32.84</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 57 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>98.04</td> <td>-----</td> <td>-----</td> <td>88.50</td> <td>34.52</td> <td>7.96</td> <td>32.94</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5145.11	54.30	74.00	-19.70	44.68	34.54	7.92	32.84	100	85	PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.04	-----	-----	88.50	34.52	7.96	32.94	100	85	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5145.11	54.30	74.00	-19.70	44.68	34.54	7.92	32.84	100	85	PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5210.00	98.04	-----	-----	88.50	34.52	7.96	32.94	100	85	PEAK																																																																				
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 57 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.84</td> <td>45.10</td> <td>54.00</td> <td>-8.90</td> <td>35.48</td> <td>34.54</td> <td>7.92</td> <td>32.84</td> <td>100</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 57 Setting : MCS0 power setting 11.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>89.30</td> <td>-----</td> <td>-----</td> <td>79.77</td> <td>34.52</td> <td>7.96</td> <td>32.95</td> <td>100</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	45.10	54.00	-8.90	35.48	34.54	7.92	32.84	100	85	AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	89.30	-----	-----	79.77	34.52	7.96	32.95	100	85	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5147.84	45.10	54.00	-8.90	35.48	34.54	7.92	32.84	100	85	AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5210.00	89.30	-----	-----	79.77	34.52	7.96	32.95	100	85	AVERAGE																																																																				





Mode	57																																					
	Band Edge - R																																					
	5.15-5.25_UNII 1_802.11be EHT80_CH42_Puncturing 20M ④_5210MHz																																					
ANT	CDD 5+18																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 57          Setting : MCS0 power setting 11.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.50</td> <td>49.39</td> <td>74.00</td> <td>-24.61</td> <td>39.77</td> <td>34.46</td> <td>8.33</td> <td>33.17</td> <td>100 85 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5352.50	49.39	74.00	-24.61	39.77	34.46	8.33	33.17	100 85 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5352.50	49.39	74.00	-24.61	39.77	34.46	8.33	33.17	100 85 PEAK																														
Avg	<p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3.000kHz          Mode : 57          Setting : MCS0 power setting 11.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5408.00</td> <td>39.33</td> <td>54.00</td> <td>-14.67</td> <td>29.67</td> <td>34.44</td> <td>8.48</td> <td>33.26</td> <td>100 85 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5408.00	39.33	54.00	-14.67	29.67	34.44	8.48	33.26	100 85 AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5408.00	39.33	54.00	-14.67	29.67	34.44	8.48	33.26	100 85 AVERAGE																														



Mode	58																																																																																							
	Band Edge - L																																																																																							
	5.25-5.35_UNII 2A_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																																																																							
ANT	CDD 5+18																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <p>Site : 03CH03-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 58 Setting : MCS0 power setting 12.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5011.89</td> <td>51.97</td> <td>74.00</td> <td>-22.03</td> <td>42.16</td> <td>34.60</td> <td>7.83</td> <td>32.62</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5011.89	51.97	74.00	-22.03	42.16	34.60	7.83	32.62	100	72	PEAK	 <p>Site : 03CH03-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 58 Setting : MCS0 power setting 12.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.64</td> <td>-----</td> <td>88.06</td> <td>34.49</td> <td>8.15</td> <td>33.06</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5290.00	97.64	-----	88.06	34.49	8.15	33.06	100	72	PEAK
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																													
1	5011.89	51.97	74.00	-22.03	42.16	34.60	7.83	32.62	100	72	PEAK																																																																													
Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																													
1	5290.00	97.64	-----	88.06	34.49	8.15	33.06	100	72	PEAK																																																																														
Avg	 <p>Site : 03CH03-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 58 Setting : MCS0 power setting 12.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5083.23</td> <td>41.49</td> <td>54.00</td> <td>-12.51</td> <td>31.79</td> <td>34.57</td> <td>7.87</td> <td>32.74</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5083.23	41.49	54.00	-12.51	31.79	34.57	7.87	32.74	100	72	AVERAGE	 <p>Site : 03CH03-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 58 Setting : MCS0 power setting 12.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.73</td> <td>-----</td> <td>79.15</td> <td>34.48</td> <td>8.17</td> <td>33.07</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5290.00	88.73	-----	79.15	34.48	8.17	33.07	100	72	AVERAGE
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																													
1	5083.23	41.49	54.00	-12.51	31.79	34.57	7.87	32.74	100	72	AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																													
1	5290.00	88.73	-----	79.15	34.48	8.17	33.07	100	72	AVERAGE																																																																														



Mode	58																																					
	Band Edge - R																																					
	5.25-5.35_UNII 2A_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																					
ANT	CDD 5+18																																					
Pol.	Horizontal	Fundamental																																				
Peak	 <p>Date: 2023-06-01</p> <p>Site : 03CH03-SZ          Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 58          Setting : MCS0 power setting 12.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.59</td> <td>48.90</td> <td>74.00</td> <td>-25.10</td> <td>39.32</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg		1	5430.59	48.90	74.00	-25.10	39.32	34.43	8.45	33.30	100	72	PEAK	Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg																												
1	5430.59	48.90	74.00	-25.10	39.32	34.43	8.45	33.30	100	72	PEAK																											
Avg	 <p>Date: 2023-06-01</p> <p>Site : 03CH03-SZ          Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3.000kHz          Mode : 58          Setting : MCS0 power setting 12.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5373.64</td> <td>39.20</td> <td>54.00</td> <td>-14.80</td> <td>29.57</td> <td>34.45</td> <td>8.39</td> <td>33.21</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg		1	5373.64	39.20	54.00	-14.80	29.57	34.45	8.39	33.21	100	72	AVERAGE	Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m			dBuV	dB/m	dB	dB	cm	deg																												
1	5373.64	39.20	54.00	-14.80	29.57	34.45	8.39	33.21	100	72	AVERAGE																											



<b>58</b>																																					
<b>Mode</b>	<b>Band Edge - L</b>																																				
<b>5.25-5.35_UNII 2A_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz</b>																																					
<b>ANT</b>	<b>CDD 5+18</b>																																				
<b>Pol.</b>	<b>Vertical</b>																																				
<b>Peak</b>	<p>Site : 03CH03-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 58 Setting : MCS0 power setting 12.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5128.76</td> <td>52.16</td> <td>74.00</td> <td>-21.84</td> <td>42.52</td> <td>34.55</td> <td>7.90</td> <td>32.81</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5128.76	52.16	74.00	-21.84	42.52	34.55	7.90	32.81	100	256	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5128.76	52.16	74.00	-21.84	42.52	34.55	7.90	32.81	100	256	PEAK																										
	<p>Site : 03CH03-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 58 Setting : MCS0 power setting 12.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.88</td> <td>-----</td> <td>88.30</td> <td>34.48</td> <td>8.17</td> <td>33.07</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	97.88	-----	88.30	34.48	8.17	33.07	100	256	PEAK	
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5290.00	97.88	-----	88.30	34.48	8.17	33.07	100	256	PEAK																											
<b>Avg</b>	<p>Site : 03CH03-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 58 Setting : MCS0 power setting 12.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5046.11</td> <td>41.31</td> <td>54.00</td> <td>-12.69</td> <td>31.56</td> <td>34.58</td> <td>7.85</td> <td>32.68</td> <td>100</td> <td>256</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5046.11	41.31	54.00	-12.69	31.56	34.58	7.85	32.68	100	256	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5046.11	41.31	54.00	-12.69	31.56	34.58	7.85	32.68	100	256	AVERAGE																										
	<p>Site : 03CH03-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 58 Setting : MCS0 power setting 12.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>89.68</td> <td>-----</td> <td>80.10</td> <td>34.48</td> <td>8.17</td> <td>33.07</td> <td>100</td> <td>256</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	89.68	-----	80.10	34.48	8.17	33.07	100	256	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5290.00	89.68	-----	80.10	34.48	8.17	33.07	100	256	AVERAGE																											



Mode	58																																						
	Band Edge - R																																						
	5.25-5.35_UNII 2A_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																						
ANT	CDD 5+18																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-06-01</p> <p>Site : 03CH03-SZ          Condition: PART 15.407 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 58          Setting : MCS0 power setting 12.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.28</td> <td>50.41</td> <td>74.00</td> <td>-23.59</td> <td>40.79</td> <td>34.46</td> <td>8.34</td> <td>33.18</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.28	50.41	74.00	-23.59	40.79	34.46	8.34	33.18	100	256	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5355.28	50.41	74.00	-23.59	40.79	34.46	8.34	33.18	100	256	PEAK																												
Avg	<p>Date: 2023-06-01</p> <p>Site : 03CH03-SZ          Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3.000kHz          Mode : 58          Setting : MCS0 power setting 12.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.52</td> <td>39.73</td> <td>54.00</td> <td>-14.27</td> <td>30.11</td> <td>34.46</td> <td>8.33</td> <td>33.17</td> <td>100</td> <td>256</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.52	39.73	54.00	-14.27	30.11	34.46	8.33	33.17	100	256	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5350.52	39.73	54.00	-14.27	30.11	34.46	8.33	33.17	100	256	AVERAGE																												





<b>59</b>																																																													
<b>Mode</b>	<b>Band Edge - L</b>																																																												
<b>5.47-5.725_UNII 2C_802.11be EHT80_CH106_Puncturing 20M ④_5530MHz</b>																																																													
<b>ANT</b>	<b>CDD 5+18</b>																																																												
<b>Pol.</b>	<b>Horizontal</b>																																																												
<b>Peak</b>	<b>Fundamental</b>																																																												
<p>Date: 2023-06-02</p> <p>Site : 03CH03-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 59 Setting : MCS0 power setting 15 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV/m)</th> <th>Ant Level Factor (dB/m)</th> <th>Cable Loss Factor (dB)</th> <th>Preamp Loss Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5392.66</td> <td>50.42</td> <td>74.00</td> <td>-23.58</td> <td>40.78</td> <td>34.44</td> <td>8.44</td> <td>33.24</td> <td>306</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.88</td> <td>52.14</td> <td>68.30</td> <td>-16.16</td> <td>42.69</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>306</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV/m)	Ant Level Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5392.66	50.42	74.00	-23.58	40.78	34.44	8.44	33.24	306	65	PEAK	2	5469.88	52.14	68.30	-16.16	42.69	34.41	8.40	33.36	306	65	PEAK	<p>Date: 2023-06-02</p> <p>Site : 03CH03-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 59 Setting : MCS0 power setting 15 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dB)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV/m)</th> <th>Ant Level Factor (dB/m)</th> <th>Cable Loss Factor (dB)</th> <th>Preamp Loss Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>98.89</td> <td>70.00</td> <td>28.89</td> <td>90.52</td> <td>34.44</td> <td>8.33</td> <td>33.40</td> <td>306</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dB)	Line Margin (dB)	Read Level (dBuV/m)	Ant Level Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5530.00	98.89	70.00	28.89	90.52	34.44	8.33	33.40	306	65	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV/m)	Ant Level Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	APos (cm)	TPos (deg)	Remark																																																		
1	5392.66	50.42	74.00	-23.58	40.78	34.44	8.44	33.24	306	65	PEAK																																																		
2	5469.88	52.14	68.30	-16.16	42.69	34.41	8.40	33.36	306	65	PEAK																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dB)	Line Margin (dB)	Read Level (dBuV/m)	Ant Level Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	APos (cm)	TPos (deg)	Remark																																																		
1	5530.00	98.89	70.00	28.89	90.52	34.44	8.33	33.40	306	65	PEAK																																																		
<b>Avg</b>	<b>Avg</b>																																																												
<p>Date: 2023-06-02</p> <p>Site : 03CH03-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 59 Setting : MCS0 power setting 15 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV/m)</th> <th>Ant Level Factor (dB/m)</th> <th>Cable Loss Factor (dB)</th> <th>Preamp Loss Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.62</td> <td>40.81</td> <td>54.00</td> <td>-13.19</td> <td>31.33</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>306</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV/m)	Ant Level Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5459.62	40.81	54.00	-13.19	31.33	34.42	8.41	33.35	306	65	AVERAGE	<p>Date: 2023-06-02</p> <p>Site : 03CH03-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 59 Setting : MCS0 power setting 15 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dB)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV/m)</th> <th>Ant Level Factor (dB/m)</th> <th>Cable Loss Factor (dB)</th> <th>Preamp Loss Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.20</td> <td>52.50</td> <td>38.70</td> <td>81.82</td> <td>34.45</td> <td>8.32</td> <td>33.39</td> <td>306</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dB)	Line Margin (dB)	Read Level (dBuV/m)	Ant Level Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5530.00	91.20	52.50	38.70	81.82	34.45	8.32	33.39	306	65	AVERAGE												
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV/m)	Ant Level Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	APos (cm)	TPos (deg)	Remark																																																		
1	5459.62	40.81	54.00	-13.19	31.33	34.42	8.41	33.35	306	65	AVERAGE																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dB)	Line Margin (dB)	Read Level (dBuV/m)	Ant Level Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	APos (cm)	TPos (deg)	Remark																																																		
1	5530.00	91.20	52.50	38.70	81.82	34.45	8.32	33.39	306	65	AVERAGE																																																		



Mode	59																																																	
	Band Edge - R																																																	
	5.47-5.725_UNII 2C_802.11be EHT80_CH106_Puncturing 20M ④_5530MHz																																																	
ANT	CDD 5+18																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<p>Date: 2023-06-02</p> <p>Site : 03CH03-SZ          Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 59          Setting : MCS0 power setting 15          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5741.27</td> <td>51.30</td> <td>68.30</td> <td>-17.00</td> <td>40.99</td> <td>34.93</td> <td>8.73</td> <td>33.35</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>306</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1 5741.27	51.30	68.30	-17.00	40.99	34.93	8.73	33.35							cm	deg							306	65 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																											
1 5741.27	51.30	68.30	-17.00	40.99	34.93	8.73	33.35																																											
						cm	deg																																											
						306	65 PEAK																																											



		59																																																																													
Mode		Band Edge - L																																																																													
		5.47-5.725_UNII 2C_802.11be EHT80_CH106_Puncturing 20M ④_5530MHz																																																																													
ANT		CDD 5+18																																																																													
Pol.		Vertical	Fundamental																																																																												
<b>Peak</b>	<p style="text-align: right;">Date: 2023-06-02</p> <p>Site : 03CH03-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 59 Setting : MCS0 power setting 15 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.10</td> <td>50.39</td> <td>74.00</td> <td>-23.61</td> <td>40.90</td> <td>34.42</td> <td>8.41</td> <td>33.34</td> <td>100</td> <td>279 PEAK</td> </tr> <tr> <td>2</td> <td>5462.50</td> <td>52.80</td> <td>68.30</td> <td>-15.50</td> <td>43.32</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>100</td> <td>279 PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.10	50.39	74.00	-23.61	40.90	34.42	8.41	33.34	100	279 PEAK	2	5462.50	52.80	68.30	-15.50	43.32	34.42	8.41	33.35	100	279 PEAK	<p style="text-align: right;">Date: 2023-06-02</p> <p>Site : 03CH03-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 59 Setting : MCS0 power setting 15 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>100.27</td> <td>-----</td> <td>90.87</td> <td>34.47</td> <td>8.32</td> <td>33.39</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	100.27	-----	90.87	34.47	8.32	33.39	100	279	PEAK
Freq	Level	Limit	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5457.10	50.39	74.00	-23.61	40.90	34.42	8.41	33.34	100	279 PEAK																																																																					
2	5462.50	52.80	68.30	-15.50	43.32	34.42	8.41	33.35	100	279 PEAK																																																																					
Freq	Level	Limit	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5530.00	100.27	-----	90.87	34.47	8.32	33.39	100	279	PEAK																																																																					
<b>Avg</b>	<p style="text-align: right;">Date: 2023-06-02</p> <p>Site : 03CH03-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 59 Setting : MCS0 power setting 15 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>40.86</td> <td>54.00</td> <td>-13.14</td> <td>31.38</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>100</td> <td>279 AVERAGE</td> </tr> </tbody> </table>	Freq	Level	Limit	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.98	40.86	54.00	-13.14	31.38	34.42	8.41	33.35	100	279 AVERAGE	<p style="text-align: right;">Date: 2023-06-02</p> <p>Site : 03CH03-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 59 Setting : MCS0 power setting 15 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>90.77</td> <td>-----</td> <td>81.37</td> <td>34.47</td> <td>8.32</td> <td>33.39</td> <td>100</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>	Freq	Level	Limit	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	90.77	-----	81.37	34.47	8.32	33.39	100	279	AVERAGE											
Freq	Level	Limit	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5459.98	40.86	54.00	-13.14	31.38	34.42	8.41	33.35	100	279 AVERAGE																																																																					
Freq	Level	Limit	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5530.00	90.77	-----	81.37	34.47	8.32	33.39	100	279	AVERAGE																																																																					



Mode	59																																				
	Band Edge - R																																				
	5.47-5.725_UNII 2C_802.11be EHT80_CH106_Puncturing 20M ④_5530MHz																																				
ANT	CDD 5+18																																				
Pol.	Vertical	Fundamental																																			
Peak	<p>Date: 2023-06-02</p> <p>Site : 03CH03-SZ          Condition: PART 15.407 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 59          Setting : MCS0 power setting 15          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.40</td> <td>50.78</td> <td>68.30</td> <td>-17.52</td> <td>40.55</td> <td>34.90</td> <td>8.68</td> <td>33.35</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1 5727.40	50.78	68.30	-17.52	40.55	34.90	8.68	33.35	100	279	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																														
1 5727.40	50.78	68.30	-17.52	40.55	34.90	8.68	33.35	100	279	PEAK																											







<b>60</b>																																																																															
<b>Band Edge - L</b>																																																																															
<b>5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Puncturing 20M ⑥_5250MHz</b>																																																																															
<b>ANT CDD 5+18</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>																																																																														
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 60 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.75</td> <td>56.58</td> <td>74.00</td> <td>-17.42</td> <td>46.96</td> <td>34.54</td> <td>7.92</td> <td>32.84</td> <td>358</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 60 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>93.48</td> <td>-----</td> <td>-----</td> <td>83.95</td> <td>34.51</td> <td>7.99</td> <td>32.97</td> <td>358</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5144.75	56.58	74.00	-17.42	46.96	34.54	7.92	32.84	358	61	PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.48	-----	-----	83.95	34.51	7.99	32.97	358	61	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5144.75	56.58	74.00	-17.42	46.96	34.54	7.92	32.84	358	61	PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5250.00	93.48	-----	-----	83.95	34.51	7.99	32.97	358	61	PEAK																																																																				
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 60 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5125.00</td> <td>48.70</td> <td>54.00</td> <td>-5.30</td> <td>39.06</td> <td>34.55</td> <td>7.90</td> <td>32.81</td> <td>358</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 60 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>85.56</td> <td>-----</td> <td>-----</td> <td>76.00</td> <td>34.50</td> <td>8.07</td> <td>33.01</td> <td>358</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5125.00	48.70	54.00	-5.30	39.06	34.55	7.90	32.81	358	61	AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	85.56	-----	-----	76.00	34.50	8.07	33.01	358	61	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5125.00	48.70	54.00	-5.30	39.06	34.55	7.90	32.81	358	61	AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5250.00	85.56	-----	-----	76.00	34.50	8.07	33.01	358	61	AVERAGE																																																																				



Mode	60																																							
	Band Edge - R																																							
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Puncturing 20M ⑥_5250MHz																																							
ANT	CDD 5+18																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Date: 2023-06-02</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 60          Setting : MCS0 power setting 10.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5397.21</td> <td>52.09</td> <td>74.00</td> <td>-21.91</td> <td>42.45</td> <td>34.44</td> <td>8.45</td> <td>33.25</td> <td>358</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5397.21	52.09	74.00	-21.91	42.45	34.44	8.45	33.25	358	61 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5397.21	52.09	74.00	-21.91	42.45	34.44	8.45	33.25	358	61 PEAK																														
Avg	<p>Date: 2023-06-02</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:10.000kHz          Mode : 60          Setting : MCS0 power setting 10.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5384.82</td> <td>42.74</td> <td>54.00</td> <td>-11.26</td> <td>33.10</td> <td>34.45</td> <td>8.42</td> <td>33.23</td> <td>358</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5384.82	42.74	54.00	-11.26	33.10	34.45	8.42	33.23	358	61 AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5384.82	42.74	54.00	-11.26	33.10	34.45	8.42	33.23	358	61 AVERAGE																														



		60																																																																												
Mode		Band Edge - L																																																																												
		5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Puncturing 20M ⑥_5250MHz																																																																												
ANT		CDD 5+18																																																																												
Pol.	Vertical	Fundamental																																																																												
Peak	 <p>Date: 2023-06-02</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 60 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5124.75</td> <td>57.03</td> <td>74.00</td> <td>-16.97</td> <td>47.39</td> <td>34.55</td> <td>7.90</td> <td>32.81</td> <td>100</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5124.75	57.03	74.00	-16.97	47.39	34.55	7.90	32.81	100	74 PEAK	 <p>Date: 2023-06-02</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 60 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>93.53</td> <td>70.00</td> <td>-----</td> <td>83.97</td> <td>34.50</td> <td>8.06</td> <td>33.00</td> <td>100</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.53	70.00	-----	83.97	34.50	8.06	33.00	100	74 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5124.75	57.03	74.00	-16.97	47.39	34.55	7.90	32.81	100	74 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5250.00	93.53	70.00	-----	83.97	34.50	8.06	33.00	100	74 PEAK																																																																				
Avg	 <p>Date: 2023-06-02</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 60 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5125.50</td> <td>49.64</td> <td>54.00</td> <td>-4.36</td> <td>40.00</td> <td>34.55</td> <td>7.90</td> <td>32.81</td> <td>100</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5125.50	49.64	54.00	-4.36	40.00	34.55	7.90	32.81	100	74 AVERAGE	 <p>Date: 2023-06-02</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 60 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>85.24</td> <td>52.50</td> <td>-----</td> <td>75.70</td> <td>34.50</td> <td>8.04</td> <td>33.00</td> <td>100</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	85.24	52.50	-----	75.70	34.50	8.04	33.00	100	74 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5125.50	49.64	54.00	-4.36	40.00	34.55	7.90	32.81	100	74 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5250.00	85.24	52.50	-----	75.70	34.50	8.04	33.00	100	74 AVERAGE																																																																				



Mode	60																																							
	Band Edge - R																																							
	5.15-5.35_UNII 1-2A_802.11be EHT160_CH50_Puncturing 20M ⑥_5250MHz																																							
ANT	CDD 5+18																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>Date: 2023-06-02</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 60          Setting : MCS0 power setting 10.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.52</td> <td>50.47</td> <td>74.00</td> <td>-23.53</td> <td>40.84</td> <td>34.46</td> <td>8.35</td> <td>33.18</td> <td>100</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5357.52	50.47	74.00	-23.53	40.84	34.46	8.35	33.18	100	74 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5357.52	50.47	74.00	-23.53	40.84	34.46	8.35	33.18	100	74 PEAK																														
Avg	<p>Date: 2023-06-02</p> <p>Site : 03CH04-SZ          Condition: PART 15.407 AVG 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:10.000kHz          Mode : 60          Setting : MCS0 power setting 10.5          Plane : Z with Accessories          : 8615855060047220/8615855060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.63</td> <td>42.51</td> <td>54.00</td> <td>-11.49</td> <td>32.89</td> <td>34.46</td> <td>8.34</td> <td>33.18</td> <td>100</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.63	42.51	54.00	-11.49	32.89	34.46	8.34	33.18	100	74 AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5355.63	42.51	54.00	-11.49	32.89	34.46	8.34	33.18	100	74 AVERAGE																														