



13																																							
Mode	Band Edge																																						
2400-2483.5 802.11be EHT20_CH01_Single RU 106/53_2412MHz																																							
ANT	CDD 17+6																																						
Pol.	Horizontal																																						
Peak	<p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.76</td> <td>58.26</td> <td>74.00</td> <td>-15.74</td> <td>53.50</td> <td>33.29</td> <td>5.35</td> <td>33.88</td> <td>200</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	2381.76	58.26	74.00	-15.74	53.50	33.29	5.35	33.88	200	336	PEAK		
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																
1	2381.76	58.26	74.00	-15.74	53.50	33.29	5.35	33.88	200	336	PEAK																												
<p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>107.57</td> <td>-----</td> <td>-----</td> <td>102.72</td> <td>33.36</td> <td>5.37</td> <td>33.88</td> <td>200</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2412.00	107.57	-----	-----	102.72	33.36	5.37	33.88	200	336	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	2412.00	107.57	-----	-----	102.72	33.36	5.37	33.88	200	336	PEAK																												
Avg	<p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2343.02</td> <td>45.90</td> <td>54.00</td> <td>-8.10</td> <td>41.26</td> <td>33.19</td> <td>5.32</td> <td>33.87</td> <td>200</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	2343.02	45.90	54.00	-8.10	41.26	33.19	5.32	33.87	200	336	AVERAGE		
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																
1	2343.02	45.90	54.00	-8.10	41.26	33.19	5.32	33.87	200	336	AVERAGE																												
<p style="text-align: right;">Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.25</td> <td>-----</td> <td>-----</td> <td>93.41</td> <td>33.35</td> <td>5.37</td> <td>33.88</td> <td>200</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2412.00	98.25	-----	-----	93.41	33.35	5.37	33.88	200	336	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	2412.00	98.25	-----	-----	93.41	33.35	5.37	33.88	200	336	AVERAGE																												



13

Mode

Band Edge

2400-2483.5 802.11be EHT20_CH01_Single RU 106/53_2412MHz

ANT



CDD 17+6

Pol.

Vertical

Fundamental

Peak





Site : 03CH04-SZ
 Condition: PEAK_BE_74 3m HF_ANT_3117(119436) VERTICAL
 : RBW:1000.000kHz VBW:3000.000kHz
 Mode : 3S
 Setting : MCS0 Powersetting 14.5
 Plane : Z with Accessories
 : 861585060047220/861585060047238

Site : 03CH04-SZ
 Condition: PEAK_74 3m HF_ANT_3117(119436) VERTICAL
 : RBW:1000.000kHz VBW:3000.000kHz
 Mode : 3S
 Setting : MCS0 Powersetting 14.5
 Plane : Z with Accessories
 : 861585060047220/861585060047238

Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm				
1	2359.92	58.64	74.00	-15.36	53.94	33.24	5.33	33.87	200	360	PEAK

Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm				
1	2412.00	107.62	-----	-----	102.75	33.37	5.38	33.88	200	360	PEAK

Avg







Site : 03CH04-SZ
 Condition: AVG_BE_54 3m HF_ANT_3117(119436) VERTICAL
 : RBW:1000.000kHz VBW:1.000kHz
 Mode : 3S
 Setting : MCS0 Powersetting 14.5
 Plane : Z with Accessories
 : 861585060047220/861585060047238

Site : 03CH04-SZ
 Condition: AVG_54 3m HF_ANT_3117(119436) VERTICAL
 : RBW:1000.000kHz VBW:1.000kHz
 Mode : 3S
 Setting : MCS0 Powersetting 14.5
 Plane : Z with Accessories
 : 861585060047220/861585060047238

Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm				
1	2389.43	46.07	54.00	-7.93	41.28	33.31	5.36	33.88	200	360	AVERAGE

Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm				
1	2412.00	99.00	-----	-----	94.16	33.35	5.37	33.88	200	360	AVERAGE



14																																																																												
Mode	Band Edge																																																																											
2400-2483.5_802.11be EHT20_CH11_Single RU 26+8_2462MHz																																																																												
ANT	CDD 17+6																																																																											
Pol.	Horizontal																																																																											
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;">  <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.06</td> <td>58.26</td> <td>74.00</td> <td>-15.74</td> <td>53.12</td> <td>33.57</td> <td>5.47</td> <td>33.90</td> <td>138</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;">  <p>Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>104.67</td> <td>-----</td> <td>-----</td> <td>99.60</td> <td>33.52</td> <td>5.44</td> <td>33.89</td> <td>138</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	2489.06	58.26	74.00	-15.74	53.12	33.57	5.47	33.90	138	300	PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2462.00	104.67	-----	-----	99.60	33.52	5.44	33.89	138	300	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																					
1	2489.06	58.26	74.00	-15.74	53.12	33.57	5.47	33.90	138	300	PEAK																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																				
1	2462.00	104.67	-----	-----	99.60	33.52	5.44	33.89	138	300	PEAK																																																																	
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;">  <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.12</td> <td>46.13</td> <td>54.00</td> <td>-7.87</td> <td>40.99</td> <td>33.57</td> <td>5.47</td> <td>33.90</td> <td>138</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;">  <p>Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.25</td> <td>-----</td> <td>-----</td> <td>91.18</td> <td>33.52</td> <td>5.44</td> <td>33.89</td> <td>138</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	2490.12	46.13	54.00	-7.87	40.99	33.57	5.47	33.90	138	300	AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2462.00	96.25	-----	-----	91.18	33.52	5.44	33.89	138	300	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																					
1	2490.12	46.13	54.00	-7.87	40.99	33.57	5.47	33.90	138	300	AVERAGE																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																				
1	2462.00	96.25	-----	-----	91.18	33.52	5.44	33.89	138	300	AVERAGE																																																																	







14																																																																					
Mode	Band Edge																																																																				
2400-2483.5_802.11be EHT20_CH11_Single RU 26+8_2462MHz																																																																					
ANT	CDD 17+6																																																																				
Pol.	Vertical																																																																				
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Level (dBuV/m) vs Frequency (MHz). Peak at 2486.74 MHz. Limit line at 74.00 dBuV/m.</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.74</td> <td>58.34</td> <td>74.00</td> <td>-15.66</td> <td>53.21</td> <td>33.57</td> <td>5.46 33.90 400 359 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Level (dBuV/m) vs Frequency (MHz). Peak at 2462.00 MHz. Limit line at 102.87 dBuV/m.</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.87</td> <td>-----</td> <td>97.80</td> <td>33.52</td> <td>5.44</td> <td>33.89</td> <td>400 359 PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1	2486.74	58.34	74.00	-15.66	53.21	33.57	5.46 33.90 400 359 PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2462.00	102.87	-----	97.80	33.52	5.44	33.89	400 359 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																														
1	2486.74	58.34	74.00	-15.66	53.21	33.57	5.46 33.90 400 359 PEAK																																																														
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																													
1	2462.00	102.87	-----	97.80	33.52	5.44	33.89	400 359 PEAK																																																													
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Level (dBuV/m) vs Frequency (MHz). Peak at 2495.25 MHz. Limit line at 54.00 dBuV/m.</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.25</td> <td>46.15</td> <td>54.00</td> <td>-7.85</td> <td>40.99</td> <td>33.59</td> <td>5.47 33.90 400 359 AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Level (dBuV/m) vs Frequency (MHz). Peak at 2462.00 MHz. Limit line at 95.23 dBuV/m.</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>95.23</td> <td>-----</td> <td>90.16</td> <td>33.52</td> <td>5.44</td> <td>33.89</td> <td>400 359 AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1	2495.25	46.15	54.00	-7.85	40.99	33.59	5.47 33.90 400 359 AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2462.00	95.23	-----	90.16	33.52	5.44	33.89	400 359 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																														
1	2495.25	46.15	54.00	-7.85	40.99	33.59	5.47 33.90 400 359 AVERAGE																																																														
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																													
1	2462.00	95.23	-----	90.16	33.52	5.44	33.89	400 359 AVERAGE																																																													



15																																																																				
Mode	Band Edge																																																																			
2400-2483.5_802.11be EHT20_CH01_Small RU 106+26_2412MHz																																																																				
ANT	CDD 17+6																																																																			
Pol.	Horizontal																																																																			
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>58.89</td> <td>74.00</td> <td>-15.11</td> <td>54.10</td> <td>33.31</td> <td>5.36 33.88 200 0 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>108.27</td> <td>-----</td> <td>-----</td> <td>103.40</td> <td>33.37</td> <td>5.38 33.88 200 0 PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1	2388.52	58.89	74.00	-15.11	54.10	33.31	5.36 33.88 200 0 PEAK	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm deg		1	2412.00	108.27	-----	-----	103.40	33.37	5.38 33.88 200 0 PEAK
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																													
1	2388.52	58.89	74.00	-15.11	54.10	33.31	5.36 33.88 200 0 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm deg																																																													
1	2412.00	108.27	-----	-----	103.40	33.37	5.38 33.88 200 0 PEAK																																																													
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.87</td> <td>46.09</td> <td>54.00</td> <td>-7.91</td> <td>41.30</td> <td>33.31</td> <td>5.36 33.88 200 0 AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.66</td> <td>-----</td> <td>-----</td> <td>93.79</td> <td>33.37</td> <td>5.38 33.88 200 0 AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1	2387.87	46.09	54.00	-7.91	41.30	33.31	5.36 33.88 200 0 AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm deg		1	2412.00	98.66	-----	-----	93.79	33.37	5.38 33.88 200 0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																													
1	2387.87	46.09	54.00	-7.91	41.30	33.31	5.36 33.88 200 0 AVERAGE																																																													
Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm deg																																																													
1	2412.00	98.66	-----	-----	93.79	33.37	5.38 33.88 200 0 AVERAGE																																																													







		15																																																																								
Mode	Band Edge																																																																									
	2400-2483.5_802.11be EHT20_CH01_Small RU 106+26_2412MHz																																																																									
ANT	CDD 17+6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. Peak at 2389.69 MHz.</p> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>62.52</td> <td>74.00</td> <td>-11.48</td> <td>57.73</td> <td>33.31</td> <td>5.36</td> <td>33.88</td> <td>230</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	2389.69	62.52	74.00	-11.48	57.73	33.31	5.36	33.88	230	0	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Peak at 2412.00 MHz.</p> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>113.49</td> <td>-----</td> <td>108.64</td> <td>33.36</td> <td>5.37</td> <td>33.88</td> <td>230</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2412.00	113.49	-----	108.64	33.36	5.37	33.88	230	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	2389.69	62.52	74.00	-11.48	57.73	33.31	5.36	33.88	230	0	PEAK																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2412.00	113.49	-----	108.64	33.36	5.37	33.88	230	0	PEAK																																																																
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. Average at 2389.43 MHz.</p> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>46.92</td> <td>54.00</td> <td>-7.08</td> <td>42.13</td> <td>33.31</td> <td>5.36</td> <td>33.88</td> <td>230</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	2389.43	46.92	54.00	-7.08	42.13	33.31	5.36	33.88	230	0	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Average at 2412.00 MHz.</p> <p>Date: 2023-06-01</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.78</td> <td>-----</td> <td>98.94</td> <td>33.35</td> <td>5.37</td> <td>33.88</td> <td>230</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2412.00	103.78	-----	98.94	33.35	5.37	33.88	230	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	2389.43	46.92	54.00	-7.08	42.13	33.31	5.36	33.88	230	0	AVERAGE																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2412.00	103.78	-----	98.94	33.35	5.37	33.88	230	0	AVERAGE																																																																



16																																	
Mode	Band Edge																																
2400-2483.5_802.11be EHT20_CH11_Small RU 52+26_2462MHz																																	
ANT	CDD 17+6																																
Pol.	Horizontal																																
Peak	<p style="text-align: right;">Date: 2023-06-01</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2490.08 58.42 74.00 -15.58</td> <td>53.28 33.57</td> <td>5.47 33.90</td> <td>172</td> <td>360</td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	dB	cm	deg	PEAK	1 2490.08 58.42 74.00 -15.58	53.28 33.57	5.47 33.90	172	360			PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																											
MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	dB	cm	deg	PEAK																										
1 2490.08 58.42 74.00 -15.58	53.28 33.57	5.47 33.90	172	360			PEAK																										
<p style="text-align: right;">Date: 2023-06-01</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2462.00 109.26 -----</td> <td>104.19 33.52</td> <td>5.44 33.89</td> <td>172</td> <td>360</td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	dB	cm	deg	PEAK	1 2462.00 109.26 -----	104.19 33.52	5.44 33.89	172	360			PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																											
MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	dB	cm	deg	PEAK																										
1 2462.00 109.26 -----	104.19 33.52	5.44 33.89	172	360			PEAK																										
Avg	<p style="text-align: right;">Date: 2023-06-01</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2485.26 46.29 54.00 -7.71</td> <td>41.17 33.56</td> <td>5.46 33.90</td> <td>172</td> <td>360</td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	dB	cm	deg	AVERAGE	1 2485.26 46.29 54.00 -7.71	41.17 33.56	5.46 33.90	172	360			AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																											
MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	dB	cm	deg	AVERAGE																										
1 2485.26 46.29 54.00 -7.71	41.17 33.56	5.46 33.90	172	360			AVERAGE																										
<p style="text-align: right;">Date: 2023-06-01</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2462.00 99.92 -----</td> <td>94.86 33.51</td> <td>5.44 33.89</td> <td>172</td> <td>360</td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	dB	cm	deg	AVERAGE	1 2462.00 99.92 -----	94.86 33.51	5.44 33.89	172	360			AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																											
MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	dB	cm	deg	AVERAGE																										
1 2462.00 99.92 -----	94.86 33.51	5.44 33.89	172	360			AVERAGE																										



16																																																													
Mode	Band Edge																																																												
2400-2483.5_802.11be EHT20_CH11_Small RU 52+26_2462MHz																																																													
ANT	CDD 17+6																																																												
Pol.	Vertical																																																												
Peak	Fundamental																																																												
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Vertical. Date: 2023-06-01. Peak at 2494.68 MHz.</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2494.68 58.74 74.00 -15.26</td> <td>53.58</td> <td>33.59</td> <td>5.47</td> <td>33.90</td> <td>200</td> <td>190 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2494.68 58.74 74.00 -15.26	53.58	33.59	5.47	33.90	200	190 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. Date: 2023-06-01. Peak at 2462.00 MHz.</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.00 106.26</td> <td>-----</td> <td>-----</td> <td>101.20</td> <td>33.51</td> <td>5.44</td> <td>33.89</td> <td>200 190 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2462.00 106.26	-----	-----	101.20	33.51	5.44	33.89	200 190 PEAK
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																							
Freq Level Line Margin	Level Factor	Loss Factor																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1 2494.68 58.74 74.00 -15.26	53.58	33.59	5.47	33.90	200	190 PEAK																																																							
Limit	Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																						
Freq Level Line (dB)	Level Factor	Loss Factor																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1 2462.00 106.26	-----	-----	101.20	33.51	5.44	33.89	200 190 PEAK																																																						
Avg	Fundamental																																																												
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Vertical. Date: 2023-06-01. Peak at 2484.53 MHz.</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.53 46.18 54.00 -7.82</td> <td>41.06</td> <td>33.56</td> <td>5.46</td> <td>33.90</td> <td>200</td> <td>190 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2484.53 46.18 54.00 -7.82	41.06	33.56	5.46	33.90	200	190 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. Date: 2023-06-01. Peak at 2462.00 MHz.</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.00 96.23</td> <td>-----</td> <td>-----</td> <td>91.17</td> <td>33.51</td> <td>5.44</td> <td>33.89</td> <td>200 190 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2462.00 96.23	-----	-----	91.17	33.51	5.44	33.89	200 190 AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																							
Freq Level Line Margin	Level Factor	Loss Factor																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1 2484.53 46.18 54.00 -7.82	41.06	33.56	5.46	33.90	200	190 AVERAGE																																																							
Limit	Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																						
Freq Level Line (dB)	Level Factor	Loss Factor																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1 2462.00 96.23	-----	-----	91.17	33.51	5.44	33.89	200 190 AVERAGE																																																						



Mode	17																																																																																																																																																																															
	LF																																																																																																																																																																															
	2400-2483.5_802.11g_Ch01_2412MHz																																																																																																																																																																															
ANT	CDD 17+6																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																														
QP/ Peak	<p>Date: 2023-06-05</p> <p>Site : 03CH04-SZ Condition: FCC CLASS-B 3m LF_ANT35408 HORIZONTAL Mode : 39 Setting : 6M Power setting 18.5 Plane : Y with Accessories Plane : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>23.96</td> <td>40.00</td> <td>-16.04</td> <td>30.43</td> <td>24.90</td> <td>0.53</td> <td>31.90</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>120.21</td> <td>17.33</td> <td>43.50</td> <td>-26.17</td> <td>29.95</td> <td>17.90</td> <td>1.12</td> <td>31.64</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>217.21</td> <td>19.39</td> <td>46.00</td> <td>-26.61</td> <td>33.52</td> <td>15.63</td> <td>1.51</td> <td>31.27</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>293.84</td> <td>25.28</td> <td>46.00</td> <td>-20.72</td> <td>35.37</td> <td>19.24</td> <td>1.78</td> <td>31.11</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>728.40</td> <td>28.76</td> <td>46.00</td> <td>-17.24</td> <td>31.38</td> <td>25.47</td> <td>2.81</td> <td>30.90</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>927.25</td> <td>29.92</td> <td>46.00</td> <td>-16.08</td> <td>30.72</td> <td>26.94</td> <td>3.20</td> <td>30.94</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	30.00	23.96	40.00	-16.04	30.43	24.90	0.53	31.90	--- Peak	2	120.21	17.33	43.50	-26.17	29.95	17.90	1.12	31.64	--- Peak	3	217.21	19.39	46.00	-26.61	33.52	15.63	1.51	31.27	--- Peak	4	293.84	25.28	46.00	-20.72	35.37	19.24	1.78	31.11	--- Peak	5	728.40	28.76	46.00	-17.24	31.38	25.47	2.81	30.90	--- Peak	6	927.25	29.92	46.00	-16.08	30.72	26.94	3.20	30.94	--- Peak	<p>Date: 2023-06-05</p> <p>Site : 03CH04-SZ Condition: FCC CLASS-B 3m LF_ANT35408 VERTICAL Mode : 39 Setting : 6M Power setting 18.5 Plane : Y with Accessories Plane : 861585060047220/861585060047238</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>24.05</td> <td>40.00</td> <td>-15.95</td> <td>30.52</td> <td>24.90</td> <td>0.53</td> <td>31.90</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>123.12</td> <td>18.07</td> <td>43.50</td> <td>-25.43</td> <td>30.71</td> <td>17.85</td> <td>1.13</td> <td>31.62</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>294.81</td> <td>23.02</td> <td>46.00</td> <td>-22.98</td> <td>33.09</td> <td>19.25</td> <td>1.79</td> <td>31.11</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>582.90</td> <td>27.99</td> <td>46.00</td> <td>-18.01</td> <td>31.80</td> <td>24.63</td> <td>2.53</td> <td>30.97</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>764.29</td> <td>28.38</td> <td>46.00</td> <td>-17.62</td> <td>30.47</td> <td>25.93</td> <td>2.88</td> <td>30.90</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>902.03</td> <td>29.98</td> <td>46.00</td> <td>-16.02</td> <td>31.19</td> <td>26.72</td> <td>3.16</td> <td>31.09</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	30.00	24.05	40.00	-15.95	30.52	24.90	0.53	31.90	--- Peak	2	123.12	18.07	43.50	-25.43	30.71	17.85	1.13	31.62	--- Peak	3	294.81	23.02	46.00	-22.98	33.09	19.25	1.79	31.11	--- Peak	4	582.90	27.99	46.00	-18.01	31.80	24.63	2.53	30.97	--- Peak	5	764.29	28.38	46.00	-17.62	30.47	25.93	2.88	30.90	--- Peak	6	902.03	29.98	46.00	-16.02	31.19	26.72	3.16	31.09	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																								
1	30.00	23.96	40.00	-16.04	30.43	24.90	0.53	31.90	--- Peak																																																																																																																																																																							
2	120.21	17.33	43.50	-26.17	29.95	17.90	1.12	31.64	--- Peak																																																																																																																																																																							
3	217.21	19.39	46.00	-26.61	33.52	15.63	1.51	31.27	--- Peak																																																																																																																																																																							
4	293.84	25.28	46.00	-20.72	35.37	19.24	1.78	31.11	--- Peak																																																																																																																																																																							
5	728.40	28.76	46.00	-17.24	31.38	25.47	2.81	30.90	--- Peak																																																																																																																																																																							
6	927.25	29.92	46.00	-16.08	30.72	26.94	3.20	30.94	--- Peak																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																								
1	30.00	24.05	40.00	-15.95	30.52	24.90	0.53	31.90	--- Peak																																																																																																																																																																							
2	123.12	18.07	43.50	-25.43	30.71	17.85	1.13	31.62	--- Peak																																																																																																																																																																							
3	294.81	23.02	46.00	-22.98	33.09	19.25	1.79	31.11	--- Peak																																																																																																																																																																							
4	582.90	27.99	46.00	-18.01	31.80	24.63	2.53	30.97	--- Peak																																																																																																																																																																							
5	764.29	28.38	46.00	-17.62	30.47	25.93	2.88	30.90	--- Peak																																																																																																																																																																							
6	902.03	29.98	46.00	-16.02	31.19	26.72	3.16	31.09	--- Peak																																																																																																																																																																							







<Co-location>

802.11g CH01 + BLE CH39 +LTE Band48 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz & BLE CH39 2480MHz & LTE Band48	
	Horizontal	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REW:1000 000kHz VBW:3000 000kHz Project : 351205 Mode : Mode 42 IMEI : 861585060428091961585060042817 Plane : Z with Accessories 1RB0 QPSK GM power setting 18.5 125K -ANTS</p>	<p>Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REW:1000 000kHz VBW:3000 000kHz Project : 351205 Mode : Mode 42 IMEI : 861585060428091961585060042817 Plane : Z with Accessories 1RB0 QPSK GM power setting 18.5 125K -ANTS</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REW:1000 000kHz VBW:1 000kHz Project : 351205 Mode : Mode 42 IMEI : 861585060428091961585060042817 Plane : Z with Accessories 1RB0 QPSK GM power setting 18.5 125K -ANTS</p>	<p>Site : 03CH04-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REW:1000 000kHz VBW:1 000kHz Project : 351205 Mode : Mode 42 IMEI : 861585060428091961585060042817 Plane : Z with Accessories 1RB0 QPSK GM power setting 18.5 125K -ANTS</p>

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz & BLE CH39 2480MHz<E Band48	
17+6	Vertical	Fundamental
Peak	 <p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REW:1000 000kHz VBW:3000 000kHz Project : 351205 Mode : Mode 42 IMEI : 86158560042899/86158560042817 Plane : Z with Accessories 1R8D QPSK 0M power setting 18.5 125K ANT5</p>	 <p>Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL REW:1000 000kHz VBW:3000 000kHz Project : 351205 Mode : Mode 42 IMEI : 86158560042899/86158560042817 Plane : Z with Accessories 1R8D QPSK 0M power setting 18.5 125K ANT5</p>
Avg.	 <p>Site : 03CH04-SZ Condition : AVG_BE_74 3m HF_ANT_3117_0107 VERTICAL REW:1000 000kHz VBW:1 000kHz Project : 351205 Mode : Mode 42 IMEI : 86158560042899/86158560042817 Plane : Z with Accessories 1R8D QPSK 0M power setting 18.5 125K ANT5</p>	 <p>Site : 03CH04-SZ Condition : AVG_74 3m HF_ANT_3117_0107 VERTICAL REW:1000 000kHz VBW:1 000kHz Project : 351205 Mode : Mode 42 IMEI : 86158560042899/86158560042817 Plane : Z with Accessories 1R8D QPSK 0M power setting 18.5 125K ANT5</p>

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz & BLE CH39 2480MHz & LTE Band48	
	Horizontal	Fundamental
<p>Peak</p>	<p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REW 1000 000kHz VBW 3000 000kHz Project : 201205 Mode : Mode 42 IMEI : 86158500042009/86158500042017 Plane : Y with Accessories TR80 QPSK 6M power setting 18.5 125K : ANTS</p>	<p>Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REW 1000 000kHz VBW 3000 000kHz Project : 201205 Mode : Mode 42 IMEI : 86158500042009/86158500042017 Plane : Y with Accessories TR80 QPSK 6M power setting 18.5 125K : ANTS</p>
<p>Avg.</p>	<p>Site : 03CH04-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REW 1000 000kHz VBW 1 000kHz Project : 201205 Mode : Mode 42 IMEI : 86158500042009/86158500042017 Plane : Y with Accessories TR80 QPSK 6M power setting 18.5 125K : ANTS</p>	<p>Site : 03CH04-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REW 1000 000kHz VBW 1 000kHz Project : 201205 Mode : Mode 42 IMEI : 86158500042009/86158500042017 Plane : Y with Accessories TR80 QPSK 6M power setting 18.5 125K : ANTS</p>

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz & BLE CH39 2480MHz & LTE Band48	
	Vertical	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 42 IMEI : 86158500042809186158500042817 Plane : Y with Accessories TR80 QPSK 8M power setting 18.5 125K -ANT5</p>	<p>Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 42 IMEI : 86158500042809186158500042817 Plane : Y with Accessories TR80 QPSK 8M power setting 18.5 125K -ANT5</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 42 IMEI : 86158500042809186158500042817 Plane : Y with Accessories TR80 QPSK 8M power setting 18.5 125K -ANT5</p>	<p>Site : 03CH04-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 42 IMEI : 86158500042809186158500042817 Plane : Y with Accessories TR80 QPSK 8M power setting 18.5 125K -ANT5</p>

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.



802. 11g CH01 + BLE CH39 +LTE Band48 (Harmonic @ 3m)

EDR	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	11g CH01 2412MHz & BLE CH39 2480MHz & LTE Band48	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Z with Accessories 1R00 QPSK SM power setting : 18.5 : 125K : ANT5</p>	<p>Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Z with Accessories 1R00 QPSK SM power setting : 18.5 : 125K : ANT5</p>

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.




Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.36	-	-	10Hz
802.11g	96.53	1.390	0.719	1KHz
802.11be EHT20	95.37	1.030	0.971	1KHz
802.11be EHT40	90.00	0.540	1.852	3KHz
Small RU 52+26	98.37	-	-	10Hz
Small RU 106+26	97.22	1.958	0.511	1KHz




802.11b



Date: 20.MAY.2023 10:48:41


802.11g



Date: 20.MAY.2023 11:44:40




802.11 be EHT20



Date: 20.MAY.2023 11:49:18


802.11 be EHT40



Date: 20.MAY.2023 11:53:37




Small RU 52+26



Date: 30.MAY.2023 03:41:01

Small RU 106+26



Date: 30.MAY.2023 03:36:17