




N7(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(5M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(5M)_DFT-s- OFDM_BPSK_Outer_Full_Low_CH




N7(5M)_DFT-s- OFDM_QPSK_Outer_Full_Low_CH




N7(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Right_High_CH




N7(5M)_DFT-s- OFDM_QPSK_Edge_1RB_Right_High_CH




N7(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N7(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N7(30M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(30M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PASS




N7(30M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(30M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N7(30M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N7(30M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N7(30M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N7(30M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N7(30M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N7(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N7(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_P
ASS




N7(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_P
ASS




N7(50M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N7(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




N7(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N7(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH_chn
PASS




N7(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N7(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH_chn
PASS



N7(50M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH



N7(50M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



FR1 N38 (ANT4)

Transmitter Conducted Output Power And EIRP, ($G_T - L_C$)=-1.5dB

NR Band	SCS	Band Width	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
38	30	25	516500	2582.5	DFT-s-OFDM PI/2 BPSK	32@16	24.89	23.39	0.2183
38	30	25	516500	2582.5	DFT-s-OFDM PI/2 BPSK	1@1	24.84	23.34	0.2158
38	30	25	516500	2582.5	DFT-s-OFDM PI/2 BPSK	1@63	24.88	23.38	0.2178
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	32@16	24.87	23.37	0.2173
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@1	24.86	23.36	0.2168
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@63	24.84	23.34	0.2158
38	30	25	516500	2582.5	DFT-s-OFDM 16 QAM	32@16	24.09	22.59	0.1816
38	30	25	516500	2582.5	DFT-s-OFDM 16 QAM	1@1	24.07	22.57	0.1807
38	30	25	516500	2582.5	DFT-s-OFDM 16 QAM	1@63	24.16	22.66	0.1845
38	30	25	516500	2582.5	DFT-s-OFDM 64 QAM	32@16	22.53	21.03	0.1268
38	30	25	516500	2582.5	DFT-s-OFDM 64 QAM	1@1	22.61	21.11	0.1291
38	30	25	516500	2582.5	DFT-s-OFDM 64 QAM	1@63	22.79	21.29	0.1346
38	30	25	516500	2582.5	DFT-s-OFDM 256 QAM	32@16	20.56	19.06	0.0805
38	30	25	516500	2582.5	DFT-s-OFDM 256 QAM	1@1	20.45	18.95	0.0785
38	30	25	516500	2582.5	DFT-s-OFDM 256 QAM	1@63	20.63	19.13	0.0818
38	30	25	516500	2582.5	CP-OFDM QPSK	33@16	23.49	21.99	0.1581
38	30	25	516500	2582.5	CP-OFDM QPSK	1@1	23.53	22.03	0.1596
38	30	25	516500	2582.5	CP-OFDM QPSK	1@63	23.65	22.15	0.1641
38	30	25	519000	2595	DFT-s-OFDM PI/2 BPSK	32@16	24.88	23.38	0.2178
38	30	25	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	24.86	23.36	0.2168
38	30	25	519000	2595	DFT-s-OFDM PI/2 BPSK	1@63	24.85	23.35	0.2163
38	30	25	519000	2595	DFT-s-OFDM QPSK	32@16	24.81	23.31	0.2143
38	30	25	519000	2595	DFT-s-OFDM QPSK	1@1	24.84	23.34	0.2158
38	30	25	519000	2595	DFT-s-OFDM QPSK	1@63	24.83	23.33	0.2153
38	30	25	519000	2595	DFT-s-OFDM 16 QAM	32@16	24.07	22.57	0.1807
38	30	25	519000	2595	DFT-s-OFDM 16 QAM	1@1	24.09	22.59	0.1816
38	30	25	519000	2595	DFT-s-OFDM 16 QAM	1@63	24.10	22.6	0.1820
38	30	25	519000	2595	DFT-s-OFDM 64 QAM	32@16	22.54	21.04	0.1271

					QAM	16				
38	30	25	519000	2595	DFT-s-OFDM 64 QAM	1@1	22.60	21.1	0.1288	
38	30	25	519000	2595	DFT-s-OFDM 64 QAM	1@6 3	22.73	21.23	0.1327	
38	30	25	519000	2595	DFT-s-OFDM 256 QAM	32@ 16	20.56	19.06	0.0805	
38	30	25	519000	2595	DFT-s-OFDM 256 QAM	1@1	20.53	19.03	0.0800	
38	30	25	519000	2595	DFT-s-OFDM 256 QAM	1@6 3	20.52	19.02	0.0798	
38	30	25	519000	2595	CP-OFDM QPSK	33@ 16	23.54	22.04	0.1600	
38	30	25	519000	2595	CP-OFDM QPSK	1@1	23.62	22.12	0.1629	
38	30	25	519000	2595	CP-OFDM QPSK	1@6 3	23.44	21.94	0.1563	
38	30	25	521500	2607.5	DFT-s-OFDM PI/2 BPSK	32@ 16	24.89	23.39	0.2183	
38	30	25	521500	2607.5	DFT-s-OFDM PI/2 BPSK	1@1	24.88	23.38	0.2178	
38	30	25	521500	2607.5	DFT-s-OFDM PI/2 BPSK	1@6 3	24.84	23.34	0.2158	
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	32@ 16	24.87	23.37	0.2173	
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@1	24.81	23.31	0.2143	
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@6 3	24.83	23.33	0.2153	
38	30	25	521500	2607.5	DFT-s-OFDM 16 QAM	32@ 16	24.12	22.62	0.1828	
38	30	25	521500	2607.5	DFT-s-OFDM 16 QAM	1@1	24.25	22.75	0.1884	
38	30	25	521500	2607.5	DFT-s-OFDM 16 QAM	1@6 3	24.20	22.7	0.1862	
38	30	25	521500	2607.5	DFT-s-OFDM 64 QAM	32@ 16	22.59	21.09	0.1285	
38	30	25	521500	2607.5	DFT-s-OFDM 64 QAM	1@1	22.86	21.36	0.1368	
38	30	25	521500	2607.5	DFT-s-OFDM 64 QAM	1@6 3	22.75	21.25	0.1334	
38	30	25	521500	2607.5	DFT-s-OFDM 256 QAM	32@ 16	20.57	19.07	0.0807	
38	30	25	521500	2607.5	DFT-s-OFDM 256 QAM	1@1	20.80	19.3	0.0851	
38	30	25	521500	2607.5	DFT-s-OFDM 256 QAM	1@6 3	20.83	19.33	0.0857	
38	30	25	521500	2607.5	CP-OFDM QPSK	33@ 16	23.50	22	0.1585	
38	30	25	521500	2607.5	CP-OFDM QPSK	1@1	23.62	22.12	0.1629	
38	30	25	521500	2607.5	CP-OFDM QPSK	1@6 3	23.61	22.11	0.1626	
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	50@ 25	24.89	23.39	0.2183	
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	1@1	24.88	23.38	0.2178	
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	1@1 04	24.91	23.41	0.2193	
38	30	40	518000	2590	DFT-s-OFDM QPSK	50@ 25	24.87	23.37	0.2173	
38	30	40	518000	2590	DFT-s-OFDM QPSK	1@1	24.84	23.34	0.2158	
38	30	40	518000	2590	DFT-s-OFDM QPSK	1@1 04	24.81	23.31	0.2143	
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	50@ 25	24.15	22.65	0.1841	

38	30	40	518000	2590	DFT-s-OFDM 16 QAM	1@1	24.16	22.66	0.1845
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	1@1 04	24.25	22.75	0.1884
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	50@ 25	22.55	21.05	0.1274
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	1@1	22.67	21.17	0.1309
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	1@1 04	22.73	21.23	0.1327
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	50@ 25	20.58	19.08	0.0809
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	1@1	20.61	19.11	0.0815
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	1@1 04	20.64	19.14	0.0820
38	30	40	518000	2590	CP-OFDM QPSK	53@ 26	23.70	22.2	0.1660
38	30	40	518000	2590	CP-OFDM QPSK	1@1	23.45	21.95	0.1567
38	30	40	518000	2590	CP-OFDM QPSK	1@1 04	23.47	21.97	0.1574
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	50@ 25	24.83	23.33	0.2153
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	24.92	23.42	0.2198
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1 04	24.84	23.34	0.2158
38	30	40	519000	2595	DFT-s-OFDM QPSK	50@ 25	24.86	23.36	0.2168
38	30	40	519000	2595	DFT-s-OFDM QPSK	1@1	24.88	23.38	0.2178
38	30	40	519000	2595	DFT-s-OFDM QPSK	1@1 04	24.88	23.38	0.2178
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	50@ 25	24.17	22.67	0.1849
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	1@1	24.07	22.57	0.1807
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	1@1 04	24.29	22.79	0.1901
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	50@ 25	22.61	21.11	0.1291
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	1@1	22.72	21.22	0.1324
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	1@1 04	22.73	21.23	0.1327
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	50@ 25	20.60	19.1	0.0813
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	1@1	20.56	19.06	0.0805
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	1@1 04	20.63	19.13	0.0818
38	30	40	519000	2595	CP-OFDM QPSK	53@ 26	23.73	22.23	0.1671
38	30	40	519000	2595	CP-OFDM QPSK	1@1	23.68	22.18	0.1652
38	30	40	519000	2595	CP-OFDM QPSK	1@1 04	23.52	22.02	0.1592
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	50@ 25	24.89	23.39	0.2183
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	1@1	24.88	23.38	0.2178
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	1@1 04	24.85	23.35	0.2163
38	30	40	520000	2600	DFT-s-OFDM QPSK	50@ 25	24.82	23.32	0.2148
38	30	40	520000	2600	DFT-s-OFDM	1@1	24.83	23.33	0.2153

QPSK									
38	30	40	520000	2600	DFT-s-OFDM QPSK	1@1 04	24.81	23.31	0.2143
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	50@ 25	24.16	22.66	0.1845
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	1@1	24.01	22.51	0.1782
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	1@1 04	24.32	22.82	0.1914
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	50@ 25	22.59	21.09	0.1285
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	1@1	22.57	21.07	0.1279
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	1@1 04	22.87	21.37	0.1371
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	50@ 25	20.59	19.09	0.0811
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	1@1	20.53	19.03	0.0800
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	1@1 04	20.67	19.17	0.0826
38	30	40	520000	2600	CP-OFDM QPSK	53@ 26	23.70	22.2	0.1660
38	30	40	520000	2600	CP-OFDM QPSK	1@1	23.63	22.13	0.1633
38	30	40	520000	2600	CP-OFDM QPSK	1@1 04	23.53	22.03	0.1596
38	30	10	515000	2575	DFT-s-OFDM PI/2 BPSK	1@1	24.85	23.35	0.2163
38	30	10	515000	2575	DFT-s-OFDM QPSK	1@1	24.91	23.41	0.2193
38	30	10	515000	2575	DFT-s-OFDM 16 QAM	1@1	24.10	22.6	0.1820
38	30	10	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	24.82	23.32	0.2148
38	30	10	519000	2595	DFT-s-OFDM QPSK	1@1	24.85	23.35	0.2163
38	30	10	519000	2595	DFT-s-OFDM 16 QAM	1@1	24.18	22.68	0.1854
38	30	10	523000	2615	DFT-s-OFDM PI/2 BPSK	1@1	24.79	23.29	0.2133
38	30	10	523000	2615	DFT-s-OFDM QPSK	1@1	24.82	23.32	0.2148
38	30	10	523000	2615	DFT-s-OFDM 16 QAM	1@1	24.02	22.52	0.1786
38	30	15	515500	2577.5	DFT-s-OFDM PI/2 BPSK	1@1	24.78	23.28	0.2128
38	30	15	515500	2577.5	DFT-s-OFDM QPSK	1@1	24.77	23.27	0.2123
38	30	15	515500	2577.5	DFT-s-OFDM 16 QAM	1@1	23.90	22.4	0.1738
38	30	15	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	24.72	23.22	0.2099
38	30	15	519000	2595	DFT-s-OFDM QPSK	1@1	24.73	23.23	0.2104
38	30	15	519000	2595	DFT-s-OFDM 16 QAM	1@1	23.90	22.4	0.1738
38	30	15	522500	2612.5	DFT-s-OFDM PI/2 BPSK	1@1	24.69	23.19	0.2084
38	30	15	522500	2612.5	DFT-s-OFDM QPSK	1@1	24.74	23.24	0.2109
38	30	15	522500	2612.5	DFT-s-OFDM 16 QAM	1@1	24.03	22.53	0.1791
38	30	20	516000	2580	DFT-s-OFDM PI/2 BPSK	1@1	24.77	23.27	0.2123
38	30	20	516000	2580	DFT-s-OFDM	1@1	24.80	23.3	0.2138

QPSK									
38	30	20	516000	2580	DFT-s-OFDM 16 QAM	1@1	23.98	22.48	0.1770
38	30	20	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	24.76	23.26	0.2118
38	30	20	519000	2595	DFT-s-OFDM QPSK	1@1	24.79	23.29	0.2133
38	30	20	519000	2595	DFT-s-OFDM 16 QAM	1@1	23.95	22.45	0.1758
38	30	20	522000	2610	DFT-s-OFDM PI/2 BPSK	1@1	24.73	23.23	0.2104
38	30	20	522000	2610	DFT-s-OFDM QPSK	1@1	24.75	23.25	0.2113
38	30	20	522000	2610	DFT-s-OFDM 16 QAM	1@1	23.98	22.48	0.1770
38	30	30	517000	2585	DFT-s-OFDM PI/2 BPSK	1@1	24.83	23.33	0.2153
38	30	30	517000	2585	DFT-s-OFDM QPSK	1@1	24.87	23.37	0.2173
38	30	30	517000	2585	DFT-s-OFDM 16 QAM	1@1	24.13	22.63	0.1832
38	30	30	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	24.81	23.31	0.2143
38	30	30	519000	2595	DFT-s-OFDM QPSK	1@1	24.91	23.41	0.2193
38	30	30	519000	2595	DFT-s-OFDM 16 QAM	1@1	24.06	22.56	0.1803
38	30	30	521000	2605	DFT-s-OFDM PI/2 BPSK	1@1	24.85	23.35	0.2163
38	30	30	521000	2605	DFT-s-OFDM QPSK	1@1	24.89	23.39	0.2183
38	30	30	521000	2605	DFT-s-OFDM 16 QAM	1@1	24.07	22.57	0.1807

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0011	PASS	NV
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0014	PASS	LV
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0016	PASS	HV
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0019	PASS	-30°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	-0.0012	PASS	-20°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0015	PASS	-10°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0034	PASS	0°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0027	PASS	10°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0021	PASS	20°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0028	PASS	30°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	-0.0022	PASS	40°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0013	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
38	30	25	519000	2595.0	DFT-s-OFDM PI/2 BPSK	64@0	6.98	13	PASS
38	30	25	519000	2595.0	DFT-s-OFDM PI/2 BPSK	1@0	6.42	13	PASS
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	8.02	13	PASS
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	1@0	6.98	13	PASS

N38(25M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N38(25M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N38(25M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
38	30	25	519000	2595.0	CP-OFDM QPSK	65@0	23.273	24.15
38	30	25	519000	2595.0	CP-OFDM 16 QAM	65@0	23.198	24.32
38	30	25	519000	2595.0	CP-OFDM 64 QAM	65@0	23.174	24.04
38	30	25	519000	2595.0	CP-OFDM 256 QAM	65@0	23.206	24.05


N38(25M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N38(25M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N38(25M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N38(25M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	1@0	see graph	---
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	see graph	---
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	519000	2595.0	DFT-s-OFDM BPSK	1@0	see graph	---
38	30	25	519000	2595.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	519000	2595.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	1@0	see graph	---
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	1@0	see graph	---
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@0	see graph	---
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@0	see graph	PASS


N38(25M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N38(25M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N38(25M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N38(25M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N38(25M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N38(25M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	64@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	64@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	1@64	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@64	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	64@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	64@0	see graph	PASS


N38(25M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N38(25M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N38(25M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N38(25M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N38(25M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N38(25M)_DFT-s- OFDM_BPSK_Outer_Full_High_CH



N38(25M)_DFT-s- OFDM_QPSK_Outer_Full_High_CH



FR1 N41(ANT4)

Transmitter Conducted Output Power And EIRP, (G_T - L_C)=-1.5dB

NR Band	SCS	Band Width	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	135@67	25.11	23.61	0.2296
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@1	25.15	23.65	0.2317
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@271	25.14	23.64	0.2312
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	135@67	25.14	23.64	0.2312
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@1	25.08	23.58	0.2280
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@271	25.18	23.68	0.2333
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	135@67	24.42	22.92	0.1959
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@1	24.3	22.8	0.1905
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@271	24.48	22.98	0.1986
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	135@67	22.94	21.44	0.1393
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@1	22.92	21.42	0.1387
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@271	22.96	21.46	0.1400
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	135@67	20.94	19.44	0.0879
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@1	20.8	19.3	0.0851
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@271	20.93	19.43	0.0877
41	30	100	509202	2546.01	CP-OFDM QPSK	137@68	23.86	22.36	0.1722
41	30	100	509202	2546.01	CP-OFDM QPSK	1@1	23.91	22.41	0.1742
41	30	100	509202	2546.01	CP-OFDM QPSK	1@271	23.75	22.25	0.1679
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	135@67	25.11	23.61	0.2296
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	25.24	23.74	0.2366
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@271	25.22	23.72	0.2355
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	135@67	25.13	23.63	0.2307
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@1	25.16	23.66	0.2323
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@271	25.13	23.63	0.2307
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	135@67	24.42	22.92	0.1959
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.19	22.69	0.1858
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@271	24.68	23.18	0.2080
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	135@67	22.93	21.43	0.1390

41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@1	22.78	21.28	0.1343
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@271	23.25	21.75	0.1496
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	135@67	20.92	19.42	0.0875
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@1	20.63	19.13	0.0818
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@271	21.06	19.56	0.0904
41	30	100	518598	2592.99	CP-OFDM QPSK	137@68	23.84	22.34	0.1714
41	30	100	518598	2592.99	CP-OFDM QPSK	1@1	23.71	22.21	0.1663
41	30	100	518598	2592.99	CP-OFDM QPSK	1@271	24.06	22.56	0.1803
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	135@67	25.16	23.66	0.2323
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@1	24.92	23.42	0.2198
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@271	25.13	23.63	0.2307
41	30	100	528000	2640	DFT-s-OFDM QPSK	135@67	25.15	23.65	0.2317
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@1	24.99	23.49	0.2234
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@271	25.14	23.64	0.2312
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	135@67	24.6	23.1	0.2042
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@1	24.16	22.66	0.1845
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@271	24.75	23.25	0.2113
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	135@67	23.09	21.59	0.1442
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@1	22.8	21.3	0.1349
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@271	23.35	21.85	0.1531
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	135@67	21.06	19.56	0.0904
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@1	20.67	19.17	0.0826
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@271	21.18	19.68	0.0929
41	30	100	528000	2640	CP-OFDM QPSK	137@68	24.05	22.55	0.1799
41	30	100	528000	2640	CP-OFDM QPSK	1@1	23.8	22.3	0.1698
41	30	100	528000	2640	CP-OFDM QPSK	1@271	24.05	22.55	0.1799
41	30	10	500202	2501.01	DFT-s-OFDM PI/2 BPSK	1@1	24.92	23.42	0.2198
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@1	24.97	23.47	0.2223
41	30	10	500202	2501.01	DFT-s-OFDM 16 QAM	1@1	24.22	22.72	0.1871
41	30	10	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	24.95	23.45	0.2213
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.96	23.46	0.2218
41	30	10	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.2	22.7	0.1862
41	30	10	537000	2685	DFT-s-OFDM PI/2 BPSK	1@1	25.06	23.56	0.2270
41	30	10	537000	2685	DFT-s-OFDM QPSK	1@1	25.14	23.64	0.2312
41	30	10	537000	2685	DFT-s-OFDM 16 QAM	1@1	24.32	22.82	0.1914

41	30	15	500700	2503.5	DFT-s-OFDM PI/2 BPSK	1@1	24.97	23.47	0.2223
41	30	15	500700	2503.5	DFT-s-OFDM QPSK	1@1	24.98	23.48	0.2228
41	30	15	500700	2503.5	DFT-s-OFDM 16 QAM	1@1	24.14	22.64	0.1837
41	30	15	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	24.99	23.49	0.2234
41	30	15	518598	2592.99	DFT-s-OFDM QPSK	1@1	25.02	23.52	0.2249
41	30	15	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.1	22.6	0.1820
41	30	15	536496	2682.48	DFT-s-OFDM PI/2 BPSK	1@1	25	23.5	0.2239
41	30	15	536496	2682.48	DFT-s-OFDM QPSK	1@1	25.03	23.53	0.2254
41	30	15	536496	2682.48	DFT-s-OFDM 16 QAM	1@1	24.19	22.69	0.1858
41	30	20	501204	2506.02	DFT-s-OFDM PI/2 BPSK	1@1	25.02	23.52	0.2249
41	30	20	501204	2506.02	DFT-s-OFDM QPSK	1@1	24.99	23.49	0.2234
41	30	20	501204	2506.02	DFT-s-OFDM 16 QAM	1@1	24.2	22.7	0.1862
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	25	23.5	0.2239
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.97	23.47	0.2223
41	30	20	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.29	22.79	0.1901
41	30	20	535998	2679.99	DFT-s-OFDM PI/2 BPSK	1@1	25.01	23.51	0.2244
41	30	20	535998	2679.99	DFT-s-OFDM QPSK	1@1	24.96	23.46	0.2218
41	30	20	535998	2679.99	DFT-s-OFDM 16 QAM	1@1	24.39	22.89	0.1945
41	30	30	502200	2511	DFT-s-OFDM PI/2 BPSK	1@1	25.02	23.52	0.2249
41	30	30	502200	2511	DFT-s-OFDM QPSK	1@1	24.97	23.47	0.2223
41	30	30	502200	2511	DFT-s-OFDM 16 QAM	1@1	24.4	22.9	0.1950
41	30	30	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	24.98	23.48	0.2228
41	30	30	518598	2592.99	DFT-s-OFDM QPSK	1@1	25.04	23.54	0.2259
41	30	30	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.23	22.73	0.1875
41	30	30	534996	2674.98	DFT-s-OFDM PI/2 BPSK	1@1	25	23.5	0.2239
41	30	30	534996	2674.98	DFT-s-OFDM QPSK	1@1	25	23.5	0.2239
41	30	30	534996	2674.98	DFT-s-OFDM 16 QAM	1@1	24.43	22.93	0.1963
41	30	40	503202	2516.01	DFT-s-OFDM PI/2 BPSK	1@1	25.02	23.52	0.2249
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	1@1	25.11	23.61	0.2296
41	30	40	503202	2516.01	DFT-s-OFDM 16 QAM	1@1	24.28	22.78	0.1897
41	30	40	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	24.96	23.46	0.2218
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.92	23.42	0.2198
41	30	40	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.25	22.75	0.1884

41	30	40	534000	2670	DFT-s-OFDM PI/2 BPSK	1@1	25.03	23.53	0.2254
41	30	40	534000	2670	DFT-s-OFDM QPSK	1@1	25.02	23.52	0.2249
41	30	40	534000	2670	DFT-s-OFDM 16 QAM	1@1	24.39	22.89	0.1945
41	30	50	504204	2521.02	DFT-s-OFDM PI/2 BPSK	1@1	24.99	23.49	0.2234
41	30	50	504204	2521.02	DFT-s-OFDM QPSK	1@1	24.99	23.49	0.2234
41	30	50	504204	2521.02	DFT-s-OFDM 16 QAM	1@1	24.24	22.74	0.1879
41	30	50	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	25	23.5	0.2239
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.98	23.48	0.2228
41	30	50	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.24	22.74	0.1879
41	30	50	532998	2664.99	DFT-s-OFDM PI/2 BPSK	1@1	25.07	23.57	0.2275
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	1@1	25.06	23.56	0.2270
41	30	50	532998	2664.99	DFT-s-OFDM 16 QAM	1@1	24.26	22.76	0.1888
41	30	60	505200	2526	DFT-s-OFDM PI/2 BPSK	1@1	25.03	23.53	0.2254
41	30	60	505200	2526	DFT-s-OFDM QPSK	1@1	25.11	23.61	0.2296
41	30	60	505200	2526	DFT-s-OFDM 16 QAM	1@1	24.17	22.67	0.1849
41	30	60	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	24.87	23.37	0.2173
41	30	60	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.91	23.41	0.2193
41	30	60	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.07	22.57	0.1807
41	30	60	531996	2659.98	DFT-s-OFDM PI/2 BPSK	1@1	25.06	23.56	0.2270
41	30	60	531996	2659.98	DFT-s-OFDM QPSK	1@1	25.05	23.55	0.2265
41	30	60	531996	2659.98	DFT-s-OFDM 16 QAM	1@1	24.21	22.71	0.1866
41	30	70	505200	2531.01	DFT-s-OFDM PI/2 BPSK	1@1	25.06	23.56	0.2270
41	30	70	505200	2531.01	DFT-s-OFDM QPSK	1@1	25.18	23.68	0.2333
41	30	70	505200	2531.01	DFT-s-OFDM 16 QAM	1@1	24.43	22.93	0.1963
41	30	70	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	24.84	23.34	0.2158
41	30	70	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.94	23.44	0.2208
41	30	70	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.1	22.6	0.1820
41	30	70	531996	2655	DFT-s-OFDM PI/2 BPSK	1@1	25.01	23.51	0.2244
41	30	70	531996	2655	DFT-s-OFDM QPSK	1@1	25.03	23.53	0.2254
41	30	70	531996	2655	DFT-s-OFDM 16 QAM	1@1	24.33	22.83	0.1919
41	30	80	507204	2536.02	DFT-s-OFDM PI/2 BPSK	1@1	25.06	23.56	0.2270
41	30	80	507204	2536.02	DFT-s-OFDM QPSK	1@1	25.09	23.59	0.2286
41	30	80	507204	2536.02	DFT-s-OFDM 16 QAM	1@1	24.3	22.8	0.1905

41	30	80	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	24.8	23.3	0.2138
41	30	80	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.82	23.32	0.2148
41	30	80	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.15	22.65	0.1841
41	30	80	529998	2649.99	DFT-s-OFDM PI/2 BPSK	1@1	24.91	23.41	0.2193
41	30	80	529998	2649.99	DFT-s-OFDM QPSK	1@1	24.94	23.44	0.2208
41	30	80	529998	2649.99	DFT-s-OFDM 16 QAM	1@1	24.28	22.78	0.1897
41	30	90	508200	2541	DFT-s-OFDM PI/2 BPSK	1@1	24.97	23.47	0.2223
41	30	90	508200	2541	DFT-s-OFDM QPSK	1@1	24.98	23.48	0.2228
41	30	90	508200	2541	DFT-s-OFDM 16 QAM	1@1	24.28	22.78	0.1897
41	30	90	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	24.84	23.34	0.2158
41	30	90	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.85	23.35	0.2163
41	30	90	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.13	22.63	0.1832
41	30	90	528996	2644.98	DFT-s-OFDM PI/2 BPSK	1@1	24.89	23.39	0.2183
41	30	90	528996	2644.98	DFT-s-OFDM QPSK	1@1	24.9	23.4	0.2188
41	30	90	528996	2644.98	DFT-s-OFDM 16 QAM	1@1	24.17	22.67	0.1849

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0013	PASS	NV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0019	PASS	LV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0008	PASS	HV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0016	PASS	-30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	-0.0011	PASS	-20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0017	PASS	-10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0026	PASS	0°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0014	PASS	10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0027	PASS	20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0036	PASS	30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0034	PASS	40°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	-0.0021	PASS	50°C


Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	270@0	10.02	13	PASS
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@0	6.43	13	PASS
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	270@0	10.6	13	PASS
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@0	7.05	13	PASS

N41(100M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N41(100M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




Occupied Bandwidth


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
41	30	10	518598	2592.99	CP-OFDM QPSK	24@0	8.5679	9.115
41	30	10	518598	2592.99	CP-OFDM 16 QAM	24@0	8.556	9.083
41	30	10	518598	2592.99	CP-OFDM 64 QAM	24@0	8.5988	9.291
41	30	10	518598	2592.99	CP-OFDM 256 QAM	24@0	8.5387	9.185
41	30	15	518598	2592.99	CP-OFDM QPSK	38@0	13.534	14.3
41	30	15	518598	2592.99	CP-OFDM 16 QAM	38@0	13.565	14.18
41	30	15	518598	2592.99	CP-OFDM 64 QAM	38@0	13.542	14.31
41	30	15	518598	2592.99	CP-OFDM 256 QAM	38@0	13.54	14.26
41	30	20	518598	2592.99	CP-OFDM QPSK	51@0	18.256	18.94
41	30	20	518598	2592.99	CP-OFDM 16 QAM	51@0	18.14	18.97
41	30	20	518598	2592.99	CP-OFDM 64 QAM	51@0	18.294	18.88
41	30	20	518598	2592.99	CP-OFDM 256 QAM	51@0	18.201	19.03
41	30	30	518598	2592.99	CP-OFDM QPSK	78@0	27.875	29.15
41	30	30	518598	2592.99	CP-OFDM 16 QAM	78@0	27.782	28.9
41	30	30	518598	2592.99	CP-OFDM 64 QAM	78@0	27.743	28.9
41	30	30	518598	2592.99	CP-OFDM 256 QAM	78@0	27.792	28.98
41	30	40	518598	2592.99	CP-OFDM QPSK	106@0	37.851	39.14
41	30	40	518598	2592.99	CP-OFDM 16 QAM	106@0	37.88	39.22
41	30	40	518598	2592.99	CP-OFDM 64 QAM	106@0	37.968	39.28
41	30	40	518598	2592.99	CP-OFDM 256 QAM	106@0	37.778	39.13
41	30	50	518598	2592.99	CP-OFDM QPSK	133@0	47.448	49.0
41	30	50	518598	2592.99	CP-OFDM 16 QAM	133@0	47.375	49.05
41	30	50	518598	2592.99	CP-OFDM 64 QAM	133@0	47.525	49.09
41	30	50	518598	2592.99	CP-OFDM 256 QAM	133@0	47.329	49.03
41	30	60	518598	2592.99	CP-OFDM QPSK	162@0	57.777	59.58
41	30	60	518598	2592.99	CP-OFDM 16 QAM	162@0	57.751	59.68

41	30	60	518598	2592.99	CP-OFDM 64 QAM	162@0	57.739	59.84
41	30	60	518598	2592.99	CP-OFDM 256 QAM	162@0	57.927	59.68
41	30	70	518598	2592.99	CP-OFDM QPSK	189@0	67.419	69.57
41	30	70	518598	2592.99	CP-OFDM 16 QAM	189@0	67.494	69.57
41	30	70	518598	2592.99	CP-OFDM 64 QAM	189@0	67.253	69.62
41	30	70	518598	2592.99	CP-OFDM 256 QAM	189@0	67.223	69.55
41	30	80	518598	2592.99	CP-OFDM QPSK	217@0	77.266	79.91
41	30	80	518598	2592.99	CP-OFDM 16 QAM	217@0	77.351	79.89
41	30	80	518598	2592.99	CP-OFDM 64 QAM	217@0	77.39	79.87
41	30	80	518598	2592.99	CP-OFDM 256 QAM	217@0	77.381	79.92
41	30	90	518598	2592.99	CP-OFDM QPSK	245@0	87.371	90.17
41	30	90	518598	2592.99	CP-OFDM 16 QAM	245@0	87.438	90.08
41	30	90	518598	2592.99	CP-OFDM 64 QAM	245@0	87.331	90.23
41	30	90	518598	2592.99	CP-OFDM 256 QAM	245@0	87.523	90.16
41	30	100	518598	2592.99	CP-OFDM QPSK	273@0	97.529	100.5
41	30	100	518598	2592.99	CP-OFDM 16 QAM	273@0	97.586	100.4
41	30	100	518598	2592.99	CP-OFDM 64 QAM	273@0	97.487	100.4
41	30	100	518598	2592.99	CP-OFDM 256 QAM	273@0	97.483	100.6


N41(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(10M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N41(10M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N41(10M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N41(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(15M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N41(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N41(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N41(20M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N41(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N41(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N41(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N41(30M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N41(30M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N41(30M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N41(30M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N41(40M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N41(40M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N41(40M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N41(40M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N41(50M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N41(50M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N41(50M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N41(50M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N41(60M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(60M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N41(60M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N41(60M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N41(70M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(70M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N41(70M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N41(70M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N41(80M)_CP- OFDM_QPSK_Outer_Full_Mid_CH



N41(80M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N41(80M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N41(80M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH

