




WCDMA Band V (RMC 12.2Kbps)


Lowest Channel



Date: 13_MAR_2024 22:00:20


WCDMA Band II (RMC 12.2Kbps)

Lowest Channel




Date: 14_MAR_2024 00:14:40

Middle Channel




Date: 13_MAR_2024 22:00:44

Middle Channel




Date: 14_MAR_2024 00:15:03

Highest Channel



Date: 13_MAR_2024 22:01:13

Highest Channel




Date: 14_MAR_2024 00:15:25




WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 14.MAR.2024 00:23:05

Middle Channel



Date: 14.MAR.2024 00:23:26

Highest Channel



Date: 14.MAR.2024 00:23:42




Occupied Bandwidth

Mode	WCDMA Band V	WCDMA Band II	WCDMA Band IV
Mod.	RMC 12.2Kbps	RMC 12.2Kbps	RMC 12.2Kbps
Lowest CH	4.136	4.136	4.156
Middle CH	4.136	4.136	4.146
Highest CH	4.106	4.136	4.146



WCDMA Band V (RMC 12.2Kbps)


Lowest Channel



Date: 13_MAR_2024 22:03:29


WCDMA Band II (RMC 12.2Kbps)

Lowest Channel




Date: 14_MAR_2024 00:16:59

Middle Channel




Date: 13_MAR_2024 22:03:58

Middle Channel




Date: 14_MAR_2024 00:17:17

Highest Channel




Date: 13_MAR_2024 22:04:18

Highest Channel



Date: 14_MAR_2024 00:17:34





Conducted Band Edge

WCDMA Band V (RMC 12.2Kbps)

Lowest Band Edge




Highest Band Edge




WCDMA Band II (RMC 12.2Kbps)

Lowest Band Edge



Highest Band Edge






WCDMA Band IV (RMC 12.2Kbps)

Lowest Band Edge

Highest Band Edge




Date: 14.MAR.2024 00:26:32

Date: 14.MAR.2024 00:27:03




Conducted Spurious Emission






WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 14.MAR.2024 00:27:17

Middle Channel



Date: 14.MAR.2024 00:27:26

Highest Channel



Date: 14.MAR.2024 00:27:34



Frequency Stability

Test Conditions	Middle Channel	WCDMA Band V (RMC 12.2Kbps)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0058	PASS
40	Normal Voltage	0.0377	
30	Normal Voltage	0.0485	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0069	
0	Normal Voltage	0.0344	
-10	Normal Voltage	0.0063	
-20	Normal Voltage	0.0141	
-30	Normal Voltage	0.0325	
20	Maximum Voltage	0.0418	
20	Normal Voltage	0.0176	
20	Battery End Point	0.0063	

Test Conditions	Middle Channel	WCDMA Band II (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0169	PASS
40	Normal Voltage	0.0136	
30	Normal Voltage	0.0144	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0155	
0	Normal Voltage	0.0136	
-10	Normal Voltage	0.0247	
-20	Normal Voltage	0.0072	
-30	Normal Voltage	0.0169	
20	Maximum Voltage	0.0162	
20	Normal Voltage	0.0128	
20	Battery End Point	0.0019	



Test Conditions	Middle Channel	WCDMA Band IV (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0048	PASS
40	Normal Voltage	0.0146	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0017	
0	Normal Voltage	0.0044	
-10	Normal Voltage	0.0172	
-20	Normal Voltage	0.0163	
-30	Normal Voltage	0.0061	
20	Maximum Voltage	0.0028	
20	Normal Voltage	0.0029	
20	Battery End Point	0.0118	

Note:

1. Normal Voltage = 3.91V ; Battery End Point (BEP) =3.6V. ; Maximum Voltage =4.3V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Chris Chen	Temperature :	23~25°C
		Relative Humidity :	41~42%

Note: Pre-scanned harmonic for the different antennas, we choose the worst antenna modes to test.

GSM850 (GSM) ANT 0								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-63.58	-13	-50.58	-70.55	1.58	10.70	H
	2512	-56.39	-13	-43.39	-64.64	2.102	12.50	H
	3344	-60.47	-13	-47.47	-69.36	2.856	13.90	H
	1672	-56.51	-13	-43.51	-63.48	1.58	10.70	V
	2512	-53.60	-13	-40.60	-61.85	2.10	12.50	V
	3344	-59.83	-13	-46.83	-68.72	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM850 (EDGE 1 Tx slots) ANT 0								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-62.22	-13	-49.22	-69.19	1.58	10.70	H
	2512	-54.39	-13	-41.39	-62.64	2.102	12.50	H
	3344	-59.66	-13	-46.66	-68.55	2.856	13.90	H
	1672	-54.43	-13	-41.43	-61.40	1.58	10.70	V
	2512	-54.87	-13	-41.87	-63.12	2.10	12.50	V
	3344	-59.80	-13	-46.80	-68.69	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band V (RMC 12.2Kbps) ANT 0								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-64.76	-13	-51.76	-71.73	1.58	10.70	H
	2512	-59.77	-13	-46.77	-68.02	2.102	12.50	H
	3344	-60.44	-13	-47.44	-69.33	2.856	13.90	H
	1672	-63.69	-13	-50.69	-70.66	1.58	10.70	V
	2512	-58.99	-13	-45.99	-67.24	2.10	12.50	V
	3344	-59.96	-13	-46.96	-68.85	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (GSM) ANT 2								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3765	-55.41	-13	-42.41	-67.67	2.64	14.90	H
	5640	-54.02	-13	-41.02	-65.88	2.94	14.80	H
	7515	-53.01	-13	-40.01	-62.78	3.39	13.16	H
	3765	-55.01	-13	-42.01	-67.27	2.64	14.90	V
	5640	-54.34	-13	-41.34	-66.20	2.94	14.80	V
	7515	-52.87	-13	-39.87	-62.64	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM1900 (EDGE 1 Tx slots) ANT 2								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3765	-55.83	-13	-42.83	-68.09	2.641	14.90	H
	5640	-53.75	-13	-40.75	-65.61	2.94	14.80	H
	7515	-52.80	-13	-39.80	-62.57	3.39	13.16	H
	3765	-55.42	-13	-42.42	-67.68	2.64	14.90	V
	5640	-54.45	-13	-41.45	-66.31	2.94	14.80	V
	7515	-53.01	-13	-40.01	-62.78	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band II (RMC 12.2Kbps) ANT 2								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3765	-55.80	-13	-42.80	-68.06	2.64	14.90	H
	5640	-53.68	-13	-40.68	-65.54	2.94	14.80	H
	7515	-53.13	-13	-40.13	-62.90	3.39	13.16	H
	3765	-55.78	-13	-42.78	-68.04	2.64	14.90	V
	5640	-53.85	-13	-40.85	-65.71	2.94	14.80	V
	7515	-52.85	-13	-39.85	-62.62	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band IV (RMC 12.2Kbps) ANT 2								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465	-57.73	-13	-44.73	-68.47	2.604	13.34	H
	5205	-52.98	-13	-39.98	-63.49	3.011	13.52	H
	6930	-51.86	-13	-38.86	-62.06	3.271	13.47	H
	3465	-58.35	-13	-45.35	-69.09	2.604	13.34	V
	5205	-52.85	-13	-39.85	-63.36	3.011	13.52	V
	6930	-54.11	-13	-41.11	-64.31	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.