





11AX20MIMO\_Ant10\_5220\_26Tone\_RU0



Date: 29.FEB.2024 03:50:32


11AX20MIMO\_Ant10\_5220\_52Tone\_RU37



Date: 29.FEB.2024 03:52:09




11AX20MIMO\_Ant10\_5220\_106Tone\_RU53



Date: 29.FEB.2024 03:52:53


11AX20MIMO\_Ant11\_5220\_26Tone\_RU0



Date: 29.FEB.2024 03:50:48




11AX20MIMO\_Ant11\_5220\_52Tone\_RU37



Date: 29.FEB.2024 03:52:20


11AX20MIMO\_Ant11\_5220\_106Tone\_RU53




Date: 29.FEB.2024 03:53:08



11AX20MIMO\_Ant10\_5240\_26Tone\_RU8




11AX20MIMO\_Ant10\_5240\_52Tone\_RU40






11AX20MIMO\_Ant10\_5240\_106Tone\_RU54



Date: 29.FEB.2024 03:59:16


11AX20MIMO\_Ant11\_5240\_26Tone\_RU8




Date: 29.FEB.2024 03:54:29



11AX20MIMO\_Ant11\_5240\_52Tone\_RU40




11AX20MIMO\_Ant11\_5240\_106Tone\_RU54






11AX20MIMO\_Ant10\_5260\_26Tone\_RU0



Date: 29.FEB.2024 04:08:24


11AX20MIMO\_Ant10\_5260\_52Tone\_RU37



Date: 29.FEB.2024 04:09:13




11AX20MIMO\_Ant10\_5260\_106Tone\_RU53



Date: 29.FEB.2024 04:09:59

11AX20MIMO\_Ant11\_5260\_26Tone\_RU0




Date: 29.FEB.2024 04:08:35






11AX20MIMO\_Ant11\_5260\_52Tone\_RU37



Date: 29.FEB.2024 04:09:28


11AX20MIMO\_Ant11\_5260\_106Tone\_RU53



Date: 29.FEB.2024 04:10:14




11AX20MIMO\_Ant10\_5300\_26Tone\_RU0



Date: 29.FEB.2024 04:12:18


11AX20MIMO\_Ant10\_5300\_52Tone\_RU37



Date: 29.FEB.2024 04:13:07




11AX20MIMO\_Ant10\_5300\_106Tone\_RU53



Date: 29.FEB.2024 04:13:51


11AX20MIMO\_Ant11\_5300\_26Tone\_RU0




Date: 29.FEB.2024 04:12:33



11AX20MIMO\_Ant11\_5300\_52Tone\_RU37




11AX20MIMO\_Ant11\_5300\_106Tone\_RU53






11AX20MIMO\_Ant10\_5320\_26Tone\_RU8




11AX20MIMO\_Ant10\_5320\_52Tone\_RU40






11AX20MIMO\_Ant10\_5320\_106Tone\_RU54



Date: 29.FEB.2024 04:16:05


11AX20MIMO\_Ant11\_5320\_26Tone\_RU8



Date: 29.FEB.2024 04:16:04




11AX20MIMO\_Ant11\_5320\_52Tone\_RU40



Date: 29.FEB.2024 04:15:26


11AX20MIMO\_Ant11\_5320\_106Tone\_RU54



Date: 29.FEB.2024 04:16:20




11AX20MIMO\_Ant10\_5500\_26Tone\_RU0



Date: 29.FEB.2024 04:18:38

11AX20MIMO\_Ant10\_5500\_52Tone\_RU37




Date: 29.FEB.2024 04:19:25






11AX20MIMO\_Ant10\_5500\_106Tone\_RU53



Date: 29.FEB.2024 04:20:08


11AX20MIMO\_Ant11\_5500\_26Tone\_RU0



Date: 29.FEB.2024 04:18:53




11AX20MIMO\_Ant11\_5500\_52Tone\_RU37



Date: 29.FEB.2024 04:19:40


11AX20MIMO\_Ant11\_5500\_106Tone\_RU53




Date: 29.FEB.2024 04:20:23



11AX20MIMO\_Ant10\_5580\_26Tone\_RU0




11AX20MIMO\_Ant10\_5580\_52Tone\_RU37






11AX20MIMO\_Ant10\_5580\_106Tone\_RU53



Date: 29.FEB.2024 04:23:06


11AX20MIMO\_Ant11\_5580\_26Tone\_RU0



Date: 29.FEB.2024 04:21:08




11AX20MIMO\_Ant11\_5580\_52Tone\_RU37



Date: 29.FEB.2024 04:21:48


11AX20MIMO\_Ant11\_5580\_106Tone\_RU53




Date: 29.FEB.2024 04:23:17



11AX20MIMO\_Ant10\_5700\_26Tone\_RU8




11AX20MIMO\_Ant10\_5700\_52Tone\_RU40






11AX20MIMO\_Ant10\_5700\_106Tone\_RU54



Date: 29.FEB.2024 04:26:20


11AX20MIMO\_Ant11\_5700\_26Tone\_RU8



Date: 29.FEB.2024 04:24:44




11AX20MIMO\_Ant11\_5700\_52Tone\_RU40



Date: 29.FEB.2024 04:25:42

11AX20MIMO\_Ant11\_5700\_106Tone\_RU54




Date: 29.FEB.2024 04:26:35






11AX20MIMO\_Ant10\_5720\_26Tone\_RU8




11AX20MIMO\_Ant10\_5720\_52Tone\_RU40






11AX20MIMO\_Ant10\_5720\_106Tone\_RU54



Date: 29.FEB.2024 04:28:23


11AX20MIMO\_Ant11\_5720\_26Tone\_RU8



Date: 29.FEB.2024 04:27:15




11AX20MIMO\_Ant11\_5720\_52Tone\_RU40



Date: 29.FEB.2024 04:27:58


11AX20MIMO\_Ant11\_5720\_106Tone\_RU54




Date: 29.FEB.2024 04:28:39



11AX20MIMO\_Ant10\_5745\_26Tone\_RU0




11AX20MIMO\_Ant10\_5745\_52Tone\_RU37






11AX20MIMO\_Ant10\_5745\_106Tone\_RU53



Date: 29.FEB.2024 04:30:38


11AX20MIMO\_Ant11\_5745\_26Tone\_RU0



Date: 29.FEB.2024 04:29:22




11AX20MIMO\_Ant11\_5745\_52Tone\_RU37



Date: 29.FEB.2024 04:30:06


11AX20MIMO\_Ant11\_5745\_106Tone\_RU53




Date: 29.FEB.2024 04:30:53



11AX20MIMO\_Ant10\_5785\_26Tone\_RU0




11AX20MIMO\_Ant10\_5785\_52Tone\_RU37






11AX20MIMO\_Ant10\_5785\_106Tone\_RU53



Date: 29.FEB.2024 04:35:52

11AX20MIMO\_Ant11\_5785\_26Tone\_RU0




Date: 29.FEB.2024 04:34:24






11AX20MIMO\_Ant11\_5785\_52Tone\_RU37



Date: 29.FEB.2024 04:35:22


11AX20MIMO\_Ant11\_5785\_106Tone\_RU53




Date: 29.FEB.2024 04:36:05



11AX20MIMO\_Ant10\_5825\_26Tone\_RU8




11AX20MIMO\_Ant10\_5825\_52Tone\_RU40






11AX20MIMO\_Ant10\_5825\_106Tone\_RU54




11AX20MIMO\_Ant11\_5825\_26Tone\_RU8






11AX20MIMO\_Ant11\_5825\_52Tone\_RU40



Date: 29.FEB.2024 04:38:04

11AX20MIMO\_Ant11\_5825\_106Tone\_RU54




Date: 29.FEB.2024 04:38:35



## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.164	58.26	-6.99	65.25	47.80	0.04	10.42	QP
2	0.164	38.96	-16.29	55.25	28.50	0.04	10.42	Average
3 *	0.187	60.55	-3.60	64.15	50.11	0.03	10.41	QP
4	0.187	44.65	-9.50	54.15	34.21	0.03	10.41	Average
5	0.197	59.24	-4.52	63.76	48.80	0.03	10.41	QP
6	0.197	36.64	-17.12	53.76	26.20	0.03	10.41	Average
7	0.277	52.59	-8.31	60.90	42.20	0.04	10.35	QP
8	0.277	31.89	-19.01	50.90	21.50	0.04	10.35	Average
9	0.373	45.80	-12.63	58.43	35.50	0.01	10.29	QP
10	0.373	30.60	-17.83	48.43	20.30	0.01	10.29	Average
11	0.555	41.35	-14.65	56.00	31.19	-0.04	10.20	QP
12	0.555	25.65	-20.35	46.00	15.49	-0.04	10.20	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.152	60.56	-5.31	65.87	50.10	0.04	10.42	QP
2	0.152	41.06	-14.81	55.87	30.60	0.04	10.42	Average
3	0.170	58.36	-6.58	64.94	47.90	0.04	10.42	QP
4	0.170	40.06	-14.88	54.94	29.60	0.04	10.42	Average
5	0.186	55.96	-8.24	64.20	45.50	0.05	10.41	QP
6	0.186	37.96	-16.24	54.20	27.50	0.05	10.41	Average
7	0.246	51.57	-10.34	61.91	41.20	0.00	10.37	QP
8	0.246	32.97	-18.94	51.91	22.60	0.00	10.37	Average
9	0.308	47.09	-12.93	60.02	36.80	-0.04	10.33	QP
10	0.308	29.89	-20.13	50.02	19.60	-0.04	10.33	Average
11	0.381	45.43	-12.82	58.25	35.19	-0.05	10.29	QP
12	0.381	30.43	-17.82	48.25	20.19	-0.05	10.29	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 10+11	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 10+11	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 10+11	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 10+11	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 10+11	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 10+11	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 10+11	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 10+11	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 10+11	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 10+11	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 10+11	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 10+11	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 10+11	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 10+11	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 10+11	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 10+11	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 10+11	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 10+11	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 10+11	802.11ax HE20	36	5180	MCS0	Partial RU26/0	-
Mode 20	U-NII-2A	5.15-5.25	CDD 10+11	802.11ax HE20	64	5320	MCS0	Partial RU26/8	-
Mode 21	U-NII-2C	5.25-5.35	CDD 10+11	802.11ax HE20	100	5500	MCS0	Partial RU26/0	-
Mode 22	U-NII-2C	5.25-5.35	CDD 10+11	802.11ax HE20	140	5700	MCS0	Partial RU26/8	-
Mode 23	U-NII-1	5.47-5.725	CDD 10+11	802.11ax HE20	36	5180	MCS0	Partial RU52/37	-
Mode 24	U-NII-2A	5.47-5.725	CDD 10+11	802.11ax HE20	64	5320	MCS0	Partial RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 10+11	802.11ax HE20	100	5500	MCS0	Partial RU52/37	-
Mode 26	U-NII-2C	5.15-5.25	CDD 10+11	802.11ax HE20	140	5700	MCS0	Partial RU52/40	-
Mode 27	U-NII-1	5.25-5.35	CDD 10+11	802.11ax HE20	36	5180	MCS0	Partial RU106/53	-
Mode 28	U-NII-2A	5.47-5.725	CDD 10+11	802.11ax HE20	64	5320	MCS0	Partial RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 10+11	802.11ax HE20	100	5500	MCS0	Partial RU106/53	-
Mode 30	U-NII-2C	5.15-5.35	CDD 10+11	802.11ax HE20	140	5700	MCS0	Partial RU106/54	-
Mode 31	U-NII-1	5.47-5.725	CDD 10+11	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.725-5.85	CDD 10+11	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.725-5.85	CDD 10+11	802.11ax HE40	54	5270	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-2A	5.725-5.85	CDD 10+11	802.11ax HE40	62	5310	MCS0	Full	-
Mode 35	U-NII-2C	5.725-5.85	CDD 10+11	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.725-5.85	CDD 10+11	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.725-5.85	CDD 10+11	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.725-5.85	CDD 10+11	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.725-5.85	CDD 10+11	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.725-5.85	CDD 10+11	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.85	CDD 10+11	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-2A	5.47-5.85	CDD 10+11	802.11ax HE160	50	5250	MCS0	Full	-
Mode 43	U-NII-2C	5.47-5.85	CDD 10+11	802.11ax HE160	114	5570	MCS0	Full	-
Mode 44	U-NII-3	5.47-5.85	CDD 10+11	802.11a	149	5745	6Mbps	-	-
Mode 45	U-NII-3	5.15-5.25	CDD 10+11	802.11a	157	5785	6Mbps	-	-
Mode 46	U-NII-3	5.15-5.25	CDD 10+11	802.11a	165	5825	6Mbps	-	-
Mode 47	U-NII-3	5.25-5.35	CDD 10+11	802.11ax HE20	149	5745	MCS0	Full	-
Mode 48	U-NII-3	5.25-5.35	CDD 10+11	802.11ax HE20	157	5785	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	CDD 10+11	802.11ax HE20	165	5825	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	CDD 10+11	802.11ax HE40	151	5755	MCS0	Full	-
Mode 51	U-NII-3	5.15-5.25	CDD 10+11	802.11ax HE40	159	5795	MCS0	Full	-
Mode 52	U-NII-3	5.25-5.35	CDD 10+11	802.11ax HE80	155	5775	MCS0	Full	-
Mode 53	U-NII-3	5.25-5.35	CDD 10+11	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 54	U-NII-3	5.725-5.85	CDD 10+11	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 55	U-NII-3	5.25-5.35	CDD 10+11	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 56	U-NII-3	5.725-5.85	CDD 10+11	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 57	U-NII-3	5.25-5.35	CDD 10+11	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 58	U-NII-3	5.725-5.85	CDD 10+11	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-2C	5.47-5.725	CDD 10+11	802.11a	144	5720	6Mbps	-	-
Mode 61	U-NII-2C	5.15-5.35	CDD 10+11	802.11ax HE20	144	5720	MCS0	Full	-
Mode 62	U-NII-2C	5.47-5.725	CDD 10+11	802.11ax HE40	142	5710	MCS0	Full	-
Mode 63	U-NII-2C	5.15-5.35	CDD 10+11	802.11ax HE80	138	5690	MCS0	Full	-
Mode 64	2400-2483.5	2400-2483.5	8	Bluetooth-LE	01	2404	2Mbps	-	-
	U-NII-1	5.15-5.25	CDD 10+11	802.11a	36	5180	6Mbps	-	-
Part 96 n48 BW=40M									





### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.75	50.16	54.00	-3.84	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15549.20	46.66	54.00	-7.34	V	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	43.87	54.00	-10.13	V	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	44.69	54.00	-9.31	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	59.49	68.20	-8.71	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	49.17	54.00	-4.83	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	49.76	54.00	-4.24	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	49.37	54.00	-4.63	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5459.48	45.46	54.00	-8.54	H	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	42.18	54.00	-11.82	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	8927.93	51.19	68.20	-17.01	V	PEAK	Pass	Harmonic
9	802.11a	140	5726.39	59.86	68.20	-8.34	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	44.64	54.00	-9.36	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5149.91	46.44	54.00	-7.56	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	7770.00	60.13	68.20	-8.07	H	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	7830.13	58.68	68.20	-9.52	H	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	10480.00	57.01	68.20	-11.19	V	PEAK	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	10520.00	57.71	68.20	-10.49	V	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	46.54	54.00	-7.46	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.00	45.48	54.00	-8.52	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	10640.00	47.30	54.00	-6.70	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5459.85	45.98	54.00	-8.02	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	100	8799.60	49.75	68.20	-18.45	V	PEAK	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	8927.93	50.48	68.20	-17.72	V	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5727.60	58.51	68.20	-9.69	V	PEAK	Pass	Band Edge
18	802.11ax HE20	140	11400.00	43.58	54.00	-10.42	V	AVERAGE	Pass	Harmonic
19	802.11ax HE20	36	5102.35	45.34	54.00	-8.66	V	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11ax HE20	64	5399.65	44.84	54.00	-9.16	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5459.75	45.15	54.00	-8.85	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5747.60	56.87	68.20	-11.33	H	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5103.05	45.39	54.00	-8.61	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5396.43	44.82	54.00	-9.18	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5459.33	45.22	54.00	-8.78	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5725.84	57.98	68.20	-10.22	V	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5100.64	45.51	54.00	-8.49	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5399.56	44.92	54.00	-9.08	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5458.53	45.43	54.00	-8.57	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5725.12	59.21	68.20	-8.99	H	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5145.50	48.08	54.00	-5.92	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	7785.40	60.37	68.20	-7.83	H	PEAK	Pass	Harmonic
32	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	46	7844.80	56.61	68.20	-11.59	H	PEAK	Pass	Harmonic
33	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	54	10540.00	49.91	68.20	-18.29	V	PEAK	Pass	Harmonic
34	802.11ax HE40	62	5350.00	47.12	54.00	-6.88	H	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	10620.00	47.82	74.00	-26.18	H	PEAK	Pass	Harmonic
35	802.11ax HE40	102	5459.50	45.89	54.00	-8.11	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	102	11020.00	46.30	74.00	-27.70	H	PEAK	Pass	Harmonic
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	8879.53	49.51	68.20	-18.69	V	PEAK	Pass	Harmonic
37	802.11ax HE40	134	5459.37	45.28	54.00	-8.72	H	AVERAGE	Pass	Band Edge
37	802.11ax HE40	134	11340.00	46.74	74.00	-27.26	V	PEAK	Pass	Harmonic
38	802.11ax HE80	42	5145.30	48.10	54.00	-5.90	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	7814.73	58.78	68.20	-9.42	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
39	802.11ax HE80	58	5355.75	48.65	54.00	-5.35	H	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	8463.73	46.68	74.00	-27.32	V	PEAK	Pass	Harmonic
40	802.11ax HE80	106	5457.44	45.99	54.00	-8.01	H	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	8848.00	50.25	68.20	-17.95	V	PEAK	Pass	Harmonic
41	802.11ax HE80	122	5458.69	45.53	54.00	-8.47	H	AVERAGE	Pass	Band Edge
41	802.11ax HE80	122	8975.60	52.29	68.20	-15.91	V	PEAK	Pass	Harmonic
42	802.11ax HE160	50	5364.97	48.58	54.00	-5.42	H	AVERAGE	Pass	Band Edge
42	802.11ax HE160	50	10500.00	45.96	68.20	-22.24	H	PEAK	Pass	Harmonic
43	802.11ax HE160	114	5436.78	46.24	54.00	-7.76	H	AVERAGE	Pass	Band Edge
43	802.11ax HE160	114	8911.80	50.35	68.20	-17.85	V	PEAK	Pass	Harmonic
44	802.11a	149	5645.20	57.54	68.20	-10.66	H	PEAK	Pass	Band Edge
44	802.11a	149	11490.00	42.95	54.00	-11.05	H	AVERAGE	Pass	Harmonic
45	802.11a	157	-	-	-	-	-	-	-	Band Edge
45	802.11a	157	11570.00	42.81	54.00	-11.19	V	AVERAGE	Pass	Harmonic
46	802.11a	165	5927.60	58.88	68.20	-9.32	V	PEAK	Pass	Band Edge
46	802.11a	165	11650.00	46.64	54.00	-7.36	V	AVERAGE	Pass	Harmonic
47	802.11ax HE20	149	5631.20	57.15	68.20	-11.05	V	PEAK	Pass	Band Edge
47	802.11ax HE20	149	11490.00	39.07	54.00	-14.93	V	AVERAGE	Pass	Harmonic
48	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	157	11570.00	44.51	54.00	-9.49	V	AVERAGE	Pass	Harmonic
49	802.11ax HE20	165	5937.60	58.48	68.20	-9.72	H	PEAK	Pass	Band Edge
49	802.11ax HE20	165	11650.00	45.53	54.00	-8.47	V	AVERAGE	Pass	Harmonic
50	802.11ax HE40	151	5934.01	58.69	68.20	-9.51	V	PEAK	Pass	Band Edge
50	802.11ax HE40	151	11510.00	43.42	54.00	-10.58	V	AVERAGE	Pass	Harmonic
51	802.11ax HE40	159	5985.60	58.03	68.20	-10.17	V	PEAK	Pass	Band Edge
51	802.11ax HE40	159	11590.00	47.27	74.00	-26.73	V	PEAK	Pass	Harmonic
52	802.11ax HE80	155	5928.40	57.92	68.20	-10.28	V	PEAK	Pass	Band Edge
52	802.11ax HE80	155	11550.00	46.91	74.00	-27.09	H	PEAK	Pass	Harmonic
53	802.11ax HE20	149	5624.80	57.28	68.20	-10.92	H	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5932.80	56.74	68.20	-11.46	H	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5634.80	57.75	68.20	-10.45	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5984.80	57.92	68.20	-10.28	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic








Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
57	802.11ax HE20	149	5636.80	57.63	68.20	-10.57	H	PEAK	Pass	Band Edge
57	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	165	5988.40	57.16	68.20	-11.04	V	PEAK	Pass	Band Edge
58	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
59	802.11a	144	-	-	-	-	-	-	-	Band Edge
59	802.11a	144	11440.00	47.10	74.00	-26.90	V	PEAK	Pass	Harmonic
61	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE20	144	11440.00	43.92	54.00	-10.08	V	AVERAGE	Pass	Harmonic
62	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE40	142	11420.00	43.42	54.00	-10.58	V	AVERAGE	Pass	Harmonic
63	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
63	802.11ax HE80	138	11380.00	47.20	74.00	-26.80	H	PEAK	Pass	Harmonic
64	Bluetooth-LE	01	2373.96	44.96	54.00	-9.04	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE	01	7770.00	55.53	77.33	-21.80	V	AVERAGE	Pass	Harmonic
	802.11a	36	5150.00	50.04	54.00	-3.96	H	AVERAGE	Pass	Band Edge
	802.11a	36	7770.00	55.83	68.20	-12.37	H	PEAK	Pass	Harmonic



		1																																																																																															
Mode	Band Edge																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																
ANT	CDD 10+11																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.45</td> <td>62.67</td> <td>74.00</td> <td>-11.33</td> <td>46.08</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.45	62.67	74.00	-11.33	46.08	34.20	12.45	30.06	0.00	100	248	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>112.90</td> <td>-----</td> <td>-----</td> <td>96.26</td> <td>34.15</td> <td>12.51</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	112.90	-----	-----	96.26	34.15	12.51	30.02	0.00	100	248
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5149.45	62.67	74.00	-11.33	46.08	34.20	12.45	30.06	0.00	100	248	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5180.00	112.90	-----	-----	96.26	34.15	12.51	30.02	0.00	100	248	PEAK																																																																																					
Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.75</td> <td>50.16</td> <td>54.00</td> <td>-3.84</td> <td>33.57</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.75	50.16	54.00	-3.84	33.57	34.20	12.45	30.06	0.00	100	248	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.09</td> <td>-----</td> <td>-----</td> <td>88.44</td> <td>34.14</td> <td>12.52</td> <td>30.01</td> <td>0.00</td> <td>100</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	105.09	-----	-----	88.44	34.14	12.52	30.01	0.00	100	248
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5148.75	50.16	54.00	-3.84	33.57	34.20	12.45	30.06	0.00	100	248	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5180.00	105.09	-----	-----	88.44	34.14	12.52	30.01	0.00	100	248	AVERAGE																																																																																					



Mode	1																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	CDD 10+11																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <table border="1" data-bbox="268 1131 794 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.05</td> <td>59.96</td> <td>74.00</td> <td>-14.04</td> <td>43.37</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>66 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5149.05	59.96	74.00	-14.04	43.37	34.20	12.45	30.06	0.00	100	66 PEAK	 <table border="1" data-bbox="906 1131 1433 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>107.76</td> <td>-----</td> <td>-----</td> <td>91.12</td> <td>34.15</td> <td>12.51</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>66 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	107.76	-----	-----	91.12	34.15	12.51	30.02	0.00	100	66 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5149.05	59.96	74.00	-14.04	43.37	34.20	12.45	30.06	0.00	100	66 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5180.00	107.76	-----	-----	91.12	34.15	12.51	30.02	0.00	100	66 PEAK																																																																						
Avg	 <table border="1" data-bbox="268 1807 794 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.94</td> <td>48.04</td> <td>54.00</td> <td>-5.96</td> <td>31.44</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>66 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5149.94	48.04	54.00	-5.96	31.44	34.20	12.45	30.05	0.00	100	66 AVERAGE	 <table border="1" data-bbox="906 1807 1433 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>99.26</td> <td>-----</td> <td>-----</td> <td>82.61</td> <td>34.14</td> <td>12.52</td> <td>30.01</td> <td>0.00</td> <td>100</td> <td>66 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	99.26	-----	-----	82.61	34.14	12.52	30.01	0.00	100	66 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5149.94	48.04	54.00	-5.96	31.44	34.20	12.45	30.05	0.00	100	66 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5180.00	99.26	-----	-----	82.61	34.14	12.52	30.01	0.00	100	66 AVERAGE																																																																						





Mode	2																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																																	
ANT	CDD 10+11																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7830.13</td> <td>55.31</td> <td>68.20</td> <td>-12.89</td> <td>69.79</td> <td>35.94</td> <td>15.59</td> <td>66.01</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>55.38</td> <td>68.20</td> <td>-12.82</td> <td>64.47</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>100</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>51.52</td> <td>74.00</td> <td>-22.48</td> <td>53.44</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15660.00</td> <td>39.81</td> <td>54.00</td> <td>-14.19</td> <td>41.73</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7830.13	55.31	68.20	-12.89	69.79	35.94	15.59	66.01	0.00	--	--	PEAK	2	10440.00	55.38	68.20	-12.82	64.47	37.70	18.31	65.10	0.00	100	352	PEAK	3	15660.00	51.52	74.00	-22.48	53.44	40.36	22.03	64.31	0.00	100	235	PEAK	4	15660.00	39.81	54.00	-14.19	41.73	40.36	22.03	64.31	0.00	100	235	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7830.13</td> <td>54.25</td> <td>68.20</td> <td>-13.95</td> <td>68.73</td> <td>35.94</td> <td>15.59</td> <td>66.01</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>57.23</td> <td>68.20</td> <td>-10.97</td> <td>66.32</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>100</td> <td>60</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>55.14</td> <td>74.00</td> <td>-18.86</td> <td>57.06</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15660.00</td> <td>43.87</td> <td>54.00</td> <td>-10.13</td> <td>45.79</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7830.13	54.25	68.20	-13.95	68.73	35.94	15.59	66.01	0.00	--	--	PEAK	2	10440.00	57.23	68.20	-10.97	66.32	37.70	18.31	65.10	0.00	100	60	PEAK	3	15660.00	55.14	74.00	-18.86	57.06	40.36	22.03	64.31	0.00	100	233	PEAK	4	15660.00	43.87	54.00	-10.13	45.79	40.36	22.03	64.31	0.00	100	233	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7830.13	55.31	68.20	-12.89	69.79	35.94	15.59	66.01	0.00	--	--	PEAK																																																																																																																																																						
2	10440.00	55.38	68.20	-12.82	64.47	37.70	18.31	65.10	0.00	100	352	PEAK																																																																																																																																																						
3	15660.00	51.52	74.00	-22.48	53.44	40.36	22.03	64.31	0.00	100	235	PEAK																																																																																																																																																						
4	15660.00	39.81	54.00	-14.19	41.73	40.36	22.03	64.31	0.00	100	235	AVERAGE																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7830.13	54.25	68.20	-13.95	68.73	35.94	15.59	66.01	0.00	--	--	PEAK																																																																																																																																																						
2	10440.00	57.23	68.20	-10.97	66.32	37.70	18.31	65.10	0.00	100	60	PEAK																																																																																																																																																						
3	15660.00	55.14	74.00	-18.86	57.06	40.36	22.03	64.31	0.00	100	233	PEAK																																																																																																																																																						
4	15660.00	43.87	54.00	-10.13	45.79	40.36	22.03	64.31	0.00	100	233	AVERAGE																																																																																																																																																						





Mode	3																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																															
ANT	CDD 10+11																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7860.20</td> <td>54.32</td> <td>68.20</td> <td>-13.88</td> <td>68.78</td> <td>35.90</td> <td>15.71</td> <td>66.07</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>58.78</td> <td>68.20</td> <td>-9.42</td> <td>67.90</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>100</td> <td>300</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>52.53</td> <td>74.00</td> <td>-21.47</td> <td>54.34</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>236</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15720.00</td> <td>40.77</td> <td>54.00</td> <td>-13.23</td> <td>42.58</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>236</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7860.20	54.32	68.20	-13.88	68.78	35.90	15.71	66.07	0.00	--	--	PEAK	2	10480.00	58.78	68.20	-9.42	67.90	37.70	18.24	65.06	0.00	100	300	PEAK	3	15720.00	52.53	74.00	-21.47	54.34	40.42	22.13	64.36	0.00	100	236	PEAK	4	15720.00	40.77	54.00	-13.23	42.58	40.42	22.13	64.36	0.00	100	236	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7860.20</td> <td>52.85</td> <td>68.20</td> <td>-15.35</td> <td>67.31</td> <td>35.90</td> <td>15.71</td> <td>66.07</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>58.10</td> <td>68.20</td> <td>-10.10</td> <td>67.22</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>100</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>57.20</td> <td>74.00</td> <td>-16.80</td> <td>59.01</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15720.00</td> <td>44.69</td> <td>54.00</td> <td>-9.31</td> <td>46.49</td> <td>40.42</td> <td>22.13</td> <td>64.35</td> <td>0.00</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7860.20	52.85	68.20	-15.35	67.31	35.90	15.71	66.07	0.00	--	--	PEAK	2	10480.00	58.10	68.20	-10.10	67.22	37.70	18.24	65.06	0.00	100	63	PEAK	3	15720.00	57.20	74.00	-16.80	59.01	40.42	22.13	64.36	0.00	100	240	PEAK	4	15720.00	44.69	54.00	-9.31	46.49	40.42	22.13	64.35	0.00	100	240	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7860.20	54.32	68.20	-13.88	68.78	35.90	15.71	66.07	0.00	--	--	PEAK																																																																																																																																																				
2	10480.00	58.78	68.20	-9.42	67.90	37.70	18.24	65.06	0.00	100	300	PEAK																																																																																																																																																				
3	15720.00	52.53	74.00	-21.47	54.34	40.42	22.13	64.36	0.00	100	236	PEAK																																																																																																																																																				
4	15720.00	40.77	54.00	-13.23	42.58	40.42	22.13	64.36	0.00	100	236	AVERAGE																																																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7860.20	52.85	68.20	-15.35	67.31	35.90	15.71	66.07	0.00	--	--	PEAK																																																																																																																																																				
2	10480.00	58.10	68.20	-10.10	67.22	37.70	18.24	65.06	0.00	100	63	PEAK																																																																																																																																																				
3	15720.00	57.20	74.00	-16.80	59.01	40.42	22.13	64.36	0.00	100	240	PEAK																																																																																																																																																				
4	15720.00	44.69	54.00	-9.31	46.49	40.42	22.13	64.35	0.00	100	240	AVERAGE																																																																																																																																																				



Mode	4																																																																																																																																																																														
	Harmonic																																																																																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																																														
ANT	CDD 10+11																																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																																													
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>52.91</td> <td>74.00</td> <td>-21.09</td> <td>67.09</td> <td>35.00</td> <td>15.00</td> <td>64.98</td> <td>0.00</td> <td>105</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7364.00</td> <td>45.11</td> <td>54.00</td> <td>-8.89</td> <td>59.29</td> <td>35.00</td> <td>15.00</td> <td>64.98</td> <td>0.00</td> <td>105</td> <td>110</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10520.00</td> <td>57.38</td> <td>68.20</td> <td>-10.82</td> <td>66.55</td> <td>37.70</td> <td>18.14</td> <td>65.01</td> <td>0.00</td> <td>100</td> <td>349</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15780.00</td> <td>46.35</td> <td>74.00</td> <td>-27.65</td> <td>47.99</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7364.00	52.91	74.00	-21.09	67.09	35.00	15.00	64.98	0.00	105	110	PEAK	2	7364.00	45.11	54.00	-8.89	59.29	35.00	15.00	64.98	0.00	105	110	AVERAGE	3	10520.00	57.38	68.20	-10.82	66.55	37.70	18.14	65.01	0.00	100	349	PEAK	4	15780.00	46.35	74.00	-27.65	47.99	40.48	22.28	64.40	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>52.59</td> <td>74.00</td> <td>-21.41</td> <td>66.77</td> <td>35.00</td> <td>15.00</td> <td>64.98</td> <td>0.00</td> <td>278</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7364.00</td> <td>44.25</td> <td>54.00</td> <td>-9.75</td> <td>58.43</td> <td>35.00</td> <td>15.00</td> <td>64.98</td> <td>0.00</td> <td>278</td> <td>73</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10520.00</td> <td>59.49</td> <td>68.20</td> <td>-8.71</td> <td>68.66</td> <td>37.70</td> <td>18.14</td> <td>65.01</td> <td>0.00</td> <td>100</td> <td>60</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15780.00</td> <td>55.28</td> <td>74.00</td> <td>-18.72</td> <td>56.92</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>102</td> <td>236</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15780.00</td> <td>43.36</td> <td>54.00</td> <td>-10.64</td> <td>45.00</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>102</td> <td>236</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7364.00	52.59	74.00	-21.41	66.77	35.00	15.00	64.98	0.00	278	73	PEAK	2	7364.00	44.25	54.00	-9.75	58.43	35.00	15.00	64.98	0.00	278	73	AVERAGE	3	10520.00	59.49	68.20	-8.71	68.66	37.70	18.14	65.01	0.00	100	60	PEAK	4	15780.00	55.28	74.00	-18.72	56.92	40.48	22.28	64.40	0.00	102	236	PEAK	5	15780.00	43.36	54.00	-10.64	45.00	40.48	22.28	64.40	0.00	102	236	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																						
1	7364.00	52.91	74.00	-21.09	67.09	35.00	15.00	64.98	0.00	105	110	PEAK																																																																																																																																																																			
2	7364.00	45.11	54.00	-8.89	59.29	35.00	15.00	64.98	0.00	105	110	AVERAGE																																																																																																																																																																			
3	10520.00	57.38	68.20	-10.82	66.55	37.70	18.14	65.01	0.00	100	349	PEAK																																																																																																																																																																			
4	15780.00	46.35	74.00	-27.65	47.99	40.48	22.28	64.40	0.00	--	--	PEAK																																																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																						
1	7364.00	52.59	74.00	-21.41	66.77	35.00	15.00	64.98	0.00	278	73	PEAK																																																																																																																																																																			
2	7364.00	44.25	54.00	-9.75	58.43	35.00	15.00	64.98	0.00	278	73	AVERAGE																																																																																																																																																																			
3	10520.00	59.49	68.20	-8.71	68.66	37.70	18.14	65.01	0.00	100	60	PEAK																																																																																																																																																																			
4	15780.00	55.28	74.00	-18.72	56.92	40.48	22.28	64.40	0.00	102	236	PEAK																																																																																																																																																																			
5	15780.00	43.36	54.00	-10.64	45.00	40.48	22.28	64.40	0.00	102	236	AVERAGE																																																																																																																																																																			







Mode	5																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																																																								
ANT	CDD 10+11																																																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7420.00</td> <td>51.98</td> <td>74.00</td> <td>-22.02</td> <td>66.31</td> <td>35.80</td> <td>15.00</td> <td>65.13</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7420.00</td> <td>42.88</td> <td>54.00</td> <td>-11.12</td> <td>57.21</td> <td>35.80</td> <td>15.00</td> <td>65.13</td> <td>0.00</td> <td>100</td> <td>109</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10600.00</td> <td>57.35</td> <td>74.00</td> <td>-16.65</td> <td>66.74</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10600.00</td> <td>47.39</td> <td>54.00</td> <td>-6.61</td> <td>56.78</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>340</td> <td>AVERAGE</td> </tr> <tr> <td>5</td> <td>15900.00</td> <td>47.88</td> <td>74.00</td> <td>-26.12</td> <td>49.24</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>312</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15900.00</td> <td>37.51</td> <td>54.00</td> <td>-16.49</td> <td>38.87</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>312</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7420.00	51.98	74.00	-22.02	66.31	35.80	15.00	65.13	0.00	100	109	PEAK	2	7420.00	42.88	54.00	-11.12	57.21	35.80	15.00	65.13	0.00	100	109	AVERAGE	3	10600.00	57.35	74.00	-16.65	66.74	37.70	17.83	64.92	0.00	100	340	PEAK	4	10600.00	47.39	54.00	-6.61	56.78	37.70	17.83	64.92	0.00	100	340	AVERAGE	5	15900.00	47.88	74.00	-26.12	49.24	40.70	22.43	64.49	0.00	312	262	PEAK	6	15900.00	37.51	54.00	-16.49	38.87	40.70	22.43	64.49	0.00	312	262	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7418.00</td> <td>48.45</td> <td>74.00</td> <td>-25.55</td> <td>62.80</td> <td>35.80</td> <td>14.98</td> <td>65.13</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>59.17</td> <td>74.00</td> <td>-14.83</td> <td>68.56</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10600.00</td> <td>49.17</td> <td>54.00</td> <td>-4.83</td> <td>58.56</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>55.71</td> <td>74.00</td> <td>-18.29</td> <td>57.07</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>100</td> <td>236</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15900.00</td> <td>43.22</td> <td>54.00</td> <td>-10.78</td> <td>44.58</td> <td>40.69</td> <td>22.43</td> <td>64.48</td> <td>0.00</td> <td>100</td> <td>236</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7418.00	48.45	74.00	-25.55	62.80	35.80	14.98	65.13	0.00	--	--	PEAK	2	10600.00	59.17	74.00	-14.83	68.56	37.70	17.83	64.92	0.00	100	65	PEAK	3	10600.00	49.17	54.00	-4.83	58.56	37.70	17.83	64.92	0.00	100	65	AVERAGE	4	15900.00	55.71	74.00	-18.29	57.07	40.70	22.43	64.49	0.00	100	236	PEAK	5	15900.00	43.22	54.00	-10.78	44.58	40.69	22.43	64.48	0.00	100	236	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																
1	7420.00	51.98	74.00	-22.02	66.31	35.80	15.00	65.13	0.00	100	109	PEAK																																																																																																																																																																																													
2	7420.00	42.88	54.00	-11.12	57.21	35.80	15.00	65.13	0.00	100	109	AVERAGE																																																																																																																																																																																													
3	10600.00	57.35	74.00	-16.65	66.74	37.70	17.83	64.92	0.00	100	340	PEAK																																																																																																																																																																																													
4	10600.00	47.39	54.00	-6.61	56.78	37.70	17.83	64.92	0.00	100	340	AVERAGE																																																																																																																																																																																													
5	15900.00	47.88	74.00	-26.12	49.24	40.70	22.43	64.49	0.00	312	262	PEAK																																																																																																																																																																																													
6	15900.00	37.51	54.00	-16.49	38.87	40.70	22.43	64.49	0.00	312	262	AVERAGE																																																																																																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																
1	7418.00	48.45	74.00	-25.55	62.80	35.80	14.98	65.13	0.00	--	--	PEAK																																																																																																																																																																																													
2	10600.00	59.17	74.00	-14.83	68.56	37.70	17.83	64.92	0.00	100	65	PEAK																																																																																																																																																																																													
3	10600.00	49.17	54.00	-4.83	58.56	37.70	17.83	64.92	0.00	100	65	AVERAGE																																																																																																																																																																																													
4	15900.00	55.71	74.00	-18.29	57.07	40.70	22.43	64.49	0.00	100	236	PEAK																																																																																																																																																																																													
5	15900.00	43.22	54.00	-10.78	44.58	40.69	22.43	64.48	0.00	100	236	AVERAGE																																																																																																																																																																																													



Mode	6																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																	
ANT	CDD 10+11																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.65</td> <td>60.30</td> <td>74.00</td> <td>-13.70</td> <td>42.87</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>238</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5350.65	60.30	74.00	-13.70	42.87	34.60	12.57	29.74							0.00	100								238								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.33</td> <td>-----</td> <td>-----</td> <td>93.06</td> <td>34.47</td> <td>12.59</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>238</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	110.33	-----	-----	93.06	34.47	12.59	29.79							0.00	100								238								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5350.65	60.30	74.00	-13.70	42.87	34.60	12.57	29.74																																																																																																											
						0.00	100																																																																																																											
							238																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5320.00	110.33	-----	-----	93.06	34.47	12.59	29.79																																																																																																											
						0.00	100																																																																																																											
							238																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>49.76</td> <td>54.00</td> <td>-4.24</td> <td>32.34</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>238</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5350.00	49.76	54.00	-4.24	32.34	34.60	12.56	29.74							0.00	100								238								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.12</td> <td>-----</td> <td>-----</td> <td>85.88</td> <td>34.44</td> <td>12.60</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>238</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	103.12	-----	-----	85.88	34.44	12.60	29.80							0.00	100								238								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5350.00	49.76	54.00	-4.24	32.34	34.60	12.56	29.74																																																																																																											
						0.00	100																																																																																																											
							238																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5320.00	103.12	-----	-----	85.88	34.44	12.60	29.80																																																																																																											
						0.00	100																																																																																																											
							238																																																																																																											
							AVERAGE																																																																																																											



		6																																																																														
Mode		Band Edge																																																																														
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																														
ANT		CDD 10+11																																																																														
Pol.		Vertical					Fundamental																																																																									
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>5300 5320 5340 5360 5380 5400</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.55</td> <td>55.69</td> <td>74.00</td> <td>-18.31</td> <td>38.17</td> <td>34.60</td> <td>12.65</td> <td>29.73</td> <td>0.00</td> <td>341</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.55	55.69	74.00	-18.31	38.17	34.60	12.65	29.73	0.00	341	89	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>105.65</td> <td>-----</td> <td>-----</td> <td>88.38</td> <td>34.47</td> <td>12.59</td> <td>29.79</td> <td>0.00</td> <td>341</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.65	-----	-----	88.38	34.47	12.59	29.79	0.00	341	89	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5359.55	55.69	74.00	-18.31	38.17	34.60	12.65	29.73	0.00	341	89	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	105.65	-----	-----	88.38	34.47	12.59	29.79	0.00	341	89	PEAK																																																																				
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>5300 5320 5340 5360 5380 5400</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>45.76</td> <td>54.00</td> <td>-8.24</td> <td>28.34</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>341</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	45.76	54.00	-8.24	28.34	34.60	12.56	29.74	0.00	341	89	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>97.85</td> <td>-----</td> <td>-----</td> <td>80.61</td> <td>34.44</td> <td>12.60</td> <td>29.80</td> <td>0.00</td> <td>341</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.85	-----	-----	80.61	34.44	12.60	29.80	0.00	341	89	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5350.00	45.76	54.00	-8.24	28.34	34.60	12.56	29.74	0.00	341	89	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	97.85	-----	-----	80.61	34.44	12.60	29.80	0.00	341	89	AVERAGE																																																																				







Mode	6																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																					
ANT	CDD 10+11																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7451.00</td> <td>47.97</td> <td>74.00</td> <td>-26.03</td> <td>62.07</td> <td>35.00</td> <td>15.32</td> <td>65.22</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>58.74</td> <td>74.00</td> <td>-15.26</td> <td>67.98</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>103</td> <td>298 PEAK</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>47.20</td> <td>54.00</td> <td>-6.80</td> <td>56.43</td> <td>37.74</td> <td>17.90</td> <td>64.87</td> <td>0.00</td> <td>103</td> <td>298 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7451.00	47.97	74.00	-26.03	62.07	35.00	15.32	65.22	0.00	--	PEAK	2	10640.00	58.74	74.00	-15.26	67.98	37.74	17.89	64.87	0.00	103	298 PEAK	3	10640.00	47.20	54.00	-6.80	56.43	37.74	17.90	64.87	0.00	103	298 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7446.60</td> <td>47.74</td> <td>74.00</td> <td>-26.26</td> <td>61.87</td> <td>35.80</td> <td>15.28</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>59.12</td> <td>74.00</td> <td>-14.88</td> <td>68.36</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>100</td> <td>63 PEAK</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>49.37</td> <td>54.00</td> <td>-4.63</td> <td>58.61</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>100</td> <td>63 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7446.60	47.74	74.00	-26.26	61.87	35.80	15.28	65.21	0.00	--	PEAK	2	10640.00	59.12	74.00	-14.88	68.36	37.74	17.89	64.87	0.00	100	63 PEAK	3	10640.00	49.37	54.00	-4.63	58.61	37.74	17.89	64.87	0.00	100	63 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	7451.00	47.97	74.00	-26.03	62.07	35.00	15.32	65.22	0.00	--	PEAK																																																																																																																											
2	10640.00	58.74	74.00	-15.26	67.98	37.74	17.89	64.87	0.00	103	298 PEAK																																																																																																																											
3	10640.00	47.20	54.00	-6.80	56.43	37.74	17.90	64.87	0.00	103	298 AVERAGE																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	7446.60	47.74	74.00	-26.26	61.87	35.80	15.28	65.21	0.00	--	PEAK																																																																																																																											
2	10640.00	59.12	74.00	-14.88	68.36	37.74	17.89	64.87	0.00	100	63 PEAK																																																																																																																											
3	10640.00	49.37	54.00	-4.63	58.61	37.74	17.89	64.87	0.00	100	63 AVERAGE																																																																																																																											



		7																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																				
ANT		CDD 10+11																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5378.57</td> <td>55.56</td> <td>74.00</td> <td>-18.44</td> <td>37.83</td> <td>34.60</td> <td>12.83</td> <td>29.70</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> <tr> <td>2</td> <td>5468.17</td> <td>57.35</td> <td>68.20</td> <td>-10.85</td> <td>39.41</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5378.57	55.56	74.00	-18.44	37.83	34.60	12.83	29.70	0.00	100	117 PEAK	2	5468.17	57.35	68.20	-10.85	39.41	34.60	12.90	29.56	0.00	100	117 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>113.20</td> <td>-----</td> <td>-----</td> <td>95.05</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	113.20	-----	-----	95.05	34.60	13.06	29.51	0.00	100	117 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5378.57	55.56	74.00	-18.44	37.83	34.60	12.83	29.70	0.00	100	117 PEAK																																																																																											
2	5468.17	57.35	68.20	-10.85	39.41	34.60	12.90	29.56	0.00	100	117 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5500.00	113.20	-----	-----	95.05	34.60	13.06	29.51	0.00	100	117 PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.48</td> <td>45.46</td> <td>54.00</td> <td>-8.54</td> <td>27.58</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.48	45.46	54.00	-8.54	27.58	34.60	12.85	29.57	0.00	100	117 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.93</td> <td>-----</td> <td>-----</td> <td>86.78</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	104.93	-----	-----	86.78	34.60	13.06	29.51	0.00	100	117 AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5459.48	45.46	54.00	-8.54	27.58	34.60	12.85	29.57	0.00	100	117 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5500.00	104.93	-----	-----	86.78	34.60	13.06	29.51	0.00	100	117 AVERAGE																																																																																											



		7																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																				
ANT		CDD 10+11																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.09</td> <td>55.89</td> <td>74.00</td> <td>-18.11</td> <td>38.06</td> <td>34.60</td> <td>12.83</td> <td>29.60</td> <td>0.00</td> <td>301</td> <td>76 PEAK</td> </tr> <tr> <td>2</td> <td>5468.81</td> <td>55.21</td> <td>68.20</td> <td>-12.99</td> <td>37.27</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>301</td> <td>76 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5442.09	55.89	74.00	-18.11	38.06	34.60	12.83	29.60	0.00	301	76 PEAK	2	5468.81	55.21	68.20	-12.99	37.27	34.60	12.90	29.56	0.00	301	76 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.96</td> <td>-----</td> <td>-----</td> <td>89.85</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>301</td> <td>76 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	107.96	-----	-----	89.85	34.60	13.03	29.52	0.00	301	76 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		cm	deg	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5442.09	55.89	74.00	-18.11	38.06	34.60	12.83	29.60	0.00	301	76 PEAK																																																																																											
2	5468.81	55.21	68.20	-12.99	37.27	34.60	12.90	29.56	0.00	301	76 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		cm	deg	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5500.00	107.96	-----	-----	89.85	34.60	13.03	29.52	0.00	301	76 PEAK																																																																																											
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.38</td> <td>44.62</td> <td>54.00</td> <td>-9.38</td> <td>26.75</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>301</td> <td>76 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.38	44.62	54.00	-9.38	26.75	34.60	12.84	29.57	0.00	301	76 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.54</td> <td>-----</td> <td>-----</td> <td>82.43</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>301</td> <td>76 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	100.54	-----	-----	82.43	34.60	13.03	29.52	0.00	301	76 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		cm	deg	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5458.38	44.62	54.00	-9.38	26.75	34.60	12.84	29.57	0.00	301	76 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		cm	deg	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5500.00	100.54	-----	-----	82.43	34.60	13.03	29.52	0.00	301	76 AVERAGE																																																																																											








Mode	7																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																										
ANT	CDD 10+11																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7700.00</td> <td>43.77</td> <td>74.00</td> <td>-30.23</td> <td>57.77</td> <td>35.90</td> <td>15.86</td> <td>65.76</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>54.88</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7700.00	43.77	74.00	-30.23	57.77	35.90	15.86	65.76	0.00	--	--	PEAK	2	11000.00	46.70	74.00	-27.30	54.88	38.20	18.08	64.46	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8799.60</td> <td>49.39</td> <td>68.20</td> <td>-18.81</td> <td>63.19</td> <td>36.10</td> <td>16.53</td> <td>66.43</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>52.20</td> <td>74.00</td> <td>-21.80</td> <td>60.38</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>100</td> <td>64</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11000.00</td> <td>42.18</td> <td>54.00</td> <td>-11.82</td> <td>50.36</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>100</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8799.60	49.39	68.20	-18.81	63.19	36.10	16.53	66.43	0.00	--	--	PEAK	2	11000.00	52.20	74.00	-21.80	60.38	38.20	18.08	64.46	0.00	100	64	PEAK	3	11000.00	42.18	54.00	-11.82	50.36	38.20	18.08	64.46	0.00	100	64	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7700.00	43.77	74.00	-30.23	57.77	35.90	15.86	65.76	0.00	--	--	PEAK																																																																																																															
2	11000.00	46.70	74.00	-27.30	54.88	38.20	18.08	64.46	0.00	--	--	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8799.60	49.39	68.20	-18.81	63.19	36.10	16.53	66.43	0.00	--	--	PEAK																																																																																																															
2	11000.00	52.20	74.00	-21.80	60.38	38.20	18.08	64.46	0.00	100	64	PEAK																																																																																																															
3	11000.00	42.18	54.00	-11.82	50.36	38.20	18.08	64.46	0.00	100	64	AVERAGE																																																																																																															



Mode	8																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																													
ANT	CDD 10+11																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8927.93</td> <td>46.44</td> <td>68.20</td> <td>-21.76</td> <td>59.96</td> <td>36.20</td> <td>16.70</td> <td>66.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>47.42</td> <td>74.00</td> <td>-26.58</td> <td>55.11</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8927.93	46.44	68.20	-21.76	59.96	36.20	16.70	66.42	0.00	--	--	PEAK	2	11160.00	47.42	74.00	-26.58	55.11	38.36	18.22	64.27	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8927.93</td> <td>51.19</td> <td>68.20</td> <td>-17.01</td> <td>64.71</td> <td>36.20</td> <td>16.70</td> <td>66.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>47.50</td> <td>74.00</td> <td>-26.50</td> <td>55.19</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8927.93	51.19	68.20	-17.01	64.71	36.20	16.70	66.42	0.00	--	--	PEAK	2	11160.00	47.50	74.00	-26.50	55.19	38.36	18.22	64.27	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	8927.93	46.44	68.20	-21.76	59.96	36.20	16.70	66.42	0.00	--	--	PEAK																																																																																																		
2	11160.00	47.42	74.00	-26.58	55.11	38.36	18.22	64.27	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	8927.93	51.19	68.20	-17.01	64.71	36.20	16.70	66.42	0.00	--	--	PEAK																																																																																																		
2	11160.00	47.50	74.00	-26.50	55.19	38.36	18.22	64.27	0.00	--	--	PEAK																																																																																																		



Mode	9																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																											
ANT	CDD 10+11																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.39</td> <td>59.86</td> <td>68.20</td> <td>-8.34</td> <td>41.61</td> <td>34.65</td> <td>13.32</td> <td>29.72</td> <td>0.00</td> <td>100</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.39	59.86	68.20	-8.34	41.61	34.65	13.32	29.72	0.00	100	111	PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>113.00</td> <td>-----</td> <td>-----</td> <td>94.97</td> <td>34.58</td> <td>13.07</td> <td>29.54</td> <td>0.00</td> <td>100</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	113.00	-----	-----	94.97	34.58	13.07	29.54	0.00	100	111	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5726.39	59.86	68.20	-8.34	41.61	34.65	13.32	29.72	0.00	100	111	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	113.00	-----	-----	94.97	34.58	13.07	29.54	0.00	100	111	PEAK																																																																
Avg	Blank	 <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>105.40</td> <td>-----</td> <td>-----</td> <td>87.38</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	105.40	-----	-----	87.38	34.59	13.08	29.57	0.00	100	111	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	105.40	-----	-----	87.38	34.59	13.08	29.57	0.00	100	111	AVERAGE																																																																







Mode	9																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																															
ANT	CDD 10+11																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.96</td> <td>58.32</td> <td>68.20</td> <td>-9.88</td> <td>40.08</td> <td>34.65</td> <td>13.32</td> <td>29.73</td> <td>0.00</td> <td>313</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.96	58.32	68.20	-9.88	40.08	34.65	13.32	29.73	0.00	313	87	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.00</td> <td>-----</td> <td>-----</td> <td>90.98</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> <td>0.00</td> <td>313</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.00	-----	-----	90.98	34.59	13.08	29.57	0.00	313	87	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5726.96	58.32	68.20	-9.88	40.08	34.65	13.32	29.73	0.00	313	87	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5700.00	109.00	-----	-----	90.98	34.59	13.08	29.57	0.00	313	87	PEAK																																																																				
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.50</td> <td>-----</td> <td>-----</td> <td>83.40</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> <td>0.00</td> <td>313</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.50	-----	-----	83.40	34.60	13.10	29.60	0.00	313	87	AVERAGE																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5700.00	101.50	-----	-----	83.40	34.60	13.10	29.60	0.00	313	87	AVERAGE																																																																				



Mode	9																																																																																		
	Harmonic																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																		
ANT	CDD 10+11																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.96</td> <td>74.00</td> <td>-27.04</td> <td>54.24</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	46.96	74.00	-27.04	54.24	38.30	18.42	64.00	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>52.31</td> <td>74.00</td> <td>-21.69</td> <td>59.59</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> </tr> <tr> <td>2 11400.00</td> <td>44.64</td> <td>54.00</td> <td>-9.36</td> <td>51.92</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	52.31	74.00	-21.69	59.59	38.30	18.42	64.00	0.00	2 11400.00	44.64	54.00	-9.36	51.92	38.30	18.42	64.00	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11400.00	46.96	74.00	-27.04	54.24	38.30	18.42	64.00	0.00																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11400.00	52.31	74.00	-21.69	59.59	38.30	18.42	64.00	0.00																																																																											
2 11400.00	44.64	54.00	-9.36	51.92	38.30	18.42	64.00	0.00																																																																											



Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																	
ANT	CDD 10+11																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5109.35</td> <td>58.26</td> <td>74.00</td> <td>-15.74</td> <td>41.66</td> <td>34.28</td> <td>12.44</td> <td>30.12</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5109.35	58.26	74.00	-15.74	41.66	34.28	12.44	30.12	0.00	100	244	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>111.02</td> <td>-----</td> <td>-----</td> <td>94.36</td> <td>34.13</td> <td>12.53</td> <td>30.00</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	111.02	-----	-----	94.36	34.13	12.53	30.00	0.00	100	244	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5109.35	58.26	74.00	-15.74	41.66	34.28	12.44	30.12	0.00	100	244	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5180.00	111.02	-----	-----	94.36	34.13	12.53	30.00	0.00	100	244	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.91</td> <td>46.44</td> <td>54.00</td> <td>-7.56</td> <td>29.84</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5149.91	46.44	54.00	-7.56	29.84	34.20	12.45	30.05	0.00	100	244	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.40</td> <td>-----</td> <td>-----</td> <td>85.82</td> <td>34.13</td> <td>12.53</td> <td>30.00</td> <td>0.00</td> <td>100</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	102.40	-----	-----	85.82	34.13	12.53	30.00	0.00	100	244	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5149.91	46.44	54.00	-7.56	29.84	34.20	12.45	30.05	0.00	100	244	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5180.00	102.40	-----	-----	85.82	34.13	12.53	30.00	0.00	100	244	AVERAGE																																																																						



Mode	10																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																															
ANT	CDD 10+11																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.95</td> <td>105.38</td> <td>74.00</td> <td>-17.05</td> <td>40.35</td> <td>34.22</td> <td>12.45</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.95	105.38	74.00	-17.05	40.35	34.22	12.45	30.07	0.00	100	60	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.38</td> <td>74.00</td> <td>-17.05</td> <td>40.35</td> <td>34.22</td> <td>12.45</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.38	74.00	-17.05	40.35	34.22	12.45	30.07	0.00	100	60	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.95	105.38	74.00	-17.05	40.35	34.22	12.45	30.07	0.00	100	60	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	105.38	74.00	-17.05	40.35	34.22	12.45	30.07	0.00	100	60	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5106.65</td> <td>45.76</td> <td>54.00</td> <td>-8.24</td> <td>29.15</td> <td>34.29</td> <td>12.44</td> <td>30.12</td> <td>0.00</td> <td>100</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.65	45.76	54.00	-8.24	29.15	34.29	12.44	30.12	0.00	100	60	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.23</td> <td>48.80</td> <td>-48.57</td> <td>48.75</td> <td>34.14</td> <td>12.52</td> <td>30.01</td> <td>0.00</td> <td>100</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.23	48.80	-48.57	48.75	34.14	12.52	30.01	0.00	100	60	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5106.65	45.76	54.00	-8.24	29.15	34.29	12.44	30.12	0.00	100	60	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	97.23	48.80	-48.57	48.75	34.14	12.52	30.01	0.00	100	60	AVERAGE																																																																				



Mode	10																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																									
ANT	CDD 10+11																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7770.00</td> <td>60.13</td> <td>68.20</td> <td>-8.07</td> <td>74.42</td> <td>35.94</td> <td>15.66</td> <td>65.89</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10360.00</td> <td>55.76</td> <td>68.20</td> <td>-12.44</td> <td>65.29</td> <td>37.62</td> <td>18.04</td> <td>65.19</td> <td>0.00</td> <td>100</td> <td>338 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7770.00	60.13	68.20	-8.07	74.42	35.94	15.66	65.89	0.00	--	PEAK	2	10360.00	55.76	68.20	-12.44	65.29	37.62	18.04	65.19	0.00	100	338 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7770.00</td> <td>58.25</td> <td>68.20</td> <td>-9.95</td> <td>72.54</td> <td>35.94</td> <td>15.66</td> <td>65.89</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10360.00</td> <td>56.28</td> <td>68.20</td> <td>-11.92</td> <td>65.90</td> <td>37.60</td> <td>17.98</td> <td>65.20</td> <td>0.00</td> <td>103</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7770.00	58.25	68.20	-9.95	72.54	35.94	15.66	65.89	0.00	--	PEAK	2	10360.00	56.28	68.20	-11.92	65.90	37.60	17.98	65.20	0.00	103	62 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7770.00	60.13	68.20	-8.07	74.42	35.94	15.66	65.89	0.00	--	PEAK																																																																																															
2	10360.00	55.76	68.20	-12.44	65.29	37.62	18.04	65.19	0.00	100	338 PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7770.00	58.25	68.20	-9.95	72.54	35.94	15.66	65.89	0.00	--	PEAK																																																																																															
2	10360.00	56.28	68.20	-11.92	65.90	37.60	17.98	65.20	0.00	103	62 PEAK																																																																																															





Mode	11																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																																																									
ANT	CDD 10+11																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7830.13</td> <td>58.68</td> <td>68.20</td> <td>-9.52</td> <td>73.16</td> <td>35.94</td> <td>15.59</td> <td>66.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>54.31</td> <td>68.20</td> <td>-13.89</td> <td>63.39</td> <td>37.70</td> <td>18.32</td> <td>65.10</td> <td>0.00</td> <td>136</td> <td>347 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7830.13	58.68	68.20	-9.52	73.16	35.94	15.59	66.01	0.00	--	PEAK	2	10440.00	54.31	68.20	-13.89	63.39	37.70	18.32	65.10	0.00	136	347 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7830.13</td> <td>57.84</td> <td>68.20</td> <td>-10.36</td> <td>72.32</td> <td>35.94</td> <td>15.59</td> <td>66.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>57.41</td> <td>68.20</td> <td>-10.79</td> <td>66.50</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>101</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7830.13	57.84	68.20	-10.36	72.32	35.94	15.59	66.01	0.00	--	PEAK	2	10440.00	57.41	68.20	-10.79	66.50	37.70	18.31	65.10	0.00	101	62 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7830.13	58.68	68.20	-9.52	73.16	35.94	15.59	66.01	0.00	--	PEAK																																																																																															
2	10440.00	54.31	68.20	-13.89	63.39	37.70	18.32	65.10	0.00	136	347 PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7830.13	57.84	68.20	-10.36	72.32	35.94	15.59	66.01	0.00	--	PEAK																																																																																															
2	10440.00	57.41	68.20	-10.79	66.50	37.70	18.31	65.10	0.00	101	62 PEAK																																																																																															



Mode	12																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																																									
ANT	CDD 10+11																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7860.20</td> <td>55.70</td> <td>68.20</td> <td>-12.50</td> <td>70.16</td> <td>35.90</td> <td>15.71</td> <td>66.07</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>54.84</td> <td>68.20</td> <td>-13.36</td> <td>63.95</td> <td>37.70</td> <td>18.24</td> <td>65.05</td> <td>0.00</td> <td>100</td> <td>338 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7860.20	55.70	68.20	-12.50	70.16	35.90	15.71	66.07	0.00	--	PEAK	2	10480.00	54.84	68.20	-13.36	63.95	37.70	18.24	65.05	0.00	100	338 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7860.20</td> <td>54.44</td> <td>68.20</td> <td>-13.76</td> <td>68.90</td> <td>35.90</td> <td>15.71</td> <td>66.07</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>57.01</td> <td>68.20</td> <td>-11.19</td> <td>66.12</td> <td>37.70</td> <td>18.26</td> <td>65.07</td> <td>0.00</td> <td>100</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7860.20	54.44	68.20	-13.76	68.90	35.90	15.71	66.07	0.00	--	PEAK	2	10480.00	57.01	68.20	-11.19	66.12	37.70	18.26	65.07	0.00	100	65 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7860.20	55.70	68.20	-12.50	70.16	35.90	15.71	66.07	0.00	--	PEAK																																																																																															
2	10480.00	54.84	68.20	-13.36	63.95	37.70	18.24	65.05	0.00	100	338 PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7860.20	54.44	68.20	-13.76	68.90	35.90	15.71	66.07	0.00	--	PEAK																																																																																															
2	10480.00	57.01	68.20	-11.19	66.12	37.70	18.26	65.07	0.00	100	65 PEAK																																																																																															



Mode	13																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																																																									
ANT	CDD 10+11																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>44.04</td> <td>74.00</td> <td>-29.96</td> <td>58.22</td> <td>35.00</td> <td>15.00</td> <td>64.98</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10520.00</td> <td>55.73</td> <td>68.20</td> <td>-12.47</td> <td>64.91</td> <td>37.70</td> <td>18.13</td> <td>65.01</td> <td>0.00</td> <td>100</td> <td>339 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7364.00	44.04	74.00	-29.96	58.22	35.00	15.00	64.98	0.00	--	PEAK	2	10520.00	55.73	68.20	-12.47	64.91	37.70	18.13	65.01	0.00	100	339 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>45.53</td> <td>74.00</td> <td>-28.47</td> <td>59.71</td> <td>35.00</td> <td>15.00</td> <td>64.98</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10520.00</td> <td>57.71</td> <td>68.20</td> <td>-10.49</td> <td>66.87</td> <td>37.70</td> <td>18.16</td> <td>65.02</td> <td>0.00</td> <td>100</td> <td>64 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7364.00	45.53	74.00	-28.47	59.71	35.00	15.00	64.98	0.00	--	PEAK	2	10520.00	57.71	68.20	-10.49	66.87	37.70	18.16	65.02	0.00	100	64 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7364.00	44.04	74.00	-29.96	58.22	35.00	15.00	64.98	0.00	--	PEAK																																																																																															
2	10520.00	55.73	68.20	-12.47	64.91	37.70	18.13	65.01	0.00	100	339 PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7364.00	45.53	74.00	-28.47	59.71	35.00	15.00	64.98	0.00	--	PEAK																																																																																															
2	10520.00	57.71	68.20	-10.49	66.87	37.70	18.16	65.02	0.00	100	64 PEAK																																																																																															







Mode	14																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																																															
ANT	CDD 10+11																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 7424.60</td> <td>47.42</td> <td>74.00</td> <td>-26.58</td> <td>61.72</td> <td>35.80</td> <td>15.05</td> <td>65.15</td> <td>0.00 -- -- PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>54.38</td> <td>74.00</td> <td>-19.62</td> <td>63.77</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00 100 340 PEAK</td> </tr> <tr> <td>3 10600.00</td> <td>44.29</td> <td>54.00</td> <td>-9.71</td> <td>53.68</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00 100 340 AVERAGE</td> </tr> <tr> <td>4 15900.00</td> <td>47.55</td> <td>74.00</td> <td>-26.45</td> <td>48.91</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00 -- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 7424.60	47.42	74.00	-26.58	61.72	35.80	15.05	65.15	0.00 -- -- PEAK	2 10600.00	54.38	74.00	-19.62	63.77	37.70	17.83	64.92	0.00 100 340 PEAK	3 10600.00	44.29	54.00	-9.71	53.68	37.70	17.83	64.92	0.00 100 340 AVERAGE	4 15900.00	47.55	74.00	-26.45	48.91	40.70	22.43	64.49	0.00 -- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 7420.00</td> <td>44.90</td> <td>74.00</td> <td>-29.10</td> <td>59.23</td> <td>35.80</td> <td>15.00</td> <td>65.13</td> <td>0.00 -- -- PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>56.17</td> <td>74.00</td> <td>-17.83</td> <td>65.56</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00 100 64 PEAK</td> </tr> <tr> <td>3 10600.00</td> <td>46.54</td> <td>54.00</td> <td>-7.46</td> <td>55.93</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00 100 64 AVERAGE</td> </tr> <tr> <td>4 15900.00</td> <td>46.64</td> <td>74.00</td> <td>-27.36</td> <td>48.00</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00 -- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 7420.00	44.90	74.00	-29.10	59.23	35.80	15.00	65.13	0.00 -- -- PEAK	2 10600.00	56.17	74.00	-17.83	65.56	37.70	17.83	64.92	0.00 100 64 PEAK	3 10600.00	46.54	54.00	-7.46	55.93	37.70	17.83	64.92	0.00 100 64 AVERAGE	4 15900.00	46.64	74.00	-27.36	48.00	40.70	22.43	64.49	0.00 -- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																								
1 7424.60	47.42	74.00	-26.58	61.72	35.80	15.05	65.15	0.00 -- -- PEAK																																																																																																																								
2 10600.00	54.38	74.00	-19.62	63.77	37.70	17.83	64.92	0.00 100 340 PEAK																																																																																																																								
3 10600.00	44.29	54.00	-9.71	53.68	37.70	17.83	64.92	0.00 100 340 AVERAGE																																																																																																																								
4 15900.00	47.55	74.00	-26.45	48.91	40.70	22.43	64.49	0.00 -- -- PEAK																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																								
1 7420.00	44.90	74.00	-29.10	59.23	35.80	15.00	65.13	0.00 -- -- PEAK																																																																																																																								
2 10600.00	56.17	74.00	-17.83	65.56	37.70	17.83	64.92	0.00 100 64 PEAK																																																																																																																								
3 10600.00	46.54	54.00	-7.46	55.93	37.70	17.83	64.92	0.00 100 64 AVERAGE																																																																																																																								
4 15900.00	46.64	74.00	-27.36	48.00	40.70	22.43	64.49	0.00 -- -- PEAK																																																																																																																								



		15																																																																
Mode	Band Edge																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																	
ANT	CDD 10+11																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5361.05 56.25 74.00 -17.75</td> <td>38.72 34.60</td> <td>12.66 29.73</td> <td>0.00</td> <td>100</td> <td>265</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg		1 5361.05 56.25 74.00 -17.75	38.72 34.60	12.66 29.73	0.00	100	265	PEAK		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 109.93</td> <td>92.63 34.49</td> <td>12.59 29.78</td> <td>0.00</td> <td>100</td> <td>265</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg		1 5320.00 109.93	92.63 34.49	12.59 29.78	0.00	100	265	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg																																																												
1 5361.05 56.25 74.00 -17.75	38.72 34.60	12.66 29.73	0.00	100	265	PEAK																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg																																																												
1 5320.00 109.93	92.63 34.49	12.59 29.78	0.00	100	265	PEAK																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.00 45.48 54.00 -8.52</td> <td>28.06 34.60</td> <td>12.56 29.74</td> <td>0.00</td> <td>100</td> <td>265</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg		1 5350.00 45.48 54.00 -8.52	28.06 34.60	12.56 29.74	0.00	100	265	AVERAGE		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 101.74</td> <td>84.50 34.44</td> <td>12.60 29.80</td> <td>0.00</td> <td>100</td> <td>265</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg		1 5320.00 101.74	84.50 34.44	12.60 29.80	0.00	100	265	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg																																																												
1 5350.00 45.48 54.00 -8.52	28.06 34.60	12.56 29.74	0.00	100	265	AVERAGE																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg																																																												
1 5320.00 101.74	84.50 34.44	12.60 29.80	0.00	100	265	AVERAGE																																																												







		15																																																																														
Mode		Band Edge																																																																														
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																														
ANT		CDD 10+11																																																																														
Pol.		Vertical					Fundamental																																																																									
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>5300 5320 5340 5360 5380 5400</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.95</td> <td>55.44</td> <td>74.00</td> <td>-18.56</td> <td>37.94</td> <td>34.60</td> <td>12.63</td> <td>29.73</td> <td>0.00</td> <td>338</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.95	55.44	74.00	-18.56	37.94	34.60	12.63	29.73	0.00	338	89	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>104.59</td> <td>-----</td> <td>-----</td> <td>87.29</td> <td>34.49</td> <td>12.59</td> <td>29.78</td> <td>0.00</td> <td>338</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.59	-----	-----	87.29	34.49	12.59	29.78	0.00	338	89	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5356.95	55.44	74.00	-18.56	37.94	34.60	12.63	29.73	0.00	338	89	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	104.59	-----	-----	87.29	34.49	12.59	29.78	0.00	338	89	PEAK																																																																				
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>5300 5320 5340 5360 5380 5400</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.34</td> <td>44.93</td> <td>54.00</td> <td>-9.07</td> <td>26.98</td> <td>34.60</td> <td>13.02</td> <td>29.67</td> <td>0.00</td> <td>338</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.34	44.93	54.00	-9.07	26.98	34.60	13.02	29.67	0.00	338	89	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>95.89</td> <td>-----</td> <td>-----</td> <td>78.62</td> <td>34.47</td> <td>12.59</td> <td>29.79</td> <td>0.00</td> <td>338</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	95.89	-----	-----	78.62	34.47	12.59	29.79	0.00	338	89	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5399.34	44.93	54.00	-9.07	26.98	34.60	13.02	29.67	0.00	338	89	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	95.89	-----	-----	78.62	34.47	12.59	29.79	0.00	338	89	AVERAGE																																																																				







Mode	15																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																																																	
ANT	CDD 10+11																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7448.00</td> <td>48.73</td> <td>74.00</td> <td>-25.27</td> <td>62.84</td> <td>35.80</td> <td>15.30</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>55.92</td> <td>74.00</td> <td>-18.08</td> <td>65.16</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>102</td> <td>342 PEAK</td> </tr> <tr> <td>3 10640.00</td> <td>45.39</td> <td>54.00</td> <td>-8.61</td> <td>54.63</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>102</td> <td>342 AVERAGE</td> </tr> <tr> <td>4 15960.00</td> <td>46.89</td> <td>74.00</td> <td>-27.11</td> <td>48.36</td> <td>40.82</td> <td>22.24</td> <td>64.53</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7448.00	48.73	74.00	-25.27	62.84	35.80	15.30	65.21	0.00	--	PEAK	2 10640.00	55.92	74.00	-18.08	65.16	37.74	17.89	64.87	0.00	102	342 PEAK	3 10640.00	45.39	54.00	-8.61	54.63	37.74	17.89	64.87	0.00	102	342 AVERAGE	4 15960.00	46.89	74.00	-27.11	48.36	40.82	22.24	64.53	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7448.00</td> <td>46.26</td> <td>74.00</td> <td>-27.74</td> <td>60.37</td> <td>35.80</td> <td>15.30</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>57.56</td> <td>74.00</td> <td>-16.44</td> <td>66.00</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>103</td> <td>61 PEAK</td> </tr> <tr> <td>3 10640.00</td> <td>47.30</td> <td>54.00</td> <td>-6.70</td> <td>56.54</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>103</td> <td>61 AVERAGE</td> </tr> <tr> <td>4 15960.00</td> <td>46.80</td> <td>74.00</td> <td>-27.20</td> <td>48.27</td> <td>40.82</td> <td>22.24</td> <td>64.53</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7448.00	46.26	74.00	-27.74	60.37	35.80	15.30	65.21	0.00	--	PEAK	2 10640.00	57.56	74.00	-16.44	66.00	37.74	17.89	64.87	0.00	103	61 PEAK	3 10640.00	47.30	54.00	-6.70	56.54	37.74	17.89	64.87	0.00	103	61 AVERAGE	4 15960.00	46.80	74.00	-27.20	48.27	40.82	22.24	64.53	0.00	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1 7448.00	48.73	74.00	-25.27	62.84	35.80	15.30	65.21	0.00	--	PEAK																																																																																																																																								
2 10640.00	55.92	74.00	-18.08	65.16	37.74	17.89	64.87	0.00	102	342 PEAK																																																																																																																																								
3 10640.00	45.39	54.00	-8.61	54.63	37.74	17.89	64.87	0.00	102	342 AVERAGE																																																																																																																																								
4 15960.00	46.89	74.00	-27.11	48.36	40.82	22.24	64.53	0.00	--	PEAK																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1 7448.00	46.26	74.00	-27.74	60.37	35.80	15.30	65.21	0.00	--	PEAK																																																																																																																																								
2 10640.00	57.56	74.00	-16.44	66.00	37.74	17.89	64.87	0.00	103	61 PEAK																																																																																																																																								
3 10640.00	47.30	54.00	-6.70	56.54	37.74	17.89	64.87	0.00	103	61 AVERAGE																																																																																																																																								
4 15960.00	46.80	74.00	-27.20	48.27	40.82	22.24	64.53	0.00	--	PEAK																																																																																																																																								



Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																
ANT	CDD 10+11																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5414.25</td> <td>57.04</td> <td>74.00</td> <td>-16.96</td> <td>39.12</td> <td>34.60</td> <td>12.96</td> <td>29.64</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.97</td> <td>56.98</td> <td>68.20</td> <td>-11.22</td> <td>39.10</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.25	57.04	74.00	-16.96	39.12	34.60	12.96	29.64	0.00	100	117	PEAK	2	5460.97	56.98	68.20	-11.22	39.10	34.60	12.85	29.57	0.00	100	117	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>112.64</td> <td>-----</td> <td>-----</td> <td>94.49</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.64	-----	-----	94.49	34.60	13.06	29.51	0.00	100	117	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5414.25	57.04	74.00	-16.96	39.12	34.60	12.96	29.64	0.00	100	117	PEAK																																																																																					
2	5460.97	56.98	68.20	-11.22	39.10	34.60	12.85	29.57	0.00	100	117	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	112.64	-----	-----	94.49	34.60	13.06	29.51	0.00	100	117	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.85</td> <td>45.98</td> <td>54.00</td> <td>-8.02</td> <td>28.10</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	45.98	54.00	-8.02	28.10	34.60	12.85	29.57	0.00	100	117	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.58</td> <td>-----</td> <td>-----</td> <td>85.43</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.58	-----	-----	85.43	34.60	13.06	29.51	0.00	100	117	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.85	45.98	54.00	-8.02	28.10	34.60	12.85	29.57	0.00	100	117	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	103.58	-----	-----	85.43	34.60	13.06	29.51	0.00	100	117	AVERAGE																																																																																					





Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHZ																																																																																																
ANT	CDD 10+11																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5402.41</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>38.05</td> <td>34.60</td> <td>13.02</td> <td>29.66</td> <td>0.00</td> <td>302</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.65</td> <td>55.75</td> <td>68.20</td> <td>-12.45</td> <td>37.81</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>302</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.41	56.01	74.00	-17.99	38.05	34.60	13.02	29.66	0.00	302	76	PEAK	2	5468.65	55.75	68.20	-12.45	37.81	34.60	12.90	29.56	0.00	302	76	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.98</td> <td>-----</td> <td>-----</td> <td>88.83</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>302</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.98	-----	-----	88.83	34.60	13.06	29.51	0.00	302	76	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5402.41	56.01	74.00	-17.99	38.05	34.60	13.02	29.66	0.00	302	76	PEAK																																																																																					
2	5468.65	55.75	68.20	-12.45	37.81	34.60	12.90	29.56	0.00	302	76	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	106.98	-----	-----	88.83	34.60	13.06	29.51	0.00	302	76	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.87</td> <td>45.47</td> <td>54.00</td> <td>-8.53</td> <td>27.59</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>302</td> <td>76</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.87	45.47	54.00	-8.53	27.59	34.60	12.85	29.57	0.00	302	76	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.35</td> <td>-----</td> <td>-----</td> <td>81.20</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>302</td> <td>76</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.35	-----	-----	81.20	34.60	13.06	29.51	0.00	302	76	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.87	45.47	54.00	-8.53	27.59	34.60	12.85	29.57	0.00	302	76	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	99.35	-----	-----	81.20	34.60	13.06	29.51	0.00	302	76	AVERAGE																																																																																					






Mode	16																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																											
ANT	CDD 10+11																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8799.60</td> <td>46.14</td> <td>68.20</td> <td>-22.06</td> <td>59.94</td> <td>36.10</td> <td>16.53</td> <td>66.43</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>47.07</td> <td>74.00</td> <td>-26.93</td> <td>55.25</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	8799.60	46.14	68.20	-22.06	59.94	36.10	16.53	66.43	0.00	--	--	PEAK	2	11000.00	47.07	74.00	-26.93	55.25	38.20	18.08	64.46	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8799.60</td> <td>49.75</td> <td>68.20</td> <td>-18.45</td> <td>63.55</td> <td>36.10</td> <td>16.53</td> <td>66.43</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>45.68</td> <td>74.00</td> <td>-28.32</td> <td>53.86</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	8799.60	49.75	68.20	-18.45	63.55	36.10	16.53	66.43	0.00	--	--	PEAK	2	11000.00	45.68	74.00	-28.32	53.86	38.20	18.08	64.46	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	8799.60	46.14	68.20	-22.06	59.94	36.10	16.53	66.43	0.00	--	--	PEAK																																																																																																
2	11000.00	47.07	74.00	-26.93	55.25	38.20	18.08	64.46	0.00	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	8799.60	49.75	68.20	-18.45	63.55	36.10	16.53	66.43	0.00	--	--	PEAK																																																																																																
2	11000.00	45.68	74.00	-28.32	53.86	38.20	18.08	64.46	0.00	--	--	PEAK																																																																																																






Mode	17																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																																							
ANT	CDD 10+11																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7812.00</td> <td>45.03</td> <td>68.20</td> <td>-23.17</td> <td>59.59</td> <td>35.98</td> <td>15.44</td> <td>65.98</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>8927.93</td> <td>47.70</td> <td>68.20</td> <td>-20.50</td> <td>61.22</td> <td>36.20</td> <td>16.70</td> <td>66.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11160.00</td> <td>46.35</td> <td>74.00</td> <td>-27.65</td> <td>54.04</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7812.00	45.03	68.20	-23.17	59.59	35.98	15.44	65.98	0.00	--	--	PEAK	2	8927.93	47.70	68.20	-20.50	61.22	36.20	16.70	66.42	0.00	--	--	PEAK	3	11160.00	46.35	74.00	-27.65	54.04	38.36	18.22	64.27	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7812.00</td> <td>43.70</td> <td>68.20</td> <td>-24.50</td> <td>58.26</td> <td>35.98</td> <td>15.44</td> <td>65.98</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>8927.93</td> <td>50.48</td> <td>68.20</td> <td>-17.72</td> <td>64.00</td> <td>36.20</td> <td>16.70</td> <td>66.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11160.00</td> <td>47.25</td> <td>74.00</td> <td>-26.75</td> <td>54.94</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7812.00	43.70	68.20	-24.50	58.26	35.98	15.44	65.98	0.00	--	--	PEAK	2	8927.93	50.48	68.20	-17.72	64.00	36.20	16.70	66.42	0.00	--	--	PEAK	3	11160.00	47.25	74.00	-26.75	54.94	38.36	18.22	64.27	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	7812.00	45.03	68.20	-23.17	59.59	35.98	15.44	65.98	0.00	--	--	PEAK																																																																																																																												
2	8927.93	47.70	68.20	-20.50	61.22	36.20	16.70	66.42	0.00	--	--	PEAK																																																																																																																												
3	11160.00	46.35	74.00	-27.65	54.04	38.36	18.22	64.27	0.00	--	--	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	7812.00	43.70	68.20	-24.50	58.26	35.98	15.44	65.98	0.00	--	--	PEAK																																																																																																																												
2	8927.93	50.48	68.20	-17.72	64.00	36.20	16.70	66.42	0.00	--	--	PEAK																																																																																																																												
3	11160.00	47.25	74.00	-26.75	54.94	38.36	18.22	64.27	0.00	--	--	PEAK																																																																																																																												



Mode	18																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHZ																																																																																																	
ANT	CDD 10+11																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5747.60</td> <td>57.77</td> <td>68.20</td> <td>-10.43</td> <td>39.40</td> <td>34.70</td> <td>13.50</td> <td>29.83</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>110 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5747.60	57.77	68.20	-10.43	39.40	34.70	13.50	29.83							0.00	100								110 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>112.47</td> <td>-----</td> <td>-----</td> <td>94.37</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>110 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	112.47	-----	-----	94.37	34.59	13.08	29.57							0.00	100								110 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5747.60	57.77	68.20	-10.43	39.40	34.70	13.50	29.83																																																																																											
						0.00	100																																																																																											
							110 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	112.47	-----	-----	94.37	34.59	13.08	29.57																																																																																											
						0.00	100																																																																																											
							110 PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.34</td> <td>-----</td> <td>-----</td> <td>85.24</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>110 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	103.34	-----	-----	85.24	34.59	13.08	29.57							0.00	100								110 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	103.34	-----	-----	85.24	34.59	13.08	29.57																																																																																											
						0.00	100																																																																																											
							110 AVERAGE																																																																																											



Mode	18																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																									
ANT	CDD 10+11																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.60</td> <td>58.51</td> <td>68.20</td> <td>-9.69</td> <td>40.25</td> <td>34.66</td> <td>13.33</td> <td>29.73</td> <td>0.00</td> <td>315</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5727.60	58.51	68.20	-9.69	40.25	34.66	13.33	29.73	0.00	315	87	PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.95</td> <td>-----</td> <td>-----</td> <td>90.85</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> <td>0.00</td> <td>315</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	108.95	-----	-----	90.85	34.59	13.08	29.57	0.00	315	87	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5727.60	58.51	68.20	-9.69	40.25	34.66	13.33	29.73	0.00	315	87	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5700.00	108.95	-----	-----	90.85	34.59	13.08	29.57	0.00	315	87	PEAK																																																															
Avg	Blank	 <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>99.78</td> <td>-----</td> <td>-----</td> <td>81.68</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> <td>0.00</td> <td>315</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	99.78	-----	-----	81.68	34.59	13.08	29.57	0.00	315	87	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5700.00	99.78	-----	-----	81.68	34.59	13.08	29.57	0.00	315	87	AVERAGE																																																															



Mode	18																																																																																		
	Harmonic																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																		
ANT	CDD 10+11																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>47.18</td> <td>74.00</td> <td>-26.82</td> <td>54.46</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	47.18	74.00	-26.82	54.46	38.30	18.42	64.00	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>50.87</td> <td>74.00</td> <td>-23.13</td> <td>58.15</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> </tr> <tr> <td>2 11400.00</td> <td>43.58</td> <td>54.00</td> <td>-10.42</td> <td>50.86</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	50.87	74.00	-23.13	58.15	38.30	18.42	64.00	0.00	2 11400.00	43.58	54.00	-10.42	50.86	38.30	18.42	64.00	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11400.00	47.18	74.00	-26.82	54.46	38.30	18.42	64.00	0.00																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11400.00	50.87	74.00	-23.13	58.15	38.30	18.42	64.00	0.00																																																																											
2 11400.00	43.58	54.00	-10.42	50.86	38.30	18.42	64.00	0.00																																																																											