






Mode	52																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.25-5.35_802.11ax HE80_CH155_Full_5775MHz																																																																																																																						
ANT	CDD 10+11																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5613.60</td> <td>56.45</td> <td>68.20</td> <td>-11.75</td> <td>38.17</td> <td>34.50</td> <td>13.11</td> <td>29.33</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>54.73</td> <td>68.20</td> <td>-13.47</td> <td>36.56</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.00</td> <td>55.59</td> <td>105.86</td> <td>-50.27</td> <td>37.48</td> <td>34.60</td> <td>13.11</td> <td>29.60</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>54.45</td> <td>110.90</td> <td>-56.45</td> <td>36.24</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5613.60	56.45	68.20	-11.75	38.17	34.50	13.11	29.33	0.00	339	88	PEAK	2	5650.00	54.73	68.20	-13.47	36.56	34.50	13.01	29.34	0.00	339	88	PEAK	3	5702.00	55.59	105.86	-50.27	37.48	34.60	13.11	29.60	0.00	339	88	PEAK	4	5720.00	54.45	110.90	-56.45	36.24	34.64	13.26	29.69	0.00	339	88	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>103.89</td> <td>-----</td> <td>-----</td> <td>85.31</td> <td>34.73</td> <td>13.76</td> <td>29.91</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	103.89	-----	-----	85.31	34.73	13.76	29.91	0.00	339	88	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5613.60	56.45	68.20	-11.75	38.17	34.50	13.11	29.33	0.00	339	88	PEAK																																																																																																											
2	5650.00	54.73	68.20	-13.47	36.56	34.50	13.01	29.34	0.00	339	88	PEAK																																																																																																											
3	5702.00	55.59	105.86	-50.27	37.48	34.60	13.11	29.60	0.00	339	88	PEAK																																																																																																											
4	5720.00	54.45	110.90	-56.45	36.24	34.64	13.26	29.69	0.00	339	88	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	103.89	-----	-----	85.31	34.73	13.76	29.91	0.00	339	88	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.24</td> <td>-----</td> <td>-----</td> <td>76.66</td> <td>34.73</td> <td>13.76</td> <td>29.91</td> <td>0.00</td> <td>339</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	95.24	-----	-----	76.66	34.73	13.76	29.91	0.00	339	88	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	95.24	-----	-----	76.66	34.73	13.76	29.91	0.00	339	88	AVERAGE																																																																																																											






Mode	52																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.25-5.35_802.11ax HE80_CH155_Full_5775MHz																																																																																	
ANT	CDD 10+11																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>56.75</td> <td>112.27</td> <td>-55.52</td> <td>38.32</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>57.39</td> <td>105.47</td> <td>-48.08</td> <td>38.92</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>55.91</td> <td>68.35</td> <td>-12.44</td> <td>37.44</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.40</td> <td>57.92</td> <td>68.20</td> <td>-10.28</td> <td>39.46</td> <td>35.16</td> <td>13.71</td> <td>30.41</td> <td>0.00</td> <td>339</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	56.75	112.27	-55.52	38.32	34.92	13.88	30.37	0.00	339	88	PEAK	2	5874.40	57.39	105.47	-48.08	38.92	35.00	13.85	30.38	0.00	339	88	PEAK	3	5924.80	55.91	68.35	-12.44	37.44	35.15	13.73	30.41	0.00	339	88	PEAK	4	5928.40	57.92	68.20	-10.28	39.46	35.16	13.71	30.41	0.00	339	88	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.40	56.75	112.27	-55.52	38.32	34.92	13.88	30.37	0.00	339	88	PEAK																																																																						
2	5874.40	57.39	105.47	-48.08	38.92	35.00	13.85	30.38	0.00	339	88	PEAK																																																																						
3	5924.80	55.91	68.35	-12.44	37.44	35.15	13.73	30.41	0.00	339	88	PEAK																																																																						
4	5928.40	57.92	68.20	-10.28	39.46	35.16	13.71	30.41	0.00	339	88	PEAK																																																																						






Mode	52																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.25-5.35_802.11ax HE80_CH155_Full_5775MHz																																																																																											
ANT	CDD 10+11																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>46.91</td> <td>74.00</td> <td>-27.09</td> <td>53.85</td> <td>38.40</td> <td>18.67</td> <td>64.01</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	46.91	74.00	-27.09	53.85	38.40	18.67	64.01	0.00									-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>53.63</td> <td>38.40</td> <td>18.67</td> <td>64.01</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	46.69	74.00	-27.31	53.63	38.40	18.67	64.01	0.00									-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11550.00	46.91	74.00	-27.09	53.85	38.40	18.67	64.01	0.00																																																																																				
								-- -- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11550.00	46.69	74.00	-27.31	53.63	38.40	18.67	64.01	0.00																																																																																				
								-- -- PEAK																																																																																				






Mode	53																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.25-5.35_802.11ax HE20_CH149_RU26/0_5745MHZ																																																																																																																						
ANT	CDD 10+11																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.00</td> <td>57.28</td> <td>68.20</td> <td>-10.92</td> <td>39.01</td> <td>34.50</td> <td>13.08</td> <td>29.31</td> <td>0.00</td> <td>102</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>55.05</td> <td>68.20</td> <td>-13.15</td> <td>36.88</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>102</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>55.08</td> <td>105.30</td> <td>-50.22</td> <td>36.98</td> <td>34.60</td> <td>13.09</td> <td>29.59</td> <td>0.00</td> <td>102</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>55.64</td> <td>110.90</td> <td>-55.26</td> <td>37.43</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>102</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5624.00	57.28	68.20	-10.92	39.01	34.50	13.08	29.31	0.00	102	121	PEAK	2	5650.00	55.05	68.20	-13.15	36.88	34.50	13.01	29.34	0.00	102	121	PEAK	3	5700.00	55.08	105.30	-50.22	36.98	34.60	13.09	29.59	0.00	102	121	PEAK	4	5720.00	55.64	110.90	-55.26	37.43	34.64	13.26	29.69	0.00	102	121	PEAK	 <table border="1" data-bbox="909 1075 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.74</td> <td>-----</td> <td>-----</td> <td>91.45</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>102</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	109.74	-----	-----	91.45	34.67	13.38	29.76	0.00	102	121	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5624.00	57.28	68.20	-10.92	39.01	34.50	13.08	29.31	0.00	102	121	PEAK																																																																																																											
2	5650.00	55.05	68.20	-13.15	36.88	34.50	13.01	29.34	0.00	102	121	PEAK																																																																																																											
3	5700.00	55.08	105.30	-50.22	36.98	34.60	13.09	29.59	0.00	102	121	PEAK																																																																																																											
4	5720.00	55.64	110.90	-55.26	37.43	34.64	13.26	29.69	0.00	102	121	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	109.74	-----	-----	91.45	34.67	13.38	29.76	0.00	102	121	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="909 1747 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.26</td> <td>-----</td> <td>-----</td> <td>84.97</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>102</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	103.26	-----	-----	84.97	34.67	13.38	29.76	0.00	102	121	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	103.26	-----	-----	84.97	34.67	13.38	29.76	0.00	102	121	AVERAGE																																																																																																											



Mode	53																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.25-5.35_802.11ax HE20_CH149_RU26/0_5745MHZ																																																																																																																						
ANT	CDD 10+11																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5632.40</td> <td>57.19</td> <td>68.20</td> <td>-11.01</td> <td>38.93</td> <td>34.50</td> <td>13.06</td> <td>29.30</td> <td>0.00</td> <td>310</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>54.60</td> <td>68.00</td> <td>-14.20</td> <td>36.43</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>310</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.00</td> <td>54.94</td> <td>105.86</td> <td>-50.92</td> <td>36.83</td> <td>34.60</td> <td>13.11</td> <td>29.60</td> <td>0.00</td> <td>310</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>53.41</td> <td>110.90</td> <td>-57.49</td> <td>35.20</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>310</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5632.40	57.19	68.20	-11.01	38.93	34.50	13.06	29.30	0.00	310	76	PEAK	2	5650.80	54.60	68.00	-14.20	36.43	34.50	13.01	29.34	0.00	310	76	PEAK	3	5702.00	54.94	105.86	-50.92	36.83	34.60	13.11	29.60	0.00	310	76	PEAK	4	5720.00	53.41	110.90	-57.49	35.20	34.64	13.26	29.69	0.00	310	76	PEAK	 <table border="1" data-bbox="916 1133 1422 1256"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.50</td> <td>-----</td> <td>-----</td> <td>87.21</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>310</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	105.50	-----	-----	87.21	34.67	13.38	29.76	0.00	310	76	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5632.40	57.19	68.20	-11.01	38.93	34.50	13.06	29.30	0.00	310	76	PEAK																																																																																																											
2	5650.80	54.60	68.00	-14.20	36.43	34.50	13.01	29.34	0.00	310	76	PEAK																																																																																																											
3	5702.00	54.94	105.86	-50.92	36.83	34.60	13.11	29.60	0.00	310	76	PEAK																																																																																																											
4	5720.00	53.41	110.90	-57.49	35.20	34.64	13.26	29.69	0.00	310	76	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	105.50	-----	-----	87.21	34.67	13.38	29.76	0.00	310	76	PEAK																																																																																																											
Avg	Blank																																																																																																																						
	 <table border="1" data-bbox="916 1812 1422 1935"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.70</td> <td>-----</td> <td>-----</td> <td>80.41</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>310</td> <td>76</td> <td>AVERAGE</td> </tr> </tbody> </table>		Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	98.70	-----	-----	80.41	34.67	13.38	29.76	0.00	310	76	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	98.70	-----	-----	80.41	34.67	13.38	29.76	0.00	310	76	AVERAGE																																																																																																											



Mode	54																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																						
ANT	CDD 10+11																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>56.73</td> <td>111.36</td> <td>-54.63</td> <td>38.30</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>56.03</td> <td>105.58</td> <td>-49.55</td> <td>37.56</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>54.48</td> <td>68.35</td> <td>-13.87</td> <td>36.01</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.80</td> <td>56.74</td> <td>68.20</td> <td>-11.46</td> <td>38.28</td> <td>35.17</td> <td>13.70</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	56.73	111.36	-54.63	38.30	34.92	13.88	30.37	0.00	100	121	PEAK	2	5874.00	56.03	105.58	-49.55	37.56	35.00	13.85	30.38	0.00	100	121	PEAK	3	5924.80	54.48	68.35	-13.87	36.01	35.15	13.73	30.41	0.00	100	121	PEAK	4	5932.80	56.74	68.20	-11.46	38.28	35.17	13.70	30.41	0.00	100	121	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.69</td> <td>-----</td> <td>-----</td> <td>93.08</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	111.69	-----	-----	93.08	34.87	14.02	30.28	0.00	100	121	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.80	56.73	111.36	-54.63	38.30	34.92	13.88	30.37	0.00	100	121	PEAK																																																																																																											
2	5874.00	56.03	105.58	-49.55	37.56	35.00	13.85	30.38	0.00	100	121	PEAK																																																																																																											
3	5924.80	54.48	68.35	-13.87	36.01	35.15	13.73	30.41	0.00	100	121	PEAK																																																																																																											
4	5932.80	56.74	68.20	-11.46	38.28	35.17	13.70	30.41	0.00	100	121	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	111.69	-----	-----	93.08	34.87	14.02	30.28	0.00	100	121	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.43</td> <td>-----</td> <td>-----</td> <td>84.82</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>100</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	103.43	-----	-----	84.82	34.87	14.02	30.28	0.00	100	121	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	103.43	-----	-----	84.82	34.87	14.02	30.28	0.00	100	121	AVERAGE																																																																																																											



Mode	54																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																			
ANT	CDD 10+11																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5854.80</td> <td>53.86</td> <td>111.36</td> <td>-57.50</td> <td>35.43</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>303</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2 5874.80</td> <td>56.09</td> <td>105.36</td> <td>-49.27</td> <td>37.62</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>303</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3 5923.60</td> <td>55.75</td> <td>69.23</td> <td>-13.48</td> <td>37.27</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>303</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4 5952.00</td> <td>56.65</td> <td>68.20</td> <td>-11.55</td> <td>38.22</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>303</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5854.80	53.86	111.36	-57.50	35.43	34.92	13.88	30.37	0.00	303	89	PEAK	2 5874.80	56.09	105.36	-49.27	37.62	35.00	13.85	30.38	0.00	303	89	PEAK	3 5923.60	55.75	69.23	-13.48	37.27	35.15	13.73	30.40	0.00	303	89	PEAK	4 5952.00	56.65	68.20	-11.55	38.22	35.20	13.65	30.42	0.00	303	89	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>107.49</td> <td>-----</td> <td>-----</td> <td>88.88</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>303</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	107.49	-----	-----	88.88	34.87	14.02	30.28	0.00	303	89	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																												
1 5854.80	53.86	111.36	-57.50	35.43	34.92	13.88	30.37	0.00	303	89	PEAK																																																																																																									
2 5874.80	56.09	105.36	-49.27	37.62	35.00	13.85	30.38	0.00	303	89	PEAK																																																																																																									
3 5923.60	55.75	69.23	-13.48	37.27	35.15	13.73	30.40	0.00	303	89	PEAK																																																																																																									
4 5952.00	56.65	68.20	-11.55	38.22	35.20	13.65	30.42	0.00	303	89	PEAK																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																												
1 5825.00	107.49	-----	-----	88.88	34.87	14.02	30.28	0.00	303	89	PEAK																																																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>99.04</td> <td>-----</td> <td>-----</td> <td>80.43</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>303</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	99.04	-----	-----	80.43	34.87	14.02	30.28	0.00	303	89	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																												
1 5825.00	99.04	-----	-----	80.43	34.87	14.02	30.28	0.00	303	89	AVERAGE																																																																																																									



Mode	55																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.25-5.35_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																						
ANT	CDD 10+11																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.80</td> <td>57.75</td> <td>68.20</td> <td>-10.45</td> <td>39.50</td> <td>34.50</td> <td>13.05</td> <td>29.30</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>56.12</td> <td>68.20</td> <td>-12.08</td> <td>37.95</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>56.25</td> <td>105.30</td> <td>-49.05</td> <td>38.15</td> <td>34.60</td> <td>13.09</td> <td>29.59</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>56.01</td> <td>110.90</td> <td>-54.89</td> <td>37.80</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5634.80	57.75	68.20	-10.45	39.50	34.50	13.05	29.30	0.00	103	120	PEAK	2	5650.00	56.12	68.20	-12.08	37.95	34.50	13.01	29.34	0.00	103	120	PEAK	3	5700.00	56.25	105.30	-49.05	38.15	34.60	13.09	29.59	0.00	103	120	PEAK	4	5720.00	56.01	110.90	-54.89	37.80	34.64	13.26	29.69	0.00	103	120	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.82</td> <td>-----</td> <td>-----</td> <td>92.53</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	110.82	-----	-----	92.53	34.67	13.38	29.76	0.00	103	120	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5634.80	57.75	68.20	-10.45	39.50	34.50	13.05	29.30	0.00	103	120	PEAK																																																																																																											
2	5650.00	56.12	68.20	-12.08	37.95	34.50	13.01	29.34	0.00	103	120	PEAK																																																																																																											
3	5700.00	56.25	105.30	-49.05	38.15	34.60	13.09	29.59	0.00	103	120	PEAK																																																																																																											
4	5720.00	56.01	110.90	-54.89	37.80	34.64	13.26	29.69	0.00	103	120	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	110.82	-----	-----	92.53	34.67	13.38	29.76	0.00	103	120	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.79</td> <td>-----</td> <td>-----</td> <td>84.50</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>103</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	102.79	-----	-----	84.50	34.67	13.38	29.76	0.00	103	120	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	102.79	-----	-----	84.50	34.67	13.38	29.76	0.00	103	120	AVERAGE																																																																																																											






55																																																																		
Mode	Band Edge																																																																	
U-NII-3_5.25-5.35_802.11ax HE20_CH149_RU52/37_5745MHz																																																																		
ANT	CDD 10+11																																																																	
Pol.	Vertical																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5627.20</td> <td>56.97</td> <td>68.20</td> <td>-11.23</td> <td>38.71</td> <td>34.50</td> <td>13.07</td> <td>29.31</td> <td>0.00</td> <td>324</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>56.07</td> <td>68.00</td> <td>-12.73</td> <td>37.90</td> <td>34.50</td> <td>13.07</td> <td>29.31</td> <td>0.00</td> <td>324</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.80</td> <td>55.33</td> <td>106.09</td> <td>-50.76</td> <td>37.22</td> <td>34.61</td> <td>13.11</td> <td>29.61</td> <td>0.00</td> <td>324</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>56.22</td> <td>110.90</td> <td>-54.68</td> <td>38.01</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>324</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5627.20	56.97	68.20	-11.23	38.71	34.50	13.07	29.31	0.00	324	75	PEAK	2	5650.80	56.07	68.00	-12.73	37.90	34.50	13.07	29.31	0.00	324	75	PEAK	3	5702.80	55.33	106.09	-50.76	37.22	34.61	13.11	29.61	0.00	324	75	PEAK	4	5720.00	56.22	110.90	-54.68	38.01	34.64	13.26	29.69	0.00	324	75	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																						
1	5627.20	56.97	68.20	-11.23	38.71	34.50	13.07	29.31	0.00	324	75	PEAK																																																						
2	5650.80	56.07	68.00	-12.73	37.90	34.50	13.07	29.31	0.00	324	75	PEAK																																																						
3	5702.80	55.33	106.09	-50.76	37.22	34.61	13.11	29.61	0.00	324	75	PEAK																																																						
4	5720.00	56.22	110.90	-54.68	38.01	34.64	13.26	29.69	0.00	324	75	PEAK																																																						
Fundamental	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.42</td> <td>-----</td> <td>-----</td> <td>87.13</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>324</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	105.42	-----	-----	87.13	34.67	13.38	29.76	0.00	324	75	PEAK																																							
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																						
1	5745.00	105.42	-----	-----	87.13	34.67	13.38	29.76	0.00	324	75	PEAK																																																						
Avg	Blank																																																																	
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.97</td> <td>-----</td> <td>-----</td> <td>79.68</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>324</td> <td>75</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	97.97	-----	-----	79.68	34.67	13.38	29.76	0.00	324	75	AVERAGE																																							
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																						
1	5745.00	97.97	-----	-----	79.68	34.67	13.38	29.76	0.00	324	75	AVERAGE																																																						






Mode	56																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5854.00</td> <td>56.66</td> <td>113.18</td> <td>-56.52</td> <td>38.23</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>118 PEAK</td> </tr> <tr> <td>2 5874.80</td> <td>55.12</td> <td>105.36</td> <td>-50.24</td> <td>36.65</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>100</td> <td>118 PEAK</td> </tr> <tr> <td>3 5924.80</td> <td>55.76</td> <td>68.35</td> <td>-12.59</td> <td>37.29</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>118 PEAK</td> </tr> <tr> <td>4 5984.80</td> <td>57.92</td> <td>68.20</td> <td>-10.28</td> <td>39.51</td> <td>35.27</td> <td>13.58</td> <td>30.44</td> <td>0.00</td> <td>100</td> <td>118 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5854.00	56.66	113.18	-56.52	38.23	34.92	13.88	30.37	0.00	100	118 PEAK	2 5874.80	55.12	105.36	-50.24	36.65	35.00	13.85	30.38	0.00	100	118 PEAK	3 5924.80	55.76	68.35	-12.59	37.29	35.15	13.73	30.41	0.00	100	118 PEAK	4 5984.80	57.92	68.20	-10.28	39.51	35.27	13.58	30.44	0.00	100	118 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>109.71</td> <td>-----</td> <td>-----</td> <td>91.02</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>100</td> <td>118 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	109.71	-----	-----	91.02	34.86	14.08	30.25	0.00	100	118 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5854.00	56.66	113.18	-56.52	38.23	34.92	13.88	30.37	0.00	100	118 PEAK																																																																																																					
2 5874.80	55.12	105.36	-50.24	36.65	35.00	13.85	30.38	0.00	100	118 PEAK																																																																																																					
3 5924.80	55.76	68.35	-12.59	37.29	35.15	13.73	30.41	0.00	100	118 PEAK																																																																																																					
4 5984.80	57.92	68.20	-10.28	39.51	35.27	13.58	30.44	0.00	100	118 PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5825.00	109.71	-----	-----	91.02	34.86	14.08	30.25	0.00	100	118 PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>103.20</td> <td>-----</td> <td>-----</td> <td>84.59</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>100</td> <td>118 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	103.20	-----	-----	84.59	34.87	14.02	30.28	0.00	100	118 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5825.00	103.20	-----	-----	84.59	34.87	14.02	30.28	0.00	100	118 AVERAGE																																																																																																					






Mode	56																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																														
ANT	CDD 10+11																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>53.21</td> <td>111.36</td> <td>-58.15</td> <td>34.78</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>315</td> <td>94</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>55.84</td> <td>105.80</td> <td>-49.96</td> <td>37.38</td> <td>34.99</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>315</td> <td>94</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>56.13</td> <td>68.94</td> <td>-12.81</td> <td>37.65</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>315</td> <td>94</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5972.00</td> <td>57.00</td> <td>68.20</td> <td>-11.20</td> <td>38.58</td> <td>35.24</td> <td>13.61</td> <td>30.43</td> <td>0.00</td> <td>315</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.21	111.36	-58.15	34.78	34.92	13.88	30.37	0.00	315	94	PEAK	2	5873.20	55.84	105.80	-49.96	37.38	34.99	13.85	30.38	0.00	315	94	PEAK	3	5924.00	56.13	68.94	-12.81	37.65	35.15	13.73	30.40	0.00	315	94	PEAK	4	5972.00	57.00	68.20	-11.20	38.58	35.24	13.61	30.43	0.00	315	94	PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.23</td> <td>-----</td> <td>-----</td> <td>87.54</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>315</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.23	-----	-----	87.54	34.86	14.08	30.25	0.00	315	94	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.00	53.21	111.36	-58.15	34.78	34.92	13.88	30.37	0.00	315	94	PEAK																																																																																																																			
2	5873.20	55.84	105.80	-49.96	37.38	34.99	13.85	30.38	0.00	315	94	PEAK																																																																																																																			
3	5924.00	56.13	68.94	-12.81	37.65	35.15	13.73	30.40	0.00	315	94	PEAK																																																																																																																			
4	5972.00	57.00	68.20	-11.20	38.58	35.24	13.61	30.43	0.00	315	94	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	106.23	-----	-----	87.54	34.86	14.08	30.25	0.00	315	94	PEAK																																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.77</td> <td>-----</td> <td>-----</td> <td>80.16</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>315</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.77	-----	-----	80.16	34.87	14.02	30.28	0.00	315	94	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	98.77	-----	-----	80.16	34.87	14.02	30.28	0.00	315	94	AVERAGE																																																																																																																			



Mode	57																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.25-5.35_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																						
ANT	CDD 10+11																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 798 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5636.80</td> <td>57.63</td> <td>68.20</td> <td>-10.57</td> <td>39.37</td> <td>34.50</td> <td>13.05</td> <td>29.29</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>56.18</td> <td>68.20</td> <td>-12.02</td> <td>38.01</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5707.60</td> <td>56.42</td> <td>107.43</td> <td>-51.01</td> <td>38.27</td> <td>34.62</td> <td>13.16</td> <td>29.63</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>57.02</td> <td>110.90</td> <td>-53.88</td> <td>38.81</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5636.80	57.63	68.20	-10.57	39.37	34.50	13.05	29.29	0.00	103	120	PEAK	2	5650.00	56.18	68.20	-12.02	38.01	34.50	13.01	29.34	0.00	103	120	PEAK	3	5707.60	56.42	107.43	-51.01	38.27	34.62	13.16	29.63	0.00	103	120	PEAK	4	5720.00	57.02	110.90	-53.88	38.81	34.64	13.26	29.69	0.00	103	120	PEAK	 <table border="1" data-bbox="901 1075 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.50</td> <td>-----</td> <td>-----</td> <td>94.21</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>103</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	112.50	-----	-----	94.21	34.67	13.38	29.76	0.00	103	120	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5636.80	57.63	68.20	-10.57	39.37	34.50	13.05	29.29	0.00	103	120	PEAK																																																																																																											
2	5650.00	56.18	68.20	-12.02	38.01	34.50	13.01	29.34	0.00	103	120	PEAK																																																																																																											
3	5707.60	56.42	107.43	-51.01	38.27	34.62	13.16	29.63	0.00	103	120	PEAK																																																																																																											
4	5720.00	57.02	110.90	-53.88	38.81	34.64	13.26	29.69	0.00	103	120	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	112.50	-----	-----	94.21	34.67	13.38	29.76	0.00	103	120	PEAK																																																																																																											
Avg	Blank	 <table border="1" data-bbox="901 1769 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.84</td> <td>-----</td> <td>-----</td> <td>84.55</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>103</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	102.84	-----	-----	84.55	34.67	13.38	29.76	0.00	103	120	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	102.84	-----	-----	84.55	34.67	13.38	29.76	0.00	103	120	AVERAGE																																																																																																											



	57																																																																																												
Mode	Band Edge																																																																																												
	U-NII-3_5.25-5.35_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																												
ANT	CDD 10+11																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5603.20</td> <td>57.34</td> <td>68.20</td> <td>-10.86</td> <td>39.05</td> <td>34.50</td> <td>13.14</td> <td>29.35</td> <td>0.00</td> <td>294</td> <td>77 PEAK</td> </tr> <tr> <td>2 5651.20</td> <td>55.92</td> <td>69.09</td> <td>-13.17</td> <td>37.76</td> <td>34.50</td> <td>13.01</td> <td>29.35</td> <td>0.00</td> <td>294</td> <td>77 PEAK</td> </tr> <tr> <td>3 5700.00</td> <td>56.26</td> <td>105.30</td> <td>-49.04</td> <td>38.16</td> <td>34.60</td> <td>13.09</td> <td>29.59</td> <td>0.00</td> <td>294</td> <td>77 PEAK</td> </tr> <tr> <td>4 5720.40</td> <td>54.63</td> <td>111.81</td> <td>-57.18</td> <td>36.41</td> <td>34.64</td> <td>13.27</td> <td>29.69</td> <td>0.00</td> <td>294</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1 5603.20	57.34	68.20	-10.86	39.05	34.50	13.14	29.35	0.00	294	77 PEAK	2 5651.20	55.92	69.09	-13.17	37.76	34.50	13.01	29.35	0.00	294	77 PEAK	3 5700.00	56.26	105.30	-49.04	38.16	34.60	13.09	29.59	0.00	294	77 PEAK	4 5720.40	54.63	111.81	-57.18	36.41	34.64	13.27	29.69	0.00	294	77 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>107.28</td> <td>-----</td> <td>-----</td> <td>88.96</td> <td>34.68</td> <td>13.43</td> <td>29.79</td> <td>0.00</td> <td>294</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1 5745.00	107.28	-----	-----	88.96	34.68	13.43	29.79	0.00	294	77 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																					
1 5603.20	57.34	68.20	-10.86	39.05	34.50	13.14	29.35	0.00	294	77 PEAK																																																																																			
2 5651.20	55.92	69.09	-13.17	37.76	34.50	13.01	29.35	0.00	294	77 PEAK																																																																																			
3 5700.00	56.26	105.30	-49.04	38.16	34.60	13.09	29.59	0.00	294	77 PEAK																																																																																			
4 5720.40	54.63	111.81	-57.18	36.41	34.64	13.27	29.69	0.00	294	77 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																					
1 5745.00	107.28	-----	-----	88.96	34.68	13.43	29.79	0.00	294	77 PEAK																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>98.66</td> <td>-----</td> <td>-----</td> <td>80.37</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>294</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1 5745.00	98.66	-----	-----	80.37	34.67	13.38	29.76	0.00	294	77 AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																					
1 5745.00	98.66	-----	-----	80.37	34.67	13.38	29.76	0.00	294	77 AVERAGE																																																																																			



Mode	58																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																						
ANT	CDD 10+11																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>55.19</td> <td>111.36</td> <td>-56.17</td> <td>36.76</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.60</td> <td>57.19</td> <td>106.25</td> <td>-49.06</td> <td>38.73</td> <td>34.99</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>54.50</td> <td>68.35</td> <td>-13.85</td> <td>36.03</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5979.20</td> <td>56.88</td> <td>68.20</td> <td>-11.32</td> <td>38.46</td> <td>35.26</td> <td>13.59</td> <td>30.43</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	55.19	111.36	-56.17	36.76	34.92	13.88	30.37	0.00	100	116	PEAK	2	5871.60	57.19	106.25	-49.06	38.73	34.99	13.85	30.38	0.00	100	116	PEAK	3	5924.80	54.50	68.35	-13.85	36.03	35.15	13.73	30.41	0.00	100	116	PEAK	4	5979.20	56.88	68.20	-11.32	38.46	35.26	13.59	30.43	0.00	100	116	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.95</td> <td>-----</td> <td>-----</td> <td>90.26</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	108.95	-----	-----	90.26	34.86	14.08	30.25	0.00	100	116	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.80	55.19	111.36	-56.17	36.76	34.92	13.88	30.37	0.00	100	116	PEAK																																																																																																											
2	5871.60	57.19	106.25	-49.06	38.73	34.99	13.85	30.38	0.00	100	116	PEAK																																																																																																											
3	5924.80	54.50	68.35	-13.85	36.03	35.15	13.73	30.41	0.00	100	116	PEAK																																																																																																											
4	5979.20	56.88	68.20	-11.32	38.46	35.26	13.59	30.43	0.00	100	116	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	108.95	-----	-----	90.26	34.86	14.08	30.25	0.00	100	116	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.55</td> <td>-----</td> <td>-----</td> <td>83.94</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	102.55	-----	-----	83.94	34.87	14.02	30.28	0.00	100	116	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	102.55	-----	-----	83.94	34.87	14.02	30.28	0.00	100	116	AVERAGE																																																																																																											



Mode	58																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																						
ANT	CDD 10+11																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>54.13</td> <td>112.27</td> <td>-58.14</td> <td>35.70</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.40</td> <td>55.87</td> <td>106.03</td> <td>-50.16</td> <td>37.41</td> <td>34.99</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>55.23</td> <td>68.64</td> <td>-13.41</td> <td>36.75</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5988.40</td> <td>57.16</td> <td>68.20</td> <td>-11.04</td> <td>38.75</td> <td>35.28</td> <td>13.57</td> <td>30.44</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.40	54.13	112.27	-58.14	35.70	34.92	13.88	30.37	0.00	302	89	PEAK	2	5872.40	55.87	106.03	-50.16	37.41	34.99	13.85	30.38	0.00	302	89	PEAK	3	5924.40	55.23	68.64	-13.41	36.75	35.15	13.73	30.40	0.00	302	89	PEAK	4	5988.40	57.16	68.20	-11.04	38.75	35.28	13.57	30.44	0.00	302	89	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.00</td> <td>-----</td> <td>-----</td> <td>86.39</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	105.00	-----	-----	86.39	34.86	14.08	30.25	0.00	302	89	PEAK
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.40	54.13	112.27	-58.14	35.70	34.92	13.88	30.37	0.00	302	89	PEAK																																																																																																											
2	5872.40	55.87	106.03	-50.16	37.41	34.99	13.85	30.38	0.00	302	89	PEAK																																																																																																											
3	5924.40	55.23	68.64	-13.41	36.75	35.15	13.73	30.40	0.00	302	89	PEAK																																																																																																											
4	5988.40	57.16	68.20	-11.04	38.75	35.28	13.57	30.44	0.00	302	89	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	105.00	-----	-----	86.39	34.86	14.08	30.25	0.00	302	89	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.88</td> <td>-----</td> <td>-----</td> <td>80.27</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>302</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	98.88	-----	-----	80.27	34.87	14.02	30.28	0.00	302	89	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	98.88	-----	-----	80.27	34.87	14.02	30.28	0.00	302	89	AVERAGE																																																																																																											



Mode	59																																																																									
	Harmonic																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																									
ANT	CDD 10+11																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.94</td> <td>74.00</td> <td>-27.06</td> <td>54.00</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11440.00	46.94	74.00	-27.06	54.00	38.30	18.59	63.95	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>47.10</td> <td>74.00</td> <td>-26.90</td> <td>54.16</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11440.00	47.10	74.00	-26.90	54.16	38.30	18.59	63.95	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11440.00	46.94	74.00	-27.06	54.00	38.30	18.59	63.95	0.00	--	--	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11440.00	47.10	74.00	-26.90	54.16	38.30	18.59	63.95	0.00	--	--	PEAK																																																															



Mode	61																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.15-5.35_802.11ax HE20_CH144_Full_5720MHz																																																																																							
ANT	CDD 10+11																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.09</td> <td>74.00</td> <td>-27.91</td> <td>53.15</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	46.09	74.00	-27.91	53.15	38.30	18.59	63.95	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>52.34</td> <td>74.00</td> <td>-21.66</td> <td>59.40</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>100 82 PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>43.92</td> <td>54.00</td> <td>-10.08</td> <td>50.98</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>100 82 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	52.34	74.00	-21.66	59.40	38.30	18.59	63.95	0.00	100 82 PEAK	2 11440.00	43.92	54.00	-10.08	50.98	38.30	18.59	63.95	0.00	100 82 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 11440.00	46.09	74.00	-27.91	53.15	38.30	18.59	63.95	0.00	-- -- PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 11440.00	52.34	74.00	-21.66	59.40	38.30	18.59	63.95	0.00	100 82 PEAK																																																																															
2 11440.00	43.92	54.00	-10.08	50.98	38.30	18.59	63.95	0.00	100 82 AVERAGE																																																																															



Mode	62																																																																																		
	Harmonic																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full_5710MHz																																																																																		
ANT	CDD 10+11																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>46.79</td> <td>74.00</td> <td>-27.21</td> <td>53.96</td> <td>38.30</td> <td>18.50</td> <td>63.97</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	46.79	74.00	-27.21	53.96	38.30	18.50	63.97	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>50.48</td> <td>74.00</td> <td>-23.52</td> <td>57.65</td> <td>38.30</td> <td>18.50</td> <td>63.97</td> <td>0.00</td> </tr> <tr> <td>2 11420.00</td> <td>43.42</td> <td>54.00</td> <td>-10.58</td> <td>50.59</td> <td>38.30</td> <td>18.50</td> <td>63.97</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	50.48	74.00	-23.52	57.65	38.30	18.50	63.97	0.00	2 11420.00	43.42	54.00	-10.58	50.59	38.30	18.50	63.97	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11420.00	46.79	74.00	-27.21	53.96	38.30	18.50	63.97	0.00																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11420.00	50.48	74.00	-23.52	57.65	38.30	18.50	63.97	0.00																																																																											
2 11420.00	43.42	54.00	-10.58	50.59	38.30	18.50	63.97	0.00																																																																											



Mode	63																																																																									
	Harmonic																																																																									
	U-NII-2C_5.15-5.35_802.11ax HE80_CH138_Full_5690MHz																																																																									
ANT	CDD 10+11																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>47.20</td> <td>74.00</td> <td>-26.80</td> <td>54.51</td> <td>38.32</td> <td>18.39</td> <td>64.02</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11380.00	47.20	74.00	-26.80	54.51	38.32	18.39	64.02	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.97</td> <td>74.00</td> <td>-27.03</td> <td>54.28</td> <td>38.32</td> <td>18.39</td> <td>64.02</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11380.00	46.97	74.00	-27.03	54.28	38.32	18.39	64.02	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11380.00	47.20	74.00	-26.80	54.51	38.32	18.39	64.02	0.00	--	--	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11380.00	46.97	74.00	-27.03	54.28	38.32	18.39	64.02	0.00	--	--	PEAK																																																															



		46																																																																																																																																																																															
Mode		UNII-3 LF																																																																																																																																																																															
		U-NII-3_5.15-5.25_802.11a_CH165_5825MHz																																																																																																																																																																															
ANT		CDD 10+11																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																															
Peak Avg																																																																																																																																																																																	
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>182.29</td><td>25.07</td><td>43.50</td><td>-18.43</td><td>40.44</td><td>14.77</td><td>1.96</td><td>32.10</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>258.92</td><td>22.38</td><td>46.00</td><td>-23.62</td><td>32.57</td><td>19.65</td><td>2.34</td><td>32.18</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>450.01</td><td>24.30</td><td>46.00</td><td>-21.70</td><td>30.65</td><td>22.76</td><td>3.09</td><td>32.20</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>639.16</td><td>26.81</td><td>46.00</td><td>-19.19</td><td>28.98</td><td>26.36</td><td>3.69</td><td>32.22</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>838.01</td><td>28.87</td><td>46.00</td><td>-17.13</td><td>26.26</td><td>28.78</td><td>4.21</td><td>32.38</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>952.47</td><td>31.62</td><td>46.00</td><td>-14.38</td><td>29.60</td><td>29.73</td><td>4.49</td><td>32.20</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	182.29	25.07	43.50	-18.43	40.44	14.77	1.96	32.10	---	--- Peak	2	258.92	22.38	46.00	-23.62	32.57	19.65	2.34	32.18	---	--- Peak	3	450.01	24.30	46.00	-21.70	30.65	22.76	3.09	32.20	---	--- Peak	4	639.16	26.81	46.00	-19.19	28.98	26.36	3.69	32.22	---	--- Peak	5	838.01	28.87	46.00	-17.13	26.26	28.78	4.21	32.38	---	--- Peak	6	952.47	31.62	46.00	-14.38	29.60	29.73	4.49	32.20	---	--- Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>55.22</td><td>23.16</td><td>40.00</td><td>-16.84</td><td>41.40</td><td>13.11</td><td>0.85</td><td>32.20</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>257.95</td><td>23.02</td><td>46.00</td><td>-22.98</td><td>33.35</td><td>19.51</td><td>2.34</td><td>32.18</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>514.03</td><td>24.44</td><td>46.00</td><td>-21.56</td><td>29.24</td><td>24.27</td><td>3.30</td><td>32.37</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>690.57</td><td>26.81</td><td>46.00</td><td>-19.19</td><td>28.79</td><td>26.38</td><td>3.84</td><td>32.20</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>825.40</td><td>29.25</td><td>46.00</td><td>-16.75</td><td>28.85</td><td>28.57</td><td>4.18</td><td>32.35</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>870.99</td><td>30.60</td><td>46.00</td><td>-15.40</td><td>29.60</td><td>29.03</td><td>4.29</td><td>32.32</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	55.22	23.16	40.00	-16.84	41.40	13.11	0.85	32.20	---	--- Peak	2	257.95	23.02	46.00	-22.98	33.35	19.51	2.34	32.18	---	--- Peak	3	514.03	24.44	46.00	-21.56	29.24	24.27	3.30	32.37	---	--- Peak	4	690.57	26.81	46.00	-19.19	28.79	26.38	3.84	32.20	---	--- Peak	5	825.40	29.25	46.00	-16.75	28.85	28.57	4.18	32.35	---	--- Peak	6	870.99	30.60	46.00	-15.40	29.60	29.03	4.29	32.32	---
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	182.29	25.07	43.50	-18.43	40.44	14.77	1.96	32.10	---	--- Peak																																																																																																																																																																							
2	258.92	22.38	46.00	-23.62	32.57	19.65	2.34	32.18	---	--- Peak																																																																																																																																																																							
3	450.01	24.30	46.00	-21.70	30.65	22.76	3.09	32.20	---	--- Peak																																																																																																																																																																							
4	639.16	26.81	46.00	-19.19	28.98	26.36	3.69	32.22	---	--- Peak																																																																																																																																																																							
5	838.01	28.87	46.00	-17.13	26.26	28.78	4.21	32.38	---	--- Peak																																																																																																																																																																							
6	952.47	31.62	46.00	-14.38	29.60	29.73	4.49	32.20	---	--- Peak																																																																																																																																																																							
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	55.22	23.16	40.00	-16.84	41.40	13.11	0.85	32.20	---	--- Peak																																																																																																																																																																							
2	257.95	23.02	46.00	-22.98	33.35	19.51	2.34	32.18	---	--- Peak																																																																																																																																																																							
3	514.03	24.44	46.00	-21.56	29.24	24.27	3.30	32.37	---	--- Peak																																																																																																																																																																							
4	690.57	26.81	46.00	-19.19	28.79	26.38	3.84	32.20	---	--- Peak																																																																																																																																																																							
5	825.40	29.25	46.00	-16.75	28.85	28.57	4.18	32.35	---	--- Peak																																																																																																																																																																							
6	870.99	30.60	46.00	-15.40	29.60	29.03	4.29	32.32	---	--- Peak																																																																																																																																																																							



Mode	64																																																																											
	Band Edge																																																																											
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																											
ANT	8																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2378.77</td> <td>55.76</td> <td>74.00</td> <td>-18.24</td> <td>39.58</td> <td>32.36</td> <td>8.75</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>98 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2378.77	55.76	74.00	-18.24	39.58	32.36	8.75	30.93	6.00	100	98 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2404.00</td> <td>101.91</td> <td>-----</td> <td>-----</td> <td>85.63</td> <td>32.40</td> <td>8.81</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>98 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2404.00	101.91	-----	-----	85.63	32.40	8.81	30.93	6.00	100	98 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2378.77	55.76	74.00	-18.24	39.58	32.36	8.75	30.93	6.00	100	98 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2404.00	101.91	-----	-----	85.63	32.40	8.81	30.93	6.00	100	98 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2376.56</td> <td>44.91</td> <td>54.00</td> <td>-9.09</td> <td>28.75</td> <td>32.35</td> <td>8.74</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>98 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2376.56	44.91	54.00	-9.09	28.75	32.35	8.74	30.93	6.00	100	98 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2404.00</td> <td>99.68</td> <td>-----</td> <td>-----</td> <td>83.40</td> <td>32.40</td> <td>8.81</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>98 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2404.00	99.68	-----	-----	83.40	32.40	8.81	30.93	6.00	100	98 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2376.56	44.91	54.00	-9.09	28.75	32.35	8.74	30.93	6.00	100	98 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2404.00	99.68	-----	-----	83.40	32.40	8.81	30.93	6.00	100	98 AVERAGE																																																																		







Mode	64																																																																															
	Band Edge																																																																															
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																															
ANT	8																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2354.98</td> <td>55.18</td> <td>74.00</td> <td>-18.82</td> <td>39.12</td> <td>32.31</td> <td>8.69</td> <td>30.94</td> <td>6.00</td> <td>342</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2354.98	55.18	74.00	-18.82	39.12	32.31	8.69	30.94	6.00	342	72 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>99.14</td> <td>-----</td> <td>-----</td> <td>82.86</td> <td>32.40</td> <td>8.81</td> <td>30.93</td> <td>6.00</td> <td>342</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2404.00	99.14	-----	-----	82.86	32.40	8.81	30.93	6.00	342	72 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2354.98	55.18	74.00	-18.82	39.12	32.31	8.69	30.94	6.00	342	72 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2404.00	99.14	-----	-----	82.86	32.40	8.81	30.93	6.00	342	72 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2373.96</td> <td>44.96</td> <td>54.00</td> <td>-9.04</td> <td>28.81</td> <td>32.35</td> <td>8.74</td> <td>30.94</td> <td>6.00</td> <td>342</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2373.96	44.96	54.00	-9.04	28.81	32.35	8.74	30.94	6.00	342	72 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>96.87</td> <td>-----</td> <td>-----</td> <td>80.59</td> <td>32.40</td> <td>8.81</td> <td>30.93</td> <td>6.00</td> <td>342</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2404.00	96.87	-----	-----	80.59	32.40	8.81	30.93	6.00	342	72 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2373.96	44.96	54.00	-9.04	28.81	32.35	8.74	30.94	6.00	342	72 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2404.00	96.87	-----	-----	80.59	32.40	8.81	30.93	6.00	342	72 AVERAGE																																																																					







Mode	64																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																																																																					
ANT	8																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4808.00</td> <td>37.35</td> <td>74.00</td> <td>-36.65</td> <td>56.24</td> <td>34.28</td> <td>12.51</td> <td>65.68</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7212.00</td> <td>52.48</td> <td>83.53</td> <td>-31.05</td> <td>66.57</td> <td>35.00</td> <td>14.66</td> <td>64.55</td> <td>0.00</td> <td>124</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7770.00</td> <td>56.40</td> <td>83.53</td> <td>-27.13</td> <td>70.69</td> <td>35.94</td> <td>15.66</td> <td>65.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4808.00	37.35	74.00	-36.65	56.24	34.28	12.51	65.68	0.00	--	--	PEAK	2	7212.00	52.48	83.53	-31.05	66.57	35.00	14.66	64.55	0.00	124	322	PEAK	3	7770.00	56.40	83.53	-27.13	70.69	35.94	15.66	65.89	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4808.00</td> <td>36.56</td> <td>74.00</td> <td>-37.44</td> <td>55.45</td> <td>34.28</td> <td>12.51</td> <td>65.68</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7212.00</td> <td>50.37</td> <td>77.33</td> <td>-26.96</td> <td>64.46</td> <td>35.00</td> <td>14.66</td> <td>64.55</td> <td>0.00</td> <td>348</td> <td>2</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7770.00</td> <td>55.53</td> <td>77.33</td> <td>-21.80</td> <td>69.82</td> <td>35.94</td> <td>15.66</td> <td>65.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4808.00	36.56	74.00	-37.44	55.45	34.28	12.51	65.68	0.00	--	--	PEAK	2	7212.00	50.37	77.33	-26.96	64.46	35.00	14.66	64.55	0.00	348	2	PEAK	3	7770.00	55.53	77.33	-21.80	69.82	35.94	15.66	65.89	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4808.00	37.35	74.00	-36.65	56.24	34.28	12.51	65.68	0.00	--	--	PEAK																																																																																																																										
2	7212.00	52.48	83.53	-31.05	66.57	35.00	14.66	64.55	0.00	124	322	PEAK																																																																																																																										
3	7770.00	56.40	83.53	-27.13	70.69	35.94	15.66	65.89	0.00	--	--	PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4808.00	36.56	74.00	-37.44	55.45	34.28	12.51	65.68	0.00	--	--	PEAK																																																																																																																										
2	7212.00	50.37	77.33	-26.96	64.46	35.00	14.66	64.55	0.00	348	2	PEAK																																																																																																																										
3	7770.00	55.53	77.33	-21.80	69.82	35.94	15.66	65.89	0.00	--	--	PEAK																																																																																																																										

Note: The Remark #2 & #3 is non-restricted frequency which limit is 100kHz-PSD down 20dB.



		64																																																																																								
Mode	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																									
ANT	CDD 10+11																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1" data-bbox="268 1131 794 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.65</td> <td>64.47</td> <td>74.00</td> <td>-9.53</td> <td>47.88</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.65	64.47	74.00	-9.53	47.88	34.20	12.45	30.06	0.00	100	244	PEAK	 <table border="1" data-bbox="911 1131 1437 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.34</td> <td>-----</td> <td>-----</td> <td>91.70</td> <td>34.15</td> <td>12.51</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.34	-----	-----	91.70	34.15	12.51	30.02	0.00	100	244	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5148.65	64.47	74.00	-9.53	47.88	34.20	12.45	30.06	0.00	100	244	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	108.34	-----	-----	91.70	34.15	12.51	30.02	0.00	100	244	PEAK																																																																														
Avg	 <table border="1" data-bbox="268 1807 794 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>50.04</td> <td>54.00</td> <td>-3.96</td> <td>33.44</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	50.04	54.00	-3.96	33.44	34.20	12.45	30.05	0.00	100	244	AVERAGE	 <table border="1" data-bbox="911 1807 1437 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.45</td> <td>-----</td> <td>-----</td> <td>83.00</td> <td>34.14</td> <td>12.52</td> <td>30.01</td> <td>0.00</td> <td>100</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.45	-----	-----	83.00	34.14	12.52	30.01	0.00	100	244	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5150.00	50.04	54.00	-3.96	33.44	34.20	12.45	30.05	0.00	100	244	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	100.45	-----	-----	83.00	34.14	12.52	30.01	0.00	100	244	AVERAGE																																																																														



		64																																																																										
Mode	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																											
ANT	CDD 10+11																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal between 5100 and 5200 MHz. A red limit line is at 65.0 dBuV/m. A blue peak is observed at 5188.75 MHz with a level of 66 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5188.75</td> <td>66.00</td> <td>65.00</td> <td>-16.33</td> <td>41.07</td> <td>34.28</td> <td>12.44</td> <td>30.12</td> <td>0.00</td> <td>100</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5188.75	66.00	65.00	-16.33	41.07	34.28	12.44	30.12	0.00	100	66	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red limit line is at 65.0 dBuV/m. A blue peak is observed at 5180.00 MHz with a level of 103.31 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>103.31</td> <td>65.00</td> <td>38.31</td> <td>86.67</td> <td>34.15</td> <td>12.51</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	103.31	65.00	38.31	86.67	34.15	12.51	30.02	0.00	100	66	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5188.75	66.00	65.00	-16.33	41.07	34.28	12.44	30.12	0.00	100	66	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	103.31	65.00	38.31	86.67	34.15	12.51	30.02	0.00	100	66	PEAK																																																																
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal between 5100 and 5200 MHz. A red limit line is at 46.85 dBuV/m. A blue average signal is observed at 5149.85 MHz with a level of 46.85 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.85</td> <td>46.85</td> <td>46.85</td> <td>-7.15</td> <td>30.25</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.85	46.85	46.85	-7.15	30.25	34.20	12.45	30.05	0.00	100	66	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red limit line is at 94.45 dBuV/m. A blue average signal is observed at 5180.00 MHz with a level of 94.45 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>94.45</td> <td>94.45</td> <td>0.00</td> <td>77.00</td> <td>34.14</td> <td>12.52</td> <td>30.01</td> <td>0.00</td> <td>100</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	94.45	94.45	0.00	77.00	34.14	12.52	30.01	0.00	100	66	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5149.85	46.85	46.85	-7.15	30.25	34.20	12.45	30.05	0.00	100	66	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	94.45	94.45	0.00	77.00	34.14	12.52	30.01	0.00	100	66	AVERAGE																																																																




Mode	64																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																							
ANT	CDD 10+11																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7211.93</td> <td>50.26</td> <td>68.20</td> <td>-17.94</td> <td>64.35</td> <td>35.00</td> <td>14.66</td> <td>64.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7770.00</td> <td>55.83</td> <td>68.20</td> <td>-12.37</td> <td>70.12</td> <td>35.94</td> <td>15.66</td> <td>65.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10360.00</td> <td>46.78</td> <td>68.20</td> <td>-21.42</td> <td>56.30</td> <td>37.62</td> <td>18.05</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7211.93	50.26	68.20	-17.94	64.35	35.00	14.66	64.55	0.00	--	--	PEAK	2	7770.00	55.83	68.20	-12.37	70.12	35.94	15.66	65.89	0.00	--	--	PEAK	3	10360.00	46.78	68.20	-21.42	56.30	37.62	18.05	65.19	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7211.20</td> <td>47.89</td> <td>68.20</td> <td>-20.31</td> <td>61.99</td> <td>35.80</td> <td>14.65</td> <td>64.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7770.00</td> <td>54.36</td> <td>68.20</td> <td>-13.84</td> <td>68.65</td> <td>35.94</td> <td>15.66</td> <td>65.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10360.00</td> <td>46.39</td> <td>68.20</td> <td>-21.81</td> <td>55.88</td> <td>37.63</td> <td>18.07</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7211.20	47.89	68.20	-20.31	61.99	35.80	14.65	64.55	0.00	--	--	PEAK	2	7770.00	54.36	68.20	-13.84	68.65	35.94	15.66	65.89	0.00	--	--	PEAK	3	10360.00	46.39	68.20	-21.81	55.88	37.63	18.07	65.19	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	7211.93	50.26	68.20	-17.94	64.35	35.00	14.66	64.55	0.00	--	--	PEAK																																																																																																																												
2	7770.00	55.83	68.20	-12.37	70.12	35.94	15.66	65.89	0.00	--	--	PEAK																																																																																																																												
3	10360.00	46.78	68.20	-21.42	56.30	37.62	18.05	65.19	0.00	--	--	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	7211.20	47.89	68.20	-20.31	61.99	35.80	14.65	64.55	0.00	--	--	PEAK																																																																																																																												
2	7770.00	54.36	68.20	-13.84	68.65	35.94	15.66	65.89	0.00	--	--	PEAK																																																																																																																												
3	10360.00	46.39	68.20	-21.81	55.88	37.63	18.07	65.19	0.00	--	--	PEAK																																																																																																																												



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
10/11	802.11a	98.97	-	-	10Hz
10/11	802.11ax HE20	100	-	-	10Hz
10/11	802.11ax HE40	100	-	-	10Hz
10/11	802.11ax HE80	100	-	-	10Hz
10/11	802.11ax HE160	100	-	-	10Hz
10/11	802.11ax HE20 RU26	100	-	-	10Hz
10/11	802.11ax HE20 RU52	100	-	-	10Hz
10/11	802.11ax HE20 RU106	100	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20 RU 26



802.11ax HE20 RU 52





802.11ax HE20 RU 106

