



Reference No.: W7L-240618W002RF12



N2

SCS 15K


**PEAK-TO-AVERAGE RATIO(CCDF)
TEST RESULT**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N2	15	20	DFT-QPSK	L	Outer Full	5.40	≤13	PASS
N2	15	20	DFT-QPSK	L	Edge 1RB Left	5.36	≤13	PASS
N2	15	20	DFT-QPSK	M	Outer Full	5.54	≤13	PASS
N2	15	20	DFT-QPSK	M	Edge 1RB Left	5.42	≤13	PASS
N2	15	20	DFT-QPSK	H	Outer Full	5.38	≤13	PASS
N2	15	20	DFT-QPSK	H	Edge 1RB Left	5.36	≤13	PASS



Reference No.: W7L-240618W002RF12

TEST GRAPHS





Reference No.: W7L-240618W002RF12

26DB BANDWIDTH AND OCCUPIED BANDWIDTH FOR SA TEST RESULT


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N2	15	5	DFT-PI2BPSK	M	Outer_Full	4.495	4.93	PASS
N2	15	5	DFT-QPSK	M	Outer_Full	4.504	4.95	PASS
N2	15	5	DFT-16QAM	M	Outer_Full	4.509	4.93	PASS
N2	15	5	DFT-64QAM	M	Outer_Full	4.509	4.93	PASS
N2	15	5	DFT-256QAM	M	Outer_Full	4.481	4.96	PASS
N2	15	10	DFT-PI2BPSK	M	Outer_Full	8.985	9.77	PASS
N2	15	10	DFT-QPSK	M	Outer_Full	8.985	9.77	PASS
N2	15	10	DFT-16QAM	M	Outer_Full	8.993	9.77	PASS
N2	15	10	DFT-64QAM	M	Outer_Full	8.993	9.77	PASS
N2	15	10	DFT-256QAM	M	Outer_Full	8.980	9.74	PASS
N2	15	15	DFT-PI2BPSK	M	Outer_Full	13.476	14.52	PASS
N2	15	15	DFT-QPSK	M	Outer_Full	13.475	14.52	PASS
N2	15	15	DFT-16QAM	M	Outer_Full	13.479	14.52	PASS
N2	15	15	DFT-64QAM	M	Outer_Full	13.479	14.52	PASS
N2	15	15	DFT-256QAM	M	Outer_Full	13.509	14.48	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	18.131	19.60	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	18.140	19.66	PASS
N2	15	20	DFT-16QAM	M	Outer_Full	18.140	19.66	PASS
N2	15	20	DFT-64QAM	M	Outer_Full	18.136	19.66	PASS
N2	15	20	DFT-256QAM	M	Outer_Full	18.031	19.78	PASS



Reference No.: W7L-240618W002RF12

TEST GRAPHS



OCCUPIED BANDWIDTH





BUREAU VERITAS

Reference No.: W7L-240618W002RF12



NTNV-N2-PC3-15-10-M-DFT-QPSK-Outer_Full-Ant1-PASS

NTNV-N2-PC3-15-10-M-DFT-16QAM-Outer_Full-Ant1-PASS



NTNV-N2-PC3-15-10-M-DFT-64QAM-Outer_Full-Ant1-PASS

NTNV-N2-PC3-15-10-M-DFT-256QAM-Outer_Full-Ant1-PASS



NTNV-N2-PC3-15-15-M-DFT-PI2BPSK-Outer_Full-Ant1-PASS

NTNV-N2-PC3-15-15-M-DFT-QPSK-Outer_Full-Ant1-PASS




NTNV-N2-PC3-15-15-M-DFT-16QAM-Outer_Full-Ant1-PASS

NTNV-N2-PC3-15-15-M-DFT-64QAM-Outer_Full-Ant1-PASS



**BUREAU
VERITAS**

Reference No.: W7L-240618W002RF12






BUREAU VERITAS

Reference No.: W7L-240618W002RF12


26DB BANDWIDTH





BUREAU VERITAS

Reference No.: W7L-240618W002RF12



BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566


Fax: +86 755 8869 6577

Email: customerservice.sw@bureauveritas.com



**BUREAU
VERITAS**

Reference No.: W7L-240618W002RF12





Reference No.: W7L-240618W002RF12


BAND EDGE FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Verdict
N2	15	5	DFT-QPSK	L	Outer_Full	-36.00	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	-29.06	PASS
N2	15	5	DFT-QPSK	H	Outer_Full	-36.21	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Right	-28.13	PASS
N2	15	10	DFT-QPSK	L	Outer_Full	-37.54	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	-31.63	PASS
N2	15	10	DFT-QPSK	H	Outer_Full	-37.69	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Right	-27.85	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	-34.50	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	-28.95	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	-36.61	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Right	-33.69	PASS



Reference No.: W7L-240618W002RF12

TEST GRAPHS



BV 7Layers Communications Technology (Shenzhen) Co., Ltd


Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566
 Fax: +86 755 8869 6577
 Email: customerservice.sw@bureauveritas.com




BUREAU VERITAS

Reference No.: W7L-240618W002RF12





Reference No.: W7L-240618W002RF12





Reference No.: W7L-240618W002RF12


CONDUCTED SPURIOUS EMISSION FOR SA TEST RESULT

Band	SCS	Band width	Modulation	Channel	RB Config	Start Freq	StopFreq	Result	Limit	Verdict
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	30	19100	-28.56	-13	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Left	30	19100	-28.43	-13	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Left	30	19100	-24.36	-13	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	30	19100	-25.07	-13	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Left	30	19100	-28.43	-13	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Left	30	19100	-24.36	-13	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	30	19100	-25.07	-13	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Left	30	19100	-29.45	-13	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Left	30	19100	-29.51	-13	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	30	19100	-29.62	-13	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Left	30	19100	-29.21	-13	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Left	30	19100	-29.51	-13	PASS



Reference No.: W7L-240618W002RF12


TEST GRAPHS





BUREAU
VERITAS

Reference No.: W7L-240618W002RF12





Reference No.: W7L-240618W002RF12

FREQUENCY STABILITY FOR SA Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N2	15	20	DFT-QPSK	L	Outer_Full	NV	-30	-5.000000	-0.000008	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	-20	14.000000	0.000021	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	-10	-13.000000	-0.000020	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	0	-14.000000	-0.000021	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	10	15.000000	0.000023	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	20	-17.000000	-0.000026	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	30	-17.000000	-0.000026	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	40	9.000000	0.000014	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	50	31.000000	0.000047	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	-30	10.000000	0.000015	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	-20	15.000000	0.000023	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	-10	15.000000	0.000023	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	0	-35.000000	-0.000053	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	10	-8.000000	-0.000012	PASS



BUREAU
VERITAS

Reference No.: W7L-240618W002RF12

N2	15	20	DFT-QPSK	M	Outer_Full	NV	20	29.000000	0.000044	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	30	20.000000	0.000030	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	40	-14.000000	-0.000021	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	50	-35.000000	-0.000053	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	-30	-35.000000	-0.000053	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	-20	2.000000	0.000003	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	-10	-11.000000	-0.000017	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	0	-11.000000	-0.000017	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	10	8.000000	0.000012	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	20	-16.000000	-0.000024	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	30	13.000000	0.000020	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	40	16.000000	0.000024	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	50	-7.000000	-0.000011	PASS



Reference No.: W7L-240618W002RF12

SCS 30K


PEAK-TO-AVERAGE RATIO(CCDF) TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N2	30	20	DFT-QPSK	L	Outer_Full	5.46	≤13	PASS
N2	30	20	DFT-QPSK	L	Edge_1RB_Left	4.76	≤13	PASS
N2	30	20	DFT-QPSK	M	Outer_Full	5.40	≤13	PASS
N2	30	20	DFT-QPSK	M	Edge_1RB_Left	4.58	≤13	PASS
N2	30	20	DFT-QPSK	H	Outer_Full	5.32	≤13	PASS
N2	30	20	DFT-QPSK	H	Edge_1RB_Left	5.24	≤13	PASS



Reference No.: W7L-240618W002RF12

TEST GRAPHS





Reference No.: W7L-240618W002RF12

26DB BANDWIDTH AND OCCUPIED BANDWIDTH FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N2	30	10	DFT-PI2BPSK	M	Outer_Full	8.684	9.68	PASS
N2	30	10	DFT-QPSK	M	Outer_Full	8.680	9.71	PASS
N2	30	10	DFT-16QAM	M	Outer_Full	8.686	9.71	PASS
N2	30	10	DFT-64QAM	M	Outer_Full	8.681	9.68	PASS
N2	30	10	DFT-256QAM	M	Outer_Full	8.665	9.62	PASS
N2	30	15	DFT-PI2BPSK	M	Outer_Full	13.030	14.43	PASS
N2	30	15	DFT-QPSK	M	Outer_Full	13.031	14.48	PASS
N2	30	15	DFT-16QAM	M	Outer_Full	13.032	14.43	PASS
N2	30	15	DFT-64QAM	M	Outer_Full	13.031	14.43	PASS
N2	30	15	DFT-256QAM	M	Outer_Full	12.990	14.34	PASS
N2	30	20	DFT-PI2BPSK	M	Outer_Full	18.155	19.96	PASS
N2	30	20	DFT-QPSK	M	Outer_Full	18.137	19.96	PASS
N2	30	20	DFT-16QAM	M	Outer_Full	18.135	19.96	PASS
N2	30	20	DFT-64QAM	M	Outer_Full	18.133	19.96	PASS
N2	30	20	DFT-256QAM	M	Outer_Full	18.018	19.78	PASS



Reference No.: W7L-240618W002RF12

TEST GRAPHS

OCCUPIED BANDWIDTH



NTNV-N2-PC3-30-10-M-DFT-PI2BPSK-Outer_Full -Ant1-PASS




NTNV-N2-PC3-30-10-M-DFT-QPSK-Outer_Full-Ant1-PASS



NTNV-N2-PC3-30-10-M-DFT-16QAM-Outer_Full-Ant1-PASS



NTNV-N2-PC3-30-10-M-DFT-64QAM-Outer_Full-Ant1-PASS




NTNV-N2-PC3-30-10-M-DFT-256QAM-Outer_Full-Ant1-PASS



BUREAU VERITAS

Reference No.: W7L-240618W002RF12



BV 7Layers Communications Technology (Shenzhen) Co., Ltd


Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566 Fax: +86 755 8869 6577 Email: customerservice.sw@bureauveritas.com




BUREAU VERITAS

Reference No.: W7L-240618W002RF12



NTNV-N2-PC3-30-20-M-DFT-64QAM-Outer_Full-Ant1-PASS




NTNV-N2-PC3-30-20-M-DFT-256QAM-Outer_Full-Ant1-PASS


26DB BANDWIDTH




NTNV-N2-PC3-30-5-M-DFT-P12BPSK-Outer_Full-Ant1-PASS




NTNV-N2-PC3-30-5-M-DFT-QPSK-Outer_Full-Ant1-PASS



NTNV-N2-PC3-30-5-M-DFT-16QAM-Outer_Full-Ant1-PASS



NTNV-N2-PC3-30-5-M-DFT-64QAM-Outer_Full-Ant1-PASS



BV 7Layers Communications Technology (Shenzhen) Co., Ltd


Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU VERITAS


Reference No.: W7L-240618W002RF12





BUREAU VERITAS

Reference No.: W7L-240618W002RF12





Reference No.: W7L-240618W002RF12


BAND EDGE FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Verdict
N2	30	5	DFT-QPSK	L	Outer_Full	-37.30	PASS
N2	30	5	DFT-QPSK	L	Edge_1RB_Left	-31.63	PASS
N2	30	5	DFT-QPSK	H	Outer_Full	-35.37	PASS
N2	30	5	DFT-QPSK	H	Edge_1RB_Right	-31.72	PASS
N2	30	10	DFT-QPSK	L	Outer_Full	-34.15	PASS
N2	30	10	DFT-QPSK	L	Edge_1RB_Left	-28.95	PASS
N2	30	10	DFT-QPSK	H	Outer_Full	-35.06	PASS
N2	30	10	DFT-QPSK	H	Edge_1RB_Right	-28.06	PASS
N2	30	20	DFT-QPSK	L	Outer_Full	-36.60	PASS
N2	30	20	DFT-QPSK	L	Edge_1RB_Left	-30.24	PASS
N2	30	20	DFT-QPSK	H	Outer_Full	-38.75	PASS
N2	30	20	DFT-QPSK	H	Edge_1RB_Right	-31.38	PASS



Reference No.: W7L-240618W002RF12

TEST GRAPHS



BV 7Layers Communications Technology
(Shenzhen) Co., Ltd


Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU VERITAS

Reference No.: W7L-240618W002RF12





Reference No.: W7L-240618W002RF12


CONDUCTED SPURIOUS EMISSION FOR SA TEST RESULT

Band	SCS	Band width	Modulation	Channel	RB Config	Start Freq	StopFreq	Result	Limit	Verdict
N2	30	10	DFT-QPSK	L	Edge_1RB_Left	30	19100	-29.62	-13	PASS
N2	30	10	DFT-QPSK	M	Edge_1RB_Left	30	19100	-29.21	-13	PASS
N2	30	10	DFT-QPSK	H	Edge_1RB_Left	30	19100	-29.31	-13	PASS
N2	30	15	DFT-QPSK	L	Edge_1RB_Left	30	19100	-29.38	-13	PASS
N2	30	15	DFT-QPSK	M	Edge_1RB_Left	30	19100	-29.16	-13	PASS
N2	30	15	DFT-QPSK	H	Edge_1RB_Left	30	19100	-28.91	-13	PASS
N2	30	20	DFT-QPSK	L	Edge_1RB_Left	30	19100	-29.38	-13	PASS
N2	30	20	DFT-QPSK	M	Edge_1RB_Left	30	19100	-29.16	-13	PASS
N2	30	20	DFT-QPSK	H	Edge_1RB_Left	30	19100	-28.91	-13	PASS



Reference No.: W7L-240618W002RF12


TEST GRAPHS





BUREAU
VERITAS

Reference No.: W7L-240618W002RF12

NTNV-N2-PC3-30-20-L-DFT-QPSK-Edge_1RB_L eft-Ant1-PASS	NTNV-N2-PC3-30-20-M-DFT-QPSK-Edge_1RB_L eft-Ant1-PASS
	
NTNV-N2-PC3-30-20-H-DFT-QPSK-Edge_1RB_L eft-Ant1-PASS	



Reference No.: W7L-240618W002RF12

FREQUENCY STABILITY FOR SA FREQUENCY ERROR VS. VOLTAGE

Voltage										
Band	SC S	Band width	Modulation	Chan nel	RB Config	Voltage	Temp eratur e	Deviation(Hz)	Deviation (ppm)	Verdict
N2	30	20	DFT-QPSK	L	Outer Full	NV	-30	13.000000	0.000020	PASS
N2	30	20	DFT-QPSK	L	Outer Full	NV	-20	14.000000	0.000021	PASS
N2	30	20	DFT-QPSK	L	Outer Full	NV	-10	31.000000	0.000047	PASS
N2	30	20	DFT-QPSK	L	Outer Full	NV	0	12.000000	0.000018	PASS
N2	30	20	DFT-QPSK	L	Outer Full	NV	10	27.000000	0.000041	PASS
N2	30	20	DFT-QPSK	L	Outer Full	NV	20	17.000000	0.000026	PASS
N2	30	20	DFT-QPSK	L	Outer Full	NV	30	19.000000	0.000029	PASS
N2	30	20	DFT-QPSK	L	Outer Full	NV	40	14.000000	0.000021	PASS
N2	30	20	DFT-QPSK	L	Outer Full	NV	50	-3.000000	-0.000005	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	-30	-31.000000	-0.000047	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	-20	34.000000	0.000051	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	-10	27.000000	0.000041	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	0	19.000000	0.000029	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	10	23.000000	0.000035	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	20	-32.000000	-0.000048	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	30	-30.000000	-0.000045	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	40	-10.000000	-0.000015	PASS
N2	30	20	DFT-QPSK	M	Outer Full	NV	50	-5.000000	-0.000008	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	-30	17.000000	0.000026	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	-20	4.000000	0.000006	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	-10	22.000000	0.000033	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	0	-5.000000	-0.000008	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	10	30.000000	0.000045	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	20	-15.000000	-0.000023	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	30	33.000000	0.000050	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	40	-17.000000	-0.000026	PASS
N2	30	20	DFT-QPSK	H	Outer Full	NV	50	-4.000000	-0.000006	PASS



Reference No.: W7L-240618W002RF12

PEAK-TO-AVERAGE RATIO FOR SA PEAK-TO-AVERAGE RATIO(CCDF)

TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N26-814-8 24	15	5	DFT-QPSK	L	Outer_Full	5.19	≤13	PASS
N26-814-8 24	15	5	DFT-QPSK	L	Edge_1RB_Left	5.02	≤13	PASS
N26-814-8 24	15	5	DFT-QPSK	M	Outer_Full	5.19	≤13	PASS
N26-814-8 24	15	5	DFT-QPSK	M	Edge_1RB_Left	4.93	≤13	PASS
N26-814-8 24	15	5	DFT-QPSK	H	Outer_Full	5.27	≤13	PASS
N26-814-8 24	15	5	DFT-QPSK	H	Edge_1RB_Left	4.97	≤13	PASS
N26-824-8 49	15	20	DFT-QPSK	L	Outer_Full	5.41	≤13	PASS
N26-824-8 49	15	20	DFT-QPSK	L	Edge_1RB_Left	5.61	≤13	PASS
N26-824-8 49	15	20	DFT-QPSK	M	Outer_Full	5.36	≤13	PASS
N26-824-8 49	15	20	DFT-QPSK	M	Edge_1RB_Left	5.20	≤13	PASS
N26-824-8 49	15	20	DFT-QPSK	H	Outer_Full	5.28	≤13	PASS
N26-824-8 49	15	20	DFT-QPSK	H	Edge_1RB_Left	5.13	≤13	PASS
N12	15	15	DFT-QPSK	L	Outer_Full	5.27	≤13	PASS
N12	15	15	DFT-QPSK	L	Edge_1RB_Left	5.04	≤13	PASS
N12	15	15	DFT-QPSK	M	Outer_Full	5.29	≤13	PASS
N12	15	15	DFT-QPSK	M	Edge_1RB_Left	5.10	≤13	PASS
N12	15	15	DFT-QPSK	H	Edge_1RB_Left	5.16	≤13	PASS
N12	15	15	DFT-QPSK	H	Outer_Full	5.26	≤13	PASS
N7	15	20	DFT-QPSK	L	Outer_Full	5.49	≤13	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Left	5.67	≤13	PASS
N7	15	20	DFT-QPSK	M	Outer_Full	5.38	≤13	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Left	5.40	≤13	PASS
N7	15	20	DFT-QPSK	H	Outer_Full	5.43	≤13	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Left	4.91	≤13	PASS
N66	15	20	DFT-QPSK	L	Outer_Full	5.44	≤13	PASS
N66	15	20	DFT-QPSK	L	Edge_1RB_Left	5.32	≤13	PASS
N66	15	20	DFT-QPSK	M	Outer_Full	5.39	≤13	PASS
N66	15	20	DFT-QPSK	M	Edge_1RB_Left	4.97	≤13	PASS
N66	15	20	DFT-QPSK	H	Outer_Full	5.19	≤13	PASS



**BUREAU
VERITAS**

Reference No.: W7L-240618W002RF12

N66	15	20	DFT-QPSK	H	Edge_1RB_Left	5.01	≤13	PASS
N41	30	20	DFT-QPSK	L	Outer_Full	5.87	≤13	PASS
N41	30	20	DFT-QPSK	M	Outer_Full	5.71	≤13	PASS
N41	30	20	DFT-QPSK	H	Outer_Full	5.88	≤13	PASS
N41	30	20	DFT-QPSK	L	Edge_1RB_Left	5.54	≤13	PASS
N41	30	20	DFT-QPSK	M	Edge_1RB_Left	5.48	≤13	PASS
N41	30	20	DFT-QPSK	H	Edge_1RB_Left	5.67	≤13	PASS
N77-3450-3550	30	20	DFT-QPSK	L	Outer_Full	5.76	≤13	PASS
N77-3450-3550	30	20	DFT-QPSK	M	Outer_Full	5.81	≤13	PASS
N77-3450-3550	30	20	DFT-QPSK	H	Outer_Full	5.80	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	5.84	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	5.72	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	H	Outer_Full	5.77	≤13	PASS
N77-3450-3550	30	20	DFT-QPSK	L	Edge_1RB_Left	6.41	≤13	PASS
N77-3450-3550	30	20	DFT-QPSK	M	Edge_1RB_Left	6.45	≤13	PASS
N77-3450-3550	30	20	DFT-QPSK	H	Edge_1RB_Left	6.51	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Edge_1RB_Left	6.28	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Edge_1RB_Left	6.49	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	H	Edge_1RB_Left	6.14	≤13	PASS