




CHANNEL BANDWIDTH: 10MHz / QPSK

CH18650

MODE	TX channel 18650	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3701.000	-50.53	-58.93	-13.00	-37.53	8.40	Peak	Horizontal
2 PP	5565.000	-48.21	-60.02	-13.00	-35.21	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

MODE	TX channel 18650	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3710.000	-51.32	-59.95	-13.00	-38.32	8.63	Peak	Vertical
2 PP	5569.500	-48.81	-61.14	-13.00	-35.81	12.33	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

CH18900

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-52.47	-60.82	-13.00	-39.47	8.35	Peak	Horizontal
2 PP	5643.500	-50.97	-62.78	-13.00	-37.97	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-51.51	-60.14	-13.00	-38.51	8.63	Peak	Vertical
2 PP	5640.000	-49.26	-61.58	-13.00	-36.26	12.32	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

CH19150

MODE	TX channel 19150	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3810.000	-50.05	-58.36	-13.00	-37.05	8.31	Peak	Horizontal
2 PP	5717.500	-49.98	-61.80	-13.00	-36.98	11.82	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

MODE	TX channel 19150	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3812.000	-49.56	-58.19	-13.00	-36.56	8.63	Peak	Vertical
2	5715.000	-49.92	-62.23	-13.00	-36.92	12.31	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-51.44	-59.79	-13.00	-38.44	8.35	Peak	Horizontal
2 PP	5640.000	-50.82	-62.63	-13.00	-37.82	11.81	Peak	Horizontal






BUREAU VERITAS

Test Report No.: W7L-240618W002RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.26	-59.89	-13.00	-38.26	8.63	Peak	Vertical
2 PP	5643.500	-50.40	-62.72	-13.00	-37.40	12.32	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.38	-59.73	-13.00	-38.38	8.35	Peak	Horizontal
2 PP	5643.500	-50.39	-62.20	-13.00	-37.39	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-51.15	-59.78	-13.00	-38.15	8.63	Peak	Vertical
2 PP	5640.000	-49.81	-62.13	-13.00	-36.81	12.32	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-240618W002RF06

CA_2A-4A:

CHANNEL BANDWIDTH: 20MHz+20MHz / QPSK

MODE	TX channel 18900/ 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3464.000	-51.63	-60.17	-13.00	-38.63	8.54	Peak	Horizontal
2	3755.000	-51.91	-60.27	-13.00	-38.91	8.36	Peak	Horizontal
3 PP	5196.000	-48.45	-59.80	-13.00	-35.45	11.35	Peak	Horizontal
4	5640.000	-48.54	-60.35	-13.00	-35.54	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

MODE	TX channel 18900/ 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3464.000	-51.39	-60.04	-13.00	-38.39	8.65	Peak	Vertical
2	3760.000	-50.18	-58.81	-13.00	-37.18	8.63	Peak	Vertical
3 PP	5199.000	-46.91	-58.67	-13.00	-33.91	11.76	Peak	Vertical
4	5640.000	-49.48	-61.80	-13.00	-36.48	12.32	Peak	Vertical






3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth.
2. Set the number of counts to a value that stabilizes the measured CCDF curve.
3. Record the maximum PAPR level associated with a probability of 0.1%.



BUREAU
VERITAS

Test Report No.: W7L-240618W002RF06

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

4 PHOTOGRAPHS OF THE TEST CONFIGURATION

Please refer to the attached file (Test Setup Photo).



**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

5 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-240618W002RF06

6 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.



**BUREAU
VERITAS**

Test Report No.: W7L-240618W002RF06

7 APPENDIX

GSM 1900.

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result


Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM1900	512	2.62	13	PASS
GSM1900	661	2.61	13	PASS
GSM1900	810	2.63	13	PASS
EGPRS1900	512	5.31	13	PASS
EGPRS1900	661	5.24	13	PASS
EGPRS1900	810	5.32	13	PASS



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06

Test Graphs





BUREAU
VERITAS

Test Report No.: W7L-240618W002RF06



BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-240618W002RF06

26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result


Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM1900	512	0.24689	0.3089	---	PASS
GSM1900	661	0.24342	0.3169	---	PASS
GSM1900	810	0.24421	0.3119	---	PASS
EGPRS1900	512	0.25252	0.3122	---	PASS
EGPRS1900	661	0.25118	0.3202	---	PASS
EGPRS1900	810	0.25495	0.3177	---	PASS



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06

Test Graphs



BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China


Tel: +86 755 8869 6566
Fax: +86 755 8869 6577

Email: customerservice.sw@bureauveritas.com




BUREAU VERITAS

Test Report No.: W7L-240618W002RF06



EGPRS1900-661-2-PASS



EGPRS1900-810-2-PASS

BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-240618W002RF06

BAND EDGE

Test Result


Band	Channel	Freq (MHz)	Result (dBm)	Limit(dBm)	Verdict
GSM1900	512	1849.97	-28.32	-13	PASS
GSM1900	810	1910.02	-27.42	-13	PASS
EGPRS1900	512	1849.97	-36.19	-13	PASS
EGPRS1900	810	1910.00	-35.31	-13	PASS



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06

Test Graphs



BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577

Email: customerservice.sw@bureauveritas.com



CONDUCTED SPURIOUS EMISSION

Test Result

Band	Channel	Frequency Range(MHz)	Max.Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM1900	512	30~1000MHz	892.82	-49.93	-13	PASS
GSM1900	512	1000~10000MHz	3801.25	-31.98	-13	PASS
GSM1900	512	10000~20000MHz	19376.5	-38.54	-13	PASS
GSM1900	661	30~1000MHz	892.23	-49.94	-13	PASS
GSM1900	661	1000~10000MHz	3854.8	-31.93	-13	PASS
GSM1900	661	10000~20000MHz	19429	-38.49	-13	PASS
GSM1900	810	30~1000MHz	890.29	-49.92	-13	PASS
GSM1900	810	1000~10000MHz	3841.3	-31.81	-13	PASS
GSM1900	810	10000~20000MHz	19357.5	-38.47	-13	PASS
EGPRS1900	512	30~1000MHz	889.52	-49.91	-13	PASS
EGPRS1900	512	1000~10000MHz	3808	-31.88	-13	PASS
EGPRS1900	512	10000~20000MHz	19265.5	-38.48	-13	PASS
EGPRS1900	661	30~1000MHz	891.17	-49.89	-13	PASS
EGPRS1900	661	1000~10000MHz	3797.2	-31.88	-13	PASS
EGPRS1900	661	10000~20000MHz	19405	-38.52	-13	PASS
EGPRS1900	810	30~1000MHz	850.52	-49.92	-13	PASS
EGPRS1900	810	1000~10000MHz	3849.4	-31.94	-13	PASS
EGPRS1900	810	10000~20000MHz	19319.5	-38.51	-13	PASS



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06

Test Graphs



GSM1900-512-0-30~1000MHz-PASS



GSM1900-512-0-1000~10000MHz-PASS



GSM1900-512-0-10000~20000MHz-PASS



GSM1900-661-0-30~1000MHz-PASS

BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577

Email: customerservice.sw@bureauveritas.com



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06



BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China



Tel: +86 755 8869 6566 Fax: +86 755 8869 6577

Email: customerservice.sw@bureauveritas.com



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06



BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566 Fax: +86 755 8869 6577

Email: customerservice.sw@bureauveritas.com



BUREAU VERITAS


Test Report No.: W7L-240618W002RF06



EGPRS1900-661-2-30~1000MHz-PASS



EGPRS1900-661-2-1000~10000MHz-PASS



EGPRS1900-661-2-10000~20000MHz-PASS



EGPRS1900-810-2-30~1000MHz-PASS

BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577

Email: customerservice.sw@bureauveritas.com



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06



EGPRS1900-810-2-1000~10000MHz-PASS



EGPRS1900-810-2-1000~20000MHz-PASS

BV 7Layers Communications Technology (Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road, Zhaoshang Street, Nanshan District Shenzhen, Guangdong, People's Republic of China

Tel: +86 755 8869 6566
 Fax: +86 755 8869 6577
 Email: customerservice.sw@bureauveritas.com



FREQUENCY STABILITY

Test Result

Voltage									
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
GSM1900	512	VN	NT	980.00	0.529672	1850.07893	---	1850-1910	PASS
GSM1900	512	VL	NT	-370.00	-0.199978	1850.07797	---	1850-1910	PASS
GSM1900	512	VH	NT	-590.00	-0.318884	1850.07861	---	1850-1910	PASS
GSM1900	810	VN	NT	-450.00	-0.235627	---	1909.92298	1850-1910	PASS
GSM1900	810	VL	NT	790.00	0.413656	---	1909.923565	1850-1910	PASS
GSM1900	810	VH	NT	320.00	0.167557	---	1909.922135	1850-1910	PASS

Temperature									
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
GSM1900	512	NV	-30	330.00	0.178359	1850.078635	---	1850-1910	PASS
GSM1900	512	NV	-20	110.00	0.059453	1850.078565	---	1850-1910	PASS
GSM1900	512	NV	-10	1410.00	0.762080	1850.07898	---	1850-1910	PASS
GSM1900	512	NV	0	20.00	0.010810	1850.078135	---	1850-1910	PASS
GSM1900	512	NV	10	340.00	0.183764	1850.078275	---	1850-1910	PASS
GSM1900	512	NV	20	870.00	0.470219	1850.078585	---	1850-1910	PASS
GSM1900	512	NV	30	270.00	0.145930	1850.077895	---	1850-1910	PASS
GSM1900	512	NV	40	140.00	0.075667	1850.07738	---	1850-1910	PASS
GSM1900	512	NV	50	-700.00	-0.378337	1850.07712	---	1850-1910	PASS
GSM1900	810	NV	-30	700.00	0.366531	---	1909.923135	1850-1910	PASS
GSM1900	810	NV	-20	310.00	0.162321	---	1909.92238	1850-1910	PASS
GSM1900	810	NV	-10	1510.00	0.790659	---	1909.924865	1850-1910	PASS



BUREAU
VERITAS

Test Report No.: W7L-240618W002RF06

GSM190 0	810	NV	0	980.00	0.513143	---	1909.922 99	1850-191 0	PASS
GSM190 0	810	NV	10	590.00	0.308933	---	1909.923 805	1850-191 0	PASS
GSM190 0	810	NV	20	1000.00	0.523615	---	1909.923 5	1850-191 0	PASS
GSM190 0	810	NV	30	-630.00	-0.32987 7	---	1909.923 23	1850-191 0	PASS
GSM190 0	810	NV	40	810.00	0.424128	---	1909.922 535	1850-191 0	PASS
GSM190 0	810	NV	50	-320.00	-0.16755 7	---	1909.921 44	1850-191 0	PASS



Test Report No.: W7L-240618W002RF06

WCDMA BAND2

PEAK-TO-AVERAGE RATIO

Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dBm)	Verdict
Band2	9262	3.05	13	PASS
Band2	9400	3.1	13	PASS
Band2	9538	2.96	13	PASS



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06

Test Graphs





BUREAU
VERITAS

Test Report No.: W7L-240618W002RF06

26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(MHz)	Verdict
Band2	9262	4.1436	4.693	---	PASS
Band2	9400	4.1422	4.691	---	PASS
Band2	9538	4.1424	4.693	---	PASS



BUREAU VERITAS

Test Report No.: W7L-240618W002RF06

Test Graphs




Band2-9262-PASS



Band2-9400-PASS



Band2-9538-PASS





Test Report No.: W7L-240618W002RF06

BAND EDGE

Test Result

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1849.86	-27.23	-13	PASS
Band2	9538	1910.00	-28.47	-13	PASS