

Report No.: SEWM2309000395RG03

Rev.: 01 Page: 1 of 73

TEST REPORT

Application No.: SEWM2309000395RG

Applicant: Xiaomi Communications Co., Ltd.

Address of Applicant: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

Manufacturer: Xiaomi Communications Co., Ltd.

Address of Manufacturer: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

EUT Description: Mobile Phone **Model No.:** 23122PCD1G

Trade Mark: POCO

FCC ID: 2AFZZPCD1G

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

Date of Receipt: 2023/07/31 (for original report SEWM2307000261RG03)

2023/09/23 (for new report SEWM2309000395RG03)

Date of Test: 2023/08/05 to 2023/08/22 (for original report SEWM2307000261RG03)


2023/09/23 to 2023/10/09 (for new report SEWM2309000395RG03)

Date of Issue: 2023/10/27

Test Result : PASS *

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx. Actention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

5000 t (86–512) 62992980 5000 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 2 of 73

1 Version

| Revision Record | | | | | |
|--------------------------------------|--|------------|--|----------|--|
| Version Chapter Date Modifier Remark | | | | | |
| 01 | | 2023/10/27 | | Original | |

| Prepared By | (Ives Cheng) / Test Engineer |
|-------------|------------------------------|
| Checked By | Stone Gu) / Reviewer |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 3 of 73

2 Test Summary

| Test Item | FCC Rule No. | Test Method | Test Result | Result |
|---|-----------------------------|---|-------------|--------------------------|
| Antenna Requirement | 15.203/15.247(b) | | Clause 4.1 | PASS |
| AC Power Line Conducted Emission | 15.207 | ANSI C63.10-2020 Section 6.2 | Clause 4.3 | PASS |
| Conducted Peak Output Power | 15.247 (b)(1) | ANSI C63.10-2020 Section 11.9.1.2 | Clause 4.4 | PASS |
| 20dB Emission Bandwidth & 99% Occupied Bandwidth | 15.247 (a)(1) | ANSI C63.10-2020 Section 6.9.2/6.9.3 | Clause 4.5 | For Report Purpose |
| Carrier Frequencies Separation | 15.247 (a)(1) | ANSI C63.10-2020 Section 7.8.2 | Clause 4.6 | PASS |
| Hopping Channel Number | 15.247 (a)(1) | ANSI C63.10-2020 Section 7.8.3 | Clause 4.7 | PASS |
| Dwell Time | 15.247 (a)(1) | ANSI C63.10-2020 Section 7.8.4 | Clause 4.8 | PASS |
| Band-edge for RF Conducted Emissions | 15.247(d) | ANSI C63.10-2020 Section 7.8.7.2 | Clause 4.9 | PASS |
| RF Conducted Spurious Emissions | 15.247(d) | ANSI C63.10-2020 Section 7.8.7.1 | Clause 4.10 | PASS |
| Radiated Spurious emissions | 15.247(d); 15.205/15.209 | ANSI C63.10-2020 Section 6.4 / 6.5 / 6.6 | Clause 4.11 | PASS |
| Restricted bands around fundamental frequency (Radiated Emission) | 15.247(d); 15.205/15.209 | ANSI C63.10-2020 Section 6.10.5 | Clause 4.12 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 4 of 73

Remark for report SEWM2309000395RG03 issue on 2023/10/27:

This test report (Report No.: SEWM2309000395RG03 issue on 2023/10/27) is based on the original test report (Report No.: SEWM2307000261RG03 issue on 2023/08/25).

Review this report and original report, this report just changing the parts according to the declaration letter from client

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report the items of Power, Transmitter emission Above 1GHz and Restricted bands around fundamental frequency were performed based on the worst case of the original report with report number SEWM2307000261RG03 issue on 2023/08/25 and other test data in this report are based on the previous report with report number SEWM2307000261RG03 issue on 2023/08/25, the FCC ID of the original test report is 2AFZZRA50G.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.app.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.app. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 5 of 73

Contents

| 1 | Versio | n | 2 |
|---|---------|--|-----|
| 2 | Test S | Summary | 3 |
| 3 | Gener | al Information | 6 |
| | 3.1 | Details of Client | 6 |
| | 3.2 | Test Location | 6 |
| | 3.3 | Test Facility | 6 |
| | 3.4 | General Description of EUT | 7 |
| | 3.5 | Test Environment | 9 |
| | 3.6 | Description of Support Units | 9 |
| 4 | Test re | esults and Measurement Data | 10 |
| | 4.1 | Antenna Requirement | 10 |
| | 4.2 | Other requirements Frequency Hopping Spread Spectrum System Hopp | ing |
| | Seque | ence | 11 |
| | 4 | .2.1 Test Requirement: | 11 |
| | 4 | .2.2 Conclusion | 11 |
| | 4.3 | AC Power Line Conducted Emissions | 13 |
| | 4.4 | Conducted Output Power | 17 |
| | 4.5 | 20dB Emission Bandwidth & 99% Occupied Bandwidth | 18 |
| | 4.6 | Carrier Frequencies Separation | 19 |
| | 4.7 | Hopping Channel Number | 20 |
| | 4.8 | Dwell Time | 21 |
| | 4.9 | Band-edge for RF Conducted Emissions | 22 |
| | 4.10 | Spurious RF Conducted Emissions | 23 |
| | 4.11 | Radiated Spurious Emissions | 24 |
| | 4.12 | Restricted bands around fundamental frequency | 27 |
| 5 | Measu | rement Uncertainty (95% confidence levels, k=2) | 29 |
| 6 | Equipr | ment List | 30 |
| 7 | Photog | graphs - Setup Photos | 32 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 6 of 73

3 General Information

3.1 Details of Client

| Applicant: | Xiaomi Communications Co., Ltd. |
|--------------------------|---|
| Address of Applicant: | #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085 |
| Manufacturer: | Xiaomi Communications Co., Ltd. |
| Address of Manufacturer: | #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085 |

3.2 Test Location

| Company: | SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. | | |
|----------------|--|--|--|
| Address: | South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone | | |
| Post code: | 215000 | | |
| Test engineer: | Ives Cheng, Tizzy Song | | |

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 7 of 73

3.4 General Description of EUT

| EUT Description: | Mobile Phone | | | | |
|-----------------------|---|--|--|--|--|
| Model No.: | 23122PCD1G | | | | |
| Trade Mark: | POCO | POCO | | | |
| Hardware Version: | 13510N16 | | | | |
| Software Version: | MIUI 14 | | | | |
| Power Supply: | Lithium Battery (3.91V) | | | | |
| IMEI: | RF Conducted | IMEI1: 867837060041800 IMEI2: 867837060041818 | | | |
| IIVICI. | RSE & AC power line | IMEI1: 867837060041388 IMEI2: 867837060041396 | | | |
| Operation Frequency: | 2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78. | | | | |
| Bluetooth version: | Bluetooth V5.2 | | | | |
| Modulation Technique: | Frequency Hopping Spread Spectrum(FHSS) | | | | |
| Modulation Type: | GFSK, π/4DQPSK, 8DPS | SK . | | | |
| Number of Channel: | 79 | | | | |
| Hopping Channel Type: | Adaptive Frequency Hopp | oing systems | | | |
| Antenna Type: | IFA Antenna | | | | |
| | -3.1dBi (Ant10) | | | | |
| Antenna Gain: | Note: The antenna gain are derived from the gain information report provided by the manufacturer. | | | | |
| RF Cable: | 1.0dB | | | | |
| Pamark: | | | | | |



suitability, reliability or/and integrity of the information.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy,

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 8 of 73

| | Operation Frequency of each channel | | | | | | |
|---------|-------------------------------------|---------|-----------|---------|-----------|---------|-----------|
| Channel | Frequency | Channel | Frequency | Channel | Frequency | Channel | Frequency |
| 0 | 2402MHz | 20 | 2422MHz | 40 | 2442MHz | 60 | 2462MHz |
| 1 | 2403MHz | 21 | 2423MHz | 41 | 2443MHz | 61 | 2463MHz |
| 2 | 2404MHz | 22 | 2424MHz | 42 | 2444MHz | 62 | 2464MHz |
| 3 | 2405MHz | 23 | 2425MHz | 43 | 2445MHz | 63 | 2465MHz |
| 4 | 2406MHz | 24 | 2426MHz | 44 | 2446MHz | 64 | 2466MHz |
| 5 | 2407MHz | 25 | 2427MHz | 45 | 2447MHz | 65 | 2467MHz |
| 6 | 2408MHz | 26 | 2428MHz | 46 | 2448MHz | 66 | 2468MHz |
| 7 | 2409MHz | 27 | 2429MHz | 47 | 2449MHz | 67 | 2469MHz |
| 8 | 2410MHz | 28 | 2430MHz | 48 | 2450MHz | 68 | 2470MHz |
| 9 | 2411MHz | 29 | 2431MHz | 49 | 2451MHz | 69 | 2471MHz |
| 10 | 2412MHz | 30 | 2432MHz | 50 | 2452MHz | 70 | 2472MHz |
| 11 | 2413MHz | 31 | 2433MHz | 51 | 2453MHz | 71 | 2473MHz |
| 12 | 2414MHz | 32 | 2434MHz | 52 | 2454MHz | 72 | 2474MHz |
| 13 | 2415MHz | 33 | 2435MHz | 53 | 2455MHz | 73 | 2475MHz |
| 14 | 2416MHz | 34 | 2436MHz | 54 | 2456MHz | 74 | 2476MHz |
| 15 | 2417MHz | 35 | 2437MHz | 55 | 2457MHz | 75 | 2477MHz |
| 16 | 2418MHz | 36 | 2438MHz | 56 | 2458MHz | 76 | 2478MHz |
| 17 | 2419MHz | 37 | 2439MHz | 57 | 2459MHz | 77 | 2479MHz |
| 18 | 2420MHz | 38 | 2440MHz | 58 | 2460MHz | 78 | 2480MHz |
| 19 | 2421MHz | 39 | 2441MHz | 59 | 2461MHz | - | |

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

| Channel | Frequency |
|---------------------------|-----------|
| The Lowest channel(CH0) | 2402MHz |
| The Middle channel(CH39) | 2441MHz |
| The Highest channel(CH78) | 2480MHz |



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer worleral, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx tkention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content on ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the esults shown in this test report refer only to the sample(s) stated and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 9 of 73

3.5 Test Environment

NT: Normal Temperature

| Environment Parameter | 101.0 kPa Selected Values During Tests | | | | |
|----------------------------|--|--|--|--|--|
| Relative Humidity | 44-46 % RH Ambient | | | | |
| Value | Temperature(°C) Voltage(Vdc) | | | | |
| NTNV | 22~23 3.91 | | | | |
| Remark: NV: Normal Voltage | | | | | |

3.6 Description of Support Units

The EUT has been tested as an independent unit.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed worled a vailable on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sapx tkention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content on ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the seults shown in this test report refer only to the sample(s) serve and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 10 of 73

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is IFA Antenna and no consideration of replacement.

The best case gain of the antenna is -3.1dBi (Ant10). *

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.





Report No.: SEWM2309000395RG03

Rev.: 01 Page: 11 of 73

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudo randomly ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals. Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.


Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudo random sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.

- > Number of shift register stages: 9
- > Length of pseudo-random sequence: 29 -1 = 511 bits
- > Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

| 20 62 46 77 | 7 64 | 8 73 | 16.75 1 |
|-------------|-------|-------|---------|
| | | | |
| | 1 1 | | 111 |
| | 1 1 1 | 1 1 | |
| | () (| 1 1 1 | |

Each frequency used equally on the average by each transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is document for document for document for the first instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing funsection recover.**

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 12 of 73

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.app.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.app. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

215000 t (8 215000 t (8



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 13 of 73

4.3 AC Power Line Conducted Emissions

| Test Requirement: | 47 CFR Part 15C Section 15.207 | | | |
|-----------------------|---|--------------------------|-----------|--|
| Test Method: | ANSI C63.10-2020 Section 6.2 | | | |
| Test Frequency Range: | 150kHz to 30MHz | | | |
| Receiver Setup: | RBW = 9kHz, VBW = 30 |)kHz | | |
| Limit: | Fraguency range (MUz) | Limit (d | BuV) | |
| | Frequency range (MHz) | Quasi-peak | Average | |
| | 0.15-0.5 | 66 to 56* | 56 to 46* | |
| | 0.5-5 | 56 | 46 | |
| | 5-30 | 60 | 50 | |
| | * Decreases with the log | arithm of the frequency. | | |
| Test Procedure: | The mains terminal disturbance voltage test was conducted in a shielded room. The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane. The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10-2020 on conducted measurement. | | | |
| | | | | |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 14 of 73





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2309000395RG03

Rev.: 01 Page: 15 of 73

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



| Data | Data List | | | | | | | | | | |
|------|--------------------|----------------|-------------------------|-----------------------|-----------------------|----------------------|-------------------------|-----------------------|-----------------------|----------------------|---------|
| NO. | Frequency [MHz] | Factor [dB] | QP Reading [dBµV] | QP Value [dBµV] | QP Limit [dBµV] | QP Margin [dB] | AV Reading [dBµV] | AV Value [dBµV] | AV Limit [dBµV] | AV Margin [dB] | Verdict |
| 1 | 0.1860 | 11.68 | 14.97 | 26.65 | 64.21 | 37.56 | 8.97 | 20.65 | 54.21 | 33.56 | PASS |
| 2 | 0.2805 | 11.62 | 12.98 | 24.60 | 60.80 | 36.20 | 5.94 | 17.56 | 50.80 | 33.24 | PASS |
| 3 | 0.4965 | 11.60 | 7.87 | 19.47 | 56.06 | 36.59 | 1.57 | 13.17 | 46.06 | 32.89 | PASS |
| 4 | 0.7575 | 11.68 | 5.70 | 17.38 | 56.00 | 38.62 | 0.17 | 11.85 | 46.00 | 34.15 | PASS |
| 5 | 2.9535 | 11.74 | 5.00 | 16.74 | 56.00 | 39.26 | -0.58 | 11.16 | 46.00 | 34.84 | PASS |
| 6 | 7.6875 | 11.89 | 11.70 | 23.59 | 60.00 | 36.41 | 5.30 | 17.19 | 50.00 | 32.81 | PASS |

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBµV] Value[dBµV]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.ags.com/en/Terms-and-Conditions.ags and, for electronic Documents at <a href="https://www.ags.com/en/Terms-and-Conditions/Terms-and-Condi

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 16 of 73



| Data | Data List | | | | | | | | | | |
|------|--------------------|----------------|-------------------------|-----------------------|-----------------------|----------------------|-------------------------|-----------------------|-----------------------|----------------------|---------|
| NO. | Frequency [MHz] | Factor [dB] | QP Reading [dBµV] | QP Value [dBµV] | QP Limit [dBµV] | QP Margin [dB] | AV Reading [dBµV] | AV Value [dBµV] | AV Limit [dBµV] | AV Margin [dB] | Verdict |
| 1 | 0.1770 | 11.73 | 29.08 | 40.81 | 64.63 | 23.82 | 24.02 | 35.75 | 54.63 | 18.88 | PASS |
| 2 | 0.2805 | 11.62 | 13.54 | 25.16 | 60.80 | 35.64 | 6.80 | 18.42 | 50.80 | 32.38 | PASS |
| 3 | 1.3515 | 11.73 | 4.49 | 16.22 | 56.00 | 39.78 | -1.15 | 10.58 | 46.00 | 35.42 | PASS |
| 4 | 2.4630 | 11.73 | 4.54 | 16.27 | 56.00 | 39.73 | -1.01 | 10.72 | 46.00 | 35.28 | PASS |
| 5 | 5.2035 | 11.82 | 8.60 | 20.42 | 60.00 | 39.58 | 3.04 | 14.86 | 50.00 | 35.14 | PASS |
| 6 | 10.8015 | 11.88 | 10.82 | 22.70 | 60.00 | 37.30 | 3.88 | 15.76 | 50.00 | 34.24 | PASS |

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration from great parties to a paperance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 17 of 73

4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx.and, or electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-Cond


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 18 of 73

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 19 of 73

4.6 Carrier Frequencies Separation

| Test Requirement: | 47 CFR Part 15C Section 15.247 (a)(1) | | | | |
|-------------------------------|---|--|--|--|--|
| Test Method: | | | | | |
| | ANSI C63.10-2020 Section 7.8.2 | | | | |
| Test Setup: | PC Communication O O O O O O O O O O O O O O O O O O | | | | |
| Test Instruments: | Refer to section 6 for details | | | | |
| Exploratory Test Mode: | Hopping transmitting with all kind of modulation and all kind of data type. | | | | |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. | | | | |
| Limit: | 2/3 of the 20dB bandwidth | | | | |
| | Remark: the transmission power is less than 0.125W. | | | | |
| Test Results: | Pass | | | | |
| The detailed test data see: A | ppendix | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 20 of 73

4.7 Hopping Channel Number





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 21 of 73

4.8 Dwell Time





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 22 of 73

4.9 Band-edge for RF Conducted Emissions

| Test Requirement: | 47 CFR Part 15C Section 15.247 (d) | | | | | |
|-------------------------------|--|--|--|--|--|--|
| Test Method: | ANSI C63.10-2020 Section 7.8.7.2 | | | | | |
| Test Setup: | PC Spectrum Analyzer Spectrum Analyzer Communication Ref Control Unit Spectrum Analyzer Ref Control Unit Ref Control Unit | | | | | |
| Instruments Used: | Refer to section 6 for details | | | | | |
| Exploratory Test Mode: | Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type. | | | | | |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. | | | | | |
| Limit: | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. | | | | | |
| Test Results: | Pass | | | | | |
| The detailed test data see: A | ppendix | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 23 of 73

4.10 Spurious RF Conducted Emissions

| Test Requirement: | 47 CFR Part 15C Section 15.247 (d) | | | | |
|-------------------------------|---|--|--|--|--|
| Test Method: | ANSI C63.10-2020 Section 7.8.7.1 | | | | |
| Test Setup: | SGS Test system Sector Signal Generator | | | | |
| Instruments Used: | Refer to section 6 for details | | | | |
| Exploratory Test Mode: | Non-hopping transmitting with all kind of modulation and all kind of data type. | | | | |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. | | | | |
| Limit: | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. | | | | |
| Test Results: | Pass | | | | |
| The detailed test data see: A | ppendix | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000395RG03

Rev.: 01 Page: 24 of 73

4.11 Radiated Spurious Emissions

| Test Requirement: | 47 CFR Part 15C Section | 15.209 and 15.20 | 5 | | | | | |
|-------------------|--|------------------|----------|------------|-----|--|--|--|
| Test Method: | ANSI C63.10-2020 Section 6.4 / 6.5 / 6.6 | | | | | | | |
| Test Site: | Measurement Distance: 3 | m (Semi-Anechoic | Chamber) | | | | | |
| Test Frequency: | 9kHz ~ 25GHz | | | | | | | |
| Limit: | Frequency Field strength Limit Remark Measurement (dBuV/m) Measurement distance (m) | | | | | | | |
| | 0.009MHz-0.490MHz | 2400/F(kHz) | - | - | 300 | | | |
| | 0.490MHz-1.705MHz 24000/F(kHz) : | | | | | | | |
| | 1.705MHz-30MHz 30 | | | | | | | |
| | 30MHz-88MHz | 100 | 40.0 | Quasi-peak | 3 | | | |
| | 88MHz-216MHz | 150 | 43.5 | Quasi-peak | 3 | | | |
| | 216MHz-960MHz | 200 | 46.0 | Quasi-peak | 3 | | | |
| | 960MHz-1GHz | 500 | 54.0 | Quasi-peak | 3 | | | |
| | Above 1GHz 500 54.0 Average 3 | | | | | | | |
| | Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emilevel radiated by the device. | | | | | | | |

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 25 of 73




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
 - (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.
- j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
- k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
- I. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Test Configuration:

Measurements below 30MHz

- RBW = 10 kHz
- VBW = 30 kHz
- Detector = Peak & Average & Quasi-peak
- Trace mode = max hold

Measurements Below 1000MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi

South of No. 6 Plant, No. 1, Runsheng Road, Suthou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

5000 t (86–512) 62992980 5000 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 26 of 73

| | Fage. 200173 | | | |
|---|--|--|--|--|
| | • RBW = 120 kHz | | | |
| | • VBW = 300 kHz | | | |
| | Detector = Quasi-peak | | | |
| | Trace mode = max hold | | | |
| | Peak Measurements Above 1000 MHz | | | |
| | • RBW = 1 MHz | | | |
| | • VBW ≥ 3 MHz | | | |
| | Detector = Peak | | | |
| | Sweep time = auto | | | |
| | Trace mode = max hold | | | |
| | Average Measurements Above 1000MHz | | | |
| | Use duty cycle correction factor method per 15.35(c). | | | |
| Duty cycle = On time / 100 milliseconds | | | | |
| | On time = $N_1*L_1 + N_2*L_2+N_{N-1}*L_{N-1} + N_N*L_N$ | | | |
| | Where N_1 is number of type 1 pulese, L_1 is length of type 1 pulses, etc. | | | |
| | Average Value = Peak Value +20*log(Duty cycle). | | | |
| Exploratory Test | Non-hopping transmitting mode with all kind of modulation and all kind of | | | |
| Mode: | data type | | | |
| Wode. | Charge + Transmitting mode. | | | |
| | Through Pre-scan, find the | | | |
| | DH5 of data type and GFSK modulation is the worst case. | | | |
| Final Test Mode: | Pretest the EUT at Charge + Transmitting mode | | | |
| | For below 1GHz part, through pre-scan all channels, but only the worst case is | | | |
| | recorded in the report. | | | |
| Instruments Used: | Refer to section 6 for details | | | |
| Test Results: | Pass | | | |
| The detailed test data | a see: Appendix | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2309000395RG03

Rev.: 27 of 73 Page:

4.12 Restricted bands around fundamental frequency

| Test Requirement: | 47 CFR Part 15C Section 15.209 and 15.205 | | | | | | | |
|-------------------|---|--|---------------|--|--|--|--|--|
| Test Method: | ANSI C63.10-2020 Section 6.10.5 | | | | | | | |
| Test Site: | Measurement Distance: 3m | Measurement Distance: 3m (Semi-Anechoic Chamber) | | | | | | |
| Limit: | Frequency | Limit (dBuV/m) | Remark | | | | | |
| | 30MHz-88MHz | 40.0 | Quasi-peak | | | | | |
| | 88MHz-216MHz | 43.5 | Quasi-peak | | | | | |
| | 216MHz-960MHz | 46.0 | Quasi-peak | | | | | |
| | 960MHz-1GHz | 54.0 | Quasi-peak | | | | | |
| | Above 1GHz | 54.0 | Average Value | | | | | |
| | Above IGHZ | 74.0 | Peak Value | | | | | |

Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- Place a marker at the end of the restricted band closest to the transmit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-a

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 28 of 73

| | <u> </u> |
|----------------------------|---|
| | frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. |
| Test Configuration: | Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz |
| | RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz Use duty cycle correction factor method per 15.35(c). Duty cycle = On time / 100 milliseconds On time = N₁*L₁ + N₂*L₂+N_{N-1}*L_{N-1} + N_N*L_N Where N₁ is number of type 1 pulese, L₁ is length of type 1 pulses, etc. Average Value = Peak Value +20*log(Duty cycle). |
| Exploratory Test Mode: | Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode. |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report. |
| Instruments Used: | Refer to section 6 for details |
| Test Results: | Pass |
| The detailed test data see | e: Appendix |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exore exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com"

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 29 of 73

5 Measurement Uncertainty (95% confidence levels, k=2)

| No. | Item | Measurement Uncertainty | | |
|-----|-------------------------------|----------------------------|--|--|
| 1 | Total RF power, conducted | ±0.54dB | | |
| 2 | RF power density, conducted | ±1.03dB | | |
| 3 | Spurious emissions, conducted | ±0.54dB | | |
| 4 | Radio Frequency | ±1.0 % | | |
| 5 | Duty Cycle | ±0.37% | | |
| 6 | Occupied Bandwidth | ±1.0 % | | |
| 7 | Conduction Emission | ± 2.90dB (150kHz to 30MHz) | | |
| | | ± 3.13dB (9k to 30MHz) | | |
| 0 | Dadieted Enviser | ± 4.88dB (30M to 1GHz) | | |
| 8 | Radiated Emission | ± 4.75dB (1GHz to 18GHz) | | |
| | | ± 4.77dB (Above 18GHz) | | |
| | | | | |

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 30 of 73

6 Equipment List

| RF Test Equipment | | | | | | | |
|---|-------------------|--|---------------|---------------------------|---------------------------|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy/mm/dd) | Cal.Due date (yyyy/mm/dd) | | |
| Shielding Room | Brilliant-emc | N/A | SUWI-04-01-06 | 2021/05/08 | 2024/05/07 | | |
| Temperature and humidity meter | MingGao | TH101B | SUWI-01-01-07 | 2023/02/06 | 2024/02/05 | | |
| Measurement Software | Tonscend | JS1120-3 Test System V 3.3.20 | SUWI-02-09-09 | NCR | NCR | | |
| Signal Analyzer | ROHDE& SCHWARZ | FSW43 | SUWI-01-02-04 | 2023/05/11 | 2024/05/10 | | |
| Temperature Chamber | ESPEC | SU-242 | SUWI-01-13-01 | 2023/02/06 | 2024/02/05 | | |
| Wideband Radio Communication Tester | ROHDE&SCHWARZ | CMW500 | SUWI-01-16-05 | 2023/02/06 | 2024/02/05 | | |
| DC Power Supply | HYELEC | HY3005B | SUWI-01-18-01 | 2023/02/06 | 2024/02/05 | | |
| Power meter | Anritsu | ML2495A | SUWI-01-31-01 | 2022/11/23 | 2023/11/22 | | |
| Pulse power sensor | Anritsu | MA2411B | SUWI-01-32-01 | 2022/11/23 | 2023/11/22 | | |
| MXG Vector signal genitor | KEYSIGHT | N5182B | SUWI-01-38-01 | 2023/02/06 | 2024/02/05 | | |
| Signal Generator | ROHDE&SCHWARZ | SMM100A | SN:101716 | 2023/02/22 | 2024/02/21 | | |

| Conduction Test Equipment | | | | | | | |
|--------------------------------|---------------|---------------------|---------------|---------------------------|---------------------------|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy/mm/dd) | Cal.Due date (yyyy/mm/dd) | | |
| Shielding Room | Brilliant-emc | N/A | SUWI-04-03-01 | 2021/05/08 | 2024/05/07 | | |
| Test receiver | ROHDE&SCHWARZ | ESR7 | SUWI-01-10-01 | 2023/02/08 | 2024/02/07 | | |
| Temperature and humidity meter | MingGao | TH101B | SUWI-01-01-06 | 2023/02/07 | 2024/02/06 | | |
| Artificial network | ROHDE&SCHWARZ | ENV216 | SUWI-01-19-03 | 2023/02/08 | 2024/02/07 | | |
| Artificial network | ROHDE&SCHWARZ | ENV216 | SUWI-01-19-04 | 2023/02/08 | 2024/02/07 | | |
| Measurement Software | Tonscend | JS32-CE V4.0.0.2 | SUWI-02-09-05 | NCR | NCR | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 31 of 73

| r age. 31 0173 | | | | | | | | | | | |
|--------------------------------------|-------------------------------|---------------------|---------------|---------------------------|---------------------------|--|--|--|--|--|--|
| RSE Test System | | | | | | | | | | | |
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy/mm/dd) | Cal.Due date (yyyy/mm/dd) | | | | | | |
| Semi- Anechoic Chamber | Brilliant-emc | N/A | SUWI-04-02-02 | 2021/11/25 | 2024/11/24 | | | | | | |
| Temperature and humidity meter | MingGao | TH101B | SUWI-01-01-13 | 2023/02/07 | 2024/02/06 | | | | | | |
| Signal Analyzer | ROHDE&SCHWARZ | FSW43 | SUWI-01-02-04 | 2023/05/11 | 2024/05/10 | | | | | | |
| Signal Analyzer | KEYSIGHT | N9020A | SUWI-01-02-06 | 2022/11/23 | 2023/11/22 | | | | | | |
| Test receiver | ROHDE&SCHWARZ | ESR7 | SUWI-01-10-01 | 2023/02/08 | 2024/02/07 | | | | | | |
| Receiving antenna | SCHWRZBECK MESS-ELEKTRONIK | VULB 9168 | SUWI-01-11-04 | 2021/12/05 | 2023/12/04 | | | | | | |
| Receiving antenna | SCHWRZBECK MESS-ELEKTRONIK | BBHA 9120D | SUWI-01-11-05 | 2021/12/05 | 2023/12/04 | | | | | | |
| Receiving antenna | SCHWRZBECK MESS-ELEKTRONIK | BBHA 9170 | SUWI-01-11-03 | 2023/05/12 | 2024/05/11 | | | | | | |
| Active Loop Antenna | SCHWRZBECK MESS-ELEKTRONIK | FMZB 1519B | SUWI-01-21-01 | 2023/05/13 | 2024/05/12 | | | | | | |
| Amplifier | Tonscend | TAP9K3G32 | SUWI-01-14-06 | 2022/11/23 | 2023/11/22 | | | | | | |
| Amplifier | Tonscend | TAP01018050 | SUWI-01-14-04 | 2022/11/23 | 2023/11/22 | | | | | | |
| Amplifier | Tonscend | TAP30M7G30 | SUWI-01-14-05 | 2022/11/23 | 2023/11/22 | | | | | | |
| Measurement Software | Tonscend | JS32-RE V4.0.0.0 | SUWI-02-09-04 | NCR | NCR | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01

Page: 32 of 73

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWM2309000395RG03

Rev.: 01

Page: 33 of 73

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000

15000 t (86–512) 62992980 15000 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.:

Page: 34 of 73

20dB Emission Bandwidth **Test Result**

| TestMode | Antenna | Frequency[MHz] | 20dB EBW[MHz] | FL[MHz] | FH[MHz] | Verdict |
|----------|---------|----------------|---------------|----------|----------|---------|
| DH5 | Ant10 | 2402 | 0.951 | 2401.535 | 2402.486 | |
| DH5 | Ant10 | 2441 | 0.936 | 2440.541 | 2441.477 | |
| DH5 | Ant10 | 2480 | 0.945 | 2479.535 | 2480.480 | |
| 2DH5 | Ant10 | 2402 | 1.269 | 2401.382 | 2402.651 | For |
| 2DH5 | Ant10 | 2441 | 1.284 | 2440.364 | 2441.648 | Report |
| 2DH5 | Ant10 | 2480 | 1.287 | 2479.361 | 2480.648 | Purpose |
| 3DH5 | Ant10 | 2402 | 1.299 | 2401.349 | 2402.648 | |
| 3DH5 | Ant10 | 2441 | 1.302 | 2440.346 | 2441.648 | |
| 3DH5 | Ant10 | 2480 | 1.311 | 2479.343 | 2480.654 | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980


sgs.china@sgs.com



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 35 of 73

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents, subject to Terms and Conditions for Electronic Document as this://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 36 of 73





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing rinspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01

Page: 37 of 73

Occupied Channel Bandwidth Test Result

| TestMode | Antenna | Frequency[MHz] | OCB [MHz] | FL[MHz] | FH[MHz] | Verdict |
|----------|---------|----------------|-----------|-----------|-----------|---------|
| DH5 | Ant10 | 2402 | 0.83795 | 2401.5803 | 2402.4182 | |
| DH5 | Ant10 | 2441 | 0.82853 | 2440.5795 | 2441.4081 | |
| DH5 | Ant10 | 2480 | 0.83223 | 2479.5729 | 2480.4051 | |
| 2DH5 | Ant10 | 2402 | 1.1773 | 2401.4066 | 2402.5839 | For |
| 2DH5 | Ant10 | 2441 | 1.1778 | 2440.4060 | 2441.5838 | Report |
| 2DH5 | Ant10 | 2480 | 1.1761 | 2479.4068 | 2480.5829 | Purpose |
| 3DH5 | Ant10 | 2402 | 1.1789 | 2401.4088 | 2402.5877 | |
| 3DH5 | Ant10 | 2441 | 1.1763 | 2440.4106 | 2441.5869 | |
| 3DH5 | Ant10 | 2480 | 1.1974 | 2479.3941 | 2480.5915 | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com


South of No. 6 Plant, No. 1, Runshang Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 38 of 73

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Coument.aspx. As the service of the service of

South of No. 6 PPart, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (längsu) Plot Free Trate Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号约6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 39 of 73





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing rinspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 40 of 73

Maximum conducted output power for SEWM2307000261RG03 Test Result Peak

| Test Mode | Antenna | Frequency[MHz] | Conducted Peak Power[dBm] | Conducted Limit[dBm] | Verdict |
|--------------|---------|----------------|------------------------------|-------------------------|---------|
| DH5 | Ant10 | 2402 | 14.59 | ≤20.97 | PASS |
| DH5 | Ant10 | 2441 | 15.06 | ≤20.97 | PASS |
| DH5 | Ant10 | 2480 | 14.32 | ≤20.97 | PASS |
| 2DH5 | Ant10 | 2402 | 15.64 | ≤20.97 | PASS |
| 2DH5 | Ant10 | 2441 | 16.32 | ≤20.97 | PASS |
| 2DH5 | Ant10 | 2480 | 14.46 | ≤20.97 | PASS |
| 3DH5 | Ant10 | 2402 | 15.73 | ≤20.97 | PASS |
| 3DH5 | Ant10 | 2441 | 16.32 | ≤20.97 | PASS |
| 3DH5 | Ant10 | 2480 | 14.52 | ≤20.97 | PASS |

Maximum conducted output power for SEWM2309000395RG03 Test Result Peak

| Test Mode | Antenna | Frequency[MHz] | Conducted Peak Power[dBm] | Conducted Limit[dBm] | Verdict |
|--------------|---------|----------------|---------------------------|-------------------------|---------|
| DH5 | Ant10 | 2402 | 14.57 | ≤20.97 | PASS |
| DH5 | Ant10 | 2441 | 15.11 | ≤20.97 | PASS |
| DH5 | Ant10 | 2480 | 14.28 | ≤20.97 | PASS |
| 2DH5 | Ant10 | 2402 | 15.61 | ≤20.97 | PASS |
| 2DH5 | Ant10 | 2441 | 16.21 | ≤20.97 | PASS |
| 2DH5 | Ant10 | 2480 | 14.43 | ≤20.97 | PASS |
| 3DH5 | Ant10 | 2402 | 15.60 | ≤20.97 | PASS |
| 3DH5 | Ant10 | 2441 | 16.32 | ≤20.97 | PASS |
| 3DH5 | Ant10 | 2480 | 14.57 | ≤20.97 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01

Page: 41 of 73

Carrier frequency separation Test Result

| TestMode | Antenna | Hop/No Hop | Result[MHz] | Limit[MHz] | Verdict |
|----------|---------|------------|-------------|------------|---------|
| DH5 | Ant10 | Нор | 1.004 | ≥0.634 | PASS |
| 2DH5 | Ant10 | Нор | 1.02 | ≥0.858 | PASS |
| 3DH5 | Ant10 | Нор | 1.024 | ≥0.874 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000395RG03

Rev.: 01

Page: 42 of 73

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01

Page: 43 of 73

Time of occupancy Test Result

| TestMode | Antenna | Hop/No Hop | BurstWidth [ms] | TotalHops [Num] | Result[s] | Limit[s] | Verdict |
|----------|---------|------------|--------------------|--------------------|-----------|----------|---------|
| DH1 | Ant10 | Нор | 0.380 | 330 | 0.125 | ≤0.4 | PASS |
| DH3 | Ant10 | Нор | 1.630 | 170 | 0.277 | ≤0.4 | PASS |
| DH5 | Ant10 | Нор | 2.890 | 70 | 0.202 | ≤0.4 | PASS |
| 2DH1 | Ant10 | Нор | 0.380 | 330 | 0.125 | ≤0.4 | PASS |
| 2DH3 | Ant10 | Нор | 1.620 | 140 | 0.227 | ≤0.4 | PASS |
| 2DH5 | Ant10 | Нор | 2.870 | 90 | 0.258 | ≤0.4 | PASS |
| 3DH1 | Ant10 | Нор | 0.370 | 320 | 0.118 | ≤0.4 | PASS |
| 3DH3 | Ant10 | Нор | 1.610 | 190 | 0.306 | ≤0.4 | PASS |
| 3DH5 | Ant10 | Нор | 2.870 | 90 | 0.258 | ≤0.4 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com


South of No. 6 Plant, No. 1, Runsheng Rosel, Suzhou Industria/Park, Suzhou Area, Chine (Jangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州/F区苏州工业园区河胜路/日始6号/房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 44 of 73

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜廊1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980





Rev.: 01 Page: 45 of 73






South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 46 of 73





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Coument.aspx. As the service of the service of

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01

Page: 47 of 73

Number of hopping channels Test Result

| TestMode | Antenna | Hop/No Hop | Result[Num] | Limit[Num] | Verdict |
|----------|---------|------------|-------------|------------|---------|
| DH5 | Ant10 | Нор | 79 | ≥15 | PASS |
| 2DH5 | Ant10 | Нор | 79 | ≥15 | PASS |
| 3DH5 | Ant10 | Нор | 79 | ≥15 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pikot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000395RG03

Rev.: 01

Page: 48 of 73

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 49 of 73

Band edge measurements Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgeny or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 50 of 73





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents, subject to Terms and Conditions for Electronic Document as this://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 51 of 73

Conducted Spurious Emission Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 52 of 73





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 53 of 73 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 54 of 73





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgency or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 55 of 73





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing rinspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01

Page: 56 of 73

Duty Cycle Test Result

| TestMode | Antenna | Frequency[MHz] | ON Time [ms] | Period [ms] | Duty Cycle [%] | Duty Cycle Factor[dB] | |
|----------|---------|----------------|-----------------|----------------|-------------------|--------------------------|--|
| DH5 | Ant10 | 2402 | 2.89 | 3.75 | 77.07 | 1.13 | |

Note:

Duty cycle = on time / 100ms = 2 * 2.89 / 100 = 5.78% Duty cycle Correction factor = 20*log(Duty cycle) = -24.76dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions [Felctronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Cond

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980




Report No.: SEWM2309000395RG03

Rev.: 01

Page: 57 of 73

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000395RG03

Rev.: 01 Page: 58 of 73

Radiated Spurious Emissions Radiated emission below 1GHz

Worst case Mode: GFSK _Channel 78



| Data | Data List | | | | | | | | | | | | |
|------|--------------------|-------------------|----------------|--------------|----------------------|----------------------|-------------------|----------------|--------------|------------|--|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF [dB/m] | QP Value [dBµV/m] | QP Limit [dBµV/m] | QP Margin [dB] | Height [cm] | Angle [°] | Polarity | | | |
| 1 | 42.61 | 40.89 | -36.24 | 13.85 | 18.50 | 40.00 | 21.50 | 236 | 169 | Horizontal | | | |
| 2 | 55.9475 | 35.59 | -36.29 | 13.07 | 12.37 | 40.00 | 27.63 | 122 | 330 | Horizontal | | | |
| 3 | 72.68 | 38.16 | -36.28 | 10.41 | 12.29 | 40.00 | 27.71 | 148 | 120 | Horizontal | | | |
| 4 | 85.0475 | 38.82 | -36.03 | 9.37 | 12.15 | 40.00 | 27.85 | 158 | 281 | Horizontal | | | |
| 5 | 135.0025 | 41.23 | -35.59 | 13.15 | 18.79 | 43.50 | 24.71 | 179 | 360 | Horizontal | | | |
| 6 | 163.1325 | 41.19 | -35.26 | 14.22 | 20.15 | 43.50 | 23.35 | 163 | 360 | Horizontal | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration from great parties to a transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Part, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 59 of 73



| Data | Data List | | | | | | | | | | | | |
|------|--------------------|-------------------|----------------|--------------|----------------------|----------------------|-------------------|----------------|--------------|----------|--|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF [dB/m] | QP Value [dBµV/m] | QP Limit [dBµV/m] | QP Margin [dB] | Height [cm] | Angle [°] | Polarity | | | |
| 1 | 38.73 | 54.16 | -36.32 | 13.90 | 31.73 | 40.00 | 8.27 | 123 | 78 | Vertical | | | |
| 2 | 58.3725 | 43.22 | -36.36 | 12.88 | 19.74 | 40.00 | 20.26 | 261 | 239 | Vertical | | | |
| 3 | 80.925 | 46.29 | -35.70 | 9.30 | 19.89 | 40.00 | 20.11 | 154 | 349 | Vertical | | | |
| 4 | 125.3025 | 42.26 | -35.88 | 12.53 | 18.91 | 43.50 | 24.59 | 135 | 321 | Vertical | | | |
| 5 | 167.9825 | 51.03 | -35.18 | 14.36 | 30.21 | 43.50 | 13.29 | 198 | 330 | Vertical | | | |
| 6 | 460.9225 | 47.29 | -33.15 | 16.09 | 30.23 | 46.00 | 15.77 | 185 | 249 | Vertical | | | |

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading(dB μ V) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Value($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 60 of 73

Transmitter emission Above 1GHz GFSK Channel 00



| Data | Data List | | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | | |
| 1 | 4804.0000 | 47.89 | 30.97 | -45.54 | 33.32 | 74.00 | 40.68 | 254 | 0 | Horizontal | | | |
| | 4804.0000 | - | - | - | 8.56 | 54.00 | 45.44 | - | - | - | | | |
| 2 | 7206.0000 | 46.31 | 35.78 | -43.44 | 38.65 | 74.00 | 35.35 | 123 | 127 | Horizontal | | | |
| | 7206.0000 | - | - | - | 13.89 | 54.00 | 40.11 | - | - | - | | | |
| 3 | 9608.0000 | 44.43 | 37.46 | -39.65 | 42.23 | 74.00 | 31.77 | 263 | 343 | Horizontal | | | |
| | 9608.0000 | - | - | - | 17.47 | 54.00 | 36.53 | - | - | - | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 61 of 73

GFSK_Channel 00



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 4804.0000 | 47.52 | 30.97 | -45.54 | 32.95 | 74.00 | 41.05 | 175 | 234 | Vertical | | |
| | 4804.0000 | - | - | - | 8.19 | 54.00 | 45.81 | - | - | - | | |
| 2 | 7206.0000 | 47.22 | 35.78 | -43.44 | 39.56 | 74.00 | 34.44 | 186 | 72 | Vertical | | |
| | 7206.0000 | - | - | - | 14.80 | 54.00 | 39.20 | - | - | - | | |
| 3 | 9608.0000 | 43.31 | 37.46 | -39.65 | 41.11 | 74.00 | 32.89 | 142 | 144 | Vertical | | |
| | 9608.0000 | - | - | - | 16.35 | 54.00 | 37.65 | - | - | - | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 62 of 73

GFSK_Channel 39



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 4882.0000 | 49.45 | 31.14 | -45.53 | 35.06 | 74.00 | 38.94 | 211 | 162 | Horizontal | | |
| | 4882.0000 | - | - | - | 10.30 | 54.00 | 43.70 | - | - | - | | |
| 2 | 7323.0000 | 46.78 | 36.10 | -43.67 | 39.21 | 74.00 | 34.79 | 106 | 90 | Horizontal | | |
| | 7323.0000 | - | - | - | 14.45 | 54.00 | 39.55 | - | - | - | | |
| 3 | 9764.0000 | 42.04 | 37.75 | -39.47 | 40.33 | 74.00 | 33.67 | 186 | 272 | Horizontal | | |
| | 9764.0000 | - | - | - | 15.57 | 54.00 | 38.43 | - | - | - | | |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 63 of 73

GFSK_Channel 39



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 4882.0000 | 49.40 | 31.14 | -45.53 | 35.01 | 74.00 | 38.99 | 284 | 216 | Vertical | | |
| | 4882.0000 | - | - | - | 10.25 | 54.00 | 43.75 | - | - | - | | |
| 2 | 7323.0000 | 47.97 | 36.10 | -43.67 | 40.40 | 74.00 | 33.60 | 120 | 54 | Vertical | | |
| | 7323.0000 | - | - | - | 15.64 | 54.00 | 38.36 | - | - | - | | |
| 3 | 9764.0000 | 42.55 | 37.75 | -39.47 | 40.84 | 74.00 | 33.16 | 213 | 343 | Vertical | | |
| | 9764.0000 | - | - | - | 16.08 | 54.00 | 37.92 | - | - | - | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Part, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000395RG03

Rev.: 01

Page: 64 of 73

GFSK_Channel 78



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 4960.0000 | 49.50 | 31.31 | -45.60 | 35.22 | 74.00 | 38.78 | 233 | 145 | Horizontal | | |
| | 4960.0000 | - | - | - | 10.46 | 54.00 | 43.54 | - | - | - | | |
| 2 | 7440.0000 | 46.47 | 36.43 | -43.30 | 39.60 | 74.00 | 34.40 | 148 | 54 | Horizontal | | |
| | 7440.0000 | - | - | - | 14.84 | 54.00 | 39.16 | - | - | - | | |
| 3 | 9920.0000 | 41.61 | 38.05 | -39.31 | 40.35 | 74.00 | 33.65 | 186 | 197 | Horizontal | | |
| | 9920.0000 | - | - | - | 15.59 | 54.00 | 38.41 | - | - | - | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000395RG03

Rev.: 01

Page: 65 of 73

GFSK_Channel 78



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 4960.0000 | 47.46 | 31.31 | -45.60 | 33.18 | 74.00 | 40.82 | 146 | 1 | Vertical | | |
| | 4960.0000 | - | - | - | 8.42 | 54.00 | 45.58 | - | - | - | | |
| 2 | 7440.0000 | 47.36 | 36.43 | -43.30 | 40.49 | 74.00 | 33.51 | 189 | 126 | Vertical | | |
| | 7440.0000 | - | - | - | 15.73 | 54.00 | 38.27 | - | - | - | | |
| 3 | 9920.0000 | 42.77 | 38.05 | -39.31 | 41.51 | 74.00 | 32.49 | 222 | 126 | Vertical | | |
| | 9920.0000 | - | - | - | 16.75 | 54.00 | 37.25 | - | - | - | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con




Report No.: SEWM2309000395RG03

Rev.: 01 Page: 66 of 73

Test on the worst case:

GFSK Channel 78



| Data | Data List | | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|--|--|--|--|--|
| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | | | | | |
| 1 | 4960.0000 | 47.43 | 31.31 | -45.60 | 33.15 | 74.00 | 40.85 | Horizontal | | | | | |
| | 4960.0000 | - | - | - | 8.39 | 54.00 | 45.61 | Horizontal | | | | | |
| 2 | 7440.0000 | 45.69 | 36.43 | -43.30 | 38.82 | 74.00 | 35.18 | Horizontal | | | | | |
| | 7440.0000 | - | - | - | 14.06 | 54.00 | 39.94 | Horizontal | | | | | |
| 3 | 9920.0000 | 37.64 | 38.05 | -39.31 | 36.38 | 74.00 | 37.62 | Horizontal | | | | | |
| | 9920.0000 | - | - | - | 11.62 | 54.00 | 42.38 | Horizontal | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 67 of 73 Page:

GFSK_Channel 78



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|--|--|--|--|
| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | | | | |
| 1 | 4960.0000 | 47.74 | 31.31 | -45.60 | 33.46 | 74.00 | 40.54 | Vertical | | | | |
| | 4960.0000 | - | - | - | 8.70 | 54.00 | 45.30 | Vertical | | | | |
| 2 | 7440.0000 | 45.44 | 36.43 | -43.30 | 38.57 | 74.00 | 35.43 | Vertical | | | | |
| | 7440.0000 | ı | ı | - | 13.81 | 54.00 | 40.19 | Vertical | | | | |
| 3 | 9920.0000 | 36.64 | 38.05 | -39.31 | 35.38 | 74.00 | 38.62 | Vertical | | | | |
| | 9920.0000 | - | - | - | 10.62 | 54.00 | 43.38 | Vertical | | | | |

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)






Report No.: SEWM2309000395RG03

Rev.: 01 Page: 68 of 73

Restricted bands around fundamental frequency

GFSK Channel 00



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2365.5967 | 39.70 | 26.92 | -23.57 | 43.05 | 74.00 | 30.95 | 156 | 40 | Horizontal | | |
| | 2365.5967 | - | - | - | 18.29 | 54.00 | 35.71 | - | - | - | | |
| 2 | 2376.6467 | 39.23 | 26.95 | -23.57 | 42.61 | 74.00 | 31.39 | 156 | 40 | Horizontal | | |
| | 2376.6467 | - | - | - | 17.85 | 54.00 | 36.15 | - | - | - | | |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 69 of 73

GFSK_Channel 00



| Data | Data List | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | |
| 1 | 2367.98 | 39.74 | 26.93 | -23.57 | 43.10 | 74.00 | 30.90 | 166 | 214 | Vertical | |
| | 2367.98 | - | - | - | 18.34 | 54.00 | 35.66 | - | - | - | |
| 2 | 2381.4567 | 39.53 | 26.97 | -23.57 | 42.93 | 74.00 | 31.07 | 166 | 214 | Vertical | |
| | 2381.4567 | - | - | 1 | 18.17 | 54.00 | 35.83 | ı | - | - | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 70 of 73

GFSK_Channel 78



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2483.59 | 52.01 | 27.25 | -23.54 | 55.72 | 74.00 | 18.28 | 126 | 357 | Horizontal | | |
| | 2483.59 | - | - | - | 30.96 | 54.00 | 23.04 | - | - | - | | |
| 2 | 2484.3925 | 49.63 | 27.26 | -23.54 | 53.34 | 74.00 | 20.66 | 126 | 357 | Horizontal | | |
| | 2484.3925 | - | - | - | 28.58 | 54.00 | 25.42 | - | - | - | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Part, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 71 of 73

GFSK_Channel 78



| Data | Data List | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|
| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | |
| 1 | 2483.8975 | 45.09 | 27.25 | -23.54 | 48.80 | 74.00 | 25.20 | 186 | 245 | Vertical | |
| | 2483.8975 | - | - | - | 24.04 | 54.00 | 29.96 | - | - | - | |
| 2 | 2486.5075 | 42.97 | 27.26 | -23.54 | 46.69 | 74.00 | 27.31 | 186 | 245 | Vertical | |
| | 2486.507 | - | - | - | 21.93 | 54.00 | 32.07 | ı | 1 | - | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000395RG03

Rev.: Page: 72 of 73

Test on the worst case:

GFSK Channel 78



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|--|--|--|--|
| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | | | | |
| 1 | 2483.6875 | 56.39 | 27.25 | -23.54 | 60.10 | 74.00 | 13.90 | Horizontal | | | | |
| | 2483.6875 | 1 | - | - | 35.34 | 54.00 | 18.66 | Horizontal | | | | |
| 2 | 2483.9275 | 55.96 | 27.25 | -23.54 | 59.67 | 74.00 | 14.33 | Horizontal | | | | |
| | 2483.9275 | - | - | - | 34.91 | 54.00 | 19.09 | Horizontal | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000395RG03

Rev.: 01 Page: 73 of 73

GFSK_Channel 78



| Data | Data List | | | | | | | | | | | |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|--|--|--|--|
| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | | | | |
| 1 | 2483.9125 | 42.83 | 27.25 | -23.54 | 46.54 | 74.00 | 27.46 | Vertical | | | | |
| | 2483.9125 | - | - | - | 21.78 | 54.00 | 32.22 | Vertical | | | | |
| 2 | 2484.97 | 42.50 | 27.26 | -23.54 | 46.21 | 74.00 | 27.79 | Vertical | | | | |
| | 2484.97 | - | - | - | 21.45 | 54.00 | 32.55 | Vertical | | | | |

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s