



Mode	42																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																							
ANT	CDD 9+11																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5760.39</td> <td>58.46</td> <td>68.30</td> <td>-9.84</td> <td>39.31</td> <td>34.91</td> <td>14.02</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>241 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.39	58.46	68.30	-9.84	39.31	34.91	14.02	29.78	0.00	100	241 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor		Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5760.39	58.46	68.30	-9.84	39.31	34.91	14.02	29.78	0.00	100	241 PEAK																													



42																																																							
Mode	Band Edge - L																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																						
ANT	CDD 9+11																																																						
Pol.	Vertical																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.51</td> <td>57.85</td> <td>74.00</td> <td>-16.15</td> <td>39.77</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>317</td> <td>93</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.71</td> <td>56.72</td> <td>68.30</td> <td>-11.58</td> <td>38.63</td> <td>34.53</td> <td>13.18</td> <td>29.62</td> <td>0.00</td> <td>317</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.51	57.85	74.00	-16.15	39.77	34.53	13.17	29.62	0.00	317	93	PEAK	2	5461.71	56.72	68.30	-11.58	38.63	34.53	13.18	29.62	0.00	317	93	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5459.51	57.85	74.00	-16.15	39.77	34.53	13.17	29.62	0.00	317	93	PEAK																																											
2	5461.71	56.72	68.30	-11.58	38.63	34.53	13.18	29.62	0.00	317	93	PEAK																																											
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>101.75</td> <td>-----</td> <td>-----</td> <td>83.65</td> <td>34.57</td> <td>13.22</td> <td>29.69</td> <td>0.00</td> <td>317</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	101.75	-----	-----	83.65	34.57	13.22	29.69	0.00	317	93	PEAK												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5550.00	101.75	-----	-----	83.65	34.57	13.22	29.69	0.00	317	93	PEAK																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.23</td> <td>46.49</td> <td>54.00</td> <td>-7.51</td> <td>28.41</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>317</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.23	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	317	93	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5458.23	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	317	93	AVERAGE																																											
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>92.65</td> <td>-----</td> <td>-----</td> <td>74.57</td> <td>34.58</td> <td>13.21</td> <td>29.71</td> <td>0.00</td> <td>317</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	92.65	-----	-----	74.57	34.58	13.21	29.71	0.00	317	93	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5550.00	92.65	-----	-----	74.57	34.58	13.21	29.71	0.00	317	93	AVERAGE																																											



Mode	42																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																								
ANT	CDD 9+11																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5762.32</td> <td>57.97</td> <td>68.30</td> <td>-10.33</td> <td>38.80</td> <td>34.92</td> <td>14.03</td> <td>29.78</td> <td>0.00</td> <td>317</td> <td>93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5762.32	57.97	68.30	-10.33	38.80	34.92	14.03	29.78	0.00	317	93 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5762.32	57.97	68.30	-10.33	38.80	34.92	14.03	29.78	0.00	317	93 PEAK																															



Mode	42																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																	
ANT	CDD 9+11																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>43.83</td> <td>74.00</td> <td>-30.17</td> <td>53.18</td> <td>38.16</td> <td>18.16</td> <td>65.67</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	43.83	74.00	-30.17	53.18	38.16	18.16	65.67	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>44.14</td> <td>74.00</td> <td>-29.86</td> <td>53.49</td> <td>38.16</td> <td>18.16</td> <td>65.67</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	44.14	74.00	-29.86	53.49	38.16	18.16	65.67	0.00	300	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11100.00	43.83	74.00	-30.17	53.18	38.16	18.16	65.67	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11100.00	44.14	74.00	-29.86	53.49	38.16	18.16	65.67	0.00	300	360	PEAK																																																																							



43																																											
Mode	Band Edge - L																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																										
ANT	CDD 9+11																																										
Pol.	Horizontal																																										
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue signal line with a sharp peak at approximately 5670 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 65.0 dBuV/m. Two vertical blue lines are marked at 5455.77 MHz and 5469.21 MHz.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.77</td> <td>56.94</td> <td>74.00</td> <td>-17.06</td> <td>38.86</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>237 PEAK</td> </tr> <tr> <td>2 5469.21</td> <td>57.06</td> <td>68.30</td> <td>-11.24</td> <td>38.96</td> <td>34.53</td> <td>13.20</td> <td>29.63</td> <td>0.00</td> <td>100</td> <td>237 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.77	56.94	74.00	-17.06	38.86	34.53	13.16	29.61	0.00	100	237 PEAK	2 5469.21	57.06	68.30	-11.24	38.96	34.53	13.20	29.63	0.00	100	237 PEAK
	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1 5455.77	56.94	74.00	-17.06	38.86	34.53	13.16	29.61	0.00	100	237 PEAK																																	
2 5469.21	57.06	68.30	-11.24	38.96	34.53	13.20	29.63	0.00	100	237 PEAK																																	
<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line with a sharp peak at approximately 5670 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>107.84</td> <td>89.52</td> <td>34.73</td> <td>13.38</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5670.00	107.84	89.52	34.73	13.38	29.79	0.00	100	237	PEAK													
Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1 5670.00	107.84	89.52	34.73	13.38	29.79	0.00	100	237	PEAK																																		
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue signal line with a sharp peak at approximately 5670 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.57</td> <td>46.54</td> <td>54.00</td> <td>-7.46</td> <td>28.46</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>237 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.57	46.54	54.00	-7.46	28.46	34.53	13.17	29.62	0.00	100	237 AVERAGE											
	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1 5459.57	46.54	54.00	-7.46	28.46	34.53	13.17	29.62	0.00	100	237 AVERAGE																																	
<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line with a sharp peak at approximately 5670 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>99.46</td> <td>81.16</td> <td>34.72</td> <td>13.37</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5670.00	99.46	81.16	34.72	13.37	29.79	0.00	100	237	AVERAGE													
Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1 5670.00	99.46	81.16	34.72	13.37	29.79	0.00	100	237	AVERAGE																																		



Mode	43																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																								
ANT	CDD 9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.96</td> <td>59.94</td> <td>68.30</td> <td>-8.36</td> <td>41.17</td> <td>34.84</td> <td>13.72</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>237 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5726.96	59.94	68.30	-8.36	41.17	34.84	13.72	29.79	0.00	100	237 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5726.96	59.94	68.30	-8.36	41.17	34.84	13.72	29.79	0.00	100	237 PEAK																															



43																																																							
Mode	Band Edge - L																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																						
ANT	CDD 9+11																																																						
Pol.	Vertical																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5411.27</td> <td>58.03</td> <td>74.00</td> <td>-15.97</td> <td>40.04</td> <td>34.51</td> <td>13.06</td> <td>29.58</td> <td>0.00</td> <td>326</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.57</td> <td>56.40</td> <td>68.30</td> <td>-11.90</td> <td>38.31</td> <td>34.53</td> <td>13.18</td> <td>29.62</td> <td>0.00</td> <td>326</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.27	58.03	74.00	-15.97	40.04	34.51	13.06	29.58	0.00	326	74	PEAK	2	5460.57	56.40	68.30	-11.90	38.31	34.53	13.18	29.62	0.00	326	74	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5411.27	58.03	74.00	-15.97	40.04	34.51	13.06	29.58	0.00	326	74	PEAK																																											
2	5460.57	56.40	68.30	-11.90	38.31	34.53	13.18	29.62	0.00	326	74	PEAK																																											
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>101.87</td> <td>-----</td> <td>-----</td> <td>83.49</td> <td>34.75</td> <td>13.42</td> <td>29.79</td> <td>0.00</td> <td>326</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.87	-----	-----	83.49	34.75	13.42	29.79	0.00	326	74	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5670.00	101.87	-----	-----	83.49	34.75	13.42	29.79	0.00	326	74	PEAK																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.29</td> <td>46.42</td> <td>54.00</td> <td>-7.58</td> <td>28.34</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>326</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.29	46.42	54.00	-7.58	28.34	34.53	13.17	29.62	0.00	326	74	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5459.29	46.42	54.00	-7.58	28.34	34.53	13.17	29.62	0.00	326	74	AVERAGE																																											
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>93.87</td> <td>-----</td> <td>-----</td> <td>75.55</td> <td>34.73</td> <td>13.38</td> <td>29.79</td> <td>0.00</td> <td>326</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.87	-----	-----	75.55	34.73	13.38	29.79	0.00	326	74	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5670.00	93.87	-----	-----	75.55	34.73	13.38	29.79	0.00	326	74	AVERAGE																																											







Mode	43																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																							
ANT	CDD 9+11																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5736.93</td> <td>58.04</td> <td>68.30</td> <td>-10.26</td> <td>39.16</td> <td>34.86</td> <td>13.81</td> <td>29.79</td> <td>0.00</td> <td>326 74 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5736.93	58.04	68.30	-10.26	39.16	34.86	13.81	29.79	0.00	326 74 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5736.93	58.04	68.30	-10.26	39.16	34.86	13.81	29.79	0.00	326 74 PEAK																															



Mode	43																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																	
ANT	CDD 9+11																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.99</td> <td>74.00</td> <td>-29.01</td> <td>53.89</td> <td>38.30</td> <td>18.34</td> <td>65.54</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.99	74.00	-29.01	53.89	38.30	18.34	65.54	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.28</td> <td>74.00</td> <td>-29.72</td> <td>53.18</td> <td>38.30</td> <td>18.34</td> <td>65.54</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.28	74.00	-29.72	53.18	38.30	18.34	65.54	0.00	300	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11340.00	44.99	74.00	-29.01	53.89	38.30	18.34	65.54	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11340.00	44.28	74.00	-29.72	53.18	38.30	18.34	65.54	0.00	300	360	PEAK																																																																							



		44																																																																																				
Mode	Band Edge - L																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																					
ANT	CDD 9+11																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue signal line with a sharp peak at approximately 5170 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at 65.0 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5000 to 5210 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5084.74</td> <td>59.85</td> <td>74.00</td> <td>-14.15</td> <td>42.44</td> <td>34.27</td> <td>12.39</td> <td>29.25</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5084.74	59.85	74.00	-14.15	42.44	34.27	12.39	29.25	0.00	100	117 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line with a sharp peak at approximately 5170 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at 65.0 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>104.97</td> <td>-----</td> <td>-----</td> <td>87.26</td> <td>34.50</td> <td>12.59</td> <td>29.38</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	104.97	-----	-----	87.26	34.50	12.59	29.38	0.00	100	117 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5084.74	59.85	74.00	-14.15	42.44	34.27	12.39	29.25	0.00	100	117 PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5210.00	104.97	-----	-----	87.26	34.50	12.59	29.38	0.00	100	117 PEAK																																																																												
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Horizontal polarization. The plot shows a blue signal line with a peak at approximately 5170 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at 48.8 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5000 to 5210 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5147.73</td> <td>49.16</td> <td>54.00</td> <td>-4.84</td> <td>31.59</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5147.73	49.16	54.00	-4.84	31.59	34.40	12.48	29.31	0.00	100	117 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Fundamental polarization. The plot shows a blue signal line with a peak at approximately 5170 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at 48.8 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>95.66</td> <td>-----</td> <td>-----</td> <td>77.94</td> <td>34.50</td> <td>12.60</td> <td>29.38</td> <td>0.00</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	95.66	-----	-----	77.94	34.50	12.60	29.38	0.00	100	117 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5147.73	49.16	54.00	-4.84	31.59	34.40	12.48	29.31	0.00	100	117 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5210.00	95.66	-----	-----	77.94	34.50	12.60	29.38	0.00	100	117 AVERAGE																																																																												



	44																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																								
ANT	CDD 9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5403.38</td> <td>57.41</td> <td>74.00</td> <td>-16.59</td> <td>39.44</td> <td>34.50</td> <td>13.04</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5403.38	57.41	74.00	-16.59	39.44	34.50	13.04	29.57	0.00	100	117 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5403.38	57.41	74.00	-16.59	39.44	34.50	13.04	29.57	0.00	100	117 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.60</td> <td>46.72</td> <td>54.00</td> <td>-7.28</td> <td>28.64</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5458.60	46.72	54.00	-7.28	28.64	34.53	13.17	29.62	0.00	100	117 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5458.60	46.72	54.00	-7.28	28.64	34.53	13.17	29.62	0.00	100	117 AVERAGE																															



	44																																																																																			
Mode	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																			
ANT	CDD 9+11																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.63</td> <td>59.91</td> <td>74.00</td> <td>-14.09</td> <td>42.34</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>309</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.63	59.91	74.00	-14.09	42.34	34.40	12.48	29.31	0.00	309	61	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>102.90</td> <td>-----</td> <td>-----</td> <td>85.18</td> <td>34.50</td> <td>12.60</td> <td>29.38</td> <td>0.00</td> <td>309</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.90	-----	-----	85.18	34.50	12.60	29.38	0.00	309	61	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.63	59.91	74.00	-14.09	42.34	34.40	12.48	29.31	0.00	309	61	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	102.90	-----	-----	85.18	34.50	12.60	29.38	0.00	309	61	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>48.31</td> <td>54.00</td> <td>-5.69</td> <td>30.74</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>309</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	48.31	54.00	-5.69	30.74	34.40	12.48	29.31	0.00	309	61	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>94.20</td> <td>-----</td> <td>-----</td> <td>76.49</td> <td>34.50</td> <td>12.57</td> <td>29.36</td> <td>0.00</td> <td>309</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.20	-----	-----	76.49	34.50	12.57	29.36	0.00	309	61	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.60	48.31	54.00	-5.69	30.74	34.40	12.48	29.31	0.00	309	61	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	94.20	-----	-----	76.49	34.50	12.57	29.36	0.00	309	61	AVERAGE																																																																								



Mode	44																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																														
ANT	CDD 9+11																																														
Pol.	Vertical	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5404.88</td> <td>58.30</td> <td>74.00</td> <td>-15.70</td> <td>40.33</td> <td>34.50</td> <td>13.04</td> <td>29.57</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>309 61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5404.88	58.30	74.00	-15.70	40.33	34.50	13.04	29.57	0.00									309 61 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5404.88	58.30	74.00	-15.70	40.33	34.50	13.04	29.57	0.00																																							
								309 61 PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5459.88</td> <td>46.63</td> <td>54.00</td> <td>-7.37</td> <td>28.55</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>309 61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5459.88	46.63	54.00	-7.37	28.55	34.53	13.17	29.62	0.00									309 61 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5459.88	46.63	54.00	-7.37	28.55	34.53	13.17	29.62	0.00																																							
								309 61 AVERAGE																																							





Mode	44																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																	
ANT	CDD 9+11																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>42.73</td> <td>68.30</td> <td>-25.57</td> <td>54.08</td> <td>37.46</td> <td>17.60</td> <td>66.41</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	42.73	68.30	-25.57	54.08	37.46	17.60	66.41	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>44.71</td> <td>68.30</td> <td>-23.59</td> <td>56.06</td> <td>37.46</td> <td>17.60</td> <td>66.41</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	44.71	68.30	-23.59	56.06	37.46	17.60	66.41	0.00	300	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10420.00	42.73	68.30	-25.57	54.08	37.46	17.60	66.41	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10420.00	44.71	68.30	-23.59	56.06	37.46	17.60	66.41	0.00	300	360	PEAK																																																																							



Mode	45																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5062.22</td> <td>59.03</td> <td>74.00</td> <td>-14.97</td> <td>41.68</td> <td>34.22</td> <td>12.37</td> <td>29.24</td> <td>0.00</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5062.22	59.03	74.00	-14.97	41.68	34.22	12.37	29.24	0.00	100	114 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>103.82</td> <td>-----</td> <td>-----</td> <td>86.07</td> <td>34.50</td> <td>12.73</td> <td>29.48</td> <td>0.00</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	103.82	-----	-----	86.07	34.50	12.73	29.48	0.00	100	114 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5062.22	59.03	74.00	-14.97	41.68	34.22	12.37	29.24	0.00	100	114 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5290.00	103.82	-----	-----	86.07	34.50	12.73	29.48	0.00	100	114 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5003.79</td> <td>47.61</td> <td>54.00</td> <td>-6.39</td> <td>30.37</td> <td>34.11</td> <td>12.33</td> <td>29.20</td> <td>0.00</td> <td>100</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5003.79	47.61	54.00	-6.39	30.37	34.11	12.33	29.20	0.00	100	114 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>94.94</td> <td>-----</td> <td>-----</td> <td>77.21</td> <td>34.50</td> <td>12.67</td> <td>29.44</td> <td>0.00</td> <td>100</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	94.94	-----	-----	77.21	34.50	12.67	29.44	0.00	100	114 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5003.79	47.61	54.00	-6.39	30.37	34.11	12.33	29.20	0.00	100	114 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5290.00	94.94	-----	-----	77.21	34.50	12.67	29.44	0.00	100	114 AVERAGE																																																																						



	45																																		
Mode	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																		
ANT	CDD 9+11																																		
Pol.	Horizontal	Fundamental																																	
Peak	 <table border="1" data-bbox="268 1126 778 1249"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.48</td> <td>61.47</td> <td>74.00</td> <td>-12.53</td> <td>43.61</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.48	61.47	74.00	-12.53	43.61	34.50	12.88	29.52	0.00	100	114 PEAK	Blank
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1 5352.48	61.47	74.00	-12.53	43.61	34.50	12.88	29.52	0.00	100	114 PEAK																									
Avg	 <table border="1" data-bbox="268 1805 778 1928"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.28</td> <td>49.33</td> <td>54.00</td> <td>-4.67</td> <td>31.47</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.28	49.33	54.00	-4.67	31.47	34.50	12.88	29.52	0.00	100	114 AVERAGE	Blank
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1 5352.28	49.33	54.00	-4.67	31.47	34.50	12.88	29.52	0.00	100	114 AVERAGE																									



Mode	45																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																			
ANT	CDD 9+11																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5029.43</td> <td>58.97</td> <td>74.00</td> <td>-15.03</td> <td>41.68</td> <td>34.16</td> <td>12.35</td> <td>29.22</td> <td>0.00</td> <td>316</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5029.43	58.97	74.00	-15.03	41.68	34.16	12.35	29.22	0.00	316	62	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>102.81</td> <td>-----</td> <td>-----</td> <td>85.08</td> <td>34.50</td> <td>12.68</td> <td>29.45</td> <td>0.00</td> <td>316</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.81	-----	-----	85.08	34.50	12.68	29.45	0.00	316	62	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5029.43	58.97	74.00	-15.03	41.68	34.16	12.35	29.22	0.00	316	62	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	102.81	-----	-----	85.08	34.50	12.68	29.45	0.00	316	62	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5004.72</td> <td>47.62</td> <td>54.00</td> <td>-6.38</td> <td>30.38</td> <td>34.11</td> <td>12.33</td> <td>29.20</td> <td>0.00</td> <td>316</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5004.72	47.62	54.00	-6.38	30.38	34.11	12.33	29.20	0.00	316	62	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>93.89</td> <td>-----</td> <td>-----</td> <td>76.15</td> <td>34.50</td> <td>12.68</td> <td>29.44</td> <td>0.00</td> <td>316</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.89	-----	-----	76.15	34.50	12.68	29.44	0.00	316	62	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5004.72	47.62	54.00	-6.38	30.38	34.11	12.33	29.20	0.00	316	62	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	93.89	-----	-----	76.15	34.50	12.68	29.44	0.00	316	62	AVERAGE																																																																								



	45																																		
Mode	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																		
ANT	CDD 9+11																																		
Pol.	Vertical	Fundamental																																	
Peak	<table border="1" data-bbox="268 1126 778 1249"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5355.37</td> <td>59.19</td> <td>74.00</td> <td>-14.81</td> <td>41.33</td> <td>34.50</td> <td>12.89</td> <td>29.53</td> <td>0.00</td> <td>316</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5355.37	59.19	74.00	-14.81	41.33	34.50	12.89	29.53	0.00	316	62 PEAK	Blank
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																										
1 5355.37	59.19	74.00	-14.81	41.33	34.50	12.89	29.53	0.00	316	62 PEAK																									
Avg	<table border="1" data-bbox="268 1803 778 1926"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5353.32</td> <td>47.52</td> <td>54.00</td> <td>-6.48</td> <td>29.66</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>316</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5353.32	47.52	54.00	-6.48	29.66	34.50	12.88	29.52	0.00	316	62 AVERAGE	Blank
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																										
1 5353.32	47.52	54.00	-6.48	29.66	34.50	12.88	29.52	0.00	316	62 AVERAGE																									



Mode	45																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																	
ANT	CDD 9+11																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.53</td> <td>68.30</td> <td>-23.77</td> <td>55.37</td> <td>37.64</td> <td>17.74</td> <td>66.22</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	44.53	68.30	-23.77	55.37	37.64	17.74	66.22	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.07</td> <td>68.30</td> <td>-24.23</td> <td>54.91</td> <td>37.64</td> <td>17.74</td> <td>66.22</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	44.07	68.30	-24.23	54.91	37.64	17.74	66.22	0.00	300	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10580.00	44.53	68.30	-23.77	55.37	37.64	17.74	66.22	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10580.00	44.07	68.30	-24.23	54.91	37.64	17.74	66.22	0.00	300	360	PEAK																																																																							



46																																																			
Mode	Band Edge - L																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																		
ANT	CDD 9+11																																																		
Pol.	Horizontal																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.26</td> <td>59.55</td> <td>74.00</td> <td>-14.45</td> <td>41.48</td> <td>34.53</td> <td>13.15</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.42</td> <td>61.87</td> <td>68.30</td> <td>-6.43</td> <td>43.78</td> <td>34.53</td> <td>13.18</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5451.26	59.55	74.00	-14.45	41.48	34.53	13.15	29.61	0.00	100	114	PEAK	2	5462.42	61.87	68.30	-6.43	43.78	34.53	13.18	29.62	0.00	100	114	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																												
1	5451.26	59.55	74.00	-14.45	41.48	34.53	13.15	29.61	0.00	100	114	PEAK																																							
2	5462.42	61.87	68.30	-6.43	43.78	34.53	13.18	29.62	0.00	100	114	PEAK																																							
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>103.60</td> <td>-----</td> <td>-----</td> <td>85.45</td> <td>34.55</td> <td>13.26</td> <td>29.66</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	103.60	-----	-----	85.45	34.55	13.26	29.66	0.00	100	114	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																												
1	5530.00	103.60	-----	-----	85.45	34.55	13.26	29.66	0.00	100	114	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.40</td> <td>49.48</td> <td>54.00</td> <td>-4.52</td> <td>31.40</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5453.40	49.48	54.00	-4.52	31.40	34.53	13.16	29.61	0.00	100	114	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																												
1	5453.40	49.48	54.00	-4.52	31.40	34.53	13.16	29.61	0.00	100	114	AVERAGE																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.51</td> <td>-----</td> <td>-----</td> <td>75.36</td> <td>34.55</td> <td>13.26</td> <td>29.66</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	93.51	-----	-----	75.36	34.55	13.26	29.66	0.00	100	114	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																												
1	5530.00	93.51	-----	-----	75.36	34.55	13.26	29.66	0.00	100	114	AVERAGE																																							



Mode	46																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																								
ANT	CDD 9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5747.50</td> <td>58.13</td> <td>68.30</td> <td>-10.17</td> <td>39.14</td> <td>34.88</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5747.50	58.13	68.30	-10.17	39.14	34.88	13.90	29.79	0.00	100	114 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5747.50	58.13	68.30	-10.17	39.14	34.88	13.90	29.79	0.00	100	114 PEAK																															



		46																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																						
ANT	CDD 9+11																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.16</td> <td>58.20</td> <td>74.00</td> <td>-15.80</td> <td>40.12</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>341</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.62</td> <td>58.16</td> <td>68.30</td> <td>-10.14</td> <td>40.06</td> <td>34.53</td> <td>13.20</td> <td>29.63</td> <td>0.00</td> <td>341</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.16	58.20	74.00	-15.80	40.12	34.53	13.16	29.61	0.00	341	68	PEAK	2	5469.62	58.16	68.30	-10.14	40.06	34.53	13.20	29.63	0.00	341	68	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>100.22</td> <td>-----</td> <td>-----</td> <td>82.07</td> <td>34.55</td> <td>13.26</td> <td>29.66</td> <td>0.00</td> <td>341</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	100.22	-----	-----	82.07	34.55	13.26	29.66	0.00	341	68	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5452.16	58.20	74.00	-15.80	40.12	34.53	13.16	29.61	0.00	341	68	PEAK																																																																																											
2	5469.62	58.16	68.30	-10.14	40.06	34.53	13.20	29.63	0.00	341	68	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5530.00	100.22	-----	-----	82.07	34.55	13.26	29.66	0.00	341	68	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.06</td> <td>47.27</td> <td>54.00</td> <td>-6.73</td> <td>29.19</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>341</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5453.06	47.27	54.00	-6.73	29.19	34.53	13.16	29.61	0.00	341	68	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.18</td> <td>-----</td> <td>-----</td> <td>73.03</td> <td>34.55</td> <td>13.26</td> <td>29.66</td> <td>0.00</td> <td>341</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	91.18	-----	-----	73.03	34.55	13.26	29.66	0.00	341	68	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5453.06	47.27	54.00	-6.73	29.19	34.53	13.16	29.61	0.00	341	68	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5530.00	91.18	-----	-----	73.03	34.55	13.26	29.66	0.00	341	68	AVERAGE																																																																																											



Mode	46																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																										
ANT	CDD 9+11																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5756.90</td> <td>57.68</td> <td>68.30</td> <td>-10.62</td> <td>38.56</td> <td>34.91</td> <td>13.99</td> <td>29.78</td> <td>0.00</td> <td>341</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.90	57.68	68.30	-10.62	38.56	34.91	13.99	29.78	0.00	341	68	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5756.90	57.68	68.30	-10.62	38.56	34.91	13.99	29.78	0.00	341	68	PEAK																															



Mode	46																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.42</td> <td>74.00</td> <td>-29.58</td> <td>53.85</td> <td>38.14</td> <td>18.13</td> <td>65.70</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	44.42	74.00	-29.58	53.85	38.14	18.13	65.70	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>43.48</td> <td>74.00</td> <td>-30.52</td> <td>52.91</td> <td>38.14</td> <td>18.13</td> <td>65.70</td> <td>0.00</td> <td>300</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	43.48	74.00	-30.52	52.91	38.14	18.13	65.70	0.00	300	360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11060.00	44.42	74.00	-29.58	53.85	38.14	18.13	65.70	0.00	100	360 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11060.00	43.48	74.00	-30.52	52.91	38.14	18.13	65.70	0.00	300	360 PEAK																																																																						



47																																																									
Mode	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																								
ANT	CDD 9+11																																																								
Pol.	Horizontal																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.62</td> <td>57.59</td> <td>74.00</td> <td>-16.41</td> <td>39.52</td> <td>34.53</td> <td>13.15</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.08</td> <td>57.73</td> <td>68.30</td> <td>-10.57</td> <td>39.65</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.62	57.59	74.00	-16.41	39.52	34.53	13.15	29.61	0.00	100	113	PEAK	2	5460.08	57.73	68.30	-10.57	39.65	34.53	13.17	29.62	0.00	100	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5451.62	57.59	74.00	-16.41	39.52	34.53	13.15	29.61	0.00	100	113	PEAK																																													
2	5460.08	57.73	68.30	-10.57	39.65	34.53	13.17	29.62	0.00	100	113	PEAK																																													
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>103.31</td> <td>-----</td> <td>-----</td> <td>85.26</td> <td>34.62</td> <td>13.19</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.31	-----	-----	85.26	34.62	13.19	29.76	0.00	100	113	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5610.00	103.31	-----	-----	85.26	34.62	13.19	29.76	0.00	100	113	PEAK																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>46.60</td> <td>54.00</td> <td>-7.40</td> <td>28.52</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	46.60	54.00	-7.40	28.52	34.53	13.17	29.62	0.00	100	113	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5459.76	46.60	54.00	-7.40	28.52	34.53	13.17	29.62	0.00	100	113	AVERAGE																																													
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>93.54</td> <td>-----</td> <td>-----</td> <td>75.49</td> <td>34.62</td> <td>13.19</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.54	-----	-----	75.49	34.62	13.19	29.76	0.00	100	113	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5610.00	93.54	-----	-----	75.49	34.62	13.19	29.76	0.00	100	113	AVERAGE																																													



Mode	47																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																								
ANT	CDD 9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5760.43</td> <td>57.91</td> <td>68.30</td> <td>-10.39</td> <td>38.76</td> <td>34.91</td> <td>14.02</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>113 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5760.43	57.91	68.30	-10.39	38.76	34.91	14.02	29.78	0.00	100	113 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5760.43	57.91	68.30	-10.39	38.76	34.91	14.02	29.78	0.00	100	113 PEAK																															



		47																																																																																																			
Mode	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																				
ANT	CDD 9+11																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5403.38</td> <td>57.79</td> <td>74.00</td> <td>-16.21</td> <td>39.82</td> <td>34.50</td> <td>13.04</td> <td>29.57</td> <td>0.00</td> <td>363</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.26</td> <td>57.51</td> <td>68.30</td> <td>-10.79</td> <td>39.41</td> <td>34.53</td> <td>13.20</td> <td>29.63</td> <td>0.00</td> <td>363</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.38	57.79	74.00	-16.21	39.82	34.50	13.04	29.57	0.00	363	63	PEAK	2	5469.26	57.51	68.30	-10.79	39.41	34.53	13.20	29.63	0.00	363	63	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>101.63</td> <td>-----</td> <td>-----</td> <td>83.58</td> <td>34.62</td> <td>13.19</td> <td>29.76</td> <td>0.00</td> <td>363</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.63	-----	-----	83.58	34.62	13.19	29.76	0.00	363	63	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5403.38	57.79	74.00	-16.21	39.82	34.50	13.04	29.57	0.00	363	63	PEAK																																																																																									
2	5469.26	57.51	68.30	-10.79	39.41	34.53	13.20	29.63	0.00	363	63	PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5610.00	101.63	-----	-----	83.58	34.62	13.19	29.76	0.00	363	63	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.72</td> <td>46.53</td> <td>54.00</td> <td>-7.47</td> <td>28.45</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>363</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.72	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	363	63	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>90.56</td> <td>-----</td> <td>-----</td> <td>72.51</td> <td>34.62</td> <td>13.19</td> <td>29.76</td> <td>0.00</td> <td>363</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.56	-----	-----	72.51	34.62	13.19	29.76	0.00	363	63	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.72	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	363	63	AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5610.00	90.56	-----	-----	72.51	34.62	13.19	29.76	0.00	363	63	AVERAGE																																																																																									



Mode	47																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																								
ANT	CDD 9+11																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5764.42</td> <td>57.62</td> <td>68.30</td> <td>-10.68</td> <td>38.43</td> <td>34.92</td> <td>14.05</td> <td>29.78</td> <td>0.00</td> <td>363</td> <td>63 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5764.42	57.62	68.30	-10.68	38.43	34.92	14.05	29.78	0.00	363	63 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5764.42	57.62	68.30	-10.68	38.43	34.92	14.05	29.78	0.00	363	63 PEAK																															



Mode	47																																																																														
	Harmonic																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																														
ANT	CDD 9+11																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>43.71</td> <td>74.00</td> <td>-30.29</td> <td>52.84</td> <td>38.23</td> <td>18.25</td> <td>65.61</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	43.71	74.00	-30.29	52.84	38.23	18.25	65.61	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>44.06</td> <td>74.00</td> <td>-29.94</td> <td>53.19</td> <td>38.23</td> <td>18.25</td> <td>65.61</td> <td>0.00</td> <td>300</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	44.06	74.00	-29.94	53.19	38.23	18.25	65.61	0.00	300
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11220.00	43.71	74.00	-30.29	52.84	38.23	18.25	65.61	0.00	100	360 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11220.00	44.06	74.00	-29.94	53.19	38.23	18.25	65.61	0.00	300	360 PEAK																																																																					



Mode	48																																																																																			
	Band Edge - L																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																			
ANT	CDD 9+11																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.13</td> <td>61.26</td> <td>74.00</td> <td>-12.74</td> <td>43.70</td> <td>34.39</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.13	61.26	74.00	-12.74	43.70	34.39	12.48	29.31	0.00	100	113	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>102.53</td> <td>-----</td> <td>-----</td> <td>84.79</td> <td>34.50</td> <td>12.68</td> <td>29.44</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	102.53	-----	-----	84.79	34.50	12.68	29.44	0.00	100	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5146.13	61.26	74.00	-12.74	43.70	34.39	12.48	29.31	0.00	100	113	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5250.00	102.53	-----	-----	84.79	34.50	12.68	29.44	0.00	100	113	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.38</td> <td>48.40</td> <td>54.00</td> <td>-5.60</td> <td>30.84</td> <td>34.39</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.38	48.40	54.00	-5.60	30.84	34.39	12.48	29.31	0.00	100	113	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>91.65</td> <td>-----</td> <td>-----</td> <td>73.93</td> <td>34.50</td> <td>12.64</td> <td>29.42</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.65	-----	-----	73.93	34.50	12.64	29.42	0.00	100	113	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5146.38	48.40	54.00	-5.60	30.84	34.39	12.48	29.31	0.00	100	113	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5250.00	91.65	-----	-----	73.93	34.50	12.64	29.42	0.00	100	113	AVERAGE																																																																								



	48																																								
Mode	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																								
ANT	CDD 9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1" data-bbox="268 1126 778 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.01</td> <td>61.37</td> <td>74.00</td> <td>-12.63</td> <td>43.51</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>113 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5353.01	61.37	74.00	-12.63	43.51	34.50	12.88	29.52	0.00	100	113 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5353.01	61.37	74.00	-12.63	43.51	34.50	12.88	29.52	0.00	100	113 PEAK																															
Avg	<table border="1" data-bbox="268 1803 778 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.67</td> <td>49.79</td> <td>54.00</td> <td>-4.21</td> <td>31.93</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>113 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5353.67	49.79	54.00	-4.21	31.93	34.50	12.88	29.52	0.00	100	113 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5353.67	49.79	54.00	-4.21	31.93	34.50	12.88	29.52	0.00	100	113 AVERAGE																															



	48																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																											
ANT	CDD 9+11																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.38</td> <td>59.29</td> <td>74.00</td> <td>-14.71</td> <td>41.73</td> <td>34.39</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>341</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5146.38	59.29	74.00	-14.71	41.73	34.39	12.48	29.31	0.00	341	64	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>100.41</td> <td>-----</td> <td>-----</td> <td>82.69</td> <td>34.50</td> <td>12.63</td> <td>29.41</td> <td>0.00</td> <td>341</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	100.41	-----	-----	82.69	34.50	12.63	29.41	0.00	341	64	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5146.38	59.29	74.00	-14.71	41.73	34.39	12.48	29.31	0.00	341	64	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5250.00	100.41	-----	-----	82.69	34.50	12.63	29.41	0.00	341	64	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5075.13</td> <td>48.24</td> <td>54.00</td> <td>-5.76</td> <td>30.86</td> <td>34.25</td> <td>12.38</td> <td>29.25</td> <td>0.00</td> <td>341</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5075.13	48.24	54.00	-5.76	30.86	34.25	12.38	29.25	0.00	341	64	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>91.36</td> <td>-----</td> <td>-----</td> <td>73.64</td> <td>34.50</td> <td>12.63</td> <td>29.41</td> <td>0.00</td> <td>341</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	91.36	-----	-----	73.64	34.50	12.63	29.41	0.00	341	64	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5075.13	48.24	54.00	-5.76	30.86	34.25	12.38	29.25	0.00	341	64	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5250.00	91.36	-----	-----	73.64	34.50	12.63	29.41	0.00	341	64	AVERAGE																																																																



Mode	48																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																							
ANT	CDD 9+11																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5402.36</td> <td>61.22</td> <td>74.00</td> <td>-12.78</td> <td>43.25</td> <td>34.50</td> <td>13.04</td> <td>29.57</td> <td>0.00</td> <td>341 64 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5402.36	61.22	74.00	-12.78	43.25	34.50	13.04	29.57	0.00	341 64 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5402.36	61.22	74.00	-12.78	43.25	34.50	13.04	29.57	0.00	341 64 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5376.11</td> <td>49.04</td> <td>54.00</td> <td>-4.96</td> <td>31.14</td> <td>34.50</td> <td>12.95</td> <td>29.55</td> <td>0.00</td> <td>341 64 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5376.11	49.04	54.00	-4.96	31.14	34.50	12.95	29.55	0.00	341 64 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5376.11	49.04	54.00	-4.96	31.14	34.50	12.95	29.55	0.00	341 64 AVERAGE																															



	48																																																																																	
Mode	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																	
ANT	CDD 9+11																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz. Two red lines represent 5G BAND 1-3 (Peak and Avg), and a blue line represents the noise floor. A vertical blue line is at approximately 11000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>42.98</td> <td>68.30</td> <td>-25.32</td> <td>54.08</td> <td>37.55</td> <td>17.67</td> <td>66.32</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	42.98	68.30	-25.32	54.08	37.55	17.67	66.32	0.00	100	360	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz. Two red lines represent 5G BAND 1-3 (Peak and Avg), and a blue line represents the noise floor. A vertical blue line is at approximately 11000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>43.15</td> <td>68.30</td> <td>-25.15</td> <td>54.25</td> <td>37.55</td> <td>17.67</td> <td>66.32</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	43.15	68.30	-25.15	54.25	37.55	17.67	66.32	0.00	300	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10500.00	42.98	68.30	-25.32	54.08	37.55	17.67	66.32	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10500.00	43.15	68.30	-25.15	54.25	37.55	17.67	66.32	0.00	300	360	PEAK																																																																							
Peak Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 18000 to 40000 MHz. Two red lines represent 5G BAND 1-3 (Peak and Avg), and a blue line represents the noise floor. Vertical blue lines are at approximately 31200 MHz and 35600 MHz.</p>	<p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 18000 to 40000 MHz. Two red lines represent 5G BAND 1-3 (Peak and Avg), and a blue line represents the noise floor. Vertical blue lines are at approximately 31200 MHz and 35600 MHz.</p>																																																																																



49																																																							
Mode	Band Edge - L																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																						
ANT	CDD 9+11																																																						
Pol.	Horizontal																																																						
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a signal level around 48.8 dBuV/m until 5438 MHz, then rising to a peak of approximately 97.5 dBuV/m between 5482 MHz and 5570 MHz. A red limit line is shown at 65.0 dBuV/m. Two vertical markers are present at 5438 MHz and 5463.64 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.62</td> <td>60.09</td> <td>74.00</td> <td>-13.91</td> <td>42.04</td> <td>34.52</td> <td>13.13</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>112</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.64</td> <td>58.84</td> <td>68.30</td> <td>-9.46</td> <td>40.75</td> <td>34.53</td> <td>13.18</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.62	60.09	74.00	-13.91	42.04	34.52	13.13	29.60	0.00	100	112	PEAK	2	5463.64	58.84	68.30	-9.46	40.75	34.53	13.18	29.62	0.00	100	112	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5443.62	60.09	74.00	-13.91	42.04	34.52	13.13	29.60	0.00	100	112	PEAK																																											
2	5463.64	58.84	68.30	-9.46	40.75	34.53	13.18	29.62	0.00	100	112	PEAK																																											
Fundamental	<p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a signal level around 48.8 dBuV/m until 5438 MHz, then rising to a peak of approximately 97.5 dBuV/m between 5482 MHz and 5570 MHz. A red limit line is shown at 65.0 dBuV/m. A vertical marker is present at 5570.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>100.28</td> <td>-----</td> <td>-----</td> <td>82.18</td> <td>34.57</td> <td>13.22</td> <td>29.69</td> <td>0.00</td> <td>100</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.28	-----	-----	82.18	34.57	13.22	29.69	0.00	100	112	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5570.00	100.28	-----	-----	82.18	34.57	13.22	29.69	0.00	100	112	PEAK																																											
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a signal level around 48.8 dBuV/m until 5438 MHz, then rising to a peak of approximately 97.5 dBuV/m between 5482 MHz and 5570 MHz. A red limit line is shown at 65.0 dBuV/m. A vertical marker is present at 5438 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.62</td> <td>48.89</td> <td>54.00</td> <td>-5.11</td> <td>30.81</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>112</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.62	48.89	54.00	-5.11	30.81	34.53	13.16	29.61	0.00	100	112	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5452.62	48.89	54.00	-5.11	30.81	34.53	13.16	29.61	0.00	100	112	AVERAGE																																											
Fundamental	<p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a signal level around 48.8 dBuV/m until 5438 MHz, then rising to a peak of approximately 97.5 dBuV/m between 5482 MHz and 5570 MHz. A red limit line is shown at 65.0 dBuV/m. A vertical marker is present at 5570.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>89.36</td> <td>-----</td> <td>-----</td> <td>71.34</td> <td>34.59</td> <td>13.17</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>112</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	89.36	-----	-----	71.34	34.59	13.17	29.74	0.00	100	112	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5570.00	89.36	-----	-----	71.34	34.59	13.17	29.74	0.00	100	112	AVERAGE																																											



Mode	49																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																								
ANT	CDD 9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5744.04</td> <td>59.48</td> <td>68.30</td> <td>-8.82</td> <td>40.52</td> <td>34.88</td> <td>13.87</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>112 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5744.04	59.48	68.30	-8.82	40.52	34.88	13.87	29.79	0.00	100	112 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5744.04	59.48	68.30	-8.82	40.52	34.88	13.87	29.79	0.00	100	112 PEAK																															



49																																																							
Mode	Band Edge - L																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																						
ANT	CDD 9+11																																																						
Pol.	Vertical																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.98</td> <td>59.66</td> <td>74.00</td> <td>-14.34</td> <td>41.59</td> <td>34.53</td> <td>13.15</td> <td>29.61</td> <td>0.00</td> <td>336</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.08</td> <td>58.98</td> <td>68.30</td> <td>-9.32</td> <td>40.89</td> <td>34.53</td> <td>13.18</td> <td>29.62</td> <td>0.00</td> <td>336</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.98	59.66	74.00	-14.34	41.59	34.53	13.15	29.61	0.00	336	67	PEAK	2	5464.08	58.98	68.30	-9.32	40.89	34.53	13.18	29.62	0.00	336	67	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5451.98	59.66	74.00	-14.34	41.59	34.53	13.15	29.61	0.00	336	67	PEAK																																											
2	5464.08	58.98	68.30	-9.32	40.89	34.53	13.18	29.62	0.00	336	67	PEAK																																											
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>98.22</td> <td>-----</td> <td>-----</td> <td>80.14</td> <td>34.58</td> <td>13.21</td> <td>29.71</td> <td>0.00</td> <td>336</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.22	-----	-----	80.14	34.58	13.21	29.71	0.00	336	67	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5570.00	98.22	-----	-----	80.14	34.58	13.21	29.71	0.00	336	67	PEAK																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5433.28</td> <td>48.38</td> <td>54.00</td> <td>-5.62</td> <td>30.35</td> <td>34.52</td> <td>13.11</td> <td>29.60</td> <td>0.00</td> <td>336</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.28	48.38	54.00	-5.62	30.35	34.52	13.11	29.60	0.00	336	67	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5433.28	48.38	54.00	-5.62	30.35	34.52	13.11	29.60	0.00	336	67	AVERAGE																																											
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>88.02</td> <td>-----</td> <td>-----</td> <td>69.97</td> <td>34.58</td> <td>13.19</td> <td>29.72</td> <td>0.00</td> <td>336</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.02	-----	-----	69.97	34.58	13.19	29.72	0.00	336	67	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5570.00	88.02	-----	-----	69.97	34.58	13.19	29.72	0.00	336	67	AVERAGE																																											



Mode	49																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																								
ANT	CDD 9+11																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5749.70</td> <td>58.29</td> <td>68.30</td> <td>-10.01</td> <td>39.27</td> <td>34.89</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>336</td> <td>67 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5749.70	58.29	68.30	-10.01	39.27	34.89	13.92	29.79	0.00	336	67 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5749.70	58.29	68.30	-10.01	39.27	34.89	13.92	29.79	0.00	336	67 PEAK																															






Mode	49																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																	
ANT	CDD 9+11																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>44.42</td> <td>74.00</td> <td>-29.58</td> <td>53.70</td> <td>38.18</td> <td>18.19</td> <td>65.65</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	44.42	74.00	-29.58	53.70	38.18	18.19	65.65	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>44.02</td> <td>74.00</td> <td>-29.98</td> <td>53.30</td> <td>38.18</td> <td>18.19</td> <td>65.65</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	44.02	74.00	-29.98	53.30	38.18	18.19	65.65	0.00	300	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11140.00	44.42	74.00	-29.58	53.70	38.18	18.19	65.65	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11140.00	44.02	74.00	-29.98	53.30	38.18	18.19	65.65	0.00	300	360	PEAK																																																																							



	50																																																																																																																								
Mode	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_Full RU_5745MHz																																																																																																																								
ANT	CDD 9+11																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5609.14</td> <td>58.53</td> <td>68.30</td> <td>-9.77</td> <td>40.49</td> <td>34.62</td> <td>13.18</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>57.03</td> <td>68.86</td> <td>-11.83</td> <td>38.80</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.20</td> <td>57.19</td> <td>105.35</td> <td>-48.16</td> <td>38.73</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.37</td> <td>61.14</td> <td>114.01</td> <td>-52.87</td> <td>42.43</td> <td>34.83</td> <td>13.67</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5609.14	58.53	68.30	-9.77	40.49	34.62	13.18	29.76	0.00	100	235	PEAK	2	5650.75	57.03	68.86	-11.83	38.80	34.69	13.32	29.78	0.00	100	235	PEAK	3	5700.20	57.19	105.35	-48.16	38.73	34.78	13.48	29.80	0.00	100	235	PEAK	4	5721.37	61.14	114.01	-52.87	42.43	34.83	13.67	29.79	0.00	100	235	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.58</td> <td>-----</td> <td>-----</td> <td>92.66</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	111.58	-----	-----	92.66	34.87	13.84	29.79	0.00	100	235	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5609.14	58.53	68.30	-9.77	40.49	34.62	13.18	29.76	0.00	100	235	PEAK																																																																																																													
2	5650.75	57.03	68.86	-11.83	38.80	34.69	13.32	29.78	0.00	100	235	PEAK																																																																																																													
3	5700.20	57.19	105.35	-48.16	38.73	34.78	13.48	29.80	0.00	100	235	PEAK																																																																																																													
4	5721.37	61.14	114.01	-52.87	42.43	34.83	13.67	29.79	0.00	100	235	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	111.58	-----	-----	92.66	34.87	13.84	29.79	0.00	100	235	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.84</td> <td>-----</td> <td>-----</td> <td>83.86</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	102.84	-----	-----	83.86	34.88	13.89	29.79	0.00	100	235	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	102.84	-----	-----	83.86	34.88	13.89	29.79	0.00	100	235	AVERAGE																																																																																																													



Mode	50																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_Full RU_5745MHz																																																																																																																											
ANT	CDD 9+11																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.61</td> <td>57.60</td> <td>68.30</td> <td>-10.70</td> <td>39.46</td> <td>34.66</td> <td>13.25</td> <td>29.77</td> <td>0.00</td> <td>300</td> <td>72 PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>56.00</td> <td>68.32</td> <td>-11.52</td> <td>38.57</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>72 PEAK</td> </tr> <tr> <td>3</td> <td>5701.94</td> <td>56.65</td> <td>105.84</td> <td>-49.19</td> <td>38.17</td> <td>34.78</td> <td>13.50</td> <td>29.80</td> <td>0.00</td> <td>300</td> <td>72 PEAK</td> </tr> <tr> <td>4</td> <td>5720.64</td> <td>60.09</td> <td>112.36</td> <td>-52.27</td> <td>41.39</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>72 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.61	57.60	68.30	-10.70	39.46	34.66	13.25	29.77	0.00	300	72 PEAK	2	5650.03	56.00	68.32	-11.52	38.57	34.69	13.32	29.78	0.00	300	72 PEAK	3	5701.94	56.65	105.84	-49.19	38.17	34.78	13.50	29.80	0.00	300	72 PEAK	4	5720.64	60.09	112.36	-52.27	41.39	34.83	13.66	29.79	0.00	300	72 PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.45</td> <td>-----</td> <td>-----</td> <td>89.40</td> <td>34.89</td> <td>13.94</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>72 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.45	-----	-----	89.40	34.89	13.94	29.78	0.00	300	72 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5631.61	57.60	68.30	-10.70	39.46	34.66	13.25	29.77	0.00	300	72 PEAK																																																																																																																	
2	5650.03	56.00	68.32	-11.52	38.57	34.69	13.32	29.78	0.00	300	72 PEAK																																																																																																																	
3	5701.94	56.65	105.84	-49.19	38.17	34.78	13.50	29.80	0.00	300	72 PEAK																																																																																																																	
4	5720.64	60.09	112.36	-52.27	41.39	34.83	13.66	29.79	0.00	300	72 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	100.45	-----	-----	89.40	34.89	13.94	29.78	0.00	300	72 PEAK																																																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.98</td> <td>-----</td> <td>-----</td> <td>81.06</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>72 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.98	-----	-----	81.06	34.87	13.84	29.79	0.00	300	72 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	99.98	-----	-----	81.06	34.87	13.84	29.79	0.00	300	72 AVERAGE																																																																																																																	



Mode	50																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_Full RU_5745MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>43.76</td> <td>74.00</td> <td>-30.24</td> <td>52.37</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	43.76	74.00	-30.24	52.37	38.39	18.46	65.46	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>43.67</td> <td>74.00</td> <td>-30.33</td> <td>52.28</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	43.67	74.00	-30.33	52.28	38.39	18.46	65.46	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11490.00	43.76	74.00	-30.24	52.37	38.39	18.46	65.46	0.00	100	360 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11490.00	43.67	74.00	-30.33	52.28	38.39	18.46	65.46	0.00	100	0 PEAK																																																																						



Mode	51																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_Full RU_5785MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>43.95</td> <td>74.00</td> <td>-30.05</td> <td>52.40</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	43.95	74.00	-30.05	52.40	38.44	18.52	65.41	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>43.80</td> <td>74.00</td> <td>-30.20</td> <td>52.25</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	43.80	74.00	-30.20	52.25	38.44	18.52	65.41	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	43.95	74.00	-30.05	52.40	38.44	18.52	65.41	0.00	100	360 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	43.80	74.00	-30.20	52.25	38.44	18.52	65.41	0.00	100	0 PEAK																																																																						



52																																																																																
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_Full RU_5825MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.75</td> <td>65.78</td> <td>116.03</td> <td>-50.25</td> <td>46.45</td> <td>35.00</td> <td>14.04</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.63</td> <td>57.62</td> <td>105.68</td> <td>-48.06</td> <td>38.39</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>57.08</td> <td>68.30</td> <td>-11.22</td> <td>38.02</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.38</td> <td>59.06</td> <td>68.30</td> <td>-9.24</td> <td>40.02</td> <td>35.19</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5852.75	65.78	116.03	-50.25	46.45	35.00	14.04	29.79	0.00	100	237	PEAK	2	5873.63	57.62	105.68	-48.06	38.39	35.11	13.91	29.79	0.00	100	237	PEAK	3	5925.00	57.08	68.30	-11.22	38.02	35.19	13.69	29.82	0.00	100	237	PEAK	4	5929.38	59.06	68.30	-9.24	40.02	35.19	13.68	29.83	0.00	100	237	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	5852.75	65.78	116.03	-50.25	46.45	35.00	14.04	29.79	0.00	100	237	PEAK																																																																				
2	5873.63	57.62	105.68	-48.06	38.39	35.11	13.91	29.79	0.00	100	237	PEAK																																																																				
3	5925.00	57.08	68.30	-11.22	38.02	35.19	13.69	29.82	0.00	100	237	PEAK																																																																				
4	5929.38	59.06	68.30	-9.24	40.02	35.19	13.68	29.83	0.00	100	237	PEAK																																																																				
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.11</td> <td>-----</td> <td>-----</td> <td>91.67</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	111.11	-----	-----	91.67	35.04	14.18	29.78	0.00	100	237	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	5825.00	111.11	-----	-----	91.67	35.04	14.18	29.78	0.00	100	237	PEAK																																																																				
Avg	Blank																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.51</td> <td>-----</td> <td>-----</td> <td>84.07</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	103.51	-----	-----	84.07	35.04	14.18	29.78	0.00	100	237	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	5825.00	103.51	-----	-----	84.07	35.04	14.18	29.78	0.00	100	237	AVERAGE																																																																				



	52																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_Full RU_5825MHz																																																																																																																											
ANT	CDD 9+11																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>57.43</td> <td>110.90</td> <td>-53.47</td> <td>38.12</td> <td>35.00</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>391</td> <td>72 PEAK</td> </tr> <tr> <td>2</td> <td>5871.25</td> <td>58.21</td> <td>106.35</td> <td>-48.14</td> <td>38.97</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>391</td> <td>72 PEAK</td> </tr> <tr> <td>3</td> <td>5923.63</td> <td>57.97</td> <td>69.31</td> <td>-11.34</td> <td>38.90</td> <td>35.19</td> <td>13.70</td> <td>29.82</td> <td>0.00</td> <td>391</td> <td>72 PEAK</td> </tr> <tr> <td>4</td> <td>5925.38</td> <td>58.18</td> <td>68.30</td> <td>-10.12</td> <td>39.12</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>391</td> <td>72 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	57.43	110.90	-53.47	38.12	35.00	14.02	29.79	0.00	391	72 PEAK	2	5871.25	58.21	106.35	-48.14	38.97	35.11	13.92	29.79	0.00	391	72 PEAK	3	5923.63	57.97	69.31	-11.34	38.90	35.19	13.70	29.82	0.00	391	72 PEAK	4	5925.38	58.18	68.30	-10.12	39.12	35.19	13.69	29.82	0.00	391	72 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.00</td> <td>-----</td> <td>-----</td> <td>88.36</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>391</td> <td>72 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.00	-----	-----	88.36	35.04	14.18	29.78	0.00	391	72 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5855.00	57.43	110.90	-53.47	38.12	35.00	14.02	29.79	0.00	391	72 PEAK																																																																																																																	
2	5871.25	58.21	106.35	-48.14	38.97	35.11	13.92	29.79	0.00	391	72 PEAK																																																																																																																	
3	5923.63	57.97	69.31	-11.34	38.90	35.19	13.70	29.82	0.00	391	72 PEAK																																																																																																																	
4	5925.38	58.18	68.30	-10.12	39.12	35.19	13.69	29.82	0.00	391	72 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	107.00	-----	-----	88.36	35.04	14.18	29.78	0.00	391	72 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.37</td> <td>-----</td> <td>-----</td> <td>80.93</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>391</td> <td>72 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.37	-----	-----	80.93	35.04	14.18	29.78	0.00	391	72 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	100.37	-----	-----	80.93	35.04	14.18	29.78	0.00	391	72 AVERAGE																																																																																																																	



Mode	52																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_Full RU_5825MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>43.96</td> <td>74.00</td> <td>-30.04</td> <td>52.26</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	43.96	74.00	-30.04	52.26	38.49	18.58	65.37	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>44.58</td> <td>74.00</td> <td>-29.42</td> <td>52.88</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	44.58	74.00	-29.42	52.88	38.49	18.58	65.37	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	43.96	74.00	-30.04	52.26	38.49	18.58	65.37	0.00	100	360 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	44.58	74.00	-29.42	52.88	38.49	18.58	65.37	0.00	100	0 PEAK																																																																						



53																																																																															
Mode	Band Edge																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																														
ANT	CDD 9+11																																																																														
Pol.	Horizontal																																																																														
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.70</td> <td>58.08</td> <td>68.30</td> <td>-10.22</td> <td>39.92</td> <td>34.67</td> <td>13.27</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> <tr> <td>2</td> <td>5651.91</td> <td>57.15</td> <td>69.72</td> <td>-12.57</td> <td>38.92</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> <tr> <td>3</td> <td>5719.92</td> <td>64.67</td> <td>110.88</td> <td>-46.21</td> <td>45.98</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>63.31</td> <td>111.04</td> <td>-47.73</td> <td>44.62</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5637.70	58.08	68.30	-10.22	39.92	34.67	13.27	29.78	0.00	100	234 PEAK	2	5651.91	57.15	69.72	-12.57	38.92	34.69	13.32	29.78	0.00	100	234 PEAK	3	5719.92	64.67	110.88	-46.21	45.98	34.82	13.66	29.79	0.00	100	234 PEAK	4	5720.06	63.31	111.04	-47.73	44.62	34.82	13.66	29.79	0.00	100	234 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																						
1	5637.70	58.08	68.30	-10.22	39.92	34.67	13.27	29.78	0.00	100	234 PEAK																																																																				
2	5651.91	57.15	69.72	-12.57	38.92	34.69	13.32	29.78	0.00	100	234 PEAK																																																																				
3	5719.92	64.67	110.88	-46.21	45.98	34.82	13.66	29.79	0.00	100	234 PEAK																																																																				
4	5720.06	63.31	111.04	-47.73	44.62	34.82	13.66	29.79	0.00	100	234 PEAK																																																																				
Fundamental	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.17</td> <td>-----</td> <td>-----</td> <td>92.12</td> <td>34.89</td> <td>13.94</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5745.00	111.17	-----	-----	92.12	34.89	13.94	29.78	0.00	100	234 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																						
1	5745.00	111.17	-----	-----	92.12	34.89	13.94	29.78	0.00	100	234 PEAK																																																																				
Avg	Blank																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.85</td> <td>-----</td> <td>-----</td> <td>82.80</td> <td>34.89</td> <td>13.94</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>234 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5745.00	101.85	-----	-----	82.80	34.89	13.94	29.78	0.00	100	234 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																						
1	5745.00	101.85	-----	-----	82.80	34.89	13.94	29.78	0.00	100	234 AVERAGE																																																																				



	53																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																											
ANT	CDD 9+11																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.17</td> <td>57.96</td> <td>68.30</td> <td>-10.34</td> <td>39.79</td> <td>34.67</td> <td>13.28</td> <td>29.78</td> <td>0.00</td> <td>313</td> <td>71 PEAK</td> </tr> <tr> <td>2</td> <td>5651.33</td> <td>57.31</td> <td>69.29</td> <td>-11.98</td> <td>39.08</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>313</td> <td>71 PEAK</td> </tr> <tr> <td>3</td> <td>5707.59</td> <td>58.45</td> <td>107.43</td> <td>-48.98</td> <td>39.90</td> <td>34.80</td> <td>13.55</td> <td>29.80</td> <td>0.00</td> <td>313</td> <td>71 PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>58.10</td> <td>111.04</td> <td>-52.94</td> <td>39.41</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>313</td> <td>71 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.17	57.96	68.30	-10.34	39.79	34.67	13.28	29.78	0.00	313	71 PEAK	2	5651.33	57.31	69.29	-11.98	39.08	34.69	13.32	29.78	0.00	313	71 PEAK	3	5707.59	58.45	107.43	-48.98	39.90	34.80	13.55	29.80	0.00	313	71 PEAK	4	5720.06	58.10	111.04	-52.94	39.41	34.82	13.66	29.79	0.00	313	71 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.24</td> <td>-----</td> <td>-----</td> <td>91.26</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>313</td> <td>71 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.24	-----	-----	91.26	34.88	13.89	29.79	0.00	313	71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5640.17	57.96	68.30	-10.34	39.79	34.67	13.28	29.78	0.00	313	71 PEAK																																																																																																																	
2	5651.33	57.31	69.29	-11.98	39.08	34.69	13.32	29.78	0.00	313	71 PEAK																																																																																																																	
3	5707.59	58.45	107.43	-48.98	39.90	34.80	13.55	29.80	0.00	313	71 PEAK																																																																																																																	
4	5720.06	58.10	111.04	-52.94	39.41	34.82	13.66	29.79	0.00	313	71 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	110.24	-----	-----	91.26	34.88	13.89	29.79	0.00	313	71 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.16</td> <td>-----</td> <td>-----</td> <td>81.18</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>313</td> <td>71 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.16	-----	-----	81.18	34.88	13.89	29.79	0.00	313	71 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	100.16	-----	-----	81.18	34.88	13.89	29.79	0.00	313	71 AVERAGE																																																																																																																	



Mode	53																																																																														
	Harmonic																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																														
ANT	CDD 9+11																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>43.59</td> <td>74.00</td> <td>-30.41</td> <td>52.20</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	43.59	74.00	-30.41	52.20	38.39	18.46	65.46	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.20</td> <td>74.00</td> <td>-29.80</td> <td>52.81</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	44.20	74.00	-29.80	52.81	38.39	18.46	65.46	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11490.00	43.59	74.00	-30.41	52.20	38.39	18.46	65.46	0.00	100	360 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11490.00	44.20	74.00	-29.80	52.81	38.39	18.46	65.46	0.00	100	0 PEAK																																																																					



Mode	54																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>43.68</td> <td>74.00</td> <td>-30.32</td> <td>52.13</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	43.68	74.00	-30.32	52.13	38.44	18.52	65.41	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>43.95</td> <td>74.00</td> <td>-30.05</td> <td>52.40</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	43.95	74.00	-30.05	52.40	38.44	18.52	65.41	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	43.68	74.00	-30.32	52.13	38.44	18.52	65.41	0.00	100	360 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	43.95	74.00	-30.05	52.40	38.44	18.52	65.41	0.00	100	0 PEAK																																																																						



Mode	55																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																														
ANT	CDD 9+11																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																													
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.13</td> <td>61.10</td> <td>112.89</td> <td>-51.79</td> <td>41.78</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>58.55</td> <td>105.30</td> <td>-46.75</td> <td>39.33</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.25</td> <td>55.92</td> <td>68.85</td> <td>-12.93</td> <td>36.86</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.50</td> <td>57.70</td> <td>68.30</td> <td>-10.60</td> <td>38.67</td> <td>35.21</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.13	61.10	112.89	-51.79	41.78	35.08	14.03	29.79	0.00	100	237	PEAK	2	5875.00	58.55	105.30	-46.75	39.33	35.11	13.90	29.79	0.00	100	237	PEAK	3	5924.25	55.92	68.85	-12.93	36.86	35.19	13.69	29.82	0.00	100	237	PEAK	4	5940.50	57.70	68.30	-10.60	38.67	35.21	13.66	29.84	0.00	100	237	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.37</td> <td>-----</td> <td>-----</td> <td>92.86</td> <td>35.03</td> <td>14.26</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.37	-----	-----	92.86	35.03	14.26	29.78	0.00	100	237	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.13	61.10	112.89	-51.79	41.78	35.08	14.03	29.79	0.00	100	237	PEAK																																																																																																																			
2	5875.00	58.55	105.30	-46.75	39.33	35.11	13.90	29.79	0.00	100	237	PEAK																																																																																																																			
3	5924.25	55.92	68.85	-12.93	36.86	35.19	13.69	29.82	0.00	100	237	PEAK																																																																																																																			
4	5940.50	57.70	68.30	-10.60	38.67	35.21	13.66	29.84	0.00	100	237	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	112.37	-----	-----	92.86	35.03	14.26	29.78	0.00	100	237	PEAK																																																																																																																			
Avg	Blank																																																																																																																														
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.98</td> <td>-----</td> <td>-----</td> <td>83.54</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.98	-----	-----	83.54	35.04	14.18	29.78	0.00	100	237	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	102.98	-----	-----	83.54	35.04	14.18	29.78	0.00	100	237	AVERAGE																																																																																																																			



Mode	55																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																			
ANT	CDD 9+11																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>57.53</td> <td>111.18</td> <td>-53.65</td> <td>38.22</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>305</td> <td>71 PEAK</td> </tr> <tr> <td>2</td> <td>5869.63</td> <td>58.89</td> <td>106.80</td> <td>-47.91</td> <td>39.65</td> <td>35.10</td> <td>13.93</td> <td>29.79</td> <td>0.00</td> <td>305</td> <td>71 PEAK</td> </tr> <tr> <td>3</td> <td>5924.50</td> <td>57.43</td> <td>68.67</td> <td>-11.24</td> <td>38.37</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>305</td> <td>71 PEAK</td> </tr> <tr> <td>4</td> <td>5925.63</td> <td>59.06</td> <td>68.30</td> <td>-9.24</td> <td>40.00</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>305</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.88	57.53	111.18	-53.65	38.22	35.08	14.02	29.79	0.00	305	71 PEAK	2	5869.63	58.89	106.80	-47.91	39.65	35.10	13.93	29.79	0.00	305	71 PEAK	3	5924.50	57.43	68.67	-11.24	38.37	35.19	13.69	29.82	0.00	305	71 PEAK	4	5925.63	59.06	68.30	-9.24	40.00	35.19	13.69	29.82	0.00	305	71 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.70</td> <td>-----</td> <td>-----</td> <td>89.26</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>305</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	108.70	-----	-----	89.26	35.04	14.18	29.78	0.00	305	71 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1	5854.88	57.53	111.18	-53.65	38.22	35.08	14.02	29.79	0.00	305	71 PEAK																																																																																																									
2	5869.63	58.89	106.80	-47.91	39.65	35.10	13.93	29.79	0.00	305	71 PEAK																																																																																																									
3	5924.50	57.43	68.67	-11.24	38.37	35.19	13.69	29.82	0.00	305	71 PEAK																																																																																																									
4	5925.63	59.06	68.30	-9.24	40.00	35.19	13.69	29.82	0.00	305	71 PEAK																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1	5825.00	108.70	-----	-----	89.26	35.04	14.18	29.78	0.00	305	71 PEAK																																																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.86</td> <td>-----</td> <td>-----</td> <td>80.42</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>305</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	99.86	-----	-----	80.42	35.04	14.18	29.78	0.00	305	71 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1	5825.00	99.86	-----	-----	80.42	35.04	14.18	29.78	0.00	305	71 AVERAGE																																																																																																									



Mode	55																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>52.69</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	44.39	74.00	-29.61	52.69	38.49	18.58	65.37	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.12</td> <td>74.00</td> <td>-28.88</td> <td>53.42</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	45.12	74.00	-28.88	53.42	38.49	18.58	65.37	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	44.39	74.00	-29.61	52.69	38.49	18.58	65.37	0.00	100	360 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	45.12	74.00	-28.88	53.42	38.49	18.58	65.37	0.00	100	0 PEAK																																																																						



Mode	56																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																						
ANT	CDD 9+11																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> <th>8</th> <th>9</th> <th>10</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5604.65</td> <td>59.05</td> <td>68.30</td> <td>-9.25</td> <td>41.03</td> <td>34.61</td> <td>13.17</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>235</td> </tr> <tr> <td>5653.32</td> <td>58.29</td> <td>70.77</td> <td>-12.48</td> <td>40.04</td> <td>34.70</td> <td>13.33</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>235</td> </tr> <tr> <td>5719.82</td> <td>65.26</td> <td>110.85</td> <td>-45.59</td> <td>46.57</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>235</td> </tr> <tr> <td>5720.59</td> <td>66.55</td> <td>112.25</td> <td>-45.70</td> <td>47.85</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>235</td> </tr> </tbody> </table>	Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	2	3	4	5	6	7	8	9	10	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	5604.65	59.05	68.30	-9.25	41.03	34.61	13.17	29.76	0.00	100	235	5653.32	58.29	70.77	-12.48	40.04	34.70	13.33	29.78	0.00	100	235	5719.82	65.26	110.85	-45.59	46.57	34.82	13.66	29.79	0.00	100	235	5720.59	66.55	112.25	-45.70	47.85	34.83	13.66	29.79	0.00	100	235	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> <th>8</th> <th>9</th> <th>10</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5755.00</td> <td>109.43</td> <td>-----</td> <td>-----</td> <td>90.30</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>235</td> </tr> </tbody> </table>	Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	2	3	4	5	6	7	8	9	10	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	5755.00	109.43	-----	-----	90.30	34.91	14.00	29.78	0.00	100	235
Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
1	2	3	4	5	6	7	8	9	10																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
5604.65	59.05	68.30	-9.25	41.03	34.61	13.17	29.76	0.00	100	235																																																																																																													
5653.32	58.29	70.77	-12.48	40.04	34.70	13.33	29.78	0.00	100	235																																																																																																													
5719.82	65.26	110.85	-45.59	46.57	34.82	13.66	29.79	0.00	100	235																																																																																																													
5720.59	66.55	112.25	-45.70	47.85	34.83	13.66	29.79	0.00	100	235																																																																																																													
Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
1	2	3	4	5	6	7	8	9	10																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
5755.00	109.43	-----	-----	90.30	34.91	14.00	29.78	0.00	100	235																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> <th>8</th> <th>9</th> <th>10</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5755.00</td> <td>98.81</td> <td>-----</td> <td>-----</td> <td>79.68</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>235</td> </tr> </tbody> </table>	Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	2	3	4	5	6	7	8	9	10	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	5755.00	98.81	-----	-----	79.68	34.91	14.00	29.78	0.00	100	235																																																																											
Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
1	2	3	4	5	6	7	8	9	10																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
5755.00	98.81	-----	-----	79.68	34.91	14.00	29.78	0.00	100	235																																																																																																													



Mode	56																																																																								
	Band Edge - R																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																								
ANT	CDD 9+11																																																																								
Pol.	Horizontal	Fundamental																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5854.84</td> <td>55.62</td> <td>111.26</td> <td>-55.64</td> <td>36.31</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> <tr> <td>2 5872.59</td> <td>58.25</td> <td>105.98</td> <td>-47.73</td> <td>39.02</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> <tr> <td>3 5924.65</td> <td>58.09</td> <td>68.56</td> <td>-10.47</td> <td>39.03</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> <tr> <td>4 5931.87</td> <td>58.79</td> <td>68.30</td> <td>-9.51</td> <td>39.74</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5854.84	55.62	111.26	-55.64	36.31	35.08	14.02	29.79	0.00	100	235 PEAK	2 5872.59	58.25	105.98	-47.73	39.02	35.11	13.91	29.79	0.00	100	235 PEAK	3 5924.65	58.09	68.56	-10.47	39.03	35.19	13.69	29.82	0.00	100	235 PEAK	4 5931.87	58.79	68.30	-9.51	39.74	35.20	13.68	29.83	0.00	100	235 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																	
1 5854.84	55.62	111.26	-55.64	36.31	35.08	14.02	29.79	0.00	100	235 PEAK																																																															
2 5872.59	58.25	105.98	-47.73	39.02	35.11	13.91	29.79	0.00	100	235 PEAK																																																															
3 5924.65	58.09	68.56	-10.47	39.03	35.19	13.69	29.82	0.00	100	235 PEAK																																																															
4 5931.87	58.79	68.30	-9.51	39.74	35.20	13.68	29.83	0.00	100	235 PEAK																																																															



Mode	56																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																															
ANT	CDD 9+11																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5631.93</td> <td>58.21</td> <td>68.30</td> <td>-10.09</td> <td>40.06</td> <td>34.66</td> <td>13.26</td> <td>29.77</td> <td>0.00</td> <td>342 74 PEAK</td> </tr> <tr> <td>2 5652.24</td> <td>56.29</td> <td>69.96</td> <td>-13.67</td> <td>38.06</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>342 74 PEAK</td> </tr> <tr> <td>3 5703.39</td> <td>57.22</td> <td>106.25</td> <td>-49.03</td> <td>38.72</td> <td>34.79</td> <td>13.51</td> <td>29.80</td> <td>0.00</td> <td>342 74 PEAK</td> </tr> <tr> <td>4 5720.44</td> <td>58.29</td> <td>111.89</td> <td>-53.60</td> <td>39.60</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>342 74 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5631.93	58.21	68.30	-10.09	40.06	34.66	13.26	29.77	0.00	342 74 PEAK	2 5652.24	56.29	69.96	-13.67	38.06	34.69	13.32	29.78	0.00	342 74 PEAK	3 5703.39	57.22	106.25	-49.03	38.72	34.79	13.51	29.80	0.00	342 74 PEAK	4 5720.44	58.29	111.89	-53.60	39.60	34.82	13.66	29.79	0.00	342 74 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>105.12</td> <td>-----</td> <td>-----</td> <td>85.99</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>342 74 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	105.12	-----	-----	85.99	34.91	14.00	29.78	0.00	342 74 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5631.93	58.21	68.30	-10.09	40.06	34.66	13.26	29.77	0.00	342 74 PEAK																																																																																																							
2 5652.24	56.29	69.96	-13.67	38.06	34.69	13.32	29.78	0.00	342 74 PEAK																																																																																																							
3 5703.39	57.22	106.25	-49.03	38.72	34.79	13.51	29.80	0.00	342 74 PEAK																																																																																																							
4 5720.44	58.29	111.89	-53.60	39.60	34.82	13.66	29.79	0.00	342 74 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5755.00	105.12	-----	-----	85.99	34.91	14.00	29.78	0.00	342 74 PEAK																																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>95.65</td> <td>-----</td> <td>-----</td> <td>76.52</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>342 74 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	95.65	-----	-----	76.52	34.91	14.00	29.78	0.00	342 74 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5755.00	95.65	-----	-----	76.52	34.91	14.00	29.78	0.00	342 74 AVERAGE																																																																																																							



Mode	56																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																
ANT	CDD 9+11																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.65</td> <td>56.36</td> <td>111.71</td> <td>-55.35</td> <td>37.04</td> <td>35.00</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>342</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.34</td> <td>57.71</td> <td>105.48</td> <td>-47.77</td> <td>38.49</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>342</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>56.09</td> <td>68.85</td> <td>-12.76</td> <td>37.03</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>342</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.52</td> <td>57.79</td> <td>68.30</td> <td>-10.51</td> <td>38.74</td> <td>35.21</td> <td>13.67</td> <td>29.83</td> <td>0.00</td> <td>342</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.65	56.36	111.71	-55.35	37.04	35.00	14.03	29.79	0.00	342	74	PEAK	2	5874.34	57.71	105.48	-47.77	38.49	35.11	13.90	29.79	0.00	342	74	PEAK	3	5924.26	56.09	68.85	-12.76	37.03	35.19	13.69	29.82	0.00	342	74	PEAK	4	5937.52	57.79	68.30	-10.51	38.74	35.21	13.67	29.83	0.00	342	74	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	5854.65	56.36	111.71	-55.35	37.04	35.00	14.03	29.79	0.00	342	74	PEAK																																																																					
2	5874.34	57.71	105.48	-47.77	38.49	35.11	13.90	29.79	0.00	342	74	PEAK																																																																					
3	5924.26	56.09	68.85	-12.76	37.03	35.19	13.69	29.82	0.00	342	74	PEAK																																																																					
4	5937.52	57.79	68.30	-10.51	38.74	35.21	13.67	29.83	0.00	342	74	PEAK																																																																					



Mode	56																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>43.41</td> <td>74.00</td> <td>-30.59</td> <td>51.97</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	43.41	74.00	-30.59	51.97	38.41	18.47	65.44	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.11</td> <td>74.00</td> <td>-29.89</td> <td>52.67</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	44.11	74.00	-29.89	52.67	38.41	18.47	65.44	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11510.00	43.41	74.00	-30.59	51.97	38.41	18.47	65.44	0.00	100	360 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11510.00	44.11	74.00	-29.89	52.67	38.41	18.47	65.44	0.00	100	0 PEAK																																																																						



57																																																																																			
Mode	Band Edge - L																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																		
ANT	CDD 9+11																																																																																		
Pol.	Horizontal																																																																																		
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5621.16</td> <td>58.58</td> <td>68.30</td> <td>-9.72</td> <td>40.49</td> <td>34.64</td> <td>13.22</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.41</td> <td>55.07</td> <td>68.61</td> <td>-13.54</td> <td>36.84</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.06</td> <td>57.52</td> <td>106.16</td> <td>-48.64</td> <td>39.02</td> <td>34.79</td> <td>13.51</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.42</td> <td>57.09</td> <td>111.86</td> <td>-54.77</td> <td>38.40</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5621.16	58.58	68.30	-9.72	40.49	34.64	13.22	29.77	0.00	100	240	PEAK	2	5650.41	55.07	68.61	-13.54	36.84	34.69	13.32	29.78	0.00	100	240	PEAK	3	5703.06	57.52	106.16	-48.64	39.02	34.79	13.51	29.80	0.00	100	240	PEAK	4	5720.42	57.09	111.86	-54.77	38.40	34.82	13.66	29.79	0.00	100	240	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5621.16	58.58	68.30	-9.72	40.49	34.64	13.22	29.77	0.00	100	240	PEAK																																																																							
2	5650.41	55.07	68.61	-13.54	36.84	34.69	13.32	29.78	0.00	100	240	PEAK																																																																							
3	5703.06	57.52	106.16	-48.64	39.02	34.79	13.51	29.80	0.00	100	240	PEAK																																																																							
4	5720.42	57.09	111.86	-54.77	38.40	34.82	13.66	29.79	0.00	100	240	PEAK																																																																							
Fundamental	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>110.60</td> <td>-----</td> <td>-----</td> <td>91.03</td> <td>34.99</td> <td>14.35</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	110.60	-----	-----	91.03	34.99	14.35	29.77	0.00	100	240	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5795.00	110.60	-----	-----	91.03	34.99	14.35	29.77	0.00	100	240	PEAK																																																																							
Avg	Blank																																																																																		
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>101.23</td> <td>-----</td> <td>-----</td> <td>81.66</td> <td>34.99</td> <td>14.35</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.23	-----	-----	81.66	34.99	14.35	29.77	0.00	100	240	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5795.00	101.23	-----	-----	81.66	34.99	14.35	29.77	0.00	100	240	AVERAGE																																																																							



Mode	57																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																
ANT	CDD 9+11																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.76</td> <td>57.43</td> <td>111.45</td> <td>-54.02</td> <td>38.11</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.91</td> <td>58.54</td> <td>105.33</td> <td>-46.79</td> <td>39.32</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.82</td> <td>57.20</td> <td>68.43</td> <td>-11.23</td> <td>38.14</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.99</td> <td>59.01</td> <td>68.30</td> <td>-9.29</td> <td>39.95</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.76	57.43	111.45	-54.02	38.11	35.08	14.03	29.79	0.00	100	240	PEAK	2	5874.91	58.54	105.33	-46.79	39.32	35.11	13.90	29.79	0.00	100	240	PEAK	3	5924.82	57.20	68.43	-11.23	38.14	35.19	13.69	29.82	0.00	100	240	PEAK	4	5926.99	59.01	68.30	-9.29	39.95	35.19	13.69	29.82	0.00	100	240	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	5854.76	57.43	111.45	-54.02	38.11	35.08	14.03	29.79	0.00	100	240	PEAK																																																																					
2	5874.91	58.54	105.33	-46.79	39.32	35.11	13.90	29.79	0.00	100	240	PEAK																																																																					
3	5924.82	57.20	68.43	-11.23	38.14	35.19	13.69	29.82	0.00	100	240	PEAK																																																																					
4	5926.99	59.01	68.30	-9.29	39.95	35.19	13.69	29.82	0.00	100	240	PEAK																																																																					



57																																																																																				
Mode	Band Edge - L																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																			
ANT	CDD 9+11																																																																																			
Pol.	Vertical																																																																																			
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.52</td> <td>57.82</td> <td>68.30</td> <td>-10.48</td> <td>39.69</td> <td>34.65</td> <td>13.25</td> <td>29.77</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>56.64</td> <td>68.90</td> <td>-12.26</td> <td>38.41</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.11</td> <td>56.74</td> <td>105.61</td> <td>-48.87</td> <td>38.27</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.42</td> <td>54.84</td> <td>111.86</td> <td>-57.02</td> <td>36.15</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.52	57.82	68.30	-10.48	39.69	34.65	13.25	29.77	0.00	308	90	PEAK	2	5650.80	56.64	68.90	-12.26	38.41	34.69	13.32	29.78	0.00	308	90	PEAK	3	5701.11	56.74	105.61	-48.87	38.27	34.78	13.49	29.80	0.00	308	90	PEAK	4	5720.42	54.84	111.86	-57.02	36.15	34.82	13.66	29.79	0.00	308	90	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5630.52	57.82	68.30	-10.48	39.69	34.65	13.25	29.77	0.00	308	90	PEAK																																																																								
2	5650.80	56.64	68.90	-12.26	38.41	34.69	13.32	29.78	0.00	308	90	PEAK																																																																								
3	5701.11	56.74	105.61	-48.87	38.27	34.78	13.49	29.80	0.00	308	90	PEAK																																																																								
4	5720.42	54.84	111.86	-57.02	36.15	34.82	13.66	29.79	0.00	308	90	PEAK																																																																								
Fundamental	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.95</td> <td>-----</td> <td>-----</td> <td>85.38</td> <td>34.99</td> <td>14.35</td> <td>29.77</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.95	-----	-----	85.38	34.99	14.35	29.77	0.00	308	90	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5795.00	104.95	-----	-----	85.38	34.99	14.35	29.77	0.00	308	90	PEAK																																																																								
Avg	Blank																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.12</td> <td>-----</td> <td>-----</td> <td>75.55</td> <td>34.99</td> <td>14.35</td> <td>29.77</td> <td>0.00</td> <td>308</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.12	-----	-----	75.55	34.99	14.35	29.77	0.00	308	90	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5795.00	95.12	-----	-----	75.55	34.99	14.35	29.77	0.00	308	90	AVERAGE																																																																								



Mode	57																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																
ANT	CDD 9+11																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.76</td> <td>56.53</td> <td>111.45</td> <td>-54.92</td> <td>37.21</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>2 5873.67</td> <td>58.07</td> <td>105.67</td> <td>-47.60</td> <td>38.84</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>3 5924.66</td> <td>59.39</td> <td>68.55</td> <td>-9.16</td> <td>40.33</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>4 5940.78</td> <td>59.12</td> <td>68.30</td> <td>-9.18</td> <td>40.09</td> <td>35.21</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>308</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.76	56.53	111.45	-54.92	37.21	35.08	14.03	29.79	0.00	308	90	PEAK	2 5873.67	58.07	105.67	-47.60	38.84	35.11	13.91	29.79	0.00	308	90	PEAK	3 5924.66	59.39	68.55	-9.16	40.33	35.19	13.69	29.82	0.00	308	90	PEAK	4 5940.78	59.12	68.30	-9.18	40.09	35.21	13.66	29.84	0.00	308	90	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1 5854.76	56.53	111.45	-54.92	37.21	35.08	14.03	29.79	0.00	308	90	PEAK																																																																						
2 5873.67	58.07	105.67	-47.60	38.84	35.11	13.91	29.79	0.00	308	90	PEAK																																																																						
3 5924.66	59.39	68.55	-9.16	40.33	35.19	13.69	29.82	0.00	308	90	PEAK																																																																						
4 5940.78	59.12	68.30	-9.18	40.09	35.21	13.66	29.84	0.00	308	90	PEAK																																																																						



	57																																																																																	
Mode	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																	
ANT	CDD 9+11																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>43.22</td> <td>74.00</td> <td>-30.78</td> <td>51.64</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	43.22	74.00	-30.78	51.64	38.45	18.53	65.40	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>43.69</td> <td>74.00</td> <td>-30.31</td> <td>52.11</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	43.69	74.00	-30.31	52.11	38.45	18.53	65.40	0.00	100	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11590.00	43.22	74.00	-30.78	51.64	38.45	18.53	65.40	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11590.00	43.69	74.00	-30.31	52.11	38.45	18.53	65.40	0.00	100	0	PEAK																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 31200.00</td> <td>43.22</td> <td>74.00</td> <td>-30.78</td> <td>51.64</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 31200.00	43.22	74.00	-30.78	51.64	38.45	18.53	65.40	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 31200.00</td> <td>43.69</td> <td>74.00</td> <td>-30.31</td> <td>52.11</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 31200.00	43.69	74.00	-30.31	52.11	38.45	18.53	65.40	0.00	100	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 31200.00	43.22	74.00	-30.78	51.64	38.45	18.53	65.40	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 31200.00	43.69	74.00	-30.31	52.11	38.45	18.53	65.40	0.00	100	0	PEAK																																																																							



58																																																																																
Mode	Band Edge - L																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.35</td> <td>59.12</td> <td>68.30</td> <td>-9.18</td> <td>40.96</td> <td>34.66</td> <td>13.27</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>239 PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>57.66</td> <td>68.60</td> <td>-10.94</td> <td>39.43</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>239 PEAK</td> </tr> <tr> <td>3</td> <td>5700.28</td> <td>65.26</td> <td>105.38</td> <td>-40.12</td> <td>46.80</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>239 PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>64.73</td> <td>111.41</td> <td>-46.68</td> <td>46.04</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>239 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.35	59.12	68.30	-9.18	40.96	34.66	13.27	29.77	0.00	100	239 PEAK	2	5650.40	57.66	68.60	-10.94	39.43	34.69	13.32	29.78	0.00	100	239 PEAK	3	5700.28	65.26	105.38	-40.12	46.80	34.78	13.48	29.80	0.00	100	239 PEAK	4	5720.23	64.73	111.41	-46.68	46.04	34.82	13.66	29.79	0.00	100	239 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5635.35	59.12	68.30	-9.18	40.96	34.66	13.27	29.77	0.00	100	239 PEAK																																																																					
2	5650.40	57.66	68.60	-10.94	39.43	34.69	13.32	29.78	0.00	100	239 PEAK																																																																					
3	5700.28	65.26	105.38	-40.12	46.80	34.78	13.48	29.80	0.00	100	239 PEAK																																																																					
4	5720.23	64.73	111.41	-46.68	46.04	34.82	13.66	29.79	0.00	100	239 PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>106.72</td> <td>-----</td> <td>-----</td> <td>87.67</td> <td>34.89</td> <td>13.94</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>239 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.72	-----	-----	87.67	34.89	13.94	29.78	0.00	100	239 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5775.00	106.72	-----	-----	87.67	34.89	13.94	29.78	0.00	100	239 PEAK																																																																					
Avg	Blank																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>97.67</td> <td>-----</td> <td>-----</td> <td>78.54</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>239 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.67	-----	-----	78.54	34.91	14.00	29.78	0.00	100	239 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5775.00	97.67	-----	-----	78.54	34.91	14.00	29.78	0.00	100	239 AVERAGE																																																																					



Mode	58																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																									
ANT	CDD 9+11																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>57.90</td> <td>112.15</td> <td>-54.25</td> <td>38.58</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.95</td> <td>60.10</td> <td>106.15</td> <td>-46.05</td> <td>40.86</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>57.01</td> <td>68.32</td> <td>-11.31</td> <td>37.95</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.20</td> <td>57.88</td> <td>68.30</td> <td>-10.42</td> <td>38.85</td> <td>35.21</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.45	57.90	112.15	-54.25	38.58	35.08	14.03	29.79	0.00	100	239	PEAK	2	5871.95	60.10	106.15	-46.05	40.86	35.11	13.92	29.79	0.00	100	239	PEAK	3	5924.98	57.01	68.32	-11.31	37.95	35.19	13.69	29.82	0.00	100	239	PEAK	4	5940.20	57.88	68.30	-10.42	38.85	35.21	13.66	29.84	0.00	100	239	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.45	57.90	112.15	-54.25	38.58	35.08	14.03	29.79	0.00	100	239	PEAK																																																														
2	5871.95	60.10	106.15	-46.05	40.86	35.11	13.92	29.79	0.00	100	239	PEAK																																																														
3	5924.98	57.01	68.32	-11.31	37.95	35.19	13.69	29.82	0.00	100	239	PEAK																																																														
4	5940.20	57.88	68.30	-10.42	38.85	35.21	13.66	29.84	0.00	100	239	PEAK																																																														



	58																																																																																																																																
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																
ANT	CDD 9+11																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.40</td> <td>58.13</td> <td>68.30</td> <td>-10.17</td> <td>40.00</td> <td>34.65</td> <td>13.25</td> <td>29.77</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>56.01</td> <td>68.60</td> <td>-12.59</td> <td>37.78</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.10</td> <td>57.94</td> <td>105.33</td> <td>-47.39</td> <td>39.48</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>56.89</td> <td>111.01</td> <td>-54.12</td> <td>38.20</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.40	58.13	68.30	-10.17	40.00	34.65	13.25	29.77	0.00	296	90	PEAK	2	5650.40	56.01	68.60	-12.59	37.78	34.69	13.32	29.78	0.00	296	90	PEAK	3	5700.10	57.94	105.33	-47.39	39.48	34.78	13.48	29.80	0.00	296	90	PEAK	4	5720.05	56.89	111.01	-54.12	38.20	34.82	13.66	29.79	0.00	296	90	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>104.02</td> <td>-----</td> <td>-----</td> <td>84.83</td> <td>34.92</td> <td>14.05</td> <td>29.78</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	104.02	-----	-----	84.83	34.92	14.05	29.78	0.00	296	90	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5629.40	58.13	68.30	-10.17	40.00	34.65	13.25	29.77	0.00	296	90	PEAK																																																																																																																					
2	5650.40	56.01	68.60	-12.59	37.78	34.69	13.32	29.78	0.00	296	90	PEAK																																																																																																																					
3	5700.10	57.94	105.33	-47.39	39.48	34.78	13.48	29.80	0.00	296	90	PEAK																																																																																																																					
4	5720.05	56.89	111.01	-54.12	38.20	34.82	13.66	29.79	0.00	296	90	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5775.00	104.02	-----	-----	84.83	34.92	14.05	29.78	0.00	296	90	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>92.39</td> <td>-----</td> <td>-----</td> <td>73.14</td> <td>34.93</td> <td>14.10</td> <td>29.78</td> <td>0.00</td> <td>296</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.39	-----	-----	73.14	34.93	14.10	29.78	0.00	296	90	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5775.00	92.39	-----	-----	73.14	34.93	14.10	29.78	0.00	296	90	AVERAGE																																																																																																																					



Mode	58																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																
ANT	CDD 9+11																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>57.52</td> <td>110.96</td> <td>-53.44</td> <td>38.21</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.93</td> <td>57.60</td> <td>105.32</td> <td>-47.72</td> <td>38.38</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>57.80</td> <td>68.45</td> <td>-10.65</td> <td>38.74</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5947.73</td> <td>58.77</td> <td>68.30</td> <td>-9.53</td> <td>39.74</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>296</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.98	57.52	110.96	-53.44	38.21	35.08	14.02	29.79	0.00	296	90	PEAK	2	5874.93	57.60	105.32	-47.72	38.38	35.11	13.90	29.79	0.00	296	90	PEAK	3	5924.80	57.80	68.45	-10.65	38.74	35.19	13.69	29.82	0.00	296	90	PEAK	4	5947.73	58.77	68.30	-9.53	39.74	35.22	13.65	29.84	0.00	296	90	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	5854.98	57.52	110.96	-53.44	38.21	35.08	14.02	29.79	0.00	296	90	PEAK																																																																					
2	5874.93	57.60	105.32	-47.72	38.38	35.11	13.90	29.79	0.00	296	90	PEAK																																																																					
3	5924.80	57.80	68.45	-10.65	38.74	35.19	13.69	29.82	0.00	296	90	PEAK																																																																					
4	5947.73	58.77	68.30	-9.53	39.74	35.22	13.65	29.84	0.00	296	90	PEAK																																																																					



Mode	58																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																	
ANT	CDD 9+11																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>43.43</td> <td>74.00</td> <td>-30.57</td> <td>51.92</td> <td>38.43</td> <td>18.50</td> <td>65.42</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	43.43	74.00	-30.57	51.92	38.43	18.50	65.42	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>43.95</td> <td>74.00</td> <td>-30.05</td> <td>52.44</td> <td>38.43</td> <td>18.50</td> <td>65.42</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	43.95	74.00	-30.05	52.44	38.43	18.50	65.42	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11550.00	43.43	74.00	-30.57	51.92	38.43	18.50	65.42	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11550.00	43.95	74.00	-30.05	52.44	38.43	18.50	65.42	0.00	100	0	PEAK																																																																							



59																																																																																
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.86</td> <td>57.68</td> <td>68.30</td> <td>-10.62</td> <td>39.55</td> <td>34.65</td> <td>13.25</td> <td>29.77</td> <td>0.00</td> <td>102</td> <td>113 PEAK</td> </tr> <tr> <td>2</td> <td>5658.17</td> <td>56.09</td> <td>68.43</td> <td>-12.34</td> <td>37.86</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>102</td> <td>113 PEAK</td> </tr> <tr> <td>3</td> <td>5709.62</td> <td>62.50</td> <td>108.00</td> <td>-45.50</td> <td>43.93</td> <td>34.80</td> <td>13.57</td> <td>29.80</td> <td>0.00</td> <td>102</td> <td>113 PEAK</td> </tr> <tr> <td>4</td> <td>5721.22</td> <td>71.59</td> <td>113.68</td> <td>-42.09</td> <td>52.88</td> <td>34.83</td> <td>13.67</td> <td>29.79</td> <td>0.00</td> <td>102</td> <td>113 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.86	57.68	68.30	-10.62	39.55	34.65	13.25	29.77	0.00	102	113 PEAK	2	5658.17	56.09	68.43	-12.34	37.86	34.69	13.32	29.78	0.00	102	113 PEAK	3	5709.62	62.50	108.00	-45.50	43.93	34.80	13.57	29.80	0.00	102	113 PEAK	4	5721.22	71.59	113.68	-42.09	52.88	34.83	13.67	29.79	0.00	102	113 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5628.86	57.68	68.30	-10.62	39.55	34.65	13.25	29.77	0.00	102	113 PEAK																																																																					
2	5658.17	56.09	68.43	-12.34	37.86	34.69	13.32	29.78	0.00	102	113 PEAK																																																																					
3	5709.62	62.50	108.00	-45.50	43.93	34.80	13.57	29.80	0.00	102	113 PEAK																																																																					
4	5721.22	71.59	113.68	-42.09	52.88	34.83	13.67	29.79	0.00	102	113 PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>119.09</td> <td>-----</td> <td>-----</td> <td>100.17</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>102</td> <td>113 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	119.09	-----	-----	100.17	34.87	13.84	29.79	0.00	102	113 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	119.09	-----	-----	100.17	34.87	13.84	29.79	0.00	102	113 PEAK																																																																					
Avg	Blank																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.32</td> <td>-----</td> <td>-----</td> <td>91.40</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>102</td> <td>113 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.32	-----	-----	91.40	34.87	13.84	29.79	0.00	102	113 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	110.32	-----	-----	91.40	34.87	13.84	29.79	0.00	102	113 AVERAGE																																																																					



59																																																																																
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Vertical																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.80</td> <td>57.42</td> <td>68.30</td> <td>-10.88</td> <td>39.27</td> <td>34.66</td> <td>13.26</td> <td>29.77</td> <td>0.00</td> <td>300</td> <td>77 PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>54.18</td> <td>68.43</td> <td>-14.25</td> <td>35.95</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>77 PEAK</td> </tr> <tr> <td>3</td> <td>5718.76</td> <td>67.45</td> <td>110.55</td> <td>-43.10</td> <td>48.77</td> <td>34.82</td> <td>13.65</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>77 PEAK</td> </tr> <tr> <td>4</td> <td>5722.09</td> <td>70.60</td> <td>115.67</td> <td>-45.07</td> <td>51.88</td> <td>34.83</td> <td>13.68</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>77 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.80	57.42	68.30	-10.88	39.27	34.66	13.26	29.77	0.00	300	77 PEAK	2	5650.17	54.18	68.43	-14.25	35.95	34.69	13.32	29.78	0.00	300	77 PEAK	3	5718.76	67.45	110.55	-43.10	48.77	34.82	13.65	29.79	0.00	300	77 PEAK	4	5722.09	70.60	115.67	-45.07	51.88	34.83	13.68	29.79	0.00	300	77 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5634.80	57.42	68.30	-10.88	39.27	34.66	13.26	29.77	0.00	300	77 PEAK																																																																					
2	5650.17	54.18	68.43	-14.25	35.95	34.69	13.32	29.78	0.00	300	77 PEAK																																																																					
3	5718.76	67.45	110.55	-43.10	48.77	34.82	13.65	29.79	0.00	300	77 PEAK																																																																					
4	5722.09	70.60	115.67	-45.07	51.88	34.83	13.68	29.79	0.00	300	77 PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.66</td> <td>-----</td> <td>-----</td> <td>94.74</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>77 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.66	-----	-----	94.74	34.87	13.84	29.79	0.00	300	77 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	113.66	-----	-----	94.74	34.87	13.84	29.79	0.00	300	77 PEAK																																																																					
Avg	Blank																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.02</td> <td>-----</td> <td>-----</td> <td>88.10</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>77 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.02	-----	-----	88.10	34.87	13.84	29.79	0.00	300	77 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	107.02	-----	-----	88.10	34.87	13.84	29.79	0.00	300	77 AVERAGE																																																																					






Mode	60																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																														
ANT	CDD 9+11																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																													
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>72.13</td> <td>111.75</td> <td>-39.62</td> <td>52.81</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.13</td> <td>69.26</td> <td>110.86</td> <td>-41.60</td> <td>49.95</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>56.20</td> <td>68.39</td> <td>-12.19</td> <td>37.14</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.63</td> <td>58.03</td> <td>68.30</td> <td>-10.27</td> <td>38.99</td> <td>35.22</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	72.13	111.75	-39.62	52.81	35.08	14.03	29.79	0.00	100	256	PEAK	2	5855.13	69.26	110.86	-41.60	49.95	35.08	14.02	29.79	0.00	100	256	PEAK	3	5924.88	56.20	68.39	-12.19	37.14	35.19	13.69	29.82	0.00	100	256	PEAK	4	5943.63	58.03	68.30	-10.27	38.99	35.22	13.66	29.84	0.00	100	256	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>120.21</td> <td>-----</td> <td>-----</td> <td>100.80</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	120.21	-----	-----	100.80	35.05	14.14	29.78	0.00	100	256	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.63	72.13	111.75	-39.62	52.81	35.08	14.03	29.79	0.00	100	256	PEAK																																																																																																																			
2	5855.13	69.26	110.86	-41.60	49.95	35.08	14.02	29.79	0.00	100	256	PEAK																																																																																																																			
3	5924.88	56.20	68.39	-12.19	37.14	35.19	13.69	29.82	0.00	100	256	PEAK																																																																																																																			
4	5943.63	58.03	68.30	-10.27	38.99	35.22	13.66	29.84	0.00	100	256	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	120.21	-----	-----	100.80	35.05	14.14	29.78	0.00	100	256	PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.13</td> <td>-----</td> <td>-----</td> <td>92.72</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>256</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.13	-----	-----	92.72	35.05	14.14	29.78	0.00	100	256	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	112.13	-----	-----	92.72	35.05	14.14	29.78	0.00	100	256	AVERAGE																																																																																																																			



Mode	60																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																								
ANT	CDD 9+11																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>56.97</td> <td>111.18</td> <td>-54.21</td> <td>37.66</td> <td>35.00</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>382</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.88</td> <td>57.77</td> <td>105.33</td> <td>-47.56</td> <td>38.55</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>382</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>56.39</td> <td>68.39</td> <td>-12.00</td> <td>37.33</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>382</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.38</td> <td>58.49</td> <td>68.30</td> <td>-9.81</td> <td>39.44</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>382</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.88	56.97	111.18	-54.21	37.66	35.00	14.02	29.79	0.00	382	194	PEAK	2	5874.88	57.77	105.33	-47.56	38.55	35.11	13.90	29.79	0.00	382	194	PEAK	3	5924.88	56.39	68.39	-12.00	37.33	35.19	13.69	29.82	0.00	382	194	PEAK	4	5931.38	58.49	68.30	-9.81	39.44	35.20	13.68	29.83	0.00	382	194	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>114.28</td> <td>-----</td> <td>-----</td> <td>94.87</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>382</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	114.28	-----	-----	94.87	35.05	14.14	29.78	0.00	382	194	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5854.88	56.97	111.18	-54.21	37.66	35.00	14.02	29.79	0.00	382	194	PEAK																																																																																																													
2	5874.88	57.77	105.33	-47.56	38.55	35.11	13.90	29.79	0.00	382	194	PEAK																																																																																																													
3	5924.88	56.39	68.39	-12.00	37.33	35.19	13.69	29.82	0.00	382	194	PEAK																																																																																																													
4	5931.38	58.49	68.30	-9.81	39.44	35.20	13.68	29.83	0.00	382	194	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	114.28	-----	-----	94.87	35.05	14.14	29.78	0.00	382	194	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.96</td> <td>-----</td> <td>-----</td> <td>87.55</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>382</td> <td>194</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	106.96	-----	-----	87.55	35.05	14.14	29.78	0.00	382	194	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	106.96	-----	-----	87.55	35.05	14.14	29.78	0.00	382	194	AVERAGE																																																																																																													






	61																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																
ANT	CDD 9+11																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	 <table border="1" data-bbox="263 1064 798 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5616.53</td> <td>58.08</td> <td>68.30</td> <td>-10.22</td> <td>40.02</td> <td>34.63</td> <td>13.20</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>56.06</td> <td>68.53</td> <td>-11.67</td> <td>38.63</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.20</td> <td>57.30</td> <td>105.35</td> <td>-48.05</td> <td>38.84</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>56.40</td> <td>111.37</td> <td>-54.97</td> <td>37.71</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5616.53	58.08	68.30	-10.22	40.02	34.63	13.20	29.77	0.00	100	121	PEAK	2	5650.32	56.06	68.53	-11.67	38.63	34.69	13.32	29.78	0.00	100	121	PEAK	3	5700.20	57.30	105.35	-48.05	38.84	34.78	13.48	29.80	0.00	100	121	PEAK	4	5720.21	56.40	111.37	-54.97	37.71	34.82	13.66	29.79	0.00	100	121	PEAK	 <table border="1" data-bbox="901 1064 1436 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>115.52</td> <td>-----</td> <td>-----</td> <td>96.60</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	115.52	-----	-----	96.60	34.87	13.84	29.79	0.00	100	121	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5616.53	58.08	68.30	-10.22	40.02	34.63	13.20	29.77	0.00	100	121	PEAK																																																																																																																					
2	5650.32	56.06	68.53	-11.67	38.63	34.69	13.32	29.78	0.00	100	121	PEAK																																																																																																																					
3	5700.20	57.30	105.35	-48.05	38.84	34.78	13.48	29.80	0.00	100	121	PEAK																																																																																																																					
4	5720.21	56.40	111.37	-54.97	37.71	34.82	13.66	29.79	0.00	100	121	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	115.52	-----	-----	96.60	34.87	13.84	29.79	0.00	100	121	PEAK																																																																																																																					
Avg	Blank	 <table border="1" data-bbox="901 1736 1436 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.42</td> <td>-----</td> <td>-----</td> <td>88.50</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.42	-----	-----	88.50	34.87	13.84	29.79	0.00	100	121	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	107.42	-----	-----	88.50	34.87	13.84	29.79	0.00	100	121	AVERAGE																																																																																																																					



Mode	61																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																											
ANT	CDD 9+11																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.37</td> <td>58.79</td> <td>68.30</td> <td>-9.51</td> <td>40.59</td> <td>34.68</td> <td>13.30</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>74 PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>55.17</td> <td>68.86</td> <td>-13.69</td> <td>36.94</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>74 PEAK</td> </tr> <tr> <td>3</td> <td>5700.34</td> <td>55.88</td> <td>105.40</td> <td>-49.52</td> <td>37.42</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>300</td> <td>74 PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>55.99</td> <td>111.70</td> <td>-55.71</td> <td>37.30</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>74 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.37	58.79	68.30	-9.51	40.59	34.68	13.30	29.78	0.00	300	74 PEAK	2	5650.75	55.17	68.86	-13.69	36.94	34.69	13.32	29.78	0.00	300	74 PEAK	3	5700.34	55.88	105.40	-49.52	37.42	34.78	13.48	29.80	0.00	300	74 PEAK	4	5720.35	55.99	111.70	-55.71	37.30	34.82	13.66	29.79	0.00	300	74 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.85</td> <td>-----</td> <td>-----</td> <td>93.93</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>74 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	112.85	-----	-----	93.93	34.87	13.84	29.79	0.00	300	74 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5644.37	58.79	68.30	-9.51	40.59	34.68	13.30	29.78	0.00	300	74 PEAK																																																																																																																	
2	5650.75	55.17	68.86	-13.69	36.94	34.69	13.32	29.78	0.00	300	74 PEAK																																																																																																																	
3	5700.34	55.88	105.40	-49.52	37.42	34.78	13.48	29.80	0.00	300	74 PEAK																																																																																																																	
4	5720.35	55.99	111.70	-55.71	37.30	34.82	13.66	29.79	0.00	300	74 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	112.85	-----	-----	93.93	34.87	13.84	29.79	0.00	300	74 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.98</td> <td>-----</td> <td>-----</td> <td>86.06</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>74 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.98	-----	-----	86.06	34.87	13.84	29.79	0.00	300	74 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	104.98	-----	-----	86.06	34.87	13.84	29.79	0.00	300	74 AVERAGE																																																																																																																	






Mode	62																																																																																						
	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																						
ANT	CDD 9+11																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5853.75</th> <th>63.90</th> <th>113.75</th> <th>-49.85</th> <th>44.58</th> <th>35.00</th> <th>14.03</th> <th>29.79</th> <th>0.00</th> <th>100</th> <th>243</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5872.88</td> <td>58.37</td> <td>105.89</td> <td>-47.52</td> <td>39.14</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>57.26</td> <td>68.48</td> <td>-11.22</td> <td>38.20</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.50</td> <td>58.11</td> <td>68.30</td> <td>-10.19</td> <td>39.06</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5853.75	63.90	113.75	-49.85	44.58	35.00	14.03	29.79	0.00	100	243	PEAK	2	5872.88	58.37	105.89	-47.52	39.14	35.11	13.91	29.79	0.00	100	243	PEAK	3	5924.75	57.26	68.48	-11.22	38.20	35.19	13.69	29.82	0.00	100	243	PEAK	4	5931.50	58.11	68.30	-10.19	39.06	35.20	13.68	29.83	0.00	100	243	PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>119.28</td> <td>-----</td> <td>-----</td> <td>99.87</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5825.00	119.28	-----	-----	99.87	35.05	14.14	29.78	0.00	100	243	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
1	5853.75	63.90	113.75	-49.85	44.58	35.00	14.03	29.79	0.00	100	243	PEAK																																																																											
2	5872.88	58.37	105.89	-47.52	39.14	35.11	13.91	29.79	0.00	100	243	PEAK																																																																											
3	5924.75	57.26	68.48	-11.22	38.20	35.19	13.69	29.82	0.00	100	243	PEAK																																																																											
4	5931.50	58.11	68.30	-10.19	39.06	35.20	13.68	29.83	0.00	100	243	PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
1	5825.00	119.28	-----	-----	99.87	35.05	14.14	29.78	0.00	100	243	PEAK																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.04</td> <td>-----</td> <td>-----</td> <td>90.63</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5825.00	110.04	-----	-----	90.63	35.05	14.14	29.78	0.00	100	243	AVERAGE																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
1	5825.00	110.04	-----	-----	90.63	35.05	14.14	29.78	0.00	100	243	AVERAGE																																																																											



Mode	62																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																								
ANT	CDD 9+11																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.50</td> <td>57.07</td> <td>112.04</td> <td>-54.97</td> <td>37.75</td> <td>35.00</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.88</td> <td>57.24</td> <td>105.33</td> <td>-48.09</td> <td>38.02</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>56.29</td> <td>68.76</td> <td>-12.47</td> <td>37.23</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>300</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.00</td> <td>57.99</td> <td>68.30</td> <td>-10.31</td> <td>38.93</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>300</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.50	57.07	112.04	-54.97	37.75	35.00	14.03	29.79	0.00	300	13	PEAK	2	5874.88	57.24	105.33	-48.09	38.02	35.11	13.90	29.79	0.00	300	13	PEAK	3	5924.38	56.29	68.76	-12.47	37.23	35.19	13.69	29.82	0.00	300	13	PEAK	4	5927.00	57.99	68.30	-10.31	38.93	35.19	13.69	29.82	0.00	300	13	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.39</td> <td>-----</td> <td>-----</td> <td>85.98</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	105.39	-----	-----	85.98	35.05	14.14	29.78	0.00	300	13	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5854.50	57.07	112.04	-54.97	37.75	35.00	14.03	29.79	0.00	300	13	PEAK																																																																																																													
2	5874.88	57.24	105.33	-48.09	38.02	35.11	13.90	29.79	0.00	300	13	PEAK																																																																																																													
3	5924.38	56.29	68.76	-12.47	37.23	35.19	13.69	29.82	0.00	300	13	PEAK																																																																																																													
4	5927.00	57.99	68.30	-10.31	38.93	35.19	13.69	29.82	0.00	300	13	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	105.39	-----	-----	85.98	35.05	14.14	29.78	0.00	300	13	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.35</td> <td>-----</td> <td>-----</td> <td>79.94</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	99.35	-----	-----	79.94	35.05	14.14	29.78	0.00	300	13	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	99.35	-----	-----	79.94	35.05	14.14	29.78	0.00	300	13	AVERAGE																																																																																																													



	63																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																
ANT	CDD 9+11																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	 <table border="1" data-bbox="263 1064 798 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.99</td> <td>58.82</td> <td>68.30</td> <td>-9.48</td> <td>40.78</td> <td>34.62</td> <td>13.18</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.19</td> <td>56.98</td> <td>69.18</td> <td>-12.20</td> <td>38.75</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.48</td> <td>63.97</td> <td>110.75</td> <td>-46.78</td> <td>45.29</td> <td>34.82</td> <td>13.65</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.08</td> <td>64.07</td> <td>113.35</td> <td>-49.28</td> <td>45.36</td> <td>34.83</td> <td>13.67</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5608.99	58.82	68.30	-9.48	40.78	34.62	13.18	29.76	0.00	100	242	PEAK	2	5651.19	56.98	69.18	-12.20	38.75	34.69	13.32	29.78	0.00	100	242	PEAK	3	5719.48	63.97	110.75	-46.78	45.29	34.82	13.65	29.79	0.00	100	242	PEAK	4	5721.08	64.07	113.35	-49.28	45.36	34.83	13.67	29.79	0.00	100	242	PEAK	 <table border="1" data-bbox="901 1064 1436 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>114.17</td> <td>-----</td> <td>-----</td> <td>95.19</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	114.17	-----	-----	95.19	34.88	13.89	29.79	0.00	100	242	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5608.99	58.82	68.30	-9.48	40.78	34.62	13.18	29.76	0.00	100	242	PEAK																																																																																																																					
2	5651.19	56.98	69.18	-12.20	38.75	34.69	13.32	29.78	0.00	100	242	PEAK																																																																																																																					
3	5719.48	63.97	110.75	-46.78	45.29	34.82	13.65	29.79	0.00	100	242	PEAK																																																																																																																					
4	5721.08	64.07	113.35	-49.28	45.36	34.83	13.67	29.79	0.00	100	242	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	114.17	-----	-----	95.19	34.88	13.89	29.79	0.00	100	242	PEAK																																																																																																																					
Avg	Blank	 <table border="1" data-bbox="901 1736 1436 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.35</td> <td>-----</td> <td>-----</td> <td>87.43</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>242</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.35	-----	-----	87.43	34.87	13.84	29.79	0.00	100	242	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	106.35	-----	-----	87.43	34.87	13.84	29.79	0.00	100	242	AVERAGE																																																																																																																					



	63																																																																																																																								
Mode	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																								
ANT	CDD 9+11																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5616.39</td> <td>57.08</td> <td>68.30</td> <td>-11.22</td> <td>39.02</td> <td>34.63</td> <td>13.20</td> <td>29.77</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5658.46</td> <td>55.72</td> <td>68.64</td> <td>-12.92</td> <td>37.49</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.77</td> <td>65.90</td> <td>110.84</td> <td>-44.94</td> <td>47.21</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>59.48</td> <td>111.70</td> <td>-52.22</td> <td>40.79</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5616.39	57.08	68.30	-11.22	39.02	34.63	13.20	29.77	0.00	300	77	PEAK	2	5658.46	55.72	68.64	-12.92	37.49	34.69	13.32	29.78	0.00	300	77	PEAK	3	5719.77	65.90	110.84	-44.94	47.21	34.82	13.66	29.79	0.00	300	77	PEAK	4	5720.35	59.48	111.70	-52.22	40.79	34.82	13.66	29.79	0.00	300	77	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.40</td> <td>-----</td> <td>-----</td> <td>92.48</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	111.40	-----	-----	92.48	34.87	13.84	29.79	0.00	300	77	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5616.39	57.08	68.30	-11.22	39.02	34.63	13.20	29.77	0.00	300	77	PEAK																																																																																																													
2	5658.46	55.72	68.64	-12.92	37.49	34.69	13.32	29.78	0.00	300	77	PEAK																																																																																																													
3	5719.77	65.90	110.84	-44.94	47.21	34.82	13.66	29.79	0.00	300	77	PEAK																																																																																																													
4	5720.35	59.48	111.70	-52.22	40.79	34.82	13.66	29.79	0.00	300	77	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	111.40	-----	-----	92.48	34.87	13.84	29.79	0.00	300	77	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.21</td> <td>-----</td> <td>-----</td> <td>83.29</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	102.21	-----	-----	83.29	34.87	13.84	29.79	0.00	300	77	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	102.21	-----	-----	83.29	34.87	13.84	29.79	0.00	300	77	AVERAGE																																																																																																													



	64																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																											
ANT	CDD 9+11																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.63</td> <td>70.28</td> <td>120.87</td> <td>-50.59</td> <td>50.94</td> <td>35.08</td> <td>14.05</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>242 PEAK</td> </tr> <tr> <td>2</td> <td>5873.38</td> <td>59.30</td> <td>105.75</td> <td>-46.45</td> <td>40.07</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>242 PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>56.99</td> <td>68.58</td> <td>-11.59</td> <td>37.93</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>242 PEAK</td> </tr> <tr> <td>4</td> <td>5945.13</td> <td>58.18</td> <td>68.30</td> <td>-10.12</td> <td>39.15</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>242 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5850.63	70.28	120.87	-50.59	50.94	35.08	14.05	29.79	0.00	100	242 PEAK	2	5873.38	59.30	105.75	-46.45	40.07	35.11	13.91	29.79	0.00	100	242 PEAK	3	5924.63	56.99	68.58	-11.59	37.93	35.19	13.69	29.82	0.00	100	242 PEAK	4	5945.13	58.18	68.30	-10.12	39.15	35.22	13.65	29.84	0.00	100	242 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>118.42</td> <td>-----</td> <td>-----</td> <td>99.01</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>242 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	118.42	-----	-----	99.01	35.05	14.14	29.78	0.00	100	242 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5850.63	70.28	120.87	-50.59	50.94	35.08	14.05	29.79	0.00	100	242 PEAK																																																																																																																	
2	5873.38	59.30	105.75	-46.45	40.07	35.11	13.91	29.79	0.00	100	242 PEAK																																																																																																																	
3	5924.63	56.99	68.58	-11.59	37.93	35.19	13.69	29.82	0.00	100	242 PEAK																																																																																																																	
4	5945.13	58.18	68.30	-10.12	39.15	35.22	13.65	29.84	0.00	100	242 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	118.42	-----	-----	99.01	35.05	14.14	29.78	0.00	100	242 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.40</td> <td>-----</td> <td>-----</td> <td>87.99</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>242 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.40	-----	-----	87.99	35.05	14.14	29.78	0.00	100	242 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	107.40	-----	-----	87.99	35.05	14.14	29.78	0.00	100	242 AVERAGE																																																																																																																	



	64																																																																																																																													
Mode	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																													
ANT	CDD 9+11																																																																																																																													
Pol.	Vertical	Fundamental																																																																																																																												
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>56.83</td> <td>110.90</td> <td>-54.07</td> <td>37.52</td> <td>35.00</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>384</td> <td>12 PEAK</td> </tr> <tr> <td>2</td> <td>5873.75</td> <td>57.45</td> <td>105.65</td> <td>-48.20</td> <td>38.22</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>384</td> <td>12 PEAK</td> </tr> <tr> <td>3</td> <td>5923.25</td> <td>58.62</td> <td>69.59</td> <td>-10.97</td> <td>39.56</td> <td>35.18</td> <td>13.70</td> <td>29.82</td> <td>0.00</td> <td>384</td> <td>12 PEAK</td> </tr> <tr> <td>4</td> <td>5935.13</td> <td>58.43</td> <td>68.30</td> <td>-9.87</td> <td>39.39</td> <td>35.20</td> <td>13.67</td> <td>29.83</td> <td>0.00</td> <td>384</td> <td>12 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	56.83	110.90	-54.07	37.52	35.00	14.02	29.79	0.00	384	12 PEAK	2	5873.75	57.45	105.65	-48.20	38.22	35.11	13.91	29.79	0.00	384	12 PEAK	3	5923.25	58.62	69.59	-10.97	39.56	35.18	13.70	29.82	0.00	384	12 PEAK	4	5935.13	58.43	68.30	-9.87	39.39	35.20	13.67	29.83	0.00	384	12 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.96</td> <td>-----</td> <td>-----</td> <td>92.52</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>384</td> <td>12 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.96	-----	-----	92.52	35.04	14.18	29.78	0.00	384	12 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5855.00	56.83	110.90	-54.07	37.52	35.00	14.02	29.79	0.00	384	12 PEAK																																																																																																																			
2	5873.75	57.45	105.65	-48.20	38.22	35.11	13.91	29.79	0.00	384	12 PEAK																																																																																																																			
3	5923.25	58.62	69.59	-10.97	39.56	35.18	13.70	29.82	0.00	384	12 PEAK																																																																																																																			
4	5935.13	58.43	68.30	-9.87	39.39	35.20	13.67	29.83	0.00	384	12 PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5825.00	111.96	-----	-----	92.52	35.04	14.18	29.78	0.00	384	12 PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.55</td> <td>-----</td> <td>-----</td> <td>83.11</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>384</td> <td>12 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.55	-----	-----	83.11	35.04	14.18	29.78	0.00	384	12 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5825.00	102.55	-----	-----	83.11	35.04	14.18	29.78	0.00	384	12 AVERAGE																																																																																																																			



Mode	65																																																																							
	Harmonic																																																																							
	U-NII-2C_5.725-5.85_802.11a_CH144_5720MHz																																																																							
ANT	CDD 9+11																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.85</td> <td>74.00</td> <td>-29.15</td> <td>53.55</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11440.00	44.85	74.00	-29.15	53.55	38.36	18.42	65.48	0.00	100	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.87</td> <td>74.00</td> <td>-29.13</td> <td>53.57</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11440.00	44.87	74.00	-29.13	53.57	38.36	18.42	65.48	0.00	100	360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11440.00	44.85	74.00	-29.15	53.55	38.36	18.42	65.48	0.00	100	0 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11440.00	44.87	74.00	-29.13	53.57	38.36	18.42	65.48	0.00	100	360 PEAK																																																														



Mode	66																																																																															
	Harmonic																																																																															
	U-NII-2C_5.725-5.85_802.11ax HE20_CH144_Full RU_5720MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.69</td> <td>74.00</td> <td>-29.31</td> <td>53.39</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.69	74.00	-29.31	53.39	38.36	18.42	65.48	0.00	100	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.47</td> <td>74.00</td> <td>-29.53</td> <td>53.17</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.47	74.00	-29.53	53.17	38.36	18.42	65.48	0.00	100	360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	44.69	74.00	-29.31	53.39	38.36	18.42	65.48	0.00	100	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	44.47	74.00	-29.53	53.17	38.36	18.42	65.48	0.00	100	360 PEAK																																																																						



Mode	67																																																																															
	Harmonic																																																																															
	U-NII-2C_5.725-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																																															
ANT	CDD 9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.17</td> <td>74.00</td> <td>-29.83</td> <td>52.91</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	44.17	74.00	-29.83	52.91	38.35	18.40	65.49	0.00	100	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.93</td> <td>74.00</td> <td>-29.07</td> <td>53.67</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	44.93	74.00	-29.07	53.67	38.35	18.40	65.49	0.00	100	360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	44.17	74.00	-29.83	52.91	38.35	18.40	65.49	0.00	100	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	44.93	74.00	-29.07	53.67	38.35	18.40	65.49	0.00	100	360 PEAK																																																																						







Mode	68																																																																									
	Harmonic																																																																									
	U-NII-2C_5.725-5.85_802.11ax HE80_CH138_Full RU_5690MHz																																																																									
ANT	CDD 9+11																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11300.00</td> <td>43.67</td> <td>74.00</td> <td>-30.33</td> <td>52.49</td> <td>38.33</td> <td>18.37</td> <td>65.52</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11300.00	43.67	74.00	-30.33	52.49	38.33	18.37	65.52	0.00	100	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11300.00</td> <td>43.64</td> <td>74.00</td> <td>-30.36</td> <td>52.46</td> <td>38.33</td> <td>18.37</td> <td>65.52</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11300.00	43.64	74.00	-30.36	52.46	38.33	18.37	65.52	0.00	100	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11300.00	43.67	74.00	-30.33	52.49	38.33	18.37	65.52	0.00	100	0	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11300.00	43.64	74.00	-30.36	52.46	38.33	18.37	65.52	0.00	100	360	PEAK																																																															



Mode	69																																																																																																																																																																																	
	LF																																																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																																																																																																	
ANT	CDD 9+11																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
Peak	<p>Data: 1</p> <p>Site : 03CH08-KS Condition : 5G BAND 1----3 3m CBL 6111D 49922 HORIZONTAL Project : mode : IMEI : :WIFI</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>107.60</td><td>20.27</td><td>-23.23</td><td>43.50</td><td>33.59</td><td>16.57</td><td>1.51</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>163.86</td><td>25.25</td><td>-18.25</td><td>43.50</td><td>38.98</td><td>15.82</td><td>1.85</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>214.30</td><td>29.20</td><td>-14.30</td><td>43.50</td><td>43.71</td><td>14.75</td><td>2.14</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>277.35</td><td>26.42</td><td>-19.58</td><td>46.00</td><td>36.75</td><td>18.64</td><td>2.43</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>348.16</td><td>25.55</td><td>-20.45</td><td>46.00</td><td>34.09</td><td>20.17</td><td>2.72</td><td>31.43</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>733.25</td><td>29.74</td><td>-16.26</td><td>46.00</td><td>29.74</td><td>27.39</td><td>3.95</td><td>31.34</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	107.60	20.27	-23.23	43.50	33.59	16.57	1.51	31.40	---	--- Peak	2	163.86	25.25	-18.25	43.50	38.98	15.82	1.85	31.40	---	--- Peak	3	214.30	29.20	-14.30	43.50	43.71	14.75	2.14	31.40	---	--- Peak	4	277.35	26.42	-19.58	46.00	36.75	18.64	2.43	31.40	---	--- Peak	5	348.16	25.55	-20.45	46.00	34.09	20.17	2.72	31.43	---	--- Peak	6	733.25	29.74	-16.26	46.00	29.74	27.39	3.95	31.34	---	--- Peak	<p>Data: 2</p> <p>Site : 03CH08-KS Condition : 5G BAND 1----3 3m CBL 6111D 49922 VERTICAL Project : mode : IMEI : :WIFI</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>35.02</td><td>25.09</td><td>-14.91</td><td>40.00</td><td>34.21</td><td>21.71</td><td>0.57</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>86.26</td><td>24.94</td><td>-15.06</td><td>40.00</td><td>40.97</td><td>14.10</td><td>1.27</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>163.86</td><td>27.81</td><td>-15.69</td><td>43.50</td><td>41.54</td><td>15.82</td><td>1.85</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>202.66</td><td>27.61</td><td>-15.89</td><td>43.50</td><td>42.10</td><td>14.83</td><td>2.08</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>256.01</td><td>27.25</td><td>-18.75</td><td>46.00</td><td>37.01</td><td>19.31</td><td>2.33</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>418.97</td><td>25.21</td><td>-20.79</td><td>46.00</td><td>31.52</td><td>22.17</td><td>2.99</td><td>31.47</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	35.02	25.09	-14.91	40.00	34.21	21.71	0.57	31.40	---	--- Peak	2	86.26	24.94	-15.06	40.00	40.97	14.10	1.27	31.40	---	--- Peak	3	163.86	27.81	-15.69	43.50	41.54	15.82	1.85	31.40	---	--- Peak	4	202.66	27.61	-15.89	43.50	42.10	14.83	2.08	31.40	---	--- Peak	5	256.01	27.25	-18.75	46.00	37.01	19.31	2.33	31.40	---	--- Peak	6	418.97	25.21	-20.79	46.00	31.52	22.17	2.99	31.47	---	--- Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	107.60	20.27	-23.23	43.50	33.59	16.57	1.51	31.40	---	--- Peak																																																																																																																																																																								
2	163.86	25.25	-18.25	43.50	38.98	15.82	1.85	31.40	---	--- Peak																																																																																																																																																																								
3	214.30	29.20	-14.30	43.50	43.71	14.75	2.14	31.40	---	--- Peak																																																																																																																																																																								
4	277.35	26.42	-19.58	46.00	36.75	18.64	2.43	31.40	---	--- Peak																																																																																																																																																																								
5	348.16	25.55	-20.45	46.00	34.09	20.17	2.72	31.43	---	--- Peak																																																																																																																																																																								
6	733.25	29.74	-16.26	46.00	29.74	27.39	3.95	31.34	---	--- Peak																																																																																																																																																																								
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	35.02	25.09	-14.91	40.00	34.21	21.71	0.57	31.40	---	--- Peak																																																																																																																																																																								
2	86.26	24.94	-15.06	40.00	40.97	14.10	1.27	31.40	---	--- Peak																																																																																																																																																																								
3	163.86	27.81	-15.69	43.50	41.54	15.82	1.85	31.40	---	--- Peak																																																																																																																																																																								
4	202.66	27.61	-15.89	43.50	42.10	14.83	2.08	31.40	---	--- Peak																																																																																																																																																																								
5	256.01	27.25	-18.75	46.00	37.01	19.31	2.33	31.40	---	--- Peak																																																																																																																																																																								
6	418.97	25.21	-20.79	46.00	31.52	22.17	2.99	31.47	---	--- Peak																																																																																																																																																																								



		70																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																	
ANT		9+11																																																																																																	
Pol.		Horizontal	Fundamental																																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal level rising from approximately 50 dBuV/m at 5000 MHz to about 95 dBuV/m at 5250 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 65 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.63</td> <td>61.33</td> <td>74.00</td> <td>-12.67</td> <td>43.80</td> <td>34.37</td> <td>12.46</td> <td>29.30</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.63	61.33	74.00	-12.67	43.80	34.37	12.46	29.30	0.00	100	100	PEAK	 <p>Peak Fundamental Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. Two peaks are identified: Peak 1 at 2479.20 MHz and Peak 2 at 5250.00 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 65 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2479.20</td> <td>93.79</td> <td>68.30</td> <td>25.49</td> <td>83.29</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>100</td> <td>100</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>102.00</td> <td>68.30</td> <td>33.70</td> <td>84.28</td> <td>34.50</td> <td>12.64</td> <td>29.42</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2479.20	93.79	68.30	25.49	83.29	32.12	9.04	30.66	0.00	100	100	Peak	2	5250.00	102.00	68.30	33.70	84.28	34.50	12.64	29.42	0.00	100	100	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5136.63	61.33	74.00	-12.67	43.80	34.37	12.46	29.30	0.00	100	100	PEAK																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2479.20	93.79	68.30	25.49	83.29	32.12	9.04	30.66	0.00	100	100	Peak																																																																																							
2	5250.00	102.00	68.30	33.70	84.28	34.50	12.64	29.42	0.00	100	100	PEAK																																																																																							
Avg	 <p>Average Horizontal Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5000 to 5250 MHz. The signal level is averaged, showing a rise from 50 dBuV/m to 95 dBuV/m. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 50 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.88</td> <td>49.31</td> <td>54.00</td> <td>-4.69</td> <td>31.75</td> <td>34.39</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.88	49.31	54.00	-4.69	31.75	34.39	12.48	29.31	0.00	100	100	AVERAGE	 <p>Average Fundamental Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. Two peaks are identified: Peak 1 at 2479.20 MHz and Peak 2 at 5250.00 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 50 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2479.20</td> <td>89.70</td> <td>-----</td> <td>-----</td> <td>79.20</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>100</td> <td>100</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>90.81</td> <td>68.30</td> <td>22.51</td> <td>73.09</td> <td>34.50</td> <td>12.64</td> <td>29.42</td> <td>0.00</td> <td>100</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2479.20	89.70	-----	-----	79.20	32.12	9.04	30.66	0.00	100	100	Average	2	5250.00	90.81	68.30	22.51	73.09	34.50	12.64	29.42	0.00	100	100	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5145.88	49.31	54.00	-4.69	31.75	34.39	12.48	29.31	0.00	100	100	AVERAGE																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2479.20	89.70	-----	-----	79.20	32.12	9.04	30.66	0.00	100	100	Average																																																																																							
2	5250.00	90.81	68.30	22.51	73.09	34.50	12.64	29.42	0.00	100	100	AVERAGE																																																																																							



Mode	70																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																											
ANT	9+11																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5393.33</td> <td>60.49</td> <td>74.00</td> <td>-13.51</td> <td>42.54</td> <td>34.50</td> <td>13.01</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.33	60.49	74.00	-13.51	42.54	34.50	13.01	29.56	0.00	100	100	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5393.33	60.49	74.00	-13.51	42.54	34.50	13.01	29.56	0.00	100	100	PEAK																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5364.73</td> <td>49.56</td> <td>54.00</td> <td>-4.44</td> <td>31.67</td> <td>34.50</td> <td>12.92</td> <td>29.53</td> <td>0.00</td> <td>100</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.73	49.56	54.00	-4.44	31.67	34.50	12.92	29.53	0.00	100	100	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5364.73	49.56	54.00	-4.44	31.67	34.50	12.92	29.53	0.00	100	100	AVERAGE																																



		70																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																				
ANT		9+11																																																																																																				
Pol.	Vertical	Fundamental																																																																																																				
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5118.13</td> <td>60.50</td> <td>74.00</td> <td>-13.50</td> <td>43.01</td> <td>34.34</td> <td>12.43</td> <td>29.28</td> <td>0.00</td> <td>300</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5118.13	60.50	74.00	-13.50	43.01	34.34	12.43	29.28	0.00	300	61 PEAK	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2479.20</td> <td>92.95</td> <td>68.30</td> <td>24.65</td> <td>82.45</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>300</td> <td>61 Peak</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>100.36</td> <td>68.30</td> <td>32.06</td> <td>82.63</td> <td>34.50</td> <td>12.68</td> <td>29.45</td> <td>0.00</td> <td>300</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2479.20	92.95	68.30	24.65	82.45	32.12	9.04	30.66	0.00	300	61 Peak	2	5250.00	100.36	68.30	32.06	82.63	34.50	12.68	29.45	0.00	300	61 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5118.13	60.50	74.00	-13.50	43.01	34.34	12.43	29.28	0.00	300	61 PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2479.20	92.95	68.30	24.65	82.45	32.12	9.04	30.66	0.00	300	61 Peak																																																																																											
2	5250.00	100.36	68.30	32.06	82.63	34.50	12.68	29.45	0.00	300	61 PEAK																																																																																											
Avg	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5106.62</td> <td>48.05</td> <td>54.00</td> <td>-5.95</td> <td>30.60</td> <td>34.31</td> <td>12.41</td> <td>29.27</td> <td>0.00</td> <td>300</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5106.62	48.05	54.00	-5.95	30.60	34.31	12.41	29.27	0.00	300	61 AVERAGE	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2479.20</td> <td>88.78</td> <td>-----</td> <td>-----</td> <td>78.28</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>300</td> <td>61 Average</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>90.35</td> <td>68.30</td> <td>22.05</td> <td>72.61</td> <td>34.50</td> <td>12.68</td> <td>29.44</td> <td>0.00</td> <td>300</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2479.20	88.78	-----	-----	78.28	32.12	9.04	30.66	0.00	300	61 Average	2	5250.00	90.35	68.30	22.05	72.61	34.50	12.68	29.44	0.00	300	61 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5106.62	48.05	54.00	-5.95	30.60	34.31	12.41	29.27	0.00	300	61 AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2479.20	88.78	-----	-----	78.28	32.12	9.04	30.66	0.00	300	61 Average																																																																																											
2	5250.00	90.35	68.30	22.05	72.61	34.50	12.68	29.44	0.00	300	61 AVERAGE																																																																																											







Mode	70																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																									
ANT	9+11																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5402.36</td> <td>59.96</td> <td>74.00</td> <td>-14.04</td> <td>41.99</td> <td>34.50</td> <td>13.04</td> <td>29.57</td> <td>0.00</td> <td>300</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5402.36	59.96	74.00	-14.04	41.99	34.50	13.04	29.57	0.00	300	61	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5402.36	59.96	74.00	-14.04	41.99	34.50	13.04	29.57	0.00	300	61	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.46</td> <td>50.09</td> <td>54.00</td> <td>-3.91</td> <td>32.21</td> <td>34.50</td> <td>12.91</td> <td>29.53</td> <td>0.00</td> <td>300</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5362.46	50.09	54.00	-3.91	32.21	34.50	12.91	29.53	0.00	300	61	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5362.46	50.09	54.00	-3.91	32.21	34.50	12.91	29.53	0.00	300	61	AVERAGE																														



Mode	70																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																													
ANT	9+11																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>43.38</td> <td>68.30</td> <td>-24.92</td> <td>54.48</td> <td>37.55</td> <td>17.67</td> <td>66.32</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10500.00	43.38	68.30	-24.92	54.48	37.55	17.67	66.32	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>44.69</td> <td>68.30</td> <td>-23.61</td> <td>55.79</td> <td>37.55</td> <td>17.67</td> <td>66.32</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10500.00	44.69	68.30	-23.61	55.79	37.55	17.67	66.32	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																						
1 10500.00	43.38	68.30	-24.92	54.48	37.55	17.67	66.32	0.00	300	0 PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																						
1 10500.00	44.69	68.30	-23.61	55.79	37.55	17.67	66.32	0.00	100	0 PEAK																																																																				



Mode	70																																																																																					
	Band Edge																																																																																					
	U-NII-2C_2400-2483.5_802.11g_CH11_2462MHz																																																																																					
ANT	9+11																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2462 MHz and decreasing to about 50 dBuV/m at 2500 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A peak is marked at 2484.8 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>66.33</td> <td>74.00</td> <td>-7.67</td> <td>49.80</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>175</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.58	66.33	74.00	-7.67	49.80	32.13	9.05	30.65	6.00	175	121	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 48.8 dBuV/m at 1000 MHz and increasing to about 113.8 dBuV/m at 2500 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A sharp peak is marked at 2484.8 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>112.00</td> <td>74.00</td> <td>38.00</td> <td>96.41</td> <td>32.10</td> <td>8.99</td> <td>30.70</td> <td>6.00</td> <td>175</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	112.00	74.00	38.00	96.41	32.10	8.99	30.70	6.00	175	121	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2483.58	66.33	74.00	-7.67	49.80	32.13	9.05	30.65	6.00	175	121	PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2462.00	112.00	74.00	38.00	96.41	32.10	8.99	30.70	6.00	175	121	PEAK																																																																										
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization (Average). The plot shows a signal level starting at approximately 97.5 dBuV/m at 2462 MHz and decreasing to about 48.8 dBuV/m at 2500 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A peak is marked at 2484.8 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>50.98</td> <td>54.00</td> <td>-3.02</td> <td>34.45</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>175</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.51	50.98	54.00	-3.02	34.45	32.13	9.05	30.65	6.00	175	121	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The plot shows a signal level starting at approximately 32.5 dBuV/m at 1000 MHz and increasing to about 113.8 dBuV/m at 2500 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A sharp peak is marked at 2484.8 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.79</td> <td>54.00</td> <td>49.79</td> <td>87.40</td> <td>32.10</td> <td>8.99</td> <td>30.70</td> <td>6.00</td> <td>175</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	103.79	54.00	49.79	87.40	32.10	8.99	30.70	6.00	175	121	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2483.51	50.98	54.00	-3.02	34.45	32.13	9.05	30.65	6.00	175	121	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2462.00	103.79	54.00	49.79	87.40	32.10	8.99	30.70	6.00	175	121	AVERAGE																																																																										



Mode	70																																																																																			
	Band Edge																																																																																			
	U-NII-2C_2400-2483.5_802.11g_CH11_2462MHz																																																																																			
ANT	9+11																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>63.83</td> <td>74.00</td> <td>-10.17</td> <td>47.30</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>121</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	63.83	74.00	-10.17	47.30	32.13	9.05	30.65	6.00	121	292	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>108.34</td> <td>74.00</td> <td>34.34</td> <td>91.98</td> <td>32.09</td> <td>8.98</td> <td>30.71</td> <td>6.00</td> <td>121</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.34	74.00	34.34	91.98	32.09	8.98	30.71	6.00	121	292	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.51	63.83	74.00	-10.17	47.30	32.13	9.05	30.65	6.00	121	292	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	108.34	74.00	34.34	91.98	32.09	8.98	30.71	6.00	121	292	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>49.53</td> <td>54.00</td> <td>-4.47</td> <td>33.00</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>121</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	49.53	54.00	-4.47	33.00	32.13	9.05	30.65	6.00	121	292	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.44</td> <td>54.00</td> <td>45.44</td> <td>83.10</td> <td>32.09</td> <td>8.97</td> <td>30.72</td> <td>6.00</td> <td>121</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.44	54.00	45.44	83.10	32.09	8.97	30.72	6.00	121	292	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.51	49.53	54.00	-4.47	33.00	32.13	9.05	30.65	6.00	121	292	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	99.44	54.00	45.44	83.10	32.09	8.97	30.72	6.00	121	292	AVERAGE																																																																								



Mode	70																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																				
ANT	9+11																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg																																																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.40</td> <td>74.00</td> <td>-31.60</td> <td>60.89</td> <td>34.73</td> <td>12.22</td> <td>65.44</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5252.00</td> <td>52.46</td> <td>74.00</td> <td>-21.54</td> <td>70.28</td> <td>35.13</td> <td>12.64</td> <td>65.59</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7306.00</td> <td>43.77</td> <td>74.00</td> <td>-30.23</td> <td>57.70</td> <td>36.58</td> <td>14.78</td> <td>65.29</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4924.00	42.40	74.00	-31.60	60.89	34.73	12.22	65.44	0.00	100	360	PEAK	2	5252.00	52.46	74.00	-21.54	70.28	35.13	12.64	65.59	0.00	100	360	Peak	3	7306.00	43.77	74.00	-30.23	57.70	36.58	14.78	65.29	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.91</td> <td>74.00</td> <td>-31.09</td> <td>61.40</td> <td>34.73</td> <td>12.22</td> <td>65.44</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5256.00</td> <td>49.62</td> <td>74.00</td> <td>-24.38</td> <td>67.42</td> <td>35.14</td> <td>12.65</td> <td>65.59</td> <td>0.00</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7306.00</td> <td>43.82</td> <td>74.00</td> <td>-30.18</td> <td>57.75</td> <td>36.58</td> <td>14.78</td> <td>65.29</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4924.00	42.91	74.00	-31.09	61.40	34.73	12.22	65.44	0.00	100	0	PEAK	2	5256.00	49.62	74.00	-24.38	67.42	35.14	12.65	65.59	0.00	100	0	Peak	3	7306.00	43.82	74.00	-30.18	57.75	36.58	14.78	65.29	0.00	100	0
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	4924.00	42.40	74.00	-31.60	60.89	34.73	12.22	65.44	0.00	100	360	PEAK																																																																																																																									
2	5252.00	52.46	74.00	-21.54	70.28	35.13	12.64	65.59	0.00	100	360	Peak																																																																																																																									
3	7306.00	43.77	74.00	-30.23	57.70	36.58	14.78	65.29	0.00	100	360	PEAK																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	4924.00	42.91	74.00	-31.09	61.40	34.73	12.22	65.44	0.00	100	0	PEAK																																																																																																																									
2	5256.00	49.62	74.00	-24.38	67.42	35.14	12.65	65.59	0.00	100	0	Peak																																																																																																																									
3	7306.00	43.82	74.00	-30.18	57.75	36.58	14.78	65.29	0.00	100	0	PEAK																																																																																																																									



Mode	71																																																																																			
	Band Edge																																																																																			
	U-NII-2C_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																			
ANT	9+11																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>57.91</td> <td>74.00</td> <td>-16.09</td> <td>41.38</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>117</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	57.91	74.00	-16.09	41.38	32.13	9.05	30.65	6.00	117	285	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>106.10</td> <td>74.00</td> <td>32.10</td> <td>89.60</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>117</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.10	74.00	32.10	89.60	32.12	9.04	30.66	6.00	117	285	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.68	57.91	74.00	-16.09	41.38	32.13	9.05	30.65	6.00	117	285	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	106.10	74.00	32.10	89.60	32.12	9.04	30.66	6.00	117	285	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.24</td> <td>47.92</td> <td>54.00</td> <td>-6.08</td> <td>31.29</td> <td>32.15</td> <td>9.09</td> <td>30.61</td> <td>6.00</td> <td>117</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.24	47.92	54.00	-6.08	31.29	32.15	9.09	30.61	6.00	117	285	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.90</td> <td>54.00</td> <td>49.90</td> <td>87.40</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>117</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.90	54.00	49.90	87.40	32.12	9.04	30.66	6.00	117	285	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2497.24	47.92	54.00	-6.08	31.29	32.15	9.09	30.61	6.00	117	285	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	103.90	54.00	49.90	87.40	32.12	9.04	30.66	6.00	117	285	AVERAGE																																																																								



Mode	71																																																																																			
	Band Edge																																																																																			
	U-NII-2C_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																			
ANT	9+11																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.64</td> <td>57.78</td> <td>74.00</td> <td>-16.22</td> <td>41.22</td> <td>32.13</td> <td>9.06</td> <td>30.63</td> <td>6.00</td> <td>384</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.64	57.78	74.00	-16.22	41.22	32.13	9.06	30.63	6.00	384	348	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.24</td> <td>-----</td> <td>-----</td> <td>86.74</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>384</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.24	-----	-----	86.74	32.12	9.04	30.66	6.00	384	348	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2487.64	57.78	74.00	-16.22	41.22	32.13	9.06	30.63	6.00	384	348	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	103.24	-----	-----	86.74	32.12	9.04	30.66	6.00	384	348	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.96</td> <td>47.59</td> <td>54.00</td> <td>-6.41</td> <td>31.02</td> <td>32.13</td> <td>9.07</td> <td>30.63</td> <td>6.00</td> <td>384</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.96	47.59	54.00	-6.41	31.02	32.13	9.07	30.63	6.00	384	348	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.09</td> <td>-----</td> <td>-----</td> <td>84.59</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>384</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.09	-----	-----	84.59	32.12	9.04	30.66	6.00	384	348	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2488.96	47.59	54.00	-6.41	31.02	32.13	9.07	30.63	6.00	384	348	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	101.09	-----	-----	84.59	32.12	9.04	30.66	6.00	384	348	AVERAGE																																																																								



Mode	71																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																					
ANT	9+11																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.00</td> <td>74.00</td> <td>-32.00</td> <td>60.38</td> <td>34.00</td> <td>12.27</td> <td>65.45</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>54.38</td> <td>74.00</td> <td>-19.62</td> <td>72.19</td> <td>35.13</td> <td>12.65</td> <td>65.59</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>43.79</td> <td>74.00</td> <td>-30.21</td> <td>57.61</td> <td>36.59</td> <td>14.92</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	42.00	74.00	-32.00	60.38	34.00	12.27	65.45	0.00	100	360	PEAK	2	5254.00	54.38	74.00	-19.62	72.19	35.13	12.65	65.59	0.00	100	360	Peak	3	7440.00	43.79	74.00	-30.21	57.61	36.59	14.92	65.33	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.78</td> <td>74.00</td> <td>-32.22</td> <td>60.16</td> <td>34.00</td> <td>12.27</td> <td>65.45</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>50.61</td> <td>74.00</td> <td>-23.39</td> <td>68.42</td> <td>35.13</td> <td>12.65</td> <td>65.59</td> <td>0.00</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>43.69</td> <td>74.00</td> <td>-30.31</td> <td>57.51</td> <td>36.59</td> <td>14.92</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.78	74.00	-32.22	60.16	34.00	12.27	65.45	0.00	100	0	PEAK	2	5254.00	50.61	74.00	-23.39	68.42	35.13	12.65	65.59	0.00	100	0	Peak	3	7440.00	43.69	74.00	-30.31	57.51	36.59	14.92	65.33	0.00	100	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4960.00	42.00	74.00	-32.00	60.38	34.00	12.27	65.45	0.00	100	360	PEAK																																																																																																																										
2	5254.00	54.38	74.00	-19.62	72.19	35.13	12.65	65.59	0.00	100	360	Peak																																																																																																																										
3	7440.00	43.79	74.00	-30.21	57.61	36.59	14.92	65.33	0.00	100	360	PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4960.00	41.78	74.00	-32.22	60.16	34.00	12.27	65.45	0.00	100	0	PEAK																																																																																																																										
2	5254.00	50.61	74.00	-23.39	68.42	35.13	12.65	65.59	0.00	100	0	Peak																																																																																																																										
3	7440.00	43.69	74.00	-30.31	57.51	36.59	14.92	65.33	0.00	100	0	PEAK																																																																																																																										



71																																																						
Band Edge - L																																																						
U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																						
ANT 9+11																																																						
Pol.	Horizontal																																																					
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot showing 5G BAND 1-3 limit and signal peaks.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.88</td> <td>60.86</td> <td>74.00</td> <td>-13.14</td> <td>43.34</td> <td>34.36</td> <td>12.45</td> <td>29.29</td> <td>0.00</td> <td>100</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5131.88	60.86	74.00	-13.14	43.34	34.36	12.45	29.29	0.00	100	219	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5131.88	60.86	74.00	-13.14	43.34	34.36	12.45	29.29	0.00	100	219	PEAK																																										
<p>Level (dBuV/m) vs Frequency (MHz) plot showing 5G BAND 1-3 limit and signal peaks.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2461.20</td> <td>107.34</td> <td>68.30</td> <td>39.04</td> <td>96.98</td> <td>32.09</td> <td>8.98</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>219</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>101.34</td> <td>68.30</td> <td>33.04</td> <td>90.98</td> <td>32.09</td> <td>8.98</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2461.20	107.34	68.30	39.04	96.98	32.09	8.98	30.71	0.00	100	219	Peak	2	5250.00	101.34	68.30	33.04	90.98	32.09	8.98	30.71	0.00	100	219	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2461.20	107.34	68.30	39.04	96.98	32.09	8.98	30.71	0.00	100	219	Peak																																										
2	5250.00	101.34	68.30	33.04	90.98	32.09	8.98	30.71	0.00	100	219	PEAK																																										
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot showing 5G BAND 1-3 (AVG) limit and signal peaks.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.35</td> <td>49.26</td> <td>54.00</td> <td>-4.74</td> <td>31.70</td> <td>34.39</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>219</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.35	49.26	54.00	-4.74	31.70	34.39	12.48	29.31	0.00	100	219	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.35	49.26	54.00	-4.74	31.70	34.39	12.48	29.31	0.00	100	219	AVERAGE																																										
<p>Level (dBuV/m) vs Frequency (MHz) plot showing 5G BAND 1-3 (AVG) limit and signal peaks.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2461.20</td> <td>99.41</td> <td>68.30</td> <td>31.11</td> <td>89.05</td> <td>32.09</td> <td>8.98</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>219</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5233.20</td> <td>91.87</td> <td>68.30</td> <td>23.57</td> <td>74.15</td> <td>34.50</td> <td>12.62</td> <td>29.40</td> <td>0.00</td> <td>100</td> <td>219</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2461.20	99.41	68.30	31.11	89.05	32.09	8.98	30.71	0.00	100	219	Average	2	5233.20	91.87	68.30	23.57	74.15	34.50	12.62	29.40	0.00	100	219	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2461.20	99.41	68.30	31.11	89.05	32.09	8.98	30.71	0.00	100	219	Average																																										
2	5233.20	91.87	68.30	23.57	74.15	34.50	12.62	29.40	0.00	100	219	Average																																										



Mode	71																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																										
ANT	9+11																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.46</td> <td>61.73</td> <td>74.00</td> <td>-12.27</td> <td>43.80</td> <td>34.50</td> <td>12.98</td> <td>29.55</td> <td>0.00</td> <td>100</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.46	61.73	74.00	-12.27	43.80	34.50	12.98	29.55	0.00	100	219	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5383.46	61.73	74.00	-12.27	43.80	34.50	12.98	29.55	0.00	100	219	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.76</td> <td>50.93</td> <td>54.00</td> <td>-3.07</td> <td>33.07</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>219</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.76	50.93	54.00	-3.07	33.07	34.50	12.88	29.52	0.00	100	219	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5352.76	50.93	54.00	-3.07	33.07	34.50	12.88	29.52	0.00	100	219	AVERAGE																															



71																																																				
Band Edge - L																																																				
U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																				
9+11																																																				
Mode																																																				
ANT																																																				
Pol.	Vertical																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5135.63</td> <td>60.62</td> <td>74.00</td> <td>-13.38</td> <td>43.09</td> <td>34.37</td> <td>12.46</td> <td>29.30</td> <td>0.00</td> <td>286</td> <td>67 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.63	60.62	74.00	-13.38	43.09	34.37	12.46	29.30	0.00	286	67 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5135.63	60.62	74.00	-13.38	43.09	34.37	12.46	29.30	0.00	286	67 PEAK																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2455.20</td> <td>110.80</td> <td>68.30</td> <td>42.50</td> <td>100.48</td> <td>32.08</td> <td>8.97</td> <td>30.73</td> <td>0.00</td> <td>286</td> <td>67 Peak</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>101.00</td> <td>68.30</td> <td>33.50</td> <td>91.48</td> <td>32.08</td> <td>8.97</td> <td>30.73</td> <td>0.00</td> <td>286</td> <td>67 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2455.20	110.80	68.30	42.50	100.48	32.08	8.97	30.73	0.00	286	67 Peak	2	5250.00	101.00	68.30	33.50	91.48	32.08	8.97	30.73	0.00	286	67 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2455.20	110.80	68.30	42.50	100.48	32.08	8.97	30.73	0.00	286	67 Peak																																									
2	5250.00	101.00	68.30	33.50	91.48	32.08	8.97	30.73	0.00	286	67 PEAK																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5095.80</td> <td>48.15</td> <td>54.00</td> <td>-5.85</td> <td>30.72</td> <td>34.29</td> <td>12.40</td> <td>29.26</td> <td>0.00</td> <td>286</td> <td>67 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5095.80	48.15	54.00	-5.85	30.72	34.29	12.40	29.26	0.00	286	67 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5095.80	48.15	54.00	-5.85	30.72	34.29	12.40	29.26	0.00	286	67 AVERAGE																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2455.20</td> <td>101.73</td> <td>-----</td> <td>-----</td> <td>91.41</td> <td>32.08</td> <td>8.97</td> <td>30.73</td> <td>0.00</td> <td>286</td> <td>67 Average</td> </tr> <tr> <td>2</td> <td>5251.20</td> <td>89.16</td> <td>68.30</td> <td>20.86</td> <td>71.44</td> <td>34.50</td> <td>12.64</td> <td>29.42</td> <td>0.00</td> <td>286</td> <td>67 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2455.20	101.73	-----	-----	91.41	32.08	8.97	30.73	0.00	286	67 Average	2	5251.20	89.16	68.30	20.86	71.44	34.50	12.64	29.42	0.00	286	67 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2455.20	101.73	-----	-----	91.41	32.08	8.97	30.73	0.00	286	67 Average																																									
2	5251.20	89.16	68.30	20.86	71.44	34.50	12.64	29.42	0.00	286	67 Average																																									



	71																																										
Mode	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																										
ANT	9+11																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1" data-bbox="268 1126 778 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.04</td> <td>59.44</td> <td>74.00</td> <td>-14.56</td> <td>41.56</td> <td>34.50</td> <td>12.91</td> <td>29.53</td> <td>0.00</td> <td>286</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.04	59.44	74.00	-14.56	41.56	34.50	12.91	29.53	0.00	286	67	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5362.04	59.44	74.00	-14.56	41.56	34.50	12.91	29.53	0.00	286	67	PEAK																															
Avg	<table border="1" data-bbox="268 1803 778 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5372.75</td> <td>49.24</td> <td>54.00</td> <td>-4.76</td> <td>31.34</td> <td>34.50</td> <td>12.94</td> <td>29.54</td> <td>0.00</td> <td>286</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.75	49.24	54.00	-4.76	31.34	34.50	12.94	29.54	0.00	286	67	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5372.75	49.24	54.00	-4.76	31.34	34.50	12.94	29.54	0.00	286	67	AVERAGE																															







Mode	71																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																															
ANT	9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>43.32</td> <td>68.30</td> <td>-24.98</td> <td>54.42</td> <td>37.55</td> <td>17.67</td> <td>66.32</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	43.32	68.30	-24.98	54.42	37.55	17.67	66.32	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>44.12</td> <td>68.30</td> <td>-24.18</td> <td>55.22</td> <td>37.55</td> <td>17.67</td> <td>66.32</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	44.12	68.30	-24.18	55.22	37.55	17.67	66.32	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10500.00	43.32	68.30	-24.98	54.42	37.55	17.67	66.32	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10500.00	44.12	68.30	-24.18	55.22	37.55	17.67	66.32	0.00	100	0 PEAK																																																																						



72																																																																																									
Mode	Band Edge - L																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																								
ANT	CDD 9+11																																																																																								
Pol.	Horizontal																																																																																								
Peak	<p>Data: 4</p> <p>Site : 03CH08-KS Condition : 5G BAND 4 3m CBL 6111D 49922 HORIZONTAL Project : mode : IMEI : : WIFI</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>36.79</td><td>21.71</td><td>-18.29</td><td>40.00</td><td>31.33</td><td>21.20</td><td>0.58</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>107.60</td><td>21.21</td><td>-22.29</td><td>43.50</td><td>34.53</td><td>16.57</td><td>1.51</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>163.86</td><td>25.70</td><td>-17.80</td><td>43.50</td><td>39.43</td><td>15.82</td><td>1.85</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>200.72</td><td>27.21</td><td>-16.29</td><td>43.50</td><td>41.76</td><td>14.78</td><td>2.07</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>242.43</td><td>28.60</td><td>-17.40</td><td>46.00</td><td>40.35</td><td>17.39</td><td>2.26</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>793.39</td><td>29.76</td><td>-16.24</td><td>46.00</td><td>29.00</td><td>27.97</td><td>4.09</td><td>31.30</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	36.79	21.71	-18.29	40.00	31.33	21.20	0.58	31.40	---	--- Peak	2	107.60	21.21	-22.29	43.50	34.53	16.57	1.51	31.40	---	--- Peak	3	163.86	25.70	-17.80	43.50	39.43	15.82	1.85	31.40	---	--- Peak	4	200.72	27.21	-16.29	43.50	41.76	14.78	2.07	31.40	---	--- Peak	5	242.43	28.60	-17.40	46.00	40.35	17.39	2.26	31.40	---	--- Peak	6	793.39	29.76	-16.24	46.00	29.00	27.97	4.09	31.30	---	--- Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																
1	36.79	21.71	-18.29	40.00	31.33	21.20	0.58	31.40	---	--- Peak																																																																															
2	107.60	21.21	-22.29	43.50	34.53	16.57	1.51	31.40	---	--- Peak																																																																															
3	163.86	25.70	-17.80	43.50	39.43	15.82	1.85	31.40	---	--- Peak																																																																															
4	200.72	27.21	-16.29	43.50	41.76	14.78	2.07	31.40	---	--- Peak																																																																															
5	242.43	28.60	-17.40	46.00	40.35	17.39	2.26	31.40	---	--- Peak																																																																															
6	793.39	29.76	-16.24	46.00	29.00	27.97	4.09	31.30	---	--- Peak																																																																															
	<p>Data: 3</p> <p>Site : 03CH08-KS Condition : 5G BAND 4 3m CBL 6111D 49922 VERTICAL Project : mode : IMEI : : WIFI</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>36.79</td><td>25.06</td><td>-14.94</td><td>40.00</td><td>34.68</td><td>21.20</td><td>0.58</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>86.26</td><td>24.83</td><td>-15.17</td><td>40.00</td><td>40.86</td><td>14.10</td><td>1.27</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>165.80</td><td>28.10</td><td>-15.40</td><td>43.50</td><td>41.98</td><td>15.66</td><td>1.86</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>204.60</td><td>27.68</td><td>-15.82</td><td>43.50</td><td>42.11</td><td>14.88</td><td>2.09</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>257.95</td><td>26.43</td><td>-19.57</td><td>46.00</td><td>35.86</td><td>19.63</td><td>2.34</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>684.75</td><td>28.44</td><td>-17.56</td><td>46.00</td><td>29.58</td><td>26.41</td><td>3.82</td><td>31.37</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	36.79	25.06	-14.94	40.00	34.68	21.20	0.58	31.40	---	--- Peak	2	86.26	24.83	-15.17	40.00	40.86	14.10	1.27	31.40	---	--- Peak	3	165.80	28.10	-15.40	43.50	41.98	15.66	1.86	31.40	---	--- Peak	4	204.60	27.68	-15.82	43.50	42.11	14.88	2.09	31.40	---	--- Peak	5	257.95	26.43	-19.57	46.00	35.86	19.63	2.34	31.40	---	--- Peak	6	684.75	28.44	-17.56	46.00	29.58	26.41	3.82	31.37	---	--- Peak
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																
1	36.79	25.06	-14.94	40.00	34.68	21.20	0.58	31.40	---	--- Peak																																																																															
2	86.26	24.83	-15.17	40.00	40.86	14.10	1.27	31.40	---	--- Peak																																																																															
3	165.80	28.10	-15.40	43.50	41.98	15.66	1.86	31.40	---	--- Peak																																																																															
4	204.60	27.68	-15.82	43.50	42.11	14.88	2.09	31.40	---	--- Peak																																																																															
5	257.95	26.43	-19.57	46.00	35.86	19.63	2.34	31.40	---	--- Peak																																																																															
6	684.75	28.44	-17.56	46.00	29.58	26.41	3.82	31.37	---	--- Peak																																																																															



Mode	73																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																			
ANT	9+11																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.78</td> <td>60.16</td> <td>74.00</td> <td>-13.84</td> <td>42.60</td> <td>34.39</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.78	60.16	74.00	-13.84	42.60	34.39	12.48	29.31	0.00	100	113	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>108.60</td> <td>-----</td> <td>-----</td> <td>90.93</td> <td>34.47</td> <td>12.54</td> <td>29.34</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	108.60	-----	-----	90.93	34.47	12.54	29.34	0.00	100	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5145.78	60.16	74.00	-13.84	42.60	34.39	12.48	29.31	0.00	100	113	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	108.60	-----	-----	90.93	34.47	12.54	29.34	0.00	100	113	PEAK																																																																								
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.90</td> <td>49.31</td> <td>54.00</td> <td>-4.69</td> <td>31.74</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	49.31	54.00	-4.69	31.74	34.40	12.48	29.31	0.00	100	113	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>99.37</td> <td>-----</td> <td>-----</td> <td>81.70</td> <td>34.47</td> <td>12.55</td> <td>29.35</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.37	-----	-----	81.70	34.47	12.55	29.35	0.00	100	113	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.90	49.31	54.00	-4.69	31.74	34.40	12.48	29.31	0.00	100	113	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	99.37	-----	-----	81.70	34.47	12.55	29.35	0.00	100	113	AVERAGE																																																																								



Mode	73																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																										
ANT	9+11																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5412.16</td> <td>57.59</td> <td>74.00</td> <td>-16.41</td> <td>39.60</td> <td>34.51</td> <td>13.06</td> <td>29.58</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.16	57.59	74.00	-16.41	39.60	34.51	13.06	29.58	0.00	100	113	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5412.16	57.59	74.00	-16.41	39.60	34.51	13.06	29.58	0.00	100	113	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.92</td> <td>46.57</td> <td>54.00</td> <td>-7.43</td> <td>28.49</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.92	46.57	54.00	-7.43	28.49	34.53	13.17	29.62	0.00	100	113	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5458.92	46.57	54.00	-7.43	28.49	34.53	13.17	29.62	0.00	100	113	AVERAGE																															



Mode	73																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																											
ANT	9+11																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.86</td> <td>60.89</td> <td>74.00</td> <td>-13.11</td> <td>43.32</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>384</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.86	60.89	74.00	-13.11	43.32	34.40	12.48	29.31	0.00	384	31	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>105.71</td> <td>-----</td> <td>-----</td> <td>88.05</td> <td>34.46</td> <td>12.54</td> <td>29.34</td> <td>0.00</td> <td>384</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5190.00	105.71	-----	-----	88.05	34.46	12.54	29.34	0.00	384	31	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5148.86	60.89	74.00	-13.11	43.32	34.40	12.48	29.31	0.00	384	31	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5190.00	105.71	-----	-----	88.05	34.46	12.54	29.34	0.00	384	31	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>31.15</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>384</td> <td>31</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5150.00	48.72	54.00	-5.28	31.15	34.40	12.48	29.31	0.00	384	31	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>96.63</td> <td>-----</td> <td>-----</td> <td>78.97</td> <td>34.46</td> <td>12.54</td> <td>29.34</td> <td>0.00</td> <td>384</td> <td>31</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5190.00	96.63	-----	-----	78.97	34.46	12.54	29.34	0.00	384	31	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5150.00	48.72	54.00	-5.28	31.15	34.40	12.48	29.31	0.00	384	31	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5190.00	96.63	-----	-----	78.97	34.46	12.54	29.34	0.00	384	31	AVERAGE																																																																



Mode	73																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																										
ANT	9+11																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5416.44</td> <td>58.19</td> <td>74.00</td> <td>-15.81</td> <td>40.19</td> <td>34.51</td> <td>13.07</td> <td>29.58</td> <td>0.00</td> <td>384</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.44	58.19	74.00	-15.81	40.19	34.51	13.07	29.58	0.00	384	31	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5416.44	58.19	74.00	-15.81	40.19	34.51	13.07	29.58	0.00	384	31	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.52</td> <td>46.54</td> <td>54.00</td> <td>-7.46</td> <td>28.46</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>384</td> <td>31</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.52	46.54	54.00	-7.46	28.46	34.53	13.17	29.62	0.00	384	31	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5458.52	46.54	54.00	-7.46	28.46	34.53	13.17	29.62	0.00	384	31	AVERAGE																															



Mode	73																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																													
ANT	9+11																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10300.00</td> <td>43.65</td> <td>68.30</td> <td>-24.65</td> <td>55.12</td> <td>37.42</td> <td>17.57</td> <td>66.46</td> <td>0.00</td> <td>300 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10300.00	43.65	68.30	-24.65	55.12	37.42	17.57	66.46	0.00	300 360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10300.00</td> <td>43.57</td> <td>68.30</td> <td>-24.73</td> <td>55.04</td> <td>37.42</td> <td>17.57</td> <td>66.46</td> <td>0.00</td> <td>100 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10300.00	43.57	68.30	-24.73	55.04	37.42	17.57	66.46	0.00	100 360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10300.00	43.65	68.30	-24.65	55.12	37.42	17.57	66.46	0.00	300 360 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10300.00	43.57	68.30	-24.73	55.04	37.42	17.57	66.46	0.00	100 360 PEAK																																																																					



		74																																																																														
Mode		Band Edge - L																																																																														
		U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																														
ANT		9+11																																																																														
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5013.46</td> <td>59.16</td> <td>74.00</td> <td>-14.84</td> <td>41.90</td> <td>34.13</td> <td>12.34</td> <td>29.21</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5013.46	59.16	74.00	-14.84	41.90	34.13	12.34	29.21	0.00	100	114	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>108.69</td> <td>-----</td> <td>-----</td> <td>90.97</td> <td>34.50</td> <td>12.60</td> <td>29.38</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.69	-----	-----	90.97	34.50	12.60	29.38	0.00	100	114	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5013.46	59.16	74.00	-14.84	41.90	34.13	12.34	29.21	0.00	100	114	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5230.00	108.69	-----	-----	90.97	34.50	12.60	29.38	0.00	100	114	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5007.01</td> <td>47.49</td> <td>54.00</td> <td>-6.51</td> <td>30.25</td> <td>34.11</td> <td>12.33</td> <td>29.20</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5007.01	47.49	54.00	-6.51	30.25	34.11	12.33	29.20	0.00	100	114	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>99.29</td> <td>-----</td> <td>-----</td> <td>81.57</td> <td>34.50</td> <td>12.62</td> <td>29.40</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	99.29	-----	-----	81.57	34.50	12.62	29.40	0.00	100	114	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5007.01	47.49	54.00	-6.51	30.25	34.11	12.33	29.20	0.00	100	114	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5230.00	99.29	-----	-----	81.57	34.50	12.62	29.40	0.00	100	114	AVERAGE																																																																				



	74																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																								
ANT	9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.66</td> <td>57.43</td> <td>74.00</td> <td>-16.57</td> <td>39.35</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.66	57.43	74.00	-16.57	39.35	34.53	13.17	29.62	0.00	100	114 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5459.66	57.43	74.00	-16.57	39.35	34.53	13.17	29.62	0.00	100	114 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.40</td> <td>46.53</td> <td>54.00</td> <td>-7.47</td> <td>28.45</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.40	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	100	114 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5459.40	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	100	114 AVERAGE																															



Mode	74																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																			
ANT	9+11																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5007.48</td> <td>59.40</td> <td>74.00</td> <td>-14.60</td> <td>42.15</td> <td>34.11</td> <td>12.34</td> <td>29.20</td> <td>0.00</td> <td>339</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5007.48	59.40	74.00	-14.60	42.15	34.11	12.34	29.20	0.00	339	82	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>105.21</td> <td>-----</td> <td>-----</td> <td>87.49</td> <td>34.50</td> <td>12.62</td> <td>29.40</td> <td>0.00</td> <td>339</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	105.21	-----	-----	87.49	34.50	12.62	29.40	0.00	339	82	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5007.48	59.40	74.00	-14.60	42.15	34.11	12.34	29.20	0.00	339	82	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5230.00	105.21	-----	-----	87.49	34.50	12.62	29.40	0.00	339	82	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5011.61</td> <td>47.45</td> <td>54.00</td> <td>-6.55</td> <td>30.20</td> <td>34.12</td> <td>12.34</td> <td>29.21</td> <td>0.00</td> <td>339</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5011.61	47.45	54.00	-6.55	30.20	34.12	12.34	29.21	0.00	339	82	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>96.79</td> <td>-----</td> <td>-----</td> <td>79.07</td> <td>34.50</td> <td>12.62</td> <td>29.40</td> <td>0.00</td> <td>339</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	96.79	-----	-----	79.07	34.50	12.62	29.40	0.00	339	82	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5011.61	47.45	54.00	-6.55	30.20	34.12	12.34	29.21	0.00	339	82	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5230.00	96.79	-----	-----	79.07	34.50	12.62	29.40	0.00	339	82	AVERAGE																																																																								



Mode	74																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																								
ANT	9+11																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.51</td> <td>58.02</td> <td>74.00</td> <td>-15.98</td> <td>39.94</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>339</td> <td>82 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5458.51	58.02	74.00	-15.98	39.94	34.53	13.17	29.62	0.00	339	82 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5458.51	58.02	74.00	-15.98	39.94	34.53	13.17	29.62	0.00	339	82 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.80</td> <td>46.49</td> <td>54.00</td> <td>-7.51</td> <td>28.41</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>339</td> <td>82 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.80	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	339	82 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5459.80	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	339	82 AVERAGE																															



Mode	74																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																															
ANT	9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>44.85</td> <td>68.30</td> <td>-23.45</td> <td>56.06</td> <td>37.51</td> <td>17.64</td> <td>66.36</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	44.85	68.30	-23.45	56.06	37.51	17.64	66.36	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>43.75</td> <td>68.30</td> <td>-24.55</td> <td>54.96</td> <td>37.51</td> <td>17.64</td> <td>66.36</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	43.75	68.30	-24.55	54.96	37.51	17.64	66.36	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10460.00	44.85	68.30	-23.45	56.06	37.51	17.64	66.36	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10460.00	43.75	68.30	-24.55	54.96	37.51	17.64	66.36	0.00	100	0 PEAK																																																																						



Mode	75																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH54_5270MHz																																																																																			
ANT	9+11																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5084.92</td> <td>59.45</td> <td>74.00</td> <td>-14.55</td> <td>42.04</td> <td>34.27</td> <td>12.39</td> <td>29.25</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5084.92	59.45	74.00	-14.55	42.04	34.27	12.39	29.25	0.00	101	116	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>108.64</td> <td>-----</td> <td>-----</td> <td>90.90</td> <td>34.50</td> <td>12.68</td> <td>29.44</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	108.64	-----	-----	90.90	34.50	12.68	29.44	0.00	101	116	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5084.92	59.45	74.00	-14.55	42.04	34.27	12.39	29.25	0.00	101	116	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	108.64	-----	-----	90.90	34.50	12.68	29.44	0.00	101	116	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5003.64</td> <td>47.66</td> <td>54.00</td> <td>-6.34</td> <td>30.42</td> <td>34.11</td> <td>12.33</td> <td>29.20</td> <td>0.00</td> <td>101</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5003.64	47.66	54.00	-6.34	30.42	34.11	12.33	29.20	0.00	101	116	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>99.76</td> <td>-----</td> <td>-----</td> <td>82.03</td> <td>34.50</td> <td>12.66</td> <td>29.43</td> <td>0.00</td> <td>101</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	99.76	-----	-----	82.03	34.50	12.66	29.43	0.00	101	116	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5003.64	47.66	54.00	-6.34	30.42	34.11	12.33	29.20	0.00	101	116	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	99.76	-----	-----	82.03	34.50	12.66	29.43	0.00	101	116	AVERAGE																																																																								



Mode	75																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																														
ANT	9+11																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5375.17</td> <td>57.38</td> <td>74.00</td> <td>-16.62</td> <td>39.48</td> <td>34.50</td> <td>12.95</td> <td>29.55</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 116 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5375.17	57.38	74.00	-16.62	39.48	34.50	12.95	29.55	0.00									101 116 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5375.17	57.38	74.00	-16.62	39.48	34.50	12.95	29.55	0.00																																							
								101 116 PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5459.11</td> <td>46.53</td> <td>54.00</td> <td>-7.47</td> <td>28.45</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 116 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5459.11	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00									101 116 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5459.11	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00																																							
								101 116 AVERAGE																																							



Mode	75																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH54_5270MHz																																																																																			
ANT	9+11																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5066.29</td> <td>59.84</td> <td>74.00</td> <td>-14.16</td> <td>42.47</td> <td>34.23</td> <td>12.38</td> <td>29.24</td> <td>0.00</td> <td>374</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5066.29	59.84	74.00	-14.16	42.47	34.23	12.38	29.24	0.00	374	64	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>106.31</td> <td>-----</td> <td>-----</td> <td>88.58</td> <td>34.50</td> <td>12.66</td> <td>29.43</td> <td>0.00</td> <td>374</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	106.31	-----	-----	88.58	34.50	12.66	29.43	0.00	374	64	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5066.29	59.84	74.00	-14.16	42.47	34.23	12.38	29.24	0.00	374	64	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	106.31	-----	-----	88.58	34.50	12.66	29.43	0.00	374	64	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5021.96</td> <td>47.61</td> <td>54.00</td> <td>-6.39</td> <td>30.33</td> <td>34.14</td> <td>12.35</td> <td>29.21</td> <td>0.00</td> <td>374</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5021.96	47.61	54.00	-6.39	30.33	34.14	12.35	29.21	0.00	374	64	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>97.13</td> <td>-----</td> <td>-----</td> <td>79.40</td> <td>34.50</td> <td>12.66</td> <td>29.43</td> <td>0.00</td> <td>374</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	97.13	-----	-----	79.40	34.50	12.66	29.43	0.00	374	64	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5021.96	47.61	54.00	-6.39	30.33	34.14	12.35	29.21	0.00	374	64	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	97.13	-----	-----	79.40	34.50	12.66	29.43	0.00	374	64	AVERAGE																																																																								



Mode	75																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																								
ANT	9+11																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5428.37</td> <td>57.30</td> <td>74.00</td> <td>-16.70</td> <td>39.28</td> <td>34.51</td> <td>13.10</td> <td>29.59</td> <td>0.00</td> <td>374</td> <td>64 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5428.37	57.30	74.00	-16.70	39.28	34.51	13.10	29.59	0.00	374	64 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5428.37	57.30	74.00	-16.70	39.28	34.51	13.10	29.59	0.00	374	64 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.46</td> <td>46.44</td> <td>54.00</td> <td>-7.56</td> <td>28.36</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>374</td> <td>64 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.46	46.44	54.00	-7.56	28.36	34.53	13.17	29.62	0.00	374	64 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5459.46	46.44	54.00	-7.56	28.36	34.53	13.17	29.62	0.00	374	64 AVERAGE																															



Mode	75																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH54_5270MHz																																																																															
ANT	9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>45.51</td> <td>68.30</td> <td>-22.79</td> <td>56.49</td> <td>37.59</td> <td>17.70</td> <td>66.27</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	45.51	68.30	-22.79	56.49	37.59	17.70	66.27	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.69</td> <td>68.30</td> <td>-23.61</td> <td>55.67</td> <td>37.59</td> <td>17.70</td> <td>66.27</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	44.69	68.30	-23.61	55.67	37.59	17.70	66.27	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10540.00	45.51	68.30	-22.79	56.49	37.59	17.70	66.27	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10540.00	44.69	68.30	-23.61	55.67	37.59	17.70	66.27	0.00	100	0 PEAK																																																																						



Mode	76																																																																																					
	Band Edge - L																																																																																					
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																																																																					
ANT	9+11																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>50933.96</td> <td>59.77</td> <td>74.00</td> <td>-14.23</td> <td>42.47</td> <td>34.17</td> <td>12.35</td> <td>29.22</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	50933.96	59.77	74.00	-14.23	42.47	34.17	12.35	29.22	0.00	100	113	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>108.56</td> <td>-----</td> <td>-----</td> <td>90.79</td> <td>34.50</td> <td>12.75</td> <td>29.48</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	108.56	-----	-----	90.79	34.50	12.75	29.48	0.00	100	113	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	50933.96	59.77	74.00	-14.23	42.47	34.17	12.35	29.22	0.00	100	113	PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5310.00	108.56	-----	-----	90.79	34.50	12.75	29.48	0.00	100	113	PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5007.30</td> <td>47.63</td> <td>54.00</td> <td>-6.37</td> <td>30.38</td> <td>34.11</td> <td>12.34</td> <td>29.20</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5007.30	47.63	54.00	-6.37	30.38	34.11	12.34	29.20	0.00	100	113	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>99.31</td> <td>-----</td> <td>-----</td> <td>81.57</td> <td>34.50</td> <td>12.71</td> <td>29.47</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	99.31	-----	-----	81.57	34.50	12.71	29.47	0.00	100	113	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5007.30	47.63	54.00	-6.37	30.38	34.11	12.34	29.20	0.00	100	113	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5310.00	99.31	-----	-----	81.57	34.50	12.71	29.47	0.00	100	113	AVERAGE																																																																										



Mode	76																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																								
ANT	9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.23</td> <td>58.48</td> <td>74.00</td> <td>-15.52</td> <td>40.62</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>113 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5352.23	58.48	74.00	-15.52	40.62	34.50	12.88	29.52	0.00	100	113 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5352.23	58.48	74.00	-15.52	40.62	34.50	12.88	29.52	0.00	100	113 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.91</td> <td>48.59</td> <td>54.00</td> <td>-5.41</td> <td>30.73</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>113 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5352.91	48.59	54.00	-5.41	30.73	34.50	12.88	29.52	0.00	100	113 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5352.91	48.59	54.00	-5.41	30.73	34.50	12.88	29.52	0.00	100	113 AVERAGE																															



		76																																																																																
Mode		Band Edge - L																																																																																
		U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																																																																
ANT		9+11																																																																																
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5064.65</td> <td>59.10</td> <td>74.00</td> <td>-14.90</td> <td>41.73</td> <td>34.23</td> <td>12.38</td> <td>29.24</td> <td>0.00</td> <td>368</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5064.65	59.10	74.00	-14.90	41.73	34.23	12.38	29.24	0.00	368	78	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>104.71</td> <td>-----</td> <td>-----</td> <td>86.97</td> <td>34.50</td> <td>12.71</td> <td>29.47</td> <td>0.00</td> <td>368</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	104.71	-----	-----	86.97	34.50	12.71	29.47	0.00	368	78	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5064.65	59.10	74.00	-14.90	41.73	34.23	12.38	29.24	0.00	368	78	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	104.71	-----	-----	86.97	34.50	12.71	29.47	0.00	368	78	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5011.02</td> <td>47.62</td> <td>54.00</td> <td>-6.38</td> <td>30.37</td> <td>34.12</td> <td>12.34</td> <td>29.21</td> <td>0.00</td> <td>368</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5011.02	47.62	54.00	-6.38	30.37	34.12	12.34	29.21	0.00	368	78	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>95.82</td> <td>-----</td> <td>-----</td> <td>78.07</td> <td>34.50</td> <td>12.73</td> <td>29.48</td> <td>0.00</td> <td>368</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	95.82	-----	-----	78.07	34.50	12.73	29.48	0.00	368	78	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5011.02	47.62	54.00	-6.38	30.37	34.12	12.34	29.21	0.00	368	78	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	95.82	-----	-----	78.07	34.50	12.73	29.48	0.00	368	78	AVERAGE																																																																						







Mode	76																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																									
ANT	9+11																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.68</td> <td>57.08</td> <td>74.00</td> <td>-16.92</td> <td>39.08</td> <td>34.51</td> <td>13.07</td> <td>29.58</td> <td>0.00</td> <td>368</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5415.68	57.08	74.00	-16.92	39.08	34.51	13.07	29.58	0.00	368	78	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5415.68	57.08	74.00	-16.92	39.08	34.51	13.07	29.58	0.00	368	78	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.81</td> <td>46.46</td> <td>54.00</td> <td>-7.54</td> <td>28.38</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>368</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5458.81	46.46	54.00	-7.54	28.38	34.53	13.17	29.62	0.00	368	78	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5458.81	46.46	54.00	-7.54	28.38	34.53	13.17	29.62	0.00	368	78	AVERAGE																														



Mode	76																																																																									
	Harmonic																																																																									
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																																																									
ANT	9+11																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.59</td> <td>74.00</td> <td>-28.41</td> <td>56.31</td> <td>37.68</td> <td>17.77</td> <td>66.17</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10620.00	45.59	74.00	-28.41	56.31	37.68	17.77	66.17	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>44.24</td> <td>74.00</td> <td>-29.76</td> <td>54.96</td> <td>37.68</td> <td>17.77</td> <td>66.17</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10620.00	44.24	74.00	-29.76	54.96	37.68	17.77	66.17	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10620.00	45.59	74.00	-28.41	56.31	37.68	17.77	66.17	0.00	300	0	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10620.00	44.24	74.00	-29.76	54.96	37.68	17.77	66.17	0.00	100	0	PEAK																																																															



Mode	77																																																																																					
	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac_VHT40_CH102_5510MHz																																																																																					
ANT	9+11																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.77</td> <td>59.04</td> <td>74.00</td> <td>-14.96</td> <td>40.96</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>232 PEAK</td> </tr> <tr> <td>2</td> <td>5467.05</td> <td>59.85</td> <td>68.30</td> <td>-8.45</td> <td>41.75</td> <td>34.53</td> <td>13.19</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>232 PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5457.77	59.04	74.00	-14.96	40.96	34.53	13.17	29.62	0.00	100	232 PEAK	2	5467.05	59.85	68.30	-8.45	41.75	34.53	13.19	29.62	0.00	100	232 PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>106.40</td> <td>-----</td> <td>88.24</td> <td>34.55</td> <td>13.25</td> <td>29.64</td> <td>0.00</td> <td>100</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	106.40	-----	88.24	34.55	13.25	29.64	0.00	100	232	PEAK
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5457.77	59.04	74.00	-14.96	40.96	34.53	13.17	29.62	0.00	100	232 PEAK																																																																											
2	5467.05	59.85	68.30	-8.45	41.75	34.53	13.19	29.62	0.00	100	232 PEAK																																																																											
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5510.00	106.40	-----	88.24	34.55	13.25	29.64	0.00	100	232	PEAK																																																																											
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.17</td> <td>47.49</td> <td>54.00</td> <td>-6.51</td> <td>29.41</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>232 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5456.17	47.49	54.00	-6.51	29.41	34.53	13.16	29.61	0.00	100	232 AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.99</td> <td>-----</td> <td>78.85</td> <td>34.56</td> <td>13.25</td> <td>29.67</td> <td>0.00</td> <td>100</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	96.99	-----	78.85	34.56	13.25	29.67	0.00	100	232	AVERAGE												
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5456.17	47.49	54.00	-6.51	29.41	34.53	13.16	29.61	0.00	100	232 AVERAGE																																																																											
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5510.00	96.99	-----	78.85	34.56	13.25	29.67	0.00	100	232	AVERAGE																																																																											



Mode	77																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																								
ANT	9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5756.21</td> <td>57.93</td> <td>68.30</td> <td>-10.37</td> <td>38.83</td> <td>34.90</td> <td>13.98</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>232 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5756.21	57.93	68.30	-10.37	38.83	34.90	13.98	29.78	0.00	100	232 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5756.21	57.93	68.30	-10.37	38.83	34.90	13.98	29.78	0.00	100	232 PEAK																															



Mode	77																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac_VHT40_CH102_5510MHz																																																																																																
ANT	9+11																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.49</td> <td>57.39</td> <td>74.00</td> <td>-16.61</td> <td>39.31</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>300</td> <td>95</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.37</td> <td>57.67</td> <td>68.30</td> <td>-10.63</td> <td>39.57</td> <td>34.53</td> <td>13.19</td> <td>29.62</td> <td>0.00</td> <td>300</td> <td>95</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.49	57.39	74.00	-16.61	39.31	34.53	13.17	29.62	0.00	300	95	PEAK	2	5467.37	57.67	68.30	-10.63	39.57	34.53	13.19	29.62	0.00	300	95	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>100.62</td> <td>-----</td> <td>-----</td> <td>82.47</td> <td>34.55</td> <td>13.26</td> <td>29.66</td> <td>0.00</td> <td>300</td> <td>95</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.62	-----	-----	82.47	34.55	13.26	29.66	0.00	300	95	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.49	57.39	74.00	-16.61	39.31	34.53	13.17	29.62	0.00	300	95	PEAK																																																																																					
2	5467.37	57.67	68.30	-10.63	39.57	34.53	13.19	29.62	0.00	300	95	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	100.62	-----	-----	82.47	34.55	13.26	29.66	0.00	300	95	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.52</td> <td>46.62</td> <td>54.00</td> <td>-7.38</td> <td>28.54</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>300</td> <td>95</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.52	46.62	54.00	-7.38	28.54	34.53	13.17	29.62	0.00	300	95	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>91.93</td> <td>-----</td> <td>-----</td> <td>73.78</td> <td>34.55</td> <td>13.26</td> <td>29.66</td> <td>0.00</td> <td>300</td> <td>95</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.93	-----	-----	73.78	34.55	13.26	29.66	0.00	300	95	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.52	46.62	54.00	-7.38	28.54	34.53	13.17	29.62	0.00	300	95	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	91.93	-----	-----	73.78	34.55	13.26	29.66	0.00	300	95	AVERAGE																																																																																					



Mode	77																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																								
ANT	9+11																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5740.40</td> <td>57.68</td> <td>68.30</td> <td>-10.62</td> <td>38.76</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5740.40	57.68	68.30	-10.62	38.76	34.87	13.84	29.79	0.00	300	95 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5740.40	57.68	68.30	-10.62	38.76	34.87	13.84	29.79	0.00	300	95 PEAK																															



Mode	77																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																											
ANT	9+11																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>44.25</td> <td>74.00</td> <td>-29.75</td> <td>53.76</td> <td>38.11</td> <td>18.10</td> <td>65.72</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	44.25	74.00	-29.75	53.76	38.11	18.10	65.72	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>44.27</td> <td>74.00</td> <td>-29.73</td> <td>53.78</td> <td>38.11</td> <td>18.10</td> <td>65.72</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	44.27	74.00	-29.73	53.78	38.11	18.10	65.72	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11020.00	44.25	74.00	-29.75	53.76	38.11	18.10	65.72	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11020.00	44.27	74.00	-29.73	53.78	38.11	18.10	65.72	0.00	100	0 PEAK																																																																		



Mode	78																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac_VHT40_CH110_5550MHz																																																																																																
ANT	9+11																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.91</td> <td>57.62</td> <td>74.00</td> <td>-16.38</td> <td>39.54</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>300</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.71</td> <td>57.19</td> <td>68.30</td> <td>-11.11</td> <td>39.09</td> <td>34.53</td> <td>13.19</td> <td>29.62</td> <td>0.00</td> <td>300</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.91	57.62	74.00	-16.38	39.54	34.53	13.16	29.61	0.00	300	245	PEAK	2	5467.71	57.19	68.30	-11.11	39.09	34.53	13.19	29.62	0.00	300	245	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>107.00</td> <td>-----</td> <td>-----</td> <td>88.99</td> <td>34.57</td> <td>13.22</td> <td>29.70</td> <td>0.00</td> <td>300</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	107.00	-----	-----	88.99	34.57	13.22	29.70	0.00	300	245	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5452.91	57.62	74.00	-16.38	39.54	34.53	13.16	29.61	0.00	300	245	PEAK																																																																																					
2	5467.71	57.19	68.30	-11.11	39.09	34.53	13.19	29.62	0.00	300	245	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	107.00	-----	-----	88.99	34.57	13.22	29.70	0.00	300	245	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.99</td> <td>46.61</td> <td>54.00</td> <td>-7.39</td> <td>28.53</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>300</td> <td>245</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.99	46.61	54.00	-7.39	28.53	34.53	13.17	29.62	0.00	300	245	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>97.16</td> <td>-----</td> <td>-----</td> <td>79.07</td> <td>34.57</td> <td>13.22</td> <td>29.70</td> <td>0.00</td> <td>300</td> <td>245</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.16	-----	-----	79.07	34.57	13.22	29.70	0.00	300	245	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.99	46.61	54.00	-7.39	28.53	34.53	13.17	29.62	0.00	300	245	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	97.16	-----	-----	79.07	34.57	13.22	29.70	0.00	300	245	AVERAGE																																																																																					



Mode	78																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																								
ANT	9+11																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5738.67</td> <td>57.42</td> <td>68.30</td> <td>-10.88</td> <td>38.52</td> <td>34.87</td> <td>13.82</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>245 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5738.67	57.42	68.30	-10.88	38.52	34.87	13.82	29.79	0.00	300	245 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5738.67	57.42	68.30	-10.88	38.52	34.87	13.82	29.79	0.00	300	245 PEAK																															



Mode	78																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																
ANT	9+11																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.91</td> <td>57.60</td> <td>74.00</td> <td>-16.40</td> <td>39.55</td> <td>34.52</td> <td>13.14</td> <td>29.61</td> <td>0.00</td> <td>316</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.91</td> <td>55.96</td> <td>68.30</td> <td>-12.34</td> <td>37.86</td> <td>34.53</td> <td>13.19</td> <td>29.62</td> <td>0.00</td> <td>316</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.91	57.60	74.00	-16.40	39.55	34.52	13.14	29.61	0.00	316	68	PEAK	2	5465.91	55.96	68.30	-12.34	37.86	34.53	13.19	29.62	0.00	316	68	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>101.33</td> <td>-----</td> <td>-----</td> <td>83.25</td> <td>34.58</td> <td>13.21</td> <td>29.71</td> <td>0.00</td> <td>316</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	101.33	-----	-----	83.25	34.58	13.21	29.71	0.00	316	68	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5443.91	57.60	74.00	-16.40	39.55	34.52	13.14	29.61	0.00	316	68	PEAK																																																																																					
2	5465.91	55.96	68.30	-12.34	37.86	34.53	13.19	29.62	0.00	316	68	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	101.33	-----	-----	83.25	34.58	13.21	29.71	0.00	316	68	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.40</td> <td>46.52</td> <td>54.00</td> <td>-7.48</td> <td>28.44</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>316</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.40	46.52	54.00	-7.48	28.44	34.53	13.17	29.62	0.00	316	68	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>92.55</td> <td>-----</td> <td>-----</td> <td>74.47</td> <td>34.58</td> <td>13.21</td> <td>29.71</td> <td>0.00</td> <td>316</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	92.55	-----	-----	74.47	34.58	13.21	29.71	0.00	316	68	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.40	46.52	54.00	-7.48	28.44	34.53	13.17	29.62	0.00	316	68	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	92.55	-----	-----	74.47	34.58	13.21	29.71	0.00	316	68	AVERAGE																																																																																					



Mode	78																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																								
ANT	9+11																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.34</td> <td>58.04</td> <td>68.30</td> <td>-10.26</td> <td>39.26</td> <td>34.84</td> <td>13.73</td> <td>29.79</td> <td>0.00</td> <td>316</td> <td>68 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5728.34	58.04	68.30	-10.26	39.26	34.84	13.73	29.79	0.00	316	68 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5728.34	58.04	68.30	-10.26	39.26	34.84	13.73	29.79	0.00	316	68 PEAK																															



Mode	78																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																							
ANT	9+11																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>44.27</td> <td>74.00</td> <td>-29.73</td> <td>53.62</td> <td>38.16</td> <td>18.16</td> <td>65.67</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11100.00	44.27	74.00	-29.73	53.62	38.16	18.16	65.67	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.67</td> <td>74.00</td> <td>-28.33</td> <td>55.02</td> <td>38.16</td> <td>18.16</td> <td>65.67</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11100.00	45.67	74.00	-28.33	55.02	38.16	18.16	65.67	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11100.00	44.27	74.00	-29.73	53.62	38.16	18.16	65.67	0.00	300	0 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11100.00	45.67	74.00	-28.33	55.02	38.16	18.16	65.67	0.00	100	0 PEAK																																																														



Mode	79																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac_VHT40_CH134_5670MHz																																																																																																
ANT	9+11																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.73</td> <td>57.32</td> <td>74.00</td> <td>-16.68</td> <td>39.26</td> <td>34.52</td> <td>13.15</td> <td>29.61</td> <td>0.00</td> <td>101</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.65</td> <td>58.44</td> <td>68.30</td> <td>-9.86</td> <td>40.34</td> <td>34.53</td> <td>13.19</td> <td>29.62</td> <td>0.00</td> <td>101</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.73	57.32	74.00	-16.68	39.26	34.52	13.15	29.61	0.00	101	233	PEAK	2	5466.65	58.44	68.30	-9.86	40.34	34.53	13.19	29.62	0.00	101	233	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>108.04</td> <td>-----</td> <td>-----</td> <td>89.74</td> <td>34.72</td> <td>13.37</td> <td>29.79</td> <td>0.00</td> <td>101</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.04	-----	-----	89.74	34.72	13.37	29.79	0.00	101	233	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5448.73	57.32	74.00	-16.68	39.26	34.52	13.15	29.61	0.00	101	233	PEAK																																																																																					
2	5466.65	58.44	68.30	-9.86	40.34	34.53	13.19	29.62	0.00	101	233	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	108.04	-----	-----	89.74	34.72	13.37	29.79	0.00	101	233	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.61</td> <td>46.53</td> <td>54.00</td> <td>-7.47</td> <td>28.45</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>101</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.61	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	101	233	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>98.17</td> <td>-----</td> <td>-----</td> <td>79.89</td> <td>34.71</td> <td>13.35</td> <td>29.78</td> <td>0.00</td> <td>101</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.17	-----	-----	79.89	34.71	13.35	29.78	0.00	101	233	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.61	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	101	233	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	98.17	-----	-----	79.89	34.71	13.35	29.78	0.00	101	233	AVERAGE																																																																																					



Mode	79																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																									
ANT	9+11																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>The plot shows a signal level starting at approximately 97.5 dBuV/m at 5670 MHz, peaking at 113.8 dBuV/m around 5680 MHz, and then decaying to a noise floor of about 48.8 dBuV/m by 5765 MHz. A red horizontal line indicates a limit of 65.0 dBuV/m. A vertical blue line marks the peak at 5725.15 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.15</td> <td>59.06</td> <td>68.30</td> <td>-9.24</td> <td>40.31</td> <td>34.04</td> <td>13.70</td> <td>29.79</td> <td>0.00</td> <td>101</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.15	59.06	68.30	-9.24	40.31	34.04	13.70	29.79	0.00	101	233	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5725.15	59.06	68.30	-9.24	40.31	34.04	13.70	29.79	0.00	101	233	PEAK																															



Mode	79																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																
ANT	9+11																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.25</td> <td>58.71</td> <td>74.00</td> <td>-15.29</td> <td>40.63</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>287</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.73</td> <td>56.55</td> <td>68.30</td> <td>-11.75</td> <td>38.45</td> <td>34.53</td> <td>13.19</td> <td>29.62</td> <td>0.00</td> <td>287</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.25	58.71	74.00	-15.29	40.63	34.53	13.16	29.61	0.00	287	92	PEAK	2	5464.73	56.55	68.30	-11.75	38.45	34.53	13.19	29.62	0.00	287	92	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.99</td> <td>-----</td> <td>-----</td> <td>82.71</td> <td>34.71</td> <td>13.35</td> <td>29.78</td> <td>0.00</td> <td>287</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.99	-----	-----	82.71	34.71	13.35	29.78	0.00	287	92	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5452.25	58.71	74.00	-15.29	40.63	34.53	13.16	29.61	0.00	287	92	PEAK																																																																																					
2	5464.73	56.55	68.30	-11.75	38.45	34.53	13.19	29.62	0.00	287	92	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	100.99	-----	-----	82.71	34.71	13.35	29.78	0.00	287	92	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.50</td> <td>46.49</td> <td>54.00</td> <td>-7.51</td> <td>28.41</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>287</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	287	92	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>92.56</td> <td>-----</td> <td>-----</td> <td>74.24</td> <td>34.73</td> <td>13.38</td> <td>29.79</td> <td>0.00</td> <td>287</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	92.56	-----	-----	74.24	34.73	13.38	29.79	0.00	287	92	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.50	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	287	92	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	92.56	-----	-----	74.24	34.73	13.38	29.79	0.00	287	92	AVERAGE																																																																																					



Mode	79																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																								
ANT	9+11																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5733.13</td> <td>59.31</td> <td>68.30</td> <td>-8.99</td> <td>40.48</td> <td>34.85</td> <td>13.77</td> <td>29.79</td> <td>0.00</td> <td>287</td> <td>92 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5733.13	59.31	68.30	-8.99	40.48	34.85	13.77	29.79	0.00	287	92 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5733.13	59.31	68.30	-8.99	40.48	34.85	13.77	29.79	0.00	287	92 PEAK																															



Mode	79																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																															
ANT	9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>43.91</td> <td>74.00</td> <td>-30.09</td> <td>52.81</td> <td>38.30</td> <td>18.34</td> <td>65.54</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	43.91	74.00	-30.09	52.81	38.30	18.34	65.54	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.28</td> <td>74.00</td> <td>-28.72</td> <td>54.18</td> <td>38.30</td> <td>18.34</td> <td>65.54</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	45.28	74.00	-28.72	54.18	38.30	18.34	65.54	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11340.00	43.91	74.00	-30.09	52.81	38.30	18.34	65.54	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11340.00	45.28	74.00	-28.72	54.18	38.30	18.34	65.54	0.00	100	0 PEAK																																																																						



Mode	80																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																
ANT	9+11																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.89</td> <td>57.70</td> <td>68.30</td> <td>-10.60</td> <td>39.58</td> <td>34.65</td> <td>13.24</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.69</td> <td>56.79</td> <td>68.81</td> <td>-12.02</td> <td>38.56</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5716.72</td> <td>64.19</td> <td>109.98</td> <td>-45.79</td> <td>45.53</td> <td>34.82</td> <td>13.63</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>63.29</td> <td>111.54</td> <td>-48.25</td> <td>44.60</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.89	57.70	68.30	-10.60	39.58	34.65	13.24	29.77	0.00	100	109	PEAK	2	5650.69	56.79	68.81	-12.02	38.56	34.69	13.32	29.78	0.00	100	109	PEAK	3	5716.72	64.19	109.98	-45.79	45.53	34.82	13.63	29.79	0.00	100	109	PEAK	4	5720.28	63.29	111.54	-48.25	44.60	34.82	13.66	29.79	0.00	100	109	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>108.75</td> <td>-----</td> <td>-----</td> <td>89.62</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	108.75	-----	-----	89.62	34.91	14.00	29.78	0.00	100	109	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5625.89	57.70	68.30	-10.60	39.58	34.65	13.24	29.77	0.00	100	109	PEAK																																																																																																																					
2	5650.69	56.79	68.81	-12.02	38.56	34.69	13.32	29.78	0.00	100	109	PEAK																																																																																																																					
3	5716.72	64.19	109.98	-45.79	45.53	34.82	13.63	29.79	0.00	100	109	PEAK																																																																																																																					
4	5720.28	63.29	111.54	-48.25	44.60	34.82	13.66	29.79	0.00	100	109	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	108.75	-----	-----	89.62	34.91	14.00	29.78	0.00	100	109	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>99.80</td> <td>-----</td> <td>-----</td> <td>80.67</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.80	-----	-----	80.67	34.91	14.00	29.78	0.00	100	109	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	99.80	-----	-----	80.67	34.91	14.00	29.78	0.00	100	109	AVERAGE																																																																																																																					



Mode	80																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																
ANT	9+11																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.06</td> <td>58.25</td> <td>113.04</td> <td>-54.79</td> <td>38.93</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.20</td> <td>58.44</td> <td>106.08</td> <td>-47.64</td> <td>39.20</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.65</td> <td>56.32</td> <td>68.56</td> <td>-12.24</td> <td>37.26</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.55</td> <td>58.35</td> <td>68.30</td> <td>-9.95</td> <td>39.30</td> <td>35.19</td> <td>13.69</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.06	58.25	113.04	-54.79	38.93	35.08	14.03	29.79	0.00	100	109	PEAK	2	5872.20	58.44	106.08	-47.64	39.20	35.11	13.92	29.79	0.00	100	109	PEAK	3	5924.65	56.32	68.56	-12.24	37.26	35.19	13.69	29.82	0.00	100	109	PEAK	4	5928.55	58.35	68.30	-9.95	39.30	35.19	13.69	29.83	0.00	100	109	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	5854.06	58.25	113.04	-54.79	38.93	35.08	14.03	29.79	0.00	100	109	PEAK																																																																					
2	5872.20	58.44	106.08	-47.64	39.20	35.11	13.92	29.79	0.00	100	109	PEAK																																																																					
3	5924.65	56.32	68.56	-12.24	37.26	35.19	13.69	29.82	0.00	100	109	PEAK																																																																					
4	5928.55	58.35	68.30	-9.95	39.30	35.19	13.69	29.83	0.00	100	109	PEAK																																																																					



Mode	80																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																									
ANT	9+11																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5613.80</td> <td>57.94</td> <td>68.30</td> <td>-10.36</td> <td>39.89</td> <td>34.62</td> <td>13.20</td> <td>29.77</td> <td>0.00</td> <td>279</td> <td>81 PEAK</td> </tr> <tr> <td>2</td> <td>5650.38</td> <td>55.23</td> <td>68.50</td> <td>-13.35</td> <td>37.00</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>279</td> <td>81 PEAK</td> </tr> <tr> <td>3</td> <td>5706.18</td> <td>58.69</td> <td>107.03</td> <td>-48.34</td> <td>40.17</td> <td>34.79</td> <td>13.53</td> <td>29.80</td> <td>0.00</td> <td>279</td> <td>81 PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>59.15</td> <td>111.54</td> <td>-52.39</td> <td>40.46</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>279</td> <td>81 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5613.80	57.94	68.30	-10.36	39.89	34.62	13.20	29.77	0.00	279	81 PEAK	2	5650.38	55.23	68.50	-13.35	37.00	34.69	13.32	29.78	0.00	279	81 PEAK	3	5706.18	58.69	107.03	-48.34	40.17	34.79	13.53	29.80	0.00	279	81 PEAK	4	5720.28	59.15	111.54	-52.39	40.46	34.82	13.66	29.79	0.00	279	81 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>103.14</td> <td>-----</td> <td>-----</td> <td>83.89</td> <td>34.93</td> <td>14.10</td> <td>29.78</td> <td>0.00</td> <td>279</td> <td>81 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.14	-----	-----	83.89	34.93	14.10	29.78	0.00	279	81 PEAK
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5613.80	57.94	68.30	-10.36	39.89	34.62	13.20	29.77	0.00	279	81 PEAK																																																																																															
2	5650.38	55.23	68.50	-13.35	37.00	34.69	13.32	29.78	0.00	279	81 PEAK																																																																																															
3	5706.18	58.69	107.03	-48.34	40.17	34.79	13.53	29.80	0.00	279	81 PEAK																																																																																															
4	5720.28	59.15	111.54	-52.39	40.46	34.82	13.66	29.79	0.00	279	81 PEAK																																																																																															
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5755.00	103.14	-----	-----	83.89	34.93	14.10	29.78	0.00	279	81 PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>94.70</td> <td>-----</td> <td>-----</td> <td>75.57</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>279</td> <td>81 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.70	-----	-----	75.57	34.91	14.00	29.78	0.00	279	81 AVERAGE																																																																						
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5755.00	94.70	-----	-----	75.57	34.91	14.00	29.78	0.00	279	81 AVERAGE																																																																																															



Mode	80																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																
ANT	9+11																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.65</td> <td>56.97</td> <td>111.71</td> <td>-54.74</td> <td>37.65</td> <td>35.00</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>279</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.03</td> <td>58.25</td> <td>106.41</td> <td>-48.16</td> <td>39.01</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>279</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>57.43</td> <td>68.85</td> <td>-11.42</td> <td>38.37</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>279</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.70</td> <td>58.20</td> <td>68.30</td> <td>-10.10</td> <td>39.15</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>279</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.65	56.97	111.71	-54.74	37.65	35.00	14.03	29.79	0.00	279	81	PEAK	2	5871.03	58.25	106.41	-48.16	39.01	35.11	13.92	29.79	0.00	279	81	PEAK	3	5924.26	57.43	68.85	-11.42	38.37	35.19	13.69	29.82	0.00	279	81	PEAK	4	5930.70	58.20	68.30	-10.10	39.15	35.20	13.68	29.83	0.00	279	81	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	5854.65	56.97	111.71	-54.74	37.65	35.00	14.03	29.79	0.00	279	81	PEAK																																																																					
2	5871.03	58.25	106.41	-48.16	39.01	35.11	13.92	29.79	0.00	279	81	PEAK																																																																					
3	5924.26	57.43	68.85	-11.42	38.37	35.19	13.69	29.82	0.00	279	81	PEAK																																																																					
4	5930.70	58.20	68.30	-10.10	39.15	35.20	13.68	29.83	0.00	279	81	PEAK																																																																					



Mode	80																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																													
ANT	9+11																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>43.97</td> <td>74.00</td> <td>-30.03</td> <td>52.53</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>300 0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	43.97	74.00	-30.03	52.53	38.41	18.47	65.44	0.00	300 0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.33</td> <td>74.00</td> <td>-29.67</td> <td>52.89</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>100 0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	44.33	74.00	-29.67	52.89	38.41	18.47	65.44	0.00	100 0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11510.00	43.97	74.00	-30.03	52.53	38.41	18.47	65.44	0.00	300 0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11510.00	44.33	74.00	-29.67	52.89	38.41	18.47	65.44	0.00	100 0 PEAK																																																																					






Mode	81																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																
ANT	9+11																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5605.66</td> <td>57.77</td> <td>68.30</td> <td>-10.53</td> <td>39.75</td> <td>34.61</td> <td>13.17</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.70</td> <td>57.21</td> <td>68.82</td> <td>-11.61</td> <td>38.98</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.74</td> <td>57.61</td> <td>106.35</td> <td>-48.74</td> <td>39.11</td> <td>34.79</td> <td>13.51</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.51</td> <td>56.28</td> <td>112.06</td> <td>-55.78</td> <td>37.58</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.66	57.77	68.30	-10.53	39.75	34.61	13.17	29.76	0.00	100	110	PEAK	2	5650.70	57.21	68.82	-11.61	38.98	34.69	13.32	29.78	0.00	100	110	PEAK	3	5703.74	57.61	106.35	-48.74	39.11	34.79	13.51	29.80	0.00	100	110	PEAK	4	5720.51	56.28	112.06	-55.78	37.58	34.83	13.66	29.79	0.00	100	110	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>108.91</td> <td>-----</td> <td>-----</td> <td>89.45</td> <td>34.97</td> <td>14.26</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	108.91	-----	-----	89.45	34.97	14.26	29.77	0.00	100	110	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5605.66	57.77	68.30	-10.53	39.75	34.61	13.17	29.76	0.00	100	110	PEAK																																																																																																																					
2	5650.70	57.21	68.82	-11.61	38.98	34.69	13.32	29.78	0.00	100	110	PEAK																																																																																																																					
3	5703.74	57.61	106.35	-48.74	39.11	34.79	13.51	29.80	0.00	100	110	PEAK																																																																																																																					
4	5720.51	56.28	112.06	-55.78	37.58	34.83	13.66	29.79	0.00	100	110	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5795.00	108.91	-----	-----	89.45	34.97	14.26	29.77	0.00	100	110	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>99.86</td> <td>-----</td> <td>-----</td> <td>80.26</td> <td>35.00</td> <td>14.37</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	99.86	-----	-----	80.26	35.00	14.37	29.77	0.00	100	110	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5795.00	99.86	-----	-----	80.26	35.00	14.37	29.77	0.00	100	110	AVERAGE																																																																																																																					



Mode	81																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																												
ANT	9+11																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5854.99</td> <td>57.57</td> <td>110.93</td> <td>-53.36</td> <td>38.26</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>2 5869.87</td> <td>58.44</td> <td>106.74</td> <td>-48.30</td> <td>39.20</td> <td>35.10</td> <td>13.93</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>3 5924.43</td> <td>58.68</td> <td>68.72</td> <td>-10.04</td> <td>39.62</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>4 5948.14</td> <td>58.13</td> <td>68.30</td> <td>-10.17</td> <td>39.10</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5854.99	57.57	110.93	-53.36	38.26	35.08	14.02	29.79	0.00	100	110	PEAK	2 5869.87	58.44	106.74	-48.30	39.20	35.10	13.93	29.79	0.00	100	110	PEAK	3 5924.43	58.68	68.72	-10.04	39.62	35.19	13.69	29.82	0.00	100	110	PEAK	4 5948.14	58.13	68.30	-10.17	39.10	35.22	13.65	29.84	0.00	100	110	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																					
1 5854.99	57.57	110.93	-53.36	38.26	35.08	14.02	29.79	0.00	100	110	PEAK																																																																		
2 5869.87	58.44	106.74	-48.30	39.20	35.10	13.93	29.79	0.00	100	110	PEAK																																																																		
3 5924.43	58.68	68.72	-10.04	39.62	35.19	13.69	29.82	0.00	100	110	PEAK																																																																		
4 5948.14	58.13	68.30	-10.17	39.10	35.22	13.65	29.84	0.00	100	110	PEAK																																																																		



	81																																																																																																																														
Mode	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																														
ANT	9+11																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																													
Peak	 <table border="1" data-bbox="263 1064 774 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5602.15</td> <td>58.43</td> <td>68.30</td> <td>-9.87</td> <td>40.43</td> <td>34.60</td> <td>13.16</td> <td>29.76</td> <td>0.00</td> <td>290</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.12</td> <td>56.84</td> <td>68.39</td> <td>-11.55</td> <td>38.61</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>290</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5712.71</td> <td>59.09</td> <td>108.86</td> <td>-49.77</td> <td>40.49</td> <td>34.81</td> <td>13.59</td> <td>29.80</td> <td>0.00</td> <td>290</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.32</td> <td>55.54</td> <td>111.62</td> <td>-56.08</td> <td>36.85</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>290</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5602.15	58.43	68.30	-9.87	40.43	34.60	13.16	29.76	0.00	290	80	PEAK	2	5650.12	56.84	68.39	-11.55	38.61	34.69	13.32	29.78	0.00	290	80	PEAK	3	5712.71	59.09	108.86	-49.77	40.49	34.81	13.59	29.80	0.00	290	80	PEAK	4	5720.32	55.54	111.62	-56.08	36.85	34.82	13.66	29.79	0.00	290	80	PEAK	 <table border="1" data-bbox="904 1120 1415 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>105.09</td> <td>-----</td> <td>-----</td> <td>85.49</td> <td>35.00</td> <td>14.37</td> <td>29.77</td> <td>0.00</td> <td>290</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	105.09	-----	-----	85.49	35.00	14.37	29.77	0.00	290	80	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5602.15	58.43	68.30	-9.87	40.43	34.60	13.16	29.76	0.00	290	80	PEAK																																																																																																																			
2	5650.12	56.84	68.39	-11.55	38.61	34.69	13.32	29.78	0.00	290	80	PEAK																																																																																																																			
3	5712.71	59.09	108.86	-49.77	40.49	34.81	13.59	29.80	0.00	290	80	PEAK																																																																																																																			
4	5720.32	55.54	111.62	-56.08	36.85	34.82	13.66	29.79	0.00	290	80	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	105.09	-----	-----	85.49	35.00	14.37	29.77	0.00	290	80	PEAK																																																																																																																			
Avg	Blank	 <table border="1" data-bbox="904 1803 1415 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.96</td> <td>-----</td> <td>-----</td> <td>76.36</td> <td>35.00</td> <td>14.37</td> <td>29.77</td> <td>0.00</td> <td>290</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.96	-----	-----	76.36	35.00	14.37	29.77	0.00	290	80	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	95.96	-----	-----	76.36	35.00	14.37	29.77	0.00	290	80	AVERAGE																																																																																																																			



Mode	81																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																
ANT	9+11																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>56.94</td> <td>110.93</td> <td>-53.99</td> <td>37.63</td> <td>35.00</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>290</td> <td>00</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.49</td> <td>59.14</td> <td>106.56</td> <td>-47.42</td> <td>39.89</td> <td>35.11</td> <td>13.93</td> <td>29.79</td> <td>0.00</td> <td>290</td> <td>00</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.10</td> <td>58.68</td> <td>70.44</td> <td>-11.76</td> <td>39.62</td> <td>35.18</td> <td>13.70</td> <td>29.82</td> <td>0.00</td> <td>290</td> <td>00</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.05</td> <td>58.75</td> <td>68.30</td> <td>-9.55</td> <td>39.71</td> <td>35.20</td> <td>13.67</td> <td>29.83</td> <td>0.00</td> <td>290</td> <td>00</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.99	56.94	110.93	-53.99	37.63	35.00	14.02	29.79	0.00	290	00	PEAK	2	5870.49	59.14	106.56	-47.42	39.89	35.11	13.93	29.79	0.00	290	00	PEAK	3	5922.10	58.68	70.44	-11.76	39.62	35.18	13.70	29.82	0.00	290	00	PEAK	4	5936.05	58.75	68.30	-9.55	39.71	35.20	13.67	29.83	0.00	290	00	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	5854.99	56.94	110.93	-53.99	37.63	35.00	14.02	29.79	0.00	290	00	PEAK																																																																					
2	5870.49	59.14	106.56	-47.42	39.89	35.11	13.93	29.79	0.00	290	00	PEAK																																																																					
3	5922.10	58.68	70.44	-11.76	39.62	35.18	13.70	29.82	0.00	290	00	PEAK																																																																					
4	5936.05	58.75	68.30	-9.55	39.71	35.20	13.67	29.83	0.00	290	00	PEAK																																																																					



Mode	81																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																															
ANT	9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>43.98</td> <td>74.00</td> <td>-30.02</td> <td>52.40</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	43.98	74.00	-30.02	52.40	38.45	18.53	65.40	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>44.28</td> <td>74.00</td> <td>-29.72</td> <td>52.70</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	44.28	74.00	-29.72	52.70	38.45	18.53	65.40	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	43.98	74.00	-30.02	52.40	38.45	18.53	65.40	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	44.28	74.00	-29.72	52.70	38.45	18.53	65.40	0.00	100	0 PEAK																																																																						




Mode	82																																																																															
	Harmonic																																																																															
	U-NII-2C_5.725-5.85_802.11ac VHT40_CH142_5710MHz																																																																															
ANT	9+11																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.09</td> <td>74.00</td> <td>-28.91</td> <td>53.83</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	45.09	74.00	-28.91	53.83	38.35	18.40	65.49	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.55</td> <td>74.00</td> <td>-29.45</td> <td>53.29</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	44.55	74.00	-29.45	53.29	38.35	18.40	65.49	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	45.09	74.00	-28.91	53.83	38.35	18.40	65.49	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	44.55	74.00	-29.45	53.29	38.35	18.40	65.49	0.00	100	0 PEAK																																																																						




Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10HZ
802.11ax HE20	100	-	-	10HZ
802.11ax HE40	100	-	-	10HZ
802.11ax HE80	100	-	-	10HZ
802.11ax HE160	100	-	-	10HZ






802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE160

