11AX20MIMO_Ant9_5785_26Tone_RU0


11AX20MIMO_Ant9_5785_52Tone_RU37


11AX20MIMO_Ant9_5785_106Tone_RU53


11AX20MIMO_Ant11_5785_26Tone_RU0


11AX20MIMO_Ant11_5785_52Tone_RU37


11AX20MIMO_Ant11_5785_106Tone_RU53


11AX20MIMO_Ant9_5825_26Tone_RU8


11AX20MIMO_Ant9_5825_52Tone_RU40


11AX20MIMO_Ant9_5825_106Tone_RU54


11AX20MIMO_Ant11_5825_26Tone_RU8


11AX20MIMO_Ant11_5825_52Tone_RU40


11AX20MIMO_Ant11_5825_106Tone_RU54


Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	**Temperature :**	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	**Phase :**	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060103-L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.184	45.51	-18.77	64.28	34.81	0.28	10.42	QP
2	0.184	27.01	-27.27	54.28	16.31	0.28	10.42	Average
3	0.246	45.88	-16.03	61.91	35.21	0.29	10.38	QP
4	0.246	27.88	-24.03	51.91	17.21	0.29	10.38	Average
5	0.273	43.84	-17.19	61.03	33.20	0.27	10.37	QP
6	0.273	24.24	-26.79	51.03	13.60	0.27	10.37	Average
7	0.387	41.79	-16.33	58.12	31.19	0.29	10.31	QP
8	0.387	23.09	-25.03	48.12	12.49	0.29	10.31	Average
9	7.137	42.11	-17.89	60.00	31.50	0.34	10.27	QP
10	7.137	36.21	-13.79	50.00	25.60	0.34	10.27	Average
11	7.769	42.92	-17.08	60.00	32.20	0.35	10.37	QP
12 *	7.769	37.32	-12.68	50.00	26.60	0.35	10.37	Average

Test Engineer :	Amos Zhang	**Temperature :**	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	**Phase :**	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060103-N NEUTRAL

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.154	49.25	-16.53	65.78	38.50	0.32	10.43	QP
2		0.154	36.35	-19.43	55.78	25.60	0.32	10.43	Average
3		0.178	48.94	-15.65	64.59	38.21	0.31	10.42	QP
4		0.178	30.04	-24.55	54.59	19.31	0.31	10.42	Average
5		0.195	47.54	-16.26	63.80	36.80	0.32	10.42	QP
6		0.195	27.94	-25.86	53.80	17.20	0.32	10.42	Average
7		0.269	46.21	-14.95	61.16	35.50	0.34	10.37	QP
8		0.269	29.31	-21.85	51.16	18.60	0.34	10.37	Average
9		7.728	41.28	-18.72	60.00	30.60	0.32	10.36	QP
10	*	7.728	35.88	-14.12	50.00	25.20	0.32	10.36	Average
11		8.323	40.97	-19.03	60.00	30.21	0.32	10.44	QP
12		8.323	35.37	-14.63	50.00	24.61	0.32	10.44	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carry Xu	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 ℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	9+11	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	9+11	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	9+11	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	9+11	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	9+11	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	9+11	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	9+11	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	9+11	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	9+11	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	9+11	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	9+11	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 12	U-NII-1	5.15-5.25	9+11	802.11ax HE20	48	5240	MCS0	Full RU	
Mode 13	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	52	5260	MCS0	Full RU	
Mode 14	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	60	5300	MCS0	Full RU	
Mode 15	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	64	5320	MCS0	Full RU	
Mode 16	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	100	5500	MCS0	Full RU	
Mode 17	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	116	5580	MCS0	Full RU	
Mode 18	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	140	5700	MCS0	Full RU	
Mode 19	U-NII-1	5.15-5.25	9+11	802.11ax HE20	36	5180	MCS0	RU26/0	
Mode 20	U-NII-1	5.15-5.25	9+11	802.11ax HE20	48	5240	MCS0	RU26/8	
Mode 21	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	52	5260	MCS0	RU26/0	
Mode 22	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	64	5320	MCS0	RU26/8	
Mode 23	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 24	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 25	U-NII-1	5.15-5.25	9+11	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 26	U-NII-1	5.15-5.25	9+11	802.11ax HE20	48	5240	MCS0	RU52/40	-
Mode 27	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	52	5260	MCS0	RU52/37	-

Mode 28	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 29	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 30	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 31	U-NII-1	5.15-5.25	9+11	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 32	U-NII-1	5.15-5.25	9+11	802.11ax HE20	48	5240	MCS0	RU106/54	-
Mode 33	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	52	5260	MCS0	RU106/53	-
Mode 34	U-NII-2A	5.25-5.35	9+11	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 35	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 36	U-NII-2C	5.47-5.725	9+11	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 37	U-NII-1	5.15-5.25	9+11	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 38	U-NII-1	5.15-5.25	9+11	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 39	U-NII-2A	5.25-5.35	9+11	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 40	U-NII-2A	5.25-5.35	9+11	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 41	U-NII-2C	5.47-5.725	9+11	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 42	U-NII-2C	5.47-5.725	9+11	802.11ax HE40	110	5550	MCS0	Full RU	-
Mode 43	U-NII-2C	5.47-5.725	9+11	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 44	U-NII-1	5.15-5.25	9+11	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 45	U-NII-2A	5.25-5.35	9+11	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 46	U-NII-2C	5.47-5.725	9+11	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 47	U-NII-2C	5.47-5.725	9+11	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 48	U-NII-2C	5.47-5.725	9+11	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 49	U-NII-2C	5.47-5.725	9+11	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 50	U-NII-3	5.725-5.85	9+11	802.11a	149	5745	6Mbps	-	-
Mode 51	U-NII-3	5.725-5.85	9+11	802.11a	157	5785	6Mbps	-	-
Mode 52	U-NII-3	5.725-5.85	9+11	802.11a	165	5825	6Mbps	-	-
Mode 53	U-NII-3	5.725-5.85	9+11	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 54	U-NII-3	5.725-5.85	9+11	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 55	U-NII-3	5.725-5.85	9+11	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 56	U-NII-3	5.725-5.85	9+11	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 57	U-NII-3	5.725-5.85	9+11	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 58	U-NII-3	5.725-5.85	9+11	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 59	U-NII-3	5.725-5.85	9+11	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 60	U-NII-3	5.725-5.85	9+11	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 61	U-NII-3	5.725-5.85	9+11	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 62	U-NII-3	5.725-5.85	9+11	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 63	U-NII-3	5.725-5.85	9+11	802.11ax HE20	149	5745	MCS0	RU106/53	-

Mode 64	U-NII-3	5.725-5.85	9+11	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 65	U-NII-2C	5.725-5.85	9+11	802.11a	144	5720	6Mbps	-	-
Mode 66	U-NII-2C	5.725-5.85	9+11	802.11ax HE20	144	5720	MCS0	Full RU	-
Mode 67	U-NII-2C	5.725-5.85	9+11	802.11ax HE40	142	5710	MCS0	Full RU	-
Mode 68	U-NII-2C	5.725-5.85	9+11	802.11ax HE80	138	5690	MCS0	Full RU	-
Mode 69	U-NII-2C	5.47-5.725	9+11	802.11ax HE160	50	5250	MCS0	Full RU	LF
Mode 70	U-NII-2C	5.47-5.725	9+10	802.11ax HE160	50	5250	MCS0	Full RU	-
	U-NII-2C	2400-2483.5	9+11	802.11g	11	2462	6Mbps	-	-
	GSM850								
Mode 71	U-NII-2C	2400-2483.5	9+10	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	U-NII-2C	5.47-5.725	9+11	802.11ax HE160	50	5250	MCS0	Full RU	-
	GSM850								
Mode 72	U-NII-3	5.725-5.85	9+11	802.11ax HE40	159	5795	MCS0	Full RU	LF-
Mode 73	U-NII-1	5.15-5.25	9+11	802.11ac VHT40	38	5190	MCS0	-	-
Mode 74	U-NII-1	5.15-5.25	9+11	802.11ac VHT40	46	5230	MCS0	-	-
Mode 75	U-NII-2A	5.25-5.35	9+11	802.11ac VHT40	54	5270	MCS0	-	-
Mode 76	U-NII-2A	5.25-5.35	9+11	802.11ac VHT40	62	5310	MCS0	-	-
Mode 77	U-NII-2C	5.47-5.725	9+11	802.11ac VHT40	102	5510	MCS0	-	-
Mode 78	U-NII-2C	5.47-5.725	9+11	802.11ac VHT40	110	5550	MCS0	-	-
Mode 79	U-NII-2C	5.47-5.725	9+11	802.11ac VHT40	134	5670	MCS0	-	-
Mode 80	U-NII-3	5.725-5.85	9+11	802.11ac VHT40	151	5755	MCS0	-	-
Mode 81	U-NII-3	5.725-5.85	9+11	802.11ac VHT40	159	5795	MCS0	-	-
Mode 82	U-NII-2C	5.725-5.85	9+11	802.11ac VHT40	142	5710	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5147.75	47.22	54.00	-6.78	H	AVERAGE	Pass	Band Edge
	802.11a	36	10360.87	50.58	68.30	-17.72	H	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	10437.87	52.28	68.30	-16.02	H	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	10481.87	56.39	68.30	-11.91	H	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	10520.00	48.70	68.30	-19.60	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	10600.00	44.15	54.00	-9.85	H	AVERAGE	Pass	Harmonic
6	802.11a	64	5351.51	47.12	54.00	-6.88	H	AVERAGE	Pass	Band Edge
	802.11a	64	10640.00	43.55	54.00	-10.45	H	AVERAGE	Pass	Harmonic
7	802.11a	100	5459.07	46.80	54.00	-7.20	H	AVERAGE	Pass	Band Edge
	802.11a	100	11000.00	44.51	74.00	-29.49	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
	802.11a	116	11160.00	45.12	74.00	-28.88	V	PEAK	Pass	Harmonic
9	802.11a	140	5733.77	60.80	68.30	-7.50	H	PEAK	Pass	Band Edge
	802.11a	140	11400.00	45.02	74.00	-28.98	V	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5145.84	47.22	54.00	-6.78	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	10360.00	51.40	68.30	-16.90	H	Peak	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	44	10440.00	49.68	68.30	-18.62	V	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	48	10480.00	49.36	68.30	-18.94	V	PEAK	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	52	10520.00	46.61	68.30	-21.69	V	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	60	10600.00	42.31	54.00	-11.69	H	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5353.23	46.91	54.00	-7.09	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	10640.00	47.43	74.00	-26.57	H	PEAK	Pass	Harmonic
16	802.11ax HE20	100	5457.33	46.82	54.00	-7.18	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	11000.00	44.59	74.00	-29.41	V	PEAK	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	116	11160.00	44.93	74.00	-29.07	H	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5726.88	63.25	68.30	-5.05	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	11400.00	44.93	74.00	-29.07	H	PEAK	Pass	Harmonic
19	802.11ax HE20	36	5100.70	47.12	54.00	-6.88	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	48	5007.07	47.45	54.00	-6.55	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	48	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	52	5027.40	47.65	54.00	-6.35	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	52	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	64	5459.23	46.49	54.00	-7.51	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	100	5458.06	46.97	54.00	-7.03	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	140	5728.38	64.02	68.30	-4.28	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	36	5106.13	47.12	54.00	-6.88	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	48	5007.97	47.35	54.00	-6.65	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	48	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	52	5009.24	47.32	54.00	-6.68	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	52	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5352.83	66.56	74.00	-7.44	H	PEAK	Pass	Band Edge
	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5459.73	46.97	54.00	-7.03	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5727.60	62.72	68.30	-5.58	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	36	5101.21	46.96	54.00	-7.04	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	48	5003.23	47.33	54.00	-6.67	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	48	-	-	-	-	-	-	-	Harmonic
33	802.11ax HE20	52	5005.56	47.32	54.00	-6.68	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	52	-	-	-	-	-	-	-	Harmonic

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
34	802.11ax HE20	64	5458.81	46.45	54.00	-7.55	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE20	100	5459.27	46.43	54.00	-7.57	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
36	802.11ax HE20	140	5726.73	60.60	68.30	-7.70	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
37	802.11ax HE40	38	5149.92	48.58	54.00	-5.42	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	38	10380.00	45.37	68.30	-22.93	V	PEAK	Pass	Harmonic
38	802.11ax HE40	46	5005.14	47.35	54.00	-6.65	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	46	10460.00	44.44	68.30	-23.86	V	PEAK	Pass	Harmonic
39	802.11ax HE40	54	5006.88	47.52	54.00	-6.48	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	54	10540.00	43.85	68.30	-24.45	V	PEAK	Pass	Harmonic
40	802.11ax HE40	62	5352.67	47.57	54.00	-6.43	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	62	10620.00	44.67	74.00	-29.33	H	PEAK	Pass	Harmonic
41	802.11ax HE40	102	5456.49	47.89	54.00	-6.11	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	102	11020.00	44.55	74.00	-29.45	H	PEAK	Pass	Harmonic
42	802.11ax HE40	110	5459.28	46.68	54.00	-7.32	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	110	11100.00	44.14	74.00	-29.86	V	PEAK	Pass	Harmonic
43	802.11ax HE40	134	5459.57	46.54	54.00	-7.46	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	134	11340.00	44.99	74.00	-29.01	H	PEAK	Pass	Harmonic
44	802.11ax HE80	42	5147.73	49.16	54.00	-4.84	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	42	10420.00	44.71	68.30	-23.59	V	PEAK	Pass	Harmonic
45	802.11ax HE80	58	5352.28	49.33	54.00	-4.67	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	10580.00	44.53	68.30	-23.77	H	PEAK	Pass	Harmonic
46	802.11ax HE80	106	5453.40	49.48	54.00	-4.52	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	106	11060.00	44.42	74.00	-29.58	H	PEAK	Pass	Harmonic
47	802.11ax HE80	122	5459.76	46.60	54.00	-7.40	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	122	11220.00	44.06	74.00	-29.94	V	PEAK	Pass	Harmonic
48	802.11ax HE160	50	5353.67	49.79	54.00	-4.21	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	50	10500.00	43.15	68.30	-25.15	V	PEAK	Pass	Harmonic
49	802.11ax HE160	114	5452.62	48.89	54.00	-5.11	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	114	11140.00	44.42	74.00	-29.58	H	PEAK	Pass	Harmonic

50	802.11a	149	5609.14	58.53	68.30	-9.77	H	PEAK	Pass	Band Edge
	802.11a	149	11490.00	43.76	74.00	-30.24	H	PEAK	Pass	Harmonic
51	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	11570.00	43.95	74.00	-30.05	H	PEAK	Pass	Harmonic
52	802.11a	165	5929.38	59.06	68.30	-9.24	H	PEAK	Pass	Band Edge
	802.11a	165	11650.00	44.58	74.00	-29.42	V	PEAK	Pass	Harmonic
53	802.11ax HE20	149	5637.70	58.08	68.30	-10.22	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	11490.00	44.20	74.00	-29.80	V	PEAK	Pass	Harmonic
54	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	157	11570.00	43.95	74.00	-30.05	V	PEAK	Pass	Harmonic
55	802.11ax HE20	165	5925.63	59.06	68.30	-9.24	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	11650.00	45.12	74.00	-28.88	V	PEAK	Pass	Harmonic
56	802.11ax HE40	151	5604.65	59.05	68.30	-9.25	H	PEAK	Pass	Band Edge
	802.11ax HE40	151	11510.00	44.11	74.00	-29.89	V	PEAK	Pass	Harmonic
57	802.11ax HE40	159	5924.66	59.39	68.55	-9.16	V	PEAK	Pass	Band Edge
	802.11ax HE40	159	11590.00	43.69	74.00	-30.31	V	PEAK	Pass	Harmonic
58	802.11ax HE80	155	5635.35	59.12	68.30	-9.18	H	PEAK	Pass	Band Edge
	802.11ax HE80	155	11550.00	43.95	74.00	-30.05	V	PEAK	Pass	Harmonic
59	802.11ax HE20	149	5628.86	57.68	68.30	-10.62	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	165	5931.38	58.49	68.30	-9.81	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	149	5644.37	58.79	68.30	-9.51	V	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	165	5931.50	58.11	68.30	-10.19	H	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	149	5608.99	58.82	68.30	-9.48	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
64	802.11ax HE20	165	5935.13	58.43	68.30	-9.87	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
65	802.11a	144	-	-	-	-	-	-	-	Band Edge
	802.11a	144	11440.00	44.87	74.00	-29.13	V	PEAK	Pass	Harmonic
66	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	144	11440.00	44.69	74.00	-29.31	H	PEAK	Pass	Harmonic
67	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	142	11420.00	44.93	74.00	-29.07	V	PEAK	Pass	Harmonic

68	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	138	11380.00	43.67	74.00	-30.33	H	PEAK	Pass	Harmonic
69	802.11ax HE160	50	214.3	29.2	43.5	-14.3	H	PEAK	Pass	LF
70	802.11ax HE160	50	5362.46	50.09	54.00	-3.91	V	AVERAGE	Pass	Band Edge
	802.11ax HE160	50	10500.00	44.69	68.30	-23.61	V	PEAK	Pass	Harmonic
	802.11g	11	2483.51	50.98	54.00	-3.02	H	AVERAGE	Pass	Band Edge
	802.11g	11	7386.00	43.82	74.00	-30.18	V	PEAK	Pass	Harmonic
71	Bluetooth-LE_GSFK	39	2497.24	47.92	54.00	-6.08	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	7440.00	43.79	74.00	-30.21	H	PEAK	Pass	Harmonic
	802.11ax HE160	50	5352.76	50.93	54.00	-3.07	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	50	10500.00	44.12	68.30	-24.18	V	PEAK	Pass	Harmonic
72	802.11ax HE40	159	36.79	25.06	40	-14.94	V	PEAK	Pass	LF
73	802.11ac VHT40	38	5149.90	49.31	54.00	-4.69	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	38	10380.00	43.65	68.30	-24.65	H	PEAK	Pass	Harmonic
74	802.11ac VHT40	46	5007.01	47.49	54.00	-6.51	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	46	10460.00	44.85	68.30	-23.45	H	PEAK	Pass	Harmonic
75	802.11ac VHT40	54	5003.64	47.66	54.00	-6.34	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	54	10540.00	45.51	68.30	-22.79	H	PEAK	Pass	Harmonic
76	802.11ac VHT40	62	5352.91	48.59	54.00	-5.41	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	62	10620.00	45.59	74.00	-28.41	H	PEAK	Pass	Harmonic
77	802.11ac VHT40	102	5456.17	47.49	54.00	-6.51	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	102	11020.00	44.27	74.00	-29.73	V	PEAK	Pass	Harmonic
78	802.11ac VHT40	110	5459.99	46.61	54.00	-7.39	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	110	11100.00	45.67	74.00	-28.33	V	PEAK	Pass	Harmonic
79	802.11ac VHT40	134	5457.61	46.53	54.00	-7.47	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	134	11340.00	45.28	74.00	-28.72	V	PEAK	Pass	Harmonic
80	802.11ac VHT40	151	5928.55	58.35	68.30	-9.95	H	PEAK	Pass	Band Edge
	802.11ac VHT40	151	11510.00	44.33	74.00	-29.67	V	PEAK	Pass	Harmonic
81	802.11ac VHT40	159	5936.05	58.75	68.30	-9.55	V	PEAK	Pass	Band Edge
	802.11ac VHT40	159	11590.00	44.28	74.00	-29.72	V	PEAK	Pass	Harmonic
82	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT40	142	11420.00	45.09	74.00	-28.91	H	PEAK	Pass	Harmonic

Mode	1	
	Band Edge	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5124.25	58.63	74.00	-15.37	41.12	34.35	12.44	29.28	0.00	100	126	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	111.94	------	------	94.28	34.47	12.54	29.35	0.00	100	126	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5147.75	47.22	54.00	-6.78	29.65	34.40	12.48	29.31	0.00	100	126	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	103.73	------	------	86.08	34.46	12.53	29.34	0.00	100	126	AVERAGE

Mode	1	
	Band Edge	
	U-NII-1_5.15-5.25_802.11a_CH36 _5180MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5125.05	58.42	74.00	-15.58	40.92	34.35	12.44	29.29	0.00	375	73	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	110.79	------	------	93.15	34.45	12.52	29.33	0.00	375	73	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5148.54	46.95	54.00	-7.05	29.38	34.40	12.48	29.31	0.00	375	73	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	102.07	------	------	84.42	34.46	12.53	29.34	0.00	375	73	AVERAGE

Mode	1	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH36 _5180MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10360.87	50.58	68.30	-17.72	62.10	37.40	17.56	66.48	0.00	100	113	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10360.00	43.86	68.30	-24.44	55.38	37.40	17.56	66.48	0.00	100	0	PEAK

Mode	2	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH44 _5220MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10437.87 52.28 68.30 -16.02 63.57 37.48 17.62 66.39 0.00 100 112 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10440.00 45.96 68.30 -22.34 57.25 37.48 17.62 66.39 0.00 100 0 PEAK

Mode	3	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH48_ 5240MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10481.87 56.39 68.30 -11.91 67.54 37.53 17.66 66.34 0.00 100 245 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10480.00 47.59 68.30 -20.71 58.75 37.53 17.65 66.34 0.00 100 0 PEAK

Mode	4	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH52 _5260MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10520.00 45.76 68.30 -22.54 56.79 37.57 17.69 66.29 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10520.00 48.70 68.30 -19.60 59.73 37.57 17.69 66.29 0.00 300 360 PEAK

Mode	5
	Harmonic
	U-NII-2A_5.25-5.35_802.11a_CH60 _5300MHz
ANT	CDD 9+11

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10600.00	56.29	74.00	-17.71	67.08	37.66	17.75	66.20	0.00	111	246	PEAK
2	10600.00	44.15	54.00	-9.85	54.94	37.66	17.75	66.20	0.00	111	246	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10600.00	47.95	74.00	-26.05	58.74	37.66	17.75	66.20	0.00	300	360	PEAK

Mode	6	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64 _5320MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5457.98	58.78	74.00	-15.22	40.70	34.53	13.17	29.62	0.00	100	115	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	112.81	------	------	95.03	34.50	12.77	29.49	0.00	100	115	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5351.51	47.12	54.00	-6.88	29.27	34.50	12.87	29.52	0.00	100	115	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	104.45	------	------	86.67	34.50	12.77	29.49	0.00	100	115	AVERAGE

Mode	6	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64 _5320MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5443.42	57.88	74.00	-16.12	39.83	34.52	13.13	29.60	0.00	371	55	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	108.30	------	------	90.53	34.50	12.75	29.48	0.00	371	55	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.52	46.47	54.00	-7.53	28.39	34.53	13.17	29.62	0.00	371	55	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	100.46	------	------	82.68	34.50	12.77	29.49	0.00	371	55	AVERAGE

Mode	6	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH64 _5320MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10640.00 55.43 74.00 -18.57 66.10 37.70 17.78 66.15 0.00 101 240 PEAK 2 10640.00 43.55 54.00 -10.45 54.22 37.70 17.78 66.15 0.00 101 240 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10640.00 46.06 74.00 -27.94 56.73 37.70 17.78 66.15 0.00 300 360 PEAK

Mode	7	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100 _5500MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5417.13	58.24	74.00	-15.76	40.24	34.51	13.07	29.58	0.00	100	236	PEAK
2	5467.68	58.48	68.30	-9.82	40.38	34.53	13.19	29.62	0.00	100	236	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	112.55	------	------	94.39	34.55	13.26	29.65	0.00	100	236	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.07	46.80	54.00	-7.20	28.72	34.53	13.17	29.62	0.00	100	236	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	103.02	------	------	84.85	34.55	13.27	29.65	0.00	100	236	AVERAGE

Mode	7	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100 _5500MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5449.83	58.14	74.00	-15.86	40.08	34.52	13.15	29.61	0.00	332	67	PEAK
2	5464.68	58.34	68.30	-9.96	40.24	34.53	13.19	29.62	0.00	332	67	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	106.83	------	------	88.67	34.55	13.26	29.65	0.00	332	67	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.10	46.48	54.00	-7.52	28.40	34.53	13.17	29.62	0.00	332	67	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	98.00	------	------	79.84	34.55	13.26	29.65	0.00	332	67	AVERAGE

Mode	7	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100 _5500MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 44.51 74.00 -29.49 54.06 38.10 18.08 65.73 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 43.94 74.00 -30.06 53.49 38.10 18.08 65.73 0.00 300 360 PEAK

Mode	8	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH116 _5580MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 44.84 74.00 -29.16 54.08 38.20 18.20 65.64 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 45.12 74.00 -28.88 54.36 38.20 18.20 65.64 0.00 300 360 PEAK

Mode	9	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_ 5700MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5733.77 60.80 68.30 -7.50 41.96 34.85 13.78 29.79 0.00 100 238 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 112.00 ------ ------ 93.53 34.78 13.49 29.80 0.00 100 238 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.46 ------ ------ 84.99 34.78 13.49 29.80 0.00 100 238 AVERAGE

<table>
<tr><td rowspan="3">Mode</td><td colspan="2">9</td></tr>
<tr><td colspan="2">Band Edge</td></tr>
<tr><td colspan="2">U-NII-2C_5.47-5.725_802.11a_CH140_ 5700MHz</td></tr>
<tr><td>ANT</td><td colspan="2">CDD 9+11</td></tr>
<tr><td>Pol.</td><td>Vertical</td><td>Fundamental</td></tr>
<tr><td>Peak</td><td> 

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5727.21	58.94	68.30	-9.36	40.17	34.84	13.72	29.79	0.00	318	89	PEAK |</td><td> 

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5700.00	104.65	------	------	86.19	34.78	13.48	29.80	0.00	318	89	PEAK |</td></tr>
<tr><td>Avg</td><td>Blank</td><td> 

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5700.00	97.84	------	------	79.41	34.77	13.46	29.80	0.00	318	89	AVERAGE |</td></tr>
</table>

Mode	9	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH140_ 5700MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11400.00	44.97	74.00	-29.03	53.75	38.34	18.39	65.51	0.00	100	360	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11400.00	45.02	74.00	-28.98	53.80	38.34	18.39	65.51	0.00	300	360	PEAK

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5132.35 59.20 74.00 -14.80 41.68 34.36 12.45 29.29 0.00 100 122 PEAK	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 111.43 ------ ------ 93.77 34.47 12.54 29.35 0.00 100 122 PEAK
Avg		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5145.84 47.22 54.00 -6.78 29.66 34.39 12.48 29.31 0.00 100 122 AVERAGE	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 102.80 ------ ------ 85.15 34.46 12.53 29.34 0.00 100 122 AVERAGE

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5109.05	58.30	74.00	-15.70	40.83	34.32	12.42	29.27	0.00	355	76	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	109.72	------	------	92.06	34.47	12.54	29.35	0.00	355	76	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5146.45	47.02	54.00	-6.98	29.46	34.39	12.48	29.31	0.00	355	76	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	100.67	------	------	83.03	34.45	12.52	29.33	0.00	355	76	AVERAGE

Mode	10	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10360.00 51.40 68.30 -16.90 62.92 37.40 17.56 66.48 0.00 100 109 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10360.00 49.74 68.30 -18.56 61.26 37.40 17.56 66.48 0.00 300 360 PEAK

Mode	11	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10440.00 45.27 68.30 -23.03 56.56 37.48 17.62 66.39 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10440.00 49.68 68.30 -18.62 60.97 37.48 17.62 66.39 0.00 300 360 PEAK

Mode	12	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10480.00 46.61 68.30 -21.69 57.77 37.53 17.65 66.34 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10480.00 49.36 68.30 -18.94 60.52 37.53 17.65 66.34 0.00 300 360 PEAK

Mode	13	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10520.00 45.35 68.30 -22.95 56.38 37.57 17.69 66.29 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10520.00 46.61 68.30 -21.69 57.64 37.57 17.69 66.29 0.00 300 360 PEAK

Mode	14	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10600.00 55.24 74.00 -18.76 66.03 37.66 17.75 66.20 0.00 101 238 PEAK 2 10600.00 42.31 54.00 -11.69 53.10 37.66 17.75 66.20 0.00 101 238 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10600.00 45.92 74.00 -28.08 56.71 37.66 17.75 66.20 0.00 300 360 PEAK

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.44	59.33	74.00	-14.67	41.25	34.53	13.17	29.62	0.00	100	120	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	110.88	------	------	93.09	34.50	12.78	29.49	0.00	100	120	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5353.23	46.91	54.00	-7.09	29.05	34.50	12.88	29.52	0.00	100	120	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	102.41	------	------	84.64	34.50	12.75	29.48	0.00	100	120	AVERAGE

Mode	15
	Band Edge
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz
ANT	CDD 9+11

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5432.21 58.30 74.00 -15.70 40.27 34.52 13.11 29.60 0.00 353 74 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 108.93 ------ ------ 91.16 34.50 12.75 29.48 0.00 353 74 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.72 46.41 54.00 -7.59 28.33 34.53 13.17 29.62 0.00 353 74 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 99.69 ------ ------ 81.92 34.50 12.75 29.48 0.00 353 74 AVERAGE

Mode	15	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10640.00 47.43 74.00 -26.57 58.10 37.70 17.78 66.15 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10640.00 44.98 74.00 -29.02 55.65 37.70 17.78 66.15 0.00 300 360 PEAK

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.88	58.42	74.00	-15.58	40.34	34.53	13.17	29.62	0.00	100	234	PEAK
2	5466.03	58.64	68.30	-9.66	40.54	34.53	13.19	29.62	0.00	100	234	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	112.41	------	------	94.25	34.55	13.25	29.64	0.00	100	234	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5457.33	46.82	54.00	-7.18	28.74	34.53	13.17	29.62	0.00	100	234	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	102.57	------	------	84.41	34.55	13.25	29.64	0.00	100	234	AVERAGE

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5457.48	57.79	74.00	-16.21	39.71	34.53	13.17	29.62	0.00	333	67	PEAK
2	5462.28	57.60	68.30	-10.70	39.51	34.53	13.18	29.62	0.00	333	67	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	106.47	------	------	88.31	34.55	13.25	29.64	0.00	333	67	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.24	46.50	54.00	-7.50	28.42	34.53	13.17	29.62	0.00	333	67	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	97.35	------	------	79.19	34.55	13.25	29.64	0.00	333	67	AVERAGE

Mode	16	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 43.99 74.00 -30.01 53.54 38.10 18.08 65.73 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 44.59 74.00 -29.41 54.14 38.10 18.08 65.73 0.00 300 360 PEAK

Mode	17	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 44.93 74.00 -29.07 54.17 38.20 18.20 65.64 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 44.37 74.00 -29.63 53.61 38.20 18.20 65.64 0.00 300 360 PEAK

Mode	18	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.88 63.25 68.30 -5.05 44.48 34.84 13.72 29.79 0.00 100 237 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 111.64 ------ ------ 93.17 34.78 13.49 29.80 0.00 100 237 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 102.38 ------ ------ 83.95 34.77 13.46 29.80 0.00 100 237 AVERAGE

Mode	18	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.19 59.46 68.30 -8.84 40.71 34.84 13.70 29.79 0.00 319 88 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 106.71 ------ ------ 88.24 34.78 13.49 29.80 0.00 319 88 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 97.09 ------ ------ 78.62 34.78 13.49 29.80 0.00 319 88 AVERAGE

Mode	18	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 44.93 74.00 -29.07 53.71 38.34 18.39 65.51 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 44.92 74.00 -29.08 53.70 38.34 18.39 65.51 0.00 300 360 PEAK

Mode	19	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5144.90	59.13	74.00	-14.87	41.56	34.39	12.48	29.30	0.00	100	264	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	118.27	------	------	100.64	34.44	12.52	29.33	0.00	100	264	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5100.70	47.12	54.00	-6.88	29.68	34.30	12.40	29.26	0.00	100	264	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	110.78	------	------	93.15	34.44	12.52	29.33	0.00	100	264	AVERAGE

Mode	19
	Band Edge
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz
ANT	CDD 9+11

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.00 58.74 74.00 -15.26 41.30 34.30 12.40 29.26 0.00 300 73 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 113.73 ------ ------ 96.10 34.44 12.52 29.33 0.00 300 73 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5104.40 47.01 54.00 -6.99 29.55 34.31 12.41 29.26 0.00 300 73 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 107.14 ------ ------ 89.51 34.44 12.52 29.33 0.00 300 73 AVERAGE

Mode	20	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU26/8_5240MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5038.29	59.13	74.00	-14.87	41.81	34.18	12.36	29.22	0.00	100	250	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	120.23	------	------	102.51	34.50	12.63	29.41	0.00	100	250	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5007.07	47.45	54.00	-6.55	30.21	34.11	12.33	29.20	0.00	100	250	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	112.49	------	------	94.77	34.50	12.63	29.41	0.00	100	250	AVERAGE

Mode	20	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU26/8_5240MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.36 57.51 74.00 -16.49 39.43 34.53 13.17 29.62 0.00 100 250 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.75 46.54 54.00 -7.46 28.46 34.53 13.17 29.62 0.00 100 250 AVERAGE	Blank

Mode	20	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU26/8_5240MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5065.89	58.68	74.00	-15.32	41.31	34.23	12.38	29.24	0.00	357	63	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	117.43	------	------	99.71	34.50	12.63	29.41	0.00	357	63	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5008.02	47.41	54.00	-6.59	30.15	34.12	12.34	29.20	0.00	357	63	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	110.59	------	------	92.87	34.50	12.63	29.41	0.00	357	63	AVERAGE

Mode	20	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU26/8_5240MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.70 57.73 74.00 -16.27 39.65 34.53 13.17 29.62 0.00 357 63 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.46 46.44 54.00 -7.56 28.36 34.53 13.17 29.62 0.00 357 63 AVERAGE	Blank

Mode	21	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU26/0_5260MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5041.22	59.32	74.00	-14.68	42.00	34.18	12.36	29.22	0.00	100	295	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5260.00	119.14	------	------	101.42	34.50	12.64	29.42	0.00	100	295	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5027.40	47.65	54.00	-6.35	30.37	34.15	12.35	29.22	0.00	100	295	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5260.00	110.07	------	------	92.35	34.50	12.64	29.42	0.00	100	295	AVERAGE

Mode	21	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU26/0_5260MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5453.91 57.28 74.00 -16.72 39.20 34.53 13.16 29.61 0.00 100 295 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.07 46.50 54.00 -7.50 28.42 34.53 13.17 29.62 0.00 100 295 AVERAGE	Blank

Mode	21	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU26/0_5260MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5042.00	58.77	74.00	-15.23	41.46	34.18	12.36	29.23	0.00	375	40	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5260.00	115.03	------	------	97.31	34.50	12.64	29.42	0.00	375	40	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5004.02	47.60	54.00	-6.40	30.36	34.11	12.33	29.20	0.00	375	40	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5260.00	108.49	------	------	90.77	34.50	12.64	29.42	0.00	375	40	AVERAGE

Mode	21	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU26/0_5260MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5390.31 58.61 74.00 -15.39 40.67 34.50 13.00 29.56 0.00 375 40 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.09 46.43 54.00 -7.57 28.35 34.53 13.17 29.62 0.00 375 40 AVERAGE	Blank

Mode	22	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5351.44	62.26	74.00	-11.74	44.41	34.50	12.87	29.52	0.00	104	240	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	119.84	------	------	102.05	34.50	12.78	29.49	0.00	104	240	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.23	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	104	240	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	111.58	------	------	93.79	34.50	12.78	29.49	0.00	104	240	AVERAGE

Mode	22	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5360.81	59.55	74.00	-14.45	41.68	34.50	12.90	29.53	0.00	366	37	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	117.02	------	------	99.23	34.50	12.78	29.49	0.00	366	37	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.78	46.47	54.00	-7.53	28.39	34.53	13.17	29.62	0.00	366	37	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	109.06	------	------	91.27	34.50	12.78	29.49	0.00	366	37	AVERAGE

Mode	23	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5441.13	58.51	74.00	-15.49	40.46	34.52	13.13	29.60	0.00	100	311	PEAK
2	5463.03	61.06	68.30	-7.24	42.97	34.53	13.18	29.62	0.00	100	311	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	118.66	------	------	100.50	34.55	13.25	29.64	0.00	100	311	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5458.06	46.97	54.00	-7.03	28.89	34.53	13.17	29.62	0.00	100	311	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	110.39	------	------	92.23	34.55	13.25	29.64	0.00	100	311	AVERAGE

Mode	23	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5353.83	57.26	74.00	-16.74	39.40	34.50	12.88	29.52	0.00	282	92	PEAK
2	5469.18	60.37	68.30	-7.93	42.27	34.53	13.20	29.63	0.00	282	92	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	113.07	------	------	94.91	34.55	13.25	29.64	0.00	282	92	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5458.23	46.63	54.00	-7.37	28.55	34.53	13.17	29.62	0.00	282	92	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	105.93	------	------	87.77	34.55	13.25	29.64	0.00	282	92	AVERAGE

Mode	24	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5728.38 64.02 68.30 -4.28 45.24 34.84 13.73 29.79 0.00 100 272 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 119.02 ------ ------ 100.48 34.80 13.54 29.80 0.00 100 272 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 111.11 ------ ------ 92.57 34.80 13.54 29.80 0.00 100 272 AVERAGE

Mode	24	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.45 63.65 68.30 -4.65 44.89 34.84 13.71 29.79 0.00 390 126 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 111.87 ------ ------ 93.33 34.80 13.54 29.80 0.00 390 126 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 104.65 ------ ------ 86.11 34.80 13.54 29.80 0.00 390 126 AVERAGE

Mode	25	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5113.25 58.86 74.00 -15.14 41.38 34.33 12.42 29.27 0.00 100 237 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 116.99 ------ ------ 99.35 34.45 12.52 29.33 0.00 100 237 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5106.13 47.12 54.00 -6.88 29.67 34.31 12.41 29.27 0.00 100 237 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 109.06 ------ ------ 91.42 34.45 12.52 29.33 0.00 100 237 AVERAGE

Mode	25	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5113.85	58.63	74.00	-15.37	41.15	34.33	12.42	29.27	0.00	300	88	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	114.14	------	------	96.50	34.45	12.52	29.33	0.00	300	88	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5102.25	46.88	54.00	-7.12	29.44	34.30	12.40	29.26	0.00	300	88	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	106.01	------	------	88.37	34.45	12.52	29.33	0.00	300	88	AVERAGE

Mode	26	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU52/40_5240MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5051.01	58.45	74.00	-15.55	41.11	34.20	12.37	29.23	0.00	100	238	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	118.15	------	------	100.43	34.50	12.63	29.41	0.00	100	238	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5007.97	47.35	54.00	-6.65	30.09	34.12	12.34	29.20	0.00	100	238	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	110.02	------	------	92.30	34.50	12.63	29.41	0.00	100	238	AVERAGE

Mode	26	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU52/40_5240MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5397.20 57.56 74.00 -16.44 39.61 34.50 13.02 29.57 0.00 100 238 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.12 46.42 54.00 -7.58 28.34 34.53 13.17 29.62 0.00 100 238 AVERAGE	Blank

Mode	26	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU52/40_5240MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5049.33	58.45	74.00	-15.55	41.12	34.20	12.36	29.23	0.00	344	75	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	115.41	------	------	97.69	34.50	12.63	29.41	0.00	344	75	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5007.33	47.34	54.00	-6.66	30.09	34.11	12.34	29.20	0.00	344	75	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	107.36	------	------	89.64	34.50	12.63	29.41	0.00	344	75	AVERAGE

Mode	26	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU52/40_5240MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5379.38 57.27 74.00 -16.73 39.36 34.50 12.96 29.55 0.00 344 75 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.81 46.40 54.00 -7.60 28.32 34.53 13.17 29.62 0.00 344 75 AVERAGE	Blank

Mode	27	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU52/37_5260MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5012.62	59.12	74.00	-14.88	41.86	34.13	12.34	29.21	0.00	100	227	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5260.00	118.01	------	------	100.29	34.50	12.64	29.42	0.00	100	227	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5005.60	47.32	54.00	-6.68	30.08	34.11	12.33	29.20	0.00	100	227	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5260.00	109.18	------	------	91.46	34.50	12.64	29.42	0.00	100	227	AVERAGE

Mode	27	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU52/37_5260MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5360.31 57.71 74.00 -16.29 39.84 34.50 12.90 29.53 0.00 100 227 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.89 46.37 54.00 -7.63 28.29 34.53 13.17 29.62 0.00 100 227 AVERAGE	Blank

Mode	27	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU52/37_5260MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5024.32	59.01	74.00	-14.99	41.72	34.15	12.35	29.21	0.00	326	90	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5260.00	114.19	------	------	96.47	34.50	12.64	29.42	0.00	326	90	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5009.24	47.32	54.00	-6.68	30.07	34.12	12.34	29.21	0.00	326	90	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5260.00	105.25	------	------	87.53	34.50	12.64	29.42	0.00	326	90	AVERAGE

Mode	27	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU52/37_5260MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5387.11 57.29 74.00 -16.71 39.36 34.50 12.99 29.56 0.00 326 90 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.89 46.38 54.00 -7.62 28.30 34.53 13.17 29.62 0.00 326 90 AVERAGE	Blank

Mode	28	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5352.83	66.56	74.00	-7.44	48.70	34.50	12.88	29.52	0.00	103	239	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	117.58	------	------	99.79	34.50	12.78	29.49	0.00	103	239	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.63	46.47	54.00	-7.53	28.39	34.53	13.17	29.62	0.00	103	239	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	109.16	------	------	91.37	34.50	12.78	29.49	0.00	103	239	AVERAGE

Mode	28	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.72	58.52	74.00	-15.48	40.44	34.53	13.17	29.62	0.00	374	80	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	114.09	------	------	96.30	34.50	12.78	29.49	0.00	374	80	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5457.97	46.40	54.00	-7.60	28.32	34.53	13.17	29.62	0.00	374	80	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	106.24	------	------	88.45	34.50	12.78	29.49	0.00	374	80	AVERAGE

Mode	29	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5428.53	58.39	74.00	-15.61	40.37	34.51	13.10	29.59	0.00	100	228	PEAK
2	5467.08	58.09	68.30	-10.21	39.99	34.53	13.19	29.62	0.00	100	228	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	117.53	------	------	99.37	34.55	13.25	29.64	0.00	100	228	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.73	46.97	54.00	-7.03	28.89	34.53	13.17	29.62	0.00	100	228	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	108.03	------	------	89.87	34.55	13.25	29.64	0.00	100	228	AVERAGE

Mode	29	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.58	58.65	74.00	-15.35	40.57	34.53	13.17	29.62	0.00	300	83	PEAK
2	5463.18	57.89	68.30	-10.41	39.80	34.53	13.18	29.62	0.00	300	83	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	110.76	------	------	92.60	34.55	13.25	29.64	0.00	300	83	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.58	46.66	54.00	-7.34	28.58	34.53	13.17	29.62	0.00	300	83	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	103.63	------	------	85.47	34.55	13.25	29.64	0.00	300	83	AVERAGE

Mode	30	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.60 62.72 68.30 -5.58 43.94 34.84 13.73 29.79 0.00 100 256 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 117.51 ------ ------ 99.04 34.78 13.49 29.80 0.00 100 256 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 108.23 ------ ------ 89.76 34.78 13.49 29.80 0.00 100 256 AVERAGE

Mode	30	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5741.70 58.35 68.30 -9.95 39.42 34.87 13.85 29.79 0.00 390 126 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 109.28 ------ ------ 90.74 34.80 13.54 29.80 0.00 390 126 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 101.51 ------ ------ 82.97 34.80 13.54 29.80 0.00 390 126 AVERAGE

Mode	31	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.05 58.36 74.00 -15.64 40.92 34.30 12.40 29.26 0.00 100 236 PEAK	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 113.81 ------ ------ 96.17 34.45 12.52 29.33 0.00 100 236 PEAK
Avg		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5101.21 46.96 54.00 -7.04 29.52 34.30 12.40 29.26 0.00 100 236 AVERAGE	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 106.61 ------ ------ 88.97 34.45 12.52 29.33 0.00 100 236 AVERAGE

Mode	31	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark	
	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	
	1 5143.05 58.13 74.00 -15.87 40.57 34.39 12.47 29.30 0.00 317 81 PEAK	
		Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark
		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg
		1 5180.00 114.95 ------ ------ 97.31 34.45 12.52 29.33 0.00 317 81 PEAK
Avg		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark	
	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	
	1 5100.13 46.83 54.00 -7.17 29.39 34.30 12.40 29.26 0.00 317 81 AVERAGE	
		Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark
		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg
		1 5180.00 104.09 ------ ------ 86.45 34.45 12.52 29.33 0.00 317 81 AVERAGE

Mode	32	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU106/54_5240MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5092.53	58.43	74.00	-15.57	41.01	34.29	12.39	29.26	0.00	100	235	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	114.44	------	------	96.72	34.50	12.62	29.40	0.00	100	235	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5003.23	47.33	54.00	-6.67	30.09	34.11	12.33	29.20	0.00	100	235	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	106.51	------	------	88.79	34.50	12.63	29.41	0.00	100	235	AVERAGE

Mode	32	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU106/54_5240MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5433.94 57.73 74.00 -16.27 39.70 34.52 13.11 29.60 0.00 100 235 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.24 46.39 54.00 -7.61 28.31 34.53 13.17 29.62 0.00 100 235 AVERAGE	Blank

Mode	32	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU106/54_5240MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5102.13 58.82 74.00 -15.18 41.38 34.30 12.40 29.26 0.00 307 89 PEAK	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5240.00 112.30 ------ ------ 94.58 34.50 12.63 29.41 0.00 307 89 PEAK
Avg		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5005.17 47.32 54.00 -6.68 30.08 34.11 12.33 29.20 0.00 307 89 AVERAGE	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5240.00 103.18 ------ ------ 85.46 34.50 12.62 29.40 0.00 307 89 AVERAGE

Mode	32	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_RU106/54_5240MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5418.54 57.59 74.00 -16.41 39.59 34.51 13.07 29.58 0.00 307 89 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.82 46.40 54.00 -7.60 28.32 34.53 13.17 29.62 0.00 307 89 AVERAGE	Blank

Mode	33
	Band Edge - L
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU106/53_5260MHz
ANT	CDD 9+11

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5055.26 58.17 74.00 -15.83 40.82 34.21 12.37 29.23 0.00 100 238 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 115.12 ------ ------ 97.40 34.50 12.64 29.42 0.00 100 238 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5005.56 47.32 54.00 -6.68 30.08 34.11 12.33 29.20 0.00 100 238 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 107.35 ------ ------ 89.63 34.50 12.64 29.42 0.00 100 238 AVERAGE

Mode	33	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU106/53_5260MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5451.31 58.73 74.00 -15.27 40.66 34.53 13.15 29.61 0.00 100 238 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.49 46.41 54.00 -7.59 28.33 34.53 13.17 29.62 0.00 100 238 AVERAGE	Blank

Mode	33
	Band Edge - L
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU106/53_5260MHz
ANT	CDD 9+11

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5002.74 58.51 74.00 -15.49 41.27 34.11 12.33 29.20 0.00 341 89 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 110.70 ------ ------ 92.98 34.50 12.64 29.42 0.00 341 89 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5004.80 47.31 54.00 -6.69 30.07 34.11 12.33 29.20 0.00 341 89 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 102.92 ------ ------ 85.20 34.50 12.64 29.42 0.00 341 89 AVERAGE

Mode	33	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU106/53_5260MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5431.51 57.08 74.00 -16.92 39.05 34.52 13.11 29.60 0.00 341 89 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.05 46.36 54.00 -7.64 28.28 34.53 13.17 29.62 0.00 341 89 AVERAGE	Blank

Mode	34
	Band Edge
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz
ANT	CDD 9+11

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5446.92 58.37 74.00 -15.63 40.32 34.52 13.14 29.61 0.00 100 238 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 114.33 ------ ------ 96.54 34.50 12.78 29.49 0.00 100 238 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.81 46.45 54.00 -7.55 28.37 34.53 13.17 29.62 0.00 100 238 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 105.84 ------ ------ 88.05 34.50 12.78 29.49 0.00 100 238 AVERAGE

Mode	34
	Band Edge
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz
ANT	CDD 9+11

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5398.76 57.82 74.00 -16.18 39.86 34.50 13.03 29.57 0.00 374 80 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 111.25 ------ ------ 93.46 34.50 12.78 29.49 0.00 374 80 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.92 46.41 54.00 -7.59 28.33 34.53 13.17 29.62 0.00 374 80 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 103.52 ------ ------ 85.73 34.50 12.78 29.49 0.00 374 80 AVERAGE

Mode	35	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5454.89	57.35	74.00	-16.65	39.27	34.53	13.16	29.61	0.00	100	238	PEAK
2	5463.84	57.61	68.30	-10.69	39.52	34.53	13.18	29.62	0.00	100	238	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	112.81	------	------	94.65	34.55	13.26	29.65	0.00	100	238	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.27	46.43	54.00	-7.57	28.35	34.53	13.17	29.62	0.00	100	238	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	103.06	------	------	84.90	34.55	13.26	29.65	0.00	100	238	AVERAGE

Mode	35	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5395.38	56.90	74.00	-17.10	38.95	34.50	13.02	29.57	0.00	313	89	PEAK
2	5467.22	56.46	68.30	-11.84	38.36	34.53	13.19	29.62	0.00	313	89	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	108.24	------	------	90.08	34.55	13.25	29.64	0.00	313	89	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.37	46.10	54.00	-7.90	28.02	34.53	13.17	29.62	0.00	313	89	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	98.97	------	------	80.81	34.55	13.25	29.64	0.00	313	89	AVERAGE

Mode	36	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.73 60.60 68.30 -7.70 41.83 34.84 13.72 29.79 0.00 100 241 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 111.93 ------ ------ 93.41 34.79 13.53 29.80 0.00 100 241 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 102.63 ------ ------ 84.11 34.79 13.53 29.80 0.00 100 241 AVERAGE

Mode	36	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.46 58.23 68.30 -10.07 39.47 34.84 13.71 29.79 0.00 316 84 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 107.74 ------ ------ 89.24 34.79 13.51 29.80 0.00 316 84 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 97.68 ------ ------ 79.18 34.79 13.51 29.80 0.00 316 84 AVERAGE

Mode	37	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5144.05	60.71	74.00	-13.29	43.15	34.39	12.47	29.30	0.00	100	120	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5190.00	108.88	------	------	91.17	34.50	12.57	29.36	0.00	100	120	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.79	48.50	54.00	-5.50	30.93	34.40	12.48	29.31	0.00	100	120	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5190.00	98.64	------	------	80.98	34.47	12.54	29.35	0.00	100	120	AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		Blank
Avg		Blank

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5437.19	57.77	74.00	-16.23	39.73	34.52	13.12	29.60	0.00	100	120	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.57	46.42	54.00	-7.58	28.34	34.53	13.17	29.62	0.00	100	120	AVERAGE

Mode	37	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5144.85	59.51	74.00	-14.49	41.94	34.39	12.48	29.30	0.00	355	69	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5190.00	105.91	------	------	88.21	34.49	12.57	29.36	0.00	355	69	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.92	48.58	54.00	-5.42	31.01	34.40	12.48	29.31	0.00	355	69	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5190.00	96.99	------	------	79.33	34.47	12.54	29.35	0.00	355	69	AVERAGE

<table>
<tr><td rowspan="3">Mode</td><td colspan="2">37</td></tr>
<tr><td colspan="2">Band Edge - R</td></tr>
<tr><td colspan="2">U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz</td></tr>
<tr><td>ANT</td><td colspan="2">CDD 9+11</td></tr>
<tr><td>Pol.</td><td>Vertical</td><td>Fundamental</td></tr>
<tr><td>Peak</td><td> 

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5438.54	57.82	74.00	-16.18	39.78	34.52	13.12	29.60	0.00	355	69	PEAK

</td><td>Blank</td></tr>
<tr><td>Avg</td><td> 

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.59	46.41	54.00	-7.59	28.33	34.53	13.17	29.62	0.00	355	69	AVERAGE

</td><td>Blank</td></tr>
</table>

Mode	37	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 43.65 68.30 -24.65 55.12 37.42 17.57 66.46 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 45.37 68.30 -22.93 56.84 37.42 17.57 66.46 0.00 300 360 PEAK

Mode	38	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5043.59	58.35	74.00	-15.65	41.03	34.19	12.36	29.23	0.00	100	118	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5230.00	110.25	------	------	92.53	34.50	12.60	29.38	0.00	100	118	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5005.14	47.35	54.00	-6.65	30.11	34.11	12.33	29.20	0.00	100	118	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5230.00	98.78	------	------	81.06	34.50	12.60	29.38	0.00	100	118	AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5369.50 57.44 74.00 -16.56 39.55 34.50 12.93 29.54 0.00 100 118 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.91 46.45 54.00 -7.55 28.37 34.53 13.17 29.62 0.00 100 118 AVERAGE	Blank

Mode	38	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5027.72 58.45 74.00 -15.55 41.16 34.16 12.35 29.22 0.00 391 68 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5230.00 104.40 ------ ------ 86.68 34.50 12.60 29.38 0.00 391 68 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5006.32 47.31 54.00 -6.69 30.07 34.11 12.33 29.20 0.00 391 68 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5230.00 96.20 ------ ------ 78.48 34.50 12.60 29.38 0.00 391 68 AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5426.77 56.72 74.00 -17.28 38.71 34.51 13.09 29.59 0.00 391 68 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.74 46.38 54.00 -7.62 28.30 34.53 13.17 29.62 0.00 391 68 AVERAGE	Blank

Mode	38	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10460.00 43.68 68.30 -24.62 54.89 37.51 17.64 66.36 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10460.00 44.44 68.30 -23.86 55.65 37.51 17.64 66.36 0.00 300 360 PEAK

Mode	39	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5108.14	58.83	74.00	-15.17	41.37	34.32	12.41	29.27	0.00	100	119	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5270.00	109.26	------	------	91.53	34.50	12.66	29.43	0.00	100	119	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5009.23	47.51	54.00	-6.49	30.26	34.12	12.34	29.21	0.00	100	119	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5270.00	99.00	------	------	81.27	34.50	12.66	29.43	0.00	100	119	AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5435.59 58.51 74.00 -15.49 40.47 34.52 13.12 29.60 0.00 100 119 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.00 46.42 54.00 -7.58 28.34 34.53 13.17 29.62 0.00 100 119 AVERAGE	Blank

Mode	39	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5024.98 59.56 74.00 -14.44 42.27 34.15 12.35 29.21 0.00 339 84 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 105.18 ------ ------ 87.45 34.50 12.66 29.43 0.00 339 84 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5006.88 47.52 54.00 -6.48 30.28 34.11 12.33 29.20 0.00 339 84 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 94.36 ------ ------ 76.63 34.50 12.66 29.43 0.00 339 84 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.31 58.45 74.00 -15.55 40.37 34.53 13.16 29.61 0.00 339 84 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.44 46.40 54.00 -7.60 28.32 34.53 13.17 29.62 0.00 339 84 AVERAGE	Blank

Mode	39
	Harmonic
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz
ANT	CDD 9+11

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10540.00	43.63	68.30	-24.67	54.61	37.59	17.70	66.27	0.00	100	360	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10540.00	43.85	68.30	-24.45	54.83	37.59	17.70	66.27	0.00	300	360	PEAK

Mode	40	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5046.36	58.96	74.00	-15.04	41.64	34.19	12.36	29.23	0.00	100	116	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5310.00	107.77	------	------	90.03	34.50	12.71	29.47	0.00	100	116	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5006.94	47.54	54.00	-6.46	30.30	34.11	12.33	29.20	0.00	100	116	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5310.00	98.69	------	------	80.95	34.50	12.71	29.47	0.00	100	116	AVERAGE

Mode	40	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.08 58.44 74.00 -15.56 40.58 34.50 12.89 29.53 0.00 100 116 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.67 47.57 54.00 -6.43 29.71 34.50 12.88 29.52 0.00 100 116 AVERAGE	Blank

Mode	40	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5059.69	58.23	74.00	-15.77	40.88	34.22	12.37	29.24	0.00	358	74	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5310.00	105.49	------	------	87.75	34.50	12.71	29.47	0.00	358	74	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5003.56	47.53	54.00	-6.47	30.29	34.11	12.33	29.20	0.00	358	74	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5310.00	95.59	------	------	77.84	34.50	12.73	29.48	0.00	358	74	AVERAGE

Mode	40	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5406.08 58.21 74.00 -15.79 40.24 34.50 13.04 29.57 0.00 358 74 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.73 46.45 54.00 -7.55 28.37 34.53 13.17 29.62 0.00 358 74 AVERAGE	Blank

Mode	40	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 44.67 74.00 -29.33 55.39 37.68 17.77 66.17 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 43.91 74.00 -30.09 54.63 37.68 17.77 66.17 0.00 300 360 PEAK

Mode	41	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5423.69	58.24	74.00	-15.76	40.23	34.51	13.09	29.59	0.00	100	234	PEAK
2	5466.89	61.83	68.30	-6.47	43.73	34.53	13.19	29.62	0.00	100	234	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5510.00	108.12	------	------	89.95	34.55	13.27	29.65	0.00	100	234	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.49	47.89	54.00	-6.11	29.81	34.53	13.17	29.62	0.00	100	234	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5510.00	98.19	------	------	80.02	34.55	13.27	29.65	0.00	100	234	AVERAGE

Mode	41	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		Blank

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5752.13	57.99	68.30	-10.31	38.94	34.89	13.94	29.78	0.00	100	234	PEAK

Mode	41	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5400.21	57.37	74.00	-16.63	39.41	34.50	13.03	29.57	0.00	332	65	PEAK
2	5469.93	58.19	68.30	-10.11	40.09	34.53	13.20	29.63	0.00	332	65	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5510.00	102.91	------	------	84.74	34.55	13.27	29.65	0.00	332	65	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5454.85	46.56	54.00	-7.44	28.48	34.53	13.16	29.61	0.00	332	65	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5510.00	93.38	------	------	75.24	34.56	13.25	29.67	0.00	332	65	AVERAGE

Mode	41	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak		Blank

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5732.75	59.08	68.30	-9.22	40.25	34.85	13.77	29.79	0.00	332	65	PEAK

Mode	41	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 44.55 74.00 -29.45 54.06 38.11 18.10 65.72 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 43.60 74.00 -30.40 53.11 38.11 18.10 65.72 0.00 300 360 PEAK

Mode	42	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	CDD 9+11	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5423.31	58.21	74.00	-15.79	40.20	34.51	13.09	29.59	0.00	100	241	PEAK
2	5460.31	57.41	68.30	-10.89	39.33	34.53	13.17	29.62	0.00	100	241	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5550.00	109.02	------	------	90.94	34.58	13.21	29.71	0.00	100	241	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.28	46.68	54.00	-7.32	28.60	34.53	13.17	29.62	0.00	100	241	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5550.00	98.19	------	------	80.11	34.58	13.21	29.71	0.00	100	241	AVERAGE