












		74																																																																																																																																	
Mode		Band Edge - L																																																																																																																																	
		U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①5775MHz																																																																																																																																	
ANT		CDD 16+12																																																																																																																																	
Pol.		Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5619.60</td><td>57.28</td><td>68.20</td><td>-10.92</td><td>39.47</td><td>34.54</td><td>13.27</td><td>30.00</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>36.91</td><td>34.60</td><td>13.45</td><td>30.01</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>3</td><td>5714.00</td><td>63.64</td><td>109.22</td><td>-45.58</td><td>45.28</td><td>34.63</td><td>13.85</td><td>30.12</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>62.42</td><td>111.81</td><td>-49.39</td><td>44.03</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5619.60	57.28	68.20	-10.92	39.47	34.54	13.27	30.00	0.00	100	2 PEAK	2	5650.00	54.95	68.20	-13.25	36.91	34.60	13.45	30.01	0.00	100	2 PEAK	3	5714.00	63.64	109.22	-45.58	45.28	34.63	13.85	30.12	0.00	100	2 PEAK	4	5720.40	62.42	111.81	-49.39	44.03	34.64	13.88	30.13	0.00	100	2 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.27</td><td>-----</td><td>-----</td><td>83.68</td><td>34.70</td><td>14.08</td><td>30.19</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.27	-----	-----	83.68	34.70	14.08	30.19	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5619.60	57.28	68.20	-10.92	39.47	34.54	13.27	30.00	0.00	100	2 PEAK																																																																																																																								
2	5650.00	54.95	68.20	-13.25	36.91	34.60	13.45	30.01	0.00	100	2 PEAK																																																																																																																								
3	5714.00	63.64	109.22	-45.58	45.28	34.63	13.85	30.12	0.00	100	2 PEAK																																																																																																																								
4	5720.40	62.42	111.81	-49.39	44.03	34.64	13.88	30.13	0.00	100	2 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5775.00	102.27	-----	-----	83.68	34.70	14.08	30.19	0.00	100	2 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.60</td><td>-----</td><td>-----</td><td>74.89</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	93.60	-----	-----	74.89	34.74	14.19	30.22	0.00	100	2 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5775.00	93.60	-----	-----	74.89	34.74	14.19	30.22	0.00	100	2 AVERAGE																																																																																																																								







Mode	74																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①5775MHz																																																																																									
ANT	CDD 16+12																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>57.10</td><td>112.27</td><td>-55.17</td><td>38.49</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>57.79</td><td>106.25</td><td>-48.46</td><td>39.16</td><td>34.93</td><td>14.00</td><td>30.38</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>56.27</td><td>69.53</td><td>-13.26</td><td>37.71</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>57.99</td><td>68.20</td><td>-10.21</td><td>39.55</td><td>35.10</td><td>13.76</td><td>30.42</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	57.10	112.27	-55.17	38.49	34.83	14.15	30.37	0.00	100	2 PEAK	2	5871.60	57.79	106.25	-48.46	39.16	34.93	14.00	30.38	0.00	100	2 PEAK	3	5923.20	56.27	69.53	-13.26	37.71	35.10	13.86	30.40	0.00	100	2 PEAK	4	5948.00	57.99	68.20	-10.21	39.55	35.10	13.76	30.42	0.00	100	2 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5854.40	57.10	112.27	-55.17	38.49	34.83	14.15	30.37	0.00	100	2 PEAK																																																																															
2	5871.60	57.79	106.25	-48.46	39.16	34.93	14.00	30.38	0.00	100	2 PEAK																																																																															
3	5923.20	56.27	69.53	-13.26	37.71	35.10	13.86	30.40	0.00	100	2 PEAK																																																																															
4	5948.00	57.99	68.20	-10.21	39.55	35.10	13.76	30.42	0.00	100	2 PEAK																																																																															





Mode	75																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz																																																																																																			
ANT	15																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.64</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>41.16</td><td>32.48</td><td>7.27</td><td>36.83</td><td>6.00</td><td>100</td><td>222</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.64	50.08	74.00	-23.92	41.16	32.48	7.27	36.83	6.00	100	222	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>93.82</td><td>-----</td><td>-----</td><td>84.97</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>222</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	93.82	-----	-----	84.97	32.46	7.25	36.86	6.00	100	222	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2490.64	50.08	74.00	-23.92	41.16	32.48	7.27	36.83	6.00	100	222	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	93.82	-----	-----	84.97	32.46	7.25	36.86	6.00	100	222	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.84</td><td>39.73</td><td>54.00</td><td>-14.27</td><td>30.77</td><td>32.50</td><td>7.28</td><td>36.82</td><td>6.00</td><td>100</td><td>222</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.84	39.73	54.00	-14.27	30.77	32.50	7.28	36.82	6.00	100	222	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>91.73</td><td>-----</td><td>-----</td><td>82.88</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>222</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	91.73	-----	-----	82.88	32.46	7.25	36.86	6.00	100	222	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2497.84	39.73	54.00	-14.27	30.77	32.50	7.28	36.82	6.00	100	222	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	91.73	-----	-----	82.88	32.46	7.25	36.86	6.00	100	222	AVERAGE																																																																																								







Mode	75																																																				
	Band Edge																																																				
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz																																																				
ANT	15																																																				
Pol.	Vertical						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.42</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>41.07</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>117</td><td>60 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.42	49.96	74.00	-24.04	41.07	32.47	7.26	36.84	6.00	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2485.42	49.96	74.00	-24.04	41.07	32.47	7.26	36.84	6.00	117	60 PEAK																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>101.26</td><td>-----</td><td>-----</td><td>92.41</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>117</td><td>60 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	101.26	-----	-----	92.41	32.46	7.25	36.86	6.00	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2478.00	101.26	-----	-----	92.41	32.46	7.25	36.86	6.00	117	60 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.78</td><td>39.92</td><td>54.00</td><td>-14.08</td><td>31.03</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>117</td><td>60 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.78	39.92	54.00	-14.08	31.03	32.47	7.26	36.84	6.00	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2485.78	39.92	54.00	-14.08	31.03	32.47	7.26	36.84	6.00	117	60 AVERAGE																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>99.34</td><td>-----</td><td>-----</td><td>90.49</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>117</td><td>60 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	99.34	-----	-----	90.49	32.46	7.25	36.86	6.00	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2478.00	99.34	-----	-----	90.49	32.46	7.25	36.86	6.00	117	60 AVERAGE																																										



Mode	75																																																											
	Harmonic																																																											
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz																																																											
ANT	15																																																											
Pol.	Horizontal						Vertical																																																					
Peak Avg																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>60.29</td><td>34.22</td><td>10.39</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.31	74.00	-34.69	60.29	34.22	10.39	65.59	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	4956.00	39.31	74.00	-34.69	60.29	34.22	10.39	65.59	0.00	--	--	PEAK																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.91</td><td>74.00</td><td>-34.09</td><td>60.89</td><td>34.22</td><td>10.39</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.91	74.00	-34.09	60.89	34.22	10.39	65.59	0.00	--	--	PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	4956.00	39.91	74.00	-34.09	60.89	34.22	10.39	65.59	0.00	--	--	PEAK																																																







		75																																																																																																									
Mode		Band Edge - L																																																																																																									
		U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																																																									
ANT		CDD 16+12																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5126.88</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>42.77</td><td>34.38</td><td>10.58</td><td>36.69</td><td>0.00</td><td>300</td><td>37 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5126.88	51.04	74.00	-22.96	42.77	34.38	10.58	36.69	0.00	300	37 PEAK	<table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3616.00</td><td>110.35</td><td>-----</td><td>105.25</td><td>32.96</td><td>8.78</td><td>36.64</td><td>0.00</td><td>300</td><td>37 Peak</td></tr><tr><td>2</td><td>5290.00</td><td>102.00</td><td>-----</td><td>93.29</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>300</td><td>37 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3616.00	110.35	-----	105.25	32.96	8.78	36.64	0.00	300	37 Peak	2	5290.00	102.00	-----	93.29	34.54	10.71	36.46	0.00	300
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5126.88	51.04	74.00	-22.96	42.77	34.38	10.58	36.69	0.00	300	37 PEAK																																																																																																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	3616.00	110.35	-----	105.25	32.96	8.78	36.64	0.00	300	37 Peak																																																																																																	
2	5290.00	102.00	-----	93.29	34.54	10.71	36.46	0.00	300	37 Peak																																																																																																	
Avg																																																																																																											
	<table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.72</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>31.96</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>300</td><td>37 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.72	40.30	54.00	-13.70	31.96	34.40	10.60	36.66	0.00	300	37 AVERAGE	<table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3616.00</td><td>107.59</td><td>-----</td><td>102.49</td><td>32.96</td><td>8.78</td><td>36.64</td><td>0.00</td><td>300</td><td>37 Average</td></tr><tr><td>2</td><td>5290.00</td><td>92.96</td><td>-----</td><td>84.17</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>300</td><td>37 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3616.00	107.59	-----	102.49	32.96	8.78	36.64	0.00	300	37 Average	2	5290.00	92.96	-----	84.17	34.54	10.71	36.46	0.00	300
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5146.72	40.30	54.00	-13.70	31.96	34.40	10.60	36.66	0.00	300	37 AVERAGE																																																																																																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	3616.00	107.59	-----	102.49	32.96	8.78	36.64	0.00	300	37 Average																																																																																																	
2	5290.00	92.96	-----	84.17	34.54	10.71	36.46	0.00	300	37 Average																																																																																																	





Mode	75																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																				
ANT	CDD 16+12																																																				
Pol.	Horizontal																																																				
Peak	Fundamental																																																				
	Blank																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.40</td><td>60.32</td><td>74.00</td><td>-13.68</td><td>51.34</td><td>34.60</td><td>10.75</td><td>36.37</td><td>0.00</td><td>300</td><td>37 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.40	60.32	74.00	-13.68	51.34	34.60	10.75	36.37	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5353.40	60.32	74.00	-13.68	51.34	34.60	10.75	36.37	0.00	300	37 PEAK																																										
Avg	Fundamental																																																				
	Blank																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.40</td><td>49.64</td><td>54.00</td><td>-4.36</td><td>40.67</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>300</td><td>37 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.40	49.64	54.00	-4.36	40.67	34.59	10.75	36.37	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5351.40	49.64	54.00	-4.36	40.67	34.59	10.75	36.37	0.00	300	37 AVERAGE																																										



		75																																																																																																																							
Mode		Band Edge - L																																																																																																																							
		U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																																																																							
ANT		CDD 16+12																																																																																																																							
Pol.		Vertical											Fundamental																																																																																																												
Peak																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.64</td><td>51.50</td><td>74.00</td><td>-22.50</td><td>43.19</td><td>34.39</td><td>10.59</td><td>36.67</td><td>0.00</td><td>251</td><td>235</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5136.64	51.50	74.00	-22.50	43.19	34.39	10.59	36.67	0.00	251	235	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3616.00</td><td>113.15</td><td>-----</td><td>108.05</td><td>32.96</td><td>8.78</td><td>36.64</td><td>0.00</td><td>251</td><td>235</td><td>Peak</td></tr><tr><td>2</td><td>5272.00</td><td>102.86</td><td>-----</td><td>94.12</td><td>34.52</td><td>10.70</td><td>36.48</td><td>0.00</td><td>251</td><td>235</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3616.00	113.15	-----	108.05	32.96	8.78	36.64	0.00	251	235	Peak	2	5272.00	102.86	-----	94.12	34.52	10.70	36.48	0.00	251	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5136.64	51.50	74.00	-22.50	43.19	34.39	10.59	36.67	0.00	251	235	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	3616.00	113.15	-----	108.05	32.96	8.78	36.64	0.00	251	235	Peak																																																																																																														
2	5272.00	102.86	-----	94.12	34.52	10.70	36.48	0.00	251	235	Peak																																																																																																														
Avg																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>41.15</td><td>54.00</td><td>-12.85</td><td>32.79</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>251</td><td>235</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	41.15	54.00	-12.85	32.79	34.40	10.61	36.65	0.00	251	235	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3616.00</td><td>103.91</td><td>-----</td><td>98.81</td><td>32.96</td><td>8.78</td><td>36.64</td><td>0.00</td><td>251</td><td>235</td><td>Average</td></tr><tr><td>2</td><td>5296.00</td><td>92.93</td><td>-----</td><td>84.12</td><td>34.54</td><td>10.72</td><td>36.45</td><td>0.00</td><td>251</td><td>235</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3616.00	103.91	-----	98.81	32.96	8.78	36.64	0.00	251	235	Average	2	5296.00	92.93	-----	84.12	34.54	10.72	36.45	0.00	251	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5149.92	41.15	54.00	-12.85	32.79	34.40	10.61	36.65	0.00	251	235	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	3616.00	103.91	-----	98.81	32.96	8.78	36.64	0.00	251	235	Average																																																																																																														
2	5296.00	92.93	-----	84.12	34.54	10.72	36.45	0.00	251	235	Average																																																																																																														







Mode	75																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																
ANT	CDD 16+12																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.90</td><td>59.76</td><td>74.00</td><td>-14.24</td><td>50.77</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>251</td><td>235</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.90	59.76	74.00	-14.24	50.77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	5354.90	59.76	74.00	-14.24	50.77	34.60	10.75	36.36	0.00	251	235	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.70</td><td>48.69</td><td>54.00</td><td>-5.31</td><td>39.70</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>251</td><td>235</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.70	48.69	54.00	-5.31	39.70
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	5354.70	48.69	54.00	-5.31	39.70	34.60	10.75	36.36	0.00	251	235	AVERAGE																																					





		75																																																																												
Mode		Harmonic																																																																												
		U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																												
ANT		CDD 16+12																																																																												
Pol.		Horizontal						Vertical																																																																						
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10580.00</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>58.10</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15870.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>51.98</td><td>40.17</td><td>19.26</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10580.00	44.49	68.20	-23.71	58.10	37.58	15.65	66.84	0.00	--	--	PEAK	2	15870.00	47.37	74.00	-26.63	51.98	40.17	19.26	64.04	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1	10580.00	44.49	68.20	-23.71	58.10	37.58	15.65	66.84	0.00	--	--	PEAK																																																																		
2	15870.00	47.37	74.00	-26.63	51.98	40.17	19.26	64.04	0.00	--	--	PEAK																																																																		
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10580.00</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>58.45</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15870.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>51.74</td><td>40.17</td><td>19.26</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10580.00	44.84	68.20	-23.36	58.45	37.58	15.65	66.84	0.00	--	--	PEAK	2	15870.00	47.13	74.00	-26.87	51.74	40.17	19.26	64.04	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1	10580.00	44.84	68.20	-23.36	58.45	37.58	15.65	66.84	0.00	--	--	PEAK																																																																		
2	15870.00	47.13	74.00	-26.87	51.74	40.17	19.26	64.04	0.00	--	--	PEAK																																																																		







		76																																																																																																											
Mode		Band Edge - L																																																																																																											
		2400-2483.5_2400-2483.5_802.11BE EHT40_CH03_Full_2422MHz																																																																																																											
ANT		CDD 8+15																																																																																																											
Pol.	Horizontal										Fundamental																																																																																																		
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>58.76</td><td>74.00</td><td>-15.24</td><td>45.87</td><td>32.47</td><td>6.60</td><td>32.18</td><td>6.00</td><td>340</td><td>227 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	58.76	74.00	-15.24	45.87	32.47	6.60	32.18	6.00	340	227 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>107.57</td><td>-----</td><td>-----</td><td>94.64</td><td>32.47</td><td>6.66</td><td>32.20</td><td>6.00</td><td>340</td><td>227 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	107.57	-----	-----	94.64	32.47	6.66	32.20	6.00	340
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2388.91	58.76	74.00	-15.24	45.87	32.47	6.60	32.18	6.00	340	227 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2422.00	107.57	-----	-----	94.64	32.47	6.66	32.20	6.00	340	227 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>47.66</td><td>54.00</td><td>-6.34</td><td>34.76</td><td>32.48</td><td>6.60</td><td>32.18</td><td>6.00</td><td>340</td><td>227 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	47.66	54.00	-6.34	34.76	32.48	6.60	32.18	6.00	340	227 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>97.06</td><td>-----</td><td>-----</td><td>84.13</td><td>32.47</td><td>6.66</td><td>32.20</td><td>6.00</td><td>340</td><td>227 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	97.06	-----	-----	84.13	32.47	6.66	32.20	6.00	340
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	47.66	54.00	-6.34	34.76	32.48	6.60	32.18	6.00	340	227 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2422.00	97.06	-----	-----	84.13	32.47	6.66	32.20	6.00	340	227 AVERAGE																																																																																																		



Mode	76																																																						
	Band Edge - R																																																						
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH03_Full_2422MHz																																																						
ANT	CDD 8+15																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>56.24</td><td>74.00</td><td>-17.76</td><td>43.14</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>340 227 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	56.24	74.00	-17.76	43.14	32.60	6.73	32.23	6.00	340 227 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.62	56.24	74.00	-17.76	43.14	32.60	6.73	32.23	6.00	340 227 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.32</td><td>54.00</td><td>-9.68</td><td>31.22</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>340 227 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.32	54.00	-9.68	31.22	32.60	6.73	32.23	6.00	340 227 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	44.32	54.00	-9.68	31.22	32.60	6.73	32.23	6.00	340 227 AVERAGE																																													





		76																																																																																																											
Mode		Band Edge - L																																																																																																											
		2400-2483.5_2400-2483.5_802.11BE EHT40_CH03_Full_2422MHz																																																																																																											
ANT		CDD 8+15																																																																																																											
Pol.		Vertical					Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>62.45</td><td>74.00</td><td>-11.55</td><td>49.55</td><td>32.48</td><td>6.60</td><td>32.18</td><td>6.00</td><td>131 253 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	62.45	74.00	-11.55	49.55	32.48	6.60	32.18	6.00	131 253 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>109.99</td><td>-----</td><td>-----</td><td>97.04</td><td>32.49</td><td>6.66</td><td>32.20</td><td>6.00</td><td>131 253 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	109.99	-----	-----	97.04	32.49	6.66	32.20	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	62.45	74.00	-11.55	49.55	32.48	6.60	32.18	6.00	131 253 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2422.00	109.99	-----	-----	97.04	32.49	6.66	32.20	6.00	131 253 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>50.48</td><td>54.00</td><td>-3.52</td><td>37.58</td><td>32.48</td><td>6.60</td><td>32.18</td><td>6.00</td><td>131 253 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.48	54.00	-3.52	37.58	32.48	6.60	32.18	6.00	131 253 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>100.55</td><td>-----</td><td>-----</td><td>87.60</td><td>32.50</td><td>6.65</td><td>32.20</td><td>6.00</td><td>131 253 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	100.55	-----	-----	87.60	32.50	6.65	32.20	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	50.48	54.00	-3.52	37.58	32.48	6.60	32.18	6.00	131 253 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2422.00	100.55	-----	-----	87.60	32.50	6.65	32.20	6.00	131 253 AVERAGE																																																																																																			







Mode	76																																																						
	Band Edge - R																																																						
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH03_Full_2422MHz																																																						
ANT	CDD 8+15																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.62</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>43.95</td><td>32.62</td><td>6.74</td><td>32.24</td><td>6.00</td><td>131</td><td>253</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.62	57.07	74.00	-16.93	43.95	32.62	6.74	32.24	6.00	131	253	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2486.62	57.07	74.00	-16.93	43.95	32.62	6.74	32.24	6.00	131	253	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>30.93</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>131</td><td>253</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.03	54.00	-9.97	30.93	32.60	6.73	32.23	6.00	131	253	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	44.03	54.00	-9.97	30.93	32.60	6.73	32.23	6.00	131	253	AVERAGE																																											



Mode	76																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH03_Full_2422MHz																																																																																																		
ANT	CDD 8+15																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>40.34</td><td>74.00</td><td>-33.66</td><td>61.48</td><td>34.12</td><td>10.25</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	40.34	74.00	-33.66	61.48	34.12	10.25	65.51	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>40.29</td><td>74.00</td><td>-33.71</td><td>61.43</td><td>34.12</td><td>10.25</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	40.29	74.00	-33.71	61.43	34.12	10.25	65.51	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4844.00	40.34	74.00	-33.66	61.48	34.12	10.25	65.51	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4844.00	40.29	74.00	-33.71	61.43	34.12	10.25	65.51	0.00	--	--	PEAK																																																																																							



		76																																																															
Mode	Band Edge - L																																																																
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																
ANT	CDD 16+12																																																																
Pol.	Horizontal																																																																
Peak																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.64</td><td>55.58</td><td>74.00</td><td>-18.42</td><td>43.50</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>313 339 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.64	55.58	74.00	-18.42	43.50	34.19	9.78	31.89	0.00	313 339 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5144.64	55.58	74.00	-18.42	43.50	34.19	9.78	31.89	0.00	313 339 PEAK																																																							
Fundamental																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3616.00</td><td>115.04</td><td>-----</td><td>105.38</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>313</td><td>339 Peak</td></tr><tr><td>2</td><td>5284.00</td><td>103.61</td><td>-----</td><td>91.11</td><td>34.44</td><td>9.88</td><td>31.82</td><td>0.00</td><td>313</td><td>339 Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3616.00	115.04	-----	105.38	33.03	8.26	31.63	0.00	313	339 Peak	2	5284.00	103.61	-----	91.11	34.44	9.88	31.82	0.00	313
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	3616.00	115.04	-----	105.38	33.03	8.26	31.63	0.00	313	339 Peak																																																							
2	5284.00	103.61	-----	91.11	34.44	9.88	31.82	0.00	313	339 Peak																																																							
Avg																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.32</td><td>43.92</td><td>54.00</td><td>-10.08</td><td>31.88</td><td>34.17</td><td>9.77</td><td>31.90</td><td>0.00</td><td>313 339 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.32	43.92	54.00	-10.08	31.88	34.17	9.77	31.90	0.00	313 339 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5136.32	43.92	54.00	-10.08	31.88	34.17	9.77	31.90	0.00	313 339 AVERAGE																																																							
Fundamental																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3616.00</td><td>109.70</td><td>-----</td><td>100.04</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>313</td><td>339 Average</td></tr><tr><td>2</td><td>5302.00</td><td>94.19</td><td>-----</td><td>81.61</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>313</td><td>339 Average</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3616.00	109.70	-----	100.04	33.03	8.26	31.63	0.00	313	339 Average	2	5302.00	94.19	-----	81.61	34.50	9.89	31.81	0.00	313
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	3616.00	109.70	-----	100.04	33.03	8.26	31.63	0.00	313	339 Average																																																							
2	5302.00	94.19	-----	81.61	34.50	9.89	31.81	0.00	313	339 Average																																																							





Mode	76										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz										
ANT	CDD 16+12										
Pol.	Horizontal										
Peak	Level (dBuV/m)										




		76																																																															
Mode		Band Edge - L																																																															
		U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																															
ANT		CDD 16+12																																																															
Pol.		Vertical					Fundamental																																																										
Peak																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5116.48</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>43.10</td><td>34.13</td><td>9.76</td><td>31.91</td><td>0.00</td><td>300</td><td>88 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.48	55.08	74.00	-18.92	43.10	34.13	9.76	31.91	0.00	300	88 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5116.48	55.08	74.00	-18.92	43.10	34.13	9.76	31.91	0.00	300	88 PEAK																																																						
Avg																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.32</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>31.78</td><td>34.17</td><td>9.77</td><td>31.90</td><td>0.00</td><td>300</td><td>88 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.32	43.82	54.00	-10.18	31.78	34.17	9.77	31.90	0.00	300	88 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5136.32	43.82	54.00	-10.18	31.78	34.17	9.77	31.90	0.00	300	88 AVERAGE																																																						
Peak																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3616.00</td><td>99.05</td><td>-----</td><td>89.39</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>300</td><td>88 Peak</td></tr><tr><td>2</td><td>5290.00</td><td>102.00</td><td>-----</td><td>89.53</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>300</td><td>88 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3616.00	99.05	-----	89.39	33.03	8.26	31.63	0.00	300	88 Peak	2	5290.00	102.00	-----	89.53	34.48	9.88	31.81	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	3616.00	99.05	-----	89.39	33.03	8.26	31.63	0.00	300	88 Peak																																																							
2	5290.00	102.00	-----	89.53	34.48	9.88	31.81	0.00	300	88 PEAK																																																							
Avg																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3616.00</td><td>92.94</td><td>-----</td><td>83.28</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>300</td><td>88 Average</td></tr><tr><td>2</td><td>5290.00</td><td>92.94</td><td>-----</td><td>83.28</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>300</td><td>88 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3616.00	92.94	-----	83.28	33.03	8.26	31.63	0.00	300	88 Average	2	5290.00	92.94	-----	83.28	33.03	8.26	31.63	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	3616.00	92.94	-----	83.28	33.03	8.26	31.63	0.00	300	88 Average																																																							
2	5290.00	92.94	-----	83.28	33.03	8.26	31.63	0.00	300	88 AVERAGE																																																							



Mode	76																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																					
ANT	CDD 16+12																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.00</td><td>56.24</td><td>74.00</td><td>-17.76</td><td>43.50</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>300</td><td>88 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.00	56.24	74.00	-17.76	43.50	34.61	9.91	31.78	0.00	300	88 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.00	56.24	74.00	-17.76	43.50	34.61	9.91	31.78	0.00	300	88 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.00</td><td>45.34</td><td>54.00</td><td>-8.66</td><td>32.60</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>300</td><td>88 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.00	45.34	54.00	-8.66	32.60	34.61	9.91	31.78	0.00	300	88 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.00	45.34	54.00	-8.66	32.60	34.61	9.91	31.78	0.00	300	88 AVERAGE																																											





		76																																																				
Mode		Harmonic																																																				
		U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																				
ANT		CDD 16+12																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.72</td><td>68.20</td><td>-23.48</td><td>58.37</td><td>37.56</td><td>15.64</td><td>66.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.72	68.20	-23.48	58.37	37.56	15.64	66.85	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10580.00	44.72	68.20	-23.48	58.37	37.56	15.64	66.85	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>43.94</td><td>68.20</td><td>-24.26</td><td>57.61</td><td>37.55</td><td>15.63</td><td>66.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	43.94	68.20	-24.26	57.61	37.55	15.63	66.85	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10580.00	43.94	68.20	-24.26	57.61	37.55	15.63	66.85	0.00	--	PEAK																																											





Mode	U-NII-1/2A/2C	
	18-40G	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz	
ANT	CDD 16+12	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	U-NII-1/2A/2C																																																																																																										
	30M-1G																																																																																																										
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																										
ANT	CDD 16+12																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak																																																																																																											
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>40.67</td><td>32.12</td><td>40.00</td><td>-7.88</td><td>45.04</td><td>19.44</td><td>0.59</td><td>32.95</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>98.87</td><td>23.10</td><td>43.50</td><td>-20.40</td><td>38.71</td><td>15.93</td><td>1.33</td><td>32.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>271.53</td><td>28.31</td><td>46.00</td><td>-17.69</td><td>39.66</td><td>19.21</td><td>2.22</td><td>32.78</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>409.27</td><td>26.88</td><td>46.00</td><td>-19.12</td><td>34.78</td><td>22.24</td><td>2.73</td><td>32.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>610.06</td><td>24.90</td><td>46.00</td><td>-21.10</td><td>28.63</td><td>25.98</td><td>3.34</td><td>33.05</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>867.11</td><td>27.49</td><td>46.00</td><td>-18.51</td><td>26.35</td><td>29.35</td><td>3.97</td><td>32.18</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	40.67	32.12	40.00	-7.88	45.04	19.44	0.59	32.95	0.00	---	Peak	2	98.87	23.10	43.50	-20.40	38.71	15.93	1.33	32.87	0.00	---	Peak	3	271.53	28.31	46.00	-17.69	39.66	19.21	2.22	32.78	0.00	---	Peak	4	409.27	26.88	46.00	-19.12	34.78	22.24	2.73	32.87	0.00	---	Peak	5	610.06	24.90	46.00	-21.10	28.63	25.98	3.34	33.05	0.00	---	Peak	6	867.11	27.49	46.00	-18.51	26.35	29.35	3.97	32.18	0.00	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	40.67	32.12	40.00	-7.88	45.04	19.44	0.59	32.95	0.00	---	Peak																																																																																																
2	98.87	23.10	43.50	-20.40	38.71	15.93	1.33	32.87	0.00	---	Peak																																																																																																
3	271.53	28.31	46.00	-17.69	39.66	19.21	2.22	32.78	0.00	---	Peak																																																																																																
4	409.27	26.88	46.00	-19.12	34.78	22.24	2.73	32.87	0.00	---	Peak																																																																																																
5	610.06	24.90	46.00	-21.10	28.63	25.98	3.34	33.05	0.00	---	Peak																																																																																																
6	867.11	27.49	46.00	-18.51	26.35	29.35	3.97	32.18	0.00	---	Peak																																																																																																
																																																																																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>40.67</td><td>31.32</td><td>40.00</td><td>-8.68</td><td>44.24</td><td>19.44</td><td>0.59</td><td>32.95</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>88.20</td><td>28.99</td><td>43.50</td><td>-14.51</td><td>45.96</td><td>14.67</td><td>1.20</td><td>32.84</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>191.99</td><td>26.34</td><td>43.50</td><td>-17.16</td><td>42.35</td><td>14.96</td><td>1.87</td><td>32.84</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>270.56</td><td>26.61</td><td>46.00</td><td>-19.39</td><td>37.92</td><td>19.25</td><td>2.22</td><td>32.78</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>704.15</td><td>27.88</td><td>46.00</td><td>-18.12</td><td>30.39</td><td>26.96</td><td>3.59</td><td>33.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>867.11</td><td>28.76</td><td>46.00</td><td>-17.24</td><td>27.62</td><td>29.35</td><td>3.97</td><td>32.18</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	40.67	31.32	40.00	-8.68	44.24	19.44	0.59	32.95	0.00	---	Peak	2	88.20	28.99	43.50	-14.51	45.96	14.67	1.20	32.84	0.00	---	Peak	3	191.99	26.34	43.50	-17.16	42.35	14.96	1.87	32.84	0.00	---	Peak	4	270.56	26.61	46.00	-19.39	37.92	19.25	2.22	32.78	0.00	---	Peak	5	704.15	27.88	46.00	-18.12	30.39	26.96	3.59	33.06	0.00	---	Peak	6	867.11	28.76	46.00	-17.24	27.62	29.35	3.97	32.18	0.00	---	Peak	
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	40.67	31.32	40.00	-8.68	44.24	19.44	0.59	32.95	0.00	---	Peak																																																																																																
2	88.20	28.99	43.50	-14.51	45.96	14.67	1.20	32.84	0.00	---	Peak																																																																																																
3	191.99	26.34	43.50	-17.16	42.35	14.96	1.87	32.84	0.00	---	Peak																																																																																																
4	270.56	26.61	46.00	-19.39	37.92	19.25	2.22	32.78	0.00	---	Peak																																																																																																
5	704.15	27.88	46.00	-18.12	30.39	26.96	3.59	33.06	0.00	---	Peak																																																																																																
6	867.11	28.76	46.00	-17.24	27.62	29.35	3.97	32.18	0.00	---	Peak																																																																																																



Mode	U-NII-3	
	18G-40G	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_54+4_5825MHz	
ANT	CDD 16+12	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	U-NII-3																																																																																																													
	30M-1G																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_54+4_5825MHz																																																																																																													
ANT	CDD 16+12																																																																																																													
Pol.	Horizontal																																																																																																													
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>40.67</td><td>31.39</td><td>40.00</td><td>-8.61</td><td>44.31</td><td>19.44</td><td>0.59</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>88.20</td><td>24.06</td><td>43.50</td><td>-19.44</td><td>41.03</td><td>14.67</td><td>1.20</td><td>32.84</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>191.02</td><td>23.99</td><td>43.50</td><td>-19.51</td><td>40.00</td><td>14.96</td><td>1.87</td><td>32.84</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>265.71</td><td>25.28</td><td>46.00</td><td>-20.72</td><td>36.26</td><td>19.60</td><td>2.20</td><td>32.78</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>375.32</td><td>22.11</td><td>46.00</td><td>-23.89</td><td>31.36</td><td>21.02</td><td>2.61</td><td>32.88</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>459.71</td><td>24.98</td><td>46.00</td><td>-21.02</td><td>31.80</td><td>23.32</td><td>2.89</td><td>33.03</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	40.67	31.39	40.00	-8.61	44.31	19.44	0.59	32.95	0.00	--- Peak	2	88.20	24.06	43.50	-19.44	41.03	14.67	1.20	32.84	0.00	--- Peak	3	191.02	23.99	43.50	-19.51	40.00	14.96	1.87	32.84	0.00	--- Peak	4	265.71	25.28	46.00	-20.72	36.26	19.60	2.20	32.78	0.00	--- Peak	5	375.32	22.11	46.00	-23.89	31.36	21.02	2.61	32.88	0.00	--- Peak	6	459.71	24.98	46.00	-21.02	31.80	23.32	2.89	33.03	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
	1	40.67	31.39	40.00	-8.61	44.31	19.44	0.59	32.95	0.00	--- Peak																																																																																																			
	2	88.20	24.06	43.50	-19.44	41.03	14.67	1.20	32.84	0.00	--- Peak																																																																																																			
	3	191.02	23.99	43.50	-19.51	40.00	14.96	1.87	32.84	0.00	--- Peak																																																																																																			
	4	265.71	25.28	46.00	-20.72	36.26	19.60	2.20	32.78	0.00	--- Peak																																																																																																			
	5	375.32	22.11	46.00	-23.89	31.36	21.02	2.61	32.88	0.00	--- Peak																																																																																																			
6	459.71	24.98	46.00	-21.02	31.80	23.32	2.89	33.03	0.00	--- Peak																																																																																																				
																																																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>40.67</td><td>27.21</td><td>40.00</td><td>-12.79</td><td>40.13</td><td>19.44</td><td>0.59</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>96.93</td><td>26.26</td><td>43.50</td><td>-17.24</td><td>42.10</td><td>15.72</td><td>1.31</td><td>32.87</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>191.99</td><td>25.75</td><td>43.50</td><td>-17.75</td><td>41.76</td><td>14.96</td><td>1.87</td><td>32.84</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>276.38</td><td>26.52</td><td>46.00</td><td>-19.48</td><td>38.09</td><td>18.98</td><td>2.24</td><td>32.79</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>546.04</td><td>26.58</td><td>46.00</td><td>-19.42</td><td>31.49</td><td>25.04</td><td>3.15</td><td>33.10</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>815.70</td><td>28.65</td><td>46.00</td><td>-17.35</td><td>28.79</td><td>28.64</td><td>3.85</td><td>32.63</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	40.67	27.21	40.00	-12.79	40.13	19.44	0.59	32.95	0.00	--- Peak	2	96.93	26.26	43.50	-17.24	42.10	15.72	1.31	32.87	0.00	--- Peak	3	191.99	25.75	43.50	-17.75	41.76	14.96	1.87	32.84	0.00	--- Peak	4	276.38	26.52	46.00	-19.48	38.09	18.98	2.24	32.79	0.00	--- Peak	5	546.04	26.58	46.00	-19.42	31.49	25.04	3.15	33.10	0.00	--- Peak	6	815.70	28.65	46.00	-17.35	28.79	28.64	3.85	32.63	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	40.67	27.21	40.00	-12.79	40.13	19.44	0.59	32.95	0.00	--- Peak																																																																																																				
2	96.93	26.26	43.50	-17.24	42.10	15.72	1.31	32.87	0.00	--- Peak																																																																																																				
3	191.99	25.75	43.50	-17.75	41.76	14.96	1.87	32.84	0.00	--- Peak																																																																																																				
4	276.38	26.52	46.00	-19.48	38.09	18.98	2.24	32.79	0.00	--- Peak																																																																																																				
5	546.04	26.58	46.00	-19.42	31.49	25.04	3.15	33.10	0.00	--- Peak																																																																																																				
6	815.70	28.65	46.00	-17.35	28.79	28.64	3.85	32.63	0.00	--- Peak																																																																																																				

Note: For all the above plots, the frequency points over limit line are fundamental signals, which can be ignored.


Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
16+12	802.11a	99.32	-	-	10Hz
16+12	802.11be EHT20	100	-	-	10Hz
16+12	802.11be EHT40	100	-	-	10Hz
16+12	802.11be EHT80	100	-	-	10Hz
16+12	802.11be EHT160	100	-	-	10Hz


802.11a



802.11be EHT20




802.11be EHT40





802.11be EHT80



802.11be EHT160

