





WCDMA Band V (RMC 12.2Kbps)

Lowest Channel




WCDMA Band II (RMC 12.2Kbps)


Lowest Channel




Middle Channel




Middle Channel



Highest Channel




Highest Channel






WCDMA Band IV (RMC 12.2Kbps)


Lowest Channel



Middle Channel



Highest Channel






Occupied Bandwidth

Mode	WCDMA Band V	WCDMA Band II	WCDMA Band IV
Mod.	RMC 12.2Kbps	RMC 12.2Kbps	RMC 12.2Kbps
Lowest CH	4.136	4.146	4.146
Middle CH	4.136	4.146	4.146
Highest CH	4.126	4.156	4.146




WCDMA Band V (RMC 12.2Kbps)

Lowest Channel




WCDMA Band II (RMC 12.2Kbps)


Lowest Channel




Middle Channel




Middle Channel



Highest Channel




Highest Channel






WCDMA Band IV (RMC 12.2Kbps)


Lowest Channel



Middle Channel



Highest Channel






Conducted Band Edge

WCDMA Band V (RMC 12.2Kbps)

Lowest Band Edge



Highest Band Edge




WCDMA Band II (RMC 12.2Kbps)

Lowest Band Edge



Highest Band Edge







WCDMA Band IV (RMC 12.2Kbps)

Lowest Band Edge

Highest Band Edge



Date: 2.SEP.2024 19:18:00




Date: 2.SEP.2024 19:18:45



Conducted Spurious Emission


WCDMA Band V (RMC 12.2Kbps)

Lowest Channel




WCDMA Band II (RMC 12.2Kbps)


Lowest Channel




Middle Channel




Middle Channel



Highest Channel




Highest Channel






WCDMA Band IV (RMC 12.2Kbps)


Lowest Channel



Middle Channel



Highest Channel



**Frequency Stability**

Test Conditions	Middle Channel	WCDMA Band V (RMC 12.2Kbpss)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0018	PASS
40	Normal Voltage	0.0326	
30	Normal Voltage	0.0379	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0042	
0	Normal Voltage	0.0653	
-10	Normal Voltage	0.0078	
-20	Normal Voltage	0.0166	
-30	Normal Voltage	0.0348	
20	Maximum Voltage	0.0027	
20	Normal Voltage	0.0121	
20	Battery End Point	0.0038	

Test Conditions	Middle Channel	WCDMA Band II (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0133	PASS
40	Normal Voltage	0.0177	
30	Normal Voltage	0.0267	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0142	
0	Normal Voltage	0.0379	
-10	Normal Voltage	0.0579	
-20	Normal Voltage	0.0038	
-30	Normal Voltage	0.0166	
20	Maximum Voltage	0.0198	
20	Normal Voltage	0.0259	
20	Battery End Point	0.0437	



Test Conditions	Middle Channel	WCDMA Band IV (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0077	PASS
40	Normal Voltage	0.0165	
30	Normal Voltage	0.0072	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0009	
0	Normal Voltage	0.0016	
-10	Normal Voltage	0.0268	
-20	Normal Voltage	0.0143	
-30	Normal Voltage	0.0052	
20	Maximum Voltage	0.0631	
20	Normal Voltage	0.0049	
20	Battery End Point	0.0378	

Note:

1. Normal Voltage = 3.8V ; Battery End Point (BEP) =3.6V. ; Maximum Voltage =4.3V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Levi Zhao	Temperature :	22~25°C
		Relative Humidity :	48~52%

RSE pretest all the supported Antennas, only the worst results are shown in the report.

GSM850 (GSM) / ANT 0								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-61.50	-13	-48.50	-68.47	1.58	10.70	H
	2512	-47.80	-13	-34.80	-56.05	2.102	12.50	H
	3344	-59.92	-13	-46.92	-68.81	2.856	13.90	H
	1672	-63.00	-13	-50.00	-69.97	1.58	10.70	V
	2512	-43.91	-13	-30.91	-52.16	2.10	12.50	V
	3344	-59.95	-13	-46.95	-68.84	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM850 (EDGE 1 Tx slots) / ANT 0								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-61.00	-13	-48.00	-67.97	1.58	10.70	H
	2512	-59.61	-13	-46.61	-67.86	2.102	12.50	H
	3344	-60.42	-13	-47.42	-69.31	2.856	13.90	H
	1672	-53.52	-13	-40.52	-60.49	1.58	10.70	V
	2512	-59.33	-13	-46.33	-67.58	2.10	12.50	V
	3344	-60.24	-13	-47.24	-69.13	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM1900 (GSM) / ANT 5								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3765	-56.08	-13	-43.08	-68.34	2.64	14.90	H
	5640	-55.83	-13	-42.83	-67.69	2.94	14.80	H
	7515	-54.34	-13	-41.34	-64.11	3.39	13.16	H
	3765	-56.11	-13	-43.11	-68.37	2.64	14.90	V
	5640	-56.07	-13	-43.07	-67.93	2.94	14.80	V
	7515	-53.93	-13	-40.93	-63.70	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (EDGE 1 Tx slots) / ANT 5								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3765	-56.38	-13	-43.38	-68.64	2.64	14.90	H
	5640	-54.91	-13	-41.91	-66.77	2.94	14.80	H
	7515	-54.37	-13	-41.37	-64.14	3.39	13.16	H
	3765	-56.02	-13	-43.02	-68.28	2.64	14.90	V
	5640	-54.73	-13	-41.73	-66.59	2.94	14.80	V
	7515	-54.47	-13	-41.47	-64.24	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band V(RMC 12.2Kbps) / ANT 0								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-64.01	-13	-51.01	-70.98	1.58	10.70	H
	2512	-60.05	-13	-47.05	-68.30	2.102	12.50	H
	3344	-60.47	-13	-47.47	-69.36	2.856	13.90	H
	1672	-63.34	-13	-50.34	-70.31	1.58	10.70	V
	2512	-59.70	-13	-46.70	-67.95	2.10	12.50	V
	3344	-60.53	-13	-47.53	-69.42	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band II(RMC 12.2Kbps) / ANT 4								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3765	-56.43	-13	-43.43	-68.69	2.64	14.90	H
	5640	-55.54	-13	-42.54	-67.40	2.94	14.80	H
	7515	-54.58	-13	-41.58	-64.35	3.39	13.16	H
	3765	-56.08	-13	-43.08	-68.34	2.64	14.90	V
	5640	-56.06	-13	-43.06	-67.92	2.94	14.80	V
	7515	-54.60	-13	-41.60	-64.37	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band IV(RMC 12.2Kbps) / ANT 4								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465	-58.10	-13	-45.10	-68.84	2.604	13.34	H
	5205	-55.55	-13	-42.55	-66.06	3.011	13.52	H
	6930	-55.76	-13	-42.76	-65.96	3.271	13.47	H
	3465	-58.06	-13	-45.06	-68.80	2.604	13.34	V
	5205	-55.18	-13	-42.18	-65.69	3.011	13.52	V
	6930	-55.79	-13	-42.79	-65.99	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line