11BE20MIMO_Ant6_5500_106Tone_RU53


11BE20MIMO_Ant17_5500_26Tone_RU0


11BE20MIMO_Ant17_5500_52Tone_RU37


11BE20MIMO_Ant17_5500_106Tone_RU53


11BE20MIMO_Ant6_5700_26Tone_RU8


11BE20MIMO_Ant6_5700_52Tone_RU40


11BE20MIMO_Ant6_5700_106Tone_RU54


11BE20MIMO_Ant17_5700_26Tone_RU8


11BE20MIMO_Ant17_5700_52Tone_RU40


11BE20MIMO_Ant17_5700_106Tone_RU54


11BE20MIMO_Ant6_5745_26Tone_RU0


11BE20MIMO_Ant6_5745_52Tone_RU37


11BE20MIMO_Ant6_5745_106Tone_RU53


11BE20MIMO_Ant17_5745_26Tone_RU0


11BE20MIMO_Ant17_5745_52Tone_RU37


11BE20MIMO_Ant17_5745_106Tone_RU53


11BE20MIMO_Ant6_5825_26Tone_RU8


11BE20MIMO_Ant6_5825_52Tone_RU40


11BE20MIMO_Ant6_5825_106Tone_RU54


11BE20MIMO_Ant17_5825_26Tone_RU8


11BE20MIMO_Ant17_5825_52Tone_RU40


11BE20MIMO_Ant17_5825_106Tone_RU54


<Small RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant6	5180	52Tone+26Tone	RU37+RU2	5.97	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.60	≤11.00	PASS
	Ant17	5180	52Tone+26Tone	RU37+RU2	7.12	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.59	≤11.00	PASS
	total	5180	52Tone+26Tone	RU37+RU2	9.59	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	9.13	≤11.00	PASS
	Ant6	5320	52Tone+26Tone	RU40+RU6	5.29	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.35	≤11.00	PASS
	Ant17	5320	52Tone+26Tone	RU40+RU6	5.57	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.90	≤11.00	PASS
	total	5320	52Tone+26Tone	RU40+RU6	8.44	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.64	≤11.00	PASS
	Ant6	5500	52Tone+26Tone	RU37+RU2	5.37	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.28	≤11.00	PASS
	Ant17	5500	52Tone+26Tone	RU37+RU2	6.36	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.13	≤11.00	PASS
	total	5500	52Tone+26Tone	RU37+RU2	8.90	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	8.74	≤11.00	PASS
	Ant6	5700	52Tone+26Tone	RU40+RU6	4.80	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	4.62	≤11.00	PASS
	Ant17	5700	52Tone+26Tone	RU40+RU6	5.69	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.60	≤11.00	PASS
	total	5700	52Tone+26Tone	RU40+RU6	8.28	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.15	≤11.00	PASS
	Ant6	5745	52Tone+26Tone	RU37+RU2	1.36	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	1.75	≤30.00	PASS
	Ant17	5745	52Tone+26Tone	RU37+RU2	1.13	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	1.42	≤30.00	PASS
	total	5745	52Tone+26Tone	RU37+RU2	4.26	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	4.60	≤30.00	PASS
	Ant6	5825	52Tone+26Tone	RU40+RU6	0.54	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	0.57	≤30.00	PASS
	Ant17	5825	52Tone+26Tone	RU40+RU6	1.70	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	1.37	≤30.00	PASS
	total	5825	52Tone+26Tone	RU40+RU6	4.17	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	4.00	≤30.00	PASS

Note：1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.

Test Graphs

11BE20MIMO_Ant6_5180_52Tone+26Tone_RU37+RU2


11BE20MIMO_Ant6_5180_106Tone+26Tone_RU53+RU4


11BE20MIMO_Ant17_5180_52Tone+26Tone_RU37+RU2


11BE20MIMO_Ant17_5180_106Tone+26Tone_RU53+RU4


11BE20MIMO_Ant6_5320_52Tone+26Tone_RU40+RU6


11BE20MIMO_Ant6_5320_106Tone+26Tone_RU54+RU4


11BE20MIMO_Ant17_5320_52Tone+26Tone_RU40+RU6


11BE20MIMO_Ant17_5320_106Tone+26Tone_RU54+RU4


11BE20MIMO_Ant6_5500_52Tone+26Tone_RU37+RU2


11BE20MIMO_Ant6_5500_106Tone+26Tone_RU53+RU4


11BE20MIMO_Ant17_5500_52Tone+26Tone_RU37+RU2


11BE20MIMO_Ant17_5500_106Tone+26Tone_RU53+RU4


11BE20MIMO_Ant6_5700_52Tone+26Tone_RU40+RU6


11BE20MIMO_Ant6_5700_106Tone+26Tone_RU54+RU4


11BE20MIMO_Ant17_5700_52Tone+26Tone_RU40+RU6


11BE20MIMO_Ant17_5700_106Tone+26Tone_RU54+RU4


11BE20MIMO_Ant6_5745_52Tone+26Tone_RU37+RU2


11BE20MIMO_Ant6_5745_106Tone+26Tone_RU53+RU4


11BE20MIMO_Ant17_5745_52Tone+26Tone_RU37+RU2


11BE20MIMO_Ant17_5745_106Tone+26Tone_RU53+RU4


11BE20MIMO_Ant6_5825_52Tone+26Tone_RU40+RU6


11BE20MIMO_Ant6_5825_106Tone+26Tone_RU54+RU4


11BE20MIMO_Ant17_5825_52Tone+26Tone_RU40+RU6


11BE20MIMO_Ant17_5825_106Tone+26Tone_RU54+RU4


<Large RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant6	5210	484Tone+242Tone	RU4	-2.96	≤11.00	PASS
	Ant17	5210	484Tone+242Tone	RU4	-1.36	≤11.00	PASS
	total	5210	484Tone+242Tone	RU4	0.92	≤11.00	PASS
	Ant6	5290	484Tone+242Tone	RU2	-1.87	≤11.00	PASS
	Ant17	5290	484Tone+242Tone	RU2	0.32	≤11.00	PASS
	total	5290	484Tone+242Tone	RU2	2.37	≤11.00	PASS
	Ant6	5530	484Tone+242Tone	RU4	-1.76	≤11.00	PASS
	Ant17	5530	484Tone+242Tone	RU4	-0.76	≤11.00	PASS
	total	5530	484Tone+242Tone	RU4	1.78	≤11.00	PASS
	Ant6	5775	484Tone+242Tone	RU4	-4.33	≤30.00	PASS
	Ant17	5775	484Tone+242Tone	RU4	-4.70	≤30.00	PASS
	total	5775	484Tone+242Tone	RU4	-1.50	≤30.00	PASS
11BE160MIMO	Ant6	5250	996Tone+484Tone	RU3	-7.27	≤11.00	PASS
			996Tone+996Tone	RU9	-6.65	≤11.00	PASS
	Ant17	5250	996Tone+484Tone	RU3	-4.90	≤11.00	PASS
			996Tone+996Tone	RU9	-4.67	≤11.00	PASS
	total	5250	996Tone+484Tone	RU3	-2.91	≤11.00	PASS
			996Tone+996Tone	RU9	-2.54	≤11.00	PASS
	Ant6	5570	996Tone+484Tone	RU3	-6.66	≤11.00	PASS
			996Tone+996Tone	RU9	-6.77	≤11.00	PASS
	Ant17	5570	996Tone+484Tone	RU3	-6.52	≤11.00	PASS
			996Tone+996Tone	RU9	-6.70	≤11.00	PASS
	total	5570	996Tone+484Tone	RU3	-3.58	≤11.00	PASS
			996Tone+996Tone	RU9	-3.72	≤11.00	PASS

Note：1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.

Test Graphs

11BE80MIMO_Ant6_5210_484Tone+242Tone_RU4


11BE80MIMO_Ant17_5210_484Tone+242Tone_RU4


11BE80MIMO_Ant6_5290_484Tone+242Tone_RU2


11BE80MIMO_Ant17_5290_484Tone+242Tone_RU2


11BE80MIMO_Ant6_5530_484Tone+242Tone_RU4


11BE80MIMO_Ant17_5530_484Tone+242Tone_RU4


11BE80MIMO_Ant6_5775_484Tone+242Tone_RU4



11BE80MIMO_Ant17_5775_484Tone+242Tone_RU4



11BE160MIMO_Ant6_5250_996Tone+484Tone_RU3


11BE160MIMO_Ant6_5250_996Tone+996Tone_RU9


11BE160MIMO_Ant17_5250_996Tone+484Tone_RU3


11BE160MIMO_Ant17_5250_996Tone+996Tone_RU9


11BE160MIMO_Ant6_5570_996Tone+484Tone_RU3


11BE160MIMO_Ant6_5570_996Tone+996Tone_RU9


11BE160MIMO_Ant17_5570_996Tone+484Tone_RU3


11BE160MIMO_Ant17_5570_996Tone+996Tone_RU9


<Puncturing>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant6	5210	Puncturing 20M	RU3	-2.69	≤11.00	PASS
	Ant17	5210	Puncturing 20M	RU3	-1.37	≤11.00	PASS
	total	5210	Puncturing 20M	RU3	1.03	≤11.00	PASS
	Ant6	5290	Puncturing 20M	RU2	-1.15	≤11.00	PASS
	Ant17	5290	Puncturing 20M	RU2	-0.03	≤11.00	PASS
	total	5290	Puncturing 20M	RU2	2.46	≤11.00	PASS
	Ant6	5530	Puncturing 20M	RU3	-1.36	≤11.00	PASS
	Ant17	5530	Puncturing 20M	RU3	0.06	≤11.00	PASS
	total	5530	Puncturing 20M	RU3	2.42	≤11.00	PASS
	Ant6	5775	Puncturing 20M	RU3	-3.80	≤30.00	PASS
	Ant17	5775	Puncturing 20M	RU3	-4.58	≤30.00	PASS
	total	5775	Puncturing 20M	RU3	-1.16	≤30.00	PASS
11BE160MIMO	Ant6	5250	Puncturing 20M	RU1	-7.13	≤11.00	PASS
			Puncturing 40M	RU2	-6.80	≤11.00	PASS
				RU3	-6.66	≤11.00	PASS
			Puncturing 20M	RU8	-7.20	≤11.00	PASS
	Ant17	5250	Puncturing 20M	RU1	-4.96	≤11.00	PASS
			Puncturing 40M	RU2	-4.52	≤11.00	PASS
				RU3	-4.33	≤11.00	PASS
			Puncturing 20M	RU8	-5.00	≤11.00	PASS
	total	5250	Puncturing 20M	RU1	-2.90	≤11.00	PASS
			Puncturing 40M	RU2	-2.50	≤11.00	PASS
				RU3	-2.33	≤11.00	PASS
			Puncturing 20M	RU8	-2.95	≤11.00	PASS
	Ant6	5570	Puncturing 40M	RU3	-6.55	≤11.00	PASS
			Puncturing 20M	RU8	-7.08	≤11.00	PASS
	Ant17	5570	Puncturing 40M	RU3	-6.72	≤11.00	PASS
			Puncturing 20M	RU8	-6.93	≤11.00	PASS
	total	5570	Puncturing 40M	RU3	-3.62	≤11.00	PASS
			Puncturing 20M	RU8	-3.99	≤11.00	PASS

Note：1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.

Test Graphs

11BE80MIMO_Ant6_5210_Puncturing 20M_RU3


11BE80MIMO_Ant17_5210_Puncturing 20M_RU3


11BE80MIMO_Ant6_5290_Puncturing 20M_RU2


11BE80MIMO_Ant17_5290_Puncturing 20M_RU2


11BE80MIMO_Ant6_5530_Puncturing 20M_RU3


11BE80MIMO_Ant17_5530_Puncturing 20M_RU3


11BE80MIMO_Ant6_5775_Puncturing 20M_RU3


11BE80MIMO_Ant17_5775_Puncturing 20M_RU3


11BE160MIMO_Ant6_5250_Puncturing 20M_RU1


11BE160MIMO_Ant6_5250_Puncturing 40M_RU2


11BE160MIMO_Ant6_5250_Puncturing 40M_RU3


11BE160MIMO_Ant6_5250_Puncturing 20M_RU8


11BE160MIMO_Ant17_5250_Puncturing 20M_RU1


11BE160MIMO_Ant17_5250_Puncturing 40M_RU2


11BE160MIMO_Ant17_5250_Puncturing 40M_RU3


11BE160MIMO_Ant17_5250_Puncturing 20M_RU8


11BE160MIMO_Ant6_5570_Puncturing 40M_RU3


11BE160MIMO_Ant6_5570_Puncturing 20M_RU8


11BE160MIMO_Ant17_5570_Puncturing 40M_RU3


11BE160MIMO_Ant17_5570_Puncturing 20M_RU8


Appendix B. AC Conducted Emission Test Results

Test Engineer :	FangMing Liang	**Temperature :**	22~24℃
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	**Phase :**	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_L LINE

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.15	20.62	-35.38	56.00	0.10	10.39	10.13	Average
2		0.15	36.82	-29.18	66.00	16.30	10.39	10.13	QP
3		0.17	22.60	-32.56	55.16	2.20	10.26	10.14	Average
4		0.17	35.70	-29.46	65.16	15.30	10.26	10.14	QP
5		0.19	24.03	-30.12	54.15	3.49	10.39	10.15	Average
6		0.19	36.73	-27.42	64.15	16.19	10.39	10.15	QP
7		0.47	22.36	-24.09	46.45	1.89	10.31	10.16	Average
8		0.47	34.16	-22.29	56.45	13.69	10.31	10.16	QP
9		0.60	30.71	-15.29	46.00	10.40	10.15	10.16	Average
10	*	0.60	42.21	-13.79	56.00	21.90	10.15	10.16	QP
11		1.00	24.11	-21.89	46.00	3.70	10.25	10.16	Average
12		1.00	36.11	-19.89	56.00	15.70	10.25	10.16	QP

Test Engineer :	FangMing Liang	**Temperature :**	22~24℃
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	**Phase :**	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_N NEUTRAL

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.15	21.86	-33.88	55.74	1.49	10.23	10.14	Average
2		0.15	36.06	-29.68	65.74	15.69	10.23	10.14	QP
3		0.17	21.04	-33.86	54.90	0.40	10.50	10.14	Average
4		0.17	35.24	-29.66	64.90	14.60	10.50	10.14	QP
5		0.19	21.99	-32.03	54.02	1.50	10.34	10.15	Average
6		0.19	33.49	-30.53	64.02	13.00	10.34	10.15	QP
7		0.61	29.94	-16.06	46.00	9.60	10.18	10.16	Average
8	*	0.61	42.44	-13.56	56.00	22.10	10.18	10.16	QP
9		0.77	22.03	-23.97	46.00	1.60	10.27	10.16	Average
10		0.77	33.33	-22.67	56.00	12.90	10.27	10.16	QP
11		0.99	23.69	-22.31	46.00	3.30	10.23	10.16	Average
12		0.99	35.49	-20.51	56.00	15.10	10.23	10.16	QP

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Kuang Jia	Relative Humidity :	50%
		Temperature :	20~22 ℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+17	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+17	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+17	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	122	5610	MCS0	-	-
Mode 30	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	-	-
Mode 31	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	CDD 6+17	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 6+17	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 6+17	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	157	5785	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT40	151	5755	MCS0	-	-

Mode 39	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT40	159	5795	MCS0	-	-
Mode 40	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	-	-
Mode 41	Straddle channels	5.47-5.725	CDD 6+17	802.11a	144	5720	6Mbps	-	-
Mode 42	Straddle channels	5.47-5.725	CDD 6+17	802.11be EHT20	144	5720	MCS0	-	-
Mode 43	Straddle channels	5.47-5.725	CDD 6+17	802.11be EHT40	142	5710	MCS0	-	-
Mode 44	Straddle channels	5.47-5.725	CDD 6+17	802.11be EHT80	138	5690	MCS0	-	-
Mode 45	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	Single RU	106/53
Mode 46	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	64	5320	MCS0	Single RU	26/8
Mode 47	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	100	5500	MCS0	Single RU	26/0-
Mode 48	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	140	5700	MCS0	Single RU	26/8
Mode 49	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	Single RU	106/53
Mode 50	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	Single RU	52/40
Mode 51	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	Small RU	37+2
Mode 52	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	64	5320	MCS0	Small RU	40+6
Mode 53	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	100	5500	MCS0	Small RU	37+2
Mode 54	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	140	5700	MCS0	Small RU	40+6
Mode 55	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	Small RU	53+4
Mode 56	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	Small RU	53+4
Mode 57	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	Puncturing 20M	❸
Mode 58	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	Puncturing 20M	❷
Mode 59	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	Puncturing 20M	❸
Mode 60	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 40M	❷
Mode 61	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 40M	❸
Mode 62	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Puncturing 40M	❸
Mode 63	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 20M	❶
Mode 64	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 20M	❽
Mode 65	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Puncturing 20M	❽
Mode 66	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	Puncturing 20M	❸
Mode 67	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	Large RU 484+242	❷
Mode 68	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	Large RU 484+242	❹
Mode 69	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	Large RU 484+242	❷
Mode 70	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Large RU 996+484	❸
Mode 71	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Large RU 996*2	❾

Mode 72	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Large RU 996+484	❸
Mode 73	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Large RU 996*2	❾
Mode 74	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	Large RU 484+242	❷
Mode 75	5G WIFI	5.15-5.25	CDD 6+17	802.11be EHT40	38	5190	MCS0	-	-
	BLE	-	7	Bluetooth-LE_GSFK	01	2404	2M	-	-
	WWAN	-	6	LTE B48 Link	-	-	-	-	-
Mode 76	5G WIFI	5.15-5.25	CDD 6+17	802.11be EHT40	38	5190	MCS0	-	-
	2.4G WIFI	-	CDD 7+16	802.11be EHT40	09	2452	MCS0	-	-
	WWAN	-	6	LTE B48 Link	-	-	-	-	-
Mode 77	U-NII-2C	5.47-5.725	CDD 7+16	802.11be EHT40	38	5190	MCS0	-	LF
Mode 78	U-NII-3	5.725-5.85	CDD 6+17	802.11a	149	5745	6M	-	LF

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.94	45.42	54.00	-8.58	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	62.00	68.30	-6.30	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	62.09	68.30	-6.21	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	60.07	68.30	-8.23	V	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	58.79	68.30	-9.51	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	47.27	54.00	-6.73	V	Average	Pass	Harmonic
6	802.11a	64	5350.10	46.14	54.00	-7.86	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	46.17	54.00	-7.83	V	Average	Pass	Harmonic
7	802.11a	100	5459.35	43.68	54.00	-10.32	V	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	46.39	54.00	-7.61	V	Average	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	45.30	54.00	-8.70	V	Average	Pass	Harmonic
9	802.11a	140	5725.22	55.81	68.30	-12.49	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	45.94	54.00	-8.06	V	Average	Pass	Harmonic
10	802.11be EHT20	36	5149.76	49.72	54.00	-4.28	H	AVERAGE	Pass	Band Edge
10	802.11be EHT20	36	10360.00	60.14	68.30	-8.16	V	Peak	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	44	10440.00	57.28	68.30	-11.02	V	Peak	Pass	Harmonic
12	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11be EHT20	48	10480.00	58.47	68.30	-9.83	V	Peak	Pass	Harmonic
13	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	52	10520.00	55.28	68.30	-13.02	V	Peak	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	60	10600.00	44.39	54.00	-9.61	H	Average	Pass	Harmonic
15	802.11be EHT20	64	5350.10	47.99	54.00	-6.01	V	AVERAGE	Pass	Band Edge
15	802.11be EHT20	64	10640.00	43.95	54.00	-10.05	V	Average	Pass	Harmonic
16	802.11be EHT20	100	5469.85	59.77	68.30	-8.53	H	PEAK	Pass	Band Edge
16	802.11be EHT20	100	11000.00	44.90	54.00	-9.10	V	Average	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	116	11160.00	42.85	54.00	-11.15	V	Average	Pass	Harmonic
18	802.11be EHT20	140	5725.03	61.95	68.30	-6.35	H	PEAK	Pass	Band Edge
18	802.11be EHT20	140	11400.00	43.77	54.00	-10.23	V	Average	Pass	Harmonic
19	802.11be EHT40	38	5148.77	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	38	10380.00	52.99	68.30	-15.31	V	Peak	Pass	Harmonic
20	802.11be EHT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT40	46	10460.00	55.23	68.30	-13.07	V	Peak	Pass	Harmonic
21	802.11be EHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	54	10540.00	50.95	68.30	-17.35	V	Peak	Pass	Harmonic
22	802.11be EHT40	62	5351.10	50.18	54.00	-3.82	V	AVERAGE	Pass	Band Edge

22	802.11be EHT40	62	10620.00	42.08	54.00	-11.92	V	Average	Pass	Harmonic
23	802.11be EHT40	102	5459.12	45.64	54.00	-8.36	H	AVERAGE	Pass	Band Edge
23	802.11be EHT40	102	11020.00	42.67	54.00	-11.33	V	Average	Pass	Harmonic
24	802.11be EHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT40	110	11100.00	43.44	54.00	-10.56	V	Average	Pass	Harmonic
25	802.11be EHT40	134	5445.04	42.73	54.00	-11.27	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	134	11340.00	42.68	54.00	-11.32	V	Average	Pass	Harmonic
26	802.11be EHT80	42	5147.42	49.87	54.00	-4.13	V	AVERAGE	Pass	Band Edge
26	802.11be EHT80	42	10420.00	52.20	68.30	-16.10	V	Peak	Pass	Harmonic
27	802.11be EHT80	58	5353.75	49.76	54.00	-4.24	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	10580.00	47.77	68.30	-20.53	V	Peak	Pass	Harmonic
28	802.11be EHT80	106	5444.86	49.82	54.00	-4.18	H	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	16590.00	49.16	68.30	-19.14	V	Peak	Pass	Harmonic
29	802.11be EHT80	122	5427.22	44.56	54.00	-9.44	V	AVERAGE	Pass	Band Edge
29	802.11be EHT80	122	16830.00	48.27	68.30	-20.03	H	Peak	Pass	Harmonic
30	802.11be EHT160	50	5145.25	50.67	54.00	-3.33	V	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	10500.00	47.95	68.30	-20.35	H	Peak	Pass	Harmonic
31	802.11be EHT160	114	5453.40	50.98	54.00	-3.02	H	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	16710.00	49.32	68.30	-18.98	H	Peak	Pass	Harmonic
32	802.11a	149	5613.78	53.71	68.30	-14.59	H	PEAK	Pass	Band Edge
32	802.11a	149	11490.00	48.52	54.00	-5.48	V	Average	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	11570.00	48.37	54.00	-5.63	V	Average	Pass	Harmonic
34	802.11a	165	5935.38	54.03	68.30	-14.27	V	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	47.56	54.00	-6.44	V	Average	Pass	Harmonic
35	802.11be EHT20	149	5624.36	54.36	68.30	-13.94	H	PEAK	Pass	Band Edge
35	802.11be EHT20	149	11490.00	44.40	54.00	-9.60	V	Average	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	11570.00	44.07	54.00	-9.93	V	Average	Pass	Harmonic
37	802.11be EHT20	165	5945.63	53.53	68.30	-14.77	H	PEAK	Pass	Band Edge
37	802.11be EHT20	165	17475.00	51.68	68.30	-16.62	H	Peak	Pass	Harmonic
38	802.11be EHT40	151	5941.42	53.59	68.30	-14.71	V	PEAK	Pass	Band Edge
38	802.11be EHT40	151	17265.00	48.64	68.30	-19.66	V	Peak	Pass	Harmonic
39	802.11be EHT40	159	5937.14	53.74	68.30	-14.56	H	PEAK	Pass	Band Edge
34	802.11a	165	5935.38	54.03	68.30	-14.27	V	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	47.56	54.00	-6.44	V	Average	Pass	Harmonic
35	802.11be EHT20	149	5624.36	54.36	68.30	-13.94	H	PEAK	Pass	Band Edge
35	802.11be EHT20	149	11490.00	44.40	54.00	-9.60	V	Average	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	11570.00	44.07	54.00	-9.93	V	Average	Pass	Harmonic
37	802.11be EHT20	165	5945.63	53.53	68.30	-14.77	H	PEAK	Pass	Band Edge
37	802.11be EHT20	165	17475.00	51.68	68.30	-16.62	H	Peak	Pass	Harmonic
38	802.11be EHT40	151	5941.42	53.59	68.30	-14.71	V	PEAK	Pass	Band Edge
38	802.11be EHT40	151	17265.00	48.64	68.30	-19.66	V	Peak	Pass	Harmonic
39	802.11be EHT40	159	5937.14	53.74	68.30	-14.56	H	PEAK	Pass	Band Edge
39	802.11be EHT40	159	17385.00	49.72	68.30	-18.58	V	Peak	Pass	Harmonic
40	802.11be EHT80	155	5947.03	53.88	68.30	-14.42	H	PEAK	Pass	Band Edge

40	802.11be EHT80	155	17325.00	48.68	68.30	-19.62	V	Peak	Pass	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
41	802.11a	144	11440.00	45.42	54.00	-8.58	V	Average	Pass	Harmonic
42	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT20	144	11440.00	44.90	54.00	-9.10	V	Average	Pass	Harmonic
43	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT40	142	17130.00	48.28	68.30	-20.02	V	Peak	Pass	Harmonic
44	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT80	138	17070.00	48.85	68.30	-19.45	H	Peak	Pass	Harmonic
45	802.11be EHT20	36	5149.76	44.38	54.00	-9.62	V	AVERAGE	Pass	Band Edge
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	64	5457.34	41.80	54.00	-12.20	V	AVERAGE	Pass	Band Edge
46	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	100	5459.80	41.84	54.00	-12.16	H	AVERAGE	Pass	Band Edge
47	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	140	5754.08	51.99	68.30	-16.31	H	PEAK	Pass	Band Edge
48	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	149	5621.75	52.52	68.30	-15.78	V	PEAK	Pass	Band Edge
49	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	165	5925.13	52.96	68.30	-15.34	V	PEAK	Pass	Band Edge
50	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	36	5070.20	42.00	54.00	-12.00	V	AVERAGE	Pass	Band Edge
51	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	64	5459.16	42.26	54.00	-11.74	H	AVERAGE	Pass	Band Edge
52	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5454.70	42.16	54.00	-11.84	H	AVERAGE	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	140	5739.13	52.01	68.30	-16.29	V	PEAK	Pass	Band Edge
54	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	149	5637.85	52.82	68.30	-15.48	V	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	165	5934.00	53.09	68.30	-15.21	H	PEAK	Pass	Band Edge
56	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT80	42	5136.29	48.24	54.00	-5.76	V	AVERAGE	Pass	Band Edge
57	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT80	58	5353.75	49.99	54.00	-4.01	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT80	106	5453.86	48.79	54.00	-5.21	H	AVERAGE	Pass	Band Edge
59	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT160	50	5364.24	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
60	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT160	50	5116.25	50.59	54.00	-3.41	V	AVERAGE	Pass	Band Edge
61	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT160	114	5448.78	50.29	54.00	-3.71	H	AVERAGE	Pass	Band Edge
62	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT160	50	5145.00	50.57	54.00	-3.43	V	AVERAGE	Pass	Band Edge
63	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic

64	802.11be EHT160	50	5145.00	50.19	54.00	-3.81	V	AVERAGE	Pass	Band Edge
64	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT160	114	5452.52	50.74	54.00	-3.26	H	AVERAGE	Pass	Band Edge
65	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT80	155	5947.20	52.37	68.30	-15.93	V	PEAK	Pass	Band Edge
66	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	42	5147.84	49.51	54.00	-4.49	V	AVERAGE	Pass	Band Edge
67	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	58	5352.05	47.14	54.00	-6.86	H	AVERAGE	Pass	Band Edge
68	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT80	106	5441.44	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
69	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	50	5113.75	50.30	54.00	-3.70	V	AVERAGE	Pass	Band Edge
70	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	50	5141.25	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
71	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	114	5454.06	50.57	54.00	-3.43	H	AVERAGE	Pass	Band Edge
72	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT160	114	5447.24	48.25	54.00	-5.75	H	AVERAGE	Pass	Band Edge
73	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	155	5645.50	54.35	68.30	-13.95	H	PEAK	Pass	Band Edge
74	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
75	CO_TX	38	5148.96	50.63	54.00	-3.37	H	AVERAGE	Pass	Band Edge
75		01	10360.00	57.30	68.30	-11.00	V	PEAK	Pass	Harmonic
76	CO_TX	38	5149.72	50.89	54.00	-3.11	H	AVERAGE	Pass	Band Edge
76		09	10360.00-	56.87	68.30	-11.43	V	PEAK	Pass	Harmonic
77	802.11be EHT40 LF	38	957.32	30.64	46.00	-15.36	H	PEAK	Pass	LF
78	802.11be EHT20 LF	149	30.00	26.17	40.00	-13.83	H	PEAK	Pass	LF

Mode	1	
	Band Edge	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Fundamental
Peak		

	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5148.68	58.85	74.00	-15.15	46.88	36.11	8.53	32.67	116	120	PEAK

	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	108.11	------	------	96.09	36.09	8.59	32.66	116	120	PEAK

Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5149.94 45.42 54.00 -8.58 33.44 36.11 8.54 32.67 116 120 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5180.00 101.34 ------ ------ 89.32 36.09 8.59 32.66 116 120 AVERAGE

Mode	1	
	Band Edge	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5149.58	56.18	74.00	-17.82	44.21	36.11	8.53	32.67	396	199	PEAK



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	108.19	------	------	96.18	36.09	8.58	32.66	396	199	PEAK

Avg



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5149.76	45.22	54.00	-8.78	33.24	36.11	8.54	32.67	396	199	AVERAGE



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	101.50	------	------	89.49	36.09	8.58	32.66	396	199	AVERAGE

Mode	1	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10360.00	53.84	68.30	-14.46	66.70	38.74	12.06	63.66	100	350	Peak
2	15540.00	48.76	74.00	-25.24	57.44	40.73	14.58	63.99	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10360.00	62.00	68.30	-6.30	74.86	38.74	12.06	63.66	100	328	Peak
2	15540.00	47.53	74.00	-26.47	56.21	40.73	14.58	63.99	---	---	Peak

Mode	2	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10440.00	55.36	68.30	-12.94	68.09	38.78	12.12	63.63	100	341	Peak
2	15660.00	47.61	74.00	-26.39	56.17	40.83	14.64	64.03	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10440.00	62.09	68.30	-6.21	74.82	38.78	12.12	63.63	100	329	Peak
2	15660.00	46.73	74.00	-27.27	55.29	40.83	14.64	64.03	---	---	Peak

Mode	3	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10480.00	54.69	68.30	-13.61	67.36	38.79	12.15	63.61	100	346	Peak
2	15720.00	47.77	74.00	-26.23	56.28	40.88	14.66	64.05	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10480.00	60.07	68.30	-8.23	72.74	38.79	12.15	63.61	100	328	Peak
2	15720.00	48.62	74.00	-25.38	57.13	40.88	14.66	64.05	---	---	Peak

Mode	4	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10520.00	54.65	68.30	-13.65	67.26	38.81	12.18	63.60	100	348	Peak
2	15780.00	47.71	74.00	-26.29	56.17	40.92	14.69	64.07	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10520.00	58.79	68.30	-9.51	71.40	38.81	12.18	63.60	100	328	Peak
2	15780.00	47.50	74.00	-26.50	55.96	40.92	14.69	64.07	---	---	Peak

Mode	5	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10600.00	53.16	74.00	-20.84	65.66	38.84	12.23	63.57	100	348	Peak
2	10600.00	44.23	54.00	-9.77	56.73	38.84	12.23	63.57	100	348	Average
3	15900.00	46.92	74.00	-27.08	55.26	41.02	14.75	64.11	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10600.00	55.08	74.00	-18.92	67.58	38.84	12.23	63.57	100	329	Peak
2	10600.00	47.27	54.00	-6.73	59.77	38.84	12.23	63.57	100	329	Average
3	15900.00	46.62	74.00	-27.38	54.96	41.02	14.75	64.11	---	---	Peak

Mode	6	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5350.66	54.54	74.00	-19.46	41.81	35.99	9.37	32.63	100	153	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5320.00	109.27	------	------	96.66	36.00	9.24	32.63	100	153	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5350.24	45.68	54.00	-8.32	32.95	35.99	9.37	32.63	100	153	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5320.00	102.36	------	------	89.78	36.01	9.21	32.64	100	153	AVERAGE

Mode	6	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5350.52	55.62	74.00	-18.38	42.89	35.99	9.37	32.63	100	99	PEAK



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5320.00	107.01	------	------	94.43	36.01	9.21	32.64	100	99	PEAK

Avg



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5350.10	46.14	54.00	-7.86	33.41	35.99	9.37	32.63	100	99	AVERAGE



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5320.00	100.98	------	------	88.40	36.01	9.21	32.64	100	99	AVERAGE

Mode	6	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical

Peak

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10640.00	50.18	74.00	-23.82	62.61	38.86	12.26	63.55	100	340	Peak
2	10640.00	43.15	54.00	-10.85	55.58	38.86	12.26	63.55	100	340	Average
3	15960.00	46.76	74.00	-27.24	55.05	41.07	14.77	64.13	---	---	Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	10640.00	55.86	74.00	-18.14	68.29	38.86	12.26	63.55	100	307	Peak
2	10640.00	46.17	54.00	-7.83	58.60	38.86	12.26	63.55	100	307	Average
3	15960.00	45.76	74.00	-28.24	54.05	41.07	14.77	64.13	---	---	Peak

Mode	7	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5454.85	51.63	74.00	-22.37	38.63	35.93	9.68	32.61	100	111	PEAK
2	5469.70	54.49	68.30	-13.81	41.49	35.92	9.69	32.61	100	111	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5500.00	109.47	------	------	96.46	35.90	9.71	32.60	100	111	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5453.05	43.35	54.00	-10.65	30.35	35.93	9.68	32.61	100	111	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5500.00	103.63	------	------	90.62	35.90	9.71	32.60	100	111	AVERAGE

Mode	7	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5455.90	51.25	74.00	-22.75	38.24	35.93	9.69	32.61	369	196	PEAK
2	5469.85	55.31	68.30	-12.99	42.31	35.92	9.69	32.61	369	196	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5500.00	108.36	------	------	95.34	35.91	9.71	32.60	369	196	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5459.35	43.68	54.00	-10.32	30.68	35.92	9.69	32.61	369	196	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5500.00	100.86	------	------	87.85	35.90	9.71	32.60	369	196	AVERAGE

Mode	7	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11000.00	53.13	74.00	-20.87	65.03	39.00	12.52	63.42	100	339	Peak
2	11000.00	44.76	54.00	-9.24	56.66	39.00	12.52	63.42	100	339	Average
3	16500.00	46.36	68.30	-21.94	54.50	41.35	15.17	64.66	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11000.00	55.65	74.00	-18.35	67.55	39.00	12.52	63.42	100	309	Peak
2	11000.00	46.39	54.00	-7.61	58.29	39.00	12.52	63.42	100	309	Average
3	16500.00	45.53	68.30	-22.77	53.67	41.35	15.17	64.66	---	---	Peak

Mode	8	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11160.00	49.44	74.00	-24.56	61.17	39.06	12.64	63.43	---	---	Peak
2	16740.00	49.45	68.30	-18.85	57.54	41.47	15.35	64.91	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11160.00	54.42	74.00	-19.58	66.15	39.06	12.64	63.43	100	309	Peak
2	11160.00	45.30	54.00	-8.70	57.03	39.06	12.64	63.43	100	309	Average
3	16740.00	47.10	68.30	-21.20	55.19	41.47	15.35	64.91	---	---	Peak

Mode	9	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Fundamental
Peak		
Avg	Blank	

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5725.22	55.81	68.30	-12.49	42.26	36.22	10.02	32.69	100	120	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5700.00	110.56	------	------	97.10	36.18	9.96	32.68	100	120	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5700.00	104.28	------	------	90.82	36.18	9.96	32.68	100	120	AVERAGE

Mode	9	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental
Peak		
Avg	Blank	

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5730.75	54.82	68.30	-13.48	41.26	36.22	10.03	32.69	369	186	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5700.00	108.57	------	------	95.09	36.19	9.97	32.68	369	186	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5700.00	101.29	------	------	87.83	36.18	9.96	32.68	369	186	AVERAGE

Mode	9
	Harmonic
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz
ANT	CDD 6+17

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11400.00	49.01	74.00	-24.99	60.48	39.16	12.81	63.44	---	---	Peak
2	17100.00	47.66	68.30	-20.64	55.56	41.71	15.62	65.23	---	---	Peak

	Freq	Level	Over Limit	Limit Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	* 11400.00	55.69	-18.31	74.00	67.15	39.16	12.82	63.44	100	307	Peak
2	11400.00	45.94	-8.06	54.00	57.40	39.16	12.82	63.44	100	307	Average
3	17100.00	48.41	-19.89	68.30	56.31	41.71	15.62	65.23	---	---	Peak

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5146.70	60.62	74.00	-13.38	48.65	36.11	8.53	32.67	101	117	PEAK



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	108.62	------	------	96.61	36.09	8.58	32.66	101	117	PEAK

Avg



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5149.76	49.72	54.00	-4.28	37.74	36.11	8.54	32.67	101	117	AVERAGE



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	100.69	------	------	88.67	36.09	8.59	32.66	101	117	AVERAGE

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5149.22	59.37	74.00	-14.63	47.40	36.11	8.53	32.67	400	207	PEAK



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	110.88	------	------	98.86	36.09	8.59	32.66	400	207	PEAK

Avg



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5149.76	49.14	54.00	-4.86	37.16	36.11	8.54	32.67	400	207	AVERAGE



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	100.58	------	------	88.57	36.09	8.58	32.66	400	207	AVERAGE

Mode	10	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10360.00 49.00 68.30 -19.30 61.86 38.74 12.06 63.66 --- --- Peak 2 15540.00 48.38 74.00 -25.62 57.06 40.73 14.58 63.99 --- --- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10360.00 60.14 68.30 -8.16 73.00 38.74 12.06 63.66 100 340 Peak 2 15540.00 48.75 74.00 -25.25 57.43 40.73 14.58 63.99 --- --- Peak

Mode	11	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_5220MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10440.00 53.37 68.30 -14.93 66.10 38.78 12.12 63.63 --- --- Peak 2 15660.00 47.23 74.00 -26.77 55.79 40.83 14.64 64.03 --- --- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10440.00 57.28 68.30 -11.02 70.01 38.78 12.12 63.63 100 331 Peak 2 15660.00 48.06 74.00 -25.94 56.62 40.83 14.64 64.03 --- --- Peak

Mode	12	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_5240MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10480.00 51.93 68.30 -16.37 64.60 38.79 12.15 63.61 --- --- Peak 2 15720.00 49.16 74.00 -24.84 57.67 40.88 14.66 64.05 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10480.00 58.47 68.30 -9.83 71.14 38.79 12.15 63.61 100 336 Peak 2 15720.00 48.88 74.00 -25.12 57.39 40.88 14.66 64.05 --- --- Peak

Mode	13	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_5260MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10520.00 50.89 68.30 -17.41 63.50 38.81 12.18 63.60 --- --- Peak 2 15780.00 48.83 74.00 -25.17 57.29 40.92 14.69 64.07 --- --- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10520.00 55.28 68.30 -13.02 67.89 38.81 12.18 63.60 100 330 Peak 2 15780.00 48.53 74.00 -25.47 56.99 40.92 14.69 64.07 --- --- Peak

Mode	14	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_5300MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10600.00 51.18 74.00 -22.82 63.68 38.84 12.23 63.57 100 332 Peak 2 10600.00 44.39 54.00 -9.61 56.89 38.84 12.23 63.57 100 332 Average 3 15900.00 46.79 74.00 -27.21 55.13 41.02 14.75 64.11 --- --- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10600.00 48.89 74.00 -25.11 61.39 38.84 12.23 63.57 --- --- Peak 2 15900.00 46.84 74.00 -27.16 55.18 41.02 14.75 64.11 --- --- Peak

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5350.10	57.70	74.00	-16.30	44.97	35.99	9.37	32.63	109	136	PEAK



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5320.00	108.43	------	------	95.85	36.01	9.21	32.64	109	136	PEAK

Avg



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5350.10	47.72	54.00	-6.28	34.99	35.99	9.37	32.63	109	136	AVERAGE



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	5320.00	101.53	------	------	88.95	36.01	9.21	32.64	109	136	AVERAGE

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5350.66	58.62	74.00	-15.38	45.89	35.99	9.37	32.63	100	93	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5320.00	107.32	------	------	94.71	36.00	9.24	32.63	100	93	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5350.10	47.99	54.00	-6.01	35.26	35.99	9.37	32.63	100	93	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5320.00	99.32	------	------	86.74	36.01	9.21	32.64	100	93	AVERAGE

Mode	15	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10640.00 47.81 74.00 -26.19 60.24 38.86 12.26 63.55 --- --- Peak 2 15960.00 47.60 74.00 -26.40 55.89 41.07 14.77 64.13 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 10640.00 51.06 74.00 -22.94 63.49 38.86 12.26 63.55 100 328 Peak 2 10640.00 43.95 54.00 -10.05 56.38 38.86 12.26 63.55 100 328 Average 3 15960.00 48.44 74.00 -25.56 56.73 41.07 14.77 64.13 --- --- Peak

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5458.45	54.18	74.00	-19.82	41.18	35.92	9.69	32.61	100	297	PEAK
2	5469.85	59.77	68.30	-8.53	46.77	35.92	9.69	32.61	100	297	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5500.00	111.77	------	------	98.76	35.90	9.71	32.60	100	297	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5459.80	44.54	54.00	-9.46	31.54	35.92	9.69	32.61	100	297	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	5500.00	103.63	------	------	90.62	35.90	9.71	32.60	100	297	AVERAGE