





11BE20MIMO\_Ant17\_7095\_52Tone\_RU40



Date: 5 JUL 2024 12:08:48

11BE20MIMO\_Ant17\_7095\_106Tone\_RU54



Date: 5 JUL 2024 12:10:59



### Maximum power spectral density


#### Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU37+RU2	-4.08	-4.11	-8.19	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.15	-4.11	-8.26	≤-1.00	PASS
	Ant17	5955	52Tone+26Tone	RU37+RU2	-3.90	-4.11	-8.01	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-3.89	-4.11	-8.00	≤-1.00	PASS
	total	5955	52Tone+26Tone	RU37+RU2	-0.98	-1.10	-2.08	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-1.01	-1.10	-2.11	≤-1.00	PASS
	Ant6	6435	52Tone+26Tone	RU37+RU2	-2.99	-5.37	-8.36	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-3.29	-5.37	-8.66	≤-1.00	PASS
	Ant17	6435	52Tone+26Tone	RU37+RU2	-2.60	-5.37	-7.97	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.65	-5.37	-8.02	≤-1.00	PASS
	total	6435	52Tone+26Tone	RU37+RU2	0.22	-2.36	-2.14	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	0.05	-2.36	-2.31	≤-1.00	PASS
	Ant6	6535	52Tone+26Tone	RU37+RU2	-4.55	-3.39	-7.94	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.72	-3.39	-8.11	≤-1.00	PASS
	Ant17	6535	52Tone+26Tone	RU37+RU2	-3.93	-3.39	-7.32	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-3.77	-3.39	-7.16	≤-1.00	PASS
	total	6535	52Tone+26Tone	RU37+RU2	-1.22	-0.38	-1.60	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-1.21	-0.38	-1.59	≤-1.00	PASS
	Ant6	7095	52Tone+26Tone	RU40+RU6	-4.48	-4.20	-8.68	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-4.44	-4.20	-8.64	≤-1.00	PASS
Ant17	7095	52Tone+26Tone	RU40+RU6	-3.64	-4.20	-7.84	≤-1.00	PASS	
		106Tone+26Tone	RU54+RU4	-3.62	-4.20	-7.82	≤-1.00	PASS	
total	7095	52Tone+26Tone	RU40+RU6	-1.03	-1.19	-2.22	≤-1.00	PASS	
		106Tone+26Tone	RU54+RU4	-1.00	-1.19	-2.19	≤-1.00	PASS	

Note: The Duty Cycle Factor and is compensated in the graph.




### Test Graphs






11BE20MIMO\_Ant17\_5955\_52Tone+26Tone\_RU37+RU2



Date: 7.MAY.2024 20:32:21


11BE20MIMO\_Ant17\_5955\_106Tone+26Tone\_RU53+RU4



Date: 7.MAY.2024 20:38:56




11BE20MIMO\_Ant6\_6435\_52Tone+26Tone\_RU37+RU2



Date: 7.MAY.2024 20:50:10


11BE20MIMO\_Ant6\_6435\_106Tone+26Tone\_RU53+RU4



Date: 7.MAY.2024 20:43:18




11BE20MIMO\_Ant17\_6435\_52Tone+26Tone\_RU37+RU2



Date: 7.MAY.2024 20:50:51


11BE20MIMO\_Ant17\_6435\_106Tone+26Tone\_RU53+RU4



Date: 7.MAY.2024 20:43:58




11BE20MIMO\_Ant6\_6535\_52Tone+26Tone\_RU37+RU2



Date: 7.MAY.2024 20:45:42


11BE20MIMO\_Ant6\_6535\_106Tone+26Tone\_RU53+RU4



Date: 7.MAY.2024 20:47:26




11BE20MIMO\_Ant17\_6535\_52Tone+26Tone\_RU37+RU2



Date: 7.MAY.2024 20:46:22

11BE20MIMO\_Ant17\_6535\_106Tone+26Tone\_RU53+RU4




Date: 7.MAY.2024 20:48:06





11BE20MIMO\_Ant6\_7095\_52Tone+26Tone\_RU40+RU6



Date: 7.MAY.2024 20:52:17


11BE20MIMO\_Ant6\_7095\_106Tone+26Tone\_RU54+RU4



Date: 7.MAY.2024 20:54:47




11BE20MIMO\_Ant17\_7095\_52Tone+26Tone\_RU40+RU6



Date: 7.MAY.2024 20:52:57

11BE20MIMO\_Ant17\_7095\_106Tone+26Tone\_RU54+RU4



Date: 7.MAY.2024 20:55:23



<802.11be Large RU>

Maximum power spectral density



Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-8.41	-4.11	-12.52	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-8.49	-4.11	-12.60	≤-1.00	PASS
	Ant17	6105	3*996Tone	RU4	-8.16	-4.11	-12.27	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-8.37	-4.11	-12.48	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-5.27	-1.10	-6.37	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.42	-1.10	-6.52	≤-1.00	PASS
	Ant6	6905	2*996Tone+484Tone	RU6	-9.99	-3.39	-13.38	≤-1.00	PASS
Ant17	6905	2*996Tone+484Tone	RU6	-8.90	-3.39	-12.29	≤-1.00	PASS	
total	6905	2*996Tone+484Tone	RU6	-6.40	-0.38	-6.78	≤-1.00	PASS	
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	-4.14	-4.11	-8.25	≤-1.00	PASS
	Ant17	5985	484Tone+242Tone	RU4	-3.55	-4.11	-7.66	≤-1.00	PASS
	total	5985	484Tone+242Tone	RU4	-0.82	-1.10	-1.92	≤-1.00	PASS
	Ant6	7025	484Tone+242Tone	RU2	-4.48	-4.20	-8.68	≤-1.00	PASS
	Ant17	7025	484Tone+242Tone	RU2	-3.83	-4.20	-8.03	≤-1.00	PASS
	total	7025	484Tone+242Tone	RU2	-1.13	-1.19	-2.32	≤-1.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-5.45	-4.11	-9.56	≤-1.00	PASS
	Ant17	6025	996Tone+484Tone	RU4	-5.79	-4.11	-9.90	≤-1.00	PASS
	total	6025	996Tone+484Tone	RU4	-2.61	-1.10	-3.71	≤-1.00	PASS
	Ant6	6985	996Tone+484Tone	RU3	-6.20	-4.20	-10.40	≤-1.00	PASS
	Ant17	6985	996Tone+484Tone	RU3	-4.73	-4.20	-8.93	≤-1.00	PASS
	total	6985	996Tone+484Tone	RU3	-2.39	-1.19	-3.58	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




### Test Graphs






11BE320MIMO\_Ant17\_6105\_3\*996Tone\_RU4



Date: 8.MAY.2024 20:32:08


11BE320MIMO\_Ant17\_6105\_3\*996Tone+484Tone\_RU8



Date: 8.MAY.2024 20:27:49




11BE320MIMO\_Ant6\_6905\_2\*996Tone+484Tone\_RU6



Date: 8.MAY.2024 20:42:31


11BE320MIMO\_Ant17\_6905\_2\*996Tone+484Tone\_RU6



Date: 8.MAY.2024 20:42:43



11BE80MIMO\_Ant6\_5985\_484Tone+242Tone\_RU4



Date: 7.MAY.2024 23:27:43


11BE80MIMO\_Ant17\_5985\_484Tone+242Tone\_RU4



Date: 7.MAY.2024 23:28:38




11BE80MIMO\_Ant6\_7025\_484Tone+242Tone\_RU2



Date: 7.MAY.2024 23:31:44

11BE80MIMO\_Ant17\_7025\_484Tone+242Tone\_RU2



Date: 7.MAY.2024 23:31:56






11BE160MIMO\_Ant6\_6025\_996Tone+484Tone\_RU4



Date: 8.MAY.2024 19:55:06


11BE160MIMO\_Ant17\_6025\_996Tone+484Tone\_RU4



Date: 8.MAY.2024 19:55:18




11BE160MIMO\_Ant6\_6985\_996Tone+484Tone\_RU3



Date: 8.MAY.2024 19:59:37

11BE160MIMO\_Ant17\_6985\_996Tone+484Tone\_RU3



Date: 8.MAY.2024 19:59:49



<802.11be Puncturing>

Maximum power spectral density


Test Result

Test Mode	Ant	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU2	-8.80	-4.11	-12.91	≤-1.00	PASS
			Puncturing 80+40M	RU3	-8.32	-4.11	-12.43	≤-1.00	PASS
			Puncturing 40M	RU8	-8.81	-4.11	-12.92	≤-1.00	PASS
	Ant17	6105	Puncturing 80M	RU2	-8.29	-4.11	-12.40	≤-1.00	PASS
			Puncturing 80+40M	RU3	-8.20	-4.11	-12.31	≤-1.00	PASS
			Puncturing 40M	RU8	-8.57	-4.11	-12.68	≤-1.00	PASS
	total	6105	Puncturing 80M	RU2	-5.53	-1.10	-6.63	≤-1.00	PASS
			Puncturing 80+40M	RU3	-5.25	-1.10	-6.35	≤-1.00	PASS
			Puncturing 40M	RU8	-5.68	-1.10	-6.78	≤-1.00	PASS
	Ant6	6905	Puncturing 40M	RU1	-9.59	-3.39	-12.98	≤-1.00	PASS
			Puncturing 80M	RU3	-9.33	-3.39	-12.72	≤-1.00	PASS
			Puncturing 80+40M	RU8	-9.56	-3.39	-12.95	≤-1.00	PASS
	Ant17	6905	Puncturing 40M	RU1	-8.75	-3.39	-12.14	≤-1.00	PASS
			Puncturing 80M	RU3	-8.85	-3.39	-12.14	≤-1.00	PASS
			Puncturing 80+40M	RU8	-8.66	-3.39	-11.95	≤-1.00	PASS
total	6905	Puncturing 40M	RU1	-6.14	-0.38	-6.52	≤-1.00	PASS	
		Puncturing 80M	RU3	-6.07	-0.38	-6.45	≤-1.00	PASS	
		Puncturing 80+40M	RU8	-6.08	-0.38	-6.46	≤-1.00	PASS	
11BE80 MIMO	Ant6	5985	Puncturing 20M	RU2	-4.22	-4.11	-8.33	≤-1.00	PASS
	Ant17	5985	Puncturing 20M	RU2	-3.63	-4.11	-7.74	≤-1.00	PASS
	total	5985	Puncturing 20M	RU2	-0.90	-1.10	-2.00	≤-1.00	PASS
	Ant6	7025	Puncturing 20M	RU3	-4.18	-4.20	-8.38	≤-1.00	PASS
	Ant17	7025	Puncturing 20M	RU3	-3.49	-4.20	-7.69	≤-1.00	PASS
total	7025	Puncturing 20M	RU3	-0.81	-1.19	-2.00	≤-1.00	PASS	
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU2	-5.18	-4.11	-9.29	≤-1.00	PASS
			Puncturing 20M	RU8	-6.52	-4.11	-10.63	≤-1.00	PASS
	Ant17	6025	Puncturing 40M	RU2	-5.54	-4.11	-9.65	≤-1.00	PASS
			Puncturing 20M	RU8	-6.88	-4.11	-10.99	≤-1.00	PASS
	total	6025	Puncturing 40M	RU2	-2.35	-1.10	-3.45	≤-1.00	PASS
			Puncturing 20M	RU8	-3.69	-1.10	-4.79	≤-1.00	PASS
	Ant6	6985	Puncturing 20M	RU2	-6.39	-4.20	-10.59	≤-1.00	PASS
			Puncturing 40M	RU3	-6.14	-4.20	-10.34	≤-1.00	PASS
	Ant17	6985	Puncturing 20M	RU2	-5.03	-4.20	-9.23	≤-1.00	PASS
			Puncturing 40M	RU3	-5.20	-4.20	-9.40	≤-1.00	PASS
	total	6985	Puncturing 20M	RU2	-2.65	-1.19	-3.84	≤-1.00	PASS
			Puncturing 40M	RU3	-2.63	-1.19	-3.82	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




### Test Graphs






11BE320MIMO\_Ant6\_6105\_Puncturing 40M\_RU8



Date: 8.MAY.2024 00:57:10


11BE320MIMO\_Ant17\_6105\_Puncturing 80M\_RU2



Date: 8.MAY.2024 01:10:58




11BE320MIMO\_Ant17\_6105\_Puncturing 80+40M\_RU3



Date: 8.MAY.2024 01:21:55


11BE320MIMO\_Ant17\_6105\_Puncturing 40M\_RU8



Date: 8.MAY.2024 00:57:50




11BE320MIMO\_Ant6\_6905\_Puncturing 40M\_RU1



Date: 8.MAY.2024 01:23:36


11BE320MIMO\_Ant6\_6905\_Puncturing 80M\_RU3



Date: 8.MAY.2024 01:25:31




11BE320MIMO\_Ant6\_6905\_Puncturing 80+40M\_RU8



Date: 8.MAY.2024 01:27:57

11BE320MIMO\_Ant17\_6905\_Puncturing 40M\_RU1




Date: 8.MAY.2024 01:24:16






11BE320MIMO\_Ant17\_6905\_Puncturing 80M\_RU3



Date: 8.MAY.2024 01:26:10


11BE320MIMO\_Ant17\_6905\_Puncturing 80+40M\_RU8



Date: 8.MAY.2024 01:28:37




11BE80MIMO\_Ant6\_5985\_Puncturing 20M\_RU2



Date: 8.MAY.2024 00:27:36


11BE80MIMO\_Ant17\_5985\_Puncturing 20M\_RU2



Date: 8.MAY.2024 00:27:48




11BE80MIMO\_Ant6\_7025\_Puncturing 20M\_RU3



Date: 8.MAY.2024 00:29:01


11BE80MIMO\_Ant17\_7025\_Puncturing 20M\_RU3




Date: 8.MAY.2024 00:29:40



11BE160MIMO\_Ant6\_6025\_Puncturing 40M\_RU2




11BE160MIMO\_Ant6\_6025\_Puncturing 20M\_RU8






11BE160MIMO\_Ant17\_6025\_Puncturing 40M\_RU2



Date: 8.MAY.2024 00:45:48


11BE160MIMO\_Ant17\_6025\_Puncturing 20M\_RU8



Date: 8.MAY.2024 00:35:12




11BE160MIMO\_Ant6\_6985\_Puncturing 20M\_RU2



Date: 8.MAY.2024 00:51:21


11BE160MIMO\_Ant6\_6985\_Puncturing 40M\_RU3



Date: 8.MAY.2024 00:54:12




11BE160MIMO\_Ant17\_6985\_Puncturing 20M\_RU2



Date: 8.MAY.2024 00:51:33

11BE160MIMO\_Ant17\_6985\_Puncturing 40M\_RU3




Date: 8.MAY.2024 00:54:24



## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ  
 Condition: FCC 15E\_QP AC LISN 100063\_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	25.10	-30.72	55.82	4.61	10.36	10.13	Average
2	0.15	36.30	-29.52	65.82	15.81	10.36	10.13	QP
3	0.18	26.65	-27.90	54.55	6.20	10.31	10.14	Average
4	0.18	34.75	-29.80	64.55	14.30	10.31	10.14	QP
5	0.20	26.02	-27.52	53.54	5.40	10.47	10.15	Average
6	0.20	34.82	-28.72	63.54	14.20	10.47	10.15	QP
7	0.60	30.62	-15.38	46.00	10.30	10.16	10.16	Average
8 *	0.60	41.92	-14.08	56.00	21.60	10.16	10.16	QP
9	0.69	20.91	-25.09	46.00	0.90	9.85	10.16	Average
10	0.69	32.11	-23.89	56.00	12.10	9.85	10.16	QP
11	0.99	23.62	-22.38	46.00	3.19	10.27	10.16	Average
12	0.99	34.92	-21.08	56.00	14.49	10.27	10.16	QP





Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ  
 Condition: FCC 15E\_QP AC LISN 100063\_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	27.36	-28.64	56.00	7.10	10.13	10.13	Average
2	0.15	36.36	-29.64	66.00	16.10	10.13	10.13	QP
3	0.17	24.44	-30.42	54.86	3.81	10.49	10.14	Average
4	0.17	36.84	-28.02	64.86	16.21	10.49	10.14	QP
5	0.19	21.80	-32.26	54.06	1.30	10.35	10.15	Average
6	0.19	30.50	-33.56	64.06	10.00	10.35	10.15	QP
7	0.55	28.60	-17.40	46.00	8.30	10.14	10.16	Average
8	0.55	40.70	-15.30	56.00	20.40	10.14	10.16	QP
9	0.60	30.51	-15.49	46.00	10.20	10.15	10.16	Average
10 *	0.60	41.21	-14.79	56.00	20.90	10.15	10.16	QP
11	1.00	21.48	-24.52	46.00	1.10	10.22	10.16	Average
12	1.00	35.58	-20.42	56.00	15.20	10.22	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20°C~22°C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Ch.	Freq.	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 6+17	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 6+17	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 6+17	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	CDD 6+17	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	CDD 6+17	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	CDD 6+17	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	CDD 6+17	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	CDD 6+17	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	CDD 6+17	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	CDD 6+17	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	CDD 6+17	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	CDD 6+17	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	45	6175	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 16	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT20	97	6435	MCS0	Full RU	-
Mode 17	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT20	105	6475	MCS0	Full RU	-
Mode 18	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT20	113	6515	MCS0	Full RU	-
Mode 19	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 22	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 23	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 24	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	147	6685	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Ch.	Freq.	Data Rate	RU	Remark
Mode 32	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 33	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 34	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT40	203	6965	MCS0	Full RU	-
Mode 35	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 36	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 39	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 44	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 45	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 50	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 51	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 52	U-NII-7-8	6.525-7.125	CDD 6+17	11a Tx	185	6875	6Mbps	-	-
Mode 53	U-NII-7-8	6.525-7.125	CDD 6+17	802.11be EHT20	185	6875	MCS0	Full RU	-
Mode 54	U-NII-7-8	6.525-7.125	CDD 6+17	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 55	U-NII-7-8	6.525-7.125	CDD 6+17	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 56	U-NII-7-8	6.525-7.125	CDD 6+17	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 57	U-NII-7-8	6.525-7.125	CDD 6+17	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 58	U-NII-5	6.525-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 59	U-NII-6-7	6.425-6.875	CDD 6+17	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 60	U-NII-6-7	6.425-6.875	CDD 6+17	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 61	U-NII-6-7	6.425-6.875	CDD 6+17	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 62	U-NII-5-6	5.925-6.425	CDD 6+17	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 63	U-NII-6-7	6.425-6.875	CDD 6+17	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 64	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Single RU 52/37	-
Mode 65	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	229	7095	MCS0	Single RU 26/8	-
Mode 66	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Small RU 52+26	-
Mode 67	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	229	7095	MCS0	Small RU 106+26	-
Mode 68	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Puncturing 20M ②	-



Mode	Band	Band (GHz)	Antenna	Modulation	Ch.	Freq.	Data Rate	RU	Remark
Mode 69	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT80	215	7025	MCS0	Puncturing 20M ③	-
Mode 70	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Puncturing 40M ②	-
Mode 71	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Puncturing 40M ③	-
Mode 72	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 73	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Puncturing 20M ②	-
Mode 74	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M ③	-
Mode 75	U-NII-5	6.525-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M ⑧	-
Mode 76	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M ②	-
Mode 77	U-NII-5	6.525-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Puncturing 80M ③	-
Mode 78	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 79	U-NII-5	6.525-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 80	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 81	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ②	-
Mode 82	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 83	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ③	-
Mode 84	U-NII-5	6.525-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑥	-
Mode 85	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 86	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 87	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	LF	MCS0	Full	LF

< Co-location >

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 95	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Full	-
			ANT 6	LTE	B48				
Mode 96	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE40	09	2452	MCS0	Full	-
		2400-2483.5	ANT 7+16	Bluetooth-LE_GSKF-2M	01	2404	-	Full	



Summary of each worse mode

Table with 11 columns: Mode, Modulation, Ch., Freq. (MHz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Pol., Peak Avg., Result, Remark. It contains 44 rows of test data for various frequencies and modulation schemes.



23	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	209	13990.00	47.34	88.20	-40.86	H	Peak	Pass	Harmonic
24	802.11be EHT20	229	7257.44	43.43	54.00	-10.57	V	AVERAGE	Pass	Band Edge
24	802.11be EHT20	229	14190.00	47.08	88.20	-41.12	V	Peak	Pass	Harmonic
25	802.11be EHT40	3	5923.88	53.58	68.20	-14.62	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	3	17895.00	47.47	74.00	-26.53	V	Peak	Pass	Harmonic
26	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	43	12330.00	46.13	74.00	-27.87	H	Peak	Pass	Harmonic
27	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	91	12810.00	45.88	88.20	-42.32	H	Peak	Pass	Harmonic
28	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	99	12890.00	45.99	88.20	-42.21	H	Peak	Pass	Harmonic
29	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT40	107	12970.00	45.80	88.20	-42.40	V	Peak	Pass	Harmonic
30	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT40	123	13130.00	47.28	88.20	-40.92	H	Peak	Pass	Harmonic
31	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT40	147	13370.00	47.41	74.00	-26.59	V	Peak	Pass	Harmonic
32	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
32	802.11be EHT40	179	13690.00	46.27	88.20	-41.93	V	Peak	Pass	Harmonic
33	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
33	802.11be EHT40	195	13850.00	47.32	88.20	-40.88	V	Peak	Pass	Harmonic
34	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT40	203	13930.00	46.84	88.20	-41.36	V	Peak	Pass	Harmonic
35	802.11be EHT40	227	7306.40	44.02	54.00	-9.98	V	AVERAGE	Pass	Band Edge
35	802.11be EHT40	227	14170.00	47.37	88.20	-40.83	H	Peak	Pass	Harmonic
36	802.11be EHT80	7	5925.00	51.15	68.20	-17.05	H	AVERAGE	Pass	Band Edge
36	802.11be EHT80	7	17956.80	47.47	74.00	-26.53	H	Peak	Pass	Harmonic
37	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT80	39	12290.00	46.41	74.00	-27.59	V	Peak	Pass	Harmonic
38	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT80	87	12770.00	46.48	88.20	-41.72	H	Peak	Pass	Harmonic
39	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT80	103	12930.00	47.54	88.20	-40.66	H	Peak	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	48.42	74.00	-25.58	H	Peak	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	47.46	88.20	-40.74	H	Peak	Pass	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	167	13570.00	48.15	88.20	-40.05	V	Peak	Pass	Harmonic
43	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT80	199	13890.00	47.69	88.20	-40.51	V	Peak	Pass	Harmonic
44	802.11be EHT80	215	7348.91	45.53	54.00	-8.47	V	AVERAGE	Pass	Band Edge
44	802.11be EHT80	215	14050.00	47.91	88.20	-40.29	V	Peak	Pass	Harmonic
45	802.11be EHT160	15	5908.44	50.31	68.20	-17.89	V	AVERAGE	Pass	Band Edge
45	802.11be EHT160	15	12050.00	47.58	74.00	-26.42	V	Peak	Pass	Harmonic
46	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge



46	802.11be EHT160	47	12370.00	47.09	74.00	-26.91	V	Peak	Pass	Harmonic
47	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT160	79	12690.00	46.67	74.00	-27.33	H	Peak	Pass	Harmonic
48	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	143	13330.00	47.28	74.00	-26.72	H	Peak	Pass	Harmonic
49	802.11be EHT160	207	7259.38	46.10	54.00	-7.90	H	AVERAGE	Pass	Band Edge
49	802.11be EHT160	207	13970.00	47.85	88.20	-40.35	V	Peak	Pass	Harmonic
50	802.11be EHT320	31	5828.95	50.91	68.20	-17.29	V	AVERAGE	Pass	Band Edge
50	802.11be EHT320	31	12210.00	45.98	74.00	-28.02	V	Peak	Pass	Harmonic
51	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
51	802.11be EHT320	63	12530.00	46.61	74.00	-27.39	H	Peak	Pass	Harmonic
52	11a Tx	185	-	-	-	-	-	-	-	Band Edge
52	11a Tx	185	13750.00	48.68	88.20	-39.52	H	Peak	Pass	Harmonic
53	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT20	185	13750.00	47.42	88.20	-40.78	H	Peak	Pass	Harmonic
54	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
54	802.11be EHT40	187	13770.00	47.44	88.20	-40.76	H	Peak	Pass	Harmonic
55	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
55	802.11be EHT80	183	13730.00	48.07	88.20	-40.13	H	Peak	Pass	Harmonic
56	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT160	175	13650.00	48.01	88.20	-40.19	H	Peak	Pass	Harmonic
57	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
57	802.11be EHT320	159	13490.00	48.68	88.20	-39.52	V	Peak	Pass	Harmonic
58	802.11be EHT320	191	7254.41	45.86	54.00	-8.14	H	AVERAGE	Pass	Band Edge
58	802.11be EHT320	191	13810.00	48.46	88.20	-39.74	H	Peak	Pass	Harmonic
59	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
59	802.11be EHT40	115	13050.00	47.90	88.20	-40.30	V	Peak	Pass	Harmonic
60	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT80	119	13090.00	49.02	88.20	-39.18	H	Peak	Pass	Harmonic
61	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT160	111	13010.00	47.94	88.20	-40.26	V	Peak	Pass	Harmonic
62	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT320	95	12850.00	47.34	88.20	-40.86	H	Peak	Pass	Harmonic
63	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	127	13170.00	48.76	88.20	-39.44	V	Peak	Pass	Harmonic
64	802.11be EHT20	1	5903.96	43.49	68.20	-24.71	H	AVERAGE	Pass	Band Edge
64	802.11be EHT20	1	17865.00	47.38	74.00	-26.62	H	Peak	Pass	Harmonic
65	802.11be EHT20	229	7264.12	43.24	54.00	-10.76	V	AVERAGE	Pass	Band Edge
65	802.11be EHT20	229	14190.00	47.16	88.20	-41.04	V	Peak	Pass	Harmonic
66	802.11be EHT20	1	5897.94	43.72	68.20	-24.48	V	AVERAGE	Pass	Band Edge
66	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	229	7271.24	43.17	54.00	-10.83	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	7	5905.16	43.44	68.20	-24.76	V	AVERAGE	Pass	Band Edge
68	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT80	215	7262.04	42.91	54.00	-11.09	H	AVERAGE	Pass	Band Edge
69	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic







70	802.11be EHT160	15	5903.12	44.95	68.20	-23.25	V	AVERAGE	Pass	Band Edge
70	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	207	7295.00	44.41	54.00	-9.59	H	AVERAGE	Pass	Band Edge
71	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	15	5912.36	46.57	68.20	-21.63	V	AVERAGE	Pass	Band Edge
72	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT160	207	7268.13	44.16	54.00	-9.84	V	AVERAGE	Pass	Band Edge
73	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	31	5917.69	45.86	68.20	-22.34	V	AVERAGE	Pass	Band Edge
74	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT320	191	7320.36	44.13	54.00	-9.87	H	AVERAGE	Pass	Band Edge
75	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	31	5908.51	45.87	68.20	-22.33	V	AVERAGE	Pass	Band Edge
76	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT320	191	7261.67	44.33	54.00	-9.67	V	AVERAGE	Pass	Band Edge
77	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT320	31	5913.87	45.48	68.20	-22.72	V	AVERAGE	Pass	Band Edge
78	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT320	191	7288.90	44.27	54.00	-9.73	V	AVERAGE	Pass	Band Edge
79	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	7	5924.52	51.27	68.20	-16.93	V	AVERAGE	Pass	Band Edge
80	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT80	215	7265.32	43.12	54.00	-10.88	H	AVERAGE	Pass	Band Edge
81	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	15	5844.32	47.77	68.20	-20.43	V	AVERAGE	Pass	Band Edge
82	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	207	7283.13	44.15	54.00	-9.85	V	AVERAGE	Pass	Band Edge
83	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	191	7330.64	44.16	54.00	-9.84	H	AVERAGE	Pass	Band Edge
84	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	31	5912.34	55.43	68.20	-12.77	V	AVERAGE	Pass	Band Edge
85	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT320	31	5819.01	52.99	68.20	-15.21	V	AVERAGE	Pass	Band Edge
86	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT160	207	30.97	24.72	40.00	-15.28	V	Peak	Pass	LF

< Co-location >





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
95	Co-location		2484.11	50.84	54.00	-3.16	H	AVERAGE	Pass	Band Edge
			4904.00	46.96	74.00	-27.04	H	Peak	Pass	Harmonic
96	Co-location		7263.13	43.12	54.00	-10.88	H	AVERAGE	Pass	Band Edge
			4808.00	46.67	74.00	-27.33	H	Peak	Pass	Harmonic





		1																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p>Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.28</td> <td>56.75</td> <td>88.20</td> <td>-31.45</td> <td>45.31</td> <td>35.15</td> <td>8.79</td> <td>32.50</td> <td>359</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5923.28	56.75	88.20	-31.45	45.31	35.15	8.79	32.50	359	136	PEAK	 <p>Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>102.00</td> <td>-----</td> <td>-----</td> <td>90.57</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>359</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	102.00	-----	-----	90.57	35.17	8.76	32.50	359	136	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5923.28	56.75	88.20	-31.45	45.31	35.15	8.79	32.50	359	136	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	102.00	-----	-----	90.57	35.17	8.76	32.50	359	136	PEAK																																																															
Avg	 <p>Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>44.51</td> <td>68.20</td> <td>-23.69</td> <td>33.06</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>359</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.84	44.51	68.20	-23.69	33.06	35.16	8.79	32.50	359	136	AVERAGE	 <p>Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.90</td> <td>-----</td> <td>-----</td> <td>84.47</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>359</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	95.90	-----	-----	84.47	35.17	8.76	32.50	359	136	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.84	44.51	68.20	-23.69	33.06	35.16	8.79	32.50	359	136	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	95.90	-----	-----	84.47	35.17	8.76	32.50	359	136	AVERAGE																																																															



		<b>1</b>																																																												
<b>Mode</b>	<b>Band Edge</b>																																																													
	<b>U-NII-5_5.925-6.425_802.11a_CH1_5955MHz</b>																																																													
<b>ANT</b>	<b>CDD 6+17</b>																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																												
<b>Peak</b>	 <p>Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5922.76</td> <td>56.94</td> <td>88.20</td> <td>-31.26</td> <td>45.50</td> <td>35.15</td> <td>8.79</td> <td>32.50</td> <td>307</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5922.76	56.94	88.20	-31.26	45.50	35.15	8.79	32.50	307	71 PEAK	 <p>Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>102.79</td> <td>-----</td> <td>-----</td> <td>91.36</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>307</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	102.79	-----	-----	91.36	35.17	8.76	32.50	307	71 PEAK
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5922.76	56.94	88.20	-31.26	45.50	35.15	8.79	32.50	307	71 PEAK																																																					
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5955.00	102.79	-----	-----	91.36	35.17	8.76	32.50	307	71 PEAK																																																					
<b>Avg</b>	 <p>Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.84</td> <td>45.01</td> <td>68.20</td> <td>-23.19</td> <td>33.56</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>307</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.84	45.01	68.20	-23.19	33.56	35.16	8.79	32.50	307	71 AVERAGE	 <p>Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>96.24</td> <td>-----</td> <td>-----</td> <td>84.81</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>307</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	96.24	-----	-----	84.81	35.17	8.76	32.50	307	71 AVERAGE
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5924.84	45.01	68.20	-23.19	33.56	35.16	8.79	32.50	307	71 AVERAGE																																																					
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5955.00	96.24	-----	-----	84.81	35.17	8.76	32.50	307	71 AVERAGE																																																					



Mode	1																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>45.46</td> <td>74.00</td> <td>-28.54</td> <td>56.39</td> <td>39.36</td> <td>13.18</td> <td>63.47</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>53.54</td> <td>42.55</td> <td>16.20</td> <td>65.63</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11910.00	45.46	74.00	-28.54	56.39	39.36	13.18	63.47	--- --- Peak	2	17865.00	46.66	74.00	-27.34	53.54	42.55	16.20	65.63	--- --- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.22</td> <td>74.00</td> <td>-26.78</td> <td>58.15</td> <td>39.36</td> <td>13.18</td> <td>63.47</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>53.13</td> <td>42.55</td> <td>16.20</td> <td>65.63</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11910.00	47.22	74.00	-26.78	58.15	39.36	13.18	63.47	--- --- Peak	2	17865.00	46.25	74.00	-27.75	53.13	42.55	16.20	65.63
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11910.00	45.46	74.00	-28.54	56.39	39.36	13.18	63.47	--- --- Peak																																																																																						
2	17865.00	46.66	74.00	-27.34	53.54	42.55	16.20	65.63	--- --- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11910.00	47.22	74.00	-26.78	58.15	39.36	13.18	63.47	--- --- Peak																																																																																						
2	17865.00	46.25	74.00	-27.75	53.13	42.55	16.20	65.63	--- --- Peak																																																																																						



Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak																																																																																																		
Avg																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.04</td> <td>74.00</td> <td>-28.96</td> <td>55.68</td> <td>39.58</td> <td>13.35</td> <td>63.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	45.04	74.00	-28.96	55.68	39.58	13.35	63.57							---	---								Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.12</td> <td>74.00</td> <td>-27.88</td> <td>56.76</td> <td>39.58</td> <td>13.35</td> <td>63.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	46.12	74.00	-27.88	56.76	39.58	13.35	63.57							---	---								Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 12350.00	45.04	74.00	-28.96	55.68	39.58	13.35	63.57																																																																																											
						---	---																																																																																											
							Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 12350.00	46.12	74.00	-27.88	56.76	39.58	13.35	63.57																																																																																											
						---	---																																																																																											
							Peak																																																																																											



Mode	3																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>47.20</td> <td>88.20</td> <td>-41.00</td> <td>57.59</td> <td>39.82</td> <td>13.50</td> <td>63.71</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	47.20	88.20	-41.00	57.59	39.82	13.50	63.71	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>46.14</td> <td>88.20</td> <td>-42.06</td> <td>56.53</td> <td>39.82</td> <td>13.50</td> <td>63.71</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	46.14	88.20	-42.06	56.53	39.82	13.50	63.71	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12830.00	47.20	88.20	-41.00	57.59	39.82	13.50	63.71	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12830.00	46.14	88.20	-42.06	56.53	39.82	13.50	63.71	--- Peak																																																												



Mode	4																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.79</td> <td>88.20</td> <td>-41.41</td> <td>57.15</td> <td>39.84</td> <td>13.52</td> <td>63.72</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	46.79	88.20	-41.41	57.15	39.84	13.52	63.72	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>45.72</td> <td>88.20</td> <td>-42.48</td> <td>56.08</td> <td>39.84</td> <td>13.52</td> <td>63.72</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	45.72	88.20	-42.48	56.08	39.84	13.52	63.72
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12870.00	46.79	88.20	-41.41	57.15	39.84	13.52	63.72	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12870.00	45.72	88.20	-42.48	56.08	39.84	13.52	63.72	--- Peak																																																											



Mode	5																																																																			
	Harmonic																																																																			
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>46.55</td> <td>88.20</td> <td>-41.65</td> <td>56.88</td> <td>39.88</td> <td>13.54</td> <td>63.75</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12950.00	46.55	88.20	-41.65	56.88	39.88	13.54	63.75	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>46.68</td> <td>88.20</td> <td>-41.52</td> <td>57.01</td> <td>39.88</td> <td>13.54</td> <td>63.75</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12950.00	46.68	88.20	-41.52	57.01	39.88	13.54	63.75	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																													
1 12950.00	46.55	88.20	-41.65	56.88	39.88	13.54	63.75	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																													
1 12950.00	46.68	88.20	-41.52	57.01	39.88	13.54	63.75	--- Peak																																																												



Mode	6																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>47.10</td> <td>88.20</td> <td>-41.10</td> <td>57.37</td> <td>39.92</td> <td>13.57</td> <td>63.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13030.00	47.10	88.20	-41.10	57.37	39.92	13.57	63.76	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>45.15</td> <td>88.20</td> <td>-43.05</td> <td>55.42</td> <td>39.92</td> <td>13.57</td> <td>63.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13030.00	45.15	88.20	-43.05	55.42	39.92	13.57	63.76
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13030.00	47.10	88.20	-41.10	57.37	39.92	13.57	63.76	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13030.00	45.15	88.20	-43.05	55.42	39.92	13.57	63.76	--- --- Peak																																																											





Mode	7																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.73</td> <td>88.20</td> <td>-41.47</td> <td>56.98</td> <td>39.94</td> <td>13.58</td> <td>63.77</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	46.73	88.20	-41.47	56.98	39.94	13.58	63.77	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>47.31</td> <td>88.20</td> <td>-40.89</td> <td>57.56</td> <td>39.94</td> <td>13.58</td> <td>63.77</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	47.31	88.20	-40.89	57.56	39.94	13.58	63.77
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13070.00	46.73	88.20	-41.47	56.98	39.94	13.58	63.77	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13070.00	47.31	88.20	-40.89	57.56	39.94	13.58	63.77	--- Peak																																																											



Mode	8																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>46.65</td> <td>74.00</td> <td>-27.35</td> <td>56.69</td> <td>40.10</td> <td>13.68</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	46.65	74.00	-27.35	56.69	40.10	13.68	63.82	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.39</td> <td>74.00</td> <td>-28.61</td> <td>55.43</td> <td>40.10</td> <td>13.68</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	45.39	74.00	-28.61	55.43	40.10	13.68	63.82	--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13390.00	46.65	74.00	-27.35	56.69	40.10	13.68	63.82	--- --- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13390.00	45.39	74.00	-28.61	55.43	40.10	13.68	63.82	--- --- Peak																																																												



Mode	9																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>45.56</td> <td>88.20</td> <td>-42.64</td> <td>55.39</td> <td>40.26</td> <td>13.78</td> <td>63.87</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	45.56	88.20	-42.64	55.39	40.26	13.78	63.87	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>46.55</td> <td>88.20</td> <td>-41.65</td> <td>56.38</td> <td>40.26</td> <td>13.78</td> <td>63.87</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	46.55	88.20	-41.65	56.38	40.26	13.78	63.87
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	45.56	88.20	-42.64	55.39	40.26	13.78	63.87	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	46.55	88.20	-41.65	56.38	40.26	13.78	63.87	--- --- Peak																																																											







Mode	10																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>46.71</td> <td>88.20</td> <td>-41.49</td> <td>56.48</td> <td>40.30</td> <td>13.81</td> <td>63.88</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	46.71	88.20	-41.49	56.48	40.30	13.81	63.88	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>46.85</td> <td>88.20</td> <td>-41.35</td> <td>56.62</td> <td>40.30</td> <td>13.81</td> <td>63.88</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	46.85	88.20	-41.35	56.62	40.30	13.81	63.88
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13790.00	46.71	88.20	-41.49	56.48	40.30	13.81	63.88	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13790.00	46.85	88.20	-41.35	56.62	40.30	13.81	63.88	--- --- Peak																																																											



Mode	11																																																																						
	Harmonic																																																																						
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																						
ANT	CDD 6+17																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>46.19</td> <td>88.20</td> <td>-42.01</td> <td>55.83</td> <td>40.40</td> <td>13.87</td> <td>63.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13990.00	46.19	88.20	-42.01	55.83	40.40	13.87	63.91	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>46.75</td> <td>88.20</td> <td>-41.45</td> <td>56.39</td> <td>40.40</td> <td>13.87</td> <td>63.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13990.00	46.75	88.20	-41.45	56.39	40.40	13.87	63.91	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 13990.00	46.19	88.20	-42.01	55.83	40.40	13.87	63.91	---	---	Peak																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 13990.00	46.75	88.20	-41.45	56.39	40.40	13.87	63.91	---	---	Peak																																																													



		12																																																																																				
<b>Mode</b>	<b>Band Edge</b>																																																																																					
	<b>U-NII-8_6.875-7.125_802.11a_CH229_7095MHz</b>																																																																																					
<b>ANT</b>	<b>CDD 6+17</b>																																																																																					
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																				
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.37</td> <td>51.94</td> <td>88.20</td> <td>-36.26</td> <td>41.22</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>200</td> <td>201</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7288.55</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>39.51</td> <td>35.44</td> <td>8.86</td> <td>33.59</td> <td>200</td> <td>201</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7126.37	51.94	88.20	-36.26	41.22	35.47	8.68	33.43	200	201	PEAK	2	7288.55	50.22	74.00	-23.78	39.51	35.44	8.86	33.59	200	201	PEAK	 <p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>98.87</td> <td>-----</td> <td>-----</td> <td>88.07</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>200</td> <td>201</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7095.00	98.87	-----	-----	88.07	35.48	8.72	33.40	200	201	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7126.37	51.94	88.20	-36.26	41.22	35.47	8.68	33.43	200	201	PEAK																																																																											
2	7288.55	50.22	74.00	-23.78	39.51	35.44	8.86	33.59	200	201	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7095.00	98.87	-----	-----	88.07	35.48	8.72	33.40	200	201	PEAK																																																																											
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.60</td> <td>42.83</td> <td>68.20</td> <td>-25.37</td> <td>32.11</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>200</td> <td>201</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7268.91</td> <td>40.90</td> <td>54.00</td> <td>-13.10</td> <td>30.22</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>200</td> <td>201</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.60	42.83	68.20	-25.37	32.11	35.47	8.68	33.43	200	201	AVERAGE	2	7268.91	40.90	54.00	-13.10	30.22	35.45	8.80	33.57	200	201	AVERAGE	 <p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.96</td> <td>-----</td> <td>-----</td> <td>82.16</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>200</td> <td>201</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7095.00	92.96	-----	-----	82.16	35.48	8.72	33.40	200	201	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.60	42.83	68.20	-25.37	32.11	35.47	8.68	33.43	200	201	AVERAGE																																																																											
2	7268.91	40.90	54.00	-13.10	30.22	35.45	8.80	33.57	200	201	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7095.00	92.96	-----	-----	82.16	35.48	8.72	33.40	200	201	AVERAGE																																																																											







		12																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.09</td> <td>57.24</td> <td>88.20</td> <td>-30.96</td> <td>46.52</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>124</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7308.95</td> <td>50.61</td> <td>74.00</td> <td>-23.39</td> <td>39.86</td> <td>35.44</td> <td>8.92</td> <td>33.61</td> <td>124</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.09	57.24	88.20	-30.96	46.52	35.47	8.68	33.43	124	360	PEAK	2	7308.95	50.61	74.00	-23.39	39.86	35.44	8.92	33.61	124	360	PEAK	<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>100.47</td> <td>-----</td> <td>-----</td> <td>89.67</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>124</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	100.47	-----	-----	89.67	35.48	8.72	33.40	124	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7125.09	57.24	88.20	-30.96	46.52	35.47	8.68	33.43	124	360	PEAK																																																																																	
2	7308.95	50.61	74.00	-23.39	39.86	35.44	8.92	33.61	124	360	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7095.00	100.47	-----	-----	89.67	35.48	8.72	33.40	124	360	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.86</td> <td>45.18</td> <td>68.20</td> <td>-23.02</td> <td>34.46</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>124</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7270.70</td> <td>40.80</td> <td>54.00</td> <td>-13.20</td> <td>30.12</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>124</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.86	45.18	68.20	-23.02	34.46	35.47	8.68	33.43	124	360	AVERAGE	2	7270.70	40.80	54.00	-13.20	30.12	35.45	8.80	33.57	124	360	AVERAGE	<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>93.90</td> <td>-----</td> <td>-----</td> <td>83.10</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>124</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	93.90	-----	-----	83.10	35.48	8.72	33.40	124	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7125.86	45.18	68.20	-23.02	34.46	35.47	8.68	33.43	124	360	AVERAGE																																																																																	
2	7270.70	40.80	54.00	-13.20	30.12	35.45	8.80	33.57	124	360	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7095.00	93.90	-----	-----	83.10	35.48	8.72	33.40	124	360	AVERAGE																																																																																	







Mode	12																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>47.48</td> <td>88.20</td> <td>-40.72</td> <td>57.03</td> <td>40.38</td> <td>13.96</td> <td>63.89</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	47.48	88.20	-40.72	57.03	40.38	13.96	63.89	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>45.34</td> <td>88.20</td> <td>-42.86</td> <td>54.89</td> <td>40.38</td> <td>13.96</td> <td>63.89</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	45.34	88.20	-42.86	54.89	40.38	13.96	63.89
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14190.00	47.48	88.20	-40.72	57.03	40.38	13.96	63.89	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14190.00	45.34	88.20	-42.86	54.89	40.38	13.96	63.89	--- Peak																																																											





<b>13</b>																																							
<b>Mode</b>	<b>Band Edge</b>																																						
	<b>U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz</b>																																						
<b>ANT</b>	<b>CDD 6+17</b>																																						
<b>Pol.</b>	<b>Horizontal</b>																																						
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a signal level that is flat at approximately 87.5 dBuV/m until 5937 MHz, where it rises sharply to a peak of 105.0 dBuV/m. A red box highlights the peak at 5924.26 MHz with a level of 105.98 dBuV/m. The date is 2024-04-30.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.26</td> <td>57.54</td> <td>88.20</td> <td>-30.66</td> <td>43.38</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	57.54	88.20	-30.66	43.38	36.49	10.44	32.77	100	59 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5924.26	57.54	88.20	-30.66	43.38	36.49	10.44	32.77	100	59 PEAK																													
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a signal level that is flat at approximately 52.5 dBuV/m until 5955 MHz, where it rises sharply to a peak of 105.98 dBuV/m. A red box highlights the peak at 5955.00 MHz with a level of 105.98 dBuV/m. The date is 2024-04-30.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.98</td> <td>-----</td> <td>-----</td> <td>91.71</td> <td>36.54</td> <td>10.51</td> <td>32.78</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.98	-----	-----	91.71	36.54	10.51	32.78	100	59 PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5955.00	105.98	-----	-----	91.71	36.54	10.51	32.78	100	59 PEAK																													
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a signal level that is flat at approximately 47.03 dBuV/m until 5924 MHz, where it rises to an average level of 82.20 dBuV/m. A red box highlights the average level at 5924.82 MHz with a level of 82.20 dBuV/m. The date is 2024-04-30.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.82</td> <td>47.03</td> <td>68.20</td> <td>-21.17</td> <td>32.87</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	47.03	68.20	-21.17	32.87	36.49	10.44	32.77	100	59 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5924.82	47.03	68.20	-21.17	32.87	36.49	10.44	32.77	100	59 AVERAGE																													
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a signal level that is flat at approximately 47.03 dBuV/m until 5955 MHz, where it rises to an average level of 98.44 dBuV/m. A red box highlights the average level at 5955.00 MHz with a level of 98.44 dBuV/m. The date is 2024-04-30.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>98.44</td> <td>-----</td> <td>-----</td> <td>84.18</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.44	-----	-----	84.18	36.54	10.50	32.78	100	59 AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5955.00	98.44	-----	-----	84.18	36.54	10.50	32.78	100	59 AVERAGE																													



<b>13</b>																																								
<b>Mode</b>	<b>Band Edge</b>																																							
	<b>U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz</b>																																							
<b>ANT</b>	<b>CDD 6+17</b>																																							
<b>Pol.</b>	<b>Vertical</b>																																							
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.70</td> <td>58.70</td> <td>88.20</td> <td>-29.50</td> <td>44.54</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>232</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.70	58.70	88.20	-29.50	44.54	36.49	10.44	32.77	232	89	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5923.70	58.70	88.20	-29.50	44.54	36.49	10.44	32.77	232	89	PEAK																													
 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>109.75</td> <td>-----</td> <td>-----</td> <td>95.49</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>232</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.75	-----	-----	95.49	36.54	10.50	32.78	232	89	PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5955.00	109.75	-----	-----	95.49	36.54	10.50	32.78	232	89	PEAK																													
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.12</td> <td>47.02</td> <td>68.20</td> <td>-21.18</td> <td>32.86</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>232</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	47.02	68.20	-21.18	32.86	36.49	10.44	32.77	232	89	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5924.12	47.02	68.20	-21.18	32.86	36.49	10.44	32.77	232	89	AVERAGE																													
 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>101.78</td> <td>-----</td> <td>-----</td> <td>87.52</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>232</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.78	-----	-----	87.52	36.54	10.50	32.78	232	89	AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5955.00	101.78	-----	-----	87.52	36.54	10.50	32.78	232	89	AVERAGE																													



Mode	13																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>56.18</td> <td>39.36</td> <td>13.18</td> <td>63.47</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.37</td> <td>74.00</td> <td>-26.63</td> <td>54.25</td> <td>42.55</td> <td>16.20</td> <td>65.63</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11910.00	45.25	74.00	-28.75	56.18	39.36	13.18	63.47	--- --- Peak	2	17865.00	47.37	74.00	-26.63	54.25	42.55	16.20	65.63	--- --- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>46.50</td> <td>74.00</td> <td>-27.50</td> <td>57.43</td> <td>39.36</td> <td>13.18</td> <td>63.47</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>46.26</td> <td>74.00</td> <td>-27.74</td> <td>53.14</td> <td>42.55</td> <td>16.20</td> <td>65.63</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11910.00	46.50	74.00	-27.50	57.43	39.36	13.18	63.47	--- --- Peak	2	17865.00	46.26	74.00	-27.74	53.14	42.55	16.20	65.63
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11910.00	45.25	74.00	-28.75	56.18	39.36	13.18	63.47	--- --- Peak																																																																																						
2	17865.00	47.37	74.00	-26.63	54.25	42.55	16.20	65.63	--- --- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11910.00	46.50	74.00	-27.50	57.43	39.36	13.18	63.47	--- --- Peak																																																																																						
2	17865.00	46.26	74.00	-27.74	53.14	42.55	16.20	65.63	--- --- Peak																																																																																						



Mode	14																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_6175MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>55.77</td> <td>39.58</td> <td>13.35</td> <td>63.57</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	45.13	74.00	-28.87	55.77	39.58	13.35	63.57	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>43.89</td> <td>74.00</td> <td>-30.11</td> <td>54.53</td> <td>39.58</td> <td>13.35</td> <td>63.57</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	43.89	74.00	-30.11	54.53	39.58	13.35	63.57
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12350.00	45.13	74.00	-28.87	55.77	39.58	13.35	63.57	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12350.00	43.89	74.00	-30.11	54.53	39.58	13.35	63.57	--- Peak																																																											



Mode	15																																																																								
	Harmonic																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																								
ANT	CDD 6+17																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12830.00</td> <td>45.37</td> <td>88.20</td> <td>-42.83</td> <td>55.76</td> <td>39.82</td> <td>13.50</td> <td>63.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	12830.00	45.37	88.20	-42.83	55.76	39.82	13.50	63.71	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12830.00</td> <td>45.53</td> <td>88.20</td> <td>-42.67</td> <td>55.92</td> <td>39.82</td> <td>13.50</td> <td>63.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	12830.00	45.53	88.20	-42.67	55.92	39.82	13.50	63.71	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	12830.00	45.37	88.20	-42.83	55.76	39.82	13.50	63.71	---	---	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	12830.00	45.53	88.20	-42.67	55.92	39.82	13.50	63.71	---	---	Peak																																																														



Mode	16																																																																																																
	Harmonic																																																																																																
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.57</td> <td>88.20</td> <td>-41.63</td> <td>56.93</td> <td>39.84</td> <td>13.52</td> <td>63.72</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	46.57	88.20	-41.63	56.93	39.84	13.52	63.72							---	---								Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.51</td> <td>88.20</td> <td>-41.69</td> <td>56.87</td> <td>39.84</td> <td>13.52</td> <td>63.72</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	46.51	88.20	-41.69	56.87	39.84	13.52	63.72							---	---							
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 12870.00	46.57	88.20	-41.63	56.93	39.84	13.52	63.72																																																																																										
						---	---																																																																																										
							Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 12870.00	46.51	88.20	-41.69	56.87	39.84	13.52	63.72																																																																																										
						---	---																																																																																										
							Peak																																																																																										



Mode	17																																																																			
	Harmonic																																																																			
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>45.97</td> <td>88.20</td> <td>-42.23</td> <td>56.30</td> <td>39.88</td> <td>13.54</td> <td>63.75</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	45.97	88.20	-42.23	56.30	39.88	13.54	63.75	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>46.52</td> <td>88.20</td> <td>-41.68</td> <td>56.85</td> <td>39.88</td> <td>13.54</td> <td>63.75</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	46.52	88.20	-41.68	56.85	39.88	13.54	63.75	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12950.00	45.97	88.20	-42.23	56.30	39.88	13.54	63.75	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12950.00	46.52	88.20	-41.68	56.85	39.88	13.54	63.75	--- Peak																																																												



Mode	18																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.31</td> <td>88.20</td> <td>-41.89</td> <td>56.58</td> <td>39.92</td> <td>13.57</td> <td>63.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	46.31	88.20	-41.89	56.58	39.92	13.57	63.76	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>44.52</td> <td>88.20</td> <td>-43.68</td> <td>54.79</td> <td>39.92</td> <td>13.57</td> <td>63.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	44.52	88.20	-43.68	54.79	39.92	13.57	63.76
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13030.00	46.31	88.20	-41.89	56.58	39.92	13.57	63.76	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13030.00	44.52	88.20	-43.68	54.79	39.92	13.57	63.76	--- --- Peak																																																											





Mode	19																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p style="text-align: right;">Date: 2024-05-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>45.24</td> <td>88.20</td> <td>-42.96</td> <td>55.49</td> <td>39.94</td> <td>13.58</td> <td>63.77</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	45.24	88.20	-42.96	55.49	39.94	13.58	63.77	--- Peak	<p style="text-align: right;">Date: 2024-05-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.16</td> <td>88.20</td> <td>-42.04</td> <td>56.41</td> <td>39.94</td> <td>13.58</td> <td>63.77</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	46.16	88.20	-42.04	56.41	39.94	13.58	63.77	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13070.00	45.24	88.20	-42.96	55.49	39.94	13.58	63.77	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13070.00	46.16	88.20	-42.04	56.41	39.94	13.58	63.77	--- Peak																																																												



Mode	20																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.91</td> <td>74.00</td> <td>-28.09</td> <td>55.95</td> <td>40.10</td> <td>13.68</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	45.91	74.00	-28.09	55.95	40.10	13.68	63.82	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.16</td> <td>74.00</td> <td>-26.84</td> <td>57.20</td> <td>40.10</td> <td>13.68</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	47.16	74.00	-26.84	57.20	40.10	13.68	63.82
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13390.00	45.91	74.00	-28.09	55.95	40.10	13.68	63.82	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13390.00	47.16	74.00	-26.84	57.20	40.10	13.68	63.82	--- --- Peak																																																											



Mode	21																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>45.83</td> <td>88.20</td> <td>-42.37</td> <td>55.66</td> <td>40.26</td> <td>13.78</td> <td>63.87</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13710.00	45.83	88.20	-42.37	55.66	40.26	13.78	63.87	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>45.51</td> <td>88.20</td> <td>-42.69</td> <td>55.34</td> <td>40.26</td> <td>13.78</td> <td>63.87</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13710.00	45.51	88.20	-42.69	55.34	40.26	13.78	63.87
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13710.00	45.83	88.20	-42.37	55.66	40.26	13.78	63.87	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13710.00	45.51	88.20	-42.69	55.34	40.26	13.78	63.87	--- Peak																																																											







Mode	22																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>46.50</td> <td>88.20</td> <td>-41.70</td> <td>56.27</td> <td>40.30</td> <td>13.81</td> <td>63.88</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	46.50	88.20	-41.70	56.27	40.30	13.81	63.88	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>47.41</td> <td>88.20</td> <td>-40.79</td> <td>57.18</td> <td>40.30</td> <td>13.81</td> <td>63.88</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	47.41	88.20	-40.79	57.18	40.30	13.81	63.88
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13790.00	46.50	88.20	-41.70	56.27	40.30	13.81	63.88	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13790.00	47.41	88.20	-40.79	57.18	40.30	13.81	63.88	--- Peak																																																											



Mode	23																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>47.34</td> <td>88.20</td> <td>-40.86</td> <td>56.98</td> <td>40.40</td> <td>13.87</td> <td>63.91</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	47.34	88.20	-40.86	56.98	40.40	13.87	63.91	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>46.76</td> <td>88.20</td> <td>-41.44</td> <td>56.40</td> <td>40.40</td> <td>13.87</td> <td>63.91</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	46.76	88.20	-41.44	56.40	40.40	13.87	63.91
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13990.00	47.34	88.20	-40.86	56.98	40.40	13.87	63.91	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13990.00	46.76	88.20	-41.44	56.40	40.40	13.87	63.91	--- Peak																																																											



		<b>24</b>																																																																																							
<b>Mode</b>	<b>Band Edge</b>																																																																																								
	<b>U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz</b>																																																																																								
<b>ANT</b>	<b>CDD 6+17</b>																																																																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																							
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.06</td> <td>55.99</td> <td>88.20</td> <td>-32.21</td> <td>42.49</td> <td>36.95</td> <td>10.20</td> <td>33.65</td> <td>227</td> <td>34 PEAK</td> </tr> <tr> <td>2</td> <td>7259.22</td> <td>53.52</td> <td>74.00</td> <td>-20.48</td> <td>40.04</td> <td>36.90</td> <td>10.18</td> <td>33.60</td> <td>227</td> <td>34 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.06	55.99	88.20	-32.21	42.49	36.95	10.20	33.65	227	34 PEAK	2	7259.22	53.52	74.00	-20.48	40.04	36.90	10.18	33.60	227	34 PEAK	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>101.32</td> <td>-----</td> <td>-----</td> <td>87.82</td> <td>36.96</td> <td>10.20</td> <td>33.66</td> <td>227</td> <td>34 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	101.32	-----	-----	87.82	36.96	10.20	33.66	227	34 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7127.06	55.99	88.20	-32.21	42.49	36.95	10.20	33.65	227	34 PEAK																																																																															
2	7259.22	53.52	74.00	-20.48	40.04	36.90	10.18	33.60	227	34 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7095.00	101.32	-----	-----	87.82	36.96	10.20	33.66	227	34 PEAK																																																																															
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>47.17</td> <td>68.20</td> <td>-21.03</td> <td>33.67</td> <td>36.95</td> <td>10.20</td> <td>33.65</td> <td>227</td> <td>34 AVERAGE</td> </tr> <tr> <td>2</td> <td>7251.21</td> <td>43.25</td> <td>54.00</td> <td>-10.75</td> <td>29.77</td> <td>36.90</td> <td>10.18</td> <td>33.60</td> <td>227</td> <td>34 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	47.17	68.20	-21.03	33.67	36.95	10.20	33.65	227	34 AVERAGE	2	7251.21	43.25	54.00	-10.75	29.77	36.90	10.18	33.60	227	34 AVERAGE	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>94.69</td> <td>-----</td> <td>-----</td> <td>81.19</td> <td>36.96</td> <td>10.20</td> <td>33.66</td> <td>227</td> <td>34 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.69	-----	-----	81.19	36.96	10.20	33.66	227	34 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7125.28	47.17	68.20	-21.03	33.67	36.95	10.20	33.65	227	34 AVERAGE																																																																															
2	7251.21	43.25	54.00	-10.75	29.77	36.90	10.18	33.60	227	34 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7095.00	94.69	-----	-----	81.19	36.96	10.20	33.66	227	34 AVERAGE																																																																															







		<b>24</b>																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz</b>																																																																																											
<b>ANT</b>	<b>CDD 6+17</b>																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.06</td> <td>57.14</td> <td>88.20</td> <td>-31.06</td> <td>43.64</td> <td>36.95</td> <td>10.20</td> <td>33.65</td> <td>263</td> <td>163</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7260.56</td> <td>52.73</td> <td>74.00</td> <td>-21.27</td> <td>39.25</td> <td>36.90</td> <td>10.18</td> <td>33.60</td> <td>263</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.06	57.14	88.20	-31.06	43.64	36.95	10.20	33.65	263	163	PEAK	2	7260.56	52.73	74.00	-21.27	39.25	36.90	10.18	33.60	263	163	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>102.78</td> <td>-----</td> <td>-----</td> <td>89.28</td> <td>36.96</td> <td>10.20</td> <td>33.66</td> <td>263</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	102.78	-----	-----	89.28	36.96	10.20	33.66	263	163	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7127.06	57.14	88.20	-31.06	43.64	36.95	10.20	33.65	263	163	PEAK																																																																																	
2	7260.56	52.73	74.00	-21.27	39.25	36.90	10.18	33.60	263	163	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	102.78	-----	-----	89.28	36.96	10.20	33.66	263	163	PEAK																																																																																	
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.72</td> <td>46.52</td> <td>68.20</td> <td>-21.68</td> <td>33.02</td> <td>36.95</td> <td>10.20</td> <td>33.65</td> <td>263</td> <td>163</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7257.44</td> <td>43.43</td> <td>54.00</td> <td>-10.57</td> <td>29.95</td> <td>36.90</td> <td>10.18</td> <td>33.60</td> <td>263</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.72	46.52	68.20	-21.68	33.02	36.95	10.20	33.65	263	163	AVERAGE	2	7257.44	43.43	54.00	-10.57	29.95	36.90	10.18	33.60	263	163	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>95.08</td> <td>-----</td> <td>-----</td> <td>81.58</td> <td>36.96</td> <td>10.20</td> <td>33.66</td> <td>263</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	95.08	-----	-----	81.58	36.96	10.20	33.66	263	163	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.72	46.52	68.20	-21.68	33.02	36.95	10.20	33.65	263	163	AVERAGE																																																																																	
2	7257.44	43.43	54.00	-10.57	29.95	36.90	10.18	33.60	263	163	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	95.08	-----	-----	81.58	36.96	10.20	33.66	263	163	AVERAGE																																																																																	



Mode	24																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>45.70</td> <td>88.20</td> <td>-42.50</td> <td>55.25</td> <td>40.38</td> <td>13.96</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	45.70	88.20	-42.50	55.25	40.38	13.96	63.89	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>47.08</td> <td>88.20</td> <td>-41.12</td> <td>56.63</td> <td>40.38</td> <td>13.96</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	47.08	88.20	-41.12	56.63	40.38	13.96	63.89
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14190.00	45.70	88.20	-42.50	55.25	40.38	13.96	63.89	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14190.00	47.08	88.20	-41.12	56.63	40.38	13.96	63.89	--- --- Peak																																																											





		<b>25</b>																																																																												
<b>Mode</b>	<b>Band Edge</b>																																																																													
	<b>U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz</b>																																																																													
<b>ANT</b>	<b>CDD 6+17</b>																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																												
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.36</td> <td>63.66</td> <td>88.20</td> <td>-24.54</td> <td>49.50</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	63.66	88.20	-24.54	49.50	36.49	10.44	32.77	100	54 PEAK	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>104.48</td> <td>-----</td> <td>-----</td> <td>90.21</td> <td>36.54</td> <td>10.51</td> <td>32.78</td> <td>100</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.48	-----	-----	90.21	36.54	10.51	32.78	100	54 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5924.36	63.66	88.20	-24.54	49.50	36.49	10.44	32.77	100	54 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5965.00	104.48	-----	-----	90.21	36.54	10.51	32.78	100	54 PEAK																																																																				
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.88</td> <td>53.58</td> <td>68.20</td> <td>-14.62</td> <td>39.42</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	53.58	68.20	-14.62	39.42	36.49	10.44	32.77	100	54 AVERAGE	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>97.61</td> <td>-----</td> <td>-----</td> <td>83.32</td> <td>36.55</td> <td>10.53</td> <td>32.79</td> <td>100</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	97.61	-----	-----	83.32	36.55	10.53	32.79	100	54 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5923.88	53.58	68.20	-14.62	39.42	36.49	10.44	32.77	100	54 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5965.00	97.61	-----	-----	83.32	36.55	10.53	32.79	100	54 AVERAGE																																																																				



<b>25</b>																																							
<b>Mode</b>	<b>Band Edge</b>																																						
	<b>U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz</b>																																						
<b>ANT</b>	<b>CDD 6+17</b>																																						
<b>Pol.</b>	<b>Vertical</b>																																						
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.88</td> <td>64.04</td> <td>88.20</td> <td>-24.16</td> <td>49.88</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>200</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5923.88	64.04	88.20	-24.16	49.88	36.49	10.44	32.77	200	74 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																															
1	5923.88	64.04	88.20	-24.16	49.88	36.49	10.44	32.77	200	74 PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>104.76</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>36.54</td> <td>10.51</td> <td>32.78</td> <td>200</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5965.00	104.76	-----	-----	90.49	36.54	10.51	32.78	200	74 PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																															
1	5965.00	104.76	-----	-----	90.49	36.54	10.51	32.78	200	74 PEAK																													
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.88</td> <td>52.59</td> <td>68.20</td> <td>-15.61</td> <td>38.43</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>200</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5923.88	52.59	68.20	-15.61	38.43	36.49	10.44	32.77	200	74 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																															
1	5923.88	52.59	68.20	-15.61	38.43	36.49	10.44	32.77	200	74 AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>96.75</td> <td>-----</td> <td>-----</td> <td>82.46</td> <td>36.55</td> <td>10.53</td> <td>32.79</td> <td>200</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5965.00	96.75	-----	-----	82.46	36.55	10.53	32.79	200	74 AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																															
1	5965.00	96.75	-----	-----	82.46	36.55	10.53	32.79	200	74 AVERAGE																													



Mode	25																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>56.47</td> <td>39.37</td> <td>13.19</td> <td>63.47</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>46.02</td> <td>74.00</td> <td>-27.98</td> <td>52.87</td> <td>42.58</td> <td>16.22</td> <td>65.65</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	45.56	74.00	-28.44	56.47	39.37	13.19	63.47	--- Peak	2	17895.00	46.02	74.00	-27.98	52.87	42.58	16.22	65.65	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>55.67</td> <td>39.37</td> <td>13.19</td> <td>63.47</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>54.32</td> <td>42.58</td> <td>16.22</td> <td>65.65</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	44.76	74.00	-29.24	55.67	39.37	13.19	63.47	--- Peak	2	17895.00	47.47	74.00	-26.53	54.32	42.58	16.22	65.65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11930.00	45.56	74.00	-28.44	56.47	39.37	13.19	63.47	--- Peak																																																																																								
2	17895.00	46.02	74.00	-27.98	52.87	42.58	16.22	65.65	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11930.00	44.76	74.00	-29.24	55.67	39.37	13.19	63.47	--- Peak																																																																																								
2	17895.00	47.47	74.00	-26.53	54.32	42.58	16.22	65.65	--- Peak																																																																																								



Mode	26																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_6165MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2024-05-08</p>	<p>Date: 2024-05-08</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>46.13</td> <td>74.00</td> <td>-27.87</td> <td>56.78</td> <td>39.57</td> <td>13.35</td> <td>63.57</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12330.00	46.13	74.00	-27.87	56.78	39.57	13.35	63.57	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>43.38</td> <td>74.00</td> <td>-30.62</td> <td>54.03</td> <td>39.57</td> <td>13.35</td> <td>63.57</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12330.00	43.38	74.00	-30.62	54.03	39.57	13.35	63.57
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12330.00	46.13	74.00	-27.87	56.78	39.57	13.35	63.57	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12330.00	43.38	74.00	-30.62	54.03	39.57	13.35	63.57	--- --- Peak																																																											



Mode	27																																																																																
	Harmonic																																																																																
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz																																																																																
ANT	CDD 6+17																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>45.88</td> <td>88.20</td> <td>-42.32</td> <td>56.27</td> <td>39.81</td> <td>13.50</td> <td>63.70</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	45.88	88.20	-42.32	56.27	39.81	13.50	63.70						---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>43.33</td> <td>88.20</td> <td>-44.87</td> <td>53.72</td> <td>39.81</td> <td>13.50</td> <td>63.70</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	43.33	88.20	-44.87	53.72	39.81	13.50	63.70						---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 12810.00	45.88	88.20	-42.32	56.27	39.81	13.50	63.70																																																																										
					---	---	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 12810.00	43.33	88.20	-44.87	53.72	39.81	13.50	63.70																																																																										
					---	---	Peak																																																																										



Mode	28																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>45.99</td> <td>88.20</td> <td>-42.21</td> <td>56.35</td> <td>39.85</td> <td>13.52</td> <td>63.73</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12890.00	45.99	88.20	-42.21	56.35	39.85	13.52	63.73	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>44.36</td> <td>88.20</td> <td>-43.84</td> <td>54.72</td> <td>39.85</td> <td>13.52</td> <td>63.73</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12890.00	44.36	88.20	-43.84	54.72	39.85	13.52	63.73
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 12890.00	45.99	88.20	-42.21	56.35	39.85	13.52	63.73	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 12890.00	44.36	88.20	-43.84	54.72	39.85	13.52	63.73	--- Peak																																																											



Mode	29																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2024-05-01</p>	<p>Date: 2024-05-01</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>45.18</td> <td>88.20</td> <td>-43.02</td> <td>55.49</td> <td>39.89</td> <td>13.55</td> <td>63.75</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12970.00	45.18	88.20	-43.02	55.49	39.89	13.55	63.75	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>45.80</td> <td>88.20</td> <td>-42.40</td> <td>56.11</td> <td>39.89</td> <td>13.55</td> <td>63.75</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12970.00	45.80	88.20	-42.40	56.11	39.89	13.55	63.75
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12970.00	45.18	88.20	-43.02	55.49	39.89	13.55	63.75	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12970.00	45.80	88.20	-42.40	56.11	39.89	13.55	63.75	--- --- Peak																																																											



Mode	30																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Date: 2024-05-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>47.28</td> <td>88.20</td> <td>-40.92</td> <td>57.49</td> <td>39.97</td> <td>13.60</td> <td>63.78</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	47.28	88.20	-40.92	57.49	39.97	13.60	63.78	--- --- Peak	<p>Date: 2024-05-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>46.95</td> <td>88.20</td> <td>-41.25</td> <td>57.16</td> <td>39.97</td> <td>13.60</td> <td>63.78</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	46.95	88.20	-41.25	57.16	39.97	13.60	63.78	--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13130.00	47.28	88.20	-40.92	57.49	39.97	13.60	63.78	--- --- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13130.00	46.95	88.20	-41.25	57.16	39.97	13.60	63.78	--- --- Peak																																																												





	<b>31</b>																																																																			
<b>Mode</b>	<b>Harmonic</b>																																																																			
	<b>U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz</b>																																																																			
<b>ANT</b>	<b>CDD 6+17</b>																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																		
<b>Peak</b>																																																																				
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>55.93</td> <td>40.09</td> <td>13.67</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	45.87	74.00	-28.13	55.93	40.09	13.67	63.82	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>47.41</td> <td>74.00</td> <td>-26.59</td> <td>57.47</td> <td>40.09</td> <td>13.67</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	47.41	74.00	-26.59	57.47	40.09	13.67	63.82	--- --- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13370.00	45.87	74.00	-28.13	55.93	40.09	13.67	63.82	--- --- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13370.00	47.41	74.00	-26.59	57.47	40.09	13.67	63.82	--- --- Peak																																																												



Mode	32																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>45.43</td> <td>88.20</td> <td>-42.77</td> <td>55.26</td> <td>40.25</td> <td>13.78</td> <td>63.86</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13690.00	45.43	88.20	-42.77	55.26	40.25	13.78	63.86	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>46.27</td> <td>88.20</td> <td>-41.93</td> <td>56.10</td> <td>40.25</td> <td>13.78</td> <td>63.86</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13690.00	46.27	88.20	-41.93	56.10	40.25	13.78	63.86
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13690.00	45.43	88.20	-42.77	55.26	40.25	13.78	63.86	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13690.00	46.27	88.20	-41.93	56.10	40.25	13.78	63.86	--- --- Peak																																																											







Mode	33																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>47.09</td> <td>88.20</td> <td>-41.11</td> <td>56.82</td> <td>40.33</td> <td>13.83</td> <td>63.89</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13850.00	47.09	88.20	-41.11	56.82	40.33	13.83	63.89	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>47.32</td> <td>88.20</td> <td>-40.88</td> <td>57.05</td> <td>40.33</td> <td>13.83</td> <td>63.89</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13850.00	47.32	88.20	-40.88	57.05	40.33	13.83	63.89
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13850.00	47.09	88.20	-41.11	56.82	40.33	13.83	63.89	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13850.00	47.32	88.20	-40.88	57.05	40.33	13.83	63.89	--- Peak																																																											



Mode	34																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH203_Full RU_6965MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2024-05-01</p>	<p>Date: 2024-05-01</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>46.35</td> <td>88.20</td> <td>-41.85</td> <td>56.03</td> <td>40.37</td> <td>13.85</td> <td>63.90</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13930.00	46.35	88.20	-41.85	56.03	40.37	13.85	63.90	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>46.84</td> <td>88.20</td> <td>-41.36</td> <td>56.52</td> <td>40.37</td> <td>13.85</td> <td>63.90</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13930.00	46.84	88.20	-41.36	56.52	40.37	13.85	63.90
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13930.00	46.35	88.20	-41.85	56.03	40.37	13.85	63.90	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13930.00	46.84	88.20	-41.36	56.52	40.37	13.85	63.90	--- Peak																																																											



		<b>35</b>																																																																																							
<b>Mode</b>	<b>Band Edge</b>																																																																																								
	<b>U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz</b>																																																																																								
<b>ANT</b>	<b>CDD 6+17</b>																																																																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																							
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.99</td> <td>63.62</td> <td>88.20</td> <td>-24.58</td> <td>50.12</td> <td>36.95</td> <td>10.20</td> <td>33.65</td> <td>217</td> <td>349 PEAK</td> </tr> <tr> <td>2</td> <td>7326.92</td> <td>53.05</td> <td>74.00</td> <td>-20.95</td> <td>39.57</td> <td>36.87</td> <td>10.18</td> <td>33.57</td> <td>217</td> <td>349 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.99	63.62	88.20	-24.58	50.12	36.95	10.20	33.65	217	349 PEAK	2	7326.92	53.05	74.00	-20.95	39.57	36.87	10.18	33.57	217	349 PEAK	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>97.99</td> <td>-----</td> <td>-----</td> <td>84.49</td> <td>36.97</td> <td>10.20</td> <td>33.67</td> <td>217</td> <td>349 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	97.99	-----	-----	84.49	36.97	10.20	33.67	217	349 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7125.99	63.62	88.20	-24.58	50.12	36.95	10.20	33.65	217	349 PEAK																																																																															
2	7326.92	53.05	74.00	-20.95	39.57	36.87	10.18	33.57	217	349 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7085.00	97.99	-----	-----	84.49	36.97	10.20	33.67	217	349 PEAK																																																																															
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.99</td> <td>52.13</td> <td>68.20</td> <td>-16.07</td> <td>38.63</td> <td>36.95</td> <td>10.20</td> <td>33.65</td> <td>217</td> <td>349 AVERAGE</td> </tr> <tr> <td>2</td> <td>7259.66</td> <td>43.96</td> <td>54.00</td> <td>-10.04</td> <td>30.48</td> <td>36.90</td> <td>10.18</td> <td>33.60</td> <td>217</td> <td>349 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.99	52.13	68.20	-16.07	38.63	36.95	10.20	33.65	217	349 AVERAGE	2	7259.66	43.96	54.00	-10.04	30.48	36.90	10.18	33.60	217	349 AVERAGE	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>90.66</td> <td>-----</td> <td>-----</td> <td>77.16</td> <td>36.97</td> <td>10.20</td> <td>33.67</td> <td>217</td> <td>349 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	90.66	-----	-----	77.16	36.97	10.20	33.67	217	349 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7125.99	52.13	68.20	-16.07	38.63	36.95	10.20	33.65	217	349 AVERAGE																																																																															
2	7259.66	43.96	54.00	-10.04	30.48	36.90	10.18	33.60	217	349 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7085.00	90.66	-----	-----	77.16	36.97	10.20	33.67	217	349 AVERAGE																																																																															



		<b>35</b>																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz</b>																																																																																											
<b>ANT</b>	<b>CDD 6+17</b>																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.28</td> <td>62.45</td> <td>88.20</td> <td>-25.75</td> <td>48.95</td> <td>36.95</td> <td>10.20</td> <td>33.65</td> <td>250</td> <td>150</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7290.44</td> <td>53.14</td> <td>74.00</td> <td>-20.86</td> <td>39.66</td> <td>36.88</td> <td>10.18</td> <td>33.58</td> <td>250</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7126.28	62.45	88.20	-25.75	48.95	36.95	10.20	33.65	250	150	PEAK	2	7290.44	53.14	74.00	-20.86	39.66	36.88	10.18	33.58	250	150	PEAK	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>98.59</td> <td>-----</td> <td>-----</td> <td>85.09</td> <td>36.96</td> <td>10.20</td> <td>33.66</td> <td>250</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	98.59	-----	-----	85.09	36.96	10.20	33.66	250	150	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7126.28	62.45	88.20	-25.75	48.95	36.95	10.20	33.65	250	150	PEAK																																																																																	
2	7290.44	53.14	74.00	-20.86	39.66	36.88	10.18	33.58	250	150	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	98.59	-----	-----	85.09	36.96	10.20	33.66	250	150	PEAK																																																																																	
<b>Avg</b>	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.99</td> <td>50.69</td> <td>68.20</td> <td>-17.51</td> <td>37.19</td> <td>36.95</td> <td>10.20</td> <td>33.65</td> <td>250</td> <td>150</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7306.40</td> <td>44.02</td> <td>54.00</td> <td>-9.98</td> <td>30.54</td> <td>36.88</td> <td>10.18</td> <td>33.58</td> <td>250</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.99	50.69	68.20	-17.51	37.19	36.95	10.20	33.65	250	150	AVERAGE	2	7306.40	44.02	54.00	-9.98	30.54	36.88	10.18	33.58	250	150	AVERAGE	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>90.91</td> <td>-----</td> <td>-----</td> <td>77.41</td> <td>36.97</td> <td>10.20</td> <td>33.67</td> <td>250</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	90.91	-----	-----	77.41	36.97	10.20	33.67	250	150	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.99	50.69	68.20	-17.51	37.19	36.95	10.20	33.65	250	150	AVERAGE																																																																																	
2	7306.40	44.02	54.00	-9.98	30.54	36.88	10.18	33.58	250	150	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	90.91	-----	-----	77.41	36.97	10.20	33.67	250	150	AVERAGE																																																																																	



Mode	35																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>47.37</td> <td>88.20</td> <td>-40.83</td> <td>56.93</td> <td>40.38</td> <td>13.95</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14170.00	47.37	88.20	-40.83	56.93	40.38	13.95	63.89	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>47.27</td> <td>88.20</td> <td>-40.93</td> <td>56.83</td> <td>40.38</td> <td>13.95</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14170.00	47.27	88.20	-40.93	56.83	40.38	13.95	63.89
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14170.00	47.37	88.20	-40.83	56.93	40.38	13.95	63.89	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14170.00	47.27	88.20	-40.93	56.83	40.38	13.95	63.89	--- --- Peak																																																											



<b>36</b>																																							
<b>Mode</b>	<b>Band Edge</b>																																						
	<b>U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz</b>																																						
<b>ANT</b>	<b>CDD 6+17</b>																																						
<b>Pol.</b>	<b>Horizontal</b>																																						
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.72</td> <td>58.97</td> <td>88.20</td> <td>-29.23</td> <td>44.81</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	58.97	88.20	-29.23	44.81	36.49	10.44	32.77	100	57 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5923.72	58.97	88.20	-29.23	44.81	36.49	10.44	32.77	100	57 PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>100.57</td> <td>-----</td> <td>-----</td> <td>86.24</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>100</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.57	-----	-----	86.24	36.57	10.55	32.79	100	57 PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5985.00	100.57	-----	-----	86.24	36.57	10.55	32.79	100	57 PEAK																													
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>51.15</td> <td>68.20</td> <td>-17.05</td> <td>36.99</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	51.15	68.20	-17.05	36.99	36.49	10.44	32.77	100	57 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5925.00	51.15	68.20	-17.05	36.99	36.49	10.44	32.77	100	57 AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.04</td> <td>-----</td> <td>-----</td> <td>79.71</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>100</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.04	-----	-----	79.71	36.57	10.55	32.79	100	57 AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5985.00	94.04	-----	-----	79.71	36.57	10.55	32.79	100	57 AVERAGE																													





		<b>36</b>																																																																												
<b>Mode</b>	<b>Band Edge</b>																																																																													
	<b>U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz</b>																																																																													
<b>ANT</b>	<b>CDD 6+17</b>																																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																												
<b>Peak</b>	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.04</td> <td>58.12</td> <td>88.20</td> <td>-30.08</td> <td>43.96</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>200</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5924.04	58.12	88.20	-30.08	43.96	36.49	10.44	32.77	200	72 PEAK	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>100.67</td> <td>-----</td> <td>-----</td> <td>86.34</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>200</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	100.67	-----	-----	86.34	36.57	10.55	32.79	200	72 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5924.04	58.12	88.20	-30.08	43.96	36.49	10.44	32.77	200	72 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5985.00	100.67	-----	-----	86.34	36.57	10.55	32.79	200	72 PEAK																																																																				
<b>Avg</b>	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.44</td> <td>50.86</td> <td>68.20</td> <td>-17.34</td> <td>36.71</td> <td>36.49</td> <td>10.43</td> <td>32.77</td> <td>200</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5922.44	50.86	68.20	-17.34	36.71	36.49	10.43	32.77	200	72 AVERAGE	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.49</td> <td>-----</td> <td>-----</td> <td>80.16</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>200</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	94.49	-----	-----	80.16	36.57	10.55	32.79	200	72 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5922.44	50.86	68.20	-17.34	36.71	36.49	10.43	32.77	200	72 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5985.00	94.49	-----	-----	80.16	36.57	10.55	32.79	200	72 AVERAGE																																																																				



Mode	36																																																																																										
	Harmonic																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																										
ANT	CDD 6+17																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> </tr> </thead> <tbody> <tr> <td></td> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>11970.00</td> <td>47.06</td> <td>74.00</td> <td>-26.94</td> <td>57.92</td> <td>39.39</td> <td>13.22</td> <td>63.47</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17956.80</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>54.24</td> <td>42.65</td> <td>16.26</td> <td>65.68</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11970.00	47.06	74.00	-26.94	57.92	39.39	13.22	63.47	---	Peak	2	17956.80	47.47	74.00	-26.53	54.24	42.65	16.26	65.68	---	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> </tr> </thead> <tbody> <tr> <td></td> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>11970.00</td> <td>46.81</td> <td>74.00</td> <td>-27.19</td> <td>57.67</td> <td>39.39</td> <td>13.22</td> <td>63.47</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17955.00</td> <td>47.29</td> <td>74.00</td> <td>-26.71</td> <td>54.06</td> <td>42.65</td> <td>16.26</td> <td>65.68</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11970.00	46.81	74.00	-27.19	57.67	39.39	13.22	63.47	---	Peak	2	17955.00	47.29	74.00	-26.71	54.06	42.65	16.26	65.68	---
Limit	Read		Ant	Cable							Preamp	APos	TPos	Remark																																																																													
	Freq	Level			Line	Margin																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	11970.00	47.06	74.00	-26.94	57.92	39.39	13.22	63.47	---	Peak																																																																																	
2	17956.80	47.47	74.00	-26.53	54.24	42.65	16.26	65.68	---	Peak																																																																																	
Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level							Line	Margin																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	11970.00	46.81	74.00	-27.19	57.67	39.39	13.22	63.47	---	Peak																																																																																	
2	17955.00	47.29	74.00	-26.71	54.06	42.65	16.26	65.68	---	Peak																																																																																	



Mode	37																																																																					
	Harmonic																																																																					
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full RU_6145MHz																																																																					
ANT	CDD 6+17																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>44.98</td> <td>74.00</td> <td>-29.02</td> <td>55.65</td> <td>39.55</td> <td>13.33</td> <td>63.55</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12290.00	44.98	74.00	-29.02	55.65	39.55	13.33	63.55	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>46.41</td> <td>74.00</td> <td>-27.59</td> <td>57.08</td> <td>39.55</td> <td>13.33</td> <td>63.55</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12290.00	46.41	74.00	-27.59	57.08	39.55	13.33	63.55	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 12290.00	44.98	74.00	-29.02	55.65	39.55	13.33	63.55	--- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 12290.00	46.41	74.00	-27.59	57.08	39.55	13.33	63.55	--- Peak																																																														



Mode	38																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2024-05-01</p>	<p>Date: 2024-05-01</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>46.48</td> <td>88.20</td> <td>-41.72</td> <td>56.91</td> <td>39.78</td> <td>13.48</td> <td>63.69</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12770.00	46.48	88.20	-41.72	56.91	39.78	13.48	63.69	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>44.86</td> <td>88.20</td> <td>-43.34</td> <td>55.29</td> <td>39.78</td> <td>13.48</td> <td>63.69</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12770.00	44.86	88.20	-43.34	55.29	39.78	13.48	63.69
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12770.00	46.48	88.20	-41.72	56.91	39.78	13.48	63.69	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12770.00	44.86	88.20	-43.34	55.29	39.78	13.48	63.69	--- --- Peak																																																											



Mode	39																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12930.00</td> <td>47.54</td> <td>88.20</td> <td>-40.66</td> <td>57.87</td> <td>39.87</td> <td>13.54</td> <td>63.74</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12930.00	47.54	88.20	-40.66	57.87	39.87	13.54	63.74	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12930.00</td> <td>47.40</td> <td>88.20</td> <td>-40.80</td> <td>57.73</td> <td>39.87</td> <td>13.54</td> <td>63.74</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12930.00	47.40	88.20	-40.80	57.73	39.87	13.54	63.74
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12930.00	47.54	88.20	-40.66	57.87	39.87	13.54	63.74	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12930.00	47.40	88.20	-40.80	57.73	39.87	13.54	63.74	--- Peak																																																											