







		96																																																																														
Mode		Band Edge																																																																														
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz+BLE_2M_CH01+LTE B48 Link CO_TX																																																																														
ANT		7																																																																														
Pol.		Horizontal	Fundamental																																																																													
Peak	 <p>Date: 2024-05-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2344.44</td> <td>44.04</td> <td>74.00</td> <td>-29.96</td> <td>41.50</td> <td>30.73</td> <td>5.32</td> <td>33.51</td> <td>300</td> <td>35</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2344.44	44.04	74.00	-29.96	41.50	30.73	5.32	33.51	300	35	PEAK	 <p>Date: 2024-05-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>91.66</td> <td>-----</td> <td>-----</td> <td>89.11</td> <td>30.72</td> <td>5.37</td> <td>33.54</td> <td>300</td> <td>35</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2404.00	91.66	-----	-----	89.11	30.72	5.37	33.54	300	35	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2344.44	44.04	74.00	-29.96	41.50	30.73	5.32	33.51	300	35	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2404.00	91.66	-----	-----	89.11	30.72	5.37	33.54	300	35	PEAK																																																																					
Avg	 <p>Date: 2024-05-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2365.23</td> <td>35.98</td> <td>54.00</td> <td>-18.02</td> <td>33.43</td> <td>30.73</td> <td>5.34</td> <td>33.52</td> <td>300</td> <td>35</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2365.23	35.98	54.00	-18.02	33.43	30.73	5.34	33.52	300	35	AVERAGE	 <p>Date: 2024-05-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>89.78</td> <td>-----</td> <td>-----</td> <td>87.23</td> <td>30.72</td> <td>5.37</td> <td>33.54</td> <td>300</td> <td>35</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2404.00	89.78	-----	-----	87.23	30.72	5.37	33.54	300	35	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2365.23	35.98	54.00	-18.02	33.43	30.73	5.34	33.52	300	35	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2404.00	89.78	-----	-----	87.23	30.72	5.37	33.54	300	35	AVERAGE																																																																					



	96																																																																															
Mode	Band Edge																																																																															
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz+BLE_2M_CH01+LTE B48 Link CO_TX																																																																															
ANT	7																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-05-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2357.67</td> <td>43.89</td> <td>74.00</td> <td>-30.11</td> <td>41.34</td> <td>30.73</td> <td>5.33</td> <td>33.51</td> <td>400</td> <td>191</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2357.67	43.89	74.00	-30.11	41.34	30.73	5.33	33.51	400	191	PEAK	<p style="text-align: right;">Date: 2024-05-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>95.28</td> <td>-----</td> <td>-----</td> <td>92.73</td> <td>30.72</td> <td>5.37</td> <td>33.54</td> <td>400</td> <td>191</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	95.28	-----	-----	92.73	30.72	5.37	33.54	400	191	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2357.67	43.89	74.00	-30.11	41.34	30.73	5.33	33.51	400	191	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2404.00	95.28	-----	-----	92.73	30.72	5.37	33.54	400	191	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-05-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.45</td> <td>36.46</td> <td>54.00</td> <td>-17.54</td> <td>33.91</td> <td>30.73</td> <td>5.34</td> <td>33.52</td> <td>400</td> <td>191</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2363.45	36.46	54.00	-17.54	33.91	30.73	5.34	33.52	400	191	AVERAGE	<p style="text-align: right;">Date: 2024-05-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>93.39</td> <td>-----</td> <td>-----</td> <td>90.84</td> <td>30.72</td> <td>5.37</td> <td>33.54</td> <td>400</td> <td>191</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	93.39	-----	-----	90.84	30.72	5.37	33.54	400	191	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2363.45	36.46	54.00	-17.54	33.91	30.73	5.34	33.52	400	191	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2404.00	93.39	-----	-----	90.84	30.72	5.37	33.54	400	191	AVERAGE																																																																					



Mode	96																																																																																	
	Harmonic																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz+BLE_2M_CH01+LTE B48 Link CO_TX																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 4888.00</td> <td>46.67</td> <td>-27.33</td> <td>74.00</td> <td>34.79</td> <td>35.74</td> <td>8.88</td> <td>32.74</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 13970.00</td> <td>47.19</td> <td>-41.01</td> <td>88.20</td> <td>27.02</td> <td>40.39</td> <td>13.87</td> <td>34.09</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 4888.00	46.67	-27.33	74.00	34.79	35.74	8.88	32.74	---	--- Peak	2 13970.00	47.19	-41.01	88.20	27.02	40.39	13.87	34.09	---	--- Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 4888.00</td> <td>45.69</td> <td>-28.31</td> <td>74.00</td> <td>33.81</td> <td>35.74</td> <td>8.88</td> <td>32.74</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 13970.00</td> <td>46.98</td> <td>-41.22</td> <td>88.20</td> <td>26.81</td> <td>40.39</td> <td>13.87</td> <td>34.09</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 4888.00	45.69	-28.31	74.00	33.81	35.74	8.88	32.74	---	--- Peak	2 13970.00	46.98	-41.22	88.20	26.81	40.39	13.87	34.09	---	--- Peak
Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 * 4888.00	46.67	-27.33	74.00	34.79	35.74	8.88	32.74	---	--- Peak																																																																									
2 13970.00	47.19	-41.01	88.20	27.02	40.39	13.87	34.09	---	--- Peak																																																																									
Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 * 4888.00	45.69	-28.31	74.00	33.81	35.74	8.88	32.74	---	--- Peak																																																																									
2 13970.00	46.98	-41.22	88.20	26.81	40.39	13.87	34.09	---	--- Peak																																																																									


Note: the three highest signal over limit are co-location fundamental signals.



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	95.86	1.390	0.719	1KHz
802.11be EHT20	90.27	1.020	0.980	1KHz
802.11be EHT40	90.85	0.545	1.835	3KHz
802.11be EHT80	85.74	0.300	3.332	10KHZ
802.11be EHT160	76.64	0.180	5.552	10KHZ
802.11be EHT320	68.63	0.120	8.326	10KHZ
11be EHT20 Small RU 52+26	98.88	-	-	10Hz
802.11be EHT80 Puncturing 20M	97.58	1.754	0.570	1KHz
802.11be EHT20 Single RU 26	98.60	-	-	10Hz
802.11be EHT60 Puncturing 20M	93.81	0.768	1.302	3KHz
802.11be EHT60 Puncturing 40M	94.57	0.884	1.131	3KHz
802.11be EH320 Puncturing 40M	89.13	0.416	2.404	3KHz
802.11be EH320 Puncturing 80M	90.53	0.473	2.114	3KHz
802.11be EH320 Puncturing 120M	91.64	0.556	1.798	3KHz
802.11be80 484+242	96.72	1.710	0.585	1KHz
802.11be160-996+484	93.70	0.862	1.160	3KHz
802.11be320-996+996+484	91.40	0.542	1.845	3KHz

802.11a






802.11be EHT20




802.11be EHT40






802.11be EHT80




802.11be EHT160






802.11be EHT320




11be EHT20 Small RU 52+26



Date: 12.MAY.2024 01:33:18




802.11be EHT80 Puncturing 20M



Date: 12.MAY.2024 01:39:01


802.11be EHT20 Single RU 26



Date: 12.MAY.2024 01:24:29




802.11be EHT60 Puncturing 20M



Date: 12.MAY.2024 01:56:10


802.11be EHT60 Puncturing 40M



Date: 12.MAY.2024 01:57:37




802.11be EH320 Puncturing 40M



Date: 12.MAY.2024 02:01:22


802.11be EH320 Puncturing 80M



Date: 12.MAY.2024 02:04:07




802.11be EH320 Puncturing 120M



Date: 12.MAY.2024 02:06:30


802.11BE80 484+242



Date: 12.MAY.2024 01:42:01




802.11BE160-996+484



Date: 12.MAY.2024 01:49:04

802.11BE320-996+996+484



Date: 12.MAY.2024 02:26:53