





11BE20MIMO_Ant6_6535_26Tone_RU0



Date: 5.JUL.2024 12:17:55


11BE20MIMO_Ant6_6535_52Tone_RU37



Date: 5.JUL.2024 12:19:13




11BE20MIMO_Ant6_6535_106Tone_RU53



Date: 5.JUL.2024 12:20:37


11BE20MIMO_Ant17_6535_26Tone_RU0



Date: 5.JUL.2024 12:18:21




11BE20MIMO_Ant17_6535_52Tone_RU37



Date: 5.JUL.2024 12:19:38

11BE20MIMO_Ant17_6535_106Tone_RU53



Date: 5.JUL.2024 12:21:03



Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU37+RU2	6.50	-4.11	2.39	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	6.39	-4.11	2.28	≤17.00	PASS
	Ant17	5955	52Tone+26Tone	RU37+RU2	7.18	-4.11	3.07	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	7.20	-4.11	3.09	≤17.00	PASS
	total	5955	52Tone+26Tone	RU37+RU2	9.86	-1.10	8.76	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	9.82	-1.10	8.72	≤17.00	PASS
	Ant6	6535	52Tone+26Tone	RU37+RU2	5.20	-3.39	1.81	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.71	-3.39	2.32	≤17.00	PASS
	Ant17	6535	52Tone+26Tone	RU37+RU2	6.62	-3.39	3.23	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	6.99	-3.39	3.60	≤17.00	PASS
	total	6535	52Tone+26Tone	RU37+RU2	8.98	-0.38	8.60	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	9.41	-0.38	9.03	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant17_5955_52Tone+26Tone_RU37+RU2



Date: 17.MAY.2024 11:59:29


11BE20MIMO_Ant17_5955_106Tone+26Tone_RU53+RU4



Date: 17.MAY.2024 12:02:28




11BE20MIMO_Ant6_6535_52Tone+26Tone_RU37+RU2



Date: 17.MAY.2024 12:05:56


11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4



Date: 17.MAY.2024 12:04:31




11BE20MIMO_Ant17_6535_52Tone+26Tone_RU37+RU2



Date: 17.MAY.2024 12:06:29

11BE20MIMO_Ant17_6535_106Tone+26Tone_RU53+RU4



Date: 17.MAY.2024 12:05:04



< 802.11be EHT20 Large RU >

Maximum power spectral density



Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-8.41	-4.11	-12.52	≤17.00	PASS
			3*996Tone+484Tone	RU8	-8.49	-4.11	-12.60	≤17.00	PASS
	Ant17	6105	3*996Tone	RU4	-8.16	-4.11	-12.27	≤17.00	PASS
			3*996Tone+484Tone	RU8	-8.37	-4.11	-12.48	≤17.00	PASS
	total	6105	3*996Tone	RU4	-5.27	-1.10	-6.37	≤17.00	PASS
			3*996Tone+484Tone	RU8	-5.42	-1.10	-6.52	≤17.00	PASS
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	-1.57	-4.11	-5.68	≤17.00	PASS
	Ant17	5985	484Tone+242Tone	RU4	-1.17	-4.11	-5.28	≤17.00	PASS
	total	5985	484Tone+242Tone	RU4	1.64	-1.10	0.54	≤17.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-5.45	-4.11	-9.56	≤17.00	PASS
	Ant17	6025	996Tone+484Tone	RU4	-5.79	-4.11	-9.90	≤17.00	PASS
	total	6025	996Tone+484Tone	RU4	-2.61	-1.10	-3.71	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs





11BE320MIMO_Ant17_6105_3*996Tone_RU4



Date: 8.MAY.2024 20:32:08


11BE320MIMO_Ant17_6105_3*996Tone+484Tone_RU8



Date: 8.MAY.2024 20:27:49



11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant17_5985_484Tone+242Tone_RU4






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4



Date: 8.MAY.2024 19:55:06

11BE160MIMO_Ant17_6025_996Tone+484Tone_RU4



Date: 8.MAY.2024 19:55:18



< 802.11be EHT20 Puncturing >

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU2	-8.80	-4.11	-12.91	≤17.00	PASS
			Puncturing 80+40M	RU3	-8.32	-4.11	-12.43	≤17.00	PASS
			Puncturing 40M	RU8	-8.81	-4.11	-12.92	≤17.00	PASS
	Ant17	6105	Puncturing 80M	RU2	-8.29	-4.11	-12.40	≤17.00	PASS
			Puncturing 80+40M	RU3	-8.20	-4.11	-12.31	≤17.00	PASS
			Puncturing 40M	RU8	-8.57	-4.11	-12.68	≤17.00	PASS
	total	6105	Puncturing 80M	RU2	-5.53	-1.10	-6.63	≤17.00	PASS
			Puncturing 80+40M	RU3	-5.25	-1.10	-6.35	≤17.00	PASS
			Puncturing 40M	RU8	-5.68	-1.10	-6.78	≤17.00	PASS
11BE80 MIMO	Ant6	5985	Puncturing 20M	RU2	-1.20	-4.11	-5.31	≤17.00	PASS
	Ant17	5985	Puncturing 20M	RU2	-0.73	-4.11	-4.84	≤17.00	PASS
	total	5985	Puncturing 20M	RU2	2.05	-1.10	0.95	≤17.00	PASS
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU2	-5.18	-4.11	-9.29	≤17.00	PASS
			Puncturing 20M	RU8	-6.52	-4.11	-10.63	≤17.00	PASS
	Ant17	6025	Puncturing 40M	RU2	-5.54	-4.11	-9.65	≤17.00	PASS
			Puncturing 20M	RU8	-6.88	-4.11	-10.99	≤17.00	PASS
	total	6025	Puncturing 40M	RU2	-2.35	-1.10	-3.45	≤17.00	PASS
			Puncturing 20M	RU8	-3.69	-1.10	-4.79	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_Puncturing 40M_RU8



Date: 8.MAY.2024 00:57:10


11BE320MIMO_Ant17_6105_Puncturing 80M_RU2



Date: 8.MAY.2024 01:10:58




11BE320MIMO_Ant17_6105_Puncturing 80+40M_RU3



Date: 8.MAY.2024 01:21:55


11BE320MIMO_Ant17_6105_Puncturing 40M_RU8



Date: 8.MAY.2024 00:57:50




11BE80MIMO_Ant6_5985_Puncturing 20M_RU2



Date: 12.MAY.2024 06:36:11


11BE80MIMO_Ant17_5985_Puncturing 20M_RU2



Date: 12.MAY.2024 06:36:47




11BE160MIMO_Ant6_6025_Puncturing 40M_RU2



Date: 8.MAY.2024 00:45:08


11BE160MIMO_Ant6_6025_Puncturing 20M_RU8



Date: 8.MAY.2024 00:35:00




11BE160MIMO_Ant17_6025_Puncturing 40M_RU2



Date: 8.MAY.2024 00:45:48

11BE160MIMO_Ant17_6025_Puncturing 20M_RU8




Date: 8.MAY.2024 00:35:12



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
 Condition: FCC 15E_QP AC LISN 100063_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	25.10	-30.72	55.82	4.61	10.36	10.13	Average
2	0.15	36.30	-29.52	65.82	15.81	10.36	10.13	QP
3	0.18	26.65	-27.90	54.55	6.20	10.31	10.14	Average
4	0.18	34.75	-29.80	64.55	14.30	10.31	10.14	QP
5	0.20	26.02	-27.52	53.54	5.40	10.47	10.15	Average
6	0.20	34.82	-28.72	63.54	14.20	10.47	10.15	QP
7	0.60	30.62	-15.38	46.00	10.30	10.16	10.16	Average
8 *	0.60	41.92	-14.08	56.00	21.60	10.16	10.16	QP
9	0.69	20.91	-25.09	46.00	0.90	9.85	10.16	Average
10	0.69	32.11	-23.89	56.00	12.10	9.85	10.16	QP
11	0.99	23.62	-22.38	46.00	3.19	10.27	10.16	Average
12	0.99	34.92	-21.08	56.00	14.49	10.27	10.16	QP



Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15E QP AC LISN 100063 N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	27.36	-28.64	56.00	7.10	10.13	10.13	Average
2	0.15	36.36	-29.64	66.00	16.10	10.13	10.13	QP
3	0.17	24.44	-30.42	54.86	3.81	10.49	10.14	Average
4	0.17	36.84	-28.02	64.86	16.21	10.49	10.14	QP
5	0.19	21.80	-32.26	54.06	1.30	10.35	10.15	Average
6	0.19	30.50	-33.56	64.06	10.00	10.35	10.15	QP
7	0.55	28.60	-17.40	46.00	8.30	10.14	10.16	Average
8	0.55	40.70	-15.30	56.00	20.40	10.14	10.16	QP
9	0.60	30.51	-15.49	46.00	10.20	10.15	10.16	Average
10 *	0.60	41.21	-14.79	56.00	20.90	10.15	10.16	QP
11	1.00	21.48	-24.52	46.00	1.10	10.22	10.16	Average
12	1.00	35.58	-20.42	56.00	15.20	10.22	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Ch.	Freq.	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 6+17	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 6+17	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 6+17	802.11a	93	6415	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	CDD 6+17	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	CDD 6+17	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	CDD 6+17	802.11a	181	6855	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	45	6175	MCS0	-	-
Mode 15	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	93	6415	MCS0	-	-
Mode 19	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	117	6535	MCS0	-	-
Mode 20	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	3	5965	MCS0	-	-
Mode 26	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	43	6165	MCS0	-	-
Mode 27	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	91	6405	MCS0	-	-
Mode 30	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 36	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 45	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 50	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Full RU	-



Mode 51	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 64	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Single RU 52/37	-
Mode 66	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Small RU 52+26	-
Mode 68	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Puncturing 20M ②	-
Mode 70	U-NII-5	5.925-6.425	CDD 6+17	802.11be HT160	15	6025	MCS0	Puncturing 40M ②	-
Mode 72	U-NII-5	5.925-6.425	CDD 6+17	802.11be HT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 74	U-NII-5	5.925-6.425	CDD 6+17	802.11be HT320	31	6105	MCS0	Puncturing 80M+40M ③	-
Mode 76	U-NII-5	5.925-6.425	CDD 6+17	802.11be HT320	31	6105	MCS0	Puncturing 80M ②	-
Mode 78	U-NII-5	5.925-6.425	CDD 6+17	802.11be HT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 80	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 82	U-NII-5	5.925-6.425	CDD 6+17	802.11be HT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 85	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 86	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.84	45.01	68.20	-23.19	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	47.22	74.00	-26.78	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.12	74.00	-27.88	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.20	88.20	-41.00	H	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	47.31	88.20	-40.89	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.65	74.00	-27.35	H	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	46.55	88.20	-41.65	V	Peak	Pass	Harmonic
13	802.11be EHT20	1	5924.82	47.03	68.20	-21.17	H	AVERAGE	Pass	Band Edge
13	802.11be EHT20	1	17865.00	47.37	74.00	-26.63	H	Peak	Pass	Harmonic
14	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	45	12350.00	45.13	74.00	-28.87	H	Peak	Pass	Harmonic
15	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT20	93	12830.00	45.53	88.20	-42.67	V	Peak	Pass	Harmonic
19	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT20	117	13070.00	46.16	88.20	-42.04	V	Peak	Pass	Harmonic
20	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT20	149	13390.00	47.16	74.00	-26.84	V	Peak	Pass	Harmonic
21	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT20	181	13710.00	45.83	88.20	-42.37	H	Peak	Pass	Harmonic
25	802.11be EHT40	3	5923.88	53.58	68.20	-14.62	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	3	17895.00	47.47	74.00	-26.53	V	Peak	Pass	Harmonic
26	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	43	12330.00	46.13	74.00	-27.87	H	Peak	Pass	Harmonic
27	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	91	12810.00	45.88	88.20	-42.32	H	Peak	Pass	Harmonic
30	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT40	123	13130.00	47.28	88.20	-40.92	H	Peak	Pass	Harmonic
31	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT40	147	13370.00	47.41	74.00	-26.59	V	Peak	Pass	Harmonic
32	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
32	802.11be EHT40	179	13690.00	46.27	88.20	-41.93	V	Peak	Pass	Harmonic
36	802.11be EHT80	7	5925.00	51.15	68.20	-17.05	H	AVERAGE	Pass	Band Edge
36	802.11be EHT80	7	17956.80	47.47	74.00	-26.53	H	Peak	Pass	Harmonic
37	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT80	39	12290.00	46.41	74.00	-27.59	V	Peak	Pass	Harmonic
38	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT80	87	12770.00	46.48	88.20	-41.72	H	Peak	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	48.42	74.00	-25.58	H	Peak	Pass	Harmonic



41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	47.46	88.20	-40.74	H	Peak	Pass	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	167	13570.00	48.15	88.20	-40.05	V	Peak	Pass	Harmonic
45	802.11be EHT160	15	5908.44	50.31	68.20	-17.89	V	AVERAGE	Pass	Band Edge
45	802.11be EHT160	15	12050.00	47.58	74.00	-26.42	V	Peak	Pass	Harmonic
46	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT160	47	12370.00	47.09	74.00	-26.91	V	Peak	Pass	Harmonic
47	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT160	79	12690.00	46.67	74.00	-27.33	H	Peak	Pass	Harmonic
48	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	143	13330.00	47.28	74.00	-26.72	H	Peak	Pass	Harmonic
50	802.11be EHT320	31	5828.95	50.91	68.20	-17.29	V	AVERAGE	Pass	Band Edge
50	802.11be EHT320	31	12210.00	45.98	74.00	-28.02	V	Peak	Pass	Harmonic
51	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
51	802.11be EHT320	63	12530.00	46.61	74.00	-27.39	H	Peak	Pass	Harmonic
64	802.11be EHT20	1	5903.96	43.49	68.20	-24.71	H	AVERAGE	Pass	Band Edge
64	802.11be EHT20	1	17865.00	47.38	74.00	-26.62	H	Peak	Pass	Harmonic
66	802.11be EHT20	1	5897.94	43.72	68.20	-24.48	V	AVERAGE	Pass	Band Edge
66	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	7	5905.16	43.44	68.20	-24.76	V	AVERAGE	Pass	Band Edge
68	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	15	5903.12	44.95	68.20	-23.25	V	AVERAGE	Pass	Band Edge
70	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	15	5912.36	46.57	68.20	-21.63	V	AVERAGE	Pass	Band Edge
72	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	31	5917.69	45.86	68.20	-22.34	V	AVERAGE	Pass	Band Edge
74	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	31	5908.51	45.87	68.20	-22.33	V	AVERAGE	Pass	Band Edge
76	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT320	31	5913.87	45.48	68.20	-22.72	V	AVERAGE	Pass	Band Edge
78	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	7	5924.52	51.27	68.20	-16.93	V	AVERAGE	Pass	Band Edge
80	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	15	5844.32	47.77	68.20	-20.43	V	AVERAGE	Pass	Band Edge
82	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	191	7330.64	44.16	54.00	-9.84	H	AVERAGE	Pass	Band Edge
84	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	31	5912.34	55.43	68.20	-12.77	V	AVERAGE	Pass	Band Edge
85	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT320	31	5819.01	52.99	68.20	-15.21	V	AVERAGE	Pass	Band Edge
86	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic



1																																													
Mode	Band Edge																																												
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																												
ANT	CDD 6+17																																												
Pol.	Horizontal																																												
Peak	<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.28</td> <td>56.75</td> <td>88.20</td> <td>-31.45</td> <td>45.31</td> <td>35.15</td> <td>8.79</td> <td>32.50</td> <td>359</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5923.28	56.75	88.20	-31.45	45.31	35.15	8.79	32.50	359	136	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
cm	deg																																												
1	5923.28	56.75	88.20	-31.45	45.31	35.15	8.79	32.50	359	136	PEAK																																		
<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>102.00</td> <td>-----</td> <td>-----</td> <td>90.57</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>359</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	102.00	-----	-----	90.57	35.17	8.76	32.50	359	136	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
cm	deg																																												
1	5955.00	102.00	-----	-----	90.57	35.17	8.76	32.50	359	136	PEAK																																		
Avg	<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>44.51</td> <td>68.20</td> <td>-23.69</td> <td>33.06</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>359</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5924.84	44.51	68.20	-23.69	33.06	35.16	8.79	32.50	359	136	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
cm	deg																																												
1	5924.84	44.51	68.20	-23.69	33.06	35.16	8.79	32.50	359	136	AVERAGE																																		
<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.90</td> <td>-----</td> <td>-----</td> <td>84.47</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>359</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	95.90	-----	-----	84.47	35.17	8.76	32.50	359	136	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
cm	deg																																												
1	5955.00	95.90	-----	-----	84.47	35.17	8.76	32.50	359	136	AVERAGE																																		



1																																					
Mode	Band Edge																																				
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																				
ANT	CDD 6+17																																				
Pol.	Vertical																																				
Peak	<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.76</td> <td>56.94</td> <td>88.20</td> <td>-31.26</td> <td>45.50</td> <td>35.15</td> <td>8.79</td> <td>32.50</td> <td>307</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5922.76	56.94	88.20	-31.26	45.50	35.15	8.79	32.50	307	71	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5922.76	56.94	88.20	-31.26	45.50	35.15	8.79	32.50	307	71	PEAK																										
<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>102.79</td> <td>-----</td> <td>-----</td> <td>91.36</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>307</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5955.00	102.79	-----	-----	91.36	35.17	8.76	32.50	307	71	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5955.00	102.79	-----	-----	91.36	35.17	8.76	32.50	307	71	PEAK																										
Avg	<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>45.01</td> <td>68.20</td> <td>-23.19</td> <td>33.56</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>307</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.84	45.01	68.20	-23.19	33.56	35.16	8.79	32.50	307	71	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5924.84	45.01	68.20	-23.19	33.56	35.16	8.79	32.50	307	71	AVERAGE																										
<p style="text-align: right;">Date: 2024-04-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.24</td> <td>-----</td> <td>-----</td> <td>84.81</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>307</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5955.00	96.24	-----	-----	84.81	35.17	8.76	32.50	307	71	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5955.00	96.24	-----	-----	84.81	35.17	8.76	32.50	307	71	AVERAGE																										



Mode	1																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p style="text-align: right;">Date: 2024-05-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>45.46</td> <td>74.00</td> <td>-28.54</td> <td>56.39</td> <td>39.36</td> <td>13.18 63.47 --- --- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>53.54</td> <td>42.55</td> <td>16.20 65.63 --- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	11910.00	45.46	74.00	-28.54	56.39	39.36	13.18 63.47 --- --- Peak	2	17865.00	46.66	74.00	-27.34	53.54	42.55	16.20 65.63 --- --- Peak	<p style="text-align: right;">Date: 2024-05-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.22</td> <td>74.00</td> <td>-26.78</td> <td>58.15</td> <td>39.36</td> <td>13.18 63.47 --- --- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>53.13</td> <td>42.55</td> <td>16.20 65.63 --- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	11910.00	47.22	74.00	-26.78	58.15	39.36	13.18 63.47 --- --- Peak	2	17865.00	46.25	74.00	-27.75	53.13	42.55	16.20 65.63 --- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																											
1	11910.00	45.46	74.00	-28.54	56.39	39.36	13.18 63.47 --- --- Peak																																																																											
2	17865.00	46.66	74.00	-27.34	53.54	42.55	16.20 65.63 --- --- Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																											
1	11910.00	47.22	74.00	-26.78	58.15	39.36	13.18 63.47 --- --- Peak																																																																											
2	17865.00	46.25	74.00	-27.75	53.13	42.55	16.20 65.63 --- --- Peak																																																																											



Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak																																																																																																		
Avg																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.04</td> <td>74.00</td> <td>-28.96</td> <td>55.68</td> <td>39.58</td> <td>13.35</td> <td>63.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	45.04	74.00	-28.96	55.68	39.58	13.35	63.57							---	---								Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.12</td> <td>74.00</td> <td>-27.88</td> <td>56.76</td> <td>39.58</td> <td>13.35</td> <td>63.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	46.12	74.00	-27.88	56.76	39.58	13.35	63.57							---	---								Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 12350.00	45.04	74.00	-28.96	55.68	39.58	13.35	63.57																																																																																											
						---	---																																																																																											
							Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 12350.00	46.12	74.00	-27.88	56.76	39.58	13.35	63.57																																																																																											
						---	---																																																																																											
							Peak																																																																																											



Mode	3																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak																																																																																																		
Avg																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>47.20</td> <td>88.20</td> <td>-41.00</td> <td>57.59</td> <td>39.82</td> <td>13.50</td> <td>63.71</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	47.20	88.20	-41.00	57.59	39.82	13.50	63.71							---	---								Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>46.14</td> <td>88.20</td> <td>-42.06</td> <td>56.53</td> <td>39.82</td> <td>13.50</td> <td>63.71</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	46.14	88.20	-42.06	56.53	39.82	13.50	63.71							---	---								Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 12830.00	47.20	88.20	-41.00	57.59	39.82	13.50	63.71																																																																																											
						---	---																																																																																											
							Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 12830.00	46.14	88.20	-42.06	56.53	39.82	13.50	63.71																																																																																											
						---	---																																																																																											
							Peak																																																																																											



Mode	7																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.73</td> <td>88.20</td> <td>-41.47</td> <td>56.98</td> <td>39.94</td> <td>13.58</td> <td>63.77</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	46.73	88.20	-41.47	56.98	39.94	13.58	63.77	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>47.31</td> <td>88.20</td> <td>-40.89</td> <td>57.56</td> <td>39.94</td> <td>13.58</td> <td>63.77</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	47.31	88.20	-40.89	57.56	39.94	13.58	63.77
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13070.00	46.73	88.20	-41.47	56.98	39.94	13.58	63.77	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13070.00	47.31	88.20	-40.89	57.56	39.94	13.58	63.77	--- Peak																																																											







Mode	8																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>46.65</td> <td>74.00</td> <td>-27.35</td> <td>56.69</td> <td>40.10</td> <td>13.68</td> <td>63.82</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	46.65	74.00	-27.35	56.69	40.10	13.68	63.82	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.39</td> <td>74.00</td> <td>-28.61</td> <td>55.43</td> <td>40.10</td> <td>13.68</td> <td>63.82</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	45.39	74.00	-28.61	55.43	40.10	13.68	63.82	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13390.00	46.65	74.00	-27.35	56.69	40.10	13.68	63.82	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13390.00	45.39	74.00	-28.61	55.43	40.10	13.68	63.82	--- Peak																																																												







Mode	9																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>45.56</td> <td>88.20</td> <td>-42.64</td> <td>55.39</td> <td>40.26</td> <td>13.78</td> <td>63.87</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	45.56	88.20	-42.64	55.39	40.26	13.78	63.87	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>46.55</td> <td>88.20</td> <td>-41.65</td> <td>56.38</td> <td>40.26</td> <td>13.78</td> <td>63.87</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	46.55	88.20	-41.65	56.38	40.26	13.78	63.87
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	45.56	88.20	-42.64	55.39	40.26	13.78	63.87	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	46.55	88.20	-41.65	56.38	40.26	13.78	63.87	--- --- Peak																																																											



	13																																																																													
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a blue signal line and a red limit line. A peak is labeled 'PEAK_BE(U)NII_6E' at approximately 5937 MHz. The date is 2024-04-30.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.26</td> <td>57.54</td> <td>88.20</td> <td>-30.66</td> <td>43.38</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5924.26	57.54	88.20	-30.66	43.38	36.49	10.44	32.77	100	59 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a blue signal line and a red limit line. A peak is labeled 'PEAK_BE(U)NII_6E' at approximately 5955 MHz. The date is 2024-04-30.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.98</td> <td>-----</td> <td>-----</td> <td>91.71</td> <td>36.54</td> <td>10.51</td> <td>32.78</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5955.00	105.98	-----	-----	91.71	36.54	10.51	32.78	100	59 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5924.26	57.54	88.20	-30.66	43.38	36.49	10.44	32.77	100	59 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5955.00	105.98	-----	-----	91.71	36.54	10.51	32.78	100	59 PEAK																																																																				
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a blue signal line and a red limit line. A peak is labeled 'AVG_BE(U)NII_6E' at approximately 5937 MHz. The date is 2024-04-30.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.82</td> <td>47.03</td> <td>68.20</td> <td>-21.17</td> <td>32.87</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5924.82	47.03	68.20	-21.17	32.87	36.49	10.44	32.77	100	59 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a blue signal line and a red limit line. A peak is labeled 'AVG_BE(U)NII_6E' at approximately 5955 MHz. The date is 2024-04-30.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>98.44</td> <td>-----</td> <td>-----</td> <td>84.18</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5955.00	98.44	-----	-----	84.18	36.54	10.50	32.78	100	59 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5924.82	47.03	68.20	-21.17	32.87	36.49	10.44	32.77	100	59 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5955.00	98.44	-----	-----	84.18	36.54	10.50	32.78	100	59 AVERAGE																																																																				



13																																									
Mode	Band Edge																																								
U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																									
ANT	CDD 6+17																																								
Pol.	Vertical																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Date: 2024-04-30. The plot shows a signal level rising from approximately 52.5 dBuV/m at 5825 MHz to a peak of 109.75 dBuV/m at 5955 MHz. A red limit line is shown at 109.75 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.70</td> <td>58.70</td> <td>88.20</td> <td>-29.50</td> <td>44.54</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>232</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.70	58.70	88.20	-29.50	44.54	36.49	10.44	32.77	232	89	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5923.70	58.70	88.20	-29.50	44.54	36.49	10.44	32.77	232	89	PEAK																														
 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Date: 2024-04-30. The plot shows a signal level rising from approximately 52.5 dBuV/m at 1000 MHz to a peak of 109.75 dBuV/m at 5955 MHz. A red limit line is shown at 109.75 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>109.75</td> <td>-----</td> <td>-----</td> <td>95.49</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>232</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.75	-----	-----	95.49	36.54	10.50	32.78	232	89	PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5955.00	109.75	-----	-----	95.49	36.54	10.50	32.78	232	89	PEAK																														
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Date: 2024-04-30. The plot shows an average signal level rising from approximately 47.02 dBuV/m at 5825 MHz to an average of 101.78 dBuV/m at 5955 MHz. A red limit line is shown at 101.78 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.12</td> <td>47.02</td> <td>68.20</td> <td>-21.18</td> <td>32.86</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>232</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	47.02	68.20	-21.18	32.86	36.49	10.44	32.77	232	89	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5924.12	47.02	68.20	-21.18	32.86	36.49	10.44	32.77	232	89	AVERAGE																														
 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Date: 2024-04-30. The plot shows an average signal level rising from approximately 47.02 dBuV/m at 1000 MHz to an average of 101.78 dBuV/m at 5955 MHz. A red limit line is shown at 101.78 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>101.78</td> <td>-----</td> <td>-----</td> <td>87.52</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>232</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.78	-----	-----	87.52	36.54	10.50	32.78	232	89	AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5955.00	101.78	-----	-----	87.52	36.54	10.50	32.78	232	89	AVERAGE																														



Mode	13																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>56.18</td> <td>39.36</td> <td>13.18</td> <td>63.47</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.37</td> <td>74.00</td> <td>-26.63</td> <td>54.25</td> <td>42.55</td> <td>16.20</td> <td>65.63</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11910.00	45.25	74.00	-28.75	56.18	39.36	13.18	63.47	--- Peak	2	17865.00	47.37	74.00	-26.63	54.25	42.55	16.20	65.63	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>46.50</td> <td>74.00</td> <td>-27.50</td> <td>57.43</td> <td>39.36</td> <td>13.18</td> <td>63.47</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>46.26</td> <td>74.00</td> <td>-27.74</td> <td>53.14</td> <td>42.55</td> <td>16.20</td> <td>65.63</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11910.00	46.50	74.00	-27.50	57.43	39.36	13.18	63.47	--- Peak	2	17865.00	46.26	74.00	-27.74	53.14	42.55	16.20	65.63
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11910.00	45.25	74.00	-28.75	56.18	39.36	13.18	63.47	--- Peak																																																																																						
2	17865.00	47.37	74.00	-26.63	54.25	42.55	16.20	65.63	--- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11910.00	46.50	74.00	-27.50	57.43	39.36	13.18	63.47	--- Peak																																																																																						
2	17865.00	46.26	74.00	-27.74	53.14	42.55	16.20	65.63	--- Peak																																																																																						



Mode	14																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_6175MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>55.77</td> <td>39.58</td> <td>13.35</td> <td>63.57</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	45.13	74.00	-28.87	55.77	39.58	13.35	63.57	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>43.89</td> <td>74.00</td> <td>-30.11</td> <td>54.53</td> <td>39.58</td> <td>13.35</td> <td>63.57</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	43.89	74.00	-30.11	54.53	39.58	13.35	63.57
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12350.00	45.13	74.00	-28.87	55.77	39.58	13.35	63.57	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12350.00	43.89	74.00	-30.11	54.53	39.58	13.35	63.57	--- Peak																																																											



Mode	15																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.37</td> <td>88.20</td> <td>-42.83</td> <td>55.76</td> <td>39.82</td> <td>13.50</td> <td>63.71</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	45.37	88.20	-42.83	55.76	39.82	13.50	63.71	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.53</td> <td>88.20</td> <td>-42.67</td> <td>55.92</td> <td>39.82</td> <td>13.50</td> <td>63.71</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	45.53	88.20	-42.67	55.92	39.82	13.50	63.71
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12830.00	45.37	88.20	-42.83	55.76	39.82	13.50	63.71	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12830.00	45.53	88.20	-42.67	55.92	39.82	13.50	63.71	--- Peak																																																											



Mode	19																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>45.24</td> <td>88.20</td> <td>-42.96</td> <td>55.49</td> <td>39.94</td> <td>13.58</td> <td>63.77</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	45.24	88.20	-42.96	55.49	39.94	13.58	63.77	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.16</td> <td>88.20</td> <td>-42.04</td> <td>56.41</td> <td>39.94</td> <td>13.58</td> <td>63.77</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	46.16	88.20	-42.04	56.41	39.94	13.58	63.77	--- --- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13070.00	45.24	88.20	-42.96	55.49	39.94	13.58	63.77	--- --- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13070.00	46.16	88.20	-42.04	56.41	39.94	13.58	63.77	--- --- Peak																																																												







Mode	20																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.91</td> <td>74.00</td> <td>-28.09</td> <td>55.95</td> <td>40.10</td> <td>13.68</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	45.91	74.00	-28.09	55.95	40.10	13.68	63.82	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.16</td> <td>74.00</td> <td>-26.84</td> <td>57.20</td> <td>40.10</td> <td>13.68</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	47.16	74.00	-26.84	57.20	40.10	13.68	63.82
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13390.00	45.91	74.00	-28.09	55.95	40.10	13.68	63.82	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13390.00	47.16	74.00	-26.84	57.20	40.10	13.68	63.82	--- --- Peak																																																											



	21																																																																		
Mode	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>45.83</td> <td>88.20</td> <td>-42.37</td> <td>55.66</td> <td>40.26</td> <td>13.78</td> <td>63.87</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	45.83	88.20	-42.37	55.66	40.26	13.78	63.87	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>45.51</td> <td>88.20</td> <td>-42.69</td> <td>55.34</td> <td>40.26</td> <td>13.78</td> <td>63.87</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	45.51	88.20	-42.69	55.34	40.26	13.78	63.87
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	45.83	88.20	-42.37	55.66	40.26	13.78	63.87	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	45.51	88.20	-42.69	55.34	40.26	13.78	63.87	--- --- Peak																																																											



		25																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.36</td> <td>63.66</td> <td>88.20</td> <td>-24.54</td> <td>49.50</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	63.66	88.20	-24.54	49.50	36.49	10.44	32.77	100	54 PEAK	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>104.48</td> <td>-----</td> <td>-----</td> <td>90.21</td> <td>36.54</td> <td>10.51</td> <td>32.78</td> <td>100</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.48	-----	-----	90.21	36.54	10.51	32.78	100	54 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5924.36	63.66	88.20	-24.54	49.50	36.49	10.44	32.77	100	54 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5965.00	104.48	-----	-----	90.21	36.54	10.51	32.78	100	54 PEAK																																																																				
Avg	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.88</td> <td>53.58</td> <td>68.20</td> <td>-14.62</td> <td>39.42</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	53.58	68.20	-14.62	39.42	36.49	10.44	32.77	100	54 AVERAGE	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>97.61</td> <td>-----</td> <td>-----</td> <td>83.32</td> <td>36.55</td> <td>10.53</td> <td>32.79</td> <td>100</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	97.61	-----	-----	83.32	36.55	10.53	32.79	100	54 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5923.88	53.58	68.20	-14.62	39.42	36.49	10.44	32.77	100	54 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5965.00	97.61	-----	-----	83.32	36.55	10.53	32.79	100	54 AVERAGE																																																																				



		25																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																															
ANT	CDD 6+17																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.88</td> <td>64.04</td> <td>88.20</td> <td>-24.16</td> <td>49.88</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>200</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	64.04	88.20	-24.16	49.88	36.49	10.44	32.77	200	74 PEAK	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>104.76</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>36.54</td> <td>10.51</td> <td>32.78</td> <td>200</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.76	-----	-----	90.49	36.54	10.51	32.78	200	74 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5923.88	64.04	88.20	-24.16	49.88	36.49	10.44	32.77	200	74 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5965.00	104.76	-----	-----	90.49	36.54	10.51	32.78	200	74 PEAK																																																																						
Avg	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.88</td> <td>52.59</td> <td>68.20</td> <td>-15.61</td> <td>38.43</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>200</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	52.59	68.20	-15.61	38.43	36.49	10.44	32.77	200	74 AVERAGE	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>96.75</td> <td>-----</td> <td>-----</td> <td>82.46</td> <td>36.55</td> <td>10.53</td> <td>32.79</td> <td>200</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.75	-----	-----	82.46	36.55	10.53	32.79	200	74 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5923.88	52.59	68.20	-15.61	38.43	36.49	10.44	32.77	200	74 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5965.00	96.75	-----	-----	82.46	36.55	10.53	32.79	200	74 AVERAGE																																																																						



Mode	25																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>56.47</td> <td>39.37</td> <td>13.19</td> <td>63.47</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>46.02</td> <td>74.00</td> <td>-27.98</td> <td>52.87</td> <td>42.58</td> <td>16.22</td> <td>65.65</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11930.00	45.56	74.00	-28.44	56.47	39.37	13.19	63.47	--- Peak	2	17895.00	46.02	74.00	-27.98	52.87	42.58	16.22	65.65	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>55.67</td> <td>39.37</td> <td>13.19</td> <td>63.47</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>54.32</td> <td>42.58</td> <td>16.22</td> <td>65.65</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11930.00	44.76	74.00	-29.24	55.67	39.37	13.19	63.47	--- Peak	2	17895.00	47.47	74.00	-26.53	54.32	42.58	16.22	65.65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11930.00	45.56	74.00	-28.44	56.47	39.37	13.19	63.47	--- Peak																																																																																						
2	17895.00	46.02	74.00	-27.98	52.87	42.58	16.22	65.65	--- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11930.00	44.76	74.00	-29.24	55.67	39.37	13.19	63.47	--- Peak																																																																																						
2	17895.00	47.47	74.00	-26.53	54.32	42.58	16.22	65.65	--- Peak																																																																																						



Mode	26																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_6165MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>46.13</td> <td>74.00</td> <td>-27.87</td> <td>56.78</td> <td>39.57</td> <td>13.35</td> <td>63.57</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12330.00	46.13	74.00	-27.87	56.78	39.57	13.35	63.57	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>43.38</td> <td>74.00</td> <td>-30.62</td> <td>54.03</td> <td>39.57</td> <td>13.35</td> <td>63.57</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12330.00	43.38	74.00	-30.62	54.03	39.57	13.35	63.57
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12330.00	46.13	74.00	-27.87	56.78	39.57	13.35	63.57	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12330.00	43.38	74.00	-30.62	54.03	39.57	13.35	63.57	--- Peak																																																											



Mode	27																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>45.88</td> <td>88.20</td> <td>-42.32</td> <td>56.27</td> <td>39.81</td> <td>13.50</td> <td>63.70</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	45.88	88.20	-42.32	56.27	39.81	13.50	63.70	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>43.33</td> <td>88.20</td> <td>-44.87</td> <td>53.72</td> <td>39.81</td> <td>13.50</td> <td>63.70</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	43.33	88.20	-44.87	53.72	39.81	13.50	63.70
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12810.00	45.88	88.20	-42.32	56.27	39.81	13.50	63.70	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12810.00	43.33	88.20	-44.87	53.72	39.81	13.50	63.70	--- Peak																																																											



Mode	30																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>47.28</td> <td>88.20</td> <td>-40.92</td> <td>57.49</td> <td>39.97</td> <td>13.60</td> <td>63.78</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	47.28	88.20	-40.92	57.49	39.97	13.60	63.78	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>46.95</td> <td>88.20</td> <td>-41.25</td> <td>57.16</td> <td>39.97</td> <td>13.60</td> <td>63.78</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	46.95	88.20	-41.25	57.16	39.97	13.60	63.78
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13130.00	47.28	88.20	-40.92	57.49	39.97	13.60	63.78	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13130.00	46.95	88.20	-41.25	57.16	39.97	13.60	63.78	--- --- Peak																																																											



	31																																																																		
Mode	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>55.93</td> <td>40.09</td> <td>13.67</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	45.87	74.00	-28.13	55.93	40.09	13.67	63.82	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>47.41</td> <td>74.00</td> <td>-26.59</td> <td>57.47</td> <td>40.09</td> <td>13.67</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	47.41	74.00	-26.59	57.47	40.09	13.67	63.82
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13370.00	45.87	74.00	-28.13	55.93	40.09	13.67	63.82	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13370.00	47.41	74.00	-26.59	57.47	40.09	13.67	63.82	--- --- Peak																																																											



Mode	32																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>45.43</td> <td>88.20</td> <td>-42.77</td> <td>55.26</td> <td>40.25</td> <td>13.78</td> <td>63.86</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13690.00	45.43	88.20	-42.77	55.26	40.25	13.78	63.86	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>46.27</td> <td>88.20</td> <td>-41.93</td> <td>56.10</td> <td>40.25</td> <td>13.78</td> <td>63.86</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13690.00	46.27	88.20	-41.93	56.10	40.25	13.78	63.86
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13690.00	45.43	88.20	-42.77	55.26	40.25	13.78	63.86	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13690.00	46.27	88.20	-41.93	56.10	40.25	13.78	63.86	--- Peak																																																											



	36																																																																													
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.72</td> <td>58.97</td> <td>88.20</td> <td>-29.23</td> <td>44.81</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	58.97	88.20	-29.23	44.81	36.49	10.44	32.77	100	57 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>100.57</td> <td>-----</td> <td>-----</td> <td>86.24</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>100</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.57	-----	-----	86.24	36.57	10.55	32.79	100	57 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5923.72	58.97	88.20	-29.23	44.81	36.49	10.44	32.77	100	57 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5985.00	100.57	-----	-----	86.24	36.57	10.55	32.79	100	57 PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>51.15</td> <td>68.20</td> <td>-17.05</td> <td>36.99</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	51.15	68.20	-17.05	36.99	36.49	10.44	32.77	100	57 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.04</td> <td>-----</td> <td>-----</td> <td>79.71</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>100</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.04	-----	-----	79.71	36.57	10.55	32.79	100	57 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5925.00	51.15	68.20	-17.05	36.99	36.49	10.44	32.77	100	57 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5985.00	94.04	-----	-----	79.71	36.57	10.55	32.79	100	57 AVERAGE																																																																				



36																																							
Mode	Band Edge																																						
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																						
ANT	CDD 6+17																																						
Pol.	Vertical																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.04</td> <td>58.12</td> <td>88.20</td> <td>-30.08</td> <td>43.96</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>200</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5924.04	58.12	88.20	-30.08	43.96	36.49	10.44	32.77	200	72 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	5924.04	58.12	88.20	-30.08	43.96	36.49	10.44	32.77	200	72 PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>100.67</td> <td>-----</td> <td>-----</td> <td>86.34</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>200</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5985.00	100.67	-----	-----	86.34	36.57	10.55	32.79	200	72 PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	5985.00	100.67	-----	-----	86.34	36.57	10.55	32.79	200	72 PEAK																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.44</td> <td>50.86</td> <td>68.20</td> <td>-17.34</td> <td>36.71</td> <td>36.49</td> <td>10.43</td> <td>32.77</td> <td>200</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5922.44	50.86	68.20	-17.34	36.71	36.49	10.43	32.77	200	72 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	5922.44	50.86	68.20	-17.34	36.71	36.49	10.43	32.77	200	72 AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.49</td> <td>-----</td> <td>-----</td> <td>80.16</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>200</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5985.00	94.49	-----	-----	80.16	36.57	10.55	32.79	200	72 AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	5985.00	94.49	-----	-----	80.16	36.57	10.55	32.79	200	72 AVERAGE																													



Mode	36																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>47.06</td> <td>74.00</td> <td>-26.94</td> <td>57.92</td> <td>39.39</td> <td>13.22</td> <td>63.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17956.80</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>54.24</td> <td>42.65</td> <td>16.26</td> <td>65.68</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11970.00	47.06	74.00	-26.94	57.92	39.39	13.22	63.47	---	---	Peak	2	17956.80	47.47	74.00	-26.53	54.24	42.65	16.26	65.68	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>46.81</td> <td>74.00</td> <td>-27.19</td> <td>57.67</td> <td>39.39</td> <td>13.22</td> <td>63.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17955.00</td> <td>47.29</td> <td>74.00</td> <td>-26.71</td> <td>54.06</td> <td>42.65</td> <td>16.26</td> <td>65.68</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11970.00	46.81	74.00	-27.19	57.67	39.39	13.22	63.47	---	---	Peak	2	17955.00	47.29	74.00	-26.71	54.06	42.65	16.26	65.68	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11970.00	47.06	74.00	-26.94	57.92	39.39	13.22	63.47	---	---	Peak																																																																																							
2	17956.80	47.47	74.00	-26.53	54.24	42.65	16.26	65.68	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11970.00	46.81	74.00	-27.19	57.67	39.39	13.22	63.47	---	---	Peak																																																																																							
2	17955.00	47.29	74.00	-26.71	54.06	42.65	16.26	65.68	---	---	Peak																																																																																							



Mode	37																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full RU_6145MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>44.98</td> <td>74.00</td> <td>-29.02</td> <td>55.65</td> <td>39.55</td> <td>13.33</td> <td>63.55</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12290.00	44.98	74.00	-29.02	55.65	39.55	13.33	63.55	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>46.41</td> <td>74.00</td> <td>-27.59</td> <td>57.08</td> <td>39.55</td> <td>13.33</td> <td>63.55</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12290.00	46.41	74.00	-27.59	57.08	39.55	13.33	63.55
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12290.00	44.98	74.00	-29.02	55.65	39.55	13.33	63.55	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12290.00	46.41	74.00	-27.59	57.08	39.55	13.33	63.55	--- Peak																																																											



Mode	38																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>46.48</td> <td>88.20</td> <td>-41.72</td> <td>56.91</td> <td>39.78</td> <td>13.48</td> <td>63.69</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12770.00	46.48	88.20	-41.72	56.91	39.78	13.48	63.69	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>44.86</td> <td>88.20</td> <td>-43.34</td> <td>55.29</td> <td>39.78</td> <td>13.48</td> <td>63.69</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12770.00	44.86	88.20	-43.34	55.29	39.78	13.48	63.69
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12770.00	46.48	88.20	-41.72	56.91	39.78	13.48	63.69	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12770.00	44.86	88.20	-43.34	55.29	39.78	13.48	63.69	--- --- Peak																																																											



Mode	40																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>48.42</td> <td>74.00</td> <td>-25.58</td> <td>58.55</td> <td>40.03</td> <td>13.64</td> <td>63.80</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13250.00	48.42	74.00	-25.58	58.55	40.03	13.64	63.80	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>47.16</td> <td>74.00</td> <td>-26.84</td> <td>57.29</td> <td>40.03</td> <td>13.64</td> <td>63.80</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13250.00	47.16	74.00	-26.84	57.29	40.03	13.64	63.80
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13250.00	48.42	74.00	-25.58	58.55	40.03	13.64	63.80	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13250.00	47.16	74.00	-26.84	57.29	40.03	13.64	63.80	--- --- Peak																																																											







Mode	41																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13410.00</td> <td>47.46</td> <td>88.20</td> <td>-40.74</td> <td>57.48</td> <td>40.11</td> <td>13.69</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13410.00	47.46	88.20	-40.74	57.48	40.11	13.69	63.82	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13410.00</td> <td>47.43</td> <td>88.20</td> <td>-40.77</td> <td>57.45</td> <td>40.11</td> <td>13.69</td> <td>63.82</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13410.00	47.43	88.20	-40.77	57.45	40.11	13.69	63.82
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13410.00	47.46	88.20	-40.74	57.48	40.11	13.69	63.82	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13410.00	47.43	88.20	-40.77	57.45	40.11	13.69	63.82	--- --- Peak																																																											



Mode	42																																																																																	
	Harmonic																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13570.00</td> <td>47.85</td> <td>88.20</td> <td>-40.35</td> <td>57.77</td> <td>40.19</td> <td>13.74</td> <td>63.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13570.00	47.85	88.20	-40.35	57.77	40.19	13.74	63.85								--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13570.00</td> <td>48.15</td> <td>88.20</td> <td>-40.05</td> <td>58.07</td> <td>40.19</td> <td>13.74</td> <td>63.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13570.00	48.15	88.20	-40.05	58.07	40.19	13.74	63.85								--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 13570.00	47.85	88.20	-40.35	57.77	40.19	13.74	63.85																																																																											
							--- Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 13570.00	48.15	88.20	-40.05	58.07	40.19	13.74	63.85																																																																											
							--- Peak																																																																											



		45																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																															
ANT	CDD 6+17																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. Date: 2024-04-30. Peak at 5909.28 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.28</td> <td>55.13</td> <td>88.20</td> <td>-33.07</td> <td>41.01</td> <td>36.47</td> <td>10.41</td> <td>32.76</td> <td>200</td> <td>37</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5909.28	55.13	88.20	-33.07	41.01	36.47	10.41	32.76	200	37	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. Date: 2024-04-30. Peak at 6025.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>96.88</td> <td>-----</td> <td>-----</td> <td>82.50</td> <td>36.62</td> <td>10.60</td> <td>32.84</td> <td>200</td> <td>37</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	96.88	-----	-----	82.50	36.62	10.60	32.84	200	37	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5909.28	55.13	88.20	-33.07	41.01	36.47	10.41	32.76	200	37	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	96.88	-----	-----	82.50	36.62	10.60	32.84	200	37	PEAK																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. Date: 2024-04-30. Avg at 5909.84 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.84</td> <td>49.23</td> <td>68.20</td> <td>-18.97</td> <td>35.11</td> <td>36.47</td> <td>10.41</td> <td>32.76</td> <td>200</td> <td>37</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5909.84	49.23	68.20	-18.97	35.11	36.47	10.41	32.76	200	37	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. Date: 2024-04-30. Avg at 6025.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>90.17</td> <td>-----</td> <td>-----</td> <td>75.79</td> <td>36.60</td> <td>10.59</td> <td>32.81</td> <td>200</td> <td>37</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.17	-----	-----	75.79	36.60	10.59	32.81	200	37	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5909.84	49.23	68.20	-18.97	35.11	36.47	10.41	32.76	200	37	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	90.17	-----	-----	75.79	36.60	10.59	32.81	200	37	AVERAGE																																																																					



		45																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.80</td> <td>56.59</td> <td>88.20</td> <td>-31.61</td> <td>42.44</td> <td>36.49</td> <td>10.43</td> <td>32.77</td> <td>231</td> <td>85 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5918.80	56.59	88.20	-31.61	42.44	36.49	10.43	32.77	231	85 PEAK	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>98.04</td> <td>-----</td> <td>-----</td> <td>83.66</td> <td>36.61</td> <td>10.59</td> <td>32.82</td> <td>231</td> <td>85 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.04	-----	-----	83.66	36.61	10.59	32.82	231	85 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5918.80	56.59	88.20	-31.61	42.44	36.49	10.43	32.77	231	85 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	98.04	-----	-----	83.66	36.61	10.59	32.82	231	85 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5908.44</td> <td>50.31</td> <td>68.20</td> <td>-17.89</td> <td>36.20</td> <td>36.47</td> <td>10.40</td> <td>32.76</td> <td>231</td> <td>85 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.44	50.31	68.20	-17.89	36.20	36.47	10.40	32.76	231	85 AVERAGE	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>90.25</td> <td>-----</td> <td>-----</td> <td>75.87</td> <td>36.61</td> <td>10.59</td> <td>32.82</td> <td>231</td> <td>85 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.25	-----	-----	75.87	36.61	10.59	32.82	231	85 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5908.44	50.31	68.20	-17.89	36.20	36.47	10.40	32.76	231	85 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	90.25	-----	-----	75.87	36.61	10.59	32.82	231	85 AVERAGE																																																																				



Mode	45																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>46.72</td> <td>74.00</td> <td>-27.28</td> <td>57.51</td> <td>39.43</td> <td>13.26</td> <td>63.48</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12050.00	46.72	74.00	-27.28	57.51	39.43	13.26	63.48	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>47.58</td> <td>74.00</td> <td>-26.42</td> <td>58.37</td> <td>39.43</td> <td>13.26</td> <td>63.48</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12050.00	47.58	74.00	-26.42	58.37	39.43	13.26	63.48
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12050.00	46.72	74.00	-27.28	57.51	39.43	13.26	63.48	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12050.00	47.58	74.00	-26.42	58.37	39.43	13.26	63.48	--- --- Peak																																																											



Mode	46																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12370.00</td> <td>45.77</td> <td>74.00</td> <td>-28.23</td> <td>56.40</td> <td>39.59</td> <td>13.36</td> <td>63.58</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	45.77	74.00	-28.23	56.40	39.59	13.36	63.58	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12370.00</td> <td>47.09</td> <td>74.00</td> <td>-26.91</td> <td>57.72</td> <td>39.59</td> <td>13.36</td> <td>63.58</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	47.09	74.00	-26.91	57.72	39.59	13.36	63.58	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12370.00	45.77	74.00	-28.23	56.40	39.59	13.36	63.58	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12370.00	47.09	74.00	-26.91	57.72	39.59	13.36	63.58	--- Peak																																																												







	47																																																																																
Mode	Harmonic																																																																																
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																
ANT	CDD 6+17																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12690.00</td> <td>46.67</td> <td>74.00</td> <td>-27.33</td> <td>57.13</td> <td>39.75</td> <td>13.46</td> <td>63.67</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12690.00	46.67	74.00	-27.33	57.13	39.75	13.46	63.67								--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12690.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>56.71</td> <td>39.75</td> <td>13.46</td> <td>63.67</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12690.00	46.25	74.00	-27.75	56.71	39.75	13.46	63.67							
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 12690.00	46.67	74.00	-27.33	57.13	39.75	13.46	63.67																																																																										
							--- --- Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 12690.00	46.25	74.00	-27.75	56.71	39.75	13.46	63.67																																																																										
							--- --- Peak																																																																										



Mode	48																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>47.28</td> <td>74.00</td> <td>-26.72</td> <td>57.36</td> <td>40.07</td> <td>13.66</td> <td>63.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13330.00	47.28	74.00	-26.72	57.36	40.07	13.66	63.81	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>46.77</td> <td>74.00</td> <td>-27.23</td> <td>56.85</td> <td>40.07</td> <td>13.66</td> <td>63.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13330.00	46.77	74.00	-27.23	56.85	40.07	13.66	63.81	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13330.00	47.28	74.00	-26.72	57.36	40.07	13.66	63.81	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13330.00	46.77	74.00	-27.23	56.85	40.07	13.66	63.81	--- Peak																																																												



		50																																																																												
Mode		Band Edge																																																																												
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																												
ANT		CDD 6+17																																																																												
Pol.	Horizontal	Fundamental																																																																												
Peak	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5830.48</td> <td>55.33</td> <td>88.20</td> <td>-32.87</td> <td>41.46</td> <td>36.36</td> <td>10.24</td> <td>32.73</td> <td>100</td> <td>44 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5830.48	55.33	88.20	-32.87	41.46	36.36	10.24	32.73	100	44 PEAK	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>94.59</td> <td>-----</td> <td>-----</td> <td>80.21</td> <td>36.64</td> <td>10.63</td> <td>32.89</td> <td>100</td> <td>44 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	94.59	-----	-----	80.21	36.64	10.63	32.89	100	44 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5830.48	55.33	88.20	-32.87	41.46	36.36	10.24	32.73	100	44 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	94.59	-----	-----	80.21	36.64	10.63	32.89	100	44 PEAK																																																																				
Avg	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5809.83</td> <td>49.28</td> <td>68.20</td> <td>-18.92</td> <td>35.47</td> <td>36.33</td> <td>10.20</td> <td>32.72</td> <td>100</td> <td>44 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5809.83	49.28	68.20	-18.92	35.47	36.33	10.20	32.72	100	44 AVERAGE	 <p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>86.20</td> <td>-----</td> <td>-----</td> <td>71.82</td> <td>36.64</td> <td>10.62</td> <td>32.88</td> <td>100</td> <td>44 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	86.20	-----	-----	71.82	36.64	10.62	32.88	100	44 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5809.83	49.28	68.20	-18.92	35.47	36.33	10.20	32.72	100	44 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	86.20	-----	-----	71.82	36.64	10.62	32.88	100	44 AVERAGE																																																																				



		50																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5809.06</td> <td>57.51</td> <td>88.20</td> <td>-30.69</td> <td>43.70</td> <td>36.33</td> <td>10.20</td> <td>32.72</td> <td>300</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5809.06	57.51	88.20	-30.69	43.70	36.33	10.20	32.72	300	74 PEAK	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>94.20</td> <td>-----</td> <td>-----</td> <td>79.82</td> <td>36.65</td> <td>10.64</td> <td>32.91</td> <td>300</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	94.20	-----	-----	79.82	36.65	10.64	32.91	300	74 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5809.06	57.51	88.20	-30.69	43.70	36.33	10.20	32.72	300	74 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	94.20	-----	-----	79.82	36.65	10.64	32.91	300	74 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5828.95</td> <td>50.91</td> <td>68.20</td> <td>-17.29</td> <td>37.04</td> <td>36.36</td> <td>10.24</td> <td>32.73</td> <td>300</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5828.95	50.91	68.20	-17.29	37.04	36.36	10.24	32.73	300	74 AVERAGE	<p style="text-align: right;">Date: 2024-04-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>85.87</td> <td>-----</td> <td>-----</td> <td>71.48</td> <td>36.65</td> <td>10.63</td> <td>32.89</td> <td>300</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	85.87	-----	-----	71.48	36.65	10.63	32.89	300	74 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5828.95	50.91	68.20	-17.29	37.04	36.36	10.24	32.73	300	74 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	85.87	-----	-----	71.48	36.65	10.63	32.89	300	74 AVERAGE																																																																				







Mode	50																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12210.00</td> <td>45.93</td> <td>74.00</td> <td>-28.07</td> <td>56.64</td> <td>39.51</td> <td>13.31</td> <td>63.53</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12210.00	45.93	74.00	-28.07	56.64	39.51	13.31	63.53	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12210.00</td> <td>45.98</td> <td>74.00</td> <td>-28.02</td> <td>56.69</td> <td>39.51</td> <td>13.31</td> <td>63.53</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12210.00	45.98	74.00	-28.02	56.69	39.51	13.31	63.53	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																													
1 12210.00	45.93	74.00	-28.07	56.64	39.51	13.31	63.53	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																													
1 12210.00	45.98	74.00	-28.02	56.69	39.51	13.31	63.53	--- Peak																																																												



Mode	51																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12530.00</td> <td>46.61</td> <td>74.00</td> <td>-27.39</td> <td>57.15</td> <td>39.67</td> <td>13.41</td> <td>63.62</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12530.00	46.61	74.00	-27.39	57.15	39.67	13.41	63.62	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12530.00</td> <td>46.60</td> <td>74.00</td> <td>-27.40</td> <td>57.14</td> <td>39.67</td> <td>13.41</td> <td>63.62</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12530.00	46.60	74.00	-27.40	57.14	39.67	13.41	63.62
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 12530.00	46.61	74.00	-27.39	57.15	39.67	13.41	63.62	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 12530.00	46.60	74.00	-27.40	57.14	39.67	13.41	63.62	--- Peak																																																											



64																																								
Mode	Band Edge																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU 52/37_5955MHz																																							
ANT	CDD 6+17																																							
Pol.	Horizontal																																							
Peak	 <p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5886.88</td> <td>52.73</td> <td>88.20</td> <td>-35.47</td> <td>38.68</td> <td>36.44</td> <td>10.36</td> <td>32.75</td> <td>300</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5886.88	52.73	88.20	-35.47	38.68	36.44	10.36	32.75	300	46	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Level	Loss	Factor	dB	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5886.88	52.73	88.20	-35.47	38.68	36.44	10.36	32.75	300	46	PEAK																													
 <p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.72</td> <td>-----</td> <td>-----</td> <td>91.48</td> <td>36.53</td> <td>10.49</td> <td>32.78</td> <td>300</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.72	-----	-----	91.48	36.53	10.49	32.78	300	46	PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Loss	Factor	dB	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5955.00	105.72	-----	-----	91.48	36.53	10.49	32.78	300	46	PEAK																													
Avg	 <p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5903.96</td> <td>43.49</td> <td>68.20</td> <td>-24.71</td> <td>29.39</td> <td>36.47</td> <td>10.39</td> <td>32.76</td> <td>300</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5903.96	43.49	68.20	-24.71	29.39	36.47	10.39	32.76	300	46	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Level	Loss	Factor	dB	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5903.96	43.49	68.20	-24.71	29.39	36.47	10.39	32.76	300	46	AVERAGE																													
 <p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.06</td> <td>-----</td> <td>-----</td> <td>84.82</td> <td>36.53</td> <td>10.49</td> <td>32.78</td> <td>300</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.06	-----	-----	84.82	36.53	10.49	32.78	300	46	AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Loss	Factor	dB	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5955.00	99.06	-----	-----	84.82	36.53	10.49	32.78	300	46	AVERAGE																													







		64																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU 52/37_5955MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5902.56</td> <td>53.58</td> <td>88.20</td> <td>-34.62</td> <td>39.49</td> <td>36.46</td> <td>10.39</td> <td>32.76</td> <td>274</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	5902.56	53.58	88.20	-34.62	39.49	36.46	10.39	32.76	274	0 PEAK	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>101.31</td> <td>-----</td> <td>-----</td> <td>87.07</td> <td>36.53</td> <td>10.49</td> <td>32.78</td> <td>274</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	5955.00	101.31	-----	-----	87.07	36.53	10.49	32.78	274	0 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																						
1	5902.56	53.58	88.20	-34.62	39.49	36.46	10.39	32.76	274	0 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																						
1	5955.00	101.31	-----	-----	87.07	36.53	10.49	32.78	274	0 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5899.06</td> <td>43.21</td> <td>68.20</td> <td>-24.99</td> <td>29.13</td> <td>36.46</td> <td>10.38</td> <td>32.76</td> <td>274</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	5899.06	43.21	68.20	-24.99	29.13	36.46	10.38	32.76	274	0 AVERAGE	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>93.84</td> <td>-----</td> <td>-----</td> <td>79.60</td> <td>36.53</td> <td>10.49</td> <td>32.78</td> <td>274</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	5955.00	93.84	-----	-----	79.60	36.53	10.49	32.78	274	0 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																						
1	5899.06	43.21	68.20	-24.99	29.13	36.46	10.38	32.76	274	0 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																						
1	5955.00	93.84	-----	-----	79.60	36.53	10.49	32.78	274	0 AVERAGE																																																																				



Mode	64																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU 52/37_5955MHz																																																																																																			
ANT	CDD 6+17																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>45.22</td> <td>74.00</td> <td>-28.78</td> <td>56.15</td> <td>39.36</td> <td>13.18</td> <td>63.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.38</td> <td>74.00</td> <td>-26.62</td> <td>54.26</td> <td>42.55</td> <td>16.20</td> <td>65.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	45.22	74.00	-28.78	56.15	39.36	13.18	63.47	---	---	Peak	2	17865.00	47.38	74.00	-26.62	54.26	42.55	16.20	65.63	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>46.51</td> <td>74.00</td> <td>-27.49</td> <td>57.44</td> <td>39.36</td> <td>13.18</td> <td>63.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>46.27</td> <td>74.00</td> <td>-27.73</td> <td>53.15</td> <td>42.55</td> <td>16.20</td> <td>65.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	46.51	74.00	-27.49	57.44	39.36	13.18	63.47	---	---	Peak	2	17865.00	46.27	74.00	-27.73	53.15	42.55	16.20	65.63	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11910.00	45.22	74.00	-28.78	56.15	39.36	13.18	63.47	---	---	Peak																																																																																									
2	17865.00	47.38	74.00	-26.62	54.26	42.55	16.20	65.63	---	---	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11910.00	46.51	74.00	-27.49	57.44	39.36	13.18	63.47	---	---	Peak																																																																																									
2	17865.00	46.27	74.00	-27.73	53.15	42.55	16.20	65.63	---	---	Peak																																																																																									



		66																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 52+26_5955MHz																																																																															
ANT	CDD 6+17																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5836.62</td> <td>52.91</td> <td>88.20</td> <td>-35.29</td> <td>39.02</td> <td>36.37</td> <td>10.25</td> <td>32.73</td> <td>183</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5836.62	52.91	88.20	-35.29	39.02	36.37	10.25	32.73	183	57 PEAK	 <p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>106.90</td> <td>-----</td> <td>-----</td> <td>92.66</td> <td>36.53</td> <td>10.49</td> <td>32.78</td> <td>183</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.90	-----	-----	92.66	36.53	10.49	32.78	183	57 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5836.62	52.91	88.20	-35.29	39.02	36.37	10.25	32.73	183	57 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5955.00	106.90	-----	-----	92.66	36.53	10.49	32.78	183	57 PEAK																																																																						
Avg	 <p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5904.80</td> <td>43.50</td> <td>68.20</td> <td>-24.70</td> <td>29.39</td> <td>36.47</td> <td>10.40</td> <td>32.76</td> <td>183</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5904.80	43.50	68.20	-24.70	29.39	36.47	10.40	32.76	183	57 AVERAGE	 <p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>97.82</td> <td>-----</td> <td>-----</td> <td>83.56</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>183</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	97.82	-----	-----	83.56	36.54	10.50	32.78	183	57 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5904.80	43.50	68.20	-24.70	29.39	36.47	10.40	32.76	183	57 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5955.00	97.82	-----	-----	83.56	36.54	10.50	32.78	183	57 AVERAGE																																																																						



		66																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 52+26_5955MHz																																																																															
ANT	CDD 6+17																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5900.74</td> <td>54.10</td> <td>88.20</td> <td>-34.10</td> <td>40.01</td> <td>36.46</td> <td>10.39</td> <td>32.76</td> <td>324</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5900.74	54.10	88.20	-34.10	40.01	36.46	10.39	32.76	324	83	PEAK	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>108.20</td> <td>-----</td> <td>-----</td> <td>93.94</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>324</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5955.00	108.20	-----	-----	93.94	36.54	10.50	32.78	324	83	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5900.74	54.10	88.20	-34.10	40.01	36.46	10.39	32.76	324	83	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	108.20	-----	-----	93.94	36.54	10.50	32.78	324	83	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5897.94</td> <td>43.72</td> <td>68.20</td> <td>-24.48</td> <td>29.64</td> <td>36.46</td> <td>10.38</td> <td>32.76</td> <td>324</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5897.94	43.72	68.20	-24.48	29.64	36.46	10.38	32.76	324	83	AVERAGE	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>100.50</td> <td>-----</td> <td>-----</td> <td>86.24</td> <td>36.54</td> <td>10.50</td> <td>32.78</td> <td>324</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5955.00	100.50	-----	-----	86.24	36.54	10.50	32.78	324	83	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5897.94	43.72	68.20	-24.48	29.64	36.46	10.38	32.76	324	83	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	100.50	-----	-----	86.24	36.54	10.50	32.78	324	83	AVERAGE																																																																					







68																																							
Mode	Band Edge																																						
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M ②_5985MHz																																						
ANT	CDD 6+17																																						
Pol.	Horizontal																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.24</td> <td>53.28</td> <td>88.20</td> <td>-34.92</td> <td>39.26</td> <td>36.43</td> <td>10.34</td> <td>32.75</td> <td>200</td> <td>239 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5879.24	53.28	88.20	-34.92	39.26	36.43	10.34	32.75	200	239 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	5879.24	53.28	88.20	-34.92	39.26	36.43	10.34	32.75	200	239 PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>96.58</td> <td>-----</td> <td>-----</td> <td>82.23</td> <td>36.58</td> <td>10.56</td> <td>32.79</td> <td>200</td> <td>239 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5985.00	96.58	-----	-----	82.23	36.58	10.56	32.79	200	239 PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	5985.00	96.58	-----	-----	82.23	36.58	10.56	32.79	200	239 PEAK																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.72</td> <td>43.41</td> <td>68.20</td> <td>-24.79</td> <td>29.28</td> <td>36.48</td> <td>10.42</td> <td>32.77</td> <td>200</td> <td>239 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5915.72	43.41	68.20	-24.79	29.28	36.48	10.42	32.77	200	239 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	5915.72	43.41	68.20	-24.79	29.28	36.48	10.42	32.77	200	239 AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>87.30</td> <td>-----</td> <td>-----</td> <td>72.95</td> <td>36.58</td> <td>10.56</td> <td>32.79</td> <td>200</td> <td>239 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5985.00	87.30	-----	-----	72.95	36.58	10.56	32.79	200	239 AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1	5985.00	87.30	-----	-----	72.95	36.58	10.56	32.79	200	239 AVERAGE																													



68																																							
Mode	Band Edge																																						
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M ②_5985MHz																																						
ANT	CDD 6+17																																						
Pol.	Vertical																																						
Peak	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.96</td> <td>53.69</td> <td>88.20</td> <td>-34.51</td> <td>39.54</td> <td>36.49</td> <td>10.43</td> <td>32.77</td> <td>200</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.96	53.69	88.20	-34.51	39.54	36.49	10.43	32.77	200	74 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5921.96	53.69	88.20	-34.51	39.54	36.49	10.43	32.77	200	74 PEAK																													
<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>97.93</td> <td>-----</td> <td>-----</td> <td>83.56</td> <td>36.59</td> <td>10.58</td> <td>32.80</td> <td>200</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	97.93	-----	-----	83.56	36.59	10.58	32.80	200	74 PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5985.00	97.93	-----	-----	83.56	36.59	10.58	32.80	200	74 PEAK																													
Avg	<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5905.16</td> <td>43.44</td> <td>68.20</td> <td>-24.76</td> <td>29.33</td> <td>36.47</td> <td>10.40</td> <td>32.76</td> <td>200</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5905.16	43.44	68.20	-24.76	29.33	36.47	10.40	32.76	200	74 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5905.16	43.44	68.20	-24.76	29.33	36.47	10.40	32.76	200	74 AVERAGE																													
<p style="text-align: right;">Date: 2024-05-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>88.85</td> <td>-----</td> <td>-----</td> <td>74.50</td> <td>36.58</td> <td>10.56</td> <td>32.79</td> <td>200</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.85	-----	-----	74.50	36.58	10.56	32.79	200	74 AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5985.00	88.85	-----	-----	74.50	36.58	10.56	32.79	200	74 AVERAGE																													



		70																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M ② 6025MHz																																																																															
ANT	CDD 6+17																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5911.80</td> <td>53.72</td> <td>88.20</td> <td>-34.48</td> <td>39.59</td> <td>36.48</td> <td>10.41</td> <td>32.76</td> <td>208</td> <td>45 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.80	53.72	88.20	-34.48	39.59	36.48	10.41	32.76	208	45 PEAK	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>94.21</td> <td>-----</td> <td>-----</td> <td>79.88</td> <td>36.57</td> <td>10.55</td> <td>32.79</td> <td>208</td> <td>45 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.21	-----	-----	79.88	36.57	10.55	32.79	208	45 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5911.80	53.72	88.20	-34.48	39.59	36.48	10.41	32.76	208	45 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6025.00	94.21	-----	-----	79.88	36.57	10.55	32.79	208	45 PEAK																																																																						
Avg	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5890.52</td> <td>44.76</td> <td>68.20</td> <td>-23.44</td> <td>30.70</td> <td>36.45</td> <td>10.37</td> <td>32.76</td> <td>208</td> <td>45 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5890.52	44.76	68.20	-23.44	30.70	36.45	10.37	32.76	208	45 AVERAGE	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>87.79</td> <td>-----</td> <td>-----</td> <td>73.41</td> <td>36.61</td> <td>10.59</td> <td>32.82</td> <td>208</td> <td>45 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	87.79	-----	-----	73.41	36.61	10.59	32.82	208	45 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5890.52	44.76	68.20	-23.44	30.70	36.45	10.37	32.76	208	45 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6025.00	87.79	-----	-----	73.41	36.61	10.59	32.82	208	45 AVERAGE																																																																						



		70																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M ② 6025MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5893.60</td> <td>53.23</td> <td>88.20</td> <td>-34.97</td> <td>39.17</td> <td>36.45</td> <td>10.37</td> <td>32.76</td> <td>300</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5893.60	53.23	88.20	-34.97	39.17	36.45	10.37	32.76	300	57 PEAK	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>95.81</td> <td>-----</td> <td>-----</td> <td>81.43</td> <td>36.61</td> <td>10.59</td> <td>32.82</td> <td>300</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.81	-----	-----	81.43	36.61	10.59	32.82	300	57 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5893.60	53.23	88.20	-34.97	39.17	36.45	10.37	32.76	300	57 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	95.81	-----	-----	81.43	36.61	10.59	32.82	300	57 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5903.12</td> <td>44.95</td> <td>68.20</td> <td>-23.25</td> <td>30.86</td> <td>36.46</td> <td>10.39</td> <td>32.76</td> <td>300</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5903.12	44.95	68.20	-23.25	30.86	36.46	10.39	32.76	300	57 AVERAGE	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>88.78</td> <td>-----</td> <td>-----</td> <td>74.40</td> <td>36.61</td> <td>10.59</td> <td>32.82</td> <td>300</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.78	-----	-----	74.40	36.61	10.59	32.82	300	57 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5903.12	44.95	68.20	-23.25	30.86	36.46	10.39	32.76	300	57 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	88.78	-----	-----	74.40	36.61	10.59	32.82	300	57 AVERAGE																																																																				







		72																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M ⑧ 6025MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.96</td> <td>54.54</td> <td>88.20</td> <td>-33.66</td> <td>40.41</td> <td>36.48</td> <td>10.41</td> <td>32.76</td> <td>100</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.96	54.54	88.20	-33.66	40.41	36.48	10.41	32.76	100	57 PEAK	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>92.91</td> <td>-----</td> <td>-----</td> <td>78.53</td> <td>36.61</td> <td>10.59</td> <td>32.82</td> <td>100</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	92.91	-----	-----	78.53	36.61	10.59	32.82	100	57 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5910.96	54.54	88.20	-33.66	40.41	36.48	10.41	32.76	100	57 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	92.91	-----	-----	78.53	36.61	10.59	32.82	100	57 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.68</td> <td>45.37</td> <td>68.20</td> <td>-22.83</td> <td>31.25</td> <td>36.47</td> <td>10.41</td> <td>32.76</td> <td>100</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.68	45.37	68.20	-22.83	31.25	36.47	10.41	32.76	100	57 AVERAGE	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>85.64</td> <td>-----</td> <td>-----</td> <td>71.26</td> <td>36.61</td> <td>10.59</td> <td>32.82</td> <td>100</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.64	-----	-----	71.26	36.61	10.59	32.82	100	57 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5910.68	45.37	68.20	-22.83	31.25	36.47	10.41	32.76	100	57 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	85.64	-----	-----	71.26	36.61	10.59	32.82	100	57 AVERAGE																																																																				







72																																								
Mode	Band Edge																																							
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M ⑧ 6025MHz																																							
ANT	CDD 6+17																																							
Pol.	Vertical																																							
Peak	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5907.88</td> <td>54.81</td> <td>88.20</td> <td>-33.39</td> <td>40.70</td> <td>36.47</td> <td>10.40</td> <td>32.76</td> <td>300</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.88	54.81	88.20	-33.39	40.70	36.47	10.40	32.76	300	64	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5907.88	54.81	88.20	-33.39	40.70	36.47	10.40	32.76	300	64	PEAK																													
<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>95.75</td> <td>-----</td> <td>-----</td> <td>81.37</td> <td>36.61</td> <td>10.60</td> <td>32.83</td> <td>300</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.75	-----	-----	81.37	36.61	10.60	32.83	300	64	PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	6025.00	95.75	-----	-----	81.37	36.61	10.60	32.83	300	64	PEAK																													
Avg	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.36</td> <td>46.57</td> <td>68.20</td> <td>-21.63</td> <td>32.44</td> <td>36.48</td> <td>10.41</td> <td>32.76</td> <td>300</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5912.36	46.57	68.20	-21.63	32.44	36.48	10.41	32.76	300	64	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5912.36	46.57	68.20	-21.63	32.44	36.48	10.41	32.76	300	64	AVERAGE																													
<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>88.89</td> <td>-----</td> <td>-----</td> <td>74.51</td> <td>36.61</td> <td>10.59</td> <td>32.82</td> <td>300</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.89	-----	-----	74.51	36.61	10.59	32.82	300	64	AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	6025.00	88.89	-----	-----	74.51	36.61	10.59	32.82	300	64	AVERAGE																													







		74																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M ③ 6105MHz																																																																															
ANT	CDD 6+17																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level around 87.5 dBuV/m with a peak at 5932.78 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2024-05-15.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5832.78</td> <td>53.31</td> <td>88.20</td> <td>-34.89</td> <td>39.42</td> <td>36.37</td> <td>10.25</td> <td>32.73</td> <td>200</td> <td>30</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5832.78	53.31	88.20	-34.89	39.42	36.37	10.25	32.73	200	30	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level around 87.5 dBuV/m with a peak at 6105.00 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2024-05-15.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>93.03</td> <td>-----</td> <td>-----</td> <td>78.65</td> <td>36.63</td> <td>10.62</td> <td>32.87</td> <td>200</td> <td>30</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.03	-----	-----	78.65	36.63	10.62	32.87	200	30	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5832.78	53.31	88.20	-34.89	39.42	36.37	10.25	32.73	200	30	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	93.03	-----	-----	78.65	36.63	10.62	32.87	200	30	PEAK																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows an average signal level around 70 dBuV/m with a peak at 5914.63 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2024-05-15.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.63</td> <td>45.18</td> <td>68.20</td> <td>-23.02</td> <td>31.05</td> <td>36.48</td> <td>10.42</td> <td>32.77</td> <td>200</td> <td>30</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5914.63	45.18	68.20	-23.02	31.05	36.48	10.42	32.77	200	30	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows an average signal level around 70 dBuV/m with a peak at 6105.00 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2024-05-15.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.25</td> <td>-----</td> <td>-----</td> <td>69.86</td> <td>36.64</td> <td>10.62</td> <td>32.87</td> <td>200</td> <td>30</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.25	-----	-----	69.86	36.64	10.62	32.87	200	30	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5914.63	45.18	68.20	-23.02	31.05	36.48	10.42	32.77	200	30	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	84.25	-----	-----	69.86	36.64	10.62	32.87	200	30	AVERAGE																																																																					



		74																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M ③ 6105MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5907.75</td> <td>53.62</td> <td>88.20</td> <td>-34.58</td> <td>39.51</td> <td>36.47</td> <td>10.40</td> <td>32.76</td> <td>358</td> <td>58 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.75	53.62	88.20	-34.58	39.51	36.47	10.40	32.76	358	58 PEAK	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>93.15</td> <td>-----</td> <td>-----</td> <td>78.76</td> <td>36.64</td> <td>10.62</td> <td>32.87</td> <td>358</td> <td>58 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.15	-----	-----	78.76	36.64	10.62	32.87	358	58 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5907.75	53.62	88.20	-34.58	39.51	36.47	10.40	32.76	358	58 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	93.15	-----	-----	78.76	36.64	10.62	32.87	358	58 PEAK																																																																				
Avg	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.69</td> <td>45.86</td> <td>68.20</td> <td>-22.34</td> <td>31.73</td> <td>36.48</td> <td>10.42</td> <td>32.77</td> <td>358</td> <td>58 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.69	45.86	68.20	-22.34	31.73	36.48	10.42	32.77	358	58 AVERAGE	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.37</td> <td>-----</td> <td>-----</td> <td>69.98</td> <td>36.64</td> <td>10.62</td> <td>32.87</td> <td>358</td> <td>58 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.37	-----	-----	69.98	36.64	10.62	32.87	358	58 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5917.69	45.86	68.20	-22.34	31.73	36.48	10.42	32.77	358	58 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	84.37	-----	-----	69.98	36.64	10.62	32.87	358	58 AVERAGE																																																																				







		76																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M ② 6105MHz																																																																															
ANT	CDD 6+17																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5743.27</td> <td>53.69</td> <td>88.20</td> <td>-34.51</td> <td>40.09</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>238</td> <td>30</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5743.27	53.69	88.20	-34.51	40.09	36.24	10.06	32.70	238	30	PEAK	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>92.97</td> <td>-----</td> <td>-----</td> <td>78.59</td> <td>36.64</td> <td>10.63</td> <td>32.89</td> <td>238</td> <td>30</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6105.00	92.97	-----	-----	78.59	36.64	10.63	32.89	238	30	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5743.27	53.69	88.20	-34.51	40.09	36.24	10.06	32.70	238	30	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	92.97	-----	-----	78.59	36.64	10.63	32.89	238	30	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5889.39</td> <td>44.99</td> <td>68.20</td> <td>-23.21</td> <td>30.94</td> <td>36.45</td> <td>10.36</td> <td>32.76</td> <td>238</td> <td>30</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5889.39	44.99	68.20	-23.21	30.94	36.45	10.36	32.76	238	30	AVERAGE	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>83.89</td> <td>-----</td> <td>-----</td> <td>69.51</td> <td>36.64</td> <td>10.63</td> <td>32.89</td> <td>238</td> <td>30</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6105.00	83.89	-----	-----	69.51	36.64	10.63	32.89	238	30	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5889.39	44.99	68.20	-23.21	30.94	36.45	10.36	32.76	238	30	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	83.89	-----	-----	69.51	36.64	10.63	32.89	238	30	AVERAGE																																																																					







		76																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M ② 6105MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.44</td> <td>55.58</td> <td>88.20</td> <td>-32.62</td> <td>41.56</td> <td>36.43</td> <td>10.34</td> <td>32.75</td> <td>244</td> <td>81 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5879.44	55.58	88.20	-32.62	41.56	36.43	10.34	32.75	244	81 PEAK	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>93.97</td> <td>-----</td> <td>-----</td> <td>79.59</td> <td>36.65</td> <td>10.63</td> <td>32.90</td> <td>244</td> <td>81 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6105.00	93.97	-----	-----	79.59	36.65	10.63	32.90	244	81 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5879.44	55.58	88.20	-32.62	41.56	36.43	10.34	32.75	244	81 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	93.97	-----	-----	79.59	36.65	10.63	32.90	244	81 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5908.51</td> <td>45.87</td> <td>68.20</td> <td>-22.33</td> <td>31.76</td> <td>36.47</td> <td>10.40</td> <td>32.76</td> <td>244</td> <td>81 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5908.51	45.87	68.20	-22.33	31.76	36.47	10.40	32.76	244	81 AVERAGE	<p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.49</td> <td>-----</td> <td>-----</td> <td>70.11</td> <td>36.65</td> <td>10.63</td> <td>32.90</td> <td>244</td> <td>81 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6105.00	84.49	-----	-----	70.11	36.65	10.63	32.90	244	81 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5908.51	45.87	68.20	-22.33	31.76	36.47	10.40	32.76	244	81 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	84.49	-----	-----	70.11	36.65	10.63	32.90	244	81 AVERAGE																																																																				



		78																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M B 6105MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5789.94</td> <td>53.83</td> <td>88.20</td> <td>-34.37</td> <td>40.08</td> <td>36.31</td> <td>10.16</td> <td>32.72</td> <td>100</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5789.94	53.83	88.20	-34.37	40.08	36.31	10.16	32.72	100	53 PEAK	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>91.52</td> <td>-----</td> <td>-----</td> <td>77.13</td> <td>36.65</td> <td>10.63</td> <td>32.89</td> <td>100</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6105.00	91.52	-----	-----	77.13	36.65	10.63	32.89	100	53 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5789.94	53.83	88.20	-34.37	40.08	36.31	10.16	32.72	100	53 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	91.52	-----	-----	77.13	36.65	10.63	32.89	100	53 PEAK																																																																				
Avg	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.34</td> <td>45.37</td> <td>68.20</td> <td>-22.83</td> <td>31.24</td> <td>36.48</td> <td>10.41</td> <td>32.76</td> <td>100</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5912.34	45.37	68.20	-22.83	31.24	36.48	10.41	32.76	100	53 AVERAGE	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>82.94</td> <td>-----</td> <td>-----</td> <td>68.56</td> <td>36.65</td> <td>10.63</td> <td>32.90</td> <td>100</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6105.00	82.94	-----	-----	68.56	36.65	10.63	32.90	100	53 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5912.34	45.37	68.20	-22.83	31.24	36.48	10.41	32.76	100	53 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	82.94	-----	-----	68.56	36.65	10.63	32.90	100	53 AVERAGE																																																																				



		78																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M B 6105MHz																																																																															
ANT	CDD 6+17																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5890.92</td> <td>54.04</td> <td>88.20</td> <td>-34.16</td> <td>39.98</td> <td>36.45</td> <td>10.37</td> <td>32.76</td> <td>329</td> <td>70 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5890.92	54.04	88.20	-34.16	39.98	36.45	10.37	32.76	329	70 PEAK	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>94.01</td> <td>-----</td> <td>-----</td> <td>79.63</td> <td>36.65</td> <td>10.63</td> <td>32.90</td> <td>329</td> <td>70 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	94.01	-----	-----	79.63	36.65	10.63	32.90	329	70 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5890.92	54.04	88.20	-34.16	39.98	36.45	10.37	32.76	329	70 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6105.00	94.01	-----	-----	79.63	36.65	10.63	32.90	329	70 PEAK																																																																						
Avg	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.87</td> <td>45.48</td> <td>68.20</td> <td>-22.72</td> <td>31.35</td> <td>36.48</td> <td>10.42</td> <td>32.77</td> <td>329</td> <td>70 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.87	45.48	68.20	-22.72	31.35	36.48	10.42	32.77	329	70 AVERAGE	 <p style="text-align: right;">Date: 2024-05-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.08</td> <td>-----</td> <td>-----</td> <td>69.70</td> <td>36.65</td> <td>10.63</td> <td>32.90</td> <td>329</td> <td>70 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.08	-----	-----	69.70	36.65	10.63	32.90	329	70 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5913.87	45.48	68.20	-22.72	31.35	36.48	10.42	32.77	329	70 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6105.00	84.08	-----	-----	69.70	36.65	10.63	32.90	329	70 AVERAGE																																																																						