



	58																																																																																																																			
Mode	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_5825MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<p style="text-align: right;">Date: 2024-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>61.86</td> <td>110.80</td> <td>-48.94</td> <td>47.91</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>400</td> <td>201</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.63</td> <td>61.06</td> <td>109.22</td> <td>-48.16</td> <td>47.10</td> <td>36.40</td> <td>10.30</td> <td>32.74</td> <td>400</td> <td>201</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>52.20</td> <td>68.39</td> <td>-16.19</td> <td>38.04</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>400</td> <td>201</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.88</td> <td>54.11</td> <td>68.30</td> <td>-14.19</td> <td>39.91</td> <td>36.51</td> <td>10.46</td> <td>32.77</td> <td>400</td> <td>201</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	61.86	110.80	-48.94	47.91	36.40	10.29	32.74	400	201	PEAK	2	5860.63	61.06	109.22	-48.16	47.10	36.40	10.30	32.74	400	201	PEAK	3	5924.88	52.20	68.39	-16.19	38.04	36.49	10.44	32.77	400	201	PEAK	4	5932.88	54.11	68.30	-14.19	39.91	36.51	10.46	32.77	400	201	PEAK	<p style="text-align: right;">Date: 2024-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.01</td> <td>-----</td> <td>-----</td> <td>98.12</td> <td>36.37</td> <td>10.25</td> <td>32.73</td> <td>400</td> <td>201</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.01	-----	-----	98.12	36.37	10.25	32.73	400	201	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5855.00	61.86	110.80	-48.94	47.91	36.40	10.29	32.74	400	201	PEAK																																																																																																									
2	5860.63	61.06	109.22	-48.16	47.10	36.40	10.30	32.74	400	201	PEAK																																																																																																									
3	5924.88	52.20	68.39	-16.19	38.04	36.49	10.44	32.77	400	201	PEAK																																																																																																									
4	5932.88	54.11	68.30	-14.19	39.91	36.51	10.46	32.77	400	201	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	112.01	-----	-----	98.12	36.37	10.25	32.73	400	201	PEAK																																																																																																									
Avg	Blank	<p style="text-align: right;">Date: 2024-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.49</td> <td>-----</td> <td>-----</td> <td>88.60</td> <td>36.37</td> <td>10.25</td> <td>32.73</td> <td>400</td> <td>201</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.49	-----	-----	88.60	36.37	10.25	32.73	400	201	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	102.49	-----	-----	88.60	36.37	10.25	32.73	400	201	AVERAGE																																																																																																									



Mode	59																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH144_5720MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-05-29</p>	<p>Date: 2024-05-29</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>48.01</td> <td>74.00</td> <td>-25.99</td> <td>59.43</td> <td>39.18</td> <td>12.84</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>50.71</td> <td>68.30</td> <td>-17.59</td> <td>58.53</td> <td>41.78</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	48.01	74.00	-25.99	59.43	39.18	12.84	63.44	---	---	Peak	2	17160.00	50.71	68.30	-17.59	58.53	41.78	15.66	65.26	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>48.38</td> <td>74.00</td> <td>-25.62</td> <td>59.80</td> <td>39.18</td> <td>12.84</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>49.41</td> <td>68.30</td> <td>-18.89</td> <td>57.23</td> <td>41.78</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	48.38	74.00	-25.62	59.80	39.18	12.84	63.44	---	---	Peak	2	17160.00	49.41	68.30	-18.89	57.23	41.78	15.66	65.26	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11440.00	48.01	74.00	-25.99	59.43	39.18	12.84	63.44	---	---	Peak																																																																																						
2	17160.00	50.71	68.30	-17.59	58.53	41.78	15.66	65.26	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11440.00	48.38	74.00	-25.62	59.80	39.18	12.84	63.44	---	---	Peak																																																																																						
2	17160.00	49.41	68.30	-18.89	57.23	41.78	15.66	65.26	---	---	Peak																																																																																						



Mode	61																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH144_Full_5710MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-05-29</p>	<p>Date: 2024-05-29</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>45.61</td> <td>74.00</td> <td>-28.39</td> <td>57.03</td> <td>39.18</td> <td>12.84</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>46.08</td> <td>68.30</td> <td>-22.22</td> <td>53.90</td> <td>41.78</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	45.61	74.00	-28.39	57.03	39.18	12.84	63.44	---	---	Peak	2	17160.00	46.08	68.30	-22.22	53.90	41.78	15.66	65.26	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>45.99</td> <td>74.00</td> <td>-28.01</td> <td>57.41</td> <td>39.18</td> <td>12.84</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>46.61</td> <td>68.30</td> <td>-21.69</td> <td>54.43</td> <td>41.78</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	45.99	74.00	-28.01	57.41	39.18	12.84	63.44	---	---	Peak	2	17160.00	46.61	68.30	-21.69	54.43	41.78	15.66	65.26	---	---
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11440.00	45.61	74.00	-28.39	57.03	39.18	12.84	63.44	---	---	Peak																																																																																						
2	17160.00	46.08	68.30	-22.22	53.90	41.78	15.66	65.26	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11440.00	45.99	74.00	-28.01	57.41	39.18	12.84	63.44	---	---	Peak																																																																																						
2	17160.00	46.61	68.30	-21.69	54.43	41.78	15.66	65.26	---	---	Peak																																																																																						



Mode	62																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH142_Full_5690MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-05-29</p>	<p>Date: 2024-05-29</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>58.11</td> <td>39.17</td> <td>12.82</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>47.68</td> <td>68.30</td> <td>-20.62</td> <td>55.55</td> <td>41.74</td> <td>15.64</td> <td>65.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	46.66	74.00	-27.34	58.11	39.17	12.82	63.44	---	---	Peak	2	17130.00	47.68	68.30	-20.62	55.55	41.74	15.64	65.25	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>46.19</td> <td>74.00</td> <td>-27.81</td> <td>57.64</td> <td>39.17</td> <td>12.82</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>47.30</td> <td>68.30</td> <td>-21.00</td> <td>55.17</td> <td>41.74</td> <td>15.64</td> <td>65.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	46.19	74.00	-27.81	57.64	39.17	12.82	63.44	---	---	Peak	2	17130.00	47.30	68.30	-21.00	55.17	41.74	15.64	65.25	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11420.00	46.66	74.00	-27.34	58.11	39.17	12.82	63.44	---	---	Peak																																																																																						
2	17130.00	47.68	68.30	-20.62	55.55	41.74	15.64	65.25	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11420.00	46.19	74.00	-27.81	57.64	39.17	12.82	63.44	---	---	Peak																																																																																						
2	17130.00	47.30	68.30	-21.00	55.17	41.74	15.64	65.25	---	---	Peak																																																																																						



Mode	63																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH138_Full_5720MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-05-29</p>	<p>Date: 2024-05-29</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>46.80</td> <td>74.00</td> <td>-27.20</td> <td>58.29</td> <td>39.15</td> <td>12.80</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17070.00</td> <td>47.08</td> <td>68.30</td> <td>-21.22</td> <td>55.02</td> <td>41.68</td> <td>15.60</td> <td>65.22</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11380.00	46.80	74.00	-27.20	58.29	39.15	12.80	63.44	---	---	Peak	2	17070.00	47.08	68.30	-21.22	55.02	41.68	15.60	65.22	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>47.19</td> <td>74.00</td> <td>-26.81</td> <td>58.68</td> <td>39.15</td> <td>12.80</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17070.00</td> <td>47.50</td> <td>68.30</td> <td>-20.80</td> <td>55.44</td> <td>41.68</td> <td>15.60</td> <td>65.22</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11380.00	47.19	74.00	-26.81	58.68	39.15	12.80	63.44	---	---	Peak	2	17070.00	47.50	68.30	-20.80	55.44	41.68	15.60	65.22	---	---
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11380.00	46.80	74.00	-27.20	58.29	39.15	12.80	63.44	---	---	Peak																																																																																						
2	17070.00	47.08	68.30	-21.22	55.02	41.68	15.60	65.22	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11380.00	47.19	74.00	-26.81	58.68	39.15	12.80	63.44	---	---	Peak																																																																																						
2	17070.00	47.50	68.30	-20.80	55.44	41.68	15.60	65.22	---	---	Peak																																																																																						



Mode	64																																																																																																																																																																									
	LF																																																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																																																																																																																									
ANT	CDD 6+17																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak	<p>Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>51.34</td><td>19.26</td><td>40.00</td><td>-20.74</td><td>36.31</td><td>14.10</td><td>0.72</td><td>31.87</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>144.46</td><td>18.67</td><td>43.50</td><td>-24.83</td><td>31.89</td><td>17.27</td><td>1.23</td><td>31.72</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>307.42</td><td>26.63</td><td>46.00</td><td>-19.37</td><td>36.80</td><td>19.49</td><td>1.83</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>649.83</td><td>27.45</td><td>46.00</td><td>-18.55</td><td>31.05</td><td>24.95</td><td>2.65</td><td>31.20</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>866.14</td><td>29.96</td><td>46.00</td><td>-16.04</td><td>31.31</td><td>26.60</td><td>3.09</td><td>31.04</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>948.59</td><td>31.15</td><td>46.00</td><td>-14.85</td><td>31.58</td><td>27.14</td><td>3.23</td><td>30.80</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	APos (cm)	TPos (deg)	Remark	1	51.34	19.26	40.00	-20.74	36.31	14.10	0.72	31.87	---	---	Peak	2	144.46	18.67	43.50	-24.83	31.89	17.27	1.23	31.72	---	---	Peak	3	307.42	26.63	46.00	-19.37	36.80	19.49	1.83	31.49	---	---	Peak	4	649.83	27.45	46.00	-18.55	31.05	24.95	2.65	31.20	---	---	Peak	5	866.14	29.96	46.00	-16.04	31.31	26.60	3.09	31.04	---	---	Peak	6	948.59	31.15	46.00	-14.85	31.58	27.14	3.23	30.80	---	---	Peak	<p>Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>47.46</td><td>22.81</td><td>40.00</td><td>-17.19</td><td>38.23</td><td>15.75</td><td>0.68</td><td>31.85</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>148.34</td><td>19.09</td><td>43.50</td><td>-24.41</td><td>32.56</td><td>17.00</td><td>1.24</td><td>31.71</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>285.11</td><td>22.65</td><td>46.00</td><td>-23.35</td><td>33.27</td><td>19.15</td><td>1.76</td><td>31.53</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>519.85</td><td>24.30</td><td>46.00</td><td>-21.70</td><td>29.25</td><td>23.99</td><td>2.38</td><td>31.32</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>804.06</td><td>30.42</td><td>46.00</td><td>-15.58</td><td>32.16</td><td>26.41</td><td>2.95</td><td>31.10</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>957.32</td><td>31.64</td><td>46.00</td><td>-14.36</td><td>31.99</td><td>27.22</td><td>3.24</td><td>30.81</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	APos (cm)	TPos (deg)	Remark	1	47.46	22.81	40.00	-17.19	38.23	15.75	0.68	31.85	---	---	Peak	2	148.34	19.09	43.50	-24.41	32.56	17.00	1.24	31.71	---	---	Peak	3	285.11	22.65	46.00	-23.35	33.27	19.15	1.76	31.53	---	---	Peak	4	519.85	24.30	46.00	-21.70	29.25	23.99	2.38	31.32	---	---	Peak	5	804.06	30.42	46.00	-15.58	32.16	26.41	2.95	31.10	---	---	Peak	6	957.32	31.64	46.00	-14.36	31.99	27.22	3.24	30.81	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																														
1	51.34	19.26	40.00	-20.74	36.31	14.10	0.72	31.87	---	---	Peak																																																																																																																																																															
2	144.46	18.67	43.50	-24.83	31.89	17.27	1.23	31.72	---	---	Peak																																																																																																																																																															
3	307.42	26.63	46.00	-19.37	36.80	19.49	1.83	31.49	---	---	Peak																																																																																																																																																															
4	649.83	27.45	46.00	-18.55	31.05	24.95	2.65	31.20	---	---	Peak																																																																																																																																																															
5	866.14	29.96	46.00	-16.04	31.31	26.60	3.09	31.04	---	---	Peak																																																																																																																																																															
6	948.59	31.15	46.00	-14.85	31.58	27.14	3.23	30.80	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	47.46	22.81	40.00	-17.19	38.23	15.75	0.68	31.85	---	---	Peak																																																																																																																																																															
2	148.34	19.09	43.50	-24.41	32.56	17.00	1.24	31.71	---	---	Peak																																																																																																																																																															
3	285.11	22.65	46.00	-23.35	33.27	19.15	1.76	31.53	---	---	Peak																																																																																																																																																															
4	519.85	24.30	46.00	-21.70	29.25	23.99	2.38	31.32	---	---	Peak																																																																																																																																																															
5	804.06	30.42	46.00	-15.58	32.16	26.41	2.95	31.10	---	---	Peak																																																																																																																																																															
6	957.32	31.64	46.00	-14.36	31.99	27.22	3.24	30.81	---	---	Peak																																																																																																																																																															



Mode	65																																																																																																																																																																									
	LF																																																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH155_5775MHz																																																																																																																																																																									
ANT	CDD 6+17																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak	<p>Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>54.25</td><td>18.47</td><td>40.00</td><td>-21.53</td><td>36.05</td><td>13.50</td><td>0.73</td><td>31.81</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>186.17</td><td>18.54</td><td>43.50</td><td>-24.96</td><td>33.26</td><td>15.52</td><td>1.39</td><td>31.63</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>302.57</td><td>26.55</td><td>46.00</td><td>-19.45</td><td>36.86</td><td>19.37</td><td>1.81</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>669.23</td><td>27.19</td><td>46.00</td><td>-18.81</td><td>30.69</td><td>25.01</td><td>2.69</td><td>31.20</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>814.73</td><td>30.45</td><td>46.00</td><td>-15.55</td><td>32.14</td><td>26.44</td><td>2.97</td><td>31.10</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>954.41</td><td>31.01</td><td>46.00</td><td>-14.99</td><td>31.39</td><td>27.19</td><td>3.24</td><td>30.81</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	APos (cm)	TPos (deg)	Remark	1	54.25	18.47	40.00	-21.53	36.05	13.50	0.73	31.81	---	---	Peak	2	186.17	18.54	43.50	-24.96	33.26	15.52	1.39	31.63	---	---	Peak	3	302.57	26.55	46.00	-19.45	36.86	19.37	1.81	31.49	---	---	Peak	4	669.23	27.19	46.00	-18.81	30.69	25.01	2.69	31.20	---	---	Peak	5	814.73	30.45	46.00	-15.55	32.14	26.44	2.97	31.10	---	---	Peak	6	954.41	31.01	46.00	-14.99	31.39	27.19	3.24	30.81	---	---	Peak	<p>Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.85</td><td>23.17</td><td>40.00</td><td>-16.83</td><td>32.05</td><td>22.25</td><td>0.57</td><td>31.70</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>48.43</td><td>23.08</td><td>40.00</td><td>-16.92</td><td>39.00</td><td>15.26</td><td>0.69</td><td>31.87</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>253.10</td><td>22.90</td><td>46.00</td><td>-23.10</td><td>33.86</td><td>18.97</td><td>1.66</td><td>31.59</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>302.57</td><td>21.74</td><td>46.00</td><td>-24.26</td><td>32.05</td><td>19.37</td><td>1.81</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>637.22</td><td>27.01</td><td>46.00</td><td>-18.99</td><td>30.64</td><td>24.91</td><td>2.63</td><td>31.17</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>957.32</td><td>31.62</td><td>46.00</td><td>-14.38</td><td>31.97</td><td>27.22</td><td>3.24</td><td>30.81</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	APos (cm)	TPos (deg)	Remark	1	34.85	23.17	40.00	-16.83	32.05	22.25	0.57	31.70	---	---	Peak	2	48.43	23.08	40.00	-16.92	39.00	15.26	0.69	31.87	---	---	Peak	3	253.10	22.90	46.00	-23.10	33.86	18.97	1.66	31.59	---	---	Peak	4	302.57	21.74	46.00	-24.26	32.05	19.37	1.81	31.49	---	---	Peak	5	637.22	27.01	46.00	-18.99	30.64	24.91	2.63	31.17	---	---	Peak	6	957.32	31.62	46.00	-14.38	31.97	27.22	3.24	30.81	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																														
1	54.25	18.47	40.00	-21.53	36.05	13.50	0.73	31.81	---	---	Peak																																																																																																																																																															
2	186.17	18.54	43.50	-24.96	33.26	15.52	1.39	31.63	---	---	Peak																																																																																																																																																															
3	302.57	26.55	46.00	-19.45	36.86	19.37	1.81	31.49	---	---	Peak																																																																																																																																																															
4	669.23	27.19	46.00	-18.81	30.69	25.01	2.69	31.20	---	---	Peak																																																																																																																																																															
5	814.73	30.45	46.00	-15.55	32.14	26.44	2.97	31.10	---	---	Peak																																																																																																																																																															
6	954.41	31.01	46.00	-14.99	31.39	27.19	3.24	30.81	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	34.85	23.17	40.00	-16.83	32.05	22.25	0.57	31.70	---	---	Peak																																																																																																																																																															
2	48.43	23.08	40.00	-16.92	39.00	15.26	0.69	31.87	---	---	Peak																																																																																																																																																															
3	253.10	22.90	46.00	-23.10	33.86	18.97	1.66	31.59	---	---	Peak																																																																																																																																																															
4	302.57	21.74	46.00	-24.26	32.05	19.37	1.81	31.49	---	---	Peak																																																																																																																																																															
5	637.22	27.01	46.00	-18.99	30.64	24.91	2.63	31.17	---	---	Peak																																																																																																																																																															
6	957.32	31.62	46.00	-14.38	31.97	27.22	3.24	30.81	---	---	Peak																																																																																																																																																															



		66																																																																																
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz+B48 Link+BLE_B38(2M) 2478 MHz																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.56</td> <td>63.86</td> <td>68.30</td> <td>-4.44</td> <td>50.31</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>100</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.56	63.86	68.30	-4.44	50.31	36.22	10.02	32.69	100	339	PEAK	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.69</td> <td>-----</td> <td>-----</td> <td>96.21</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>100</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.69	-----	-----	96.21	36.19	9.97	32.68	100	339	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5727.56	63.86	68.30	-4.44	50.31	36.22	10.02	32.69	100	339	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	109.69	-----	-----	96.21	36.19	9.97	32.68	100	339	PEAK																																																																							
Avg	Blank	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.34</td> <td>-----</td> <td>-----</td> <td>98.18</td> <td>32.90</td> <td>6.68</td> <td>33.42</td> <td>100</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.34	-----	-----	98.18	32.90	6.68	33.42	100	339	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	104.34	-----	-----	98.18	32.90	6.68	33.42	100	339	AVERAGE																																																																							



		66																																																																										
Mode	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz+B48 Link+BLE_B38(2M) 2478 MHz																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.03</td> <td>64.75</td> <td>68.30</td> <td>-3.55</td> <td>51.20</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>400</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5725.03	64.75	68.30	-3.55	51.20	36.22	10.02	32.69	400	209	PEAK	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>114.15</td> <td>-----</td> <td>-----</td> <td>107.99</td> <td>32.90</td> <td>6.68</td> <td>33.42</td> <td>400</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	114.15	-----	-----	107.99	32.90	6.68	33.42	400	209	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5725.03	64.75	68.30	-3.55	51.20	36.22	10.02	32.69	400	209	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5700.00	114.15	-----	-----	107.99	32.90	6.68	33.42	400	209	PEAK																																																																	
Avg	Blank	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>111.70</td> <td>-----</td> <td>-----</td> <td>105.54</td> <td>32.90</td> <td>6.68</td> <td>33.42</td> <td>400</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	111.70	-----	-----	105.54	32.90	6.68	33.42	400	209	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5700.00	111.70	-----	-----	105.54	32.90	6.68	33.42	400	209	AVERAGE																																																																	



		66																																																																														
Mode	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz+B48 Link+BLE_B38(2M) 2478 MHz																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>48.71</td> <td>74.00</td> <td>-25.29</td> <td>46.14</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>376</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	48.71	74.00	-25.29	46.14	30.70	5.46	33.59	376	294	PEAK	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>107.10</td> <td>74.00</td> <td>33.10</td> <td>104.54</td> <td>30.70</td> <td>5.45</td> <td>33.59</td> <td>376</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	107.10	74.00	33.10	104.54	30.70	5.45	33.59	376	294	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.52	48.71	74.00	-25.29	46.14	30.70	5.46	33.59	376	294	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2478.00	107.10	74.00	33.10	104.54	30.70	5.45	33.59	376	294	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>38.66</td> <td>54.00</td> <td>-15.34</td> <td>36.09</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>376</td> <td>294</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	38.66	54.00	-15.34	36.09	30.70	5.46	33.59	376	294	AVERAGE	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>105.28</td> <td>54.00</td> <td>51.28</td> <td>102.72</td> <td>30.70</td> <td>5.45</td> <td>33.59</td> <td>376</td> <td>294</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.28	54.00	51.28	102.72	30.70	5.45	33.59	376	294	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.52	38.66	54.00	-15.34	36.09	30.70	5.46	33.59	376	294	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2478.00	105.28	54.00	51.28	102.72	30.70	5.45	33.59	376	294	AVERAGE																																																																					



		66																																																																												
Mode	Band Edge																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz+B48 Link+BLE_B38(2M) 2478 MHz																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.13</td> <td>44.50</td> <td>74.00</td> <td>-29.50</td> <td>41.92</td> <td>30.70</td> <td>5.47</td> <td>33.59</td> <td>332</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.13	44.50	74.00	-29.50	41.92	30.70	5.47	33.59	332	0 PEAK	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>99.29</td> <td>-----</td> <td>-----</td> <td>96.73</td> <td>30.70</td> <td>5.45</td> <td>33.59</td> <td>332</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	99.29	-----	-----	96.73	30.70	5.45	33.59	332	0 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2483.13	44.50	74.00	-29.50	41.92	30.70	5.47	33.59	332	0 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2478.00	99.29	-----	-----	96.73	30.70	5.45	33.59	332	0 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.79</td> <td>36.13</td> <td>54.00</td> <td>-17.87</td> <td>33.56</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>332</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.79	36.13	54.00	-17.87	33.56	30.70	5.46	33.59	332	0 AVERAGE	<p style="text-align: right;">Date: 2024-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>97.41</td> <td>-----</td> <td>-----</td> <td>94.85</td> <td>30.70</td> <td>5.45</td> <td>33.59</td> <td>332</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.41	-----	-----	94.85	30.70	5.45	33.59	332	0 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2483.79	36.13	54.00	-17.87	33.56	30.70	5.46	33.59	332	0 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2478.00	97.41	-----	-----	94.85	30.70	5.45	33.59	332	0 AVERAGE																																																																				



		66																																																																																																																																																							
Mode	Harmonic																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz+B48 Link+BLE_B38(2M) 2478 MHz																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																							
Peak Avg	<p style="text-align: right;">Date: 2024-05-29</p>	<p style="text-align: right;">Date: 2024-05-29</p>																																																																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>35.86</td> <td>36.09</td> <td>8.48</td> <td>32.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>44.06</td> <td>74.00</td> <td>-29.94</td> <td>30.59</td> <td>36.83</td> <td>10.17</td> <td>33.53</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11400.00</td> <td>49.29</td> <td>74.00</td> <td>-24.71</td> <td>30.88</td> <td>39.16</td> <td>12.81</td> <td>33.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>17100.00</td> <td>48.21</td> <td>68.30</td> <td>-20.09</td> <td>25.30</td> <td>41.71</td> <td>15.62</td> <td>34.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	47.72	74.00	-26.28	35.86	36.09	8.48	32.71	---	---	Peak	2	7434.00	44.06	74.00	-29.94	30.59	36.83	10.17	33.53	---	---	Peak	3	11400.00	49.29	74.00	-24.71	30.88	39.16	12.81	33.56	---	---	Peak	4	17100.00	48.21	68.30	-20.09	25.30	41.71	15.62	34.42	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>47.12</td> <td>74.00</td> <td>-26.88</td> <td>35.26</td> <td>36.09</td> <td>8.48</td> <td>32.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>44.46</td> <td>74.00</td> <td>-29.54</td> <td>30.99</td> <td>36.83</td> <td>10.17</td> <td>33.53</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11400.00</td> <td>48.32</td> <td>74.00</td> <td>-25.68</td> <td>29.91</td> <td>39.16</td> <td>12.81</td> <td>33.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>17100.00</td> <td>50.31</td> <td>68.30</td> <td>-17.99</td> <td>27.40</td> <td>41.71</td> <td>15.62</td> <td>34.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	47.12	74.00	-26.88	35.26	36.09	8.48	32.71	---	---	Peak	2	7434.00	44.46	74.00	-29.54	30.99	36.83	10.17	33.53	---	---	Peak	3	11400.00	48.32	74.00	-25.68	29.91	39.16	12.81	33.56	---	---	Peak	4	17100.00	50.31	68.30	-17.99	27.40	41.71	15.62	34.42	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	4956.00	47.72	74.00	-26.28	35.86	36.09	8.48	32.71	---	---	Peak																																																																																																																																														
2	7434.00	44.06	74.00	-29.94	30.59	36.83	10.17	33.53	---	---	Peak																																																																																																																																														
3	11400.00	49.29	74.00	-24.71	30.88	39.16	12.81	33.56	---	---	Peak																																																																																																																																														
4	17100.00	48.21	68.30	-20.09	25.30	41.71	15.62	34.42	---	---	Peak																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	4956.00	47.12	74.00	-26.88	35.26	36.09	8.48	32.71	---	---	Peak																																																																																																																																														
2	7434.00	44.46	74.00	-29.54	30.99	36.83	10.17	33.53	---	---	Peak																																																																																																																																														
3	11400.00	48.32	74.00	-25.68	29.91	39.16	12.81	33.56	---	---	Peak																																																																																																																																														
4	17100.00	50.31	68.30	-17.99	27.40	41.71	15.62	34.42	---	---	Peak																																																																																																																																														



		67																																																																																																										
Mode	Band Edge - L																																																																																																											
	U-NII-2C_5.25-5.35_802.11ax HE20_CH140_106/54_5700MHz+ B48 Link+WLAN2.4G_11g_CH 11 2462 MHz																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.12</td> <td>57.99</td> <td>68.20</td> <td>-10.21</td> <td>39.73</td> <td>34.66</td> <td>13.34</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5729.12	57.99	68.20	-10.21	39.73	34.66	13.34	29.74	0.00	100	238	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2455.20</td> <td>100.10</td> <td>-----</td> <td>-----</td> <td>89.76</td> <td>32.40</td> <td>8.90</td> <td>30.96</td> <td>0.00</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>3601.20</td> <td>116.82</td> <td>-----</td> <td>-----</td> <td>103.34</td> <td>32.90</td> <td>10.56</td> <td>29.98</td> <td>0.00</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>108.14</td> <td>-----</td> <td>-----</td> <td>90.04</td> <td>34.60</td> <td>13.09</td> <td>29.59</td> <td>0.00</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2455.20	100.10	-----	-----	89.76	32.40	8.90	30.96	0.00	100	238	PEAK	2	3601.20	116.82	-----	-----	103.34	32.90	10.56	29.98	0.00	100	238	PEAK	3	5700.00	108.14	-----	-----	90.04	34.60	13.09	29.59	0.00	100	238	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	5729.12	57.99	68.20	-10.21	39.73	34.66	13.34	29.74	0.00	100	238	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2455.20	100.10	-----	-----	89.76	32.40	8.90	30.96	0.00	100	238	PEAK																																																																																																
2	3601.20	116.82	-----	-----	103.34	32.90	10.56	29.98	0.00	100	238	PEAK																																																																																																
3	5700.00	108.14	-----	-----	90.04	34.60	13.09	29.59	0.00	100	238	PEAK																																																																																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2461.20</td> <td>92.93</td> <td>-----</td> <td>-----</td> <td>82.60</td> <td>32.40</td> <td>8.89</td> <td>30.96</td> <td>0.00</td> <td>100</td> <td>238</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>3601.20</td> <td>102.61</td> <td>-----</td> <td>-----</td> <td>89.13</td> <td>32.90</td> <td>10.56</td> <td>29.98</td> <td>0.00</td> <td>100</td> <td>238</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>97.29</td> <td>-----</td> <td>-----</td> <td>79.19</td> <td>34.60</td> <td>13.09</td> <td>29.59</td> <td>0.00</td> <td>100</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2461.20	92.93	-----	-----	82.60	32.40	8.89	30.96	0.00	100	238	AVERAGE	2	3601.20	102.61	-----	-----	89.13	32.90	10.56	29.98	0.00	100	238	AVERAGE	3	5700.00	97.29	-----	-----	79.19	34.60	13.09	29.59	0.00	100	238	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2461.20	92.93	-----	-----	82.60	32.40	8.89	30.96	0.00	100	238	AVERAGE																																																																																																
2	3601.20	102.61	-----	-----	89.13	32.90	10.56	29.98	0.00	100	238	AVERAGE																																																																																																
3	5700.00	97.29	-----	-----	79.19	34.60	13.09	29.59	0.00	100	238	AVERAGE																																																																																																



		67																																																																																																						
Mode	Band Edge - L																																																																																																							
	U-NII-2C_5.25-5.35_802.11ax HE20_CH140_106/54_5700MHz+ B48 Link+WLAN2.4G_11g_CH 11 2462 MHz																																																																																																							
Pol.	Vertical	Fundamental																																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.56</td> <td>62.76</td> <td>68.20</td> <td>-5.44</td> <td>44.50</td> <td>34.66</td> <td>13.34</td> <td>29.74</td> <td>0.00</td> <td>107</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5728.56	62.76	68.20	-5.44	44.50	34.66	13.34	29.74	0.00	107	62 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2455.20</td> <td>86.44</td> <td>-----</td> <td>-----</td> <td>76.10</td> <td>32.40</td> <td>8.90</td> <td>30.96</td> <td>0.00</td> <td>107</td> <td>62 PEAK</td> </tr> <tr> <td>2</td> <td>3601.20</td> <td>103.58</td> <td>-----</td> <td>-----</td> <td>90.10</td> <td>32.90</td> <td>10.56</td> <td>29.98</td> <td>0.00</td> <td>107</td> <td>62 PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>108.88</td> <td>-----</td> <td>-----</td> <td>90.78</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> <td>0.00</td> <td>107</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2455.20	86.44	-----	-----	76.10	32.40	8.90	30.96	0.00	107	62 PEAK	2	3601.20	103.58	-----	-----	90.10	32.90	10.56	29.98	0.00	107	62 PEAK	3	5700.00	108.88	-----	-----	90.78	34.60	13.10	29.60	0.00	107	62 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	5728.56	62.76	68.20	-5.44	44.50	34.66	13.34	29.74	0.00	107	62 PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	2455.20	86.44	-----	-----	76.10	32.40	8.90	30.96	0.00	107	62 PEAK																																																																																													
2	3601.20	103.58	-----	-----	90.10	32.90	10.56	29.98	0.00	107	62 PEAK																																																																																													
3	5700.00	108.88	-----	-----	90.78	34.60	13.10	29.60	0.00	107	62 PEAK																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2461.20</td> <td>78.51</td> <td>-----</td> <td>-----</td> <td>68.18</td> <td>32.40</td> <td>8.89</td> <td>30.96</td> <td>0.00</td> <td>107</td> <td>62 AVERAGE</td> </tr> <tr> <td>2</td> <td>3601.20</td> <td>102.01</td> <td>-----</td> <td>-----</td> <td>88.53</td> <td>32.90</td> <td>10.56</td> <td>29.98</td> <td>0.00</td> <td>107</td> <td>62 AVERAGE</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>97.93</td> <td>-----</td> <td>-----</td> <td>79.83</td> <td>34.60</td> <td>13.09</td> <td>29.59</td> <td>0.00</td> <td>107</td> <td>62 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2461.20	78.51	-----	-----	68.18	32.40	8.89	30.96	0.00	107	62 AVERAGE	2	3601.20	102.01	-----	-----	88.53	32.90	10.56	29.98	0.00	107	62 AVERAGE	3	5700.00	97.93	-----	-----	79.83	34.60	13.09	29.59	0.00	107	62 AVERAGE																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	2461.20	78.51	-----	-----	68.18	32.40	8.89	30.96	0.00	107	62 AVERAGE																																																																																													
2	3601.20	102.01	-----	-----	88.53	32.90	10.56	29.98	0.00	107	62 AVERAGE																																																																																													
3	5700.00	97.93	-----	-----	79.83	34.60	13.09	29.59	0.00	107	62 AVERAGE																																																																																													



		67																																																																																						
Mode		Band Edge																																																																																						
		U-NII-2C_5.25-5.35_802.11ax HE20_CH140_106/54_5700MHz+ B48 Link+WLAN2.4G_11g_CH 11 2462 MHz																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>56.76</td> <td>74.00</td> <td>-17.24</td> <td>40.45</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>112 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	56.76	74.00	-17.24	40.45	32.40	8.88	30.97	6.00	100	112 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>105.02</td> <td>-----</td> <td>-----</td> <td>88.69</td> <td>32.40</td> <td>8.89</td> <td>30.96</td> <td>6.00</td> <td>100</td> <td>112 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	105.02	-----	-----	88.69	32.40	8.89	30.96	6.00	100	112 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2483.50	56.76	74.00	-17.24	40.45	32.40	8.88	30.97	6.00	100	112 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2462.00	105.02	-----	-----	88.69	32.40	8.89	30.96	6.00	100	112 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>45.27</td> <td>54.00</td> <td>-8.73</td> <td>28.96</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>112 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	45.27	54.00	-8.73	28.96	32.40	8.88	30.97	6.00	100	112 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>95.06</td> <td>-----</td> <td>-----</td> <td>79.53</td> <td>32.40</td> <td>8.89</td> <td>30.96</td> <td>6.00</td> <td>100</td> <td>112 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	95.06	-----	-----	79.53	32.40	8.89	30.96	6.00	100	112 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2483.50	45.27	54.00	-8.73	28.96	32.40	8.88	30.97	6.00	100	112 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2462.00	95.06	-----	-----	79.53	32.40	8.89	30.96	6.00	100	112 AVERAGE																																																																													



		67																																																																																
Mode	Band Edge																																																																																	
	U-NII-2C_5.25-5.35_802.11ax HE20_CH140_106/54_5700MHz+ B48 Link+WLAN2.4G_11g_CH 11 2462 MHz																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.40</td> <td>55.16</td> <td>74.00</td> <td>-18.84</td> <td>38.85</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>325</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.40	55.16	74.00	-18.84	38.85	32.40	8.88	30.97	6.00	325	60	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.71</td> <td>-----</td> <td>-----</td> <td>86.38</td> <td>32.40</td> <td>8.89</td> <td>30.96</td> <td>6.00</td> <td>325</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	102.71	-----	-----	86.38	32.40	8.89	30.96	6.00	325	60	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2484.40	55.16	74.00	-18.84	38.85	32.40	8.88	30.97	6.00	325	60	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2462.00	102.71	-----	-----	86.38	32.40	8.89	30.96	6.00	325	60	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>44.20</td> <td>54.00</td> <td>-9.80</td> <td>27.89</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>325</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.50	44.20	54.00	-9.80	27.89	32.40	8.88	30.97	6.00	325	60	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>93.45</td> <td>-----</td> <td>-----</td> <td>77.12</td> <td>32.40</td> <td>8.89</td> <td>30.96</td> <td>6.00</td> <td>325</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	93.45	-----	-----	77.12	32.40	8.89	30.96	6.00	325	60	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2483.50	44.20	54.00	-9.80	27.89	32.40	8.88	30.97	6.00	325	60	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2462.00	93.45	-----	-----	77.12	32.40	8.89	30.96	6.00	325	60	AVERAGE																																																																						




Mode	67																																																																													
	Harmonic																																																																													
	U-NII-2C_5.25-5.35_802.11ax HE20_CH140_106/54_5700MHz+ B48 Link+WLAN2.4G_11g_CH 11 2462 MHz																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.26</td> <td>74.00</td> <td>-27.74</td> <td>53.54</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	46.26	74.00	-27.74	53.54	38.30	18.42	64.00	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.90</td> <td>74.00</td> <td>-28.10</td> <td>53.18</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	45.90	74.00	-28.10	53.18	38.30	18.42	64.00	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11400.00	46.26	74.00	-27.74	53.54	38.30	18.42	64.00	0.00	-- -- PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11400.00	45.90	74.00	-28.10	53.18	38.30	18.42	64.00	0.00	-- -- PEAK																																																																					

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.




Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	0.75KHZ
802.11ax HE20	95.87	1.010	0.990	1KHz
802.11ax HE40	92.48	0.535	1.870	3KHz
802.11ax HE80	86.78	0.286	3.503	10KHz
802.11ax HE160	93.39	0.615	1.627	3KHz
802.11ax HE20 26RU	98.84	-	-	10Hz
802.11ax HE20 52RU	98.21	-	-	10Hz
802.11ax HE20 106RU	98.24	-	-	10Hz






802.11ax HE20






802.11ax HE40




802.11ax HE80






802.11ax HE160




802.11ax HE20 26RU





802.11ax HE20 52RU



802.11ax HE20 106RU

