Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 1 of 25

TEST REPORT

Test Result:	Pass*	
Date of Issue:	2023/12/21	
Date of Test:	2023/11/18 to 2023/11/20	
Date of Receipt:	2023/11/10	
Standard(s):	FCC 47 CFR Part 15, Subpart B	
FCC ID:	2AFZZRA50J	
Trade Mark:	Redmi	
Model No.:	XIG05	
EUT Description:	Mobile Phone	
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085	
Manufacturer:	Xiaomi Communications Co., Ltd.	
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085	
Applicant:	Xiaomi Communications Co., Ltd.	
Application No:	SEWM2311000454RG	

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

/C(I

Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms.and-Conditions.sgw</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms.and-Conditions.sgw</u> and, for electronic Documents, Attention is drawn to the limitation of liability, indexmitted and the subject of the terms.and-Conditions.gw and for electronic Documents, attention is drawn to the limitation of liability, indexmitted the subject of the subject



 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 2 of 25

Revision Record				
Version	Version Chapter Date Modifier Remark			
01		2023/12/21		Original

Prepared By	King-p Li) / Test Engineer
Checked By	Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are tealmed for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 3 of 25

Test Summary

	Emission Part				
Item	Standard	Method	Requirement	Result	
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is exceened excert and the information excercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fulleet extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 4 of 25

Contents

1	Ger	neral Information	.5
0	1.1 1.2 1.3 1.4 1.5	Description of Support Units Test Location Test Facility Deviation from Standards Abnormalities from Standard Conditions	.7 .7 .7 .7
2	Emi	ssion Test Results	.8
		Conducted Emissions at Mains Terminals (150kHz-30MHz) 1 E.U.T. Operation 2 Test Setup Procedures	.8
		3 Measurement Data	
	2.2	Radiated Emissions (30MHz-1GHz)	
	2.2.	1 E.U.T. Operation	
	2.2.	2 Test Setup Procedures	13
	2.2.	3 Measurement Data	
	2.3	Radiated Emissions (above 1GHz)	
		1 E.U.T. Operation	
		2 Test Setup Procedures	
	2.3.	3 Measurement Data	19
3	Equ	ipment List	22
4	Mea	asurement Uncertainty	<u>2</u> 4
5	Pho	otographs	25
	5.1	Test Setup	25
			-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is exceened excert and the information excercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fulleet extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 5 of 25

1 General Information

SG

EUT Description:	Mobile Phone		
Model No.:	XIG05		
Trade Mark:	Redmi		
Hardware Version:	13510N16		
Software Version:	Xiaomi HyperOS 1.0		
IMEI:	IMEI:864594070019341 IMEI:864594070012007		
	Band	Tx (MHz)	Rx (MHz)
	GSM850	824~849	869~894
	GSM1900	1850~1910	1930~1990
	WCDMA Band II	1850~1910	1930~1990
	WCDMA Band IV	1710~1755	2110~2155
	WCDMA Band V	824~849	869~894
	LTE Band 2	1850~1910	1930~1990
	LTE Band 4	1710~1755	2110~2155
	LTE Band 5	824~849	869~894
	LTE Band 7	2500~2570	2620~2690
	LTE Band 12	699~716	729~746
	LTE Band 13	777~787	746~756
Frequency Bands:	LTE Band 17	704~716	734~746
	LTE Band 26 (814 to 824 MHz)	814~824	859~869
	LTE Band 26 (824 to 849 MHz)	824~849	869~894
	LTE Band 38	2570~2620	2570~2620
	LTE Band 41	2496~2690	2496~2690
	LTE Band 66	1710~1780	2110~2200
	NR Band n5	824~849	869~894
	NR Band n7	2500~2570	2620~2690
	NR Band n38	2570~2620	2570~2620
	NR Band n41	2496~2690	2496~2690
	NR Band n66	1710~1780	2110~2180
	NR Band n77	3450-3550	3450-3550



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is exceened excert and the information excercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fulleet extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. 6 Plant, No.1, Runsheng Road, Stanbu Industrial Park, Suzhou Area, China (Liangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Report No.: SEWM2311000454RG08 Rev.: 01 Page: 6 of 25

	-		
	3700-3980	3700-3980	
ND Dead a 70	3450-3550	3450-3550	
NR Band n78	3700-3800	3700-3800	
Wi-Fi 2.4G	2412~2462	2412~2462	
Bluetooth	2402~2480	2402~2480	
Wi-Fi 5G	5150~5850	5150~5850	
NFC	13.56	13.56	
GNSS	/	1559~1610	
LTE CA: LTE UL CA_7C; LTE U ENDC:	LTE UL CA_7C; LTE UL CA_38C; LTE UL CA_4A-7A; LTE UL CA_2A-4A;		
DC_7A_n5A; DC_5A_	DC_7A_n5A; DC_5A_n7A; DC_66A_n7A; DC_66A_n38A; DC_12A_n66A; DC_2A_n66A; DC_5A_n66A; DC_7A_n66A; DC_66A_n41A;		
DC_12A_n66A; DC_2			
DC_26A_n41A; DC_4	1A_n77A;DC_2A_n78A; DC_38	A_n78A; DC_41A_n78A;	

S

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information. EUT: 8G+256G

Accessory:

Adapter No.	Model No.	Manufacturer
1	MDY-12-EJ	Salcomp
2	MDY-15-EV	Chenyang

Battery No.	Model No.	Manufacturer
1	BM5V	NVT

USB Cable No.	Model No.	Manufacturer
1	L26260	LUXSHARE
2	B26260	Fuhong

Screen no.	Model No.	Manufacturer
1		Wuhan China Star
2		TIANMA



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 7 of 25

1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.	
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01	
Computer	Lenovo	T14	SUWI-03-33-04	
Earphone	One more	EM023	N/A	

1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address: South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Post Suzhou Area, China (Jiangsu) Pilot Free Trade Zone	
Post code:	215000
Test engineer:	King-p Li

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327

1.4 Deviation from Standards

None

1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection reports & certificate, please contact us at telephone: (86-755) 8307 1443,

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 8 of 25

2 Emission Test Results

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B					
Test Method:	ANSI C63.4:2014					
Frequency Range:	150kHz to 30MHz					
Receiver Setup:	RBW = 9kHz, VBW = 30kHz					
		Limit(dBµV)				
	Frequency Range (MHz)	Quasi-peak	average			
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*			
Limit:	0.5M-5MHz	56	46			
	5M-30MHz 60 50					
	*Decreases with the logarithm of the frequency					
	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz					

2.1.1 E.U.T. Operation

Operating Environment: Temperature: 22~23°C 44~46%RH Humidity: Atmospheric Pressure: 101kPa a: adapter(2)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+Camera(Front)+LTE Band 26 (RX) Low+ SIM1 Pretest these modes to find the worst case: b: Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+LTE Band 5 (RX) High+ SIM1 a: adapter(2)+usb The worst case for final Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+Camera(Front)+LTE Band 26 test: (RX) Low+ SIM1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documentaspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Studiou Industrial Park, Studiou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01


 Page:
 9 of 25

2.1.2 Test Setup Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.

- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.

8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Com-Automation is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 10 of 25



Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Com-Automation is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 11 of 25



Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Com-Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 12 of 25

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B						
Test Method:	ANSI C63.4:2014						
Frequency Range:	30MHz to 1GHz						
Measurement Distance:	3m	3m					
	Frequency Range (MHz) Limit(dBµV/m)		Detector				
	30MHz -88MHz	40.0	Quasi-peak				
Limit:	88MHz-216MHz 43.5		Quasi-peak				
	216MHz-960MHz	46.0	Quasi-peak				
	960MHz-1000MHz 54.0		Quasi-peak				
Detector:	Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz						

2.2.1 E.U.T. Operation

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101kPa
	a: adapter(2)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+ LTE Band 5 (RX) High+ SIM1
Pretest these modes to find the worst case:	b: Transfer data between the EUT and the PC+USB cable(2)+BT(IdIe)+Earphones+5GWLAN(IdIe)+LTE Band 5 (RX) High+ SIM1
	c: HF:adapter(2)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+ LTE Band 5 (RX) High+ SIM1
The worst case for final	a: adapter(2)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+ LTE Band 5 (RX) High+ SIM1
test:	b: Transfer data between the EUT and the PC+USB cable(2)+BT(IdIe)+Earphones+5GWLAN(IdIe)+LTE Band 5 (RX) High+ SIM1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document is a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Martinia and Sample(s) are taken to result shown in the steps responsibility of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Martinia and Martinia and

South of No. 6 Plant, No.1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的约号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 13 of 25

2.2.2 Test Setup Procedures

1. The EUT was placed in a semi Anechoic Chamber as show below

2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.


3. The table was rotated 360 degrees to determine the position of the highest radiation.

4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.

5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.

7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection reports & certificate, please contact us at telehome: (86-755) 8307 1443,

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 14 of 25



Data List

Data								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
1	31.2125	37.89	18.05	-34.01	21.93	40.00	18.07	Horizontal
2	44.065	30.23	19.50	-33.99	15.74	40.00	24.26	Horizontal
3	66.1325	30.24	17.76	-33.79	14.21	40.00	25.79	Horizontal
4	107.8425	30.33	16.21	-33.41	13.13	43.50	30.37	Horizontal
5	140.58	31.26	18.59	-33.24	16.61	43.50	26.89	Horizontal
6	197.5675	32.06	15.36	-32.74	14.67	43.50	28.83	Horizontal
7*	890.6325	62.14	29.77	-29.32	62.58	-	-	Horizontal

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]

3. #7 is system simulator signal which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection reports & certificate, please contact us at telephone: (86-755) 8307 1443,

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 15 of 25



Data List

NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
1	32.1825	42.32	18.16	-34.01	26.48	40.00	13.52	Vertical
2	39.9425	40.03	19.69	-34.00	25.72	40.00	14.28	Vertical
3	50.855	34.63	19.17	-33.97	19.83	40.00	20.17	Vertical
4	60.3125	32.06	18.75	-33.86	16.95	40.00	23.05	Vertical
5	81.895	32.98	15.11	-33.64	14.45	40.00	25.55	Vertical
6	107.8425	32.69	16.21	-33.41	15.49	43.50	28.01	Vertical
7*	890.6325	65.17	29.77	-29.32	65.61	-	-	Vertical

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]

3. #7 is system simulator signal which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 16 of 25



Data List

Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
75.59	43.63	16.04	-33.69	25.98	40.00	14.02	Horizontal
119.9675	32.01	17.30	-33.34	15.97	43.50	27.53	Horizontal
181.805	42.05	16.38	-32.87	25.56	43.50	17.94	Horizontal
215.9975	40.32	16.08	-32.59	23.81	43.50	19.69	Horizontal
264.0125	41.32	17.26	-32.37	26.21	46.00	19.79	Horizontal
320.515	35.86	19.07	-32.04	22.89	46.00	23.11	Horizontal
896.695	62	29.85	-29.27	62.58	-	-	Horizontal
	Frequency [MHz] 75.59 119.9675 181.805 215.9975 264.0125 320.515	Frequency [MHz] Reading [dBμV] 75.59 43.63 119.9675 32.01 181.805 42.05 215.9975 40.32 264.0125 41.32 320.515 35.86	Frequency [MHz]Reading [dBµV]AF [dB/m]75.5943.6316.04119.967532.0117.30181.80542.0516.38215.997540.3216.08264.012541.3217.26320.51535.8619.07	Frequency [MHz]Reading [dBµV]AF [dB/m]Factor [dB]75.5943.6316.04-33.69119.967532.0117.30-33.34181.80542.0516.38-32.87215.997540.3216.08-32.59264.012541.3217.26-32.37320.51535.8619.07-32.04	Frequency [MHz]Reading [dBμV]AF [dB/m]Factor [dB]QP Value [dBμV/m]75.5943.6316.04-33.6925.98119.967532.0117.30-33.3415.97181.80542.0516.38-32.8725.56215.997540.3216.08-32.5923.81264.012541.3217.26-32.3726.21320.51535.8619.07-32.0422.89	Frequency [MHz]Reading [dBμV]AF [dB/m]Factor [dB]QP Value [dBμV/m]QP Limit [dBμV/m]75.5943.6316.04-33.6925.9840.00119.967532.0117.30-33.3415.9743.50181.80542.0516.38-32.8725.5643.50215.997540.3216.08-32.5923.8143.50264.012541.3217.26-32.3726.2146.00320.51535.8619.07-32.0422.8946.00	Frequency [MHz]Reading [dBμV]AF [dB/m]Factor [dB]QP Value [dBμV/m]QP Limit [dBμV/m]QP Margin [dB]75.5943.6316.04-33.6925.9840.0014.02119.967532.0117.30-33.3415.9743.5027.53181.80542.0516.38-32.8725.5643.5017.94215.997540.3216.08-32.5923.8143.5019.69264.012541.3217.26-32.3726.2146.0019.79320.51535.8619.07-32.0422.8946.0023.11

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]

3. #7 is system simulator signal which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 17 of 25



Data List

Data								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
1	37.5175	43.21	19.10	-34.00	28.32	40.00	11.68	Vertical
2	44.065	42.35	19.50	-33.99	27.86	40.00	12.14	Vertical
3	55.22	44.35	18.99	-33.92	29.42	40.00	10.58	Vertical
4	73.65	42.05	16.41	-33.71	24.75	40.00	15.25	Vertical
5	119.9675	33.24	17.30	-33.34	17.20	43.50	26.30	Vertical
6	254.555	34.26	17.15	-32.43	18.98	46.00	27.02	Vertical
7*	895.4825	65.59	29.84	-29.28	66.14	-	-	Vertical

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]

3. #7 is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 18 of 25

2.3 Radiated Emissions (above 1GHz)

	<u> </u>						
Test Requirement:	47 CFR Part 15, Sub	47 CFR Part 15, Subpart B					
Test Method:	ANSI C63.4:2014						
Frequency Range:	Above 1GHz	Above 1GHz					
Measurement Distance:	3m	3m					
	Frequency (MHz)	Limit (dBµV/m)	Detector				
Limit:	Above 4011-	74	Peak				
	Above 1GHz	54	Average				
Detector:	Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower.						

2.3.1 E.U.T. Operation

SC

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101kPa
	a: adapter(2)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+ LTE Band 5 (RX) High+ SIM1
Pretest these modes to find the worst case:	b: Transfer data between the EUT and the PC+USB cable(2)+BT(IdIe)+Earphones+5GWLAN(IdIe)+LTE Band 5 (RX) High+ SIM1
	c: HF:adapter(2)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+ LTE Band 5 (RX) High+ SIM1
The worst case for final test:	c: HF: adapter(2)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+ LTE Band 5 (RX) High+ SIM1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cillent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Martinia and Martinia and Martinia and Solar Bartinia Accessing and the such as the

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 19 of 25

2.3.2 Test Setup Procedures

1. The EUT was placed in a full Anechoic Chamber as show below

- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation


(Distance from antenna to EUT is 1m for measurements >18GHz).

4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.

5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.

7. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.



2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condita</u>

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 20 of 25



3. #2 1G-18G is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Com-Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Studiou Industrial Park, Studiou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 21 of 25





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Stathou Industrial Park, Stachou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的4号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 22 of 25

3 Equipment List

CE Test System									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07				
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-26-01	2023/09/13	2024/09/12				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07				
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, results.

South of No. 6 Plant, No.1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 23 of 25

RE Test System						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)	
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07	
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06	
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10	
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2023/05/13	2024/05/12	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11	
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05	
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05	
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07	
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-26-01	2023/09/13	2024/09/12	
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR	



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are tealmed for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. 6 Plant, No.1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 24 of 25

4 Measurement Uncertainty

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)		
2		± 4.8dB (30M -1GHz)		
	Radiated Emission	± 4.8dB (1GHz to 18GHz)		
		± 4.8dB (Above 18GHz)		

Remark:

The U_{Iab} (lab Uncertainty) is less than $U_{cispr/ETSI}$ (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Co-ourlentapx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Dnless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

 Report No.:
 SEWM2311000454RG08

 Rev.:
 01

 Page:
 25 of 25

5 Photographs

5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com