


AnnexA.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.97	-13	Pass	2986
30	500	0.1	Peak	461.5	-42.66	-13	Pass	4701
500	1000	0.1	Peak	824.2	31.87	-13	N/A	5001
1000	10000	1	Peak	7750	-40.65	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-31.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-31.37	-13	Pass	2986
30	500	0.1	Peak	482.7	-42.95	-13	Pass	4701
500	1000	0.1	Peak	836.7	31.61	-13	N/A	5001
1000	10000	1	Peak	7717	-39.17	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.24	-13	Pass	2986
30	500	0.1	Peak	402.6	-42.37	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.44	-13	N/A	5001
1000	10000	1	Peak	1780	-36.35	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.81	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37	-13	Pass	2986
30	1000	0.1	Peak	896.5	-46.77	-13	Pass	9701
1000	3000	1	Peak	1850	29.27	-13	N/A	2001
3000	20000	1	Peak	19927	-39.17	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.82	-13	Pass	401
0.15	30	0.01	Peak	0.16	-36.42	-13	Pass	2986
30	1000	0.1	Peak	815.7	-47.24	-13	Pass	9701
1000	3000	1	Peak	1880	28.96	-13	N/A	2001
3000	20000	1	Peak	19988	-39.01	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.31	-13	Pass	2986
30	1000	0.1	Peak	943	-46.96	-13	Pass	9701
1000	3000	1	Peak	1910	29.71	-13	N/A	2001
3000	20000	1	Peak	19983	-39.12	-13	Pass	17001



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.58	-13	Pass	401
0.15	30	0.01	Peak	0.16	-31.36	-13	Pass	2986
30	500	0.1	Peak	424.9	-43.34	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.07	-13	N/A	5001
1000	10000	1	Peak	8396	-40.26	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.14	-13	Pass	2986
30	500	0.1	Peak	478.2	-42.41	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.66	-13	N/A	5001
1000	10000	1	Peak	7731	-40.33	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-31.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.83	-13	Pass	2986
30	500	0.1	Peak	434	-43.14	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.08	-13	N/A	5001
1000	10000	1	Peak	7734	-39.88	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37	-13	Pass	2986
30	1000	0.1	Peak	838.2	-46.53	-13	Pass	9701
1000	3000	1	Peak	1850	28.63	-13	N/A	2001
3000	20000	1	Peak	19990	-39.25	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.5	-13	Pass	2986
30	1000	0.1	Peak	875.7	-47.14	-13	Pass	9701
1000	3000	1	Peak	1880	28.26	-13	N/A	2001
3000	20000	1	Peak	19718	-39.4	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.7	-13	Pass	2986
30	1000	0.1	Peak	889.5	-46.38	-13	Pass	9701
1000	3000	1	Peak	1910	28.22	-13	N/A	2001
3000	20000	1	Peak	19793	-38.92	-13	Pass	17001



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-40.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.25	-13	Pass	2986
30	1000	0.1	Peak	939.8	-51.67	-13	Pass	9701
1000	3000	1	Peak	1854	23.62	-13	N/A	2001
3000	20000	1	Peak	19656	-25.58	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.43	-13	Pass	2986
30	1000	0.1	Peak	934.2	-51.15	-13	Pass	9701
1000	3000	1	Peak	1881	23.48	-13	N/A	2001
3000	20000	1	Peak	19744	-24.76	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.64	-13	Pass	2986
30	1000	0.1	Peak	924.2	-50.77	-13	Pass	9701
1000	3000	1	Peak	1906	22.34	-13	N/A	2001
3000	20000	1	Peak	19987	-25.72	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.45	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.5	-13	Pass	2986
30	1000	0.1	Peak	843.7	-50.62	-13	Pass	9701
1000	3000	1	Peak	1714	23.8	-13	N/A	2001
3000	20000	1	Peak	19781	-25.67	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.44	-13	Pass	2986
30	1000	0.1	Peak	942.7	-51.45	-13	Pass	9701
1000	3000	1	Peak	1731	24.15	-13	N/A	2001
3000	20000	1	Peak	19981	-25.75	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.77	-13	Pass	2986
30	1000	0.1	Peak	948	-51.22	-13	Pass	9701
1000	3000	1	Peak	1754	24.18	-13	N/A	2001
3000	20000	1	Peak	19770	-25.14	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-41.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.34	-13	Pass	2986
30	500	0.1	Peak	418.6	-53.1	-13	Pass	4701
500	1000	0.1	Peak	827.6	16.87	-13	N/A	5001
1000	10000	1	Peak	7715	-30.53	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.13	-13	Pass	2986
30	500	0.1	Peak	487.1	-52.87	-13	Pass	4701
500	1000	0.1	Peak	835.9	17.19	-13	N/A	5001
1000	10000	1	Peak	8205	-30.75	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.17	-13	Pass	2986
30	500	0.1	Peak	449.4	-53.38	-13	Pass	4701
500	1000	0.1	Peak	846.2	17.15	-13	N/A	5001
1000	10000	1	Peak	9548	-30.22	-13	Pass	9001



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2986
30	1000	0.1	RMS	927.7	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.37	-13	Pass	841
1840	1920	1	RMS	1850.2	22.24	60	Pass	401
1920	3000	1	RMS	2651	-46.61	-13	Pass	1081
3000	12000	1	RMS	11840	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.58	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.12	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1850.2	21.52	60	Pass	401
1920	3000	1	RMS	2654	-46.61	-13	Pass	1081
3000	12000	1	RMS	11929	-40.02	-13	Pass	9001
12000	20000	1	RMS	19999	-27.57	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.8	-13	Pass	2986
30	1000	0.1	RMS	904	-62.1	-13	Pass	9701
1000	1840	1	RMS	1839	-50.56	-13	Pass	841
1840	1920	1	RMS	1879.6	22.3	60	Pass	401
1920	3000	1	RMS	2653	-46.63	-13	Pass	1081
3000	12000	1	RMS	11932	-40.05	-13	Pass	9001
12000	20000	1	RMS	19998	-27.57	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.36	-13	Pass	2986
30	1000	0.1	RMS	903.5	-62.14	-13	Pass	9701
1000	1840	1	RMS	1830	-50.56	-13	Pass	841
1840	1920	1	RMS	1879.6	21.51	60	Pass	401
1920	3000	1	RMS	2649	-46.56	-13	Pass	1081
3000	12000	1	RMS	11945	-40	-13	Pass	9001
12000	20000	1	RMS	19995	-27.62	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.38	-13	Pass	2986
30	1000	0.1	RMS	931.3	-62.07	-13	Pass	9701
1000	1840	1	RMS	1836	-50.51	-13	Pass	841
1840	1920	1	RMS	1908.8	22.31	60	Pass	401
1920	3000	1	RMS	2652	-46.63	-13	Pass	1081
3000	12000	1	RMS	11946	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.61	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.34	-13	Pass	2986
30	1000	0.1	RMS	898.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1920	1	RMS	1908.8	21.49	60	Pass	401
1920	3000	1	RMS	2651	-46.6	-13	Pass	1081
3000	12000	1	RMS	11852	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.53	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.84	-13	Pass	2986
30	1000	0.1	RMS	920.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	Pass	841
1840	1920	1	RMS	1850.2	22.28	60	Pass	401
1920	3000	1	RMS	2652	-46.58	-13	Pass	1081
3000	12000	1	RMS	11983	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.49	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	1000	0.1	RMS	883.6	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	Pass	841
1840	1920	1	RMS	1850.2	21.49	60	Pass	401
1920	3000	1	RMS	2655	-46.62	-13	Pass	1081
3000	12000	1	RMS	11952	-39.92	-13	Pass	9001
12000	20000	1	RMS	19994	-27.57	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.12	-13	Pass	2986
30	1000	0.1	RMS	943	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1878.8	22.16	60	Pass	401
1920	3000	1	RMS	2654	-46.51	-13	Pass	1081
3000	12000	1	RMS	11964	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.52	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.27	-13	Pass	2986
30	1000	0.1	RMS	914.6	-61.93	-13	Pass	9701
1000	1840	1	RMS	1837	-50.58	-13	Pass	841
1840	1920	1	RMS	1878.8	21.43	60	Pass	401
1920	3000	1	RMS	2660	-46.61	-13	Pass	1081
3000	12000	1	RMS	11972	-40.05	-13	Pass	9001
12000	20000	1	RMS	19999	-27.52	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.23	-13	Pass	2986
30	1000	0.1	RMS	919.3	-62.07	-13	Pass	9701
1000	1840	1	RMS	1829	-50.55	-13	Pass	841
1840	1920	1	RMS	1907.2	22.41	60	Pass	401
1920	3000	1	RMS	2659	-46.61	-13	Pass	1081
3000	12000	1	RMS	11842	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.56	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.78	-13	Pass	2986
30	1000	0.1	RMS	908.7	-62.01	-13	Pass	9701
1000	1840	1	RMS	1839	-50.58	-13	Pass	841
1840	1920	1	RMS	1907.2	21.47	60	Pass	401
1920	3000	1	RMS	2654	-46.6	-13	Pass	1081
3000	12000	1	RMS	11941	-40	-13	Pass	9001
12000	20000	1	RMS	19998	-27.54	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.57	-13	Pass	2986
30	1000	0.1	RMS	941.8	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.37	-13	Pass	841
1840	1920	1	RMS	1850.4	22.38	60	Pass	401
1920	3000	1	RMS	2651	-46.58	-13	Pass	1081
3000	12000	1	RMS	11959	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.54	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.56	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1850.4	21.32	60	Pass	401
1920	3000	1	RMS	2652	-46.61	-13	Pass	1081
3000	12000	1	RMS	11934	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.55	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1877.8	22.39	60	Pass	401
1920	3000	1	RMS	2655	-46.58	-13	Pass	1081
3000	12000	1	RMS	11939	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.59	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	1000	0.1	RMS	927	-62.16	-13	Pass	9701
1000	1840	1	RMS	1838	-50.55	-13	Pass	841
1840	1920	1	RMS	1877.8	21.36	60	Pass	401
1920	3000	1	RMS	2653	-46.58	-13	Pass	1081
3000	12000	1	RMS	11852	-39.97	-13	Pass	9001
12000	20000	1	RMS	20000	-27.56	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.09	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.17	-13	Pass	9701
1000	1840	1	RMS	1831	-50.56	-13	Pass	841
1840	1920	1	RMS	1905.4	22.36	60	Pass	401
1920	3000	1	RMS	2650	-46.63	-13	Pass	1081
3000	12000	1	RMS	11956	-39.99	-13	Pass	9001
12000	20000	1	RMS	19999	-27.57	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.37	-13	Pass	2986
30	1000	0.1	RMS	916.9	-62.11	-13	Pass	9701
1000	1840	1	RMS	1839	-50.56	-13	Pass	841
1840	1920	1	RMS	1905.4	21.58	60	Pass	401
1920	3000	1	RMS	2648	-46.6	-13	Pass	1081
3000	12000	1	RMS	11868	-40.03	-13	Pass	9001
12000	20000	1	RMS	19998	-27.59	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	1000	0.1	RMS	909.8	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1850.6	22.4	60	Pass	401
1920	3000	1	RMS	2650	-46.63	-13	Pass	1081
3000	12000	1	RMS	11961	-39.98	-13	Pass	9001
12000	20000	1	RMS	19997	-27.54	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1850.6	21.4	60	Pass	401
1920	3000	1	RMS	2656	-46.6	-13	Pass	1081
3000	12000	1	RMS	11928	-40	-13	Pass	9001
12000	20000	1	RMS	20000	-27.62	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-13	Pass	2986
30	1000	0.1	RMS	939.8	-61.98	-13	Pass	9701
1000	1840	1	RMS	1839	-50.55	-13	Pass	841
1840	1920	1	RMS	1875.6	22.3	60	Pass	401
1920	3000	1	RMS	2655	-46.58	-13	Pass	1081
3000	12000	1	RMS	11858	-40.02	-13	Pass	9001
12000	20000	1	RMS	19999	-27.57	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.33	-13	Pass	2986
30	1000	0.1	RMS	921.2	-61.96	-13	Pass	9701
1000	1840	1	RMS	1833	-50.51	-13	Pass	841
1840	1920	1	RMS	1875.6	21.58	60	Pass	401
1920	3000	1	RMS	2646	-46.65	-13	Pass	1081
3000	12000	1	RMS	11958	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.61	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.57	-13	Pass	2986
30	1000	0.1	RMS	959.9	-62.15	-13	Pass	9701
1000	1840	1	RMS	1839	-50.56	-13	Pass	841
1840	1920	1	RMS	1900.6	22.43	60	Pass	401
1920	3000	1	RMS	2651	-46.58	-13	Pass	1081
3000	12000	1	RMS	11984	-39.99	-13	Pass	9001
12000	20000	1	RMS	19998	-27.56	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	916.2	-62.11	-13	Pass	9701
1000	1840	1	RMS	1833	-50.57	-13	Pass	841
1840	1920	1	RMS	1900.6	21.7	60	Pass	401
1920	3000	1	RMS	2654	-46.62	-13	Pass	1081
3000	12000	1	RMS	11947	-39.97	-13	Pass	9001
12000	20000	1	RMS	19998	-27.58	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.61	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.19	-13	Pass	841
1840	1920	1	RMS	1850.8	22.12	60	Pass	401
1920	3000	1	RMS	2656	-46.59	-13	Pass	1081
3000	12000	1	RMS	11943	-40.05	-13	Pass	9001
12000	20000	1	RMS	19998	-27.6	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.04	-13	Pass	2986
30	1000	0.1	RMS	915.9	-62.13	-13	Pass	9701
1000	1840	1	RMS	1839	-50.45	-13	Pass	841
1840	1920	1	RMS	1850.8	21.47	60	Pass	401
1920	3000	1	RMS	2641	-46.62	-13	Pass	1081
3000	12000	1	RMS	11948	-39.97	-13	Pass	9001
12000	20000	1	RMS	19999	-27.57	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.06	-13	Pass	2986
30	1000	0.1	RMS	918.1	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1873.4	22.2	60	Pass	401
1920	3000	1	RMS	2653	-46.66	-13	Pass	1081
3000	12000	1	RMS	11954	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.57	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.07	-13	Pass	2986
30	1000	0.1	RMS	883.2	-62.19	-13	Pass	9701
1000	1840	1	RMS	1839	-50.55	-13	Pass	841
1840	1920	1	RMS	1873.4	21.09	60	Pass	401
1920	3000	1	RMS	2652	-46.61	-13	Pass	1081
3000	12000	1	RMS	11841	-40.05	-13	Pass	9001
12000	20000	1	RMS	19997	-27.59	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-13	Pass	2986
30	1000	0.1	RMS	915.8	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1895.8	22.27	60	Pass	401
1920	3000	1	RMS	2657	-46.65	-13	Pass	1081
3000	12000	1	RMS	11959	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.58	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.43	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1895.8	21.43	60	Pass	401
1920	3000	1	RMS	2656	-46.59	-13	Pass	1081
3000	12000	1	RMS	11862	-40.04	-13	Pass	9001
12000	20000	1	RMS	19994	-27.59	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.76	-13	Pass	2986
30	1000	0.1	RMS	932	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.37	-13	Pass	841
1840	1920	1	RMS	1851	22.13	60	Pass	401
1920	3000	1	RMS	2647	-46.57	-13	Pass	1081
3000	12000	1	RMS	11960	-40.01	-13	Pass	9001
12000	20000	1	RMS	19996	-27.56	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.82	-13	Pass	2986
30	1000	0.1	RMS	924.2	-61.93	-13	Pass	9701
1000	1840	1	RMS	1839	-50.42	-13	Pass	841
1840	1920	1	RMS	1851.2	21.43	60	Pass	401
1920	3000	1	RMS	2649	-46.62	-13	Pass	1081
3000	12000	1	RMS	11951	-40.03	-13	Pass	9001
12000	20000	1	RMS	19998	-27.66	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.82	-13	Pass	2986
30	1000	0.1	RMS	880.1	-62.12	-13	Pass	9701
1000	1840	1	RMS	1838	-50.53	-13	Pass	841
1840	1920	1	RMS	1871.2	21.98	60	Pass	401
1920	3000	1	RMS	2655	-46.6	-13	Pass	1081
3000	12000	1	RMS	11950	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.51	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.22	-13	Pass	2986
30	1000	0.1	RMS	914.1	-61.88	-13	Pass	9701
1000	1840	1	RMS	1839	-50.59	-13	Pass	841
1840	1920	1	RMS	1871	21.26	60	Pass	401
1920	3000	1	RMS	2648	-46.6	-13	Pass	1081
3000	12000	1	RMS	11945	-40	-13	Pass	9001
12000	20000	1	RMS	20000	-27.57	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2986
30	1000	0.1	RMS	838.6	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1891.2	22.3	60	Pass	401
1920	3000	1	RMS	2649	-46.65	-13	Pass	1081
3000	12000	1	RMS	11952	-39.97	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2986
30	1000	0.1	RMS	919.1	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	Pass	841
1840	1920	1	RMS	1891	21.46	60	Pass	401
1920	3000	1	RMS	2649	-46.59	-13	Pass	1081
3000	12000	1	RMS	11867	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.53	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.04	-13	Pass	2986
30	1000	0.1	RMS	946.4	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.53	-13	Pass	701
1700	1765	1	RMS	1710.238	24.35	60	Pass	401
1765	3000	1	RMS	2655	-46.51	-13	Pass	1236
3000	12000	1	RMS	11950	-39.96	-13	Pass	9001
12000	20000	1	RMS	20000	-27.61	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.65	-13	Pass	2986
30	1000	0.1	RMS	966.8	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1765	1	RMS	1710.238	23.42	60	Pass	401
1765	3000	1	RMS	2647	-46.57	-13	Pass	1236
3000	12000	1	RMS	11937	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.53	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	1000	0.1	RMS	945.9	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1765	1	RMS	1732.013	24.44	60	Pass	401
1765	3000	1	RMS	2658	-46.53	-13	Pass	1236
3000	12000	1	RMS	11938	-39.96	-13	Pass	9001
12000	20000	1	RMS	20000	-27.59	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-13	Pass	2986
30	1000	0.1	RMS	909.6	-62.1	-13	Pass	9701
1000	1700	1	RMS	1696	-51.08	-13	Pass	701
1700	1765	1	RMS	1732.175	23.67	60	Pass	401
1765	3000	1	RMS	2649	-46.64	-13	Pass	1236
3000	12000	1	RMS	11953	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.56	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.28	-13	Pass	2986
30	1000	0.1	RMS	920.6	-61.98	-13	Pass	9701
1000	1700	1	RMS	1608	-51.1	-13	Pass	701
1700	1765	1	RMS	1753.788	24.67	60	Pass	401
1765	3000	1	RMS	2660	-46.64	-13	Pass	1236
3000	12000	1	RMS	11847	-40	-13	Pass	9001
12000	20000	1	RMS	19997	-27.59	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	1000	0.1	RMS	934.8	-62.16	-13	Pass	9701
1000	1700	1	RMS	1695	-51.11	-13	Pass	701
1700	1765	1	RMS	1753.788	23.68	60	Pass	401
1765	3000	1	RMS	2656	-46.61	-13	Pass	1236
3000	12000	1	RMS	11955	-40.01	-13	Pass	9001
12000	20000	1	RMS	19993	-27.59	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.54	-13	Pass	2986
30	1000	0.1	RMS	908.8	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-49.04	-13	Pass	701
1700	1765	1	RMS	1710.238	24.36	60	Pass	401
1765	3000	1	RMS	2643	-46.57	-13	Pass	1236
3000	12000	1	RMS	11863	-40.03	-13	Pass	9001
12000	20000	1	RMS	19997	-27.6	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.37	-13	Pass	2986
30	1000	0.1	RMS	940.3	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1765	1	RMS	1710.238	23.53	60	Pass	401
1765	3000	1	RMS	2653	-46.55	-13	Pass	1236
3000	12000	1	RMS	11946	-39.97	-13	Pass	9001
12000	20000	1	RMS	20000	-27.59	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.43	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1699	-51.09	-13	Pass	701
1700	1765	1	RMS	1731.2	24.5	60	Pass	401
1765	3000	1	RMS	2649	-46.62	-13	Pass	1236
3000	12000	1	RMS	11944	-40.03	-13	Pass	9001
12000	20000	1	RMS	20000	-27.61	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.12	-13	Pass	2986
30	1000	0.1	RMS	904.1	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1765	1	RMS	1731.2	23.52	60	Pass	401
1765	3000	1	RMS	2650	-46.62	-13	Pass	1236
3000	12000	1	RMS	11857	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.57	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.83	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.14	-13	Pass	9701
1000	1700	1	RMS	1588	-51.1	-13	Pass	701
1700	1765	1	RMS	1752.325	24.38	60	Pass	401
1765	3000	1	RMS	2652	-46.62	-13	Pass	1236
3000	12000	1	RMS	11959	-40.04	-13	Pass	9001
12000	20000	1	RMS	19996	-27.56	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.91	-13	Pass	2986
30	1000	0.1	RMS	906.2	-62.14	-13	Pass	9701
1000	1700	1	RMS	1699	-51.1	-13	Pass	701
1700	1765	1	RMS	1752.163	23.49	60	Pass	401
1765	3000	1	RMS	2650	-46.61	-13	Pass	1236
3000	12000	1	RMS	11863	-40.08	-13	Pass	9001
12000	20000	1	RMS	19995	-27.63	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.06	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1765	1	RMS	1710.4	24.36	60	Pass	401
1765	3000	1	RMS	2648	-46.54	-13	Pass	1236
3000	12000	1	RMS	11948	-40	-13	Pass	9001
12000	20000	1	RMS	19999	-27.59	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.06	-13	Pass	2986
30	1000	0.1	RMS	953.5	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1710.238	23.31	60	Pass	401
1765	3000	1	RMS	2645	-46.59	-13	Pass	1236
3000	12000	1	RMS	11974	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.64	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.99	-13	Pass	2986
30	1000	0.1	RMS	932	-61.98	-13	Pass	9701
1000	1700	1	RMS	1699	-51.01	-13	Pass	701
1700	1765	1	RMS	1730.388	24.32	60	Pass	401
1765	3000	1	RMS	2644	-46.6	-13	Pass	1236
3000	12000	1	RMS	11925	-40.07	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	1000	0.1	RMS	914.7	-61.98	-13	Pass	9701
1000	1700	1	RMS	1580	-51.12	-13	Pass	701
1700	1765	1	RMS	1730.388	23.59	60	Pass	401
1765	3000	1	RMS	2646	-46.54	-13	Pass	1236
3000	12000	1	RMS	11959	-39.97	-13	Pass	9001
12000	20000	1	RMS	19999	-27.57	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2986
30	1000	0.1	RMS	980.6	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1765	1	RMS	1750.375	24.52	60	Pass	401
1765	3000	1	RMS	2648	-46.63	-13	Pass	1236
3000	12000	1	RMS	11862	-40	-13	Pass	9001
12000	20000	1	RMS	19998	-27.66	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.43	-13	Pass	2986
30	1000	0.1	RMS	966.9	-61.89	-13	Pass	9701
1000	1700	1	RMS	1584	-51.1	-13	Pass	701
1700	1765	1	RMS	1750.375	23.55	60	Pass	401
1765	3000	1	RMS	2651	-46.54	-13	Pass	1236
3000	12000	1	RMS	11950	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.63	-13	Pass	2986
30	1000	0.1	RMS	915.1	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1765	1	RMS	1710.563	24.34	60	Pass	401
1765	3000	1	RMS	2650	-46.62	-13	Pass	1236
3000	12000	1	RMS	11942	-40.08	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.32	-13	Pass	2986
30	1000	0.1	RMS	938.7	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1765	1	RMS	1710.563	23.4	60	Pass	401
1765	3000	1	RMS	2650	-46.58	-13	Pass	1236
3000	12000	1	RMS	11856	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.55	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	1000	0.1	RMS	935.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-50.99	-13	Pass	701
1700	1765	1	RMS	1728.113	24.39	60	Pass	401
1765	3000	1	RMS	2652	-46.62	-13	Pass	1236
3000	12000	1	RMS	11959	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.6	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.01	-13	Pass	2986
30	1000	0.1	RMS	906	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	Pass	701
1700	1765	1	RMS	1728.113	23.61	60	Pass	401
1765	3000	1	RMS	2654	-46.6	-13	Pass	1236
3000	12000	1	RMS	11963	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.64	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.8	-13	Pass	2986
30	1000	0.1	RMS	961.7	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-51.01	-13	Pass	701
1700	1765	1	RMS	1745.5	24.42	60	Pass	401
1765	3000	1	RMS	2651	-46.6	-13	Pass	1236
3000	12000	1	RMS	11948	-40.09	-13	Pass	9001
12000	20000	1	RMS	19999	-27.58	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.55	-13	Pass	2986
30	1000	0.1	RMS	932	-62.1	-13	Pass	9701
1000	1700	1	RMS	1692	-51.1	-13	Pass	701
1700	1765	1	RMS	1745.663	23.46	60	Pass	401
1765	3000	1	RMS	2649	-46.55	-13	Pass	1236
3000	12000	1	RMS	11917	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.62	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.71	-13	Pass	2986
30	1000	0.1	RMS	949	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.1	-13	Pass	701
1700	1765	1	RMS	1710.888	24.2	60	Pass	401
1765	3000	1	RMS	2653	-46.56	-13	Pass	1236
3000	12000	1	RMS	11907	-40.05	-13	Pass	9001
12000	20000	1	RMS	19999	-27.63	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-13	Pass	2986
30	1000	0.1	RMS	902	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-50.48	-13	Pass	701
1700	1765	1	RMS	1710.888	23.41	60	Pass	401
1765	3000	1	RMS	2649	-46.57	-13	Pass	1236
3000	12000	1	RMS	11927	-40.08	-13	Pass	9001
12000	20000	1	RMS	20000	-27.59	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.22	-13	Pass	2986
30	1000	0.1	RMS	928.1	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-50.95	-13	Pass	701
1700	1765	1	RMS	1725.838	24.28	60	Pass	401
1765	3000	1	RMS	2654	-46.53	-13	Pass	1236
3000	12000	1	RMS	11854	-40.01	-13	Pass	9001
12000	20000	1	RMS	19998	-27.66	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.52	-13	Pass	2986
30	1000	0.1	RMS	953	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1765	1	RMS	1725.838	23.48	60	Pass	401
1765	3000	1	RMS	2655	-46.6	-13	Pass	1236
3000	12000	1	RMS	11947	-40.09	-13	Pass	9001
12000	20000	1	RMS	19998	-27.64	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.95	-13	Pass	2986
30	1000	0.1	RMS	939.2	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1765	1	RMS	1740.788	24.33	60	Pass	401
1765	3000	1	RMS	2649	-46.6	-13	Pass	1236
3000	12000	1	RMS	11929	-40.06	-13	Pass	9001
12000	20000	1	RMS	19997	-27.63	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.89	-13	Pass	2986
30	1000	0.1	RMS	914.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1585	-51.09	-13	Pass	701
1700	1765	1	RMS	1740.788	23.67	60	Pass	401
1765	3000	1	RMS	2650	-46.56	-13	Pass	1236
3000	12000	1	RMS	11957	-40.09	-13	Pass	9001
12000	20000	1	RMS	20000	-27.64	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.72	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.4	-13	Pass	701
1700	1765	1	RMS	1711.05	24.5	60	Pass	401
1765	3000	1	RMS	2650	-46.61	-13	Pass	1236
3000	12000	1	RMS	11954	-40.04	-13	Pass	9001
12000	20000	1	RMS	19988	-27.65	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.92	-13	Pass	2986
30	1000	0.1	RMS	950	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1765	1	RMS	1711.213	23.58	60	Pass	401
1765	3000	1	RMS	2650	-46.57	-13	Pass	1236
3000	12000	1	RMS	11837	-40.01	-13	Pass	9001
12000	20000	1	RMS	19993	-27.63	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.73	-13	Pass	2986
30	1000	0.1	RMS	940.8	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1765	1	RMS	1723.563	24.32	60	Pass	401
1765	3000	1	RMS	2655	-46.63	-13	Pass	1236
3000	12000	1	RMS	11952	-40	-13	Pass	9001
12000	20000	1	RMS	19998	-27.65	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.57	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1765	1	RMS	1723.563	23.37	60	Pass	401
1765	3000	1	RMS	2646	-46.6	-13	Pass	1236
3000	12000	1	RMS	11841	-40.04	-13	Pass	9001
12000	20000	1	RMS	19997	-27.59	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.28	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.1	-13	Pass	9701
1000	1700	1	RMS	1672	-51.07	-13	Pass	701
1700	1765	1	RMS	1736.075	24.31	60	Pass	401
1765	3000	1	RMS	2646	-46.54	-13	Pass	1236
3000	12000	1	RMS	11952	-40	-13	Pass	9001
12000	20000	1	RMS	19995	-27.6	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.55	-13	Pass	2986
30	1000	0.1	RMS	938.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1736.075	23.59	60	Pass	401
1765	3000	1	RMS	2645	-46.53	-13	Pass	1236
3000	12000	1	RMS	11940	-40	-13	Pass	9001
12000	20000	1	RMS	19999	-27.61	-13	Pass	8001



7. LTE_Band5


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.8	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.83	-13	Pass	7841
814	860	0.1	RMS	824.3	21.17	60	Pass	461
860	1000	0.1	RMS	922.7	-62.34	-13	Pass	1401
1000	3000	1	RMS	2653	-46.8	-13	Pass	2001
3000	10000	1	RMS	7723	-42.16	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.47	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.84	-13	Pass	7841
814	860	0.1	RMS	824.3	20.13	60	Pass	461
860	1000	0.1	RMS	905.2	-62.32	-13	Pass	1401
1000	3000	1	RMS	2650	-46.81	-13	Pass	2001
3000	10000	1	RMS	7728	-42.19	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.52	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.41	-13	Pass	7841
814	860	0.1	RMS	836	21.1	60	Pass	461
860	1000	0.1	RMS	924.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	1672	-46.06	-13	Pass	2001
3000	10000	1	RMS	9548	-42.15	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.36	-13	Pass	7841
814	860	0.1	RMS	836.1	20.12	60	Pass	461
860	1000	0.1	RMS	917.7	-62.31	-13	Pass	1401
1000	3000	1	RMS	2653	-46.8	-13	Pass	2001
3000	10000	1	RMS	7739	-42.19	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.57	-13	Pass	2986
30	814	0.1	RMS	787.6	-62.34	-13	Pass	7841
814	860	0.1	RMS	847.8	21.15	60	Pass	461
860	1000	0.1	RMS	920.3	-62.45	-13	Pass	1401
1000	3000	1	RMS	2648	-46.77	-13	Pass	2001
3000	10000	1	RMS	7753	-42.15	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.43	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.36	-13	Pass	7841
814	860	0.1	RMS	847.8	20.32	60	Pass	461
860	1000	0.1	RMS	928.2	-62.61	-13	Pass	1401
1000	3000	1	RMS	2646	-46.83	-13	Pass	2001
3000	10000	1	RMS	7729	-42.16	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.77	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.56	-13	Pass	7841
814	860	0.1	RMS	824.2	21.33	60	Pass	461
860	1000	0.1	RMS	970.7	-62.52	-13	Pass	1401
1000	3000	1	RMS	2649	-46.81	-13	Pass	2001
3000	10000	1	RMS	9542	-42.11	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.07	-13	Pass	7841
814	860	0.1	RMS	824.2	20.68	60	Pass	461
860	1000	0.1	RMS	937.3	-62.42	-13	Pass	1401
1000	3000	1	RMS	2649	-46.83	-13	Pass	2001
3000	10000	1	RMS	7739	-42.21	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.3	-13	Pass	2986
30	814	0.1	RMS	810	-62.2	-13	Pass	7841
814	860	0.1	RMS	835.2	21.37	60	Pass	461
860	1000	0.1	RMS	923.9	-62.39	-13	Pass	1401
1000	3000	1	RMS	1670	-46.51	-13	Pass	2001
3000	10000	1	RMS	7748	-42.13	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.64	-13	Pass	2986
30	814	0.1	RMS	781.2	-62.45	-13	Pass	7841
814	860	0.1	RMS	835.2	20.52	60	Pass	461
860	1000	0.1	RMS	926.5	-62.42	-13	Pass	1401
1000	3000	1	RMS	2646	-46.8	-13	Pass	2001
3000	10000	1	RMS	7737	-42.19	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.84	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.36	-13	Pass	7841
814	860	0.1	RMS	846.2	21.29	60	Pass	461
860	1000	0.1	RMS	894.6	-62.43	-13	Pass	1401
1000	3000	1	RMS	1692	-46.39	-13	Pass	2001
3000	10000	1	RMS	7745	-42.16	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.01	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.42	-13	Pass	7841
814	860	0.1	RMS	846.2	20.48	60	Pass	461
860	1000	0.1	RMS	937.8	-62.57	-13	Pass	1401
1000	3000	1	RMS	2651	-46.81	-13	Pass	2001
3000	10000	1	RMS	7748	-42.14	-13	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.79	-13	Pass	2986
30	814	0.1	RMS	813	-61.85	-13	Pass	7841
814	860	0.1	RMS	824.3	21.56	60	Pass	461
860	1000	0.1	RMS	903.5	-62.5	-13	Pass	1401
1000	3000	1	RMS	2647	-46.85	-13	Pass	2001
3000	10000	1	RMS	7729	-42.26	-13	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.38	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.76	-13	Pass	7841
814	860	0.1	RMS	824.3	20.59	60	Pass	461
860	1000	0.1	RMS	892	-62.48	-13	Pass	1401
1000	3000	1	RMS	2657	-46.87	-13	Pass	2001
3000	10000	1	RMS	7728	-42.26	-13	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.59	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.41	-13	Pass	7841
814	860	0.1	RMS	834.3	21.51	60	Pass	461
860	1000	0.1	RMS	945.2	-62.48	-13	Pass	1401
1000	3000	1	RMS	1669	-45.7	-13	Pass	2001
3000	10000	1	RMS	7735	-42.27	-13	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.33	-13	Pass	7841
814	860	0.1	RMS	834.3	20.32	60	Pass	461
860	1000	0.1	RMS	905.6	-62.56	-13	Pass	1401
1000	3000	1	RMS	1669	-46.56	-13	Pass	2001
3000	10000	1	RMS	7730	-42.2	-13	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.05	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.34	-13	Pass	7841
814	860	0.1	RMS	844.3	21.48	60	Pass	461
860	1000	0.1	RMS	921.8	-62.45	-13	Pass	1401
1000	3000	1	RMS	1689	-46.47	-13	Pass	2001
3000	10000	1	RMS	7734	-42.2	-13	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.37	-13	Pass	7841
814	860	0.1	RMS	844.3	20.38	60	Pass	461
860	1000	0.1	RMS	899.8	-62.54	-13	Pass	1401
1000	3000	1	RMS	1689	-46.78	-13	Pass	2001
3000	10000	1	RMS	7732	-42.25	-13	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.69	-13	Pass	7841
814	860	0.1	RMS	824.6	21.68	60	Pass	461
860	1000	0.1	RMS	993.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	2652	-46.82	-13	Pass	2001
3000	10000	1	RMS	7738	-42.29	-13	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.22	-13	Pass	2986
30	814	0.1	RMS	811.6	-60.49	-13	Pass	7841
814	860	0.1	RMS	824.6	21.19	60	Pass	461
860	1000	0.1	RMS	921.8	-62.47	-13	Pass	1401
1000	3000	1	RMS	2650	-46.87	-13	Pass	2001
3000	10000	1	RMS	7740	-42.22	-13	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.25	-13	Pass	7841
814	860	0.1	RMS	832.1	22.16	60	Pass	461
860	1000	0.1	RMS	907.5	-62.45	-13	Pass	1401
1000	3000	1	RMS	1664	-45.11	-13	Pass	2001
3000	10000	1	RMS	7740	-42.27	-13	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.16	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.46	-13	Pass	7841
814	860	0.1	RMS	832.1	20.96	60	Pass	461
860	1000	0.1	RMS	946.8	-62.51	-13	Pass	1401
1000	3000	1	RMS	1664	-46.05	-13	Pass	2001
3000	10000	1	RMS	7745	-42.3	-13	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	814	0.1	RMS	811	-62.18	-13	Pass	7841
814	860	0.1	RMS	839.6	21.85	60	Pass	461
860	1000	0.1	RMS	936.2	-62.3	-13	Pass	1401
1000	3000	1	RMS	2650	-46.83	-13	Pass	2001
3000	10000	1	RMS	7738	-42.22	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.83	-13	Pass	2986
30	814	0.1	RMS	809.7	-62.39	-13	Pass	7841
814	860	0.1	RMS	839.6	20.87	60	Pass	461
860	1000	0.1	RMS	925	-62.44	-13	Pass	1401
1000	3000	1	RMS	2650	-46.88	-13	Pass	2001
3000	10000	1	RMS	7733	-42.28	-13	Pass	7001



3. LTE_Band7


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.28	-25	Pass	2986
30	1000	0.1	RMS	932.9	-62.03	-25	Pass	9701
1000	2490	1	RMS	2489	-47.61	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.11	60	Pass	401
2580	3000	1	RMS	2651	-46.61	-25	Pass	421
3000	12000	1	RMS	11849	-63.38	-25	Pass	9001
12000	26000	1	RMS	25013	-45.37	-25	Pass	14001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-25	Pass	2986
30	1000	0.1	RMS	915.3	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.52	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.47	60	Pass	401
2580	3000	1	RMS	2650	-46.64	-25	Pass	421
3000	12000	1	RMS	11851	-63.33	-25	Pass	9001
12000	26000	1	RMS	25012	-40.63	-25	Pass	14001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-25	Pass	2986
30	1000	0.1	RMS	921	-61.92	-25	Pass	9701
1000	2490	1	RMS	2489	-47.84	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.35	60	Pass	401
2580	3000	1	RMS	2656	-46.62	-25	Pass	421
3000	12000	1	RMS	11850	-63.4	-25	Pass	9001
12000	26000	1	RMS	25009	-40.65	-25	Pass	14001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.3	-25	Pass	2986
30	1000	0.1	RMS	930.6	-62	-25	Pass	9701
1000	2490	1	RMS	2490	-47.89	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.01	60	Pass	401
2580	3000	1	RMS	2655	-46.58	-25	Pass	421
3000	12000	1	RMS	11854	-63.46	-25	Pass	9001
12000	26000	1	RMS	25011	-40.58	-25	Pass	14001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.1	-25	Pass	2986
30	1000	0.1	RMS	938	-62.17	-25	Pass	9701
1000	2490	1	RMS	2489	-47.75	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.69	60	Pass	401
2580	3000	1	RMS	2656	-46.65	-25	Pass	421
3000	12000	1	RMS	11859	-63.34	-25	Pass	9001
12000	26000	1	RMS	25011	-40.68	-25	Pass	14001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.99	-25	Pass	2986
30	1000	0.1	RMS	924.7	-62.08	-25	Pass	9701
1000	2490	1	RMS	2490	-47.8	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.33	60	Pass	401
2580	3000	1	RMS	2655	-46.61	-25	Pass	421
3000	12000	1	RMS	11850	-63.39	-25	Pass	9001
12000	26000	1	RMS	25014	-40.77	-25	Pass	14001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-25	Pass	2986
30	1000	0.1	RMS	931.9	-62.09	-25	Pass	9701
1000	2490	1	RMS	2490	-47.62	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.12	60	Pass	401
2580	3000	1	RMS	2651	-46.59	-25	Pass	421
3000	12000	1	RMS	11850	-63.38	-25	Pass	9001
12000	26000	1	RMS	25014	-40.7	-25	Pass	14001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.64	-25	Pass	2986
30	1000	0.1	RMS	932.5	-62.04	-25	Pass	9701
1000	2490	1	RMS	2490	-47.45	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.25	60	Pass	401
2580	3000	1	RMS	2651	-46.62	-25	Pass	421
3000	12000	1	RMS	11870	-63.45	-25	Pass	9001
12000	26000	1	RMS	25017	-40.71	-25	Pass	14001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-25	Pass	2986
30	1000	0.1	RMS	945.4	-62.06	-25	Pass	9701
1000	2490	1	RMS	2485	-47.82	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.58	60	Pass	401
2580	3000	1	RMS	2655	-46.61	-25	Pass	421
3000	12000	1	RMS	11850	-63.41	-25	Pass	9001
12000	26000	1	RMS	25011	-40.6	-25	Pass	14001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.89	-25	Pass	2986
30	1000	0.1	RMS	897.4	-62.19	-25	Pass	9701
1000	2490	1	RMS	2486	-47.81	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.12	60	Pass	401
2580	3000	1	RMS	2653	-46.66	-25	Pass	421
3000	12000	1	RMS	11853	-63.44	-25	Pass	9001
12000	26000	1	RMS	25013	-40.69	-25	Pass	14001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.36	-25	Pass	2986
30	1000	0.1	RMS	932.8	-62.08	-25	Pass	9701
1000	2490	1	RMS	2489	-47.85	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.97	60	Pass	401
2580	3000	1	RMS	2651	-46.56	-25	Pass	421
3000	12000	1	RMS	11874	-63.4	-25	Pass	9001
12000	26000	1	RMS	25010	-40.69	-25	Pass	14001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-25	Pass	2986
30	1000	0.1	RMS	932.3	-62.12	-25	Pass	9701
1000	2490	1	RMS	2488	-47.82	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.42	60	Pass	401
2580	3000	1	RMS	2651	-46.61	-25	Pass	421
3000	12000	1	RMS	11847	-63.32	-25	Pass	9001
12000	26000	1	RMS	25011	-40.67	-25	Pass	14001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.44	-25	Pass	2986
30	1000	0.1	RMS	908	-62.08	-25	Pass	9701
1000	2490	1	RMS	2490	-47.27	-25	Pass	1491
2490	2580	1	RMS	2500.8	23	60	Pass	401
2580	3000	1	RMS	2652	-46.62	-25	Pass	421
3000	12000	1	RMS	11849	-63.44	-25	Pass	9001
12000	26000	1	RMS	25006	-40.73	-25	Pass	14001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-25	Pass	2986
30	1000	0.1	RMS	915.4	-62.11	-25	Pass	9701
1000	2490	1	RMS	2490	-47.62	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.24	60	Pass	401
2580	3000	1	RMS	2657	-46.63	-25	Pass	421
3000	12000	1	RMS	11852	-63.48	-25	Pass	9001
12000	26000	1	RMS	25013	-40.55	-25	Pass	14001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.05	-25	Pass	2986
30	1000	0.1	RMS	936.3	-62.01	-25	Pass	9701
1000	2490	1	RMS	2486	-47.85	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.66	60	Pass	401
2580	3000	1	RMS	2655	-46.62	-25	Pass	421
3000	12000	1	RMS	11852	-63.4	-25	Pass	9001
12000	26000	1	RMS	25013	-40.62	-25	Pass	14001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-25	Pass	2986
30	1000	0.1	RMS	959	-62.09	-25	Pass	9701
1000	2490	1	RMS	2490	-47.87	-25	Pass	1491
2490	2580	1	RMS	2528.475	22.05	60	Pass	401
2580	3000	1	RMS	2649	-46.62	-25	Pass	421
3000	12000	1	RMS	11849	-63.29	-25	Pass	9001
12000	26000	1	RMS	25012	-40.66	-25	Pass	14001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.91	-25	Pass	2986
30	1000	0.1	RMS	892.1	-62.12	-25	Pass	9701
1000	2490	1	RMS	2488	-47.9	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.11	60	Pass	401
2595	3000	1	RMS	2652	-46.64	-25	Pass	406
3000	12000	1	RMS	11855	-63.34	-25	Pass	9001
12000	26000	1	RMS	25014	-40.7	-25	Pass	14001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.23	-25	Pass	2986
30	1000	0.1	RMS	895.9	-62.09	-25	Pass	9701
1000	2490	1	RMS	2486	-47.84	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.61	60	Pass	401
2595	3000	1	RMS	2655	-46.63	-25	Pass	406
3000	12000	1	RMS	11848	-63.42	-25	Pass	9001
12000	26000	1	RMS	25014	-40.59	-25	Pass	14001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.22	-25	Pass	2986
30	1000	0.1	RMS	936.1	-62.15	-25	Pass	9701
1000	2490	1	RMS	2490	-47.32	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.96	60	Pass	401
2580	3000	1	RMS	2644	-46.61	-25	Pass	421
3000	12000	1	RMS	11861	-63.37	-25	Pass	9001
12000	26000	1	RMS	25012	-40.67	-25	Pass	14001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.85	-25	Pass	2986
30	1000	0.1	RMS	911.8	-62.11	-25	Pass	9701
1000	2490	1	RMS	2487	-47.61	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.31	60	Pass	401
2580	3000	1	RMS	2653	-46.62	-25	Pass	421
3000	12000	1	RMS	11857	-63.44	-25	Pass	9001
12000	26000	1	RMS	25011	-40.66	-25	Pass	14001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.4	-25	Pass	2986
30	1000	0.1	RMS	955.5	-62.23	-25	Pass	9701
1000	2490	1	RMS	2487	-47.87	-25	Pass	1491
2490	2580	1	RMS	2526	22.55	60	Pass	401
2580	3000	1	RMS	2656	-46.6	-25	Pass	421
3000	12000	1	RMS	11858	-63.39	-25	Pass	9001
12000	26000	1	RMS	25013	-40.7	-25	Pass	14001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.77	-25	Pass	2986
30	1000	0.1	RMS	924.8	-62.11	-25	Pass	9701
1000	2490	1	RMS	2488	-47.85	-25	Pass	1491
2490	2580	1	RMS	2526	22.1	60	Pass	401
2580	3000	1	RMS	2652	-46.64	-25	Pass	421
3000	12000	1	RMS	11859	-63.42	-25	Pass	9001
12000	26000	1	RMS	25015	-40.68	-25	Pass	14001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.83	-25	Pass	2986
30	1000	0.1	RMS	913.2	-62.17	-25	Pass	9701
1000	2490	1	RMS	2489	-47.85	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.96	60	Pass	401
2595	3000	1	RMS	2651	-46.63	-25	Pass	406
3000	12000	1	RMS	11849	-63.43	-25	Pass	9001
12000	26000	1	RMS	25014	-40.66	-25	Pass	14001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-25	Pass	2986
30	1000	0.1	RMS	955.6	-62.18	-25	Pass	9701
1000	2490	1	RMS	2489	-47.8	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.32	60	Pass	401
2595	3000	1	RMS	2657	-46.65	-25	Pass	406
3000	12000	1	RMS	11846	-63.4	-25	Pass	9001
12000	26000	1	RMS	25014	-40.66	-25	Pass	14001



8. LTE_Band12


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.91	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.29	-13	Pass	6591
689	726	0.1	RMS	699.268	21.72	60	Pass	401
726	1000	0.1	RMS	904.6	-62.23	-13	Pass	2741
1000	3000	1	RMS	1398	-43.8	-13	Pass	2001
3000	10000	1	RMS	7734	-42.26	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.48	-13	Pass	2986
30	689	0.1	RMS	523.8	-63.3	-13	Pass	6591
689	726	0.1	RMS	699.268	20.75	60	Pass	401
726	1000	0.1	RMS	867.3	-62.32	-13	Pass	2741
1000	3000	1	RMS	1398	-44.88	-13	Pass	2001
3000	10000	1	RMS	7733	-42.24	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.44	-13	Pass	2986
30	689	0.1	RMS	507.1	-63.39	-13	Pass	6591
689	726	0.1	RMS	707.038	21.63	60	Pass	401
726	1000	0.1	RMS	915.4	-62.1	-13	Pass	2741
1000	3000	1	RMS	1414	-42.54	-13	Pass	2001
3000	10000	1	RMS	9539	-42.26	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.44	-13	Pass	2986
30	689	0.1	RMS	687.7	-63.3	-13	Pass	6591
689	726	0.1	RMS	707.038	21.11	60	Pass	401
726	1000	0.1	RMS	898.5	-62.17	-13	Pass	2741
1000	3000	1	RMS	1414	-43.79	-13	Pass	2001
3000	10000	1	RMS	7739	-42.29	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.04	-13	Pass	2986
30	689	0.1	RMS	515.4	-63.14	-13	Pass	6591
689	726	0.1	RMS	714.808	21.53	60	Pass	401
726	1000	0.1	RMS	918.8	-62.16	-13	Pass	2741
1000	3000	1	RMS	1430	-43.85	-13	Pass	2001
3000	10000	1	RMS	7740	-42.28	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.83	-13	Pass	2986
30	689	0.1	RMS	687	-63.38	-13	Pass	6591
689	726	0.1	RMS	714.9	20.35	60	Pass	401
726	1000	0.1	RMS	914.6	-62.15	-13	Pass	2741
1000	3000	1	RMS	1430	-45.12	-13	Pass	2001
3000	10000	1	RMS	7745	-42.23	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.11	-13	Pass	2986
30	689	0.1	RMS	504.2	-63.29	-13	Pass	6591
689	726	0.1	RMS	699.268	21.52	60	Pass	401
726	1000	0.1	RMS	893	-62.22	-13	Pass	2741
1000	3000	1	RMS	1398	-43.79	-13	Pass	2001
3000	10000	1	RMS	7725	-42.24	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.38	-13	Pass	6591
689	726	0.1	RMS	699.268	20.71	60	Pass	401
726	1000	0.1	RMS	868.4	-62.29	-13	Pass	2741
1000	3000	1	RMS	1398	-44.55	-13	Pass	2001
3000	10000	1	RMS	7737	-42.26	-13	Pass	7001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	689	0.1	RMS	507.4	-63.23	-13	Pass	6591
689	726	0.1	RMS	706.205	21.37	60	Pass	401
726	1000	0.1	RMS	939.4	-62.16	-13	Pass	2741
1000	3000	1	RMS	2648	-46.78	-13	Pass	2001
3000	10000	1	RMS	7727	-42.24	-13	Pass	7001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.37	-13	Pass	2986
30	689	0.1	RMS	502.7	-63.38	-13	Pass	6591
689	726	0.1	RMS	706.205	20.72	60	Pass	401
726	1000	0.1	RMS	915.9	-62.14	-13	Pass	2741
1000	3000	1	RMS	2653	-46.8	-13	Pass	2001
3000	10000	1	RMS	7739	-42.25	-13	Pass	7001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.69	-13	Pass	2986
30	689	0.1	RMS	521.4	-63.26	-13	Pass	6591
689	726	0.1	RMS	713.235	21.71	60	Pass	401
726	1000	0.1	RMS	895.4	-62.2	-13	Pass	2741
1000	3000	1	RMS	2650	-46.79	-13	Pass	2001
3000	10000	1	RMS	7720	-42.2	-13	Pass	7001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	689	0.1	RMS	513.1	-63.39	-13	Pass	6591
689	726	0.1	RMS	713.235	21.01	60	Pass	401
726	1000	0.1	RMS	933	-62.22	-13	Pass	2741
1000	3000	1	RMS	2657	-46.84	-13	Pass	2001
3000	10000	1	RMS	9544	-42.24	-13	Pass	7001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2986
30	689	0.1	RMS	488.8	-63.29	-13	Pass	6591
689	726	0.1	RMS	699.36	21.7	60	Pass	401
726	1000	0.1	RMS	888.9	-62.22	-13	Pass	2741
1000	3000	1	RMS	1399	-43.08	-13	Pass	2001
3000	10000	1	RMS	7733	-42.21	-13	Pass	7001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.04	-13	Pass	2986
30	689	0.1	RMS	511.7	-63.38	-13	Pass	6591
689	726	0.1	RMS	699.36	20.89	60	Pass	401
726	1000	0.1	RMS	926.6	-62.08	-13	Pass	2741
1000	3000	1	RMS	1399	-44.02	-13	Pass	2001
3000	10000	1	RMS	7741	-42.28	-13	Pass	7001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	689	0.1	RMS	522	-63.25	-13	Pass	6591
689	726	0.1	RMS	705.373	21.62	60	Pass	401
726	1000	0.1	RMS	935.3	-62.04	-13	Pass	2741
1000	3000	1	RMS	1411	-45.69	-13	Pass	2001
3000	10000	1	RMS	7734	-42.29	-13	Pass	7001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.37	-13	Pass	2986
30	689	0.1	RMS	521.4	-63.41	-13	Pass	6591
689	726	0.1	RMS	705.373	20.48	60	Pass	401
726	1000	0.1	RMS	908.7	-62.21	-13	Pass	2741
1000	3000	1	RMS	1411	-45.24	-13	Pass	2001
3000	10000	1	RMS	7752	-42.27	-13	Pass	7001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.46	-13	Pass	2986
30	689	0.1	RMS	502.9	-63.33	-13	Pass	6591
689	726	0.1	RMS	711.385	21.1	60	Pass	401
726	1000	0.1	RMS	924.9	-62.17	-13	Pass	2741
1000	3000	1	RMS	2650	-46.8	-13	Pass	2001
3000	10000	1	RMS	7742	-42.26	-13	Pass	7001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.13	-13	Pass	2986
30	689	0.1	RMS	685.7	-63.38	-13	Pass	6591
689	726	0.1	RMS	711.385	20.51	60	Pass	401
726	1000	0.1	RMS	912.5	-62.18	-13	Pass	2741
1000	3000	1	RMS	2653	-46.84	-13	Pass	2001
3000	10000	1	RMS	7736	-42.26	-13	Pass	7001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.55	-13	Pass	2986
30	689	0.1	RMS	512.4	-63.31	-13	Pass	6591
689	726	0.1	RMS	699.545	21.28	60	Pass	401
726	1000	0.1	RMS	942	-62.15	-13	Pass	2741
1000	3000	1	RMS	1399	-42.98	-13	Pass	2001
3000	10000	1	RMS	7731	-42.19	-13	Pass	7001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	689	0.1	RMS	503	-63.4	-13	Pass	6591
689	726	0.1	RMS	699.545	20.45	60	Pass	401
726	1000	0.1	RMS	952.4	-62.19	-13	Pass	2741
1000	3000	1	RMS	1399	-44	-13	Pass	2001
3000	10000	1	RMS	7730	-42.25	-13	Pass	7001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.05	-13	Pass	2986
30	689	0.1	RMS	512.7	-63.2	-13	Pass	6591
689	726	0.1	RMS	703.06	21.61	60	Pass	401
726	1000	0.1	RMS	908.5	-62.25	-13	Pass	2741
1000	3000	1	RMS	1406	-45.5	-13	Pass	2001
3000	10000	1	RMS	7737	-42.23	-13	Pass	7001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.92	-13	Pass	2986
30	689	0.1	RMS	514.9	-63.44	-13	Pass	6591
689	726	0.1	RMS	703.06	20.75	60	Pass	401
726	1000	0.1	RMS	901.2	-62.16	-13	Pass	2741
1000	3000	1	RMS	1406	-46.46	-13	Pass	2001
3000	10000	1	RMS	7737	-42.19	-13	Pass	7001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.47	-13	Pass	2986
30	689	0.1	RMS	509	-63.22	-13	Pass	6591
689	726	0.1	RMS	706.575	21.77	60	Pass	401
726	1000	0.1	RMS	909.9	-62.17	-13	Pass	2741
1000	3000	1	RMS	1413	-44.43	-13	Pass	2001
3000	10000	1	RMS	7740	-42.22	-13	Pass	7001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.72	-13	Pass	2986
30	689	0.1	RMS	686.3	-63.41	-13	Pass	6591
689	726	0.1	RMS	706.575	20.81	60	Pass	401
726	1000	0.1	RMS	904.4	-62.11	-13	Pass	2741
1000	3000	1	RMS	1413	-45.56	-13	Pass	2001
3000	10000	1	RMS	7751	-42.22	-13	Pass	7001



9. LTE_Band13


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.02	-13	Pass	2986
30	767	0.1	RMS	762.3	-62.49	-13	Pass	7371
767	797	0.1	RMS	777.35	21.96	60	Pass	401
797	1000	0.1	RMS	950.7	-62.11	-13	Pass	2031
1000	3000	1	RMS	2648	-46.78	-13	Pass	2001
3000	10000	1	RMS	7734	-42.26	-13	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.55	-13	Pass	2986
30	767	0.1	RMS	753.4	-62.7	-13	Pass	7371
767	797	0.1	RMS	777.35	21.08	60	Pass	401
797	1000	0.1	RMS	936.7	-62.28	-13	Pass	2031
1000	3000	1	RMS	2651	-46.82	-13	Pass	2001
3000	10000	1	RMS	7727	-42.22	-13	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.04	-13	Pass	2986
30	767	0.1	RMS	761.4	-62.62	-13	Pass	7371
767	797	0.1	RMS	779.825	22.05	60	Pass	401
797	1000	0.1	RMS	917.9	-62.15	-13	Pass	2031
1000	3000	1	RMS	2651	-46.8	-13	Pass	2001
3000	10000	1	RMS	7730	-42.21	-13	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.29	-13	Pass	2986
30	767	0.1	RMS	759.4	-62.75	-13	Pass	7371
767	797	0.1	RMS	779.825	20.97	60	Pass	401
797	1000	0.1	RMS	914.5	-62.27	-13	Pass	2031
1000	3000	1	RMS	2648	-46.85	-13	Pass	2001
3000	10000	1	RMS	7744	-42.22	-13	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	767	0.1	RMS	761.3	-62.61	-13	Pass	7371
767	797	0.1	RMS	782.375	21.68	60	Pass	401
797	1000	0.1	RMS	944.4	-62.19	-13	Pass	2031
1000	3000	1	RMS	2347	-46.8	-13	Pass	2001
3000	10000	1	RMS	7728	-42.15	-13	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.11	-13	Pass	2986
30	767	0.1	RMS	764.9	-62.68	-13	Pass	7371
767	797	0.1	RMS	782.3	20.68	60	Pass	401
797	1000	0.1	RMS	991.8	-62.21	-13	Pass	2031
1000	3000	1	RMS	2651	-46.83	-13	Pass	2001
3000	10000	1	RMS	7722	-42.25	-13	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.16	-13	Pass	2986
30	767	0.1	RMS	761.6	-62.72	-13	Pass	7371
767	797	0.1	RMS	777.575	21.92	60	Pass	401
797	1000	0.1	RMS	959.5	-62.28	-13	Pass	2031
1000	3000	1	RMS	2654	-46.81	-13	Pass	2001
3000	10000	1	RMS	7729	-42.22	-13	Pass	7001



9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2986
30	767	0.1	RMS	756.7	-62.54	-13	Pass	7371
767	797	0.1	RMS	777.575	21.07	60	Pass	401
797	1000	0.1	RMS	924.3	-62.18	-13	Pass	2031
1000	3000	1	RMS	2653	-46.83	-13	Pass	2001
3000	10000	1	RMS	7743	-42.27	-13	Pass	7001



10. LTE_Band17


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.92	-13	Pass	2986
30	694	0.1	RMS	692.5	-63.25	-13	Pass	6641
694	726	0.1	RMS	704.32	21.69	60	Pass	401
726	1000	0.1	RMS	892.9	-62.23	-13	Pass	2741
1000	3000	1	RMS	2652	-46.79	-13	Pass	2001
3000	10000	1	RMS	7750	-42.23	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.58	-13	Pass	2986
30	694	0.1	RMS	693.4	-63.22	-13	Pass	6641
694	726	0.1	RMS	704.32	20.76	60	Pass	401
726	1000	0.1	RMS	903.7	-62.14	-13	Pass	2741
1000	3000	1	RMS	2651	-46.8	-13	Pass	2001
3000	10000	1	RMS	7732	-42.27	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.63	-13	Pass	2986
30	694	0.1	RMS	692	-63.23	-13	Pass	6641
694	726	0.1	RMS	707.84	21.97	60	Pass	401
726	1000	0.1	RMS	932.1	-62.18	-13	Pass	2741
1000	3000	1	RMS	1416	-44.99	-13	Pass	2001
3000	10000	1	RMS	7743	-42.16	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2986
30	694	0.1	RMS	692.8	-63.27	-13	Pass	6641
694	726	0.1	RMS	707.84	20.77	60	Pass	401
726	1000	0.1	RMS	922.2	-62.28	-13	Pass	2741
1000	3000	1	RMS	1416	-45.94	-13	Pass	2001
3000	10000	1	RMS	7733	-42.15	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	694	0.1	RMS	521.9	-63.22	-13	Pass	6641
694	726	0.1	RMS	711.36	21.6	60	Pass	401
726	1000	0.1	RMS	927.2	-62.08	-13	Pass	2741
1000	3000	1	RMS	2650	-46.76	-13	Pass	2001
3000	10000	1	RMS	7729	-42.15	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.05	-13	Pass	2986
30	694	0.1	RMS	514.5	-63.36	-13	Pass	6641
694	726	0.1	RMS	711.36	20.9	60	Pass	401
726	1000	0.1	RMS	916.3	-62.07	-13	Pass	2741
1000	3000	1	RMS	2650	-46.81	-13	Pass	2001
3000	10000	1	RMS	7725	-42.18	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	694	0.1	RMS	692	-62.85	-13	Pass	6641
694	726	0.1	RMS	704.56	21.65	60	Pass	401
726	1000	0.1	RMS	932.3	-62.02	-13	Pass	2741
1000	3000	1	RMS	1409	-45.9	-13	Pass	2001
3000	10000	1	RMS	7735	-42.18	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2986
30	694	0.1	RMS	692.5	-63.27	-13	Pass	6641
694	726	0.1	RMS	704.56	20.89	60	Pass	401
726	1000	0.1	RMS	888.9	-62.17	-13	Pass	2741
1000	3000	1	RMS	2651	-46.77	-13	Pass	2001
3000	10000	1	RMS	7737	-42.17	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.1	-13	Pass	2986
30	694	0.1	RMS	693.1	-63.15	-13	Pass	6641
694	726	0.1	RMS	705.6	21.68	60	Pass	401
726	1000	0.1	RMS	896.9	-62.22	-13	Pass	2741
1000	3000	1	RMS	2648	-46.78	-13	Pass	2001
3000	10000	1	RMS	7751	-42.13	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.61	-13	Pass	2986
30	694	0.1	RMS	692.9	-63.21	-13	Pass	6641
694	726	0.1	RMS	705.6	20.91	60	Pass	401
726	1000	0.1	RMS	921.3	-62.12	-13	Pass	2741
1000	3000	1	RMS	2650	-46.8	-13	Pass	2001
3000	10000	1	RMS	7749	-42.12	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.85	-13	Pass	2986
30	694	0.1	RMS	693.1	-63.19	-13	Pass	6641
694	726	0.1	RMS	706.56	21.63	60	Pass	401
726	1000	0.1	RMS	932.9	-62.24	-13	Pass	2741
1000	3000	1	RMS	1413	-44.25	-13	Pass	2001
3000	10000	1	RMS	7747	-42.13	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.73	-13	Pass	2986
30	694	0.1	RMS	693.5	-63.34	-13	Pass	6641
694	726	0.1	RMS	706.56	20.44	60	Pass	401
726	1000	0.1	RMS	895.4	-62.22	-13	Pass	2741
1000	3000	1	RMS	1413	-45.67	-13	Pass	2001
3000	10000	1	RMS	7734	-42.17	-13	Pass	7001



11. LTE_Band26(part22)


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.86	-13	Pass	2986
30	814	0.1	RMS	813.1	-61.73	-13	Pass	7841
814	860	0.1	RMS	824.2	21.32	60	Pass	461
860	1000	0.1	RMS	971	-62.44	-13	Pass	1401
1000	3000	1	RMS	2652	-46.81	-13	Pass	2001
3000	10000	1	RMS	7722	-42.22	-13	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.18	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.68	-13	Pass	7841
814	860	0.1	RMS	824.2	20.36	60	Pass	461
860	1000	0.1	RMS	966.9	-62.48	-13	Pass	1401
1000	3000	1	RMS	2647	-46.77	-13	Pass	2001
3000	10000	1	RMS	7732	-42.12	-13	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.6	-13	Pass	2986
30	814	0.1	RMS	811	-62.18	-13	Pass	7841
814	860	0.1	RMS	836.1	21.26	60	Pass	461
860	1000	0.1	RMS	922.3	-62.43	-13	Pass	1401
1000	3000	1	RMS	1672	-45.93	-13	Pass	2001
3000	10000	1	RMS	7728	-42.17	-13	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.13	-13	Pass	2986
30	814	0.1	RMS	810.4	-62.31	-13	Pass	7841
814	860	0.1	RMS	836	20.31	60	Pass	461
860	1000	0.1	RMS	963.7	-62.56	-13	Pass	1401
1000	3000	1	RMS	1672	-46.65	-13	Pass	2001
3000	10000	1	RMS	7746	-42.18	-13	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.11	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.37	-13	Pass	7841
814	860	0.1	RMS	847.8	20.93	60	Pass	461
860	1000	0.1	RMS	936.5	-62.49	-13	Pass	1401
1000	3000	1	RMS	2647	-46.82	-13	Pass	2001
3000	10000	1	RMS	9543	-42.2	-13	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.07	-13	Pass	2986
30	814	0.1	RMS	810.4	-62.23	-13	Pass	7841
814	860	0.1	RMS	847.9	20.22	60	Pass	461
860	1000	0.1	RMS	934	-62.54	-13	Pass	1401
1000	3000	1	RMS	2656	-46.83	-13	Pass	2001
3000	10000	1	RMS	7736	-42.16	-13	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.76	-13	Pass	2986
30	814	0.1	RMS	814	-59.48	-13	Pass	7841
814	860	0.1	RMS	824.2	21.49	60	Pass	461
860	1000	0.1	RMS	936.9	-62.43	-13	Pass	1401
1000	3000	1	RMS	2650	-46.79	-13	Pass	2001
3000	10000	1	RMS	7731	-42.11	-13	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.58	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.87	-13	Pass	7841
814	860	0.1	RMS	824.2	20.68	60	Pass	461
860	1000	0.1	RMS	918.7	-62.46	-13	Pass	1401
1000	3000	1	RMS	2646	-46.81	-13	Pass	2001
3000	10000	1	RMS	7738	-42.21	-13	Pass	7001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.06	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.38	-13	Pass	7841
814	860	0.1	RMS	835.2	21.39	60	Pass	461
860	1000	0.1	RMS	917.1	-62.48	-13	Pass	1401
1000	3000	1	RMS	1670	-46.61	-13	Pass	2001
3000	10000	1	RMS	7730	-42.18	-13	Pass	7001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.44	-13	Pass	7841
814	860	0.1	RMS	835.2	20.57	60	Pass	461
860	1000	0.1	RMS	905.3	-62.51	-13	Pass	1401
1000	3000	1	RMS	2651	-46.83	-13	Pass	2001
3000	10000	1	RMS	7744	-42.16	-13	Pass	7001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.48	-13	Pass	2986
30	814	0.1	RMS	793.9	-62.34	-13	Pass	7841
814	860	0.1	RMS	846.2	21.27	60	Pass	461
860	1000	0.1	RMS	942	-62.48	-13	Pass	1401
1000	3000	1	RMS	1692	-46.2	-13	Pass	2001
3000	10000	1	RMS	7732	-42.12	-13	Pass	7001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.51	-13	Pass	2986
30	814	0.1	RMS	792.4	-62.36	-13	Pass	7841
814	860	0.1	RMS	846.2	20.63	60	Pass	461
860	1000	0.1	RMS	955.1	-62.48	-13	Pass	1401
1000	3000	1	RMS	2649	-46.82	-13	Pass	2001
3000	10000	1	RMS	7744	-42.2	-13	Pass	7001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.86	-13	Pass	7841
814	860	0.1	RMS	824.3	21.5	60	Pass	461
860	1000	0.1	RMS	925.2	-62.45	-13	Pass	1401
1000	3000	1	RMS	2655	-46.79	-13	Pass	2001
3000	10000	1	RMS	7738	-42.17	-13	Pass	7001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.62	-13	Pass	7841
814	860	0.1	RMS	824.3	20.6	60	Pass	461
860	1000	0.1	RMS	944.9	-62.5	-13	Pass	1401
1000	3000	1	RMS	2649	-46.82	-13	Pass	2001
3000	10000	1	RMS	7733	-42.18	-13	Pass	7001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.39	-13	Pass	7841
814	860	0.1	RMS	834.3	21.4	60	Pass	461
860	1000	0.1	RMS	921.7	-62.33	-13	Pass	1401
1000	3000	1	RMS	1669	-45.47	-13	Pass	2001
3000	10000	1	RMS	7739	-42.07	-13	Pass	7001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-13	Pass	2986
30	814	0.1	RMS	811.1	-62.44	-13	Pass	7841
814	860	0.1	RMS	834.3	20.53	60	Pass	461
860	1000	0.1	RMS	922.3	-62.47	-13	Pass	1401
1000	3000	1	RMS	1669	-46.15	-13	Pass	2001
3000	10000	1	RMS	7731	-42.09	-13	Pass	7001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.91	-13	Pass	2986
30	814	0.1	RMS	808.8	-62.34	-13	Pass	7841
814	860	0.1	RMS	844.3	21.18	60	Pass	461
860	1000	0.1	RMS	918	-62.33	-13	Pass	1401
1000	3000	1	RMS	1689	-46.52	-13	Pass	2001
3000	10000	1	RMS	7733	-42.19	-13	Pass	7001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.24	-13	Pass	2986
30	814	0.1	RMS	787.6	-62.25	-13	Pass	7841
814	860	0.1	RMS	844.3	20.31	60	Pass	461
860	1000	0.1	RMS	934.1	-62.51	-13	Pass	1401
1000	3000	1	RMS	1689	-46.77	-13	Pass	2001
3000	10000	1	RMS	7733	-42.12	-13	Pass	7001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.29	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.56	-13	Pass	7841
814	860	0.1	RMS	824.6	21.97	60	Pass	461
860	1000	0.1	RMS	876.9	-62.39	-13	Pass	1401
1000	3000	1	RMS	2651	-46.79	-13	Pass	2001
3000	10000	1	RMS	7735	-42.18	-13	Pass	7001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.84	-13	Pass	7841
814	860	0.1	RMS	824.6	21.11	60	Pass	461
860	1000	0.1	RMS	936.2	-62.47	-13	Pass	1401
1000	3000	1	RMS	2654	-46.75	-13	Pass	2001
3000	10000	1	RMS	7728	-42.18	-13	Pass	7001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.2	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.88	-13	Pass	7841
814	860	0.1	RMS	832.1	21.81	60	Pass	461
860	1000	0.1	RMS	929.9	-62.46	-13	Pass	1401
1000	3000	1	RMS	1664	-44.86	-13	Pass	2001
3000	10000	1	RMS	7731	-42.14	-13	Pass	7001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.38	-13	Pass	2986
30	814	0.1	RMS	809.8	-62.27	-13	Pass	7841
814	860	0.1	RMS	832.1	20.9	60	Pass	461
860	1000	0.1	RMS	922.4	-62.41	-13	Pass	1401
1000	3000	1	RMS	1664	-46.23	-13	Pass	2001
3000	10000	1	RMS	7746	-42.16	-13	Pass	7001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.12	-13	Pass	2986
30	814	0.1	RMS	810.5	-62.39	-13	Pass	7841
814	860	0.1	RMS	839.6	21.94	60	Pass	461
860	1000	0.1	RMS	937.8	-62.4	-13	Pass	1401
1000	3000	1	RMS	2659	-46.82	-13	Pass	2001
3000	10000	1	RMS	7739	-42.19	-13	Pass	7001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.64	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.27	-13	Pass	7841
814	860	0.1	RMS	839.6	20.84	60	Pass	461
860	1000	0.1	RMS	949.1	-62.51	-13	Pass	1401
1000	3000	1	RMS	2656	-46.8	-13	Pass	2001
3000	10000	1	RMS	7744	-42.07	-13	Pass	7001



11.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2986
30	814	0.1	RMS	814	-60.66	-13	Pass	7841
814	860	0.1	RMS	824.8	21.26	60	Pass	461
860	1000	0.1	RMS	926.5	-62.48	-13	Pass	1401
1000	3000	1	RMS	2654	-46.77	-13	Pass	2001
3000	10000	1	RMS	7739	-42.18	-13	Pass	7001



11.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.93	-13	Pass	2986
30	814	0.1	RMS	812.6	-60.07	-13	Pass	7841
814	860	0.1	RMS	824.8	20.43	60	Pass	461
860	1000	0.1	RMS	944.5	-62.38	-13	Pass	1401
1000	3000	1	RMS	2653	-46.8	-13	Pass	2001
3000	10000	1	RMS	7734	-42.15	-13	Pass	7001



11.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.74	-13	Pass	7841
814	860	0.1	RMS	829.8	21.27	60	Pass	461
860	1000	0.1	RMS	940.8	-62.46	-13	Pass	1401
1000	3000	1	RMS	1660	-45.93	-13	Pass	2001
3000	10000	1	RMS	7742	-42.21	-13	Pass	7001



11.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.79	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.19	-13	Pass	7841
814	860	0.1	RMS	829.8	20.42	60	Pass	461
860	1000	0.1	RMS	930	-62.41	-13	Pass	1401
1000	3000	1	RMS	1660	-46.75	-13	Pass	2001
3000	10000	1	RMS	7737	-42.15	-13	Pass	7001



11.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.84	-13	Pass	2986
30	814	0.1	RMS	811.6	-61.8	-13	Pass	7841
814	860	0.1	RMS	834.8	21.19	60	Pass	461
860	1000	0.1	RMS	914.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	1670	-45.39	-13	Pass	2001
3000	10000	1	RMS	7736	-42.18	-13	Pass	7001



11.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.98	-13	Pass	2986
30	814	0.1	RMS	812.9	-59.99	-13	Pass	7841
814	860	0.1	RMS	834.8	20.38	60	Pass	461
860	1000	0.1	RMS	924.8	-62.18	-13	Pass	1401
1000	3000	1	RMS	2651	-46.79	-13	Pass	2001
3000	10000	1	RMS	7738	-42.14	-13	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.53	-13	Pass	2986
30	809	0.1	Peak	809	-51.03	-13	Pass	7791
809	829	0.1	Peak	814.2	26.59	60	Pass	401
829	1000	0.1	Peak	844.8	-50.42	-13	Pass	1711
1000	3000	1	Peak	1628	-35.11	-13	Pass	2001
3000	10000	1	Peak	7785	-30.73	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.33	-13	Pass	2986
30	809	0.1	Peak	809	-51.5	-13	Pass	7791
809	829	0.1	Peak	814.2	26.85	60	Pass	401
829	1000	0.1	Peak	973.2	-51	-13	Pass	1711
1000	3000	1	Peak	1629	-34.84	-13	Pass	2001
3000	10000	1	Peak	7701	-29.81	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.88	-13	Pass	2986
30	809	0.1	Peak	612.2	-51.97	-13	Pass	7791
809	829	0.1	Peak	818.5	26.46	60	Pass	401
829	1000	0.1	Peak	844.8	-50.45	-13	Pass	1711
1000	3000	1	Peak	2615	-35	-13	Pass	2001
3000	10000	1	Peak	7724	-30.38	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.24	-13	Pass	2986
30	809	0.1	Peak	777.5	-51.24	-13	Pass	7791
809	829	0.1	Peak	818.6	27.12	60	Pass	401
829	1000	0.1	Peak	943.7	-50.46	-13	Pass	1711
1000	3000	1	Peak	2969	-35.54	-13	Pass	2001
3000	10000	1	Peak	7760	-30.59	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.55	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.75	-13	Pass	2986
30	809	0.1	Peak	782.2	-51.11	-13	Pass	7791
809	829	0.1	Peak	822.8	26.59	60	Pass	401
829	1000	0.1	Peak	830.1	-50.09	-13	Pass	1711
1000	3000	1	Peak	2666	-35.11	-13	Pass	2001
3000	10000	1	Peak	8053	-29.98	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.31	-13	Pass	2986
30	809	0.1	Peak	807.6	-51.5	-13	Pass	7791
809	829	0.1	Peak	822.8	26.78	60	Pass	401
829	1000	0.1	Peak	844.7	-50.8	-13	Pass	1711
1000	3000	1	Peak	2989	-35.21	-13	Pass	2001
3000	10000	1	Peak	7746	-30.66	-13	Pass	7001




**1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.82	-13	Pass	2986
30	809	0.1	Peak	808.9	-40.02	-13	Pass	7791
809	829	0.1	Peak	814.2	26.41	60	Pass	401
829	1000	0.1	Peak	829.5	-47	-13	Pass	1711
1000	3000	1	Peak	2798	-34.94	-13	Pass	2001
3000	10000	1	Peak	7727	-29.51	-13	Pass	7001




**1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.56	-13	Pass	2986
30	809	0.1	Peak	807.9	-51.55	-13	Pass	7791
809	829	0.1	Peak	814.2	26.89	60	Pass	401
829	1000	0.1	Peak	938.3	-51.48	-13	Pass	1711
1000	3000	1	Peak	2690	-35.34	-13	Pass	2001
3000	10000	1	Peak	8045	-30.69	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.22	-13	Pass	2986
30	809	0.1	Peak	807.6	-44.73	-13	Pass	7791
809	829	0.1	Peak	817.7	26.41	60	Pass	401
829	1000	0.1	Peak	832.5	-49.1	-13	Pass	1711
1000	3000	1	Peak	1635	-35.31	-13	Pass	2001
3000	10000	1	Peak	7993	-30.41	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.93	-13	Pass	2986
30	809	0.1	Peak	790	-51.65	-13	Pass	7791
809	829	0.1	Peak	817.75	26.68	60	Pass	401
829	1000	0.1	Peak	928.2	-51.2	-13	Pass	1711
1000	3000	1	Peak	2779	-35.58	-13	Pass	2001
3000	10000	1	Peak	7734	-30.03	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.72	-13	Pass	2986
30	809	0.1	Peak	684.1	-51.4	-13	Pass	7791
809	829	0.1	Peak	821.2	26.38	60	Pass	401
829	1000	0.1	Peak	831.2	-32.06	-13	Pass	1711
1000	3000	1	Peak	2618	-35.19	-13	Pass	2001
3000	10000	1	Peak	7770	-30.34	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.74	-13	Pass	2986
30	809	0.1	Peak	773.1	-51.46	-13	Pass	7791
809	829	0.1	Peak	821.2	26.59	60	Pass	401
829	1000	0.1	Peak	831.5	-45.06	-13	Pass	1711
1000	3000	1	Peak	2587	-35.5	-13	Pass	2001
3000	10000	1	Peak	8086	-30.2	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.89	-13	Pass	2986
30	809	0.1	Peak	808.9	-39.78	-13	Pass	7791
809	829	0.1	Peak	814.35	26.52	60	Pass	401
829	1000	0.1	Peak	941.5	-51.47	-13	Pass	1711
1000	3000	1	Peak	2905	-34.95	-13	Pass	2001
3000	10000	1	Peak	7733	-30.92	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.58	-13	Pass	2986
30	809	0.1	Peak	809	-47.78	-13	Pass	7791
809	829	0.1	Peak	814.3	26.93	60	Pass	401
829	1000	0.1	Peak	863	-51.66	-13	Pass	1711
1000	3000	1	Peak	2656	-34.33	-13	Pass	2001
3000	10000	1	Peak	7696	-30.71	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.91	-13	Pass	2986
30	809	0.1	Peak	808.4	-34.89	-13	Pass	7791
809	829	0.1	Peak	816.85	26.45	60	Pass	401
829	1000	0.1	Peak	959.9	-51.52	-13	Pass	1711
1000	3000	1	Peak	2659	-34.92	-13	Pass	2001
3000	10000	1	Peak	6967	-30.27	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.3	-13	Pass	2986
30	809	0.1	Peak	808.1	-46.39	-13	Pass	7791
809	829	0.1	Peak	816.8	26.84	60	Pass	401
829	1000	0.1	Peak	940.8	-51.76	-13	Pass	1711
1000	3000	1	Peak	1634	-35.59	-13	Pass	2001
3000	10000	1	Peak	7035	-30.59	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.36	-13	Pass	2986
30	809	0.1	Peak	804.9	-51.26	-13	Pass	7791
809	829	0.1	Peak	819.3	26.61	60	Pass	401
829	1000	0.1	Peak	829	-47.36	-13	Pass	1711
1000	3000	1	Peak	2856	-35.37	-13	Pass	2001
3000	10000	1	Peak	7763	-30.54	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.27	-13	Pass	2986
30	809	0.1	Peak	808.5	-51.06	-13	Pass	7791
809	829	0.1	Peak	819.3	26.9	60	Pass	401
829	1000	0.1	Peak	830	-43.29	-13	Pass	1711
1000	3000	1	Peak	2935	-35.16	-13	Pass	2001
3000	10000	1	Peak	7607	-30.7	-13	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.45	-13	Pass	2986
30	809	0.1	Peak	808.8	-44.81	-13	Pass	7791
809	829	0.1	Peak	814.6	26.64	60	Pass	401
829	1000	0.1	Peak	979.2	-51.62	-13	Pass	1711
1000	3000	1	Peak	2655	-34.87	-13	Pass	2001
3000	10000	1	Peak	9975	-30.82	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.45	-13	Pass	401
0.15	30	0.01	Peak	0.19	-43.62	-13	Pass	2986
30	809	0.1	Peak	808.9	-47.57	-13	Pass	7791
809	829	0.1	Peak	814.65	26.79	60	Pass	401
829	1000	0.1	Peak	829.3	-49.79	-13	Pass	1711
1000	3000	1	Peak	1629	-35.18	-13	Pass	2001
3000	10000	1	Peak	7759	-29.97	-13	Pass	7001



5. LTE_Band38


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.59	-25	Pass	2986
30	1000	0.1	RMS	937.5	-58.02	-25	Pass	9701
1000	2560	1	RMS	2559	-43.04	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.91	60	Pass	401
2630	3000	1	RMS	2647.575	-42.59	-25	Pass	401
3000	12000	1	RMS	11858	-59.52	-25	Pass	9001
12000	26500	1	RMS	25008	-41.48	-25	Pass	14501




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.88	-25	Pass	2986
30	1000	0.1	RMS	937.7	-58.08	-25	Pass	9701
1000	2560	1	RMS	2560	-43.13	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.01	60	Pass	401
2630	3000	1	RMS	2658.675	-42.6	-25	Pass	401
3000	12000	1	RMS	11849	-59.37	-25	Pass	9001
12000	26500	1	RMS	25011	-41.38	-25	Pass	14501




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.65	-25	Pass	2986
30	1000	0.1	RMS	937.2	-58.09	-25	Pass	9701
1000	2560	1	RMS	2528	-43.64	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.87	60	Pass	401
2630	3000	1	RMS	2652.2	-42.55	-25	Pass	401
3000	12000	1	RMS	11849	-59.46	-25	Pass	9001
12000	26500	1	RMS	25009	-41.37	-25	Pass	14501




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.2	-25	Pass	2986
30	1000	0.1	RMS	920.4	-58.12	-25	Pass	9701
1000	2560	1	RMS	2528	-43.59	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.3	60	Pass	401
2630	3000	1	RMS	2648.5	-42.57	-25	Pass	401
3000	12000	1	RMS	11850	-59.45	-25	Pass	9001
12000	26500	1	RMS	25011	-41.37	-25	Pass	14501




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-25	Pass	2986
30	1000	0.1	RMS	922.1	-57.94	-25	Pass	9701
1000	2560	1	RMS	2546	-43.54	-25	Pass	1561
2560	2630	1	RMS	2615.3	25.01	60	Pass	401
2630	3000	1	RMS	2631.85	-42.51	-25	Pass	401
3000	12000	1	RMS	11849	-59.42	-25	Pass	9001
12000	26500	1	RMS	25012	-41.41	-25	Pass	14501




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-25	Pass	2986
30	1000	0.1	RMS	932	-58.06	-25	Pass	9701
1000	2560	1	RMS	2517	-43.7	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.97	60	Pass	401
2630	3000	1	RMS	2632.775	-42.55	-25	Pass	401
3000	12000	1	RMS	11839	-59.42	-25	Pass	9001
12000	26500	1	RMS	25014	-41.36	-25	Pass	14501




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.8	-25	Pass	2986
30	1000	0.1	RMS	920.9	-58.09	-25	Pass	9701
1000	2560	1	RMS	2558	-43.14	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.53	60	Pass	401
2630	3000	1	RMS	2649.425	-42.59	-25	Pass	401
3000	12000	1	RMS	11842	-59.45	-25	Pass	9001
12000	26500	1	RMS	25013	-41.39	-25	Pass	14501




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.42	-25	Pass	2986
30	1000	0.1	RMS	952.8	-57.99	-25	Pass	9701
1000	2560	1	RMS	2556	-43.25	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.5	60	Pass	401
2630	3000	1	RMS	2645.725	-42.61	-25	Pass	401
3000	12000	1	RMS	11849	-59.38	-25	Pass	9001
12000	26500	1	RMS	25015	-41.32	-25	Pass	14501



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.78	-25	Pass	2986
30	1000	0.1	RMS	944.7	-58.08	-25	Pass	9701
1000	2560	1	RMS	2552	-43.61	-25	Pass	1561
2560	2630	1	RMS	2590.625	25.28	60	Pass	401
2630	3000	1	RMS	2654.975	-42.59	-25	Pass	401
3000	12000	1	RMS	11852	-59.43	-25	Pass	9001
12000	26500	1	RMS	25009	-41.38	-25	Pass	14501



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.85	-25	Pass	2986
30	1000	0.1	RMS	944.6	-58.08	-25	Pass	9701
1000	2560	1	RMS	2508	-43.65	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.48	60	Pass	401
2630	3000	1	RMS	2655.9	-42.56	-25	Pass	401
3000	12000	1	RMS	11850	-59.41	-25	Pass	9001
12000	26500	1	RMS	25019	-41.39	-25	Pass	14501



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.56	-25	Pass	2986
30	1000	0.1	RMS	900.6	-58.18	-25	Pass	9701
1000	2560	1	RMS	2503	-43.65	-25	Pass	1561
2560	2630	1	RMS	2610.75	24.49	60	Pass	401
2630	3000	1	RMS	2649.425	-42.55	-25	Pass	401
3000	12000	1	RMS	11846	-59.4	-25	Pass	9001
12000	26500	1	RMS	25016	-41.44	-25	Pass	14501



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.27	-25	Pass	2986
30	1000	0.1	RMS	931.9	-57.97	-25	Pass	9701
1000	2560	1	RMS	2544	-43.6	-25	Pass	1561
2560	2630	1	RMS	2610.75	24.04	60	Pass	401
2630	3000	1	RMS	2633.7	-42.55	-25	Pass	401
3000	12000	1	RMS	11855	-59.39	-25	Pass	9001
12000	26500	1	RMS	25016	-41.43	-25	Pass	14501



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-25	Pass	2986
30	1000	0.1	RMS	894.6	-58.04	-25	Pass	9701
1000	2560	1	RMS	2544	-43.16	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.42	60	Pass	401
2630	3000	1	RMS	2654.05	-42.57	-25	Pass	401
3000	12000	1	RMS	11851	-59.27	-25	Pass	9001
12000	26500	1	RMS	25012	-41.39	-25	Pass	14501



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.55	-25	Pass	2986
30	1000	0.1	RMS	950.5	-58.07	-25	Pass	9701
1000	2560	1	RMS	2560	-43.38	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.24	60	Pass	401
2630	3000	1	RMS	2653.125	-42.6	-25	Pass	401
3000	12000	1	RMS	11846	-59.4	-25	Pass	9001
12000	26500	1	RMS	25013	-41.4	-25	Pass	14501



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.75	-25	Pass	2986
30	1000	0.1	RMS	915.4	-58.12	-25	Pass	9701
1000	2560	1	RMS	2532	-43.62	-25	Pass	1561
2560	2630	1	RMS	2588.525	24.7	60	Pass	401
2630	3000	1	RMS	2654.975	-42.62	-25	Pass	401
3000	12000	1	RMS	11863	-59.42	-25	Pass	9001
12000	26500	1	RMS	25016	-41.44	-25	Pass	14501



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.38	-25	Pass	2986
30	1000	0.1	RMS	940.6	-58.11	-25	Pass	9701
1000	2560	1	RMS	2532	-43.61	-25	Pass	1561
2560	2630	1	RMS	2588.525	23.16	60	Pass	401
2630	3000	1	RMS	2657.75	-42.6	-25	Pass	401
3000	12000	1	RMS	11857	-59.46	-25	Pass	9001
12000	26500	1	RMS	25009	-41.36	-25	Pass	14501



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.21	-25	Pass	2986
30	1000	0.1	RMS	936.4	-58.15	-25	Pass	9701
1000	2560	1	RMS	2549	-43.65	-25	Pass	1561
2560	2645	1	RMS	2605.9	24.74	60	Pass	401
2645	3000	1	RMS	2652.1	-42.55	-25	Pass	401
3000	12000	1	RMS	11851	-59.36	-25	Pass	9001
12000	26500	1	RMS	25012	-41.39	-25	Pass	14501



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.05	-25	Pass	2986
30	1000	0.1	RMS	918.4	-58.21	-25	Pass	9701
1000	2560	1	RMS	2538	-43.7	-25	Pass	1561
2560	2645	1	RMS	2605.9	23.04	60	Pass	401
2645	3000	1	RMS	2650.325	-42.6	-25	Pass	401
3000	12000	1	RMS	11863	-59.39	-25	Pass	9001
12000	26500	1	RMS	25012	-41.39	-25	Pass	14501



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.39	-25	Pass	2986
30	1000	0.1	RMS	902.6	-58.06	-25	Pass	9701
1000	2560	1	RMS	2559	-43.09	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.55	60	Pass	401
2630	3000	1	RMS	2649.425	-42.56	-25	Pass	401
3000	12000	1	RMS	11865	-59.46	-25	Pass	9001
12000	26500	1	RMS	25014	-41.35	-25	Pass	14501



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.37	-25	Pass	2986
30	1000	0.1	RMS	928.3	-57.95	-25	Pass	9701
1000	2560	1	RMS	2559	-43.04	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.82	60	Pass	401
2630	3000	1	RMS	2651.275	-42.59	-25	Pass	401
3000	12000	1	RMS	11858	-59.42	-25	Pass	9001
12000	26500	1	RMS	25010	-41.34	-25	Pass	14501



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46	-25	Pass	2986
30	1000	0.1	RMS	911.5	-58.21	-25	Pass	9701
1000	2560	1	RMS	2538	-43.55	-25	Pass	1561
2560	2630	1	RMS	2586.25	24.78	60	Pass	401
2630	3000	1	RMS	2647.575	-42.59	-25	Pass	401
3000	12000	1	RMS	11854	-59.43	-25	Pass	9001
12000	26500	1	RMS	25009	-41.38	-25	Pass	14501



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-25	Pass	2986
30	1000	0.1	RMS	923	-58.09	-25	Pass	9701
1000	2560	1	RMS	2544	-43.64	-25	Pass	1561
2560	2630	1	RMS	2586.25	23.52	60	Pass	401
2630	3000	1	RMS	2653.125	-42.6	-25	Pass	401
3000	12000	1	RMS	11854	-59.43	-25	Pass	9001
12000	26500	1	RMS	25011	-41.33	-25	Pass	14501



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-25	Pass	2986
30	1000	0.1	RMS	925.5	-58.09	-25	Pass	9701
1000	2560	1	RMS	2534	-43.65	-25	Pass	1561
2560	2645	1	RMS	2601.225	24.26	60	Pass	401
2645	3000	1	RMS	2650.325	-42.55	-25	Pass	401
3000	12000	1	RMS	11868	-59.4	-25	Pass	9001
12000	26500	1	RMS	25012	-41.32	-25	Pass	14501



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.01	-25	Pass	2986
30	1000	0.1	RMS	912	-58.15	-25	Pass	9701
1000	2560	1	RMS	2502	-43.65	-25	Pass	1561
2560	2645	1	RMS	2601.225	23.92	60	Pass	401
2645	3000	1	RMS	2650.325	-42.53	-25	Pass	401
3000	12000	1	RMS	11848	-59.42	-25	Pass	9001
12000	26500	1	RMS	25012	-41.37	-25	Pass	14501



6. LTE_Band41 full


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-25	Pass	2986
30	1000	0.1	RMS	939.1	-58.27	-25	Pass	9701
1000	2486	1	RMS	2486	-43.5	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.63	60	Pass	401
2700	3000	1	RMS	3000	-42.86	-25	Pass	401
3000	12000	1	RMS	4992	-59.44	-25	Pass	9001
12000	27000	1	RMS	25011	-37.18	-25	Pass	15001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.65	-25	Pass	2986
30	1000	0.1	RMS	914.8	-58.16	-25	Pass	9701
1000	2486	1	RMS	2485	-43.62	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.12	60	Pass	401
2700	3000	1	RMS	3000	-42.88	-25	Pass	401
3000	12000	1	RMS	11838	-59.5	-25	Pass	9001
12000	27000	1	RMS	25009	-37.14	-25	Pass	15001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.73	-25	Pass	2986
30	1000	0.1	RMS	923.6	-58.2	-25	Pass	9701
1000	2486	1	RMS	2482	-43.99	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.21	60	Pass	401
2700	3000	1	RMS	3000	-42.8	-25	Pass	401
3000	12000	1	RMS	11850	-59.4	-25	Pass	9001
12000	27000	1	RMS	25012	-37.1	-25	Pass	15001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.79	-25	Pass	2986
30	1000	0.1	RMS	947.1	-58.19	-25	Pass	9701
1000	2486	1	RMS	2486	-44.01	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.33	60	Pass	401
2700	3000	1	RMS	2997	-42.89	-25	Pass	401
3000	12000	1	RMS	11824	-59.55	-25	Pass	9001
12000	27000	1	RMS	25011	-37.06	-25	Pass	15001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.19	-25	Pass	2986
30	1000	0.1	RMS	957.2	-58.21	-25	Pass	9701
1000	2486	1	RMS	2484	-44.07	-25	Pass	1487
2486	2700	1	RMS	2685.555	23.74	60	Pass	401
2700	3000	1	RMS	2999.25	-42.91	-25	Pass	401
3000	12000	1	RMS	11843	-59.54	-25	Pass	9001
12000	27000	1	RMS	25010	-37.16	-25	Pass	15001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.39	-25	Pass	2986
30	1000	0.1	RMS	921.6	-58.09	-25	Pass	9701
1000	2486	1	RMS	2484	-44.07	-25	Pass	1487
2486	2700	1	RMS	2685.555	22.87	60	Pass	401
2700	3000	1	RMS	3000	-42.87	-25	Pass	401
3000	12000	1	RMS	11851	-59.57	-25	Pass	9001
12000	27000	1	RMS	25008	-37.18	-25	Pass	15001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.95	-25	Pass	2986
30	1000	0.1	RMS	936.4	-58.17	-25	Pass	9701
1000	2486	1	RMS	2484	-43.42	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.32	60	Pass	401
2700	3000	1	RMS	2997.75	-42.88	-25	Pass	401
3000	12000	1	RMS	11849	-59.52	-25	Pass	9001
12000	27000	1	RMS	25008	-37.13	-25	Pass	15001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.45	-25	Pass	2986
30	1000	0.1	RMS	950.4	-58.21	-25	Pass	9701
1000	2486	1	RMS	2484	-43.81	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.24	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	11855	-59.53	-25	Pass	9001
12000	27000	1	RMS	25013	-36.99	-25	Pass	15001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-25	Pass	2986
30	1000	0.1	RMS	922.2	-58.21	-25	Pass	9701
1000	2486	1	RMS	2482	-44.06	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.57	60	Pass	401
2700	3000	1	RMS	2999.25	-42.85	-25	Pass	401
3000	12000	1	RMS	11848	-59.5	-25	Pass	9001
12000	27000	1	RMS	25011	-37.13	-25	Pass	15001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.68	-25	Pass	2986
30	1000	0.1	RMS	862.9	-58.14	-25	Pass	9701
1000	2486	1	RMS	2485	-44.06	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.68	60	Pass	401
2700	3000	1	RMS	3000	-42.83	-25	Pass	401
3000	12000	1	RMS	11860	-59.53	-25	Pass	9001
12000	27000	1	RMS	25012	-37.01	-25	Pass	15001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.86	-25	Pass	2986
30	1000	0.1	RMS	927.6	-58.19	-25	Pass	9701
1000	2486	1	RMS	2486	-43.96	-25	Pass	1487
2486	2700	1	RMS	2680.74	23.92	60	Pass	401
2700	3000	1	RMS	3000	-42.9	-25	Pass	401
3000	12000	1	RMS	5361	-59.2	-25	Pass	9001
12000	27000	1	RMS	25011	-37.09	-25	Pass	15001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.19	-25	Pass	2986
30	1000	0.1	RMS	940.1	-58.25	-25	Pass	9701
1000	2486	1	RMS	2485	-44.03	-25	Pass	1487
2486	2700	1	RMS	2680.74	23.02	60	Pass	401
2700	3000	1	RMS	2999.25	-42.9	-25	Pass	401
3000	12000	1	RMS	11852	-59.55	-25	Pass	9001
12000	27000	1	RMS	25020	-37.13	-25	Pass	15001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.33	-25	Pass	2986
30	1000	0.1	RMS	928.9	-58.2	-25	Pass	9701
1000	2486	1	RMS	2485	-43.59	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.89	60	Pass	401
2700	3000	1	RMS	2999.25	-42.91	-25	Pass	401
3000	12000	1	RMS	4994	-59.14	-25	Pass	9001
12000	27000	1	RMS	25019	-37.01	-25	Pass	15001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.99	-25	Pass	2986
30	1000	0.1	RMS	950.7	-58.12	-25	Pass	9701
1000	2486	1	RMS	2483	-43.71	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.41	60	Pass	401
2700	3000	1	RMS	3000	-42.87	-25	Pass	401
3000	12000	1	RMS	11849	-59.5	-25	Pass	9001
12000	27000	1	RMS	25019	-37.16	-25	Pass	15001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.09	-25	Pass	2986
30	1000	0.1	RMS	915.7	-58.14	-25	Pass	9701
1000	2486	1	RMS	2483	-44.1	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.61	60	Pass	401
2700	3000	1	RMS	3000	-42.91	-25	Pass	401
3000	12000	1	RMS	11848	-59.58	-25	Pass	9001
12000	27000	1	RMS	25013	-37.11	-25	Pass	15001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.39	-25	Pass	2986
30	1000	0.1	RMS	954.6	-58.17	-25	Pass	9701
1000	2486	1	RMS	2485	-44.03	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.52	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	11848	-59.56	-25	Pass	9001
12000	27000	1	RMS	25016	-37.08	-25	Pass	15001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.88	-25	Pass	2986
30	1000	0.1	RMS	937	-58.19	-25	Pass	9701
1000	2486	1	RMS	2485	-44.09	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.23	60	Pass	401
2700	3000	1	RMS	2702.25	-42.5	-25	Pass	401
3000	12000	1	RMS	11846	-59.48	-25	Pass	9001
12000	27000	1	RMS	25019	-37.19	-25	Pass	15001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.58	-25	Pass	2986
30	1000	0.1	RMS	917.8	-58.17	-25	Pass	9701
1000	2486	1	RMS	2486	-44.09	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.68	60	Pass	401
2700	3000	1	RMS	2702.25	-42.76	-25	Pass	401
3000	12000	1	RMS	11838	-59.52	-25	Pass	9001
12000	27000	1	RMS	25012	-37.05	-25	Pass	15001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.95	-25	Pass	2986
30	1000	0.1	RMS	913.5	-58.27	-25	Pass	9701
1000	2486	1	RMS	2486	-43.28	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.58	60	Pass	401
2700	3000	1	RMS	3000	-42.86	-25	Pass	401
3000	12000	1	RMS	4994	-56.65	-25	Pass	9001
12000	27000	1	RMS	25009	-37.09	-25	Pass	15001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.67	-25	Pass	2986
30	1000	0.1	RMS	919.4	-58.12	-25	Pass	9701
1000	2486	1	RMS	2485	-43.23	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.67	60	Pass	401
2700	3000	1	RMS	2999.25	-42.84	-25	Pass	401
3000	12000	1	RMS	11858	-59.52	-25	Pass	9001
12000	27000	1	RMS	25012	-37.13	-25	Pass	15001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.3	-25	Pass	2986
30	1000	0.1	RMS	931.3	-58.05	-25	Pass	9701
1000	2486	1	RMS	2485	-44.03	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.23	60	Pass	401
2700	3000	1	RMS	2998.5	-42.86	-25	Pass	401
3000	12000	1	RMS	11847	-59.53	-25	Pass	9001
12000	27000	1	RMS	25010	-37.08	-25	Pass	15001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.9	-25	Pass	2986
30	1000	0.1	RMS	920	-58.1	-25	Pass	9701
1000	2486	1	RMS	2482	-44.06	-25	Pass	1487
2486	2700	1	RMS	2584.44	22.07	60	Pass	401
2700	3000	1	RMS	2998.5	-42.85	-25	Pass	401
3000	12000	1	RMS	11851	-59.5	-25	Pass	9001
12000	27000	1	RMS	25015	-37.19	-25	Pass	15001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.09	-25	Pass	2986
30	1000	0.1	RMS	915.8	-58.07	-25	Pass	9701
1000	2486	1	RMS	2484	-44.02	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.8	60	Pass	401
2700	3000	1	RMS	2706.75	-42.51	-25	Pass	401
3000	12000	1	RMS	11835	-59.51	-25	Pass	9001
12000	27000	1	RMS	25008	-37.15	-25	Pass	15001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.43	-25	Pass	2986
30	1000	0.1	RMS	956.8	-58.23	-25	Pass	9701
1000	2486	1	RMS	2486	-44	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.18	60	Pass	401
2700	3000	1	RMS	2706.75	-42.57	-25	Pass	401
3000	12000	1	RMS	11851	-59.53	-25	Pass	9001
12000	27000	1	RMS	25016	-37.09	-25	Pass	15001



1. LTE_Band42 3450-3550


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-67.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.95	-13	Pass	2986
30	1000	0.1	RMS	889.1	-59.57	-13	Pass	9701
1000	3000	1	RMS	2967	-44.24	-13	Pass	2001
3000	3430	1	RMS	3143	-43.46	-13	Pass	431
3430	3570	1	RMS	3450.3	24.66	60	Pass	401
3570	6500	1	RMS	6279	-46.97	-13	Pass	2931
6500	36000	1	RMS	35631	-46.52	-13	Pass	29501




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-66.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.2	-13	Pass	2986
30	1000	0.1	RMS	901.4	-59.69	-13	Pass	9701
1000	3000	1	RMS	2972	-44.29	-13	Pass	2001
3000	3430	1	RMS	3143	-43.62	-13	Pass	431
3430	3570	1	RMS	3450.65	22.79	60	Pass	401
3570	6500	1	RMS	3758	-46.66	-13	Pass	2931
6500	36000	1	RMS	35540	-46.58	-13	Pass	29501




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.131	-66.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.36	-13	Pass	2986
30	1000	0.1	RMS	946	-59.57	-13	Pass	9701
1000	3000	1	RMS	2973	-44.29	-13	Pass	2001
3000	3430	1	RMS	3191	-43.74	-13	Pass	431
3430	3570	1	RMS	3497.55	23.83	60	Pass	401
3570	6500	1	RMS	3805	-45.37	-13	Pass	2931
6500	36000	1	RMS	35582	-46.55	-13	Pass	29501




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.77	-13	Pass	2986
30	1000	0.1	RMS	872.3	-59.65	-13	Pass	9701
1000	3000	1	RMS	2998	-44.27	-13	Pass	2001
3000	3430	1	RMS	3191	-43.87	-13	Pass	431
3430	3570	1	RMS	3497.9	23.17	60	Pass	401
3570	6500	1	RMS	3805	-46.01	-13	Pass	2931
6500	36000	1	RMS	35597	-46.46	-13	Pass	29501




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-67.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.51	-13	Pass	2986
30	1000	0.1	RMS	897.6	-59.51	-13	Pass	9701
1000	3000	1	RMS	2989	-44.34	-13	Pass	2001
3000	3430	1	RMS	3238	-43.25	-13	Pass	431
3430	3570	1	RMS	3545.5	24.43	60	Pass	401
3570	6500	1	RMS	3852	-46.06	-13	Pass	2931
6500	36000	1	RMS	35569	-46.58	-13	Pass	29501




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-67.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.81	-13	Pass	2986
30	1000	0.1	RMS	908.7	-59.62	-13	Pass	9701
1000	3000	1	RMS	3000	-44.24	-13	Pass	2001
3000	3430	1	RMS	3238	-43.49	-13	Pass	431
3430	3570	1	RMS	3545.15	22.84	60	Pass	401
3570	6500	1	RMS	6281	-46.91	-13	Pass	2931
6500	36000	1	RMS	35604	-46.47	-13	Pass	29501




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-67.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.22	-13	Pass	2986
30	1000	0.1	RMS	889.3	-59.58	-13	Pass	9701
1000	3000	1	RMS	2990	-44.24	-13	Pass	2001
3000	3430	1	RMS	3143	-43.69	-13	Pass	431
3430	3570	1	RMS	3450.65	24.34	60	Pass	401
3570	6500	1	RMS	3758	-45.21	-13	Pass	2931
6500	36000	1	RMS	35601	-46.53	-13	Pass	29501




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-67.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.82	-13	Pass	2986
30	1000	0.1	RMS	889.3	-59.55	-13	Pass	9701
1000	3000	1	RMS	2997	-44.16	-13	Pass	2001
3000	3430	1	RMS	3143	-43.77	-13	Pass	431
3430	3570	1	RMS	3450.65	23.89	60	Pass	401
3570	6500	1	RMS	3758	-45.76	-13	Pass	2931
6500	36000	1	RMS	35606	-46.63	-13	Pass	29501



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-67.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.9	-13	Pass	2986
30	1000	0.1	RMS	995.6	-59.64	-13	Pass	9701
1000	3000	1	RMS	2994	-44.25	-13	Pass	2001
3000	3430	1	RMS	3188	-43.7	-13	Pass	431
3430	3570	1	RMS	3495.45	24.38	60	Pass	401
3570	6500	1	RMS	6276	-46.88	-13	Pass	2931
6500	36000	1	RMS	35589	-46.58	-13	Pass	29501



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:42590, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-67.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-61.39	-13	Pass	2986
30	1000	0.1	RMS	885.3	-59.71	-13	Pass	9701
1000	3000	1	RMS	2993	-44.27	-13	Pass	2001
3000	3430	1	RMS	3188	-44	-13	Pass	431
3430	3570	1	RMS	3495.45	23.27	60	Pass	401
3570	6500	1	RMS	6292	-46.88	-13	Pass	2931
6500	36000	1	RMS	35601	-46.52	-13	Pass	29501



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.16	-13	Pass	2986
30	1000	0.1	RMS	895.5	-59.56	-13	Pass	9701
1000	3000	1	RMS	2996	-44.26	-13	Pass	2001
3000	3430	1	RMS	3233	-43.42	-13	Pass	431
3430	3570	1	RMS	3540.6	24.74	60	Pass	401
3570	6500	1	RMS	3848	-45.41	-13	Pass	2931
6500	36000	1	RMS	35585	-46.59	-13	Pass	29501



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.07	-13	Pass	2986
30	1000	0.1	RMS	885.5	-59.67	-13	Pass	9701
1000	3000	1	RMS	2994	-44.3	-13	Pass	2001
3000	3430	1	RMS	3233	-43.74	-13	Pass	431
3430	3570	1	RMS	3540.6	23.06	60	Pass	401
3570	6500	1	RMS	6271	-46.88	-13	Pass	2931
6500	36000	1	RMS	35614	-46.6	-13	Pass	29501



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.142	-67.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.7	-13	Pass	2986
30	1000	0.1	RMS	851.2	-59.72	-13	Pass	9701
1000	3000	1	RMS	2981	-44.21	-13	Pass	2001
3000	3430	1	RMS	3144	-43.77	-13	Pass	431
3430	3570	1	RMS	3451	24.3	60	Pass	401
3570	6500	1	RMS	6272	-46.87	-13	Pass	2931
6500	36000	1	RMS	35573	-46.6	-13	Pass	29501



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-67.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.69	-13	Pass	2986
30	1000	0.1	RMS	872.7	-59.57	-13	Pass	9701
1000	3000	1	RMS	2997	-44.25	-13	Pass	2001
3000	3430	1	RMS	3144	-43.9	-13	Pass	431
3430	3570	1	RMS	3451	23.24	60	Pass	401
3570	6500	1	RMS	6275	-46.84	-13	Pass	2931
6500	36000	1	RMS	35606	-46.54	-13	Pass	29501



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-66.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.13	-13	Pass	2986
30	1000	0.1	RMS	892.3	-59.62	-13	Pass	9701
1000	3000	1	RMS	2994	-44.22	-13	Pass	2001
3000	3430	1	RMS	3186	-43.62	-13	Pass	431
3430	3570	1	RMS	3493.35	23.89	60	Pass	401
3570	6500	1	RMS	3801	-45.72	-13	Pass	2931
6500	36000	1	RMS	35604	-46.58	-13	Pass	29501



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:42590, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-67.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.62	-13	Pass	2986
30	1000	0.1	RMS	908.5	-59.57	-13	Pass	9701
1000	3000	1	RMS	2972	-44.22	-13	Pass	2001
3000	3430	1	RMS	3186	-43.78	-13	Pass	431
3430	3570	1	RMS	3493.35	23.13	60	Pass	401
3570	6500	1	RMS	6280	-46.79	-13	Pass	2931
6500	36000	1	RMS	35580	-46.65	-13	Pass	29501



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-67.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.77	-13	Pass	2986
30	1000	0.1	RMS	981.8	-59.61	-13	Pass	9701
1000	3000	1	RMS	2992	-44.22	-13	Pass	2001
3000	3430	1	RMS	3229	-43.57	-13	Pass	431
3430	3570	1	RMS	3535.7	23.8	60	Pass	401
3570	6500	1	RMS	3843	-44.54	-13	Pass	2931
6500	36000	1	RMS	35612	-46.49	-13	Pass	29501

