


### 1.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.074           | -66.98      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.07      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 933.6           | -59.64      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2970            | -44.18      | -13         | Pass    | 2001        |
| 3000                  | 3430                 | 1         | RMS      | 3229            | -43.72      | -13         | Pass    | 431         |
| 3430                  | 3570                 | 1         | RMS      | 3535.7          | 23.57       | 60          | Pass    | 401         |
| 3570                  | 6500                 | 1         | RMS      | 3843            | -45.69      | -13         | Pass    | 2931        |
| 6500                  | 36000                | 1         | RMS      | 35600           | -46.46      | -13         | Pass    | 29501       |



### 1.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.141           | -67.16      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.96      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 958.3           | -59.64      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2989            | -44.22      | -13         | Pass    | 2001        |
| 3000                  | 3430                 | 1         | RMS      | 3144            | -43.63      | -13         | Pass    | 431         |
| 3430                  | 3570                 | 1         | RMS      | 3451.35         | 23.84       | 60          | Pass    | 401         |
| 3570                  | 6500                 | 1         | RMS      | 3758            | -45.32      | -13         | Pass    | 2931        |
| 6500                  | 36000                | 1         | RMS      | 35589           | -46.51      | -13         | Pass    | 29501       |



### 1.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.149           | -67.45      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.09      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.5           | -59.63      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2991            | -44.16      | -13         | Pass    | 2001        |
| 3000                  | 3430                 | 1         | RMS      | 3144            | -43.63      | -13         | Pass    | 431         |
| 3430                  | 3570                 | 1         | RMS      | 3451            | 23.54       | 60          | Pass    | 401         |
| 3570                  | 6500                 | 1         | RMS      | 6291            | -46.94      | -13         | Pass    | 2931        |
| 6500                  | 36000                | 1         | RMS      | 35598           | -46.63      | -13         | Pass    | 29501       |



### 1.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.143           | -66.57      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.8       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 901.3           | -59.54      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2970            | -44.14      | -13         | Pass    | 2001        |
| 3000                  | 3430                 | 1         | RMS      | 3184            | -43.62      | -13         | Pass    | 431         |
| 3430                  | 3570                 | 1         | RMS      | 3491.25         | 23.86       | 60          | Pass    | 401         |
| 3570                  | 6500                 | 1         | RMS      | 3798            | -45.88      | -13         | Pass    | 2931        |
| 6500                  | 36000                | 1         | RMS      | 35585           | -46.64      | -13         | Pass    | 29501       |



### 1.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.136           | -67.22      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.06      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 994.3           | -59.59      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -44.17      | -13         | Pass    | 2001        |
| 3000                  | 3430                 | 1         | RMS      | 3184            | -43.68      | -13         | Pass    | 431         |
| 3430                  | 3570                 | 1         | RMS      | 3491.25         | 22.93       | 60          | Pass    | 401         |
| 3570                  | 6500                 | 1         | RMS      | 3798            | -46.37      | -13         | Pass    | 2931        |
| 6500                  | 36000                | 1         | RMS      | 35550           | -46.59      | -13         | Pass    | 29501       |



### 1.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.133           | -67.88      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.53      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 910.5           | -59.59      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -44.22      | -13         | Pass    | 2001        |
| 3000                  | 3430                 | 1         | RMS      | 3224            | -43.64      | -13         | Pass    | 431         |
| 3430                  | 3570                 | 1         | RMS      | 3531.15         | 23.95       | 60          | Pass    | 401         |
| 3570                  | 6500                 | 1         | RMS      | 6271            | -46.94      | -13         | Pass    | 2931        |
| 6500                  | 36000                | 1         | RMS      | 35578           | -46.65      | -13         | Pass    | 29501       |



### 1.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.141           | -67.65      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.64      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 899.4           | -59.62      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2993            | -44.27      | -13         | Pass    | 2001        |
| 3000                  | 3430                 | 1         | RMS      | 3224            | -43.6       | -13         | Pass    | 431         |
| 3430                  | 3570                 | 1         | RMS      | 3531.15         | 23.2        | 60          | Pass    | 401         |
| 3570                  | 6500                 | 1         | RMS      | 6285            | -46.86      | -13         | Pass    | 2931        |
| 6500                  | 36000                | 1         | RMS      | 35608           | -46.54      | -13         | Pass    | 29501       |



## 1. LTE\_Band48

### 1.1. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -71.56      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -64.65      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 992.6           | -63.63      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2995            | -48.65      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3243            | -46.6       | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550            | 20.73       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6280            | -46.91      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35626           | -46.62      | -40         | Pass    | 30501       |






**1.2. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.136           | -71.58      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -64.96      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 989.1           | -63.24      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2997            | -48.65      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3243            | -46.89      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550            | 19.7        | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6274            | -46.92      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35614           | -46.62      | -40         | Pass    | 30501       |




**1.3. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.106           | -72.22      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.95      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 927.2           | -63.82      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2982            | -48.7       | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3316            | -46.74      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3623.125        | 20.56       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 3930            | -46.63      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35592           | -46.62      | -40         | Pass    | 30501       |




**1.4. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.109           | -71.55      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.12      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 856.3           | -63.94      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2974            | -48.66      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3316            | -46.72      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3623.125        | 19.5        | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 3930            | -46.9       | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35586           | -46.51      | -40         | Pass    | 30501       |




**1.5. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.112           | -71.84      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.33      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 907.9           | -63.92      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2999            | -48.56      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3388            | -45.76      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3695.625        | 20.39       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4003            | -46.88      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35587           | -46.56      | -40         | Pass    | 30501       |




**1.6. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.13            | -71.81      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.52      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 999             | -63.76      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2998            | -48.62      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3388            | -46.49      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3695.625        | 19.62       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6281            | -46.94      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35593           | -46.54      | -40         | Pass    | 30501       |




**1.7. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.147           | -71.23      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -64.92      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 915.6           | -63.78      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2997            | -48.69      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3243            | -47.35      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550.625        | 21.61       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6275            | -46.91      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35598           | -46.57      | -40         | Pass    | 30501       |




**1.8. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -70.99      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -64.4       | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 890.7           | -63.79      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2970            | -48.65      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3243            | -47.29      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550.625        | 20.77       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6278            | -46.93      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35601           | -46.62      | -40         | Pass    | 30501       |



**1.9. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.096           | -71.13      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.43      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.9           | -63.87      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2971            | -48.68      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3313            | -46.6       | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3620.625        | 21.28       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6281            | -46.95      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35611           | -46.58      | -40         | Pass    | 30501       |






**1.10. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.096           | -70.72      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -65.2       | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 913.9           | -63.79      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2992            | -48.64      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3313            | -46.85      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3620.625        | 20.35       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6274            | -46.94      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35600           | -46.55      | -40         | Pass    | 30501       |




**1.11. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.146           | -72.08      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -63.36      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 901.8           | -63.77      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -48.67      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3383            | -46.47      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3690.625        | 21.29       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 3998            | -46         | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35581           | -46.59      | -40         | Pass    | 30501       |




**1.12. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.131           | -71.31      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -65.3       | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 907.1           | -63.93      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -48.7       | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3383            | -46.79      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3690.625        | 20.25       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6284            | -46.98      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35589           | -46.61      | -40         | Pass    | 30501       |




**1.13. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.121           | -71.72      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.8       | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 896.5           | -63.89      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2998            | -48.63      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3244            | -47.22      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550.625        | 20.92       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6260            | -46.94      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35597           | -46.51      | -40         | Pass    | 30501       |




**1.14. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.102           | -70.98      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.02      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 863.9           | -63.86      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2997            | -48.69      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3244            | -47.07      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550.625        | 20.2        | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6276            | -46.94      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35584           | -46.42      | -40         | Pass    | 30501       |




**1.15. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.02            | -71.54      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.66      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 901.6           | -63.76      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -48.67      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3311            | -46.19      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3618.125        | 20.63       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6277            | -46.94      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35600           | -46.53      | -40         | Pass    | 30501       |




**1.16. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.14            | -71.63      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.25      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.5           | -63.67      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -48.66      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3311            | -46.81      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3618.125        | 19.6        | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6285            | -46.93      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35582           | -46.55      | -40         | Pass    | 30501       |



**1.17. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.121           | -71.54      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -64.53      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.7           | -63.9       | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -48.61      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3379            | -46.62      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3685.625        | 20.45       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 3993            | -46.24      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35599           | -46.63      | -40         | Pass    | 30501       |






**1.18. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.134           | -71.59      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.05      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 924.9           | -63.78      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2995            | -48.68      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3379            | -46.93      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3685.625        | 19.71       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 3993            | -46.31      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35599           | -46.62      | -40         | Pass    | 30501       |




**1.19. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.148           | -70.78      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.3       | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 989.8           | -63.83      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2970            | -48.7       | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3244            | -46.86      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3551.25         | 21.21       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6286            | -46.97      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35590           | -46.55      | -40         | Pass    | 30501       |




**1.20. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.15            | -71.72      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -64.95      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 916.7           | -63.84      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2999            | -48.57      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3244            | -47.14      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3551.25         | 20.21       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6276            | -46.94      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35614           | -46.31      | -40         | Pass    | 30501       |




**1.21. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.096           | -71.29      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.6       | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 901.9           | -63.9       | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2993            | -48.71      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3309            | -46.31      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3616.25         | 20.76       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6281            | -46.99      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35598           | -46.54      | -40         | Pass    | 30501       |




**1.22. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.138           | -71.62      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.29      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 926.9           | -63.9       | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2996            | -48.65      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3309            | -46.76      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3616.25         | 19.66       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6284            | -46.91      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35585           | -46.48      | -40         | Pass    | 30501       |




**1.23. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.095           | -71.04      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -64.93      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 891.5           | -63.79      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2998            | -48.63      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3374            | -46.27      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3681.25         | 20.62       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6282            | -46.95      | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35604           | -46.63      | -40         | Pass    | 30501       |



**1.24. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.123           | -71.22      | -40         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -65.94      | -40         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 885.5           | -63.83      | -40         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2999            | -48.65      | -40         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3374            | -46.65      | -40         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3681.25         | 19.88       | 60          | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 6276            | -46.9       | -40         | Pass    | 2751        |
| 6500                  | 37000                | 1         | RMS      | 35570           | -46.61      | -40         | Pass    | 30501       |



## 4. LTE\_Band66

### 4.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -49.04      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -50.18      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 890.3           | -62.08      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.58      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.35         | 24.35       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2651            | -46.52      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11849           | -40.02      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19999           | -27.65      | -13         | Pass    | 8001        |






**4.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -49.95      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.63      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 931.8           | -62.03      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.59      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.35         | 23.36       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2650            | -46.53      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11930           | -40.02      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19999           | -27.63      | -13         | Pass    | 8001        |




**4.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.52      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.63      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 937.6           | -62         | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.02      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1744.55         | 24.6        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2652            | -46.59      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11942           | -40.05      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.57      | -13         | Pass    | 8001        |




**4.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -49.95      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.47      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 921.6           | -62.08      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -51.11      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1744.55         | 23.6        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2648            | -46.57      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11846           | -40.01      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.6       | -13         | Pass    | 8001        |




**4.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -48.54      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.87      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 936             | -62.17      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1605            | -51.08      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1778.75         | 24.49       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2648            | -46.58      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11845           | -40.01      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.55      | -13         | Pass    | 8001        |




**4.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -50.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.93      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 937.3           | -62.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1585            | -51.06      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1778.75         | 23.45       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2652            | -46.51      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11956           | -40         | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19991           | -27.62      | -13         | Pass    | 8001        |




**4.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -49.25      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -50.5       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 919.7           | -62.14      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -49.62      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 24.12       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2653            | -46.6       | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11853           | -39.98      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19997           | -27.62      | -13         | Pass    | 8001        |




**4.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -49.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49         | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 930.5           | -62.02      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.67      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.35         | 23.35       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2647            | -46.56      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11940           | -40.08      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.53      | -13         | Pass    | 8001        |



**4.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -50.23      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.18      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 913.3           | -62.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1660            | -51.08      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1743.65         | 24.35       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2657            | -46.57      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11853           | -39.97      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.61      | -13         | Pass    | 8001        |






#### 4.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -50.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.81      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 928.2           | -62.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -51.1       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1743.65         | 23.62       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2649            | -46.59      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11858           | -40.02      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19999           | -27.62      | -13         | Pass    | 8001        |



#### 4.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -49.42      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -50.58      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 918.6           | -62.11      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1689            | -51.1       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1777.175        | 24.59       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2653            | -46.54      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11835           | -40.06      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19997           | -27.64      | -13         | Pass    | 8001        |



#### 4.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.74      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -50.44      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 927.5           | -62.2       | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -51.09      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1777.175        | 23.53       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2655            | -46.53      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11973           | -40.02      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19998           | -27.58      | -13         | Pass    | 8001        |



### 4.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -50.04      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -50.15      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 927.6           | -61.97      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.59      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.35         | 24.39       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2655            | -46.59      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11959           | -39.99      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19997           | -27.62      | -13         | Pass    | 8001        |



#### 4.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.7       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 927.9           | -62.02      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.66      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.35         | 23.27       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2652            | -46.58      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11927           | -40.07      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.57      | -13         | Pass    | 8001        |



#### 4.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.96      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -50.28      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 945.5           | -62.08      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.06      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1742.75         | 24.35       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2662            | -46.61      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11935           | -40.02      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.64      | -13         | Pass    | 8001        |



#### 4.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -49.34      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.13      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 913             | -62.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1656            | -51.09      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1742.75         | 23.38       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2645            | -46.57      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11944           | -40.04      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.7       | -13         | Pass    | 8001        |



#### 4.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.82      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.21      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 921             | -62.04      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1610            | -51.09      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1775.375        | 24.66       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2641            | -46.56      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11949           | -40.01      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19999           | -27.51      | -13         | Pass    | 8001        |






#### 4.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -47.74      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.79      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 904.8           | -62.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -51.06      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1775.375        | 23.73       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2649            | -46.58      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11925           | -39.96      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19996           | -27.62      | -13         | Pass    | 8001        |



#### 4.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -48.77      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.54      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 936.1           | -62.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.39      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.575        | 24.39       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2656            | -46.63      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11942           | -40.07      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19996           | -27.64      | -13         | Pass    | 8001        |



#### 4.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -49.8       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.41      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 913             | -62.11      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.63      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.575        | 23.56       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2652            | -46.59      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11959           | -40.06      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.62      | -13         | Pass    | 8001        |



#### 4.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -49.57      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.77      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 895             | -62.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1601            | -51.06      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1740.5          | 24.45       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2645            | -46.6       | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11857           | -40.05      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.59      | -13         | Pass    | 8001        |



#### 4.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -49.94      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -49.9       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 925.8           | -61.83      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.09      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1740.5          | 23.72       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2651            | -46.59      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11955           | -40.05      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19997           | -27.62      | -13         | Pass    | 8001        |



### 4.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.63      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 918             | -62.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1591            | -51.08      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1770.65         | 24.57       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2659            | -46.58      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11957           | -40.07      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19997           | -27.54      | -13         | Pass    | 8001        |



#### 4.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -48.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -51.34      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 930.4           | -62.11      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -51.08      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1770.65         | 23.74       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2654            | -46.56      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11949           | -40.01      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.62      | -13         | Pass    | 8001        |



#### 4.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -48.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.29      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 918.4           | -62.07      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.1       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.8          | 24.19       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2649            | -46.59      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11930           | -40.03      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19999           | -27.62      | -13         | Pass    | 8001        |






#### 4.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -48.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -50.04      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 908.1           | -62.13      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -50.57      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.8          | 23.23       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2654            | -46.55      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11970           | -40.05      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19996           | -27.68      | -13         | Pass    | 8001        |



#### 4.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -49.39      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 937.6           | -61.99      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -51.08      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1738.25         | 24.54       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2652            | -46.55      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11944           | -40.03      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19998           | -27.62      | -13         | Pass    | 8001        |



#### 4.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -47.46      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -50.05      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 944.6           | -62.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -51.1       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1738.25         | 23.52       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2646            | -46.59      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11960           | -40.05      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.56      | -13         | Pass    | 8001        |



#### 4.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -48.89      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.94      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 931.9           | -62.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -51.05      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1765.925        | 24.33       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2650            | -46.54      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11953           | -40.04      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.58      | -13         | Pass    | 8001        |



### 4.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.58      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 965.3           | -62.15      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -51.1       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1765.925        | 23.77       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2649            | -46.6       | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11849           | -40.06      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19994           | -27.64      | -13         | Pass    | 8001        |



### 4.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -49.1       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.91      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 921.5           | -62.13      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.29      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1711.025        | 24.2        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2649            | -46.57      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11949           | -39.99      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19997           | -27.56      | -13         | Pass    | 8001        |



### 4.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -49.6       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.71      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 943.1           | -62.03      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.65      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1711.025        | 23.35       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2653            | -46.64      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11953           | -40.06      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.65      | -13         | Pass    | 8001        |



### 4.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -49.43      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.35      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 895.4           | -62.17      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -51.08      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1736            | 24.34       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2660            | -46.55      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11957           | -40.04      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19998           | -27.61      | -13         | Pass    | 8001        |






### 4.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -48.4       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -48.44      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 914.6           | -62.1       | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1684            | -51.06      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1736            | 23.44       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2650            | -46.57      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11893           | -40.1       | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19996           | -27.61      | -13         | Pass    | 8001        |



### 4.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -49.23      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -50.89      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 918.9           | -62.13      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1601            | -51.05      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1761.2          | 24.41       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2653            | -46.49      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11940           | -40.03      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 20000           | -27.58      | -13         | Pass    | 8001        |



### 4.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -48.9       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -49.46      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 940.9           | -62.13      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -51.05      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1760.975        | 23.6        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2648            | -46.56      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11944           | -40.02      | -13         | Pass    | 9001        |
| 12000                 | 20000                | 1         | RMS      | 19997           | -27.63      | -13         | Pass    | 8001        |




## 1. CA\_7C

### 1.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.053           | -71.57      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 20.98           | -68.52      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 916.945         | -59.18      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2473            | -42.47      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2528.3          | 11.7        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2967.538        | -45.68      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11856           | -45.8       | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25102           | -34.05      | -25         | Pass    | 14002       |



## 1.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.064           | -70.73      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 14.85           | -68.3       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 488.2           | -59.26      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -44.35      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2521.8          | 9.57        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2973.5          | -45.74      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10549           | -45.93      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25789           | -34.34      | -25         | Pass    | 14002       |



### 1.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.26      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.87            | -67.92      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 997.999         | -58.86      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2473            | -41.79      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2528.3          | 11.36       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2956.938        | -45.68      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11854           | -45.85      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25827           | -34.34      | -25         | Pass    | 14002       |



### 1.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.095           | -71.34      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.34            | -67.83      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 919.146         | -59.11      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -45.29      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2522.45         | 8.56        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2959.588        | -45.58      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11503           | -45.81      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25094           | -34.13      | -25         | Pass    | 14002       |



### 1.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -70.37      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 25.54           | -68.11      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 895.03          | -58.86      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2470            | -47.05      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2548.45         | 11.67       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2956.938        | -45.68      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11857           | -45.94      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25104           | -33.96      | -25         | Pass    | 14002       |






### 1.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.01      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.15           | -68.24      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.514         | -59.64      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2474            | -46.46      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2546.5          | 9.65        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2961.575        | -45.77      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11860           | -45.98      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25819           | -34.34      | -25         | Pass    | 14002       |






### 1.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.098           | -71.58      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 26.81           | -68.18      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 838             | -58.99      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2468            | -47.1       | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2548.45         | 11.58       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2970.188        | -45.69      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11861           | -45.85      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25117           | -34.22      | -25         | Pass    | 14002       |



### 1.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.071           | -70.86      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.45           | -67.29      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 913.743         | -58.63      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2474            | -46.63      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2547.15         | 8.61        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2946.338        | -45.66      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11859           | -45.93      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25101           | -34.12      | -25         | Pass    | 14002       |



### 1.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -70.7       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.38            | -67.71      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 873.616         | -58.71      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2469            | -47.18      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2568.6          | 11.61       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2962.9          | -45.61      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11849           | -45.59      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25122           | -34.21      | -25         | Pass    | 14002       |



### 1.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.56      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.87           | -67.7       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 865.611         | -58.88      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2474            | -46.64      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2560.8          | 9.25        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2940.375        | -45.6       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11466           | -45.73      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25107           | -34.2       | -25         | Pass    | 14002       |



### 1.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.118           | -71.77      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.87           | -68.17      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.315         | -59.46      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -47.47      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2568.6          | 11.61       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2964.225        | -45.71      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10545           | -45.86      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25101           | -33.94      | -25         | Pass    | 14002       |



### 1.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -70.76      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 15.32           | -68.08      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.6           | -59.13      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2472            | -46.83      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2562.1          | 8.38        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2970.188        | -45.57      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11456           | -45.83      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25083           | -34.15      | -25         | Pass    | 14002       |






### 1.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.046           | -71.03      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 6.34            | -67.71      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 997.498         | -58.83      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2474            | -47.15      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2501            | 11.26       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2958.925        | -45.58      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11494           | -45.85      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25102           | -34.32      | -25         | Pass    | 14002       |



### 1.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -70.63      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.75            | -67.93      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.323         | -58.79      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -39.24      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2525.7          | 6.66        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2960.913        | -45.58      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11850           | -45.84      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25105           | -34.02      | -25         | Pass    | 14002       |



### 1.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.078           | -71.38      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 3.68            | -67.78      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 919.246         | -58.87      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -47.07      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2501            | 11          | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2958.263        | -45.55      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11860           | -45.9       | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25732           | -34.22      | -25         | Pass    | 14002       |



### 1.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.058           | -71.26      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 15.72           | -68.28      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 904.637         | -59.26      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -43.17      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2521.8          | 5.76        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2963.563        | -45.76      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11861           | -45.91      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25843           | -34.28      | -25         | Pass    | 14002       |



### 1.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.043           | -71.1       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 13.07           | -68.27      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 902.435         | -58.89      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2474            | -47.11      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2553.65         | 11.67       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2956.275        | -45.58      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11878           | -45.9       | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25124           | -34.16      | -25         | Pass    | 14002       |



### 1.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.114           | -71.07      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.89           | -67.89      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 931.054         | -58.93      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -45.54      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2552.35         | 6.57        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2960.25         | -45.55      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11856           | -45.7       | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25109           | -34.12      | -25         | Pass    | 14002       |



### 1.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -69.83      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -67.27      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.112         | -58.92      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2467            | -47.12      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2515.95         | 11.79       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2963.563        | -45.54      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11859           | -45.93      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25812           | -34.12      | -25         | Pass    | 14002       |



### 1.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.052           | -70.5       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 3.3             | -67.96      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 929.553         | -58.89      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -45.72      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2552.35         | 5.8         | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2980.125        | -45.6       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11854           | -45.82      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25089           | -34.11      | -25         | Pass    | 14002       |






### 1.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.131           | -71.57      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -67.96      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 894.93          | -59.08      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2442            | -47.4       | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2530.9          | 11.82       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2979.463        | -45.82      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11848           | -46.12      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25105           | -34.3       | -25         | Pass    | 14002       |



### 1.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.119           | -71.05      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 24.18           | -67.87      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 485.1           | -58.83      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2474            | -46.16      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2556.25         | 6.36        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2961.575        | -45.57      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11850           | -45.73      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25094           | -34.05      | -25         | Pass    | 14002       |



### 1.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.128           | -71.42      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 21.39           | -68.16      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 915.844         | -58.85      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2434            | -47.26      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2530.9          | 11.71       | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2959.588        | -45.65      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11472           | -45.85      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25114           | -34.2       | -25         | Pass    | 14002       |



### 1.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -70.07      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 19.82           | -68.04      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 890.728         | -58.87      | -25         | Pass    | 9701        |
| 1000                  | 2475                 | 1         | RMS      | 2475            | -46.58      | -25         | Pass    | 1476        |
| 2475                  | 2735                 | 1         | RMS      | 2557.55         | 5.59        | 60          | Pass    | 401         |
| 2735                  | 3000                 | 1         | RMS      | 2968.2          | -45.67      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11471           | -45.74      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25094           | -34.26      | -25         | Pass    | 14002       |




## 2. CA\_38C

### 2.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.42      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.34            | -63.84      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 997.899         | -54.52      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2514            | -37.23      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2598.85         | 12.54       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2683.425        | -39.81      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11854           | -45.95      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25108           | -33.92      | -25         | Pass    | 14502       |



## 2.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.048           | -66.88      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 6.98            | -64.12      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 977.985         | -55.65      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -40.59      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2597.1          | 8.42        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665.838        | -41.52      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11847           | -45.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25094           | -34.04      | -25         | Pass    | 14502       |



### 2.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.137           | -66.87      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -63.74      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 947.865         | -55.17      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2515            | -39.14      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2598.85         | 11.84       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2683.425        | -40.74      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11464           | -45.73      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25092           | -34         | -25         | Pass    | 14502       |



## 2.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.53      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 21.18           | -64.38      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 987.392         | -54.73      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2523            | -41.73      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2598.15         | 7.2         | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2962.313        | -41.72      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11849           | -45.82      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25108           | -34.05      | -25         | Pass    | 14502       |






## 2.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -65.99      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 8.97            | -63.99      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 884.824         | -54.7       | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2524            | -36.45      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2609            | 12.16       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665            | -39.1       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11451           | -45.82      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25819           | -33.93      | -25         | Pass    | 14502       |



## 2.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -66.19      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 18.99           | -63.62      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 905.537         | -54.79      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2523            | -41.63      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2606.55         | 8.1         | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2668.35         | -41.28      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11848           | -45.69      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25102           | -33.77      | -25         | Pass    | 14502       |



## 2.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.028           | -66.53      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 22.73           | -64.39      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 831.2           | -55.57      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2496            | -40.21      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2580.65         | 11.98       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665            | -38.81      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11855           | -45.91      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25772           | -34.05      | -25         | Pass    | 14502       |



## 2.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.093           | -67.41      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 15.66           | -64.17      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 902.736         | -55.36      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2515            | -42.27      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2582.05         | 11.94       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2964.825        | -41.81      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11473           | -46.01      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25811           | -34.03      | -25         | Pass    | 14502       |



## 2.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.066           | -66.42      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.93           | -64.2       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 912.142         | -55.15      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2506            | -39.35      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2619.15         | 12.52       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2675.05         | -40         | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11860           | -45.74      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25104           | -34.12      | -25         | Pass    | 14502       |



## 2.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.112           | -67.35      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 19.63           | -64.05      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.213         | -54.86      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2515            | -42.19      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2617.75         | 7.93        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665.838        | -40.85      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11457           | -45.84      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25098           | -33.83      | -25         | Pass    | 14502       |



### 2.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.03      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -63.57      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 909.54          | -55.06      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2506            | -41.44      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2590.8          | 12.2        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2675.05         | -39.94      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11849           | -45.75      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25097           | -33.98      | -25         | Pass    | 14502       |



## 2.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.039           | -67.17      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 21.01           | -64.27      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 851.201         | -55.36      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2503            | -42.55      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2617.75         | 7           | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665.838        | -41.56      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11854           | -45.86      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25113           | -34.08      | -25         | Pass    | 14502       |






### 2.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.33      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -64.18      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.812         | -55.65      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2495            | -37.78      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2570.85         | 12.24       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2683.425        | -37.75      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11848           | -45.99      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25085           | -33.98      | -25         | Pass    | 14502       |



### 2.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.148           | -67.85      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 17.14           | -64.13      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 912.442         | -55         | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -40.6       | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2606.55         | 7.56        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665.838        | -40.67      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11841           | -45.75      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25108           | -33.96      | -25         | Pass    | 14502       |



## 2.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.109           | -67.32      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -63.41      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 906.638         | -54.88      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2496            | -37.44      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2570.85         | 11.98       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2683.425        | -37.43      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11850           | -45.87      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25797           | -34.08      | -25         | Pass    | 14502       |



## 2.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.035           | -66.9       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -63.58      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 897.432         | -54.97      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2523            | -41.43      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2606.9          | 5.88        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665.838        | -41.15      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11844           | -45.76      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25821           | -33.98      | -25         | Pass    | 14502       |



## 2.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.85      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 14.07           | -64.79      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 885.124         | -55.29      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2501            | -34.18      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2613.55         | 12.7        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2688.45         | -37.64      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11862           | -45.95      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25097           | -33.98      | -25         | Pass    | 14502       |



## 2.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.2       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.42            | -63.48      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 996.398         | -55.37      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -41.16      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2612.15         | 7.39        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665            | -40.81      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11465           | -46.02      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25815           | -33.97      | -25         | Pass    | 14502       |



## 2.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.101           | -67.43      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 10.48           | -64.08      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 900.734         | -55         | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2501            | -39.68      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2576.1          | 11.82       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2688.45         | -38.15      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11473           | -45.86      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25097           | -33.96      | -25         | Pass    | 14502       |



## 2.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.078           | -67.29      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 8.98            | -64.04      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.223         | -55.01      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2524            | -41.79      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2612.5          | 6.17        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665            | -41.05      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11848           | -45.74      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25098           | -34         | -25         | Pass    | 14502       |






## 2.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -66.81      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 25.5            | -64.11      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 903.936         | -54.7       | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2506            | -37.23      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2618.8          | 11.72       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2693.475        | -38.35      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11466           | -45.89      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25101           | -33.79      | -25         | Pass    | 14502       |



## 2.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.29      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.38            | -64.14      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 922.549         | -54.98      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -41.58      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2617.05         | 7.55        | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2665.838        | -40.45      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11845           | -45.73      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25101           | -34.04      | -25         | Pass    | 14502       |



### 2.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.114           | -67.01      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 22.54           | -64.89      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 831.8           | -55.42      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2506            | -34.57      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2618.8          | 11.75       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2693.475        | -37.6       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11851           | -45.82      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25099           | -34.17      | -25         | Pass    | 14502       |



## 2.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.6       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.3            | -64.1       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 996.097         | -55.47      | -25         | Pass    | 9701        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -42.09      | -25         | Pass    | 1526        |
| 2525                  | 2665                 | 1         | RMS      | 2597.45         | 11.06       | 60          | Pass    | 401         |
| 2665                  | 3000                 | 1         | RMS      | 2666.675        | -41.15      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11866           | -45.78      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25100           | -33.89      | -25         | Pass    | 14502       |



## 5. n2 15kHz


### 5.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -73.78      | -13         | 60.78       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.26      | -13         | 58.26       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 997.198         | -63.76      | -13         | 50.76       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -46.94      | -13         | 33.94       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1853.6          | 13.26       | 60          | 46.74       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2875            | -48.57      | -13         | 35.57       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3705            | -61         | -13         | 48          | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18283           | -50.25      | -13         | 37.25       | Pass    | 13502       |




**5.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.97      | -13         | 59.97       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.31      | -13         | 58.31       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 925.15          | -63.81      | -13         | 50.81       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.05      | -13         | 39.05       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 19.36       | 60          | 40.64       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2864            | -48.54      | -13         | 35.54       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3701            | -58.38      | -13         | 45.38       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18283           | -50.26      | -13         | 37.26       | Pass    | 13502       |




**5.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.54      | -13         | 59.54       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.67      | -13         | 58.67       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 895.231         | -63.91      | -13         | 50.91       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.08      | -13         | 39.08       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1854.6          | 19.16       | 60          | 40.84       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2872            | -48.55      | -13         | 35.55       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3709            | -58.09      | -13         | 45.09       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18280           | -50.27      | -13         | 37.27       | Pass    | 13502       |



**5.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.67      | -13         | 60.67       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.83      | -13         | 57.83       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 998.199         | -63.87      | -13         | 50.87       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.08      | -13         | 39.08       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1881            | 13.22       | 60          | 46.78       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2868            | -48.58      | -13         | 35.58       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3760            | -60.37      | -13         | 47.37       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18279           | -50.18      | -13         | 37.18       | Pass    | 13502       |






**5.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.94      | -13         | 59.94       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.96      | -13         | 57.96       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 893.129         | -63.8       | -13         | 50.8        | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -52.14      | -13         | 39.14       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1877.8          | 19.28       | 60          | 40.72       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2870            | -48.56      | -13         | 35.56       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3756            | -56.76      | -13         | 43.76       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18282           | -50.21      | -13         | 37.21       | Pass    | 13502       |




**5.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.82      | -13         | 59.82       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.31      | -13         | 58.31       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 895.131         | -63.65      | -13         | 50.65       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -52.15      | -13         | 39.15       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1882            | 19.28       | 60          | 40.72       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2869            | -48.56      | -13         | 35.56       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3764            | -56.62      | -13         | 43.62       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18264           | -50.2       | -13         | 37.2        | Pass    | 13502       |




**5.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.44      | -13         | 59.44       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.23      | -13         | 58.23       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 897.232         | -63.8       | -13         | 50.8        | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.11      | -13         | 39.11       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1908.6          | 13.1        | 60          | 46.9        | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 1920            | -46.69      | -13         | 33.69       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3815            | -60.76      | -13         | 47.76       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 19902           | -50.2       | -13         | 37.2        | Pass    | 13502       |




**5.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.32      | -13         | 59.32       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.2       | -13         | 58.2        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 892.329         | -63.85      | -13         | 50.85       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -52.12      | -13         | 39.12       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1905.2          | 19.38       | 60          | 40.62       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2869            | -48.56      | -13         | 35.56       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3811            | -57.81      | -13         | 44.81       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 19900           | -50.19      | -13         | 37.19       | Pass    | 13502       |




**5.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.24      | -13         | 59.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -71.42      | -13         | 58.42       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 895.331         | -63.88      | -13         | 50.88       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1833            | -52.13      | -13         | 39.13       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1909.6          | 19.22       | 60          | 40.78       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2877            | -48.61      | -13         | 35.61       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3819            | -57.08      | -13         | 44.08       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18282           | -50.16      | -13         | 37.16       | Pass    | 13502       |




**5.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.7       | -13         | 60.7        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.47      | -13         | 58.47       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 889.527         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -39.34      | -13         | 26.34       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1862.2          | 8.59        | 60          | 51.41       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2869            | -48.57      | -13         | 35.57       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 6200            | -62.77      | -13         | 49.77       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18301           | -50.19      | -13         | 37.19       | Pass    | 13502       |




**5.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.12      | -13         | 60.12       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.51      | -13         | 58.51       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 898.233         | -63.73      | -13         | 50.73       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.98      | -13         | 38.98       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.4          | 19.55       | 60          | 40.45       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2866            | -48.62      | -13         | 35.62       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3701            | -56.71      | -13         | 43.71       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 19914           | -50.2       | -13         | 37.2        | Pass    | 13502       |



**5.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.75      | -13         | 59.75       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.25      | -13         | 58.25       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 896.631         | -63.77      | -13         | 50.77       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.12      | -13         | 39.12       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1864.4          | 19.45       | 60          | 40.55       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2868            | -48.49      | -13         | 35.49       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3729            | -57.91      | -13         | 44.91       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18301           | -50.26      | -13         | 37.26       | Pass    | 13502       |






**5.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.82      | -13         | 59.82       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.38      | -13         | 58.38       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 991.394         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -49.15      | -13         | 36.15       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1885.8          | 8.82        | 60          | 51.18       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2867            | -48.61      | -13         | 35.61       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3761            | -62.55      | -13         | 49.55       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18284           | -50.17      | -13         | 37.17       | Pass    | 13502       |




**5.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.06      | -13         | 60.06       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -70.86      | -13         | 57.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 885.024         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1833            | -52.09      | -13         | 39.09       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1872.8          | 19.49       | 60          | 40.51       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2873            | -48.56      | -13         | 35.56       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3746            | -56.73      | -13         | 43.73       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 19920           | -50.23      | -13         | 37.23       | Pass    | 13502       |




**5.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.66      | -13         | 58.66       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.58      | -13         | 58.58       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 893.129         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1836            | -52.09      | -13         | 39.09       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1886.8          | 19.52       | 60          | 40.48       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2869            | -48.59      | -13         | 35.59       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3774            | -56.72      | -13         | 43.72       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18299           | -50.2       | -13         | 37.2        | Pass    | 13502       |




**5.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.43      | -13         | 60.43       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.89      | -13         | 58.89       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 899.734         | -63.87      | -13         | 50.87       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52         | -13         | 39          | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1896.4          | 9.13        | 60          | 50.87       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 1920            | -39.65      | -13         | 26.65       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3806            | -62.64      | -13         | 49.64       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18301           | -50.15      | -13         | 37.15       | Pass    | 13502       |




**5.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.72      | -13         | 60.72       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.36      | -13         | 58.36       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 885.624         | -63.82      | -13         | 50.82       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1836            | -52.1       | -13         | 39.1        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1895.4          | 19.53       | 60          | 40.47       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2872            | -48.59      | -13         | 35.59       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3791            | -57.3       | -13         | 44.3        | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 19894           | -50.2       | -13         | 37.2        | Pass    | 13502       |




**5.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.62      | -13         | 60.62       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.4       | -13         | 58.4        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 914.744         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1831            | -52.09      | -13         | 39.09       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1909.4          | 19.29       | 60          | 40.71       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2868            | -48.64      | -13         | 35.64       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3819            | -56.52      | -13         | 43.52       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18269           | -50.2       | -13         | 37.2        | Pass    | 13502       |




**5.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.82      | -13         | 59.82       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.97      | -13         | 57.97       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 995.697         | -63.84      | -13         | 50.84       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -39.5       | -13         | 26.5        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1867            | 7.13        | 60          | 52.87       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2872            | -48.6       | -13         | 35.6        | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 6200            | -62.86      | -13         | 49.86       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18276           | -50.22      | -13         | 37.22       | Pass    | 13502       |



**5.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.45      | -13         | 60.45       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -71.81      | -13         | 58.81       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 740.8           | -63.9       | -13         | 50.9        | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.71      | -13         | 38.71       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.4          | 19.47       | 60          | 40.53       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2869            | -48.62      | -13         | 35.62       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3701            | -56.72      | -13         | 43.72       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 19902           | -50.18      | -13         | 37.18       | Pass    | 13502       |






**5.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.61      | -13         | 60.61       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.56      | -13         | 58.56       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 897.332         | -63.77      | -13         | 50.77       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.14      | -13         | 39.14       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1869.4          | 19.45       | 60          | 40.55       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2871            | -48.61      | -13         | 35.61       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3739            | -57.69      | -13         | 44.69       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18286           | -50.15      | -13         | 37.15       | Pass    | 13502       |




**5.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.68      | -13         | 58.68       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.22      | -13         | 59.22       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 890.828         | -63.87      | -13         | 50.87       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -46.06      | -13         | 33.06       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1887.4          | 7.59        | 60          | 52.41       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 1920            | -47.27      | -13         | 34.27       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 6203            | -62.77      | -13         | 49.77       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18297           | -50.15      | -13         | 37.15       | Pass    | 13502       |




**5.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.94      | -13         | 58.94       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -71.23      | -13         | 58.23       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.225         | -63.76      | -13         | 50.76       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -52.1       | -13         | 39.1        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1870.4          | 19.44       | 60          | 40.56       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2867            | -48.59      | -13         | 35.59       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3741            | -57.31      | -13         | 44.31       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18296           | -50.03      | -13         | 37.03       | Pass    | 13502       |




**5.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.75      | -13         | 60.75       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.67      | -13         | 57.67       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.217         | -63.81      | -13         | 50.81       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.13      | -13         | 39.13       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1889.4          | 19.59       | 60          | 40.41       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2872            | -48.61      | -13         | 35.61       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3779            | -57.45      | -13         | 44.45       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18206           | -50.19      | -13         | 37.19       | Pass    | 13502       |




**5.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.44      | -13         | 60.44       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.45      | -13         | 58.45       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 887.726         | -63.9       | -13         | 50.9        | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -50.77      | -13         | 37.77       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1891.6          | 7.99        | 60          | 52.01       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 1920            | -40.72      | -13         | 27.72       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 6200            | -62.79      | -13         | 49.79       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18294           | -50.14      | -13         | 37.14       | Pass    | 13502       |




**5.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.16      | -13         | 59.16       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.15      | -13         | 58.15       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 895.831         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.1       | -13         | 39.1        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1890.4          | 19.57       | 60          | 40.43       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2874            | -48.58      | -13         | 35.58       | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3781            | -57.51      | -13         | 44.51       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 18279           | -50.23      | -13         | 37.23       | Pass    | 13502       |



**5.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.24      | -13         | 60.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.42      | -13         | 58.42       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.614         | -63.75      | -13         | 50.75       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1829            | -52.16      | -13         | 39.16       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1909.4          | 19.33       | 60          | 40.67       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2870            | -48.6       | -13         | 35.6        | Pass    | 1081        |
| 3000                  | 6500                 | 1         | RMS      | 3819            | -56.37      | -13         | 43.37       | Pass    | 3501        |
| 6500                  | 20000                | 1         | RMS      | 19921           | -50.22      | -13         | 37.22       | Pass    | 13502       |



## 1. n5

### 1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS       | 0.012           | -63.19      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS       | 0.17            | -71.6       | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS       | 814             | -52.48      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS       | 825.1           | 5.36        | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS       | 982.1           | -64.08      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS       | 2870            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS       | 8912            | -58.94      | -13         | Pass    | 7001        |






**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS       | 0.013           | -63.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS       | 0.15            | -70.92      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS       | 812.7           | -63.91      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS       | 824.3           | 18.51       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS       | 891.1           | -64.04      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS       | 2870            | -48.85      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS       | 8901            | -58.92      | -13         | Pass    | 7001        |




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS       | 0.012           | -62.71      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS       | 0.15            | -69.88      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS       | 811.4           | -63.62      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS       | 828.7           | 17.97       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS       | 890.7           | -63.92      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS       | 2872            | -48.89      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS       | 8902            | -58.89      | -13         | Pass    | 7001        |




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS       | 0.013           | -62.43      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS       | 0.17            | -71.18      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS       | 813.8           | -63.77      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS       | 834.5           | 5.23        | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS       | 920.1           | -64.05      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS       | 2869            | -48.9       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS       | 8908            | -58.95      | -13         | Pass    | 7001        |




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.27      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 747.4           | -64.22      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.3           | 18.18       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 881             | -63.8       | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -48.11      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8911            | -58.92      | -13         | Pass    | 7001        |




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.97      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.07      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 751.8           | -64.22      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 838.7           | 17.84       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 875.6           | -63.82      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8996            | -58.96      | -13         | Pass    | 7001        |




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.01      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 740.5           | -64.29      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 845.1           | 5.75        | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 893.8           | -63.94      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.88      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8912            | -58.93      | -13         | Pass    | 7001        |




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.97      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.35      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 741.4           | -64.32      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 844.3           | 18.3        | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 897.1           | -63.91      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2867            | -48.9       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8959            | -58.91      | -13         | Pass    | 7001        |



**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -63.39      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.14      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 747.1           | -64.33      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 848.6           | 17.83       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 862.5           | -63.91      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 1697            | -48.73      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8902            | -58.94      | -13         | Pass    | 7001        |






**1.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -62.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.44      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -43.24      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 836.2           | 0.56        | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 902.5           | -64         | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2872            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8921            | -58.86      | -13         | Pass    | 7001        |




**1.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.42      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.67      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -63.26      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 824.5           | 18.61       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 895.5           | -64.04      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8898            | -58.93      | -13         | Pass    | 7001        |




**1.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.03      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 737.5           | -64.26      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 838.5           | 18.64       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 902.7           | -64         | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.85      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8952            | -58.93      | -13         | Pass    | 7001        |




**1.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.13      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -49         | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 832.4           | 0.41        | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 893.4           | -63.97      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8902            | -58.92      | -13         | Pass    | 7001        |




**1.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -71.47      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.3           | -63.97      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 829.5           | 18.47       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 895.8           | -63.88      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.85      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8907            | -58.86      | -13         | Pass    | 7001        |




**1.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.39      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.79      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 748.1           | -64.35      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 843.5           | 18.63       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 881.3           | -63.96      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.88      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8912            | -58.83      | -13         | Pass    | 7001        |




**1.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -63.16      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.69      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.7           | -51.25      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 837.3           | 0.63        | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 882.6           | -63.95      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.85      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8997            | -58.91      | -13         | Pass    | 7001        |



**1.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.37      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 732.7           | -64.22      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.5           | 18.4        | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 900.9           | -63.96      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -48.77      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 9000            | -58.91      | -13         | Pass    | 7001        |






**1.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.71      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.71      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 752.2           | -64.12      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 848.5           | 18.67       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 906.7           | -64.01      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.88      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8931            | -58.94      | -13         | Pass    | 7001        |




**1.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.68      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -42.38      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.2           | -0.51       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 897.9           | -64         | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2876            | -48.86      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8911            | -58.85      | -13         | Pass    | 7001        |




**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.02      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.34      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -62.79      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 824.5           | 18.27       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 908.4           | -63.92      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.84      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8904            | -58.88      | -13         | Pass    | 7001        |




**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.35      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 749.9           | -64.29      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 843.4           | 18.19       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 907.3           | -63.9       | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2873            | -48.84      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8990            | -58.93      | -13         | Pass    | 7001        |




**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.36      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.27      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.8           | -45.27      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 836.8           | -0.75       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 904.4           | -63.97      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2866            | -48.88      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8933            | -58.96      | -13         | Pass    | 7001        |




**1.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.41      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.75      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -63.52      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 827             | 18.19       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 896.3           | -63.83      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2873            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8993            | -58.89      | -13         | Pass    | 7001        |




**1.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.66      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.7       | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 747.5           | -64.3       | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 845.9           | 18.27       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 899.1           | -63.91      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 1691            | -48.7       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 9002            | -58.92      | -13         | Pass    | 7001        |



**1.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.39      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.8           | -47.65      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.5           | -0.74       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 892.4           | -63.92      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.89      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8917            | -58.9       | -13         | Pass    | 7001        |






**1.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -53.75      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.66      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.1           | -63.9       | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 829.5           | 18.15       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 882.6           | -64.01      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2868            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8907            | -58.91      | -13         | Pass    | 7001        |



**1.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -56.86      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.1       | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 731.9           | -64.31      | -13         | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 848.4           | 18.29       | 60          | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 891.5           | -63.98      | -13         | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8900            | -58.89      | -13         | Pass    | 7001        |



## 1. n7


### 1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.05      | -13         | 60.05       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.87      | -13         | 57.87       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 877.919         | -63.44      | -13         | 50.44       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -45.54      | -13         | 32.54       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2503.5          | 15.17       | 60          | 44.83       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2873            | -48.33      | -13         | 35.33       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6201            | -62.54      | -13         | 49.54       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25200           | -45.92      | -13         | 32.92       | Pass    | 19503       |




**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.33      | -13         | 59.33       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.24      | -13         | 58.24       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 903.236         | -63.6       | -13         | 50.6        | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -49.7       | -13         | 36.7        | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2500.125        | 21.16       | 60          | 38.84       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2869            | -48.35      | -13         | 35.35       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6201            | -62.64      | -13         | 49.64       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25194           | -45.96      | -13         | 32.96       | Pass    | 19503       |




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.45      | -13         | 58.45       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.21      | -13         | 58.21       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 931.755         | -63.68      | -13         | 50.68       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2488            | -49.98      | -13         | 36.98       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2504.625        | 21.36       | 60          | 38.64       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2866            | -48.36      | -13         | 35.36       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6239            | -62.67      | -13         | 49.67       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25196           | -46.01      | -13         | 33.01       | Pass    | 19503       |




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.54      | -13         | 60.54       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -71.23      | -13         | 58.23       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 892.028         | -63.55      | -13         | 50.55       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2487            | -50.35      | -13         | 37.35       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2533.65         | 14.53       | 60          | 45.47       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2872            | -48.38      | -13         | 35.38       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6238            | -62.66      | -13         | 49.66       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25201           | -45.97      | -13         | 32.97       | Pass    | 19503       |




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.95      | -13         | 59.95       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -71.99      | -13         | 58.99       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 896.431         | -63.63      | -13         | 50.63       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2489            | -50.28      | -13         | 37.28       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2532.75         | 20.66       | 60          | 39.34       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2871            | -48.36      | -13         | 35.36       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6204            | -62.61      | -13         | 49.61       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25191           | -45.9       | -13         | 32.9        | Pass    | 19503       |



**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.03      | -13         | 60.03       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.69      | -13         | 57.69       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 903.036         | -63.48      | -13         | 50.48       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -50.27      | -13         | 37.27       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2537.025        | 20.66       | 60          | 39.34       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2868            | -48.36      | -13         | 35.36       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6201            | -62.66      | -13         | 49.66       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25204           | -45.91      | -13         | 32.91       | Pass    | 19503       |






**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.85      | -25         | 47.85       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.89      | -25         | 45.89       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 895.631         | -63.71      | -25         | 38.71       | Pass    | 9701        |
| 1000                  | 2495                 | 1         | RMS      | 2491            | -50.43      | -25         | 25.43       | Pass    | 1496        |
| 2495                  | 2575                 | 1         | RMS      | 2566.2          | 15.29       | 60          | 44.71       | Pass    | 401         |
| 2575                  | 3000                 | 1         | RMS      | 2575            | -36.46      | -25         | 11.46       | Pass    | 426         |
| 3000                  | 7000                 | 1         | RMS      | 6923            | -61.04      | -25         | 36.04       | Pass    | 4001        |
| 7000                  | 26000                | 1         | RMS      | 25210           | -46.1       | -25         | 21.1        | Pass    | 19003       |




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.57      | -13         | 60.57       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.32      | -13         | 58.32       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 903.336         | -63.57      | -13         | 50.57       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2489            | -50.33      | -13         | 37.33       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2565.15         | 20.73       | 60          | 39.27       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2869            | -48.31      | -13         | 35.31       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6203            | -62.63      | -13         | 49.63       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25205           | -46.01      | -13         | 33.01       | Pass    | 19503       |




**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.72      | -13         | 59.72       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.03      | -13         | 58.03       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 882.822         | -63.62      | -13         | 50.62       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -50.3       | -13         | 37.3        | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2569.65         | 20.44       | 60          | 39.56       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2865            | -48.37      | -13         | 35.37       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6200            | -62.64      | -13         | 49.64       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25202           | -46.02      | -13         | 33.02       | Pass    | 19503       |




**1.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.47      | -13         | 59.47       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.41      | -13         | 58.41       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 864.21          | -63.61      | -13         | 50.61       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -33.7       | -13         | 20.7        | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2511.15         | 7.81        | 60          | 52.19       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2869            | -48.38      | -13         | 35.38       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6198            | -62.61      | -13         | 49.61       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25199           | -45.9       | -13         | 32.9        | Pass    | 19503       |




**1.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.23      | -13         | 59.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.13      | -13         | 58.13       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 903.536         | -63.55      | -13         | 50.55       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -49.25      | -13         | 36.25       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2500.575        | 21.01       | 60          | 38.99       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2869            | -48.36      | -13         | 35.36       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6204            | -62.63      | -13         | 49.63       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25203           | -45.95      | -13         | 32.95       | Pass    | 19503       |




**1.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.2       | -13         | 60.2        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.19      | -13         | 58.19       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 884.123         | -63.48      | -13         | 50.48       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2489            | -50.22      | -13         | 37.22       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2524.2          | 20.84       | 60          | 39.16       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2869            | -48.36      | -13         | 35.36       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6202            | -62.64      | -13         | 49.64       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25194           | -45.94      | -13         | 32.94       | Pass    | 19503       |




**1.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.34      | -13         | 60.34       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.29            | -71.56      | -13         | 58.56       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 890.427         | -63.64      | -13         | 50.64       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -46.54      | -13         | 33.54       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2523.975        | 7.53        | 60          | 52.47       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2580            | -45.69      | -13         | 32.69       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6240            | -62.6       | -13         | 49.6        | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25201           | -45.97      | -13         | 32.97       | Pass    | 19503       |



**1.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.87      | -13         | 59.87       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.27      | -13         | 58.27       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 885.024         | -63.71      | -13         | 50.71       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2489            | -50.18      | -13         | 37.18       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2523.075        | 20.89       | 60          | 39.11       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2872            | -48.38      | -13         | 35.38       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6202            | -62.58      | -13         | 49.58       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25200           | -45.9       | -13         | 32.9        | Pass    | 19503       |






**1.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.24      | -13         | 59.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.73      | -13         | 57.73       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 882.622         | -63.59      | -13         | 50.59       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2483            | -50.33      | -13         | 37.33       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2546.7          | 20.65       | 60          | 39.35       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2868            | -48.38      | -13         | 35.38       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6240            | -62.66      | -13         | 49.66       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25199           | -45.88      | -13         | 32.88       | Pass    | 19503       |




**1.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.78      | -13         | 58.78       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.12      | -13         | 58.12       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 894.63          | -63.57      | -13         | 50.57       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -49.14      | -13         | 36.14       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2556.15         | 7.57        | 60          | 52.43       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2580            | -36.03      | -13         | 23.03       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6203            | -62.57      | -13         | 49.57       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25201           | -45.88      | -13         | 32.88       | Pass    | 19503       |




**1.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.94      | -13         | 59.94       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.52      | -13         | 58.52       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 893.029         | -63.67      | -13         | 50.67       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2489            | -50.32      | -13         | 37.32       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2545.575        | 20.61       | 60          | 39.39       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2875            | -48.35      | -13         | 35.35       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 5091            | -62.3       | -13         | 49.3        | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25214           | -45.95      | -13         | 32.95       | Pass    | 19503       |




**1.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.48      | -13         | 60.48       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -71.65      | -13         | 58.65       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 891.428         | -63.76      | -13         | 50.76       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -50.28      | -13         | 37.28       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2569.2          | 20.41       | 60          | 39.59       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2870            | -48.34      | -13         | 35.34       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6242            | -62.64      | -13         | 49.64       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25200           | -45.84      | -13         | 32.84       | Pass    | 19503       |




**1.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.13      | -13         | 60.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -71.1       | -13         | 58.1        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 899.133         | -63.49      | -13         | 50.49       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -35.36      | -13         | 22.36       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2511.375        | 5.82        | 60          | 54.18       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2580            | -44         | -13         | 31          | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6201            | -62.59      | -13         | 49.59       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25196           | -45.88      | -13         | 32.88       | Pass    | 19503       |




**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.15      | -13         | 60.15       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.77      | -13         | 57.77       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 887.926         | -63.72      | -13         | 50.72       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2489            | -49.33      | -13         | 36.33       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2500.575        | 21.03       | 60          | 38.97       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2869            | -48.38      | -13         | 35.38       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 5001            | -61.09      | -13         | 48.09       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25200           | -45.84      | -13         | 32.84       | Pass    | 19503       |




**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.99      | -13         | 59.99       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.42      | -13         | 58.42       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 884.824         | -63.62      | -13         | 50.62       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2486            | -50.23      | -13         | 37.23       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2539.275        | 20.43       | 60          | 39.57       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2870            | -48.37      | -13         | 35.37       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 5079            | -62.27      | -13         | 49.27       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25203           | -45.93      | -13         | 32.93       | Pass    | 19503       |



**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.13      | -13         | 60.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.33      | -13         | 58.33       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 903.536         | -63.62      | -13         | 50.62       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -39.87      | -13         | 26.87       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2516.775        | 5.65        | 60          | 54.35       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2580            | -40.63      | -13         | 27.63       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6239            | -62.69      | -13         | 49.69       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25197           | -45.87      | -13         | 32.87       | Pass    | 19503       |






**1.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.67      | -13         | 60.67       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.19      | -13         | 58.19       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 911.041         | -63.61      | -13         | 50.61       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -49.99      | -13         | 36.99       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2515.425        | 21.17       | 60          | 38.83       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2870            | -48.39      | -13         | 35.39       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6202            | -62.63      | -13         | 49.63       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25197           | -45.87      | -13         | 32.87       | Pass    | 19503       |




**1.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.57      | -13         | 59.57       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.56      | -13         | 58.56       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.325         | -63.66      | -13         | 50.66       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2489            | -50.24      | -13         | 37.24       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2554.125        | 20.78       | 60          | 39.22       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2869            | -48.37      | -13         | 35.37       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 5109            | -61.51      | -13         | 48.51       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25202           | -45.93      | -13         | 32.93       | Pass    | 19503       |




**1.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.93      | -13         | 58.93       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.39      | -13         | 58.39       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 897.532         | -63.65      | -13         | 50.65       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -44.96      | -13         | 31.96       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2558.625        | 5.59        | 60          | 54.41       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2580            | -37.34      | -13         | 24.34       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6201            | -62.58      | -13         | 49.58       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25201           | -45.88      | -13         | 32.88       | Pass    | 19503       |




**1.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.21      | -13         | 59.21       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -71.77      | -13         | 58.77       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 893.129         | -63.69      | -13         | 50.69       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2488            | -50.22      | -13         | 37.22       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2530.5          | 20.68       | 60          | 39.32       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2870            | -48.4       | -13         | 35.4        | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6201            | -62.65      | -13         | 49.65       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25202           | -45.86      | -13         | 32.86       | Pass    | 19503       |



**1.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.71      | -13         | 60.71       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.36      | -13         | 58.36       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 889.427         | -63.64      | -13         | 50.64       | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2487            | -50.36      | -13         | 37.36       | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2569.2          | 20.45       | 60          | 39.55       | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2872            | -48.37      | -13         | 35.37       | Pass    | 421         |
| 3000                  | 6500                 | 1         | RMS      | 6240            | -62.64      | -13         | 49.64       | Pass    | 3501        |
| 6500                  | 26000                | 1         | RMS      | 25198           | -46         | -13         | 33          | Pass    | 19503       |



## 2. n12 15kHz


### 2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -63.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.18      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 476.7           | -64.78      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 703.523         | 5.49        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 891.3           | -63.55      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.86      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8915            | -58.9       | -13         | Pass    | 7001        |




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.95      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 471.8           | -64.75      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.36          | 18.39       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 856.1           | -63.86      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -48.43      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8927            | -58.88      | -13         | Pass    | 7001        |



**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.7       | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 481             | -64.7       | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 703.615         | 18.31       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 901.9           | -63.76      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2872            | -48.84      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8907            | -58.92      | -13         | Pass    | 7001        |






**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.82      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.48      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 491.9           | -64.77      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.205         | 5.4         | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 746.1           | -63.8       | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2866            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8994            | -58.93      | -13         | Pass    | 7001        |




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.87      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.05      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 471.5           | -64.83      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 705.373         | 18.12       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 872.3           | -63.72      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8922            | -58.95      | -13         | Pass    | 7001        |




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.77      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 479.4           | -64.75      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 709.628         | 18.46       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 896.4           | -63.59      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2867            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8909            | -58.94      | -13         | Pass    | 7001        |




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -63.12      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.7       | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 476.9           | -64.64      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 714.993         | 5.26        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 881.4           | -63.84      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.89      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 9000            | -58.93      | -13         | Pass    | 7001        |




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.58      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 470.2           | -64.72      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 711.293         | 18.2        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 882.5           | -63.78      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1422            | -47.94      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8911            | -58.88      | -13         | Pass    | 7001        |




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.98      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 479.4           | -64.8       | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 715.64          | 18.71       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 885.7           | -63.66      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.83      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8981            | -58.95      | -13         | Pass    | 7001        |




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.32            | -71.94      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 477.6           | -64.66      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.39          | 2.57        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 892.3           | -63.61      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.88      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8965            | -58.92      | -13         | Pass    | 7001        |



**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.62      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.95      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 478.8           | -64.8       | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.36          | 18.12       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 896.8           | -63.7       | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -48.82      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 9001            | -58.86      | -13         | Pass    | 7001        |






**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.68      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.6       | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 488.3           | -64.57      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 708.61          | 18.35       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 892.8           | -63.63      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1417            | -48.48      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8907            | -58.87      | -13         | Pass    | 7001        |




**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.4       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.17      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 480.7           | -64.76      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 705.373         | 2.43        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 999             | -63.7       | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2871            | -48.89      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8908            | -58.93      | -13         | Pass    | 7001        |




**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.26      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.53      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 479.3           | -64.73      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 702.875         | 18.41       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 925.1           | -63.65      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2865            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8918            | -58.79      | -13         | Pass    | 7001        |




**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -53.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.93      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 496.4           | -64.64      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 712.125         | 18          | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 872.5           | -63.63      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8939            | -58.86      | -13         | Pass    | 7001        |




**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.74      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.29      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 491.5           | -64.69      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 707.315         | 2.5         | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 910.6           | -63.77      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.89      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8991            | -58.9       | -13         | Pass    | 7001        |




**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.41      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.56      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 465.6           | -64.68      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.39          | 18.66       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 946.8           | -63.8       | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.88      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 9002            | -58.91      | -13         | Pass    | 7001        |




**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.36      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.29      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 488.8           | -64.74      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 715.548         | 18.38       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 952.7           | -63.83      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2865            | -48.89      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8902            | -58.9       | -13         | Pass    | 7001        |



**2.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.95      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 474.1           | -64.76      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 707.13          | 0.78        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 877.3           | -63.49      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.84      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8900            | -58.9       | -13         | Pass    | 7001        |






**2.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.04      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 475.7           | -64.73      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.453         | 18.73       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 893             | -63.69      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2866            | -48.89      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8897            | -58.9       | -13         | Pass    | 7001        |




**2.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.11      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 662.2           | -64.64      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 713.513         | 18.62       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 897.7           | -63.77      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8899            | -58.88      | -13         | Pass    | 7001        |




**2.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.83      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -71.17      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 486.1           | -64.57      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 705.65          | 0.74        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 982             | -63.48      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2867            | -48.84      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8915            | -58.87      | -13         | Pass    | 7001        |




**2.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -57.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.85      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 474.1           | -64.8       | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 700.47          | 18.71       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 889.5           | -63.66      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2871            | -48.86      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8900            | -58.86      | -13         | Pass    | 7001        |




**2.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.36      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.89      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 471.6           | -64.76      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 714.53          | 18.59       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 927.2           | -63.75      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2868            | -48.84      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8911            | -58.89      | -13         | Pass    | 7001        |




**2.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.14      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.42      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 473             | -64.73      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 705.465         | 0.83        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 999.9           | -63.75      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2871            | -48.88      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8901            | -58.87      | -13         | Pass    | 7001        |




**2.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.94      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.53      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 478.6           | -64.73      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 701.488         | 18.67       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 910.9           | -63.79      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2872            | -48.88      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8915            | -58.87      | -13         | Pass    | 7001        |



**2.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.18      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.12      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 488.1           | -64.79      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 715.548         | 18.25       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 885.2           | -63.79      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.86      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8905            | -58.92      | -13         | Pass    | 7001        |








6. n41


**6.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.92      | -13         | 59.92       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.29            | -68.68      | -13         | 55.68       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 792.5           | -61.48      | -13         | 48.48       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -41.29      | -13         | 28.29       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2504.19         | 12.27       | 60          | 47.73       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2865.75         | -48.59      | -13         | 35.59       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6241            | -62.38      | -13         | 49.38       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25469           | -45.39      | -13         | 32.39       | Pass    | 20003       |




**6.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.7       | -13         | 58.7        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.29            | -69.31      | -13         | 56.31       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 714.5           | -61.51      | -13         | 48.51       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -50.09      | -13         | 37.09       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 20.63       | 60          | 39.37       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2869.5          | -48.53      | -13         | 35.53       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 4994            | -59.66      | -13         | 46.66       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25201           | -45.22      | -13         | 32.22       | Pass    | 20003       |




**6.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -73.2       | -13         | 60.2        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.32            | -70.19      | -13         | 57.19       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 717.6           | -61.21      | -13         | 48.21       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -50.53      | -13         | 37.53       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2505.26         | 20.62       | 60          | 39.38       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2867.25         | -48.6       | -13         | 35.6        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5010            | -61.84      | -13         | 48.84       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 26201           | -45.28      | -13         | 32.28       | Pass    | 20003       |




**6.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.36      | -13         | 58.36       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -69.55      | -13         | 56.55       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 964.476         | -61.36      | -13         | 48.36       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2476            | -50.56      | -13         | 37.56       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2596.21         | 12.2        | 60          | 47.8        | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2872.5          | -48.53      | -13         | 35.53       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6068            | -62.56      | -13         | 49.56       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25885           | -45.26      | -13         | 32.26       | Pass    | 20003       |




**6.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.84      | -13         | 57.84       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.53      | -13         | 57.53       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 877.919         | -61.19      | -13         | 48.19       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -50.52      | -13         | 37.52       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2588.72         | 20.52       | 60          | 39.48       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2868.75         | -48.59      | -13         | 35.59       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6199            | -62.57      | -13         | 49.57       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25758           | -45.08      | -13         | 32.08       | Pass    | 20003       |




**6.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.86      | -13         | 59.86       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.59      | -13         | 57.59       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 772.1           | -61.16      | -13         | 48.16       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2481            | -50.56      | -13         | 37.56       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2597.28         | 20.4        | 60          | 39.6        | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2868            | -48.59      | -13         | 35.59       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6206            | -62.53      | -13         | 49.53       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25199           | -45.17      | -13         | 32.17       | Pass    | 20003       |



**6.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.23      | -13         | 59.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -69.11      | -13         | 56.11       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 970.48          | -61.57      | -13         | 48.57       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -50.55      | -13         | 37.55       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2688.23         | 11.49       | 60          | 48.51       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2700            | -42.62      | -13         | 29.62       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6203            | -62.47      | -13         | 49.47       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25219           | -45.4       | -13         | 32.4        | Pass    | 20003       |






**6.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.09      | -13         | 57.09       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.68      | -13         | 56.68       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 925.351         | -60.62      | -13         | 47.62       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -50.54      | -13         | 37.54       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2680.74         | 20.1        | 60          | 39.9        | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2879.25         | -48.64      | -13         | 35.64       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5233            | -62.53      | -13         | 49.53       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25209           | -45.22      | -13         | 32.22       | Pass    | 20003       |




**6.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.72      | -13         | 58.72       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.28            | -69.9       | -13         | 56.9        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.125         | -61.33      | -13         | 48.33       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -50.58      | -13         | 37.58       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2689.3          | 19.85       | 60          | 40.15       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2868            | -48.6       | -13         | 35.6        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6202            | -62.51      | -13         | 49.51       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25466           | -45.01      | -13         | 32.01       | Pass    | 20003       |




**6.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.02            | -72.13      | -13         | 59.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.33      | -13         | 57.33       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 893.63          | -61.22      | -13         | 48.22       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -37.3       | -13         | 24.3        | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2512.75         | 4.31        | 60          | 55.69       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2873.25         | -48.6       | -13         | 35.6        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6204            | -62.44      | -13         | 49.44       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25508           | -45.24      | -13         | 32.24       | Pass    | 20003       |




**6.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -72.17      | -13         | 59.17       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -70.6       | -13         | 57.6        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 910.14          | -60.96      | -13         | 47.96       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -50.1       | -13         | 37.1        | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2497.235        | 20.42       | 60          | 39.58       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2873.25         | -48.54      | -13         | 35.54       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 4994            | -59.45      | -13         | 46.45       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25176           | -45.41      | -13         | 32.41       | Pass    | 20003       |




**6.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.62      | -13         | 59.62       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -69.81      | -13         | 56.81       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 898.032         | -61.47      | -13         | 48.47       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -50.19      | -13         | 37.19       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2555.015        | 20.89       | 60          | 39.11       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2862.75         | -48.62      | -13         | 35.62       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5110            | -61.88      | -13         | 48.88       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25193           | -45.06      | -13         | 32.06       | Pass    | 20003       |




**6.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.15      | -13         | 58.15       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.55      | -13         | 57.55       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 879.92          | -61.68      | -13         | 48.68       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -47.84      | -13         | 34.84       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2619.75         | 5.07        | 60          | 54.93       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2701.5          | -45.75      | -13         | 32.75       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6204            | -62.47      | -13         | 49.47       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25858           | -44.77      | -13         | 31.77       | Pass    | 20003       |




**6.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.33      | -13         | 59.33       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -69         | -13         | 56          | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 727.7           | -60.88      | -13         | 47.88       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -50.47      | -13         | 37.47       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2564.11         | 20.59       | 60          | 39.41       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2867.25         | -48.63      | -13         | 35.63       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5128            | -62.27      | -13         | 49.27       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25209           | -45.17      | -13         | 32.17       | Pass    | 20003       |



**6.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.6       | -13         | 60.6        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -69.23      | -13         | 56.23       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 912.142         | -61.43      | -13         | 48.43       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2478            | -50.47      | -13         | 37.47       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2621.89         | 20.83       | 60          | 39.17       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2869.5          | -48.61      | -13         | 35.61       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6207            | -62.64      | -13         | 49.64       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25193           | -45.25      | -13         | 32.25       | Pass    | 20003       |






**6.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.21      | -13         | 59.21       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.98      | -13         | 55.98       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 792.1           | -61.39      | -13         | 48.39       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -50.48      | -13         | 37.48       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2637.94         | 4.35        | 60          | 55.65       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2700            | -39.45      | -13         | 26.45       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6243            | -62.44      | -13         | 49.44       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25476           | -45.33      | -13         | 32.33       | Pass    | 20003       |




**6.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.87      | -13         | 59.87       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.02      | -13         | 57.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 931.555         | -60.57      | -13         | 47.57       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -50.6       | -13         | 37.6        | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2630.985        | 20.63       | 60          | 39.37       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2874            | -48.59      | -13         | 35.59       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6202            | -62.54      | -13         | 49.54       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25207           | -45.06      | -13         | 32.06       | Pass    | 20003       |




**6.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.11      | -13         | 58.11       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.35            | -69.39      | -13         | 56.39       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 892.129         | -61.4       | -13         | 48.4        | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2477            | -50.49      | -13         | 37.49       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2688.765        | 19.93       | 60          | 40.07       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2866.5          | -48.57      | -13         | 35.57       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6242            | -62.61      | -13         | 49.61       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25196           | -45.18      | -13         | 32.18       | Pass    | 20003       |




**6.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.65      | -13         | 58.65       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.19      | -13         | 57.19       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 725.3           | -61.82      | -13         | 48.82       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -38.16      | -13         | 25.16       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2517.565        | 2.27        | 60          | 57.73       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2700            | -42.02      | -13         | 29.02       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6239            | -62.45      | -13         | 49.45       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25503           | -45.53      | -13         | 32.53       | Pass    | 20003       |




**6.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.73      | -13         | 58.73       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -69.7       | -13         | 56.7        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 898.633         | -61.06      | -13         | 48.06       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -50.06      | -13         | 37.06       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2497.235        | 20.31       | 60          | 39.69       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2868            | -48.54      | -13         | 35.54       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 4994            | -59.57      | -13         | 46.57       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25206           | -45.1       | -13         | 32.1        | Pass    | 20003       |




**6.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.23      | -13         | 58.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.85      | -13         | 54.85       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 753.2           | -61.5       | -13         | 48.5        | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2481            | -50.34      | -13         | 37.34       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2595.14         | 20.34       | 60          | 39.66       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2877.75         | -48.59      | -13         | 35.59       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6202            | -62.55      | -13         | 49.55       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25193           | -45.41      | -13         | 32.41       | Pass    | 20003       |




**6.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.74      | -13         | 59.74       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.08      | -13         | 57.08       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 828             | -61.41      | -13         | 48.41       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -41.41      | -13         | 28.41       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2637.94         | 2.82        | 60          | 57.18       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2701.5          | -40.12      | -13         | 27.12       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6233            | -62.49      | -13         | 49.49       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25204           | -45.4       | -13         | 32.4        | Pass    | 20003       |



**6.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.59      | -13         | 59.59       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.26            | -69.68      | -13         | 56.68       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 910.341         | -60.95      | -13         | 47.95       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -50.42      | -13         | 37.42       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2543.78         | 20.16       | 60          | 39.84       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2865.75         | -48.57      | -13         | 35.57       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5088            | -62.22      | -13         | 49.22       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25209           | -45.62      | -13         | 32.62       | Pass    | 20003       |






**6.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -71.55      | -13         | 58.55       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -70.72      | -13         | 57.72       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 777.5           | -61.51      | -13         | 48.51       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -50.55      | -13         | 37.55       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2641.685        | 19.93       | 60          | 40.07       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2866.5          | -48.6       | -13         | 35.6        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6242            | -62.6       | -13         | 49.6        | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25177           | -45.12      | -13         | 32.12       | Pass    | 20003       |




**6.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.25      | -13         | 56.25       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.26            | -68.66      | -13         | 55.66       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 978.486         | -61.67      | -13         | 48.67       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -45.03      | -13         | 32.03       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2626.705        | 1.55        | 60          | 58.45       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2701.5          | -39.79      | -13         | 26.79       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6240            | -62.43      | -13         | 49.43       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25201           | -45.16      | -13         | 32.16       | Pass    | 20003       |




**6.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.99      | -13         | 57.99       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -69.83      | -13         | 56.83       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 940.961         | -61.32      | -13         | 48.32       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -50.46      | -13         | 37.46       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.86         | 20.38       | 60          | 39.62       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2867.25         | -48.49      | -13         | 35.49       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6210            | -62.54      | -13         | 49.54       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25213           | -45.24      | -13         | 32.24       | Pass    | 20003       |



**6.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -71.65      | -13         | 58.65       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.24      | -13         | 55.24       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 672.4           | -61.5       | -13         | 48.5        | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -50.11      | -13         | 37.11       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2688.765        | 19.88       | 60          | 40.12       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2881.5          | -48.57      | -13         | 35.57       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5378            | -62.48      | -13         | 49.48       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25510           | -45.31      | -13         | 32.31       | Pass    | 20003       |



## 7. n26 15kHz\_Part22


### 7.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.55      | -13         | 48.55       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.93      | -13         | 58.93       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -52.17      | -13         | 39.17       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 825.1           | 5.71        | 60          | 54.29       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 885.9           | -63.67      | -13         | 50.67       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.67      | -13         | 35.67       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8897            | -58.83      | -13         | 45.83       | Pass    | 7001        |




**7.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -62.43      | -13         | 49.43       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -71.51      | -13         | 58.51       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -63.71      | -13         | 50.71       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 824.3           | 18.75       | 60          | 41.25       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 890.6           | -63.75      | -13         | 50.75       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.68      | -13         | 35.68       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8899            | -58.85      | -13         | 45.85       | Pass    | 7001        |




**7.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.64      | -13         | 48.64       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.62      | -13         | 57.62       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.5           | -63.89      | -13         | 50.89       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 828.6           | 18.2        | 60          | 41.8        | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 892.4           | -63.66      | -13         | 50.66       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2867            | -48.67      | -13         | 35.67       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8901            | -58.78      | -13         | 45.78       | Pass    | 7001        |



**7.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.88      | -13         | 48.88       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.21      | -13         | 58.21       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.7           | -63.87      | -13         | 50.87       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.5           | 5.58        | 60          | 54.42       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 889.9           | -63.78      | -13         | 50.78       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.7       | -13         | 35.7        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8988            | -58.77      | -13         | 45.77       | Pass    | 7001        |






**7.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.08      | -13         | 49.08       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.23      | -13         | 58.23       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 759.2           | -64.06      | -13         | 51.06       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.3           | 18.55       | 60          | 41.45       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 897.2           | -63.75      | -13         | 50.75       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -47.75      | -13         | 34.75       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8905            | -58.79      | -13         | 45.79       | Pass    | 7001        |




**7.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.45      | -13         | 48.45       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.82      | -13         | 57.82       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 750             | -64.01      | -13         | 51.01       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 838.7           | 18.23       | 60          | 41.77       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 893.1           | -63.81      | -13         | 50.81       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.7       | -13         | 35.7        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8998            | -58.81      | -13         | 45.81       | Pass    | 7001        |




**7.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.81      | -13         | 48.81       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.51      | -13         | 58.51       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 733.3           | -64.12      | -13         | 51.12       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 845.1           | 6.11        | 60          | 53.89       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 900.2           | -63.85      | -13         | 50.85       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.69      | -13         | 35.69       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8903            | -58.75      | -13         | 45.75       | Pass    | 7001        |




**7.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.62      | -13         | 41.62       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.1       | -13         | 58.1        | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 744.9           | -64.08      | -13         | 51.08       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 844.3           | 18.66       | 60          | 41.34       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 883.1           | -63.84      | -13         | 50.84       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.65      | -13         | 35.65       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8906            | -58.82      | -13         | 45.82       | Pass    | 7001        |




**7.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -61.81      | -13         | 48.81       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.98      | -13         | 57.98       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 742.9           | -64.13      | -13         | 51.13       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 848.6           | 17.69       | 60          | 42.31       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 896.3           | -63.68      | -13         | 50.68       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.64      | -13         | 35.64       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8901            | -58.8       | -13         | 45.8        | Pass    | 7001        |




**7.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -62.79      | -13         | 49.79       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -71.38      | -13         | 58.38       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -42.67      | -13         | 29.67       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 835.6           | 0.85        | 60          | 59.15       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 884.3           | -63.76      | -13         | 50.76       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.62      | -13         | 35.62       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8900            | -58.84      | -13         | 45.84       | Pass    | 7001        |




**7.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -56.11      | -13         | 43.11       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.87      | -13         | 57.87       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.2           | -62.13      | -13         | 49.13       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 824.5           | 19.06       | 60          | 40.94       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 886.2           | -63.85      | -13         | 50.85       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.65      | -13         | 35.65       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8992            | -58.77      | -13         | 45.77       | Pass    | 7001        |



**7.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.49      | -13         | 41.49       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -70.79      | -13         | 57.79       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 733.5           | -64.13      | -13         | 51.13       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 838.5           | 19.09       | 60          | 40.91       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 994.2           | -63.8       | -13         | 50.8        | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.63      | -13         | 35.63       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8998            | -58.78      | -13         | 45.78       | Pass    | 7001        |






**7.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.3       | -13         | 48.3        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -71.49      | -13         | 58.49       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.8           | -48.59      | -13         | 35.59       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 833.4           | 0.88        | 60          | 59.12       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 897.4           | -63.76      | -13         | 50.76       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.64      | -13         | 35.64       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 9004            | -58.83      | -13         | 45.83       | Pass    | 7001        |




**7.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.6       | -13         | 42.6        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.93      | -13         | 57.93       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.7           | -63.98      | -13         | 50.98       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 829.5           | 18.96       | 60          | 41.04       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 884.8           | -63.78      | -13         | 50.78       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.66      | -13         | 35.66       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8902            | -58.82      | -13         | 45.82       | Pass    | 7001        |




**7.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.93      | -13         | 41.93       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.74      | -13         | 57.74       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 757.3           | -64.08      | -13         | 51.08       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 843.5           | 19.05       | 60          | 40.95       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 872.5           | -63.7       | -13         | 50.7        | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2868            | -48.62      | -13         | 35.62       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8902            | -58.76      | -13         | 45.76       | Pass    | 7001        |




**7.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.75      | -13         | 48.75       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.54      | -13         | 58.54       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.7           | -51.31      | -13         | 38.31       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 837.3           | 0.94        | 60          | 59.06       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 891.5           | -63.69      | -13         | 50.69       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.65      | -13         | 35.65       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8990            | -58.82      | -13         | 45.82       | Pass    | 7001        |




**7.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.75      | -13         | 41.75       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.06      | -13         | 58.06       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 727.8           | -64.18      | -13         | 51.18       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.5           | 18.78       | 60          | 41.22       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 895.4           | -63.79      | -13         | 50.79       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -48.28      | -13         | 35.28       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8913            | -58.78      | -13         | 45.78       | Pass    | 7001        |




**7.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.06      | -13         | 48.06       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.5       | -13         | 57.5        | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 759.9           | -64.08      | -13         | 51.08       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 848.5           | 18.53       | 60          | 41.47       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 874             | -63.82      | -13         | 50.82       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2865            | -48.66      | -13         | 35.66       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8923            | -58.8       | -13         | 45.8        | Pass    | 7001        |




**7.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.36      | -13         | 49.36       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -71.56      | -13         | 58.56       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -41.12      | -13         | 28.12       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.2           | -0.1        | 60          | 60.1        | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 888.1           | -63.76      | -13         | 50.76       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.66      | -13         | 35.66       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8907            | -58.76      | -13         | 45.76       | Pass    | 7001        |



**7.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.3       | -13         | 42.3        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.75      | -13         | 57.75       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.3           | -62         | -13         | 49          | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 824.5           | 18.77       | 60          | 41.23       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 891.5           | -63.75      | -13         | 50.75       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.64      | -13         | 35.64       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8900            | -58.81      | -13         | 45.81       | Pass    | 7001        |






**7.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.33      | -13         | 41.33       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.27      | -13         | 57.27       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 744.2           | -64.01      | -13         | 51.01       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 843.4           | 18.56       | 60          | 41.44       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 888.1           | -63.58      | -13         | 50.58       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.65      | -13         | 35.65       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8998            | -58.77      | -13         | 45.77       | Pass    | 7001        |




**7.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.6       | -13         | 48.6        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.55      | -13         | 58.55       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.8           | -43.92      | -13         | 30.92       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.7           | -0.26       | 60          | 60.26       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 884.4           | -63.86      | -13         | 50.86       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.6       | -13         | 35.6        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8922            | -58.83      | -13         | 45.83       | Pass    | 7001        |




**7.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -56.64      | -13         | 43.64       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.49      | -13         | 58.49       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.8           | -63.17      | -13         | 50.17       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 827             | 18.75       | 60          | 41.25       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 887.9           | -63.86      | -13         | 50.86       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.64      | -13         | 35.64       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8987            | -58.82      | -13         | 45.82       | Pass    | 7001        |




**7.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.73      | -13         | 41.73       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.72      | -13         | 57.72       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 752.2           | -64.15      | -13         | 51.15       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 845.9           | 18.69       | 60          | 41.31       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 891.7           | -63.67      | -13         | 50.67       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 1691            | -47.77      | -13         | 34.77       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8986            | -58.8       | -13         | 45.8        | Pass    | 7001        |




**7.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.33      | -13         | 49.33       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.61      | -13         | 58.61       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -47.14      | -13         | 34.14       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 834.5           | -0.26       | 60          | 60.26       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 883.8           | -63.82      | -13         | 50.82       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.68      | -13         | 35.68       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8901            | -58.81      | -13         | 45.81       | Pass    | 7001        |




**7.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -55.58      | -13         | 42.58       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.55      | -13         | 58.55       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -63.76      | -13         | 50.76       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 829.5           | 18.63       | 60          | 41.37       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 886             | -63.78      | -13         | 50.78       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.65      | -13         | 35.65       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8986            | -58.79      | -13         | 45.79       | Pass    | 7001        |



**7.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -62.11      | -13         | 49.11       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.71      | -13         | 57.71       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 809.1           | -64.13      | -13         | 51.13       | Pass    | 7841        |
| 814                   | 859                  | 0.1       | RMS      | 848.4           | 18.19       | 60          | 41.81       | Pass    | 451         |
| 859                   | 1000                 | 0.1       | RMS      | 914.1           | -63.72      | -13         | 50.72       | Pass    | 1411        |
| 1000                  | 3000                 | 1         | RMS      | 2865            | -48.66      | -13         | 35.66       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8991            | -58.8       | -13         | 45.8        | Pass    | 7001        |



## 1. n26 15kHz\_Part90

1.1. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.61      | -13         | 49.61       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.67      | -13         | 57.67       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 746.7           | -64.09      | -13         | 51.09       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 814.875         | 5.84        | 60          | 54.16       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 834.1           | -60.02      | -13         | 47.02       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 2867            | -48.56      | -13         | 35.56       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8994            | -58.82      | -13         | 45.82       | Pass    | 7001        |






**1.2. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.59      | -13         | 49.59       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.78      | -13         | 57.78       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 748.8           | -64.24      | -13         | 51.24       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 814.35          | 19.1        | 60          | 40.9        | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 844.8           | -63.5       | -13         | 50.5        | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 1628            | -47.78      | -13         | 34.78       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8903            | -58.83      | -13         | 45.83       | Pass    | 7001        |




**1.3. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.88      | -13         | 48.88       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.37      | -13         | 57.37       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 756.9           | -64.01      | -13         | 51.01       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 818.625         | 19.23       | 60          | 40.77       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 844.8           | -63.49      | -13         | 50.49       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 1637            | -47.99      | -13         | 34.99       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8996            | -58.81      | -13         | 45.81       | Pass    | 7001        |




**1.4. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -62.66      | -13         | 49.66       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.09      | -13         | 58.09       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 747.7           | -64.15      | -13         | 51.15       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 817.65          | 5.91        | 60          | 54.09       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 834             | -56.95      | -13         | 43.95       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.67      | -13         | 35.67       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8903            | -58.79      | -13         | 45.79       | Pass    | 7001        |




**1.5. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.69      | -13         | 41.69       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.14      | -13         | 58.14       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 752.2           | -64.12      | -13         | 51.12       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 816.825         | 19.31       | 60          | 40.69       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 884.8           | -63.77      | -13         | 50.77       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 1633            | -47.31      | -13         | 34.31       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8900            | -58.81      | -13         | 45.81       | Pass    | 7001        |




**1.6. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.66      | -13         | 41.66       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.16      | -13         | 57.16       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 747.3           | -64.1       | -13         | 51.1        | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 821.175         | 19.09       | 60          | 40.91       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 844.8           | -63.69      | -13         | 50.69       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 2868            | -48.63      | -13         | 35.63       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8916            | -58.82      | -13         | 45.82       | Pass    | 7001        |




**1.7. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.95      | -13         | 48.95       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.35      | -13         | 58.35       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 741.9           | -64.17      | -13         | 51.17       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 820.05          | 5.9         | 60          | 54.1        | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 834.3           | -53.04      | -13         | 40.04       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.72      | -13         | 35.72       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8908            | -58.84      | -13         | 45.84       | Pass    | 7001        |




**1.8. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.89      | -13         | 41.89       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.04      | -13         | 58.04       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 750.4           | -64.05      | -13         | 51.05       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 819.3           | 19.02       | 60          | 40.98       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 844.8           | -63.36      | -13         | 50.36       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 1638            | -48.13      | -13         | 35.13       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8997            | -58.82      | -13         | 45.82       | Pass    | 7001        |



**1.9. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.07      | -13         | 41.07       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.34      | -13         | 56.34       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 749.6           | -64.07      | -13         | 51.07       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 823.65          | 19.13       | 60          | 40.87       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 844.8           | -63.49      | -13         | 50.49       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -48.6       | -13         | 35.6        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 9004            | -58.83      | -13         | 45.83       | Pass    | 7001        |






**1.10. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -61.2       | -13         | 48.2        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -71.43      | -13         | 58.43       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 737.4           | -64.08      | -13         | 51.08       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 817.65          | 2.76        | 60          | 57.24       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 834.1           | -47.01      | -13         | 34.01       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -48.67      | -13         | 35.67       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8901            | -58.81      | -13         | 45.81       | Pass    | 7001        |




**1.11. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.5       | -13         | 41.5        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.15      | -13         | 58.15       | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 751.6           | -64.1       | -13         | 51.1        | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 814.425         | 19.07       | 60          | 40.93       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 844.8           | -63.52      | -13         | 50.52       | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 1628            | -48.15      | -13         | 35.15       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8904            | -58.85      | -13         | 45.85       | Pass    | 7001        |



**1.12. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -56.24      | -13         | 43.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.7       | -13         | 57.7        | Pass    | 2986        |
| 30                    | 804                  | 0.1       | RMS      | 754             | -64.13      | -13         | 51.13       | Pass    | 7741        |
| 804                   | 834                  | 0.1       | RMS      | 823.575         | 19.09       | 60          | 40.91       | Pass    | 401         |
| 834                   | 1000                 | 0.1       | RMS      | 834.5           | -63.6       | -13         | 50.6        | Pass    | 1661        |
| 1000                  | 3000                 | 1         | RMS      | 2871            | -48.68      | -13         | 35.68       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 8909            | -58.81      | -13         | 45.81       | Pass    | 7001        |



## 2. n38\_PC3


### 2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -70.3       | -13         | 57.3        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.32            | -69.9       | -13         | 56.9        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 925.551         | -61.4       | -13         | 48.4        | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -42.23      | -13         | 29.23       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2571.9          | 12.22       | 60          | 47.78       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2868.65         | -48.31      | -13         | 35.31       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6237            | -62.47      | -13         | 49.47       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25187           | -45.26      | -13         | 32.26       | Pass    | 20003       |




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.47      | -13         | 59.47       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -69.5       | -13         | 56.5        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 858.206         | -61.03      | -13         | 48.03       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -49.91      | -13         | 36.91       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.85         | 20.97       | 60          | 39.03       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2874.2          | -48.25      | -13         | 35.25       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5142            | -62.39      | -13         | 49.39       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25201           | -45.16      | -13         | 32.16       | Pass    | 20003       |




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.04      | -13         | 57.04       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.44      | -13         | 57.44       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 999.3           | -60.82      | -13         | 47.82       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2500            | -49.91      | -13         | 36.91       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2579.075        | 20.99       | 60          | 39.01       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2869.575        | -48.36      | -13         | 35.36       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6237            | -62.15      | -13         | 49.15       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25490           | -45.18      | -13         | 32.18       | Pass    | 20003       |




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.23      | -13         | 58.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -69.76      | -13         | 56.76       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 991.094         | -60.93      | -13         | 47.93       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -49.24      | -13         | 36.24       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2598.15         | 12.31       | 60          | 47.69       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2866.8          | -48.3       | -13         | 35.3        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6201            | -62.39      | -13         | 49.39       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25191           | -45.05      | -13         | 32.05       | Pass    | 20003       |



**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -71.45      | -13         | 58.45       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.35            | -70.2       | -13         | 57.2        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 728.8           | -60.88      | -13         | 47.88       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2514            | -49.94      | -13         | 36.94       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2590.8          | 20.99       | 60          | 39.01       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2881.6          | -48.31      | -13         | 35.31       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5182            | -62.3       | -13         | 49.3        | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25509           | -44.95      | -13         | 31.95       | Pass    | 20003       |






**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.1       | -13         | 58.1        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -69.89      | -13         | 56.89       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 720.9           | -60.94      | -13         | 47.94       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2526            | -49.98      | -13         | 36.98       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2599.2          | 20.93       | 60          | 39.07       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2867.725        | -48.36      | -13         | 35.36       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6201            | -62.45      | -13         | 49.45       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25832           | -45.05      | -13         | 32.05       | Pass    | 20003       |




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.79      | -13         | 58.79       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -69.7       | -13         | 56.7        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 909.24          | -60.74      | -13         | 47.74       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2523            | -49.85      | -13         | 36.85       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2618.275        | 12.36       | 60          | 47.64       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -43.25      | -13         | 30.25       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6241            | -62.32      | -13         | 49.32       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25882           | -45.22      | -13         | 32.22       | Pass    | 20003       |




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -73.36      | -13         | 60.36       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -69.81      | -13         | 56.81       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 647.4           | -61.14      | -13         | 48.14       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2519            | -49.99      | -13         | 36.99       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2610.925        | 20.98       | 60          | 39.02       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2873.275        | -48.32      | -13         | 35.32       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5222            | -61.83      | -13         | 48.83       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25223           | -45.16      | -13         | 32.16       | Pass    | 20003       |




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -71.22      | -13         | 58.22       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.5             | -69.13      | -13         | 56.13       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 909.24          | -61.75      | -13         | 48.75       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2518            | -49.94      | -13         | 36.94       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2619.15         | 20.98       | 60          | 39.02       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2867.725        | -48.18      | -13         | 35.18       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5238            | -61.78      | -13         | 48.78       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25197           | -45.21      | -13         | 32.21       | Pass    | 20003       |




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.23      | -13         | 58.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.31            | -69.1       | -13         | 56.1        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 981.888         | -60.9       | -13         | 47.9        | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -35.9       | -13         | 22.9        | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2587.3          | 9.26        | 60          | 50.74       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -46.06      | -13         | 33.06       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6210            | -62.45      | -13         | 49.45       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25190           | -45.18      | -13         | 32.18       | Pass    | 20003       |




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.99      | -13         | 57.99       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.28      | -13         | 57.28       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 1000            | -61.17      | -13         | 48.17       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2553            | -47.9       | -13         | 34.9        | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2571.025        | 21.22       | 60          | 38.78       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2870.5          | -48.34      | -13         | 35.34       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5142            | -61.87      | -13         | 48.87       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25210           | -45.25      | -13         | 32.25       | Pass    | 20003       |




**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.64      | -13         | 57.64       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -69.1       | -13         | 56.1        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 970.28          | -61.48      | -13         | 48.48       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2512            | -49.9       | -13         | 36.9        | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2589.05         | 21.32       | 60          | 38.68       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2868.65         | -48.29      | -13         | 35.29       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5178            | -62.24      | -13         | 49.24       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25784           | -45.2       | -13         | 32.2        | Pass    | 20003       |



**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.04      | -13         | 58.04       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -69.45      | -13         | 56.45       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 903.436         | -60.93      | -13         | 47.93       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -46.07      | -13         | 33.07       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2602            | 9.55        | 60          | 50.45       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -43.5       | -13         | 30.5        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6205            | -62.35      | -13         | 49.35       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25226           | -45.37      | -13         | 32.37       | Pass    | 20003       |






**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.03      | -13         | 58.03       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.21      | -13         | 55.21       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 905.738         | -61.31      | -13         | 48.31       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2513            | -49.94      | -13         | 36.94       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2586.075        | 21.1        | 60          | 38.9        | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2875.125        | -48.36      | -13         | 35.36       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5172            | -62.14      | -13         | 49.14       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25201           | -45.1       | -13         | 32.1        | Pass    | 20003       |




**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.64      | -13         | 58.64       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.35            | -71.54      | -13         | 58.54       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 900.834         | -61.1       | -13         | 48.1        | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2533            | -49.97      | -13         | 36.97       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2603.925        | 21.35       | 60          | 38.65       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2865.875        | -48.35      | -13         | 35.35       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5208            | -61.6       | -13         | 48.6        | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25189           | -45.22      | -13         | 32.22       | Pass    | 20003       |




**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.79      | -13         | 59.79       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.33            | -70.55      | -13         | 57.55       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 893.93          | -61.13      | -13         | 48.13       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -48.75      | -13         | 35.75       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2617.575        | 9.57        | 60          | 50.43       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -38.23      | -13         | 25.23       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6181            | -62.32      | -13         | 49.32       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25203           | -45.11      | -13         | 32.11       | Pass    | 20003       |




**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -71.75      | -13         | 58.75       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -67.19      | -13         | 54.19       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 927.252         | -61         | -13         | 48          | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2518            | -49.91      | -13         | 36.91       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2600.95         | 21.4        | 60          | 38.6        | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2869.575        | -48.29      | -13         | 35.29       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5202            | -62.19      | -13         | 49.19       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25804           | -45.28      | -13         | 32.28       | Pass    | 20003       |




**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -69.55      | -13         | 56.55       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.26      | -13         | 57.26       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 738.8           | -61.3       | -13         | 48.3        | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2517            | -49.81      | -13         | 36.81       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2618.975        | 21.32       | 60          | 38.68       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2637.4          | -47.57      | -13         | 34.57       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5238            | -61.08      | -13         | 48.08       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25186           | -44.77      | -13         | 31.77       | Pass    | 20003       |




**2.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.45      | -13         | 56.45       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.32            | -68.38      | -13         | 55.38       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 999.4           | -61.58      | -13         | 48.58       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -36.92      | -13         | 23.92       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2607.775        | 6.82        | 60          | 53.18       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -38.6       | -13         | 25.6        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6198            | -62.29      | -13         | 49.29       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25788           | -45.23      | -13         | 32.23       | Pass    | 20003       |




**2.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.3       | -13         | 57.3        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -69.85      | -13         | 56.85       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 734.6           | -60.92      | -13         | 47.92       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2552            | -49.04      | -13         | 36.04       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2571.025        | 21.31       | 60          | 38.69       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2870.5          | -48.32      | -13         | 35.32       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5142            | -61.54      | -13         | 48.54       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25782           | -45.2       | -13         | 32.2        | Pass    | 20003       |



**2.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -72.59      | -13         | 59.59       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.66      | -13         | 57.66       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 990.594         | -61.33      | -13         | 48.33       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2532            | -49.45      | -13         | 36.45       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2608.825        | 21.44       | 60          | 38.56       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2865.875        | -48.4       | -13         | 35.4        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5218            | -61.84      | -13         | 48.84       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25206           | -45.09      | -13         | 32.09       | Pass    | 20003       |






**2.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.83      | -13         | 57.83       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.38      | -13         | 57.38       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 959.673         | -61.53      | -13         | 48.53       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -38.75      | -13         | 25.75       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2612.85         | 6.79        | 60          | 53.21       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -37.81      | -13         | 24.81       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6240            | -62.4       | -13         | 49.4        | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25200           | -45.02      | -13         | 32.02       | Pass    | 20003       |




**2.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.11      | -13         | 60.11       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -70.02      | -13         | 57.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 919.347         | -61.14      | -13         | 48.14       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2557            | -49.26      | -13         | 36.26       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2576.1          | 21.34       | 60          | 38.66       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2870.5          | -48.3       | -13         | 35.3        | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5152            | -61.92      | -13         | 48.92       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25179           | -44.99      | -13         | 31.99       | Pass    | 20003       |



**2.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.02      | -13         | 58.02       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -69.14      | -13         | 56.14       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 916.645         | -61.05      | -13         | 48.05       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2557            | -49.59      | -13         | 36.59       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2613.9          | 21.43       | 60          | 38.57       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2875.125        | -48.38      | -13         | 35.38       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 5228            | -61.25      | -13         | 48.25       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25847           | -44.82      | -13         | 31.82       | Pass    | 20003       |



**2.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.27      | -13         | 58.27       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.73      | -13         | 57.73       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 925.451         | -61.39      | -13         | 48.39       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -40.28      | -13         | 27.28       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2617.575        | 6.88        | 60          | 53.12       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -35.92      | -13         | 22.92       | Pass    | 401         |
| 3000                  | 6500                 | 1         | RMS      | 6202            | -62.34      | -13         | 49.34       | Pass    | 3501        |
| 6500                  | 26500                | 1         | RMS      | 25208           | -45.11      | -13         | 32.11       | Pass    | 20003       |

