


5.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.838	2.77	30	Pass	401
2620	2621	0.3	RMS	2620	-27.99	-10	Pass	401
2621	2625	1	RMS	2621	-28.12	-10	Pass	5
2625	2635	1	RMS	2625.6	-29.03	-13	Pass	401
2635	2645	1	RMS	2635.55	-37.68	-25	Pass	401




5.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2545.238	-43.33	-25	Pass	401
2550	2565	1	RMS	2561.1	-41.58	-13	Pass	401
2565	2569	1	RMS	2569	-33.67	-10	Pass	5
2569	2570	0.51	RMS	2569.993	-16.49	-10	Pass	401
2570	2590	0.1	RMS	2571.1	21.67	30	Pass	401




5.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-38.42	-25	Pass	401
2550	2565	1	RMS	2565	-26.28	-13	Pass	401
2565	2569	1	RMS	2569	-26.24	-10	Pass	5
2569	2570	0.51	RMS	2569.963	-25.41	-10	Pass	401
2570	2590	0.1	RMS	2574.95	2.14	30	Pass	401




5.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2545.775	-43.55	-25	Pass	401
2550	2565	1	RMS	2563.95	-41.69	-13	Pass	401
2565	2569	1	RMS	2569	-33.99	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-16.47	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.99	30	Pass	401




5.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-38.99	-25	Pass	401
2550	2565	1	RMS	2564.175	-29.49	-13	Pass	401
2565	2569	1	RMS	2569	-29.46	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-28.45	-10	Pass	401
2570	2590	0.1	RMS	2571.4	1.42	30	Pass	401




5.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	21.6	30	Pass	401
2620	2621	0.51	RMS	2620	-17.45	-10	Pass	401
2621	2625	1	RMS	2621	-33.55	-10	Pass	5
2625	2640	1	RMS	2625.113	-41.36	-13	Pass	401
2640	2645	1	RMS	2644.475	-42.57	-25	Pass	401




5.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2617.8	1.78	30	Pass	401
2620	2621	0.51	RMS	2620.023	-26.6	-10	Pass	401
2621	2625	1	RMS	2621	-26.56	-10	Pass	5
2625	2640	1	RMS	2625.075	-28.05	-13	Pass	401
2640	2645	1	RMS	2640.125	-37.75	-25	Pass	401




5.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.93	30	Pass	401
2620	2621	0.51	RMS	2620.003	-18.13	-10	Pass	401
2621	2625	1	RMS	2621	-34.05	-10	Pass	5
2625	2640	1	RMS	2628.488	-40.8	-13	Pass	401
2640	2645	1	RMS	2644.263	-42.47	-25	Pass	401



5.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2617.4	1.31	30	Pass	401
2620	2621	0.51	RMS	2620.013	-28.45	-10	Pass	401
2621	2625	1	RMS	2621	-29.1	-10	Pass	5
2625	2640	1	RMS	2625.225	-30.71	-13	Pass	401
2640	2645	1	RMS	2640.1	-38.34	-25	Pass	401



6. LTE_Band41 full


6.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-42.81	-25	Pass	401
2490	2495	1	RMS	2495	-30.51	-13	Pass	6
2495	2496	0.05	RMS	2495.85	-16.83	-13	Pass	21
2496	2501	0.1	RMS	2496.35	22.03	30	Pass	401




6.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.2	-25	Pass	401
2490	2495	1	RMS	2495	-23.51	-13	Pass	6
2495	2496	0.051	RMS	2495.993	-25.62	-13	Pass	401
2496	2501	0.1	RMS	2500.4	7.69	30	Pass	401




6.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-42.59	-25	Pass	401
2490	2495	1	RMS	2495	-31.76	-13	Pass	6
2495	2496	0.051	RMS	2495.755	-16.95	-13	Pass	401
2496	2501	0.1	RMS	2496.338	21.09	30	Pass	401




6.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.35	-25	Pass	401
2490	2495	1	RMS	2495	-25.34	-13	Pass	6
2495	2496	0.051	RMS	2495.995	-26.82	-13	Pass	401
2496	2501	0.1	RMS	2500.05	6.22	30	Pass	401




6.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	21.42	30	Pass	401
2690	2691	0.051	RMS	2690	-21.27	-10	Pass	401
2691	2695	1	RMS	2691	-30.58	-10	Pass	5
2695	2696	1	RMS	2695	-40.78	-13	Pass	401
2696	2715	1	RMS	2696	-42.15	-25	Pass	401




6.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.138	7.29	30	Pass	401
2690	2691	0.1	RMS	2690.003	-22.12	-10	Pass	401
2691	2695	1	RMS	2691	-26.33	-10	Pass	5
2695	2696	1	RMS	2695.09	-34.14	-13	Pass	401
2696	2715	1	RMS	2696.048	-34.46	-25	Pass	401




6.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.675	21.08	30	Pass	401
2690	2691	0.051	RMS	2690.005	-21.36	-10	Pass	401
2691	2695	1	RMS	2691	-31.89	-10	Pass	5
2695	2696	1	RMS	2695.005	-41.1	-13	Pass	401
2696	2715	1	RMS	2696.38	-42.36	-25	Pass	401




6.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.563	6.2	30	Pass	401
2690	2691	0.1	RMS	2690.003	-23.24	-10	Pass	401
2691	2695	1	RMS	2691	-28.52	-10	Pass	5
2695	2696	1	RMS	2695.018	-34.49	-13	Pass	401
2696	2715	1	RMS	2696.048	-35.96	-25	Pass	401




6.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.95	-42.93	-25	Pass	401
2490	2495	1	RMS	2495	-33.46	-13	Pass	6
2495	2496	0.05	RMS	2495.95	-17.67	-13	Pass	21
2496	2506	0.1	RMS	2496.6	21.68	30	Pass	401




6.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.49	-25	Pass	16
2490	2495	1	RMS	2495	-24.71	-13	Pass	6
2495	2496	0.1	RMS	2496	-28.27	-13	Pass	401
2496	2506	0.1	RMS	2504.925	4.74	30	Pass	401




6.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.025	-42.41	-25	Pass	401
2490	2495	1	RMS	2495	-34.31	-13	Pass	6
2495	2496	0.05	RMS	2496	-18.19	-13	Pass	21
2496	2506	0.1	RMS	2496.6	21.19	30	Pass	401




6.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.86	-25	Pass	16
2490	2495	1	RMS	2495	-27.02	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-30.53	-13	Pass	401
2496	2506	0.1	RMS	2505.325	3.99	30	Pass	401




6.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	21.75	30	Pass	401
2690	2691	0.2	RMS	2690.003	-21.35	-10	Pass	401
2691	2695	1	RMS	2691	-32.94	-10	Pass	5
2695	2700	1	RMS	2698.275	-38.74	-13	Pass	401
2700	2715	1	RMS	2700.038	-42.84	-25	Pass	401




6.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2688.925	4.83	30	Pass	401
2690	2691	0.2	RMS	2690.01	-26.78	-10	Pass	401
2691	2695	1	RMS	2691	-28.1	-10	Pass	5
2695	2700	1	RMS	2695.325	-29.2	-13	Pass	401
2700	2715	1	RMS	2700.113	-35.17	-25	Pass	401




6.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	20.47	30	Pass	401
2690	2691	0.2	RMS	2690.008	-23.02	-10	Pass	401
2691	2695	1	RMS	2691	-34.1	-10	Pass	5
2695	2700	1	RMS	2698.175	-39.54	-13	Pass	401
2700	2715	1	RMS	2700.225	-42.89	-25	Pass	401




6.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.025	3.78	30	Pass	401
2690	2691	0.2	RMS	2690.015	-27.61	-10	Pass	401
2691	2695	1	RMS	2691	-29.99	-10	Pass	5
2695	2700	1	RMS	2695.075	-31.76	-13	Pass	401
2700	2715	1	RMS	2700.038	-35.7	-25	Pass	401




6.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-42.89	-25	Pass	401
2490	2495	1	RMS	2495	-33.23	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-22.34	-13	Pass	401
2496	2511	0.1	RMS	2496.863	21.19	30	Pass	401




6.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-27.44	-25	Pass	16
2490	2495	1	RMS	2495	-25.08	-13	Pass	6
2495	2496	0.15	RMS	2495.958	-30.12	-13	Pass	401
2496	2511	0.1	RMS	2509.313	2.46	30	Pass	401




6.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.325	-42.61	-25	Pass	401
2490	2495	1	RMS	2495	-34.01	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-23.31	-13	Pass	401
2496	2511	0.1	RMS	2496.863	20.35	30	Pass	401




6.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.32	-25	Pass	16
2490	2495	1	RMS	2494	-29.25	-13	Pass	6
2495	2496	0.15	RMS	2495.948	-32.93	-13	Pass	401
2496	2511	0.1	RMS	2509.388	2.27	30	Pass	401




6.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	21.8	30	Pass	401
2690	2691	0.3	RMS	2690.015	-21.23	-10	Pass	401
2691	2695	1	RMS	2691	-34.92	-10	Pass	5
2695	2705	1	RMS	2702.525	-40.54	-13	Pass	401
2705	2715	1	RMS	2705.175	-43.1	-25	Pass	401




6.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.725	2.61	30	Pass	401
2690	2691	0.3	RMS	2690.003	-28.25	-10	Pass	401
2691	2695	1	RMS	2693	-27.94	-10	Pass	5
2695	2705	1	RMS	2696.3	-28.55	-13	Pass	401
2705	2715	1	RMS	2706.4	-35.56	-25	Pass	401



6.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.79	30	Pass	401
2690	2691	0.3	RMS	2690.003	-20.71	-10	Pass	401
2691	2695	1	RMS	2691	-35.51	-10	Pass	5
2695	2705	1	RMS	2702.35	-40.78	-13	Pass	401
2705	2715	1	RMS	2705.2	-43.15	-25	Pass	401




6.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.688	1.54	30	Pass	401
2690	2691	0.3	RMS	2690.003	-30.45	-10	Pass	401
2691	2695	1	RMS	2691	-31.96	-10	Pass	5
2695	2705	1	RMS	2695.125	-32.05	-13	Pass	401
2705	2715	1	RMS	2705.025	-37.13	-25	Pass	401




6.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.56	-25	Pass	401
2490	2495	1	RMS	2495	-34.32	-13	Pass	6
2495	2496	0.2	RMS	2496	-26.24	-13	Pass	401
2496	2516	0.1	RMS	2497.1	21.24	30	Pass	401




6.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.46	-25	Pass	16
2490	2495	1	RMS	2495	-29.67	-13	Pass	6
2495	2496	0.2	RMS	2495.973	-33.35	-13	Pass	401
2496	2516	0.1	RMS	2512	1.94	30	Pass	401




6.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.45	-41.96	-25	Pass	401
2490	2495	1	RMS	2495	-34.64	-13	Pass	6
2495	2496	0.2	RMS	2496	-25.94	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.74	30	Pass	401




6.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.62	-25	Pass	16
2490	2495	1	RMS	2494.713	-29.38	-13	Pass	401
2495	2496	0.2	RMS	2495.98	-34.44	-13	Pass	401
2496	2516	0.1	RMS	2513.7	1.03	30	Pass	401



6.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.97	30	Pass	401
2690	2691	0.51	RMS	2690.01	-18.45	-10	Pass	401
2691	2695	1	RMS	2691	-36.25	-10	Pass	5
2695	2710	1	RMS	2706.775	-41.26	-13	Pass	401
2710	2715	1	RMS	2710.275	-43.27	-25	Pass	401




6.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2687.45	1.63	30	Pass	401
2690	2691	0.51	RMS	2690	-28.7	-10	Pass	401
2691	2695	1	RMS	2691	-29.95	-10	Pass	5
2695	2710	1	RMS	2695.338	-30.61	-13	Pass	401
2710	2715	1	RMS	2712.05	-37.38	-25	Pass	401




6.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.92	30	Pass	401
2690	2691	0.51	RMS	2690	-18.53	-10	Pass	401
2691	2695	1	RMS	2691	-36.55	-10	Pass	5
2695	2710	1	RMS	2698.525	-40.29	-13	Pass	401
2710	2715	1	RMS	2714.4	-43.1	-25	Pass	401



6.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2685.45	0.83	30	Pass	401
2690	2691	0.51	RMS	2690.008	-29.57	-10	Pass	401
2691	2695	1	RMS	2691	-31.89	-10	Pass	5
2695	2710	1	RMS	2695.113	-32.7	-13	Pass	401
2710	2715	1	RMS	2710.625	-37.67	-25	Pass	401



7. LTE_Band42 3450-3550


7.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.48	-40.47	-13	Pass	401
3445	3449	0.51	RMS	3449	-32.72	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-27.2	-13	Pass	401
3450	3455	0.1	RMS	3450.338	22.16	30	Pass	401




7.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-33.93	-13	Pass	401
3445	3449	0.51	RMS	3448.75	-27.35	-13	Pass	401
3449	3450	0.1	RMS	3450	-21.81	-13	Pass	401
3450	3455	0.1	RMS	3450.438	7.75	30	Pass	401




7.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-40.85	-13	Pass	401
3445	3449	0.51	RMS	3448.92	-33.97	-13	Pass	401
3449	3450	0.01	RMS	3450	-28.1	-13	Pass	401
3450	3455	0.1	RMS	3450.338	20.87	30	Pass	401




7.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-33.92	-13	Pass	401
3445	3449	0.51	RMS	3448.84	-27.96	-13	Pass	401
3449	3450	0.1	RMS	3450	-23.26	-13	Pass	401
3450	3455	0.1	RMS	3454.075	7.2	30	Pass	401




7.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.675	21.97	30	Pass	401
3550	3551	0.01	RMS	3550	-28.1	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-32.45	-13	Pass	401
3555	3571	1	RMS	3555.12	-40.41	-13	Pass	401




7.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.263	7.64	30	Pass	401
3550	3551	0.1	RMS	3550.008	-22.31	-13	Pass	401
3551	3555	0.51	RMS	3551.06	-27.61	-13	Pass	401
3555	3571	1	RMS	3555	-35.06	-13	Pass	401




7.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.65	21.46	30	Pass	401
3550	3551	0.01	RMS	3550	-27.64	-13	Pass	401
3551	3555	0.51	RMS	3551	-33.61	-13	Pass	401
3555	3571	1	RMS	3555.56	-40.28	-13	Pass	401




7.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3548.6	6.54	30	Pass	401
3550	3551	0.1	RMS	3550	-22.83	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-29.49	-13	Pass	401
3555	3571	1	RMS	3555	-35.49	-13	Pass	401




7.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-40.73	-13	Pass	401
3445	3449	0.51	RMS	3449	-35	-13	Pass	401
3449	3450	0.01	RMS	3449.995	-36.87	-13	Pass	401
3450	3460	0.1	RMS	3450.575	21.73	30	Pass	401




7.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-29.16	-13	Pass	401
3445	3449	0.51	RMS	3448.91	-29.27	-13	Pass	401
3449	3450	0.1	RMS	3449.995	-28.96	-13	Pass	401
3450	3460	0.1	RMS	3451	5.38	30	Pass	401




7.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3443.24	-41.03	-13	Pass	401
3445	3449	0.51	RMS	3448.94	-35.65	-13	Pass	401
3449	3450	0.01	RMS	3450	-38.43	-13	Pass	401
3450	3460	0.1	RMS	3450.575	21.44	30	Pass	401




7.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-31.17	-13	Pass	401
3445	3449	0.51	RMS	3449	-29.82	-13	Pass	401
3449	3450	0.1	RMS	3449.98	-30.51	-13	Pass	401
3450	3460	0.1	RMS	3450.675	3.91	30	Pass	401




7.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.4	22.69	30	Pass	401
3550	3551	0.01	RMS	3550.005	-37.97	-13	Pass	401
3551	3555	0.51	RMS	3551	-35.01	-13	Pass	401
3555	3571	1	RMS	3555.16	-40.6	-13	Pass	401




7.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3541.575	5.2	30	Pass	401
3550	3551	0.1	RMS	3550	-30.41	-13	Pass	401
3551	3555	0.51	RMS	3551.14	-29.88	-13	Pass	401
3555	3571	1	RMS	3555.16	-30.46	-13	Pass	401




7.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.4	20.93	30	Pass	401
3550	3551	0.01	RMS	3550.005	-38.78	-13	Pass	401
3551	3555	0.51	RMS	3551	-35.61	-13	Pass	401
3555	3571	1	RMS	3556.76	-41.04	-13	Pass	401




7.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3548	3.8	30	Pass	401
3550	3551	0.1	RMS	3550	-31.29	-13	Pass	401
3551	3555	0.51	RMS	3551.07	-31.07	-13	Pass	401
3555	3571	1	RMS	3555.4	-32.58	-13	Pass	401




7.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-40.05	-13	Pass	401
3445	3449	0.51	RMS	3448.93	-33.93	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-37.12	-13	Pass	401
3450	3465	0.1	RMS	3450.863	22	30	Pass	401




7.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.72	-28.14	-13	Pass	401
3445	3449	0.51	RMS	3447.98	-28.98	-13	Pass	401
3449	3450	0.2	RMS	3449.993	-29.7	-13	Pass	401
3450	3465	0.1	RMS	3451.088	2.95	30	Pass	401




7.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-40.48	-13	Pass	401
3445	3449	0.51	RMS	3449	-34.29	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-37.77	-13	Pass	401
3450	3465	0.1	RMS	3450.825	20.65	30	Pass	401




7.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-31.05	-13	Pass	401
3445	3449	0.51	RMS	3447.89	-31.97	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-31.76	-13	Pass	401
3450	3465	0.1	RMS	3452.55	2.31	30	Pass	401




7.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.138	21.85	30	Pass	401
3550	3551	0.01	RMS	3550.005	-38.04	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-34.57	-13	Pass	401
3555	3571	1	RMS	3555.12	-40.4	-13	Pass	401




7.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3536.913	3.08	30	Pass	401
3550	3551	0.2	RMS	3550.033	-30.64	-13	Pass	401
3551	3555	0.51	RMS	3551.13	-29.64	-13	Pass	401
3555	3571	1	RMS	3555.2	-29.26	-13	Pass	401




7.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.138	21.18	30	Pass	401
3550	3551	0.01	RMS	3550	-37.76	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-35.26	-13	Pass	401
3555	3571	1	RMS	3555.08	-40.83	-13	Pass	401




7.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3539.425	2.05	30	Pass	401
3550	3551	0.2	RMS	3550	-32.37	-13	Pass	401
3551	3555	0.51	RMS	3551.92	-33.79	-13	Pass	401
3555	3571	1	RMS	3555.08	-33.04	-13	Pass	401




7.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.72	-40.57	-13	Pass	401
3445	3449	0.51	RMS	3448.98	-35.15	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-39.65	-13	Pass	401
3450	3470	0.1	RMS	3451.05	21.78	30	Pass	401




7.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-30.89	-13	Pass	401
3445	3449	0.51	RMS	3449	-31.61	-13	Pass	401
3449	3450	0.2	RMS	3449.98	-32.5	-13	Pass	401
3450	3470	0.1	RMS	3453.45	2.01	30	Pass	401




7.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.4	-40.21	-13	Pass	401
3445	3449	0.51	RMS	3448.91	-34.92	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-39.16	-13	Pass	401
3450	3470	0.1	RMS	3451.1	20.89	30	Pass	401




7.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-32.34	-13	Pass	401
3445	3449	0.51	RMS	3448.79	-32.87	-13	Pass	401
3449	3450	0.2	RMS	3449.983	-34.18	-13	Pass	401
3450	3470	0.1	RMS	3453.7	1.08	30	Pass	401




7.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	21.69	30	Pass	401
3550	3551	0.01	RMS	3550.003	-39.71	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-34.84	-13	Pass	401
3555	3571	1	RMS	3555.28	-40.48	-13	Pass	401




7.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3534.85	1.25	30	Pass	401
3550	3551	0.2	RMS	3550.013	-34.2	-13	Pass	401
3551	3555	0.51	RMS	3551.06	-34.2	-13	Pass	401
3555	3571	1	RMS	3555	-33.35	-13	Pass	401




7.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	20.98	30	Pass	401
3550	3551	0.01	RMS	3550.008	-40.48	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-35.38	-13	Pass	401
3555	3571	1	RMS	3555.96	-39.73	-13	Pass	401



7.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3536.35	0.94	30	Pass	401
3550	3551	0.2	RMS	3550.025	-35.81	-13	Pass	401
3551	3555	0.51	RMS	3551	-35.33	-13	Pass	401
3555	3571	1	RMS	3555	-34.51	-13	Pass	401



1. LTE_Band48


1.1. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.775	-49.52	-40	Pass	401
3530	3540	1	RMS	3539.925	-47.22	-25	Pass	401
3540	3545	1	RMS	3544.925	-44.64	-25	Pass	401
3545	3549	1	RMS	3549	-32.46	-13	Pass	5
3549	3550	0.01	RMS	3549.998	-28.21	-13	Pass	401
3550	3555	0.1	RMS	3550.338	20.57	30	Pass	401




1.2. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-49.85	-40	Pass	401
3530	3540	1	RMS	3539.8	-45.56	-25	Pass	401
3540	3545	1	RMS	3545	-37.58	-25	Pass	401
3545	3549	1	RMS	3549	-26.47	-13	Pass	5
3549	3550	0.051	RMS	3549.99	-26.88	-13	Pass	401
3550	3555	0.1	RMS	3554.625	6.46	30	Pass	401




1.3. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.625	-49.64	-40	Pass	401
3530	3540	1	RMS	3539.8	-47.75	-25	Pass	401
3540	3545	1	RMS	3544.988	-44.62	-25	Pass	401
3545	3549	1	RMS	3549	-33.94	-13	Pass	5
3549	3550	0.01	RMS	3549.998	-31.25	-13	Pass	401
3550	3555	0.1	RMS	3550.338	19.52	30	Pass	401




1.4. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-50.12	-40	Pass	401
3530	3540	1	RMS	3540	-47.18	-25	Pass	401
3540	3545	1	RMS	3544.938	-37.6	-25	Pass	401
3545	3549	1	RMS	3549	-28.65	-13	Pass	5
3549	3550	0.051	RMS	3549.998	-27.53	-13	Pass	401
3550	3555	0.1	RMS	3554.663	5.08	30	Pass	401




1.5. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3695	3700	1	RMS	3699.6	22.68	30	Pass	401
3700	3701	0.01	RMS	3700.003	-29.76	-13	Pass	401
3701	3705	1	RMS	3701	-32.23	-13	Pass	5
3705	3710	1	RMS	3705.013	-44.58	-25	Pass	401
3710	3720	1	RMS	3710.125	-47.9	-25	Pass	401
3720	3750	1	RMS	3720	-50.64	-40	Pass	401




1.6. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3695	3700	1	RMS	3698.625	16.07	30	Pass	401
3700	3701	0.051	RMS	3700.003	-27.58	-13	Pass	401
3701	3705	1	RMS	3701	-28.95	-13	Pass	5
3705	3710	1	RMS	3705.1	-39.19	-25	Pass	401
3710	3720	1	RMS	3710.075	-45.38	-25	Pass	401
3720	3750	1	RMS	3720.075	-51.39	-40	Pass	401




1.7. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3695	3700	1	RMS	3699.563	22.51	30	Pass	401
3700	3701	0.01	RMS	3700	-29.04	-13	Pass	401
3701	3705	1	RMS	3701	-33.45	-13	Pass	5
3705	3710	1	RMS	3705.438	-44.37	-25	Pass	401
3710	3720	1	RMS	3710.1	-48.62	-25	Pass	401
3720	3750	1	RMS	3720.225	-51.01	-40	Pass	401




1.8. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3695	3700	1	RMS	3698.525	14.6	30	Pass	401
3700	3701	0.051	RMS	3700	-28.31	-13	Pass	401
3701	3705	1	RMS	3701	-15.04	-13	Pass	401
3705	3710	1	RMS	3705.025	-39	-25	Pass	401
3710	3720	1	RMS	3710	-47.7	-25	Pass	401
3720	3750	1	RMS	3720.6	-51.65	-40	Pass	401




1.9. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.775	-49.5	-40	Pass	401
3530	3540	1	RMS	3539.6	-47.41	-25	Pass	401
3540	3549	1	RMS	3549	-34.85	-13	Pass	10
3549	3550	0.01	RMS	3549.985	-39.64	-13	Pass	401
3550	3560	0.1	RMS	3550.575	20.32	30	Pass	401




1.10. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-49.26	-40	Pass	401
3530	3540	1	RMS	3539.9	-40.09	-25	Pass	401
3540	3549	1	RMS	3549	-25.13	-13	Pass	401
3549	3550	0.1	RMS	3549.998	-31.02	-13	Pass	401
3550	3560	0.1	RMS	3557.4	3.12	30	Pass	401




1.11. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.775	-49.65	-40	Pass	401
3530	3540	1	RMS	3539.65	-47.62	-25	Pass	401
3540	3549	1	RMS	3549	-35.56	-13	Pass	10
3549	3550	0.01	RMS	3549.998	-40.08	-13	Pass	401
3550	3560	0.1	RMS	3550.575	19.16	30	Pass	401




1.12. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-49.59	-40	Pass	401
3530	3540	1	RMS	3539.975	-41.87	-25	Pass	401
3540	3549	1	RMS	3549	-25.79	-13	Pass	401
3549	3550	0.1	RMS	3549.995	-32.88	-13	Pass	401
3550	3560	0.1	RMS	3558.475	2.29	30	Pass	401




1.13. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3699.45	22.76	30	Pass	401
3700	3701	0.01	RMS	3700	-39.6	-13	Pass	401
3701	3710	1	RMS	3701	-34.37	-13	Pass	10
3710	3720	1	RMS	3710.05	-47.89	-25	Pass	401
3720	3750	1	RMS	3720.075	-50.97	-40	Pass	401




1.14. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3698.375	13.33	30	Pass	401
3700	3701	0.1	RMS	3700.005	-31.39	-13	Pass	401
3701	3710	1	RMS	3701	-26.11	-13	Pass	401
3710	3720	1	RMS	3710.025	-40.34	-25	Pass	401
3720	3750	1	RMS	3720.225	-50.45	-40	Pass	401




1.15. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3699.425	22.4	30	Pass	401
3700	3701	0.01	RMS	3700.003	-39.7	-13	Pass	401
3701	3710	1	RMS	3701	-35.46	-13	Pass	10
3710	3720	1	RMS	3710.45	-48.2	-25	Pass	401
3720	3750	1	RMS	3720	-51	-40	Pass	401




1.16. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3698.35	12.4	30	Pass	401
3700	3701	0.1	RMS	3700.018	-32.72	-13	Pass	401
3701	3710	1	RMS	3701.023	-27.2	-13	Pass	401
3710	3720	1	RMS	3710.175	-42.46	-25	Pass	401
3720	3750	1	RMS	3720	-51.12	-40	Pass	401




1.17. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3527.225	-49.43	-40	Pass	401
3530	3540	1	RMS	3539.975	-47.45	-25	Pass	401
3540	3549	1	RMS	3548.978	-25.08	-13	Pass	401
3549	3550	0.01	RMS	3549.993	-38.81	-13	Pass	401
3550	3565	0.1	RMS	3550.863	20.29	30	Pass	401




1.18. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-45.11	-40	Pass	31
3530	3540	1	RMS	3539.9	-34.94	-25	Pass	401
3540	3549	1	RMS	3548.865	-27.32	-13	Pass	401
3549	3550	0.15	RMS	3550	-32.94	-13	Pass	401
3550	3565	0.1	RMS	3563.725	1.02	30	Pass	401




1.19. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3527.75	-49.67	-40	Pass	401
3530	3540	1	RMS	3539.925	-48	-25	Pass	401
3540	3549	1	RMS	3549	-24.86	-13	Pass	401
3549	3550	0.01	RMS	3549.998	-39.29	-13	Pass	401
3550	3565	0.1	RMS	3550.863	18.72	30	Pass	401




1.20. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-47.48	-40	Pass	401
3530	3540	1	RMS	3539.775	-37.77	-25	Pass	401
3540	3549	1	RMS	3548.888	-30.56	-13	Pass	401
3549	3550	0.15	RMS	3550	-35.33	-13	Pass	401
3550	3565	0.1	RMS	3562.525	0.54	30	Pass	401



1.21. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	1	RMS	3699.1	23.22	30	Pass	401
3700	3701	0.01	RMS	3700	-39.1	-13	Pass	401
3701	3710	1	RMS	3701	-24.61	-13	Pass	401
3710	3720	1	RMS	3710.1	-48.17	-25	Pass	401
3720	3750	1	RMS	3720.15	-50.79	-40	Pass	401




1.22. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	1	RMS	3697.788	11.5	30	Pass	401
3700	3701	0.15	RMS	3700.013	-33.55	-13	Pass	401
3701	3710	1	RMS	3701.068	-29.36	-13	Pass	401
3710	3720	1	RMS	3710.075	-36.4	-25	Pass	401
3720	3750	1	RMS	3720	-44.74	-40	Pass	31




1.23. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	1	RMS	3699.175	22.12	30	Pass	401
3700	3701	0.01	RMS	3700.003	-39.23	-13	Pass	401
3701	3710	1	RMS	3701.023	-25.88	-13	Pass	401
3710	3720	1	RMS	3710.125	-48.95	-25	Pass	401
3720	3750	1	RMS	3720.375	-51	-40	Pass	401




1.24. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	1	RMS	3697.675	10.47	30	Pass	401
3700	3701	0.15	RMS	3700.033	-35.34	-13	Pass	401
3701	3710	1	RMS	3701.113	-33.02	-13	Pass	401
3710	3720	1	RMS	3710.05	-40.23	-25	Pass	401
3720	3750	1	RMS	3720.075	-47.54	-40	Pass	401




1.25. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.175	-49.72	-40	Pass	401
3530	3540	1	RMS	3539.825	-47.58	-25	Pass	401
3540	3549	1	RMS	3549	-31.99	-13	Pass	401
3549	3550	0.01	RMS	3549.995	-41.65	-13	Pass	401
3550	3570	0.1	RMS	3551.1	19.98	30	Pass	401




1.26. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-44.53	-40	Pass	401
3530	3540	1	RMS	3539.575	-35.39	-25	Pass	401
3540	3549	1	RMS	3548.775	-29.66	-13	Pass	401
3549	3550	0.2	RMS	3549.995	-34.75	-13	Pass	401
3550	3570	0.1	RMS	3563.35	0.54	30	Pass	401




1.27. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.25	-49.76	-40	Pass	401
3530	3540	1	RMS	3539.625	-47.64	-25	Pass	401
3540	3549	1	RMS	3548.888	-32.7	-13	Pass	401
3549	3550	0.01	RMS	3549.98	-40.66	-13	Pass	401
3550	3570	0.1	RMS	3551.1	19.44	30	Pass	401




1.28. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.25	-45.35	-40	Pass	401
3530	3540	1	RMS	3540	-37.44	-25	Pass	401
3540	3549	1	RMS	3548.64	-32.2	-13	Pass	401
3549	3550	0.2	RMS	3549.998	-36.46	-13	Pass	401
3550	3570	0.1	RMS	3564.5	-1.28	30	Pass	401




1.29. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3698.95	22.8	30	Pass	401
3700	3701	0.01	RMS	3700.005	-40.57	-13	Pass	401
3701	3710	1	RMS	3701	-31.31	-13	Pass	401
3710	3720	1	RMS	3710.025	-47.78	-25	Pass	401
3720	3750	1	RMS	3720.075	-50.71	-40	Pass	401




1.30. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3694.8	10.16	30	Pass	401
3700	3701	0.2	RMS	3700.008	-35.84	-13	Pass	401
3701	3710	1	RMS	3701.158	-32.99	-13	Pass	401
3710	3720	1	RMS	3710.075	-38.44	-25	Pass	401
3720	3750	1	RMS	3720	-46.73	-40	Pass	31




1.31. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3698.85	21.73	30	Pass	401
3700	3701	0.01	RMS	3700.008	-41.26	-13	Pass	401
3701	3710	1	RMS	3701	-33.18	-13	Pass	401
3710	3720	1	RMS	3710	-48.46	-25	Pass	401
3720	3750	1	RMS	3723.825	-51.03	-40	Pass	401



1.32. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3695.1	9.18	30	Pass	401
3700	3701	0.2	RMS	3700.01	-37.23	-13	Pass	401
3701	3710	1	RMS	3701.203	-34.14	-13	Pass	401
3710	3720	1	RMS	3710.45	-40.28	-25	Pass	401
3720	3750	1	RMS	3720	-46.7	-40	Pass	31



4. LTE_Band66


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.06	-13	Pass	401
1708	1709	1	RMS	1709	-36.16	-13	Pass	2
1709	1710	0.02	RMS	1710	-18.67	-13	Pass	401
1710	1712	0.1	RMS	1710.24	21.91	30	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.59	-13	Pass	401
1708	1709	1	RMS	1709	-20.97	-13	Pass	2
1709	1710	0.02	RMS	1710	-23.61	-13	Pass	401
1710	1712	0.1	RMS	1710.51	13.64	30	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.8	-13	Pass	401
1708	1709	1	RMS	1709	-37.22	-13	Pass	2
1709	1710	0.02	RMS	1709.993	-19.48	-13	Pass	401
1710	1712	0.1	RMS	1710.245	21.03	30	Pass	401




4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.68	-13	Pass	401
1708	1709	1	RMS	1709	-23.18	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-24.59	-13	Pass	401
1710	1712	0.1	RMS	1710.565	12.66	30	Pass	401




4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	22.28	30	Pass	401
1780	1781	0.02	RMS	1780	-17.77	-13	Pass	401
1781	1782	1	RMS	1781	-35.79	-13	Pass	2
1782	1790	1	RMS	1782.02	-43.78	-13	Pass	401




4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.925	13.74	30	Pass	401
1780	1781	0.02	RMS	1780.003	-24.25	-13	Pass	401
1781	1782	1	RMS	1781	-20.91	-13	Pass	2
1782	1790	1	RMS	1782	-30.27	-13	Pass	401




4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.725	21.37	30	Pass	401
1780	1781	0.02	RMS	1780	-19.1	-13	Pass	401
1781	1782	1	RMS	1781	-36.88	-13	Pass	2
1782	1790	1	RMS	1782	-44.67	-13	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.08	12.85	30	Pass	401
1780	1781	0.02	RMS	1780.005	-25.04	-13	Pass	401
1781	1782	1	RMS	1781	-23.69	-13	Pass	2
1782	1790	1	RMS	1782	-31.85	-13	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.18	-42.29	-13	Pass	401
1708	1709	1	RMS	1709	-36.06	-13	Pass	2
1709	1710	0.03	RMS	1710	-20.27	-13	Pass	35
1710	1713	0.1	RMS	1710.233	22.01	30	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-24.33	-13	Pass	401
1708	1709	1	RMS	1709	-23.13	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-24.14	-13	Pass	401
1710	1713	0.1	RMS	1712.663	9.63	30	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.55	-13	Pass	401
1708	1709	1	RMS	1709	-35.52	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.83	-13	Pass	35
1710	1713	0.1	RMS	1710.255	21.18	30	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-25.19	-13	Pass	401
1708	1709	1	RMS	1709	-22.71	-13	Pass	2
1709	1710	0.03	RMS	1709.995	-25.12	-13	Pass	401
1710	1713	0.1	RMS	1712.61	8.78	30	Pass	401




4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	22.17	30	Pass	401
1780	1781	0.03	RMS	1780	-19.71	-13	Pass	35
1781	1782	1	RMS	1781	-34.9	-13	Pass	2
1782	1790	1	RMS	1784.86	-42.22	-13	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.713	9.89	30	Pass	401
1780	1781	0.03	RMS	1780.005	-24.71	-13	Pass	401
1781	1782	1	RMS	1781	-22.58	-13	Pass	2
1782	1790	1	RMS	1782.02	-24.71	-13	Pass	401



4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	21.39	30	Pass	401
1780	1781	0.03	RMS	1780	-21.05	-13	Pass	35
1781	1782	1	RMS	1781	-35.4	-13	Pass	2
1782	1790	1	RMS	1782.04	-43.46	-13	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.405	9.04	30	Pass	401
1780	1781	0.03	RMS	1780	-25.39	-13	Pass	401
1781	1782	1	RMS	1781	-23.63	-13	Pass	2
1782	1790	1	RMS	1782.08	-26.4	-13	Pass	401




4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.66	-13	Pass	401
1708	1709	1	RMS	1709	-34.78	-13	Pass	2
1709	1710	0.01	RMS	1710	-28.21	-13	Pass	401
1710	1715	0.1	RMS	1710.325	21.87	30	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-25.05	-13	Pass	401
1708	1709	1	RMS	1709	-23.52	-13	Pass	2
1709	1710	0.051	RMS	1709.995	-25.42	-13	Pass	401
1710	1715	0.1	RMS	1714.163	7.55	30	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.54	-13	Pass	401
1708	1709	1	RMS	1709	-37.47	-13	Pass	2
1709	1710	0.01	RMS	1710	-29.3	-13	Pass	401
1710	1715	0.1	RMS	1710.338	21.14	30	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.82	-13	Pass	401
1708	1709	1	RMS	1709	-23.49	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-25.79	-13	Pass	401
1710	1715	0.1	RMS	1714.638	6.52	30	Pass	401




4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	22.26	30	Pass	401
1780	1781	0.01	RMS	1780	-27.5	-13	Pass	401
1781	1782	1	RMS	1781	-34.8	-13	Pass	2
1782	1790	1	RMS	1782	-41.64	-13	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.588	7.67	30	Pass	401
1780	1781	0.051	RMS	1780.003	-24.94	-13	Pass	401
1781	1782	1	RMS	1781	-22.43	-13	Pass	2
1782	1790	1	RMS	1782	-23.62	-13	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	21.32	30	Pass	401
1780	1781	0.01	RMS	1780	-27.9	-13	Pass	401
1781	1782	1	RMS	1781	-37.4	-13	Pass	2
1782	1790	1	RMS	1782.14	-43.72	-13	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.4	6.69	30	Pass	401
1780	1781	0.051	RMS	1780.005	-25.71	-13	Pass	401
1781	1782	1	RMS	1781	-24.7	-13	Pass	2
1782	1790	1	RMS	1782.02	-25.96	-13	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.14	-43.84	-13	Pass	401
1708	1709	1	RMS	1709	-39.65	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-29.72	-13	Pass	401
1710	1720	0.1	RMS	1710.575	21.96	30	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-26.52	-13	Pass	401
1708	1709	1	RMS	1709	-25.92	-13	Pass	2
1709	1710	0.1	RMS	1710	-29.53	-13	Pass	401
1710	1720	0.1	RMS	1719.225	4.79	30	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.6	-44.18	-13	Pass	401
1708	1709	1	RMS	1709	-40.34	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-29.55	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.9	30	Pass	401




4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.93	-13	Pass	401
1708	1709	1	RMS	1709	-26.46	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-30.3	-13	Pass	401
1710	1720	0.1	RMS	1719.225	3.71	30	Pass	401




4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	22.09	30	Pass	401
1780	1781	0.002	RMS	1780.002	-46.82	-13	Pass	501
1781	1782	1	RMS	1781	-38.96	-13	Pass	2
1782	1790	1	RMS	1782.12	-43.28	-13	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1778	4.8	30	Pass	401
1780	1781	0.1	RMS	1780.008	-29.02	-13	Pass	401
1781	1782	1	RMS	1781	-24.86	-13	Pass	2
1782	1790	1	RMS	1782.02	-24.8	-13	Pass	401




4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	21.23	30	Pass	401
1780	1781	0.1	RMS	1780	-29.18	-13	Pass	401
1781	1782	1	RMS	1781	-40.18	-13	Pass	2
1782	1790	1	RMS	1782.08	-44.1	-13	Pass	401




4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1778.775	3.85	30	Pass	401
1780	1781	0.1	RMS	1780	-30.25	-13	Pass	401
1781	1782	1	RMS	1781	-26.94	-13	Pass	2
1782	1790	1	RMS	1782.14	-27.19	-13	Pass	401




4.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-45.21	-13	Pass	401
1708	1709	1	RMS	1709	-37.1	-13	Pass	2
1709	1710	0.15	RMS	1710	-26.37	-13	Pass	401
1710	1725	0.1	RMS	1710.825	21.68	30	Pass	401




4.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-24.8	-13	Pass	401
1708	1709	1	RMS	1708	-25.01	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-30.81	-13	Pass	401
1710	1725	0.1	RMS	1722.113	2.9	30	Pass	401




4.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.04	-43.2	-13	Pass	401
1708	1709	1	RMS	1709	-37.62	-13	Pass	2
1709	1710	0.15	RMS	1710	-26.72	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.81	30	Pass	401




4.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.9	-27.26	-13	Pass	401
1708	1709	1	RMS	1708	-27.85	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-32.61	-13	Pass	401
1710	1725	0.1	RMS	1723.238	1.91	30	Pass	401




4.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	21.89	30	Pass	401
1780	1781	0.15	RMS	1780.003	-25.82	-13	Pass	401
1781	1782	1	RMS	1781	-37.22	-13	Pass	2
1782	1790	1	RMS	1782	-44.64	-13	Pass	401




4.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1778.575	3.11	30	Pass	401
1780	1781	0.15	RMS	1780.015	-29.95	-13	Pass	401
1781	1782	1	RMS	1781	-24.8	-13	Pass	2
1782	1790	1	RMS	1782.96	-24.52	-13	Pass	401




4.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	21.05	30	Pass	401
1780	1781	0.15	RMS	1780.003	-26.59	-13	Pass	401
1781	1782	1	RMS	1781	-37.93	-13	Pass	2
1782	1790	1	RMS	1782.6	-43.83	-13	Pass	401




4.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1777.863	2.08	30	Pass	401
1780	1781	0.15	RMS	1780.008	-32.24	-13	Pass	401
1781	1782	1	RMS	1782	-28.76	-13	Pass	2
1782	1790	1	RMS	1782.04	-28.1	-13	Pass	401




4.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.22	-44.54	-13	Pass	401
1708	1709	1	RMS	1709	-37.11	-13	Pass	2
1709	1710	0.2	RMS	1710	-26.77	-13	Pass	401
1710	1730	0.1	RMS	1711.1	22	30	Pass	401




4.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.72	-28.67	-13	Pass	401
1708	1709	1	RMS	1709	-28.8	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-32.85	-13	Pass	401
1710	1730	0.1	RMS	1723.1	1.47	30	Pass	401




4.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.74	-43.77	-13	Pass	401
1708	1709	1	RMS	1709	-37.44	-13	Pass	2
1709	1710	0.2	RMS	1710	-27.12	-13	Pass	401
1710	1730	0.1	RMS	1711.1	21.05	30	Pass	401




4.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-29.47	-13	Pass	401
1708	1709	1	RMS	1709	-29.58	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-33.54	-13	Pass	401
1710	1730	0.1	RMS	1723.1	0.51	30	Pass	401




4.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	22.04	30	Pass	401
1780	1781	0.2	RMS	1780	-26.83	-13	Pass	401
1781	1782	1	RMS	1781	-37.05	-13	Pass	2
1782	1790	1	RMS	1782	-44.53	-13	Pass	401




4.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1777.05	1.94	30	Pass	401
1780	1781	0.2	RMS	1780	-31.91	-13	Pass	401
1781	1782	1	RMS	1781	-27.68	-13	Pass	2
1782	1790	1	RMS	1782.24	-27.64	-13	Pass	401




4.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	21.16	30	Pass	401
1780	1781	0.2	RMS	1780.003	-27.22	-13	Pass	401
1781	1782	1	RMS	1781	-37.39	-13	Pass	2
1782	1790	1	RMS	1783.86	-44.64	-13	Pass	401



4.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.15	0.9	30	Pass	401
1780	1781	0.2	RMS	1780.035	-33.41	-13	Pass	401
1781	1782	1	RMS	1781	-29.56	-13	Pass	2
1782	1790	1	RMS	1782	-29.68	-13	Pass	401



1. CA_7C


1.1. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.163	-37.21	-25	Pass	401
2490	2496	1	RMS	2495.91	-47.63	-13	Pass	401
2496	2499	1	RMS	2499	-43.22	-10	Pass	401
2499	2500	1	RMS	2500	-26.41	-10	Pass	2
2500	2530	0.1	RMS	2501.125	9.08	30	Pass	401




1.2. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.15	-47.94	-25	Pass	401
2490	2496	1	RMS	2495.925	-47.81	-13	Pass	401
2496	2499	1	RMS	2499	-43.26	-10	Pass	401
2499	2500	1	RMS	2500	-26.3	-10	Pass	2
2500	2530	0.1	RMS	2528.8	9.58	30	Pass	401




1.3. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.238	-34.74	-25	Pass	401
2490	2496	1	RMS	2495.325	-33.55	-13	Pass	401
2496	2499	1	RMS	2498.948	-32.3	-10	Pass	401
2499	2500	1	RMS	2500	-29.53	-10	Pass	2
2500	2530	0.1	RMS	2521.45	-0.4	30	Pass	401




1.4. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.2	-37.8	-25	Pass	401
2490	2496	1	RMS	2495.97	-47.63	-13	Pass	401
2496	2499	1	RMS	2499	-43.12	-10	Pass	401
2499	2500	1	RMS	2500	-26.19	-10	Pass	2
2500	2530	0.1	RMS	2501.125	9.19	30	Pass	401




1.5. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.15	-47.92	-25	Pass	401
2490	2496	1	RMS	2495.925	-47.77	-13	Pass	401
2496	2499	1	RMS	2499	-42.88	-10	Pass	401
2499	2500	1	RMS	2500	-26.14	-10	Pass	2
2500	2530	0.1	RMS	2528.8	9.67	30	Pass	401




1.6. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.98	-25	Pass	401
2490	2496	1	RMS	2495.34	-36.54	-13	Pass	401
2496	2499	1	RMS	2498.97	-36.08	-10	Pass	401
2499	2500	1	RMS	2500	-31.79	-10	Pass	2
2500	2530	0.1	RMS	2522.65	-1.36	30	Pass	401




1.7. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	9.56	30	Pass	401
2570	2571	1	RMS	2570	-41.12	-10	Pass	2
2571	2575	1	RMS	2571	-46.18	-10	Pass	401
2575	2600	1	RMS	2596.625	-35.7	-13	Pass	401
2600	2615	1	RMS	2615	-47.29	-25	Pass	401




1.8. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	13.12	30	Pass	401
2570	2571	1	RMS	2570	-37.84	-10	Pass	2
2571	2575	1	RMS	2571	-44.05	-10	Pass	401
2575	2600	1	RMS	2578.875	-32.59	-13	Pass	401
2600	2615	1	RMS	2614.775	-47.27	-25	Pass	401




1.9. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2563.025	-0.4	30	Pass	401
2570	2571	1	RMS	2570	-27.94	-10	Pass	2
2571	2575	1	RMS	2571.56	-28.35	-10	Pass	401
2575	2600	1	RMS	2575.063	-28.93	-13	Pass	401
2600	2615	1	RMS	2614.813	-47.24	-25	Pass	401




1.10. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	9.83	30	Pass	401
2570	2571	1	RMS	2570	-41.12	-10	Pass	2
2571	2575	1	RMS	2571	-46.13	-10	Pass	401
2575	2600	1	RMS	2596.625	-36.02	-13	Pass	401
2600	2615	1	RMS	2613.875	-47.29	-25	Pass	401



1.11. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	13.15	30	Pass	401
2570	2571	1	RMS	2570	-37.8	-10	Pass	2
2571	2575	1	RMS	2571	-44.57	-10	Pass	401
2575	2600	1	RMS	2578.813	-30.84	-13	Pass	401
2600	2615	1	RMS	2614.625	-47.29	-25	Pass	401




1.12. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2563.25	-1.35	30	Pass	401
2570	2571	1	RMS	2570	-30.78	-10	Pass	2
2571	2575	1	RMS	2571.14	-31.95	-10	Pass	401
2575	2600	1	RMS	2575.188	-33.37	-13	Pass	401
2600	2615	1	RMS	2614.925	-47.27	-25	Pass	401




1.13. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.338	-34.98	-25	Pass	401
2490	2496	1	RMS	2495.835	-47.53	-13	Pass	401
2496	2499	1	RMS	2499	-39.16	-10	Pass	401
2499	2500	1	RMS	2500	-22.17	-10	Pass	2
2500	2540	0.1	RMS	2501.1	13.34	30	Pass	401




1.14. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.7	-47.96	-25	Pass	401
2490	2496	1	RMS	2493.75	-47.45	-13	Pass	401
2496	2499	1	RMS	2499	-43.01	-10	Pass	401
2499	2500	1	RMS	2500	-26.27	-10	Pass	2
2500	2540	0.1	RMS	2538.7	9.51	30	Pass	401




1.15. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-34.42	-25	Pass	401
2490	2496	1	RMS	2495.85	-32.94	-13	Pass	401
2496	2499	1	RMS	2498.91	-32.23	-10	Pass	401
2499	2500	1	RMS	2500	-29.48	-10	Pass	2
2500	2540	0.1	RMS	2506.8	-3.29	30	Pass	401




1.16. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.3	-33.43	-25	Pass	401
2490	2496	1	RMS	2495.04	-47.02	-13	Pass	401
2496	2499	1	RMS	2499	-39.14	-10	Pass	401
2499	2500	1	RMS	2500	-22.04	-10	Pass	2
2500	2540	0.1	RMS	2501.1	13.35	30	Pass	401




1.17. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.713	-47.97	-25	Pass	401
2490	2496	1	RMS	2495.715	-47.78	-13	Pass	401
2496	2499	1	RMS	2499	-43.08	-10	Pass	401
2499	2500	1	RMS	2500	-25.99	-10	Pass	2
2500	2540	0.1	RMS	2538.7	9.46	30	Pass	401




1.18. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.51	-25	Pass	401
2490	2496	1	RMS	2495.07	-36.63	-13	Pass	401
2496	2499	1	RMS	2498.993	-36.25	-10	Pass	401
2499	2500	1	RMS	2500	-32.01	-10	Pass	2
2500	2540	0.1	RMS	2506.4	-4.29	30	Pass	401




1.19. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	9.47	30	Pass	401
2570	2571	1	RMS	2570	-25.99	-10	Pass	2
2571	2575	1	RMS	2571	-42.91	-10	Pass	401
2575	2610	1	RMS	2609.3	-47.36	-13	Pass	401
2610	2735	1	RMS	2650	-46.76	-25	Pass	401




1.20. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	13.5	30	Pass	401
2570	2571	1	RMS	2570	-22.18	-10	Pass	2
2571	2575	1	RMS	2571	-38.97	-10	Pass	401
2575	2610	1	RMS	2588.65	-35.82	-13	Pass	401
2610	2735	1	RMS	2658.438	-46.75	-25	Pass	401




1.21. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2556.1	-3.3	30	Pass	401
2570	2571	1	RMS	2570	-28.8	-10	Pass	2
2571	2575	1	RMS	2571.03	-30.61	-10	Pass	401
2575	2610	1	RMS	2575	-31.51	-13	Pass	401
2610	2735	1	RMS	2650.313	-46.74	-25	Pass	401




1.22. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	9.53	30	Pass	401
2570	2571	1	RMS	2570	-25.79	-10	Pass	2
2571	2575	1	RMS	2571	-42.67	-10	Pass	401
2575	2610	1	RMS	2609.3	-47.38	-13	Pass	401
2610	2735	1	RMS	2652.188	-46.76	-25	Pass	401




1.23. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	13.27	30	Pass	401
2570	2571	1	RMS	2570	-21.97	-10	Pass	2
2571	2575	1	RMS	2571	-39.03	-10	Pass	401
2575	2610	1	RMS	2588.65	-34.75	-13	Pass	401
2610	2735	1	RMS	2651.875	-46.77	-25	Pass	401



1.24. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2557.4	-4.23	30	Pass	401
2570	2571	1	RMS	2570	-31.2	-10	Pass	2
2571	2575	1	RMS	2571.05	-34.2	-10	Pass	401
2575	2610	1	RMS	2575	-35.37	-13	Pass	401
2610	2735	1	RMS	2651.25	-46.76	-25	Pass	401



2. CA_38C


2.1. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2525.825	-36.99	-25	Pass	401
2540	2565	1	RMS	2556	-35.44	-13	Pass	401
2565	2569	1	RMS	2568.99	-30.25	-10	Pass	401
2569	2570	1	RMS	2570	-16.44	-10	Pass	2
2570	2600	0.1	RMS	2570.9	13.2	30	Pass	401




2.2. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.725	-43.87	-25	Pass	401
2540	2565	1	RMS	2542.563	-30.48	-13	Pass	401
2565	2569	1	RMS	2569	-33.68	-10	Pass	401
2569	2570	1	RMS	2570	-20.6	-10	Pass	2
2570	2600	0.1	RMS	2570.825	9.21	30	Pass	401




2.3. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-41.05	-25	Pass	401
2540	2565	1	RMS	2564.938	-32.27	-13	Pass	401
2565	2569	1	RMS	2569	-31.23	-10	Pass	401
2569	2570	1	RMS	2570	-26.39	-10	Pass	2
2570	2600	0.1	RMS	2594.525	-1.45	30	Pass	401




2.4. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2525.75	-37.01	-25	Pass	401
2540	2565	1	RMS	2555.813	-33.33	-13	Pass	401
2565	2569	1	RMS	2569	-30.01	-10	Pass	401
2569	2570	1	RMS	2570	-16.31	-10	Pass	2
2570	2600	0.1	RMS	2570.9	13.24	30	Pass	401




2.5. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:5, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.325	-43.89	-25	Pass	401
2540	2565	1	RMS	2542.438	-31.02	-13	Pass	401
2565	2569	1	RMS	2568.99	-34.33	-10	Pass	401
2569	2570	1	RMS	2570	-20.42	-10	Pass	2
2570	2600	0.1	RMS	2599.175	10.25	30	Pass	401




2.6. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:6, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.888	-42.07	-25	Pass	401
2540	2565	1	RMS	2564.688	-36.52	-13	Pass	401
2565	2569	1	RMS	2568.99	-35.82	-10	Pass	401
2569	2570	1	RMS	2570	-28.06	-10	Pass	2
2570	2600	0.1	RMS	2598.65	-2.06	30	Pass	401




2.7. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:7, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	9.1	30	Pass	401
2620	2621	1	RMS	2620	-20.6	-10	Pass	2
2621	2625	1	RMS	2621	-33.85	-10	Pass	401
2625	2650	1	RMS	2647.438	-33.82	-13	Pass	401
2650	2665	1	RMS	2650.338	-42.75	-25	Pass	401




2.8. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:8, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2619.175	14.05	30	Pass	401
2620	2621	1	RMS	2620	-16.61	-10	Pass	2
2621	2625	1	RMS	2621.01	-30.41	-10	Pass	401
2625	2650	1	RMS	2649.063	-34.02	-13	Pass	401
2650	2665	1	RMS	2664.063	-36.68	-25	Pass	401




2.9. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2618.35	-1.36	30	Pass	401
2620	2621	1	RMS	2620	-26.37	-10	Pass	2
2621	2625	1	RMS	2621.01	-32.19	-10	Pass	401
2625	2650	1	RMS	2625	-33.77	-13	Pass	401
2650	2665	1	RMS	2650.113	-39.7	-25	Pass	401




2.10. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.825	9.11	30	Pass	401
2620	2621	1	RMS	2620	-20.58	-10	Pass	2
2621	2625	1	RMS	2621	-33.82	-10	Pass	401
2625	2650	1	RMS	2647.5	-33.94	-13	Pass	401
2650	2665	1	RMS	2651.913	-42.77	-25	Pass	401




2.11. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	12.94	30	Pass	401
2620	2621	1	RMS	2620	-16.51	-10	Pass	2
2621	2625	1	RMS	2621	-30.11	-10	Pass	401
2625	2650	1	RMS	2634.188	-33.09	-13	Pass	401
2650	2665	1	RMS	2664.1	-36.78	-25	Pass	401




2.12. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2618.65	-2.72	30	Pass	401
2620	2621	1	RMS	2620	-27.56	-10	Pass	2
2621	2625	1	RMS	2621.03	-34.6	-10	Pass	401
2625	2650	1	RMS	2625.063	-36.28	-13	Pass	401
2650	2665	1	RMS	2650.15	-40.74	-25	Pass	401




2.13. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2530	-43.79	-25	Pass	401
2530	2565	1	RMS	2551.263	-35.23	-13	Pass	401
2565	2569	1	RMS	2568.97	-38.11	-10	Pass	401
2569	2570	1	RMS	2570	-22.1	-10	Pass	2
2570	2610	0.1	RMS	2590.9	13.06	30	Pass	401




2.14. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.213	-43.91	-25	Pass	401
2530	2565	1	RMS	2533.5	-27.3	-13	Pass	401
2565	2569	1	RMS	2568.99	-40.96	-10	Pass	401
2569	2570	1	RMS	2570	-25.98	-10	Pass	2
2570	2610	0.1	RMS	2608.7	9.27	30	Pass	401




2.15. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.713	-41.84	-25	Pass	401
2530	2565	1	RMS	2564.388	-35.08	-13	Pass	401
2565	2569	1	RMS	2568.82	-34.71	-10	Pass	401
2569	2570	1	RMS	2570	-30.97	-10	Pass	2
2570	2610	0.1	RMS	2606.5	-2.94	30	Pass	401




2.16. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-43.83	-25	Pass	401
2530	2565	1	RMS	2551.263	-33.89	-13	Pass	401
2565	2569	1	RMS	2569	-37.45	-10	Pass	401
2569	2570	1	RMS	2570	-21.74	-10	Pass	2
2570	2610	0.1	RMS	2590.9	13.77	30	Pass	401




2.17. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:17, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.113	-43.93	-25	Pass	401
2530	2565	1	RMS	2533.5	-27.76	-13	Pass	401
2565	2569	1	RMS	2569	-40.81	-10	Pass	401
2569	2570	1	RMS	2570	-25.85	-10	Pass	2
2570	2610	0.1	RMS	2608.7	8.87	30	Pass	401




2.18. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:18, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.675	-42.57	-25	Pass	401
2530	2565	1	RMS	2563.075	-39.06	-13	Pass	401
2565	2569	1	RMS	2568.99	-37.66	-10	Pass	401
2569	2570	1	RMS	2570	-32.51	-10	Pass	2
2570	2610	0.1	RMS	2607.5	-3.46	30	Pass	401




2.19. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:19, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	10.19	30	Pass	401
2620	2621	1	RMS	2620	-26.02	-10	Pass	2
2621	2625	1	RMS	2621	-40.48	-10	Pass	401
2625	2660	1	RMS	2656.5	-32.31	-13	Pass	401
2660	2665	1	RMS	2660.213	-42.84	-25	Pass	401




2.20. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:20, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	12.58	30	Pass	401
2620	2621	1	RMS	2620	-22.06	-10	Pass	2
2621	2625	1	RMS	2621.01	-37.67	-10	Pass	401
2625	2660	1	RMS	2638.738	-33.36	-13	Pass	401
2660	2665	1	RMS	2660.013	-42.67	-25	Pass	401




2.21. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618	-2.66	30	Pass	401
2620	2621	1	RMS	2620	-30.29	-10	Pass	2
2621	2625	1	RMS	2621.15	-33.82	-10	Pass	401
2625	2660	1	RMS	2625	-35.07	-13	Pass	401
2660	2665	1	RMS	2660.038	-40.12	-25	Pass	401




2.22. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	9.76	30	Pass	401
2620	2621	1	RMS	2620	-25.76	-10	Pass	2
2621	2625	1	RMS	2621	-40.44	-10	Pass	401
2625	2660	1	RMS	2656.588	-32.2	-13	Pass	401
2660	2665	1	RMS	2660.125	-42.83	-25	Pass	401




2.23. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	14.03	30	Pass	401
2620	2621	1	RMS	2620	-21.94	-10	Pass	2
2621	2625	1	RMS	2621.01	-37.34	-10	Pass	401
2625	2660	1	RMS	2638.563	-32.08	-13	Pass	401
2660	2665	1	RMS	2660.038	-42.74	-25	Pass	401



2.24. LTE-A Band Edge_Part22-24-27(NTLV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.8	-3.65	30	Pass	401
2620	2621	1	RMS	2620	-31.63	-10	Pass	2
2621	2625	1	RMS	2621.06	-36.28	-10	Pass	401
2625	2660	1	RMS	2625.525	-37.33	-13	Pass	401
2660	2665	1	RMS	2660.363	-40.81	-25	Pass	401



1. n2 15kHz


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-27.7	-13	14.7	Pass	401
1849	1850	0.051	RMS	1850	-19.98	-13	6.98	Pass	401
1850	1855	1	RMS	1850.313	19.39	30	10.61	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-26.11	-13	13.11	Pass	401
1849	1850	0.051	RMS	1849.998	-28.82	-13	15.82	Pass	401
1850	1855	1	RMS	1853.775	13.12	30	16.88	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.625	19.33	30	10.67	Pass	401
1910	1911	0.02	RMS	1910.003	-23.31	-13	10.31	Pass	401
1911.5	1920	1	RMS	1911.5	-29.55	-13	16.55	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.325	13.02	30	16.98	Pass	401
1910	1911	0.051	RMS	1910.008	-27.6	-13	14.6	Pass	401
1911.5	1920	1	RMS	1911.5	-24.18	-13	11.18	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-36.49	-13	23.49	Pass	401
1849	1850	0.051	RMS	1850	-24.78	-13	11.78	Pass	401
1850	1865	1	RMS	1850.488	19.47	30	10.53	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-25.34	-13	12.34	Pass	401
1849	1850	0.15	RMS	1850	-32.58	-13	19.58	Pass	401
1850	1865	1	RMS	1862.675	8.4	30	21.6	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1909.475	19.44	30	10.56	Pass	401
1910	1911	0.051	RMS	1910	-24.65	-13	11.65	Pass	401
1911.5	1930	1	RMS	1911.5	-37.37	-13	24.37	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1896.538	9.23	30	20.77	Pass	401
1910	1911	0.15	RMS	1910	-32.1	-13	19.1	Pass	401
1911	1930	1	RMS	1911	-25.07	-13	12.07	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-40.13	-13	27.13	Pass	401
1849	1850	0.2	RMS	1850	-20.56	-13	7.56	Pass	401
1850	1870	1	RMS	1850.5	19.44	30	10.56	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-28.09	-13	15.09	Pass	401
1849	1850	0.2	RMS	1850	-33.31	-13	20.31	Pass	401
1850	1870	1	RMS	1854.9	6.82	30	23.18	Pass	401



1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.45	19.41	30	10.59	Pass	401
1910	1911	0.2	RMS	1910	-20.55	-13	7.55	Pass	401
1911.5	1935	1	RMS	1911.5	-40.45	-13	27.45	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1891.65	7.97	30	22.03	Pass	401
1910	1911	0.2	RMS	1910	-34.25	-13	21.25	Pass	401
1911	1935	1	RMS	1911	-28.99	-13	15.99	Pass	401



1. n5


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-48.7	-13	35.7	Pass	401
823	824	0.02	RMS	823.998	-19.86	-13	6.86	Pass	401
824	829	0.1	RMS	824.338	18.87	30	11.13	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-31.33	-13	18.33	Pass	401
823	824	0.051	RMS	823.998	-25.63	-13	12.63	Pass	401
824	829	0.1	RMS	824.513	5.22	30	24.78	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.76	30	11.24	Pass	401
849	850	0.02	RMS	849	-21.56	-13	8.56	Pass	401
850	859	0.1	RMS	850.788	-49.52	-13	36.52	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.5	5.48	30	24.52	Pass	401
849	850	0.051	RMS	849.003	-28.41	-13	15.41	Pass	401
850	859	0.1	RMS	850.068	-36.88	-13	23.88	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.953	-48.38	-13	35.38	Pass	401
823	824	0.02	RMS	824	-24.94	-13	11.94	Pass	401
824	839	0.1	RMS	824.488	18.75	30	11.25	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.478	-35.34	-13	22.34	Pass	401
823	824	0.15	RMS	823.995	-30.76	-13	17.76	Pass	401
824	839	0.1	RMS	836.9	0.43	30	29.57	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.83	30	11.17	Pass	401
849	850	0.02	RMS	849.003	-27.65	-13	14.65	Pass	401
850	869	0.1	RMS	850	-52.04	-13	39.04	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.663	0.49	30	29.51	Pass	401
849	850	0.15	RMS	849	-32.57	-13	19.57	Pass	401
850	869	0.1	RMS	850	-41.07	-13	28.07	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-48.71	-13	35.71	Pass	401
823	824	0.02	RMS	824	-28.7	-13	15.7	Pass	401
824	844	0.1	RMS	824.55	18.78	30	11.22	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-36.44	-13	23.44	Pass	401
823	824	0.2	RMS	823.998	-32.06	-13	19.06	Pass	401
824	844	0.1	RMS	834.15	-0.72	30	30.72	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.79	30	11.21	Pass	401
849	850	0.02	RMS	849	-30.84	-13	17.84	Pass	401
850	874	0.1	RMS	850	-52.06	-13	39.06	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	836.2	-0.78	30	30.78	Pass	401
849	850	0.2	RMS	849	-34.7	-13	21.7	Pass	401
850	874	0.1	RMS	850	-41.07	-13	28.07	Pass	401



2. n7


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.431	-48.26	-25	23.26	Pass	401
2490.5	2496	1	RMS	2495.986	-45.05	-13	32.05	Pass	401
2496	2498.5	1	RMS	2498.5	-24.89	-10	14.89	Pass	401
2499	2500	0.051	RMS	2500	-16.8	-10	6.8	Pass	401
2500	2505	1	RMS	2500.313	21.31	30	8.69	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.49	-44.46	-25	19.46	Pass	401
2490.5	2496	1	RMS	2496	-29.81	-13	16.81	Pass	401
2496	2498.5	1	RMS	2498.5	-23.25	-10	13.25	Pass	401
2499	2500	0.1	RMS	2499.995	-22.87	-10	12.87	Pass	401
2500	2505	1	RMS	2503.738	15.07	30	14.93	Pass	401




2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.638	21.31	30	8.69	Pass	401
2570	2571	0.051	RMS	2570	-16.5	-10	6.5	Pass	401
2571.5	2575	1	RMS	2571.5	-26.85	-10	16.85	Pass	401
2575	2576	1	RMS	2575.02	-46.22	-13	33.22	Pass	401
2576	2580	1	RMS	2576.06	-46.95	-25	21.95	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2566.175	14.74	30	15.26	Pass	401
2570	2571	0.1	RMS	2570.003	-23.76	-10	13.76	Pass	401
2571	2575	1	RMS	2571	-14.87	-10	4.87	Pass	401
2575	2576	1	RMS	2575.005	-35.2	-13	22.2	Pass	401
2576	2580	1	RMS	2576.01	-39.09	-25	14.09	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.449	-48.14	-25	23.14	Pass	401
2490.5	2496	1	RMS	2495.945	-45.87	-13	32.87	Pass	401
2496	2498.5	1	RMS	2498.5	-40.29	-10	30.29	Pass	4
2499	2500	0.051	RMS	2500	-22.28	-10	12.28	Pass	401
2500	2525	1	RMS	2500.625	20.71	30	9.29	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.5	-33.56	-25	8.56	Pass	401
2490.5	2496	1	RMS	2495.986	-30.54	-13	17.54	Pass	401
2496	2499	1	RMS	2499	-26.06	-10	16.06	Pass	401
2499	2500	0.51	RMS	2500	-16.43	-10	6.43	Pass	401
2500	2525	1	RMS	2512	7.92	30	22.08	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2569.375	21.13	30	8.87	Pass	401
2570	2571	0.051	RMS	2570	-23.37	-10	13.37	Pass	401
2571	2575	1	RMS	2571	-14.82	-10	4.82	Pass	401
2575	2595	1	RMS	2575.1	-45.93	-13	32.93	Pass	401
2595	2600	1	RMS	2595.238	-48.14	-25	23.14	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2554.875	7.4	30	22.6	Pass	401
2570	2571	0.51	RMS	2570	-18.15	-10	8.15	Pass	401
2571	2575	1	RMS	2571.01	-26.3	-10	16.3	Pass	401
2575	2595	1	RMS	2575	-32.22	-13	19.22	Pass	401
2595	2600	1	RMS	2595.063	-45.06	-25	20.06	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2455	2490.5	1	RMS	2490.411	-47.97	-25	22.97	Pass	401
2490.5	2496	1	RMS	2496	-43.95	-13	30.95	Pass	401
2496	2499	1	RMS	2499	-14.36	-10	4.36	Pass	401
2499	2500	0.051	RMS	2499.998	-22.95	-10	12.95	Pass	401
2500	2540	1	RMS	2500.6	21.25	30	8.75	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2455	2490.5	1	RMS	2490.5	-35.41	-25	10.41	Pass	401
2490.5	2496	1	RMS	2495.973	-33.85	-13	20.85	Pass	401
2496	2499	1	RMS	2499	-30.7	-10	20.7	Pass	401
2499	2499.6	0.82	RMS	2499.6	-21.37	-10	11.37	Pass	401
2500	2540	1	RMS	2511.7	6	30	24	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	1	RMS	2569.3	21.14	30	8.86	Pass	401
2570	2571	0.051	RMS	2570	-26.46	-10	16.46	Pass	401
2571	2575	1	RMS	2571	-16.32	-10	6.32	Pass	401
2575	2610	1	RMS	2575	-45.73	-13	32.73	Pass	401
2610	2615	1	RMS	2615	-47.9	-25	22.9	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	1	RMS	2558.9	5.46	30	24.54	Pass	401
2570.4	2571	0.82	RMS	2570.4	-22.87	-10	12.87	Pass	401
2571	2575	1	RMS	2571	-31.02	-10	21.02	Pass	401
2575	2610	1	RMS	2575	-34.95	-13	21.95	Pass	401
2610	2615	1	RMS	2614.988	-47.9	-25	22.9	Pass	401



2. n12 15kHz


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-18.86	-13	5.86	Pass	401
698.9	699	0.03	RMS	699	-18.35	-13	5.35	Pass	401
699	704	0.1	RMS	699.325	18.55	30	11.45	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-26.24	-13	13.24	Pass	401
698.9	699	0.03	RMS	698.999	-28.9	-13	15.9	Pass	401
699	704	0.1	RMS	703.625	5.33	30	24.67	Pass	401



2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	18.8	30	11.2	Pass	401
716	716.1	0.03	RMS	716	-20.63	-13	7.63	Pass	401
716.1	726	0.1	RMS	716.1	-21.3	-13	8.3	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	714.475	5.01	30	24.99	Pass	401
716	716.1	0.03	RMS	716.002	-29.13	-13	16.13	Pass	401
716.1	726	0.1	RMS	716.1	-26.9	-13	13.9	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-20.31	-13	7.31	Pass	401
698.9	699	0.03	RMS	699	-20.31	-13	7.31	Pass	401
699	709	0.1	RMS	699.4	18.59	30	11.41	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-32.02	-13	19.02	Pass	401
698.9	699	0.03	RMS	698.999	-35.16	-13	22.16	Pass	401
699	709	0.1	RMS	707.325	2.49	30	27.51	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	18.69	30	11.31	Pass	401
716	716.1	0.03	RMS	716.001	-22.98	-13	9.98	Pass	401
716.1	731	0.1	RMS	716.1	-22.61	-13	9.61	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.75	2.1	30	27.9	Pass	401
716	716.1	0.03	RMS	716.001	-35.1	-13	22.1	Pass	401
716.1	731	0.1	RMS	716.1	-32.84	-13	19.84	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-23.06	-13	10.06	Pass	401
698.9	699	0.03	RMS	698.999	-23.37	-13	10.37	Pass	401
699	714	0.1	RMS	699.488	18.69	30	11.31	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-35.58	-13	22.58	Pass	401
698.9	699	0.03	RMS	698.963	-38.96	-13	25.96	Pass	401
699	714	0.1	RMS	707.025	0.56	30	29.44	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	18.68	30	11.32	Pass	401
716	716.1	0.03	RMS	716.001	-26.09	-13	13.09	Pass	401
716.1	736	0.1	RMS	716.1	-25.99	-13	12.99	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	705.425	0.53	30	29.47	Pass	401
716	716.1	0.03	RMS	716.004	-38.23	-13	25.23	Pass	401
716.1	736	0.1	RMS	716.1	-35.51	-13	22.51	Pass	401



3. n26 15kHz_Part22


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Path loss (dB)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.953	-49.39	8.91	-13	36.39	Pass	401
823	824	0.15	RMS	824	-17	8.92	-13	4	Pass	8
824	839	0.1	RMS	824.45	18.8	8.92	30	11.2	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-31.33	-13	18.33	Pass	401
823	824	0.051	RMS	824	-25.4	-13	12.4	Pass	401
824	829	0.1	RMS	824.513	5.27	30	24.73	Pass	401



3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	18.71	30	11.29	Pass	401
849	850	0.051	RMS	849	-17.29	-13	4.29	Pass	401
850	859	0.1	RMS	850	-51.26	-13	38.26	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.475	5.63	30	24.37	Pass	401
849	850	0.051	RMS	849	-28.27	-13	15.27	Pass	401
850	859	0.1	RMS	850.068	-36.52	-13	23.52	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Path loss (dB)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-48.83	8.91	-13	35.83	Pass	401
823	824	0.05	RMS	824	-16.65	8.92	-13	3.65	Pass	21
824	829	0.1	RMS	824.325	18.83	8.92	30	11.17	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.81	-35.1	-13	22.1	Pass	401
823	824	0.15	RMS	823.998	-30.47	-13	17.47	Pass	401
824	839	0.1	RMS	834.538	0.52	30	29.48	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.89	30	11.11	Pass	401
849	850	0.15	RMS	849.003	-17.81	-13	4.81	Pass	401
850	869	0.1	RMS	850	-51.63	-13	38.63	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.813	0.71	30	29.29	Pass	401
849	850	0.15	RMS	849.003	-32.34	-13	19.34	Pass	401
850	869	0.1	RMS	850	-39.93	-13	26.93	Pass	401




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-48.43	-13	35.43	Pass	401
823	824	0.2	RMS	823.998	-16.49	-13	3.49	Pass	401
824	844	0.1	RMS	824.55	18.89	30	11.11	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-36.35	-13	23.35	Pass	401
823	824	0.2	RMS	824	-31.91	-13	18.91	Pass	401
824	844	0.1	RMS	834.15	-0.63	30	30.63	Pass	401




3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.76	30	11.24	Pass	401
849	850	0.2	RMS	849	-19.04	-13	6.04	Pass	401
850	874	0.1	RMS	850	-51.83	-13	38.83	Pass	401



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	836.2	-0.61	30	30.61	Pass	401
849	850	0.2	RMS	849.008	-34.57	-13	21.57	Pass	401
850	874	0.1	RMS	850	-40.77	-13	27.77	Pass	401



1. n26 15kHz_Part90


1.9. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-19.83	-13	6.83	Pass	401
813.9625	814	0.002	RMS	813.995	-29.57	-20	9.57	Pass	401
814	819	0.1	RMS	814.338	18.71	30	11.29	Pass	401




1.17. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-27.12	-13	14.12	Pass	401
813.9625	814	0.051	RMS	814	-25.36	-20	5.36	Pass	401
814	819	0.1	RMS	817.938	5.27	30	24.73	Pass	401




1.22. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	18.85	30	11.15	Pass	401
824	824.0375	0.002	RMS	824.007	-29.2	-20	9.2	Pass	401
824.0375	829	0.051	RMS	824.038	-19.41	-13	6.41	Pass	401




1.23. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.463	5.53	30	24.47	Pass	401
824	824.0375	0.051	RMS	824.002	-28.94	-20	8.94	Pass	401
824.0375	829	0.051	RMS	824.038	-30.06	-13	17.06	Pass	401




1.13. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-17.6	-13	4.6	Pass	401
813.9625	814	0.002	RMS	813.995	-31.38	-20	11.38	Pass	401
814	824	0.1	RMS	814.4	18.66	30	11.34	Pass	401




1.19. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-28.42	-13	15.42	Pass	401
813.9625	814	0.1	RMS	814	-27.58	-20	7.58	Pass	401
814	824	0.1	RMS	816.75	2.31	30	27.69	Pass	401




1.24. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	18.7	30	11.3	Pass	401
824	824.0375	0.002	RMS	824.01	-30.83	-20	10.83	Pass	401
824.0375	834	0.1	RMS	824.038	-17.54	-13	4.54	Pass	401



1.25. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	817.825	2.33	30	27.67	Pass	401
824	824.0375	0.1	RMS	824.001	-29.57	-20	9.57	Pass	401
824.0375	834	0.1	RMS	824.038	-30.75	-13	17.75	Pass	401



4. n38_PC3


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.688	-47.61	-25	22.61	Pass	401
2560	2565	1	RMS	2562.538	-39.51	-13	26.51	Pass	401
2565	2569	1	RMS	2569	-21.62	-10	11.62	Pass	401
2569	2570	0.051	RMS	2569.993	-24.05	-10	14.05	Pass	401
2570	2580	1	RMS	2570.85	20.64	30	9.36	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.95	-41.55	-25	16.55	Pass	401
2560	2565	1	RMS	2564.975	-35.12	-13	22.12	Pass	401
2565	2569	1	RMS	2569	-27.43	-10	17.43	Pass	401
2569	2570	0.2	RMS	2569.993	-25.77	-10	15.77	Pass	401
2570	2580	1	RMS	2571.75	11.93	30	18.07	Pass	401




4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2619.15	20.54	30	9.46	Pass	401
2620	2621	0.051	RMS	2620.003	-25.55	-10	15.55	Pass	401
2621	2625	1	RMS	2621	-24.14	-10	14.14	Pass	401
2625	2630	1	RMS	2627.313	-40.84	-13	27.84	Pass	401
2630	2635	1	RMS	2632.325	-47.33	-25	22.33	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2618.25	11.79	30	18.21	Pass	401
2620	2621	0.2	RMS	2620.003	-27.42	-10	17.42	Pass	401
2621	2625	1	RMS	2621.01	-28.81	-10	18.81	Pass	401
2625	2630	1	RMS	2625.025	-37.19	-13	24.19	Pass	401
2630	2635	1	RMS	2630.038	-43.52	-25	18.52	Pass	401




4.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.063	-47.87	-25	22.87	Pass	401
2550	2565	1	RMS	2553.075	-44.73	-13	31.73	Pass	401
2565	2569	1	RMS	2569	-25.82	-10	15.82	Pass	401
2569	2570	0.051	RMS	2570	-25.73	-10	15.73	Pass	401
2570	2590	1	RMS	2570.95	20.8	30	9.2	Pass	401




4.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.925	-43.75	-25	18.75	Pass	401
2550	2565	1	RMS	2563.838	-36.02	-13	23.02	Pass	401
2565	2569	1	RMS	2569	-32.84	-10	22.84	Pass	401
2569	2570	0.39	RMS	2570	-28.04	-10	18.04	Pass	401
2570	2590	1	RMS	2587.45	8.98	30	21.02	Pass	401




4.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619.05	20.77	30	9.23	Pass	401
2620	2621	0.051	RMS	2620	-27.47	-10	17.47	Pass	401
2621	2625	1	RMS	2621	-27.73	-10	17.73	Pass	401
2625	2640	1	RMS	2637	-44.65	-13	31.65	Pass	401
2640	2645	1	RMS	2640.638	-47.22	-25	22.22	Pass	401




4.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2617.95	9.12	30	20.88	Pass	401
2620	2621	0.39	RMS	2620.003	-29.11	-10	19.11	Pass	401
2621	2625	1	RMS	2621	-31.83	-10	21.83	Pass	401
2625	2640	1	RMS	2625.038	-36.13	-13	23.13	Pass	401
2640	2645	1	RMS	2640.05	-43.22	-25	18.22	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.738	-48.09	-25	23.09	Pass	401
2530	2565	1	RMS	2552.225	-46.56	-13	33.56	Pass	401
2565	2569	1	RMS	2569	-29.59	-10	19.59	Pass	401
2569	2570	0.051	RMS	2569.99	-28.82	-10	18.82	Pass	401
2570	2610	1	RMS	2571	20.85	30	9.15	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.838	-45.21	-25	20.21	Pass	401
2530	2565	1	RMS	2565	-38.59	-13	25.59	Pass	401
2565	2569	1	RMS	2569	-34.47	-10	24.47	Pass	401
2569	2570	0.82	RMS	2570	-19.41	-10	9.41	Pass	401
2570	2610	1	RMS	2607.5	6.18	30	23.82	Pass	401




4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	20.7	30	9.3	Pass	401
2620	2621	0.051	RMS	2620.005	-29.86	-10	19.86	Pass	401
2621	2625	1	RMS	2621	-29.73	-10	19.73	Pass	401
2625	2660	1	RMS	2656.763	-46.23	-13	33.23	Pass	401
2660	2665	1	RMS	2664.538	-47.18	-25	22.18	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2616.1	6.21	30	23.79	Pass	401
2620	2621	0.82	RMS	2620	-19.96	-10	9.96	Pass	401
2621	2625	1	RMS	2621.01	-33.12	-10	23.12	Pass	401
2625	2660	1	RMS	2625	-36.32	-13	23.32	Pass	401
2660	2665	1	RMS	2660.025	-43.69	-25	18.69	Pass	401



5. n41


5.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2488.505	-40.04	-25	15.04	Pass	401
2490.5	2495	1	RMS	2495	-21.73	-13	8.73	Pass	401
2495	2496	0.051	RMS	2496	-23.89	-13	10.89	Pass	401
2496	2506	1	RMS	2496.825	20.87	40	19.13	Pass	401




5.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2490	-33.7	-25	8.7	Pass	10
2490.5	2495	1	RMS	2494.989	-26.06	-13	13.06	Pass	401
2495	2496	0.2	RMS	2495.998	-24.95	-13	11.95	Pass	401
2496	2506	1	RMS	2504.2	12.11	40	27.89	Pass	401



5.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.125	20.75	40	19.25	Pass	401
2690	2691	0.051	RMS	2690	-25.13	-10	15.13	Pass	401
2691	2695	1	RMS	2691	-23.87	-10	13.87	Pass	401
2695	2700	1	RMS	2697.288	-42.63	-13	29.63	Pass	401
2700	2705	1	RMS	2700.2	-46.93	-25	21.93	Pass	401




5.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2688.2	12.07	40	27.93	Pass	401
2690	2691	0.2	RMS	2690.005	-27.86	-10	17.86	Pass	401
2691	2695	1	RMS	2691.01	-29.64	-10	19.64	Pass	401
2695	2700	1	RMS	2695.025	-37.03	-13	24.03	Pass	401
2700	2705	1	RMS	2700	-41.94	-25	16.94	Pass	401




5.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.351	-47.84	-25	22.84	Pass	401
2490.5	2495	1	RMS	2495	-27.33	-13	14.33	Pass	401
2495	2496	0.051	RMS	2496	-28.8	-13	15.8	Pass	401
2496	2556	1	RMS	2496.9	20.84	40	19.16	Pass	401




5.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.351	-35.98	-25	10.98	Pass	401
2490.5	2495	1	RMS	2495	-33.47	-13	20.47	Pass	401
2495	2495.4	1.2	RMS	2495.4	-21.82	-13	8.82	Pass	401
2496	2556	1	RMS	2503.95	3.97	40	36.03	Pass	401




5.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	20.76	40	19.24	Pass	401
2690	2691	0.051	RMS	2690	-29.36	-10	19.36	Pass	401
2691	2695	1	RMS	2691	-29.91	-10	19.91	Pass	401
2695	2750	1	RMS	2695	-46.52	-13	33.52	Pass	401
2750	2755	1	RMS	2753.788	-47.73	-25	22.73	Pass	401




5.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2636.15	3.87	40	36.13	Pass	401
2690.6	2691	1.2	RMS	2690.601	-24.01	-10	14.01	Pass	401
2691	2695	1	RMS	2691.02	-35.56	-10	25.56	Pass	401
2695	2750	1	RMS	2695	-38.6	-13	25.6	Pass	401
2750	2755	1	RMS	2750.125	-45.15	-25	20.15	Pass	401




5.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-47.86	-25	22.86	Pass	401
2490.5	2495	1	RMS	2494.989	-28.26	-13	15.26	Pass	401
2495	2496	0.051	RMS	2496	-28.35	-13	15.35	Pass	401
2496	2596	1	RMS	2497	20.69	40	19.31	Pass	401




5.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-37.02	-25	12.02	Pass	401
2490.5	2495	1	RMS	2494.921	-35.13	-13	22.13	Pass	401
2495	2495.5	1	RMS	2495.499	-29.49	-13	16.49	Pass	401
2496	2596	1	RMS	2511	1.86	40	38.14	Pass	401




5.13. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.62	40	19.38	Pass	401
2690	2691	0.051	RMS	2690.008	-29.03	-10	19.03	Pass	401
2691	2695	1	RMS	2691.01	-29.04	-10	19.04	Pass	401
2695	2790	1	RMS	2695	-46.44	-13	33.44	Pass	401
2790	2795	1	RMS	2791.325	-47.5	-25	22.5	Pass	401



5.14. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2688	1.67	40	38.33	Pass	401
2690	2691	1	RMS	2690	-15.82	-10	5.82	Pass	401
2691	2695	1	RMS	2691.09	-36.08	-10	26.08	Pass	401
2695	2790	1	RMS	2695.238	-37.83	-13	24.83	Pass	401
2790	2795	1	RMS	2790.55	-47.5	-25	22.5	Pass	401



1. n48 30kHz


1.9. Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.55	-52.67	-40	12.67	Pass	401
3530	3540	1	RMS	3539.925	-51.03	-25	26.03	Pass	401
3540	3549	1	RMS	3549	-25.68	-13	12.68	Pass	401
3549	3550	0.1	RMS	3549.995	-23.66	-13	10.66	Pass	401
3550	3560	1	RMS	3550.825	18.89	40	21.11	Pass	401




1.10. Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.85	-52.59	-40	12.59	Pass	401
3530	3540	1	RMS	3539.95	-47.03	-25	22.03	Pass	401
3540	3549	1	RMS	3549	-27.83	-13	14.83	Pass	401
3549	3550	0.1	RMS	3550	-30.91	-13	17.91	Pass	401
3550	3560	1	RMS	3557.95	9.97	40	30.03	Pass	401



1.11. Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.15	19.56	40	20.44	Pass	401
3700	3701	0.1	RMS	3700.003	-24.37	-13	11.37	Pass	401
3701	3710	1	RMS	3701	-27.27	-13	14.27	Pass	401
3710	3720	1	RMS	3710.025	-49.99	-25	24.99	Pass	401
3720	3750	1	RMS	3720.825	-51.46	-40	11.46	Pass	401




1.12. Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3698.125	10.55	40	29.45	Pass	401
3700	3701	0.1	RMS	3700	-30.24	-13	17.24	Pass	401
3701	3710	1	RMS	3701	-26.83	-13	13.83	Pass	401
3710	3720	1	RMS	3710.1	-48.93	-25	23.93	Pass	401
3720	3750	1	RMS	3720.825	-51.49	-40	11.49	Pass	401




1.1. Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3528.425	-52.7	-40	12.7	Pass	401
3530	3540	1	RMS	3538.05	-49.82	-25	24.82	Pass	401
3540	3549	1	RMS	3549	-29.87	-13	16.87	Pass	401
3549	3550	0.051	RMS	3550	-28.22	-13	15.22	Pass	401
3550	3570	1	RMS	3551	18.96	40	21.04	Pass	401




1.2. Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-49.37	-40	9.37	Pass	401
3530	3540	1	RMS	3539.975	-38.81	-25	13.81	Pass	401
3540	3549	1	RMS	3549	-26.9	-13	13.9	Pass	401
3549	3550	0.2	RMS	3549.983	-30.37	-13	17.37	Pass	401
3550	3570	1	RMS	3560.75	6.98	40	33.02	Pass	401




1.3. Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699.05	19.51	40	20.49	Pass	401
3700	3701	0.051	RMS	3700.003	-27.8	-13	14.8	Pass	401
3701	3710	1	RMS	3701	-29.52	-13	16.52	Pass	401
3710	3720	1	RMS	3710.2	-49.44	-25	24.44	Pass	401
3720	3750	1	RMS	3720.45	-51.36	-40	11.36	Pass	401




1.4. Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3694.8	7.39	40	32.61	Pass	401
3700	3701	0.2	RMS	3700.003	-32.33	-13	19.33	Pass	401
3701	3710	1	RMS	3701.023	-28.72	-13	15.72	Pass	401
3710	3720	1	RMS	3710.1	-38.14	-25	13.14	Pass	401
3720	3750	1	RMS	3720.15	-49.42	-40	9.42	Pass	401




1.5. Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.475	-52.17	-40	12.17	Pass	401
3530	3540	1	RMS	3539.75	-50.62	-25	25.62	Pass	401
3540	3549	1	RMS	3549	-31.94	-13	18.94	Pass	401
3549	3550	0.051	RMS	3550	-31.05	-13	18.05	Pass	401
3550	3590	1	RMS	3551.1	19.07	40	20.93	Pass	401




1.6. Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3529.5	-40.93	-40	0.93	Pass*	31
3530	3540	1	RMS	3540	-35.92	-25	10.92	Pass	401
3540	3549	1	RMS	3548.978	-30.67	-13	17.67	Pass	401
3549	3550	0.39	RMS	3549.983	-31.8	-13	18.8	Pass	401
3550	3590	1	RMS	3562.5	3.84	40	36.16	Pass	401



1.7. Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3698.9	19.76	40	20.24	Pass	401
3700	3701	0.051	RMS	3700	-31.34	-13	18.34	Pass	401
3701	3710	1	RMS	3701	-33.91	-13	20.91	Pass	401
3710	3720	1	RMS	3710.05	-49.61	-25	24.61	Pass	401
3720	3750	1	RMS	3720.075	-51.04	-40	11.04	Pass	401



1.8. Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3680.6	4.62	40	35.38	Pass	401
3700	3701	0.39	RMS	3700.003	-32.77	-13	19.77	Pass	401
3701	3710	1	RMS	3701	-31.9	-13	18.9	Pass	401
3710	3720	1	RMS	3710.25	-37.39	-25	12.39	Pass	401
3720.5	3750	1	RMS	3720.5	-41.83	-40	1.83	Pass*	31



3. n66 15kHz


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-25.7	-13	12.7	Pass	401
1709	1710	0.051	RMS	1710	-16.17	-13	3.17	Pass	401
1710	1715	1	RMS	1710.313	21.27	30	8.73	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-23.32	-13	10.32	Pass	401
1709	1710	0.051	RMS	1710	-25.53	-13	12.53	Pass	401
1710	1715	1	RMS	1713.738	15.09	30	14.91	Pass	401




3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.65	21.32	30	8.68	Pass	401
1780	1781	0.051	RMS	1780.003	-17.83	-13	4.83	Pass	401
1781.5	1790	1	RMS	1781.5	-27.74	-13	14.74	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.288	15.02	30	14.98	Pass	401
1780	1781	0.051	RMS	1780.003	-26.76	-13	13.76	Pass	401
1781.5	1790	1	RMS	1781.5	-27.62	-13	14.62	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-38.7	-13	25.7	Pass	401
1709	1710	0.2	RMS	1710	-17.95	-13	4.95	Pass	401
1710	1730	1	RMS	1710.5	21.36	30	8.64	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-28.93	-13	15.93	Pass	401
1709	1710	0.2	RMS	1710	-30.93	-13	17.93	Pass	401
1710	1730	1	RMS	1711.7	9.09	30	20.91	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	21.39	30	8.61	Pass	401
1780	1781	0.2	RMS	1780	-18.87	-13	5.87	Pass	401
1781.5	1805	1	RMS	1781.5	-40.26	-13	27.26	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1761.5	9.28	30	20.72	Pass	401
1780	1781	0.2	RMS	1780	-32.77	-13	19.77	Pass	401
1781.5	1805	1	RMS	1781.5	-31.82	-13	18.82	Pass	401




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-41.01	-13	28.01	Pass	401
1709	1709.8	0.39	RMS	1709.8	-24.04	-13	11.04	Pass	401
1710	1750	1	RMS	1710.7	21.37	30	8.63	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-30.13	-13	17.13	Pass	401
1709	1710	0.39	RMS	1710	-29.43	-13	16.43	Pass	401
1710	1750	1	RMS	1722.6	6.36	30	23.64	Pass	401




3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	21.34	30	8.66	Pass	401
1780.2	1781	0.39	RMS	1780.2	-25.72	-13	12.72	Pass	401
1781.5	1825	1	RMS	1781.5	-43.87	-13	30.87	Pass	45



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1752.7	6.1	30	23.9	Pass	401
1780	1781	0.39	RMS	1780	-30.55	-13	17.55	Pass	401
1781	1825	1	RMS	1781	-30.11	-13	17.11	Pass	401



4. n77 30kHz(3700-3980)


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-44.73	-13	31.73	Pass	401
3695	3699	0.62	RMS	3699	-34.1	-13	21.1	Pass	401
3699	3700	0.051	RMS	3699.998	-22.82	-13	9.82	Pass	401
3700	3710	1	RMS	3700.85	21.9	40	18.1	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-38.62	-13	25.62	Pass	401
3695	3699	0.62	RMS	3699	-35.59	-13	22.59	Pass	401
3699	3700	0.39	RMS	3699.993	-24.29	-13	11.29	Pass	401
3700	3710	1	RMS	3702.225	10.81	40	29.19	Pass	401




4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.075	22.58	40	17.42	Pass	401
3980	3981	0.051	RMS	3980	-26.67	-13	13.67	Pass	401
3981	3985	0.62	RMS	3981	-34.15	-13	21.15	Pass	401
3985	3995	1	RMS	3985.05	-43.88	-13	30.88	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3972	12.2	40	27.8	Pass	401
3980	3981	0.39	RMS	3980	-24.2	-13	11.2	Pass	401
3981	3985	0.62	RMS	3981	-34.87	-13	21.87	Pass	401
3985	3995	1	RMS	3985.325	-37.38	-13	24.38	Pass	401




4.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3645.625	-44.18	-13	31.18	Pass	401
3695	3699	0.62	RMS	3698.99	-39.5	-13	26.5	Pass	401
3699	3700	0.39	RMS	3700	-24.75	-13	11.75	Pass	401
3700	3750	1	RMS	3701.25	19.06	40	20.94	Pass	401




4.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694	-41.57	-13	28.57	Pass	401
3695	3699	0.62	RMS	3698.94	-41.61	-13	28.61	Pass	401
3699	3700	0.39	RMS	3700	-38.07	-13	25.07	Pass	401
3700	3750	1	RMS	3738.75	3.63	40	36.37	Pass	401



4.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	20.03	40	19.97	Pass	401
3980	3981	0.39	RMS	3980.008	-25.5	-13	12.5	Pass	401
3981	3985	0.62	RMS	3981.01	-37.71	-13	24.71	Pass	401
3985	4035	1	RMS	3985	-43.6	-13	30.6	Pass	401




4.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3933.75	4.44	40	35.56	Pass	401
3980	3981	0.39	RMS	3980.003	-38.38	-13	25.38	Pass	401
3981	3985	0.62	RMS	3981.16	-39.98	-13	26.98	Pass	401
3985	4035	1	RMS	3991.375	-38.81	-13	25.81	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3597.5	-43.53	-13	30.53	Pass	401
3695	3699	0.62	RMS	3698.99	-37.73	-13	24.73	Pass	401
3699	3700	0.051	RMS	3700	-29.64	-13	16.64	Pass	401
3700	3800	1	RMS	3701	18.81	40	21.19	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.25	-40.28	-13	27.28	Pass	401
3695	3699	0.62	RMS	3697.77	-42.24	-13	29.24	Pass	401
3699	3700	0.39	RMS	3700	-37.84	-13	24.84	Pass	401
3700	3800	1	RMS	3715.5	0.68	40	39.32	Pass	401




4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	19.71	40	20.29	Pass	401
3980	3981	0.051	RMS	3980	-28.93	-13	15.93	Pass	401
3981	3985	0.62	RMS	3981.02	-35.58	-13	22.58	Pass	401
3985	4085	1	RMS	3985	-43.57	-13	30.57	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3908.5	1.59	40	38.41	Pass	401
3980	3981	0.39	RMS	3980.003	-38.03	-13	25.03	Pass	401
3981	3985	0.62	RMS	3982.7	-41.04	-13	28.04	Pass	401
3985	4085	1	RMS	3987	-40.24	-13	27.24	Pass	401



5. n78 30kHz(3700-3800)


5.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-44.75	-13	31.75	Pass	401
3695	3699	0.62	RMS	3699	-33.2	-13	20.2	Pass	401
3699	3700	0.051	RMS	3699.998	-23.56	-13	10.56	Pass	401
3700	3710	1	RMS	3700.825	21.87	40	18.13	Pass	401




5.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3693.6	-34.2	-13	21.2	Pass	401
3695	3699	0.62	RMS	3698.09	-30.27	-13	17.27	Pass	401
3699	3700	0.39	RMS	3699.983	-23.48	-13	10.48	Pass	401
3700	3710	1	RMS	3702.2	11.42	40	28.58	Pass	401




5.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3799.1	22.83	40	17.17	Pass	401
3800	3801	0.051	RMS	3800.003	-23.94	-13	10.94	Pass	401
3801	3805	0.62	RMS	3801	-33.23	-13	20.23	Pass	401
3805	3815	1	RMS	3805.1	-44.33	-13	31.33	Pass	401




5.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3795.7	11.43	40	28.57	Pass	401
3800	3801	0.39	RMS	3800.17	-22.39	-13	9.39	Pass	401
3801	3805	0.62	RMS	3803.47	-30.38	-13	17.38	Pass	401
3805	3815	1	RMS	3807.05	-34.04	-13	21.04	Pass	401




5.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3645.625	-44.21	-13	31.21	Pass	401
3695	3699	0.62	RMS	3698.97	-39.23	-13	26.23	Pass	401
3699	3700	0.39	RMS	3700	-25.01	-13	12.01	Pass	401
3700	3750	1	RMS	3701.25	18.97	40	21.03	Pass	401




5.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3693.875	-32.11	-13	19.11	Pass	401
3695	3699	0.62	RMS	3698.31	-32.19	-13	19.19	Pass	401
3699	3700	0.39	RMS	3699.855	-32.2	-13	19.2	Pass	401
3700	3750	1	RMS	3736.875	4.18	40	35.82	Pass	401




5.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	19.37	40	20.63	Pass	401
3800	3801	0.39	RMS	3800.003	-25.57	-13	12.57	Pass	401
3801	3805	0.62	RMS	3801	-38.06	-13	25.06	Pass	401
3805	3855	1	RMS	3805	-45.23	-13	32.23	Pass	401




5.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3755.375	4.5	40	35.5	Pass	401
3800	3801	0.39	RMS	3800.108	-32.14	-13	19.14	Pass	401
3801	3805	0.62	RMS	3801.46	-31.4	-13	18.4	Pass	401
3805	3855	1	RMS	3811.5	-35.27	-13	22.27	Pass	401




5.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3596.5	-43.47	-13	30.47	Pass	401
3695	3699	0.62	RMS	3698.99	-37.46	-13	24.46	Pass	401
3699	3700	0.051	RMS	3700	-29.69	-13	16.69	Pass	401
3700	3800	1	RMS	3701	18.82	40	21.18	Pass	401




5.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.5	-30.69	-13	17.69	Pass	401
3695	3699	0.62	RMS	3699	-32.54	-13	19.54	Pass	401
3699	3700	0.39	RMS	3699.595	-34.18	-13	21.18	Pass	401
3700	3800	1	RMS	3718.75	1.18	40	38.82	Pass	401




5.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	19.27	40	20.73	Pass	401
3800	3801	0.051	RMS	3800	-29.73	-13	16.73	Pass	401
3801	3805	0.62	RMS	3801	-36.78	-13	23.78	Pass	401
3805	3905	1	RMS	3896.75	-45.05	-13	32.05	Pass	401



5.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3726	1.2	40	38.8	Pass	401
3800	3801	0.39	RMS	3800.593	-35.8	-13	22.8	Pass	401
3801	3805	0.62	RMS	3801.75	-33.36	-13	20.36	Pass	401
3805	3905	1	RMS	3844	-34.05	-13	21.05	Pass	401



--BLANK BELOW--