





3.6.4 TEST SETUP

< Frequency Range below 30MHz >




< Frequency Range 30MHz~1GHz >





<Frequency Range above 1GHz>



Note: Above 1G is a directional antenna

Depending on the EUT height and the antenna 3dB beamwidth both, refer to section 7.3 of CISPR 16-2-3.

For the actual test configuration, please refer to the attached file (Test Setup Photo).



3.6.5 TEST RESULTS

NOTE : The 9K~30MHz amplitude of spurious emissions attenuated more than 20 dB below the permissible value is not required in the report.

BELOW 1GHz WORST-CASE DATA


30 MHz – 1GHz data:

GSM1900(Ant4) (UP):

CHANNEL BANDWIDTH: 512 ~ 810

MODE	TX channel 661	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase	
	MHz	dBm/m	dBm	dBm/m	dB	dB/m			
1	PP	30.000	-59.42	-57.44	-13.00	-46.42	-1.98	Peak	Horizontal
2		88.200	-71.94	-59.21	-13.00	-58.94	-12.73	Peak	Horizontal
3		149.310	-67.80	-53.44	-13.00	-54.80	-14.36	Peak	Horizontal
4		203.630	-73.20	-58.14	-13.00	-60.20	-15.06	Peak	Horizontal
5		372.410	-72.89	-65.44	-13.00	-59.89	-7.45	Peak	Horizontal
6		796.300	-59.60	-64.80	-13.00	-46.60	5.20	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 661	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	30.000	-76.32	-54.62	-13.00	-63.32	-21.70	Peak	Vertical
2	64.920	-64.05	-44.66	-13.00	-51.05	-19.39	Peak	Vertical
3	87.230	-62.28	-44.46	-13.00	-49.28	-17.82	Peak	Vertical
4	192.960	-66.75	-59.45	-13.00	-53.75	-7.30	Peak	Vertical
5	299.660	-64.21	-60.80	-13.00	-51.21	-3.41	Peak	Vertical
6 PP	870.020	-54.22	-64.22	-13.00	-41.22	10.00	Peak	Vertical





**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

ABOVE 1GHz DATA

Note: For higher frequency, the emission is too low to be detected.


WORST-CASE DATA

GSM 1900(Ant4) (UP):

CH 512

MODE	TX channel 512	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3700.000	-41.40	-49.80	-13.00	-28.40	8.40	Peak	Horizontal
2	5551.000	-46.73	-58.53	-13.00	-33.73	11.80	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 512	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3701.000	-48.23	-56.86	-13.00	-35.23	8.63	Peak	Vertical
2 PP	5550.000	-41.56	-53.89	-13.00	-28.56	12.33	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CH 661

MODE	TX channel 661	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3756.500	-43.34	-51.69	-13.00	-30.34	8.35	Peak	Horizontal
2	5640.000	-49.79	-61.60	-13.00	-36.79	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 661	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.15	-59.78	-13.00	-38.15	8.63	Peak	Vertical
2	PP 5643.500	-45.72	-58.04	-13.00	-32.72	12.32	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CH 810

MODE	TX channel 810	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3812.000	-44.65	-52.96	-13.00	-31.65	8.31	Peak	Horizontal
2	5727.000	-47.52	-59.34	-13.00	-34.52	11.82	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 810	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3818.000	-49.49	-58.12	-13.00	-36.49	8.63	Peak	Vertical
2	PP 5736.000	-42.76	-55.07	-13.00	-29.76	12.31	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-240618W001RF06

EDGE 1900(Ant1) (DOWN):

CH 512

MODE	TX channel 512	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3701.000	-41.65	-50.05	-13.00	-28.65	8.40	Peak	Horizontal
2	5550.000	-48.36	-60.16	-13.00	-35.36	11.80	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 512	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3700.000	-48.36	-56.99	-13.00	-35.36	8.63	Peak	Vertical
2 PP	5551.000	-43.92	-56.25	-13.00	-30.92	12.33	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CH 661

MODE	TX channel 661	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3756.500	-44.09	-52.44	-13.00	-31.09	8.35	Peak	Horizontal
2	5640.000	-49.52	-61.33	-13.00	-36.52	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 661	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-50.10	-58.73	-13.00	-37.10	8.63	Peak	Vertical
2 PP	5643.500	-46.46	-58.78	-13.00	-33.46	12.32	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CH 810

MODE	TX channel 810	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3818.000	-43.80	-52.11	-13.00	-30.80	8.31	Peak	Horizontal
2	5736.000	-48.12	-59.94	-13.00	-35.12	11.82	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 810	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3812.000	-47.88	-56.51	-13.00	-34.88	8.63	Peak	Vertical
2 PP	5727.000	-47.16	-59.47	-13.00	-34.16	12.31	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-240618W001RF06

WCDMA Band II(Ant1) (DOWN):

CH 9262

MODE	TX channel 9262	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3701.000	-51.76	-60.16	-13.00	-38.76	8.40	Peak	Horizontal
2 PP	5557.200	-49.61	-61.41	-13.00	-36.61	11.80	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 9262	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3704.800	-51.67	-60.30	-13.00	-38.67	8.63	Peak	Vertical
2 PP	5551.000	-49.52	-61.85	-13.00	-36.52	12.33	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CH 9400

MODE	TX channel 9400	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-50.40	-58.75	-13.00	-37.40	8.35	Peak	Horizontal
2 PP	5643.500	-49.89	-61.70	-13.00	-36.89	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 9400	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-49.32	-57.95	-13.00	-36.32	8.63	Peak	Vertical
2 PP	5640.000	-48.12	-60.44	-13.00	-35.12	12.32	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CH 9538

MODE	TX channel 9538	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3815.200	-50.36	-58.67	-13.00	-37.36	8.31	Peak	Horizontal
2 PP	5717.500	-49.98	-61.80	-13.00	-36.98	11.82	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 9538	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3812.000	-51.58	-60.21	-13.00	-38.58	8.63	Peak	Vertical
2 PP	5722.800	-50.21	-62.52	-13.00	-37.21	12.31	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-240618W001RF06

LTE Band 2(Ant1) (DOWN):

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-51.19	-59.54	-13.00	-38.19	8.35	Peak	Horizontal
2 PP	5640.000	-50.58	-62.39	-13.00	-37.58	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.47	-60.10	-13.00	-38.47	8.63	Peak	Vertical
2 PP	5643.500	-50.53	-62.85	-13.00	-37.53	12.32	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-240618W001RF06

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-50.20	-58.55	-13.00	-37.20	8.35	Peak	Horizontal
2 PP	5640.000	-49.40	-61.21	-13.00	-36.40	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	PoI/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.31	-59.94	-13.00	-38.31	8.63	Peak	Vertical
2	PP 5643.500	-49.95	-62.27	-13.00	-36.95	12.32	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.99	-60.34	-13.00	-38.99	8.35	Peak	Horizontal
2 PP	5643.500	-50.48	-62.29	-13.00	-37.48	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-52.67	-61.30	-13.00	-39.67	8.63	Peak	Vertical
2 PP	5640.000	-49.47	-61.79	-13.00	-36.47	12.32	Peak	Vertical






CHANNEL BANDWIDTH: 10MHz / QPSK

CH18650

MODE	TX channel 18650	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3701.000	-50.53	-58.93	-13.00	-37.53	8.40	Peak	Horizontal
2 PP	5565.000	-48.21	-60.02	-13.00	-35.21	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 18650	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3710.000	-51.32	-59.95	-13.00	-38.32	8.63	Peak	Vertical
2 PP	5569.500	-48.81	-61.14	-13.00	-35.81	12.33	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CH18900

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-52.47	-60.82	-13.00	-39.47	8.35	Peak	Horizontal
2 PP	5643.500	-50.97	-62.78	-13.00	-37.97	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-51.51	-60.14	-13.00	-38.51	8.63	Peak	Vertical
2 PP	5640.000	-49.26	-61.58	-13.00	-36.26	12.32	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CH19150

MODE	TX channel 19150	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3810.000	-50.05	-58.36	-13.00	-37.05	8.31	Peak	Horizontal
2 PP	5717.500	-49.98	-61.80	-13.00	-36.98	11.82	Peak	Horizontal






BUREAU VERITAS

Test Report No.: W7L-240618W001RF06

MODE	TX channel 19150	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3812.000	-49.56	-58.19	-13.00	-36.56	8.63	Peak	Vertical
2	5715.000	-49.92	-62.23	-13.00	-36.92	12.31	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-51.44	-59.79	-13.00	-38.44	8.35	Peak	Horizontal
2 PP	5640.000	-50.82	-62.63	-13.00	-37.82	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.26	-59.89	-13.00	-38.26	8.63	Peak	Vertical
2 PP	5643.500	-50.40	-62.72	-13.00	-37.40	12.32	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.38	-59.73	-13.00	-38.38	8.35	Peak	Horizontal
2 PP	5643.500	-50.39	-62.20	-13.00	-37.39	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3756.500	-51.15	-59.78	-13.00	-38.15	8.63	Peak	Vertical
2 PP	5640.000	-49.81	-62.13	-13.00	-36.81	12.32	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-240618W001RF06

CA_2A-4A:

CHANNEL BANDWIDTH: 20MHz+20MHz / QPSK

MODE	TX channel 18900/ 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3464.000	-51.63	-60.17	-13.00	-38.63	8.54	Peak	Horizontal
2	3755.000	-51.91	-60.27	-13.00	-38.91	8.36	Peak	Horizontal
3 PP	5196.000	-48.45	-59.80	-13.00	-35.45	11.35	Peak	Horizontal
4	5640.000	-48.54	-60.35	-13.00	-35.54	11.81	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

MODE	TX channel 18900/ 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3464.000	-51.39	-60.04	-13.00	-38.39	8.65	Peak	Vertical
2	3760.000	-50.18	-58.81	-13.00	-37.18	8.63	Peak	Vertical
3 PP	5199.000	-46.91	-58.67	-13.00	-33.91	11.76	Peak	Vertical
4	5640.000	-49.48	-61.80	-13.00	-36.48	12.32	Peak	Vertical






3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth.
2. Set the number of counts to a value that stabilizes the measured CCDF curve.
3. Record the maximum PAPR level associated with a probability of 0.1%.



**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

4 PHOTOGRAPHS OF THE TEST CONFIGURATION

Please refer to the attached file (Test Setup Photo).



**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

5 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-240618W001RF06

6 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.



**BUREAU
VERITAS**

Test Report No.: W7L-240618W001RF06

7 APPENDIX

GSM 1900.

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result


Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM1900	512	2.62	13	PASS
GSM1900	661	2.61	13	PASS
GSM1900	810	2.63	13	PASS
EGPRS1900	512	5.31	13	PASS
EGPRS1900	661	5.24	13	PASS
EGPRS1900	810	5.32	13	PASS



BUREAU VERITAS

Test Report No.: W7L-240618W001RF06


Test Graphs






BUREAU VERITAS

Test Report No.: W7L-240618W001RF06



EGPRS1900-661-2-PASS



EGPRS1900-810-2-PASS