







| | | |
|----------------------|---|---|
| Mode | 28 | |
| | Harmonic | |
| | U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 VERTICAL</p> |



| Mode | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|-------------|--------|-------|--------|--------|-------------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-------------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5046.28</td> <td>53.43</td> <td>74.00</td> <td>-20.57</td> <td>39.42</td> <td>32.70</td> <td>18.45</td> <td>33.05</td> <td>3.91</td> <td>400</td> <td>100 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5046.28 | 53.43 | 74.00 | -20.57 | 39.42 | 32.70 | 18.45 | 33.05 | 3.91 | 400 | 100 PEAK |  <p>Site : 83CH3-HY Condition: PEAK(UKI) 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5268.00</td> <td>93.01</td> <td>.....</td> <td>.....</td> <td>79.18</td> <td>32.58</td> <td>18.66</td> <td>33.38</td> <td>4.05</td> <td>400</td> <td>100 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5268.00 | 93.01 | | | 79.18 | 32.58 | 18.66 | 33.38 | 4.05 | 400 | 100 PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5046.28 | 53.43 | 74.00 | -20.57 | 39.42 | 32.70 | 18.45 | 33.05 | 3.91 | 400 | 100 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5268.00 | 93.01 | | | 79.18 | 32.58 | 18.66 | 33.38 | 4.05 | 400 | 100 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:9.820kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5054.56</td> <td>43.70</td> <td>54.00</td> <td>-10.22</td> <td>29.74</td> <td>32.70</td> <td>18.46</td> <td>33.00</td> <td>3.88</td> <td>400</td> <td>100 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5054.56 | 43.70 | 54.00 | -10.22 | 29.74 | 32.70 | 18.46 | 33.00 | 3.88 | 400 | 100 AVERAGE |  <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:9.820kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5268.00</td> <td>87.42</td> <td>.....</td> <td>.....</td> <td>73.51</td> <td>32.58</td> <td>18.66</td> <td>33.38</td> <td>4.05</td> <td>400</td> <td>100 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5268.00 | 87.42 | | | 73.51 | 32.58 | 18.66 | 33.38 | 4.05 | 400 | 100 AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5054.56 | 43.70 | 54.00 | -10.22 | 29.74 | 32.70 | 18.46 | 33.00 | 3.88 | 400 | 100 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5268.00 | 87.42 | | | 73.51 | 32.58 | 18.66 | 33.38 | 4.05 | 400 | 100 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|------|-------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX05A18EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5448.08</td> <td>51.38</td> <td>74.00</td> <td>-22.70</td> <td>36.96</td> <td>32.09</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> <td>400</td> <td>100 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5448.08 | 51.38 | 74.00 | -22.70 | 36.96 | 32.09 | 11.20 | 33.66 | 4.11 | 400 | 100 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5448.08 | 51.38 | 74.00 | -22.70 | 36.96 | 32.09 | 11.20 | 33.66 | 4.11 | 400 | 100 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX05A18EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:0.020kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5448.08</td> <td>42.24</td> <td>54.00</td> <td>-11.76</td> <td>27.89</td> <td>32.72</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> <td>400</td> <td>100 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5448.08 | 42.24 | 54.00 | -11.76 | 27.89 | 32.72 | 11.20 | 33.66 | 4.11 | 400 | 100 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5448.08 | 42.24 | 54.00 | -11.76 | 27.89 | 32.72 | 11.20 | 33.66 | 4.11 | 400 | 100 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|-------|--------|-------------|--------|-------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5104.78</td> <td>55.44</td> <td>74.00</td> <td>-18.56</td> <td>41.49</td> <td>31.69</td> <td>18.44</td> <td>33.14</td> <td>3.96</td> <td>285</td> <td>153</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5104.78 | 55.44 | 74.00 | -18.56 | 41.49 | 31.69 | 18.44 | 33.14 | 3.96 | 285 | 153 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5268.88</td> <td>114.95</td> <td>.....</td> <td>.....</td> <td>181.02</td> <td>32.57</td> <td>18.68</td> <td>33.38</td> <td>4.86</td> <td>285</td> <td>153</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5268.88 | 114.95 | | | 181.02 | 32.57 | 18.68 | 33.38 | 4.86 | 285 | 153 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5104.78 | 55.44 | 74.00 | -18.56 | 41.49 | 31.69 | 18.44 | 33.14 | 3.96 | 285 | 153 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5268.88 | 114.95 | | | 181.02 | 32.57 | 18.68 | 33.38 | 4.86 | 285 | 153 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.028kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5104.88</td> <td>45.85</td> <td>54.00</td> <td>-8.35</td> <td>31.68</td> <td>32.78</td> <td>18.44</td> <td>33.13</td> <td>3.96</td> <td>285</td> <td>153</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5104.88 | 45.85 | 54.00 | -8.35 | 31.68 | 32.78 | 18.44 | 33.13 | 3.96 | 285 | 153 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.028kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5268.88</td> <td>189.23</td> <td>.....</td> <td>.....</td> <td>95.32</td> <td>32.58</td> <td>18.66</td> <td>33.38</td> <td>4.85</td> <td>285</td> <td>153</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5268.88 | 189.23 | | | 95.32 | 32.58 | 18.66 | 33.38 | 4.85 | 285 | 153 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5104.88 | 45.85 | 54.00 | -8.35 | 31.68 | 32.78 | 18.44 | 33.13 | 3.96 | 285 | 153 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5268.88 | 189.23 | | | 95.32 | 32.58 | 18.66 | 33.38 | 4.85 | 285 | 153 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|------|-------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3m DR18-E_LEX05A18EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SuT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5420.20</td> <td>55.23</td> <td>74.00</td> <td>-18.77</td> <td>40.99</td> <td>32.57</td> <td>11.19</td> <td>33.62</td> <td>4.10</td> <td>205</td> <td>153 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | deg | 1 5420.20 | 55.23 | 74.00 | -18.77 | 40.99 | 32.57 | 11.19 | 33.62 | 4.10 | 205 | 153 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5420.20 | 55.23 | 74.00 | -18.77 | 40.99 | 32.57 | 11.19 | 33.62 | 4.10 | 205 | 153 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3m DR18-E_LEX05A18EN_230712 VERTICAL : RBW:3000.000kHz VBW:0.020kHz SuT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.20</td> <td>45.86</td> <td>54.00</td> <td>-8.14</td> <td>31.78</td> <td>32.50</td> <td>11.82</td> <td>33.52</td> <td>4.00</td> <td>205</td> <td>153 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | deg | 1 5354.20 | 45.86 | 54.00 | -8.14 | 31.78 | 32.50 | 11.82 | 33.52 | 4.00 | 205 | 153 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5354.20 | 45.86 | 54.00 | -8.14 | 31.78 | 32.50 | 11.82 | 33.52 | 4.00 | 205 | 153 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|----------|--------|-------------|------------|-------------|------------|---------------|------------|---------------|------------|---------|------|--------|---|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|------|------|-------|-------|-------------|------------|------------|------------|---------------|------------|------|------|--------|---|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 830K23-HY Condition: PEAK(UNII) 3m DRXIS-E_LE3C0954180N_238712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>56.21</td> <td>68.20</td> <td>-11.99</td> <td>40.91</td> <td>37.18</td> <td>14.06</td> <td>38.08</td> <td>2.14</td> <td>296</td> <td>253</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>62.11</td> <td>74.00</td> <td>-11.89</td> <td>45.19</td> <td>40.74</td> <td>18.19</td> <td>44.83</td> <td>2.82</td> <td>230</td> <td>182</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>52.71</td> <td>54.00</td> <td>-1.29</td> <td>35.79</td> <td>40.74</td> <td>18.19</td> <td>44.83</td> <td>2.82</td> <td>230</td> <td>182</td> <td>Average</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | 1 | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 | 10520.00 | 56.21 | 68.20 | -11.99 | 40.91 | 37.18 | 14.06 | 38.08 | 2.14 | 296 | 253 | Peak | 2 | 15780.00 | 62.11 | 74.00 | -11.89 | 45.19 | 40.74 | 18.19 | 44.83 | 2.82 | 230 | 182 | Peak | 3 | 15780.00 | 52.71 | 54.00 | -1.29 | 35.79 | 40.74 | 18.19 | 44.83 | 2.82 | 230 | 182 | Average | <p>Site : 830K23-HY Condition: PEAK(UNII) 3m DRXIS-E_LE3C0954180N_238712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>56.51</td> <td>68.20</td> <td>-11.69</td> <td>41.21</td> <td>37.18</td> <td>14.06</td> <td>38.08</td> <td>2.14</td> <td>293</td> <td>39</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>61.19</td> <td>74.00</td> <td>-12.81</td> <td>44.27</td> <td>40.74</td> <td>18.19</td> <td>44.83</td> <td>2.82</td> <td>200</td> <td>27</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>52.48</td> <td>54.00</td> <td>-1.52</td> <td>35.56</td> <td>40.74</td> <td>18.19</td> <td>44.83</td> <td>2.82</td> <td>200</td> <td>27</td> <td>Average</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | 1 | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 | 10520.00 | 56.51 | 68.20 | -11.69 | 41.21 | 37.18 | 14.06 | 38.08 | 2.14 | 293 | 39 | Peak | 2 | 15780.00 | 61.19 | 74.00 | -12.81 | 44.27 | 40.74 | 18.19 | 44.83 | 2.82 | 200 | 27 | Peak | 3 | 15780.00 | 52.48 | 54.00 | -1.52 | 35.56 | 40.74 | 18.19 | 44.83 | 2.82 | 200 | 27 | Average |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 10520.00 | 56.21 | 68.20 | -11.99 | 40.91 | 37.18 | 14.06 | 38.08 | 2.14 | 296 | 253 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 15780.00 | 62.11 | 74.00 | -11.89 | 45.19 | 40.74 | 18.19 | 44.83 | 2.82 | 230 | 182 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 15780.00 | 52.71 | 54.00 | -1.29 | 35.79 | 40.74 | 18.19 | 44.83 | 2.82 | 230 | 182 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 10520.00 | 56.51 | 68.20 | -11.69 | 41.21 | 37.18 | 14.06 | 38.08 | 2.14 | 293 | 39 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 15780.00 | 61.19 | 74.00 | -12.81 | 44.27 | 40.74 | 18.19 | 44.83 | 2.82 | 200 | 27 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 15780.00 | 52.48 | 54.00 | -1.52 | 35.56 | 40.74 | 18.19 | 44.83 | 2.82 | 200 | 27 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 29 | |
| | Harmonic | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20R5410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20R5410EN_238712 VERTICAL</p> |



| Mode | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------------|-------------|--------|-------|----------------------------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|-----------|-------|-------|--------|-------|-------|-------|----------------------------|---|-------|------|-----|-------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|-----------|--------|-------|-------|-------|-------|-------|----------------------------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX095A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5004.00</td> <td>52.87</td> <td>74.00</td> <td>-21.13</td> <td>38.04</td> <td>32.70</td> <td>18.46</td> <td>33.02 3.89 399 300 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5004.00 | 52.87 | 74.00 | -21.13 | 38.04 | 32.70 | 18.46 | 33.02 3.89 399 300 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3e DR18-E_LEX095A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5300.00</td> <td>100.03</td> <td>.....</td> <td>.....</td> <td>86.18</td> <td>32.51</td> <td>18.79</td> <td>33.43 4.06 399 300 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5300.00 | 100.03 | | | 86.18 | 32.51 | 18.79 | 33.43 4.06 399 300 PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5004.00 | 52.87 | 74.00 | -21.13 | 38.04 | 32.70 | 18.46 | 33.02 3.89 399 300 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5300.00 | 100.03 | | | 86.18 | 32.51 | 18.79 | 33.43 4.06 399 300 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX095A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:8.020kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5004.00</td> <td>43.82</td> <td>54.00</td> <td>-10.18</td> <td>29.78</td> <td>32.70</td> <td>18.46</td> <td>32.99 3.87 399 300 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5004.00 | 43.82 | 54.00 | -10.18 | 29.78 | 32.70 | 18.46 | 32.99 3.87 399 300 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX095A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:8.020kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5300.00</td> <td>93.87</td> <td>.....</td> <td>.....</td> <td>79.92</td> <td>32.50</td> <td>18.82</td> <td>33.44 4.87 399 300 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5300.00 | 93.87 | | | 79.92 | 32.50 | 18.82 | 33.44 4.87 399 300 AVERAGE |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5004.00 | 43.82 | 54.00 | -10.18 | 29.78 | 32.70 | 18.46 | 32.99 3.87 399 300 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5300.00 | 93.87 | | | 79.92 | 32.50 | 18.82 | 33.44 4.87 399 300 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|------|-------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3m DR18-E_LEX05A18EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5449.92</td> <td>51.34</td> <td>74.00</td> <td>-22.66</td> <td>36.99</td> <td>32.70</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> <td>399</td> <td>308 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5449.92 | 51.34 | 74.00 | -22.66 | 36.99 | 32.70 | 11.20 | 33.66 | 4.11 | 399 | 308 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5449.92 | 51.34 | 74.00 | -22.66 | 36.99 | 32.70 | 11.20 | 33.66 | 4.11 | 399 | 308 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3m DR18-E_LEX05A18EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:8.020kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5443.52</td> <td>42.30</td> <td>54.00</td> <td>-11.70</td> <td>27.97</td> <td>32.67</td> <td>11.20</td> <td>33.65</td> <td>4.11</td> <td>399</td> <td>308 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5443.52 | 42.30 | 54.00 | -11.70 | 27.97 | 32.67 | 11.20 | 33.65 | 4.11 | 399 | 308 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5443.52 | 42.30 | 54.00 | -11.70 | 27.97 | 32.67 | 11.20 | 33.65 | 4.11 | 399 | 308 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|-------|--------|-------------|--------|--------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3n DR18-E_LEXCR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.88</td> <td>54.65</td> <td>74.00</td> <td>-19.35</td> <td>48.72</td> <td>32.67</td> <td>18.44</td> <td>33.15</td> <td>3.97</td> <td>200</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5112.88 | 54.65 | 74.00 | -19.35 | 48.72 | 32.67 | 18.44 | 33.15 | 3.97 | 200 | 185 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3n DR18-E_LEXCR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.80</td> <td>115.11</td> <td>.....</td> <td>.....</td> <td>181.16</td> <td>32.58</td> <td>18.82</td> <td>33.44</td> <td>4.87</td> <td>200</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5300.80 | 115.11 | | | 181.16 | 32.58 | 18.82 | 33.44 | 4.87 | 200 | 185 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5112.88 | 54.65 | 74.00 | -19.35 | 48.72 | 32.67 | 18.44 | 33.15 | 3.97 | 200 | 185 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5300.80 | 115.11 | | | 181.16 | 32.58 | 18.82 | 33.44 | 4.87 | 200 | 185 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3n DR18-E_LEXCR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.820kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.90</td> <td>45.25</td> <td>54.00</td> <td>-8.75</td> <td>31.39</td> <td>32.62</td> <td>18.44</td> <td>33.19</td> <td>3.99</td> <td>200</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5138.90 | 45.25 | 54.00 | -8.75 | 31.39 | 32.62 | 18.44 | 33.19 | 3.99 | 200 | 185 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3n DR18-E_LEXCR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.820kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.80</td> <td>188.71</td> <td>.....</td> <td>.....</td> <td>94.76</td> <td>32.58</td> <td>18.82</td> <td>33.44</td> <td>4.87</td> <td>200</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5300.80 | 188.71 | | | 94.76 | 32.58 | 18.82 | 33.44 | 4.87 | 200 | 185 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5138.90 | 45.25 | 54.00 | -8.75 | 31.39 | 32.62 | 18.44 | 33.19 | 3.99 | 200 | 185 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5300.80 | 188.71 | | | 94.76 | 32.58 | 18.82 | 33.44 | 4.87 | 200 | 185 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|-------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: PEAK_BE_74 3m DRX18-E_LEX095A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5370.00</td> <td>61.45</td> <td>74.00</td> <td>-12.55</td> <td>47.32</td> <td>32.50</td> <td>11.11</td> <td>33.56</td> <td>4.00</td> <td>200</td> <td>185 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5370.00 | 61.45 | 74.00 | -12.55 | 47.32 | 32.50 | 11.11 | 33.56 | 4.00 | 200 | 185 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5370.00 | 61.45 | 74.00 | -12.55 | 47.32 | 32.50 | 11.11 | 33.56 | 4.00 | 200 | 185 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 80CH3-HY Condition: AVG_BE_54 3m DRX18-E_LEX095A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.020kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5370.00</td> <td>50.35</td> <td>54.00</td> <td>-3.65</td> <td>36.22</td> <td>32.50</td> <td>11.11</td> <td>33.56</td> <td>4.00</td> <td>200</td> <td>185 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5370.00 | 50.35 | 54.00 | -3.65 | 36.22 | 32.50 | 11.11 | 33.56 | 4.00 | 200 | 185 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5370.00 | 50.35 | 54.00 | -3.65 | 36.22 | 32.50 | 11.11 | 33.56 | 4.00 | 200 | 185 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|----------|-------------|-------|-------------|-------|--------|-------|--------|------|---------|------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|--|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|------------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|--|------|-------|-------|-------------|------|-----|-------|--------|-----|------|------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|--|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|------------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|------------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 83CK23-HY Condition: PEAK(UNII) 3n DRH18-E_LE2C054180V_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>52.48</td> <td>74.00</td> <td>-21.52</td> <td>36.99</td> <td>37.40</td> <td>14.91</td> <td>38.97</td> <td>2.15</td> <td>202</td> <td>213</td> <td>Peak</td> </tr> <tr> <td>2 10600.00</td> <td>43.96</td> <td>54.00</td> <td>-10.04</td> <td>28.47</td> <td>37.40</td> <td>14.91</td> <td>38.97</td> <td>2.15</td> <td>202</td> <td>213</td> <td>Average</td> </tr> <tr> <td>3 15900.00</td> <td>60.64</td> <td>74.00</td> <td>-13.36</td> <td>43.98</td> <td>40.60</td> <td>18.23</td> <td>45.81</td> <td>2.84</td> <td>400</td> <td>54</td> <td>Peak</td> </tr> <tr> <td>4 15900.00</td> <td>51.96</td> <td>54.00</td> <td>-2.04</td> <td>35.30</td> <td>40.60</td> <td>18.23</td> <td>45.81</td> <td>2.84</td> <td>400</td> <td>54</td> <td>Average</td> </tr> </tbody> </table> | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 10600.00 | 52.48 | 74.00 | -21.52 | 36.99 | 37.40 | 14.91 | 38.97 | 2.15 | 202 | 213 | Peak | 2 10600.00 | 43.96 | 54.00 | -10.04 | 28.47 | 37.40 | 14.91 | 38.97 | 2.15 | 202 | 213 | Average | 3 15900.00 | 60.64 | 74.00 | -13.36 | 43.98 | 40.60 | 18.23 | 45.81 | 2.84 | 400 | 54 | Peak | 4 15900.00 | 51.96 | 54.00 | -2.04 | 35.30 | 40.60 | 18.23 | 45.81 | 2.84 | 400 | 54 | Average | <p>Site : 83CK23-HY Condition: PEAK(UNII) 3n DRH18-E_LE2C054180V_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>56.83</td> <td>74.00</td> <td>-17.17</td> <td>41.34</td> <td>37.40</td> <td>14.91</td> <td>38.97</td> <td>2.15</td> <td>255</td> <td>80</td> <td>Peak</td> </tr> <tr> <td>2 10600.00</td> <td>48.87</td> <td>54.00</td> <td>-5.93</td> <td>32.58</td> <td>37.40</td> <td>14.91</td> <td>38.97</td> <td>2.15</td> <td>255</td> <td>80</td> <td>Average</td> </tr> <tr> <td>3 15900.00</td> <td>61.62</td> <td>74.00</td> <td>-12.38</td> <td>44.96</td> <td>40.60</td> <td>18.23</td> <td>45.81</td> <td>2.84</td> <td>100</td> <td>335</td> <td>Peak</td> </tr> <tr> <td>4 15900.00</td> <td>52.78</td> <td>54.00</td> <td>-1.22</td> <td>36.12</td> <td>40.60</td> <td>18.23</td> <td>45.81</td> <td>2.84</td> <td>100</td> <td>335</td> <td>Average</td> </tr> </tbody> </table> | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 10600.00 | 56.83 | 74.00 | -17.17 | 41.34 | 37.40 | 14.91 | 38.97 | 2.15 | 255 | 80 | Peak | 2 10600.00 | 48.87 | 54.00 | -5.93 | 32.58 | 37.40 | 14.91 | 38.97 | 2.15 | 255 | 80 | Average | 3 15900.00 | 61.62 | 74.00 | -12.38 | 44.96 | 40.60 | 18.23 | 45.81 | 2.84 | 100 | 335 | Peak | 4 15900.00 | 52.78 | 54.00 | -1.22 | 36.12 | 40.60 | 18.23 | 45.81 | 2.84 | 100 | 335 | Average |
| Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 10600.00 | 52.48 | 74.00 | -21.52 | 36.99 | 37.40 | 14.91 | 38.97 | 2.15 | 202 | 213 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 10600.00 | 43.96 | 54.00 | -10.04 | 28.47 | 37.40 | 14.91 | 38.97 | 2.15 | 202 | 213 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 15900.00 | 60.64 | 74.00 | -13.36 | 43.98 | 40.60 | 18.23 | 45.81 | 2.84 | 400 | 54 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 15900.00 | 51.96 | 54.00 | -2.04 | 35.30 | 40.60 | 18.23 | 45.81 | 2.84 | 400 | 54 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 10600.00 | 56.83 | 74.00 | -17.17 | 41.34 | 37.40 | 14.91 | 38.97 | 2.15 | 255 | 80 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 10600.00 | 48.87 | 54.00 | -5.93 | 32.58 | 37.40 | 14.91 | 38.97 | 2.15 | 255 | 80 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 15900.00 | 61.62 | 74.00 | -12.38 | 44.96 | 40.60 | 18.23 | 45.81 | 2.84 | 100 | 335 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 15900.00 | 52.78 | 54.00 | -1.22 | 36.12 | 40.60 | 18.23 | 45.81 | 2.84 | 100 | 335 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 30 | |
| | Harmonic | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20R5410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20R5410EN_238712 VERTICAL</p> |



| Mode | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|--------|--------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5308.52</td> <td>51.79</td> <td>74.00</td> <td>-22.21</td> <td>37.64</td> <td>32.58</td> <td>11.13</td> <td>33.57</td> <td>4.89</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5308.52 | 51.79 | 74.00 | -22.21 | 37.64 | 32.58 | 11.13 | 33.57 | 4.89 | 300 | 45 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.97</td> <td>.....</td> <td>.....</td> <td>85.98</td> <td>32.58</td> <td>18.89</td> <td>33.47</td> <td>4.87</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5320.00 | 99.97 | | | 85.98 | 32.58 | 18.89 | 33.47 | 4.87 | 300 | 45 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5308.52 | 51.79 | 74.00 | -22.21 | 37.64 | 32.58 | 11.13 | 33.57 | 4.89 | 300 | 45 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5320.00 | 99.97 | | | 85.98 | 32.58 | 18.89 | 33.47 | 4.87 | 300 | 45 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:9.820kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5308.52</td> <td>42.83</td> <td>54.00</td> <td>-11.17</td> <td>28.76</td> <td>32.58</td> <td>11.00</td> <td>33.51</td> <td>4.88</td> <td>300</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5308.52 | 42.83 | 54.00 | -11.17 | 28.76 | 32.58 | 11.00 | 33.51 | 4.88 | 300 | 45 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:9.820kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>93.16</td> <td>.....</td> <td>.....</td> <td>79.17</td> <td>32.58</td> <td>18.89</td> <td>33.47</td> <td>4.87</td> <td>300</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5320.00 | 93.16 | | | 79.17 | 32.58 | 18.89 | 33.47 | 4.87 | 300 | 45 | AVERAGE |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5308.52 | 42.83 | 54.00 | -11.17 | 28.76 | 32.58 | 11.00 | 33.51 | 4.88 | 300 | 45 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5320.00 | 93.16 | | | 79.17 | 32.58 | 18.89 | 33.47 | 4.87 | 300 | 45 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|-------------|--------|-------|--------|----------|-------------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|--------|-------|-------|-------|-------|-------|------|----------|-------------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5309.38</td> <td>68.56</td> <td>74.00</td> <td>-13.44</td> <td>46.37</td> <td>32.58</td> <td>11.19</td> <td>33.59</td> <td>4.89</td> <td>176</td> <td>157 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5309.38 | 68.56 | 74.00 | -13.44 | 46.37 | 32.58 | 11.19 | 33.59 | 4.89 | 176 | 157 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5328.80</td> <td>115.03</td> <td>181.04</td> <td>32.58</td> <td>18.89</td> <td>33.47</td> <td>4.87</td> <td></td> <td>176</td> <td>157 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5328.80 | 115.03 | 181.04 | 32.58 | 18.89 | 33.47 | 4.87 | | 176 | 157 PEAK | |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5309.38 | 68.56 | 74.00 | -13.44 | 46.37 | 32.58 | 11.19 | 33.59 | 4.89 | 176 | 157 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5328.80 | 115.03 | 181.04 | 32.58 | 18.89 | 33.47 | 4.87 | | 176 | 157 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:9.820kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5363.26</td> <td>52.18</td> <td>54.00</td> <td>-1.90</td> <td>38.00</td> <td>32.58</td> <td>11.65</td> <td>33.53</td> <td>4.88</td> <td>176</td> <td>157 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5363.26 | 52.18 | 54.00 | -1.90 | 38.00 | 32.58 | 11.65 | 33.53 | 4.88 | 176 | 157 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:9.820kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5328.80</td> <td>188.85</td> <td>188.85</td> <td>0.00</td> <td>94.86</td> <td>32.58</td> <td>18.89</td> <td>33.47</td> <td>4.87</td> <td>176</td> <td>157 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5328.80 | 188.85 | 188.85 | 0.00 | 94.86 | 32.58 | 18.89 | 33.47 | 4.87 | 176 | 157 AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5363.26 | 52.18 | 54.00 | -1.90 | 38.00 | 32.58 | 11.65 | 33.53 | 4.88 | 176 | 157 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5328.80 | 188.85 | 188.85 | 0.00 | 94.86 | 32.58 | 18.89 | 33.47 | 4.87 | 176 | 157 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|----------|--------|--------|-------|--------|-------|--------|-------|--------|---------|--------|------|--------|-----|--------|--------|----|------|------|----|----|----|----|----|-----|--|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|------------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|--|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|------------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|--|---|------|-------|-------|------|--------|------|-----|-------|--------|-----|------|------|--------|-----|--------|--------|----|------|------|----|----|----|----|----|-----|--|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|------------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|--|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|------------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|--|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 83CK23-HY Condition: PEAK(UNII) 3n DRH18-E_LE2C05A180V_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>54.12</td> <td>74.00</td> <td>-19.88</td> <td>38.65</td> <td>37.40</td> <td>14.93</td> <td>39.81</td> <td>2.15</td> <td>243</td> <td>256</td> <td>Peak</td> <td></td> </tr> <tr> <td>2 10640.00</td> <td>46.35</td> <td>54.00</td> <td>-7.65</td> <td>38.88</td> <td>37.40</td> <td>14.93</td> <td>39.81</td> <td>2.15</td> <td>243</td> <td>256</td> <td>Average</td> <td></td> </tr> <tr> <td>3 15968.00</td> <td>62.13</td> <td>74.00</td> <td>-11.87</td> <td>45.52</td> <td>40.60</td> <td>18.25</td> <td>45.89</td> <td>2.85</td> <td>227</td> <td>181</td> <td>Peak</td> <td></td> </tr> <tr> <td>4 15968.00</td> <td>53.17</td> <td>54.00</td> <td>-0.83</td> <td>36.56</td> <td>40.60</td> <td>18.25</td> <td>45.89</td> <td>2.85</td> <td>227</td> <td>181</td> <td>Average</td> <td></td> </tr> </tbody> </table> | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | dB | cm | deg | | 1 10640.00 | 54.12 | 74.00 | -19.88 | 38.65 | 37.40 | 14.93 | 39.81 | 2.15 | 243 | 256 | Peak | | 2 10640.00 | 46.35 | 54.00 | -7.65 | 38.88 | 37.40 | 14.93 | 39.81 | 2.15 | 243 | 256 | Average | | 3 15968.00 | 62.13 | 74.00 | -11.87 | 45.52 | 40.60 | 18.25 | 45.89 | 2.85 | 227 | 181 | Peak | | 4 15968.00 | 53.17 | 54.00 | -0.83 | 36.56 | 40.60 | 18.25 | 45.89 | 2.85 | 227 | 181 | Average | | <p>Site : 83CK23-HY Condition: PEAK(UNII) 3n DRH18-E_LE2C05A180V_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>54.32</td> <td>74.00</td> <td>-19.68</td> <td>38.85</td> <td>37.40</td> <td>14.93</td> <td>39.81</td> <td>2.15</td> <td>243</td> <td>256</td> <td>Peak</td> <td></td> </tr> <tr> <td>2 10640.00</td> <td>47.86</td> <td>54.00</td> <td>-6.94</td> <td>31.59</td> <td>37.40</td> <td>14.93</td> <td>39.81</td> <td>2.15</td> <td>243</td> <td>256</td> <td>Average</td> <td></td> </tr> <tr> <td>3 15968.00</td> <td>62.58</td> <td>74.00</td> <td>-11.42</td> <td>45.97</td> <td>40.60</td> <td>18.25</td> <td>45.89</td> <td>2.85</td> <td>227</td> <td>181</td> <td>Peak</td> <td></td> </tr> <tr> <td>4 15968.00</td> <td>53.35</td> <td>54.00</td> <td>-0.65</td> <td>36.74</td> <td>40.60</td> <td>18.25</td> <td>45.89</td> <td>2.85</td> <td>227</td> <td>181</td> <td>Average</td> <td></td> </tr> </tbody> </table> | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | dB | cm | deg | | 1 10640.00 | 54.32 | 74.00 | -19.68 | 38.85 | 37.40 | 14.93 | 39.81 | 2.15 | 243 | 256 | Peak | | 2 10640.00 | 47.86 | 54.00 | -6.94 | 31.59 | 37.40 | 14.93 | 39.81 | 2.15 | 243 | 256 | Average | | 3 15968.00 | 62.58 | 74.00 | -11.42 | 45.97 | 40.60 | 18.25 | 45.89 | 2.85 | 227 | 181 | Peak | | 4 15968.00 | 53.35 | 54.00 | -0.65 | 36.74 | 40.60 | 18.25 | 45.89 | 2.85 | 227 | 181 | Average | |
| Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 10640.00 | 54.12 | 74.00 | -19.88 | 38.65 | 37.40 | 14.93 | 39.81 | 2.15 | 243 | 256 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 10640.00 | 46.35 | 54.00 | -7.65 | 38.88 | 37.40 | 14.93 | 39.81 | 2.15 | 243 | 256 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 15968.00 | 62.13 | 74.00 | -11.87 | 45.52 | 40.60 | 18.25 | 45.89 | 2.85 | 227 | 181 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 15968.00 | 53.17 | 54.00 | -0.83 | 36.56 | 40.60 | 18.25 | 45.89 | 2.85 | 227 | 181 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 10640.00 | 54.32 | 74.00 | -19.68 | 38.85 | 37.40 | 14.93 | 39.81 | 2.15 | 243 | 256 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 10640.00 | 47.86 | 54.00 | -6.94 | 31.59 | 37.40 | 14.93 | 39.81 | 2.15 | 243 | 256 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 15968.00 | 62.58 | 74.00 | -11.42 | 45.97 | 40.60 | 18.25 | 45.89 | 2.85 | 227 | 181 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 15968.00 | 53.35 | 54.00 | -0.65 | 36.74 | 40.60 | 18.25 | 45.89 | 2.85 | 227 | 181 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 31 | |
| | Harmonic | |
| | U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 VERTICAL</p> |



| Mode | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------------|-------------|-------------|--------|--------|--------|--------|--------|------|---------|-------------|--------------|-------------|-------------|--------|--------|--|-----|-------|-------|----|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--------|--|-----|-------|-------|----|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.17</td> <td>53.86</td> <td>74.00</td> <td>-28.14</td> <td>39.96</td> <td>32.05</td> <td>18.44</td> <td>33.17</td> <td>3.98</td> <td>300</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBV/m | dBV/m | dB | dB/m | dB | dB | dB | cm | deg | 1 | 5127.17 | 53.86 | 74.00 | -28.14 | 39.96 | 32.05 | 18.44 | 33.17 | 3.98 | 300 | 245 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>96.23</td> <td>.....</td> <td>.....</td> <td>82.38</td> <td>32.57</td> <td>18.68</td> <td>33.38</td> <td>4.86</td> <td>300</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBV/m | dBV/m | dB | dB/m | dB | dB | dB | cm | deg | 1 | 5270.00 | 96.23 | | | 82.38 | 32.57 | 18.68 | 33.38 | 4.86 | 300 | 245 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5127.17 | 53.86 | 74.00 | -28.14 | 39.96 | 32.05 | 18.44 | 33.17 | 3.98 | 300 | 245 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5270.00 | 96.23 | | | 82.38 | 32.57 | 18.68 | 33.38 | 4.86 | 300 | 245 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.500kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5069.99</td> <td>43.60</td> <td>54.00</td> <td>-10.32</td> <td>29.64</td> <td>32.70</td> <td>18.46</td> <td>33.00</td> <td>3.88</td> <td>300</td> <td>245</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBV/m | dBV/m | dB | dB/m | dB | dB | dB | cm | deg | 1 | 5069.99 | 43.60 | 54.00 | -10.32 | 29.64 | 32.70 | 18.46 | 33.00 | 3.88 | 300 | 245 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.500kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>89.89</td> <td>.....</td> <td>.....</td> <td>75.96</td> <td>32.57</td> <td>18.68</td> <td>33.38</td> <td>4.86</td> <td>300</td> <td>245</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBV/m | dBV/m | dB | dB/m | dB | dB | dB | cm | deg | 1 | 5270.00 | 89.89 | | | 75.96 | 32.57 | 18.68 | 33.38 | 4.86 | 300 | 245 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5069.99 | 43.60 | 54.00 | -10.32 | 29.64 | 32.70 | 18.46 | 33.00 | 3.88 | 300 | 245 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5270.00 | 89.89 | | | 75.96 | 32.57 | 18.68 | 33.38 | 4.86 | 300 | 245 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|--------|---------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3m DR18-E_LEX05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5403.57</td> <td>51.81</td> <td>74.00</td> <td>-22.19</td> <td>37.61</td> <td>32.51</td> <td>11.19</td> <td>33.59</td> <td>4.09</td> <td>300</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5403.57 | 51.81 | 74.00 | -22.19 | 37.61 | 32.51 | 11.19 | 33.59 | 4.09 | 300 | 245 | PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5403.57 | 51.81 | 74.00 | -22.19 | 37.61 | 32.51 | 11.19 | 33.59 | 4.09 | 300 | 245 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3m DR18-E_LEX05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5454.07</td> <td>42.26</td> <td>54.00</td> <td>-11.74</td> <td>27.91</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>300</td> <td>245</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5454.07 | 42.26 | 54.00 | -11.74 | 27.91 | 32.71 | 11.20 | 33.67 | 4.11 | 300 | 245 | AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5454.07 | 42.26 | 54.00 | -11.74 | 27.91 | 32.71 | 11.20 | 33.67 | 4.11 | 300 | 245 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|-------|--------|-------------|--------|--------|--------|--------|--------|---------|---------|-------------|-------|--------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX095418EN_238712 VERTICAL : RBW:1800.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.86</td> <td>55.42</td> <td>74.00</td> <td>-18.58</td> <td>41.49</td> <td>32.67</td> <td>18.44</td> <td>33.15</td> <td>3.97</td> <td>200</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5111.86 | 55.42 | 74.00 | -18.58 | 41.49 | 32.67 | 18.44 | 33.15 | 3.97 | 200 | 156 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UKI) 3e DR18-E_LEX095418EN_238712 VERTICAL : RBW:1800.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>114.89</td> <td>70.00</td> <td>44.89</td> <td>32.57</td> <td>18.68</td> <td>33.38</td> <td>4.06</td> <td>200</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5270.00 | 114.89 | 70.00 | 44.89 | 32.57 | 18.68 | 33.38 | 4.06 | 200 | 156 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5111.86 | 55.42 | 74.00 | -18.58 | 41.49 | 32.67 | 18.44 | 33.15 | 3.97 | 200 | 156 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5270.00 | 114.89 | 70.00 | 44.89 | 32.57 | 18.68 | 33.38 | 4.06 | 200 | 156 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX095418EN_238712 VERTICAL : RBW:1800.000kHz VBW:1.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.70</td> <td>45.67</td> <td>54.00</td> <td>-8.33</td> <td>31.73</td> <td>32.68</td> <td>18.44</td> <td>33.15</td> <td>3.97</td> <td>200</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5111.70 | 45.67 | 54.00 | -8.33 | 31.73 | 32.68 | 18.44 | 33.15 | 3.97 | 200 | 156 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX095418EN_238712 VERTICAL : RBW:1800.000kHz VBW:1.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>108.01</td> <td>54.00</td> <td>54.01</td> <td>32.56</td> <td>18.70</td> <td>33.39</td> <td>4.06</td> <td>200</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5270.00 | 108.01 | 54.00 | 54.01 | 32.56 | 18.70 | 33.39 | 4.06 | 200 | 156 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5111.70 | 45.67 | 54.00 | -8.33 | 31.73 | 32.68 | 18.44 | 33.15 | 3.97 | 200 | 156 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5270.00 | 108.01 | 54.00 | 54.01 | 32.56 | 18.70 | 33.39 | 4.06 | 200 | 156 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|-------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3m DR18-E_LEX05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SuT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5353.08</td> <td>63.82</td> <td>74.00</td> <td>-10.98</td> <td>48.95</td> <td>32.50</td> <td>11.01</td> <td>33.51</td> <td>4.00</td> <td>200</td> <td>136 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | 1 5353.08 | 63.82 | 74.00 | -10.98 | 48.95 | 32.50 | 11.01 | 33.51 | 4.00 | 200 | 136 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5353.08 | 63.82 | 74.00 | -10.98 | 48.95 | 32.50 | 11.01 | 33.51 | 4.00 | 200 | 136 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3m DR18-E_LEX05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SuT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5351.89</td> <td>52.15</td> <td>54.00</td> <td>-1.85</td> <td>38.07</td> <td>32.50</td> <td>11.01</td> <td>33.51</td> <td>4.00</td> <td>200</td> <td>136 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | 1 5351.89 | 52.15 | 54.00 | -1.85 | 38.07 | 32.50 | 11.01 | 33.51 | 4.00 | 200 | 136 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5351.89 | 52.15 | 54.00 | -1.85 | 38.07 | 32.50 | 11.01 | 33.51 | 4.00 | 200 | 136 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|----------|--------|-------------|------------|-------------|------------|---------------|------------|---------------|------------|---------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|------|------|-------|-------|-------------|------------|------------|------------|---------------|------------|------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 80023-HY Condition: PEAK(UNII) 3n DRXIS-E_LE2C0954180N_238712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>53.95</td> <td>68.20</td> <td>-14.25</td> <td>38.58</td> <td>37.26</td> <td>14.87</td> <td>38.90</td> <td>2.14</td> <td>300</td> <td>253</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15808.00</td> <td>61.72</td> <td>74.00</td> <td>-12.28</td> <td>44.90</td> <td>40.68</td> <td>18.20</td> <td>44.88</td> <td>2.82</td> <td>232</td> <td>180</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15808.00</td> <td>53.83</td> <td>54.00</td> <td>-0.97</td> <td>36.21</td> <td>40.68</td> <td>18.20</td> <td>44.88</td> <td>2.82</td> <td>232</td> <td>180</td> <td>Average</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 | 10540.00 | 53.95 | 68.20 | -14.25 | 38.58 | 37.26 | 14.87 | 38.90 | 2.14 | 300 | 253 | Peak | 2 | 15808.00 | 61.72 | 74.00 | -12.28 | 44.90 | 40.68 | 18.20 | 44.88 | 2.82 | 232 | 180 | Peak | 3 | 15808.00 | 53.83 | 54.00 | -0.97 | 36.21 | 40.68 | 18.20 | 44.88 | 2.82 | 232 | 180 | Average | <p>Site : 80023-HY Condition: PEAK(UNII) 3n DRXIS-E_LE2C0954180N_238712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>56.57</td> <td>68.20</td> <td>-11.63</td> <td>41.20</td> <td>37.26</td> <td>14.87</td> <td>38.90</td> <td>2.14</td> <td>285</td> <td>81</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15808.00</td> <td>60.90</td> <td>74.00</td> <td>-13.10</td> <td>44.80</td> <td>40.68</td> <td>18.20</td> <td>44.88</td> <td>2.82</td> <td>303</td> <td>311</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15808.00</td> <td>53.89</td> <td>54.00</td> <td>-0.91</td> <td>36.27</td> <td>40.68</td> <td>18.20</td> <td>44.88</td> <td>2.82</td> <td>303</td> <td>311</td> <td>Average</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 | 10540.00 | 56.57 | 68.20 | -11.63 | 41.20 | 37.26 | 14.87 | 38.90 | 2.14 | 285 | 81 | Peak | 2 | 15808.00 | 60.90 | 74.00 | -13.10 | 44.80 | 40.68 | 18.20 | 44.88 | 2.82 | 303 | 311 | Peak | 3 | 15808.00 | 53.89 | 54.00 | -0.91 | 36.27 | 40.68 | 18.20 | 44.88 | 2.82 | 303 | 311 | Average |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 10540.00 | 53.95 | 68.20 | -14.25 | 38.58 | 37.26 | 14.87 | 38.90 | 2.14 | 300 | 253 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 15808.00 | 61.72 | 74.00 | -12.28 | 44.90 | 40.68 | 18.20 | 44.88 | 2.82 | 232 | 180 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 15808.00 | 53.83 | 54.00 | -0.97 | 36.21 | 40.68 | 18.20 | 44.88 | 2.82 | 232 | 180 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 10540.00 | 56.57 | 68.20 | -11.63 | 41.20 | 37.26 | 14.87 | 38.90 | 2.14 | 285 | 81 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 15808.00 | 60.90 | 74.00 | -13.10 | 44.80 | 40.68 | 18.20 | 44.88 | 2.82 | 303 | 311 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 15808.00 | 53.89 | 54.00 | -0.91 | 36.27 | 40.68 | 18.20 | 44.88 | 2.82 | 303 | 311 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 32 | |
| | Harmonic | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 VERTICAL</p> |



| Mode | 33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------------|-------------|--------|--------|--------|--------|--------|------|------------|-------------|--------------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|--|-------|------|-----|-------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|------------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5025.97</td> <td>52.65</td> <td>74.00</td> <td>-21.35</td> <td>38.62</td> <td>32.70</td> <td>18.46</td> <td>33.02</td> <td>3.89</td> <td>302</td> <td>40 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5025.97 | 52.65 | 74.00 | -21.35 | 38.62 | 32.70 | 18.46 | 33.02 | 3.89 | 302 | 40 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UKI) 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5318.80</td> <td>99.21</td> <td>.....</td> <td>.....</td> <td>85.25</td> <td>32.50</td> <td>18.84</td> <td>33.45</td> <td>4.87</td> <td>302</td> <td>40 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5318.80 | 99.21 | | | 85.25 | 32.50 | 18.84 | 33.45 | 4.87 | 302 | 40 PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5025.97 | 52.65 | 74.00 | -21.35 | 38.62 | 32.70 | 18.46 | 33.02 | 3.89 | 302 | 40 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5318.80 | 99.21 | | | 85.25 | 32.50 | 18.84 | 33.45 | 4.87 | 302 | 40 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5000.00</td> <td>43.85</td> <td>54.00</td> <td>-10.15</td> <td>29.60</td> <td>32.70</td> <td>18.46</td> <td>32.99</td> <td>3.88</td> <td>302</td> <td>40 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5000.00 | 43.85 | 54.00 | -10.15 | 29.60 | 32.70 | 18.46 | 32.99 | 3.88 | 302 | 40 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX05A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5318.80</td> <td>91.99</td> <td>.....</td> <td>.....</td> <td>78.03</td> <td>32.50</td> <td>18.84</td> <td>33.45</td> <td>4.87</td> <td>302</td> <td>40 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5318.80 | 91.99 | | | 78.03 | 32.50 | 18.84 | 33.45 | 4.87 | 302 | 40 AVERAGE |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5000.00 | 43.85 | 54.00 | -10.15 | 29.60 | 32.70 | 18.46 | 32.99 | 3.88 | 302 | 40 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5318.80 | 91.99 | | | 78.03 | 32.50 | 18.84 | 33.45 | 4.87 | 302 | 40 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3m DRH18-E_LEX095A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5442.78</td> <td>52.68</td> <td>74.00</td> <td>-21.32</td> <td>38.36</td> <td>32.67</td> <td>11.20</td> <td>33.65</td> <td>4.10</td> <td>302</td> <td>40 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5442.78 | 52.68 | 74.00 | -21.32 | 38.36 | 32.67 | 11.20 | 33.65 | 4.10 | 302 | 40 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5442.78 | 52.68 | 74.00 | -21.32 | 38.36 | 32.67 | 11.20 | 33.65 | 4.10 | 302 | 40 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3m DRH18-E_LEX095A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.10</td> <td>43.35</td> <td>54.00</td> <td>-10.65</td> <td>29.20</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> <td>302</td> <td>40 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5351.10 | 43.35 | 54.00 | -10.65 | 29.20 | 32.50 | 11.00 | 33.51 | 4.00 | 302 | 40 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5351.10 | 43.35 | 54.00 | -10.65 | 29.20 | 32.50 | 11.00 | 33.51 | 4.00 | 302 | 40 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|-------------|--------|--------|--------|--------|--------|-------------|-------|-------------|--------------|-------------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-------------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5314.87</td> <td>53.58</td> <td>74.00</td> <td>-20.50</td> <td>39.66</td> <td>32.68</td> <td>18.44</td> <td>33.20</td> <td>4.00</td> <td>207</td> <td>352 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 5314.87 | 53.58 | 74.00 | -20.50 | 39.66 | 32.68 | 18.44 | 33.20 | 4.00 | 207 | 352 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5318.80</td> <td>118.89</td> <td>.....</td> <td>.....</td> <td>96.92</td> <td>32.58</td> <td>18.86</td> <td>33.46</td> <td>4.87</td> <td>207</td> <td>352 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 5318.80 | 118.89 | | | 96.92 | 32.58 | 18.86 | 33.46 | 4.87 | 207 | 352 PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5314.87 | 53.58 | 74.00 | -20.50 | 39.66 | 32.68 | 18.44 | 33.20 | 4.00 | 207 | 352 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5318.80 | 118.89 | | | 96.92 | 32.58 | 18.86 | 33.46 | 4.87 | 207 | 352 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5314.18</td> <td>44.33</td> <td>54.00</td> <td>-9.67</td> <td>38.58</td> <td>32.68</td> <td>18.44</td> <td>33.21</td> <td>4.00</td> <td>207</td> <td>352 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 5314.18 | 44.33 | 54.00 | -9.67 | 38.58 | 32.68 | 18.44 | 33.21 | 4.00 | 207 | 352 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5318.80</td> <td>104.88</td> <td>.....</td> <td>.....</td> <td>98.84</td> <td>32.58</td> <td>18.84</td> <td>33.45</td> <td>4.87</td> <td>207</td> <td>352 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 5318.80 | 104.88 | | | 98.84 | 32.58 | 18.84 | 33.45 | 4.87 | 207 | 352 AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5314.18 | 44.33 | 54.00 | -9.67 | 38.58 | 32.68 | 18.44 | 33.21 | 4.00 | 207 | 352 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5318.80 | 104.88 | | | 98.84 | 32.58 | 18.84 | 33.45 | 4.87 | 207 | 352 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|-----------------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3m DR18-E_LEX05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.58</td> <td>63.76</td> <td>74.00</td> <td>-10.24</td> <td>49.69</td> <td>32.58</td> <td>11.01</td> <td>33.52</td> <td>4.00</td> <td>207 352 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5352.58 | 63.76 | 74.00 | -10.24 | 49.69 | 32.58 | 11.01 | 33.52 | 4.00 | 207 352 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5352.58 | 63.76 | 74.00 | -10.24 | 49.69 | 32.58 | 11.01 | 33.52 | 4.00 | 207 352 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3m DR18-E_LEX05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>53.10</td> <td>54.00</td> <td>-0.90</td> <td>39.03</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> <td>207 352 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5350.00 | 53.10 | 54.00 | -0.90 | 39.03 | 32.50 | 11.00 | 33.51 | 4.00 | 207 352 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5350.00 | 53.10 | 54.00 | -0.90 | 39.03 | 32.50 | 11.00 | 33.51 | 4.00 | 207 352 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|----------|--------|--------|-------|--------|-------|--------|-------|--------|------|---------|------|--------|-----|--------|--------|----|----|------|------|----|----|----|----|-----|--|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|----|------|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|----|---------|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|----|------|------------|-------|-------|-------|-------|-------|-------|-------|------|----|----|----|---------|---|------|-------|-------|------|--------|------|-----|-------|--------|-----|------|------|--------|-----|--------|--------|----|----|------|------|----|----|----|----|-----|--|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|----|------|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|----|---------|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|----|------|------------|-------|-------|-------|-------|-------|-------|-------|------|----|----|----|---------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 83CH3-HY Condition: PEAK(UNII) 3n DRH18-E_LE2C054180V_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>50.17</td> <td>74.00</td> <td>-23.83</td> <td>34.69</td> <td>37.40</td> <td>14.92</td> <td>38.99</td> <td>2.15</td> <td>--</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 10620.00</td> <td>43.28</td> <td>54.00</td> <td>-10.72</td> <td>27.00</td> <td>37.40</td> <td>14.92</td> <td>38.99</td> <td>2.15</td> <td>--</td> <td>--</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3 15930.00</td> <td>56.84</td> <td>74.00</td> <td>-17.16</td> <td>39.40</td> <td>40.60</td> <td>18.24</td> <td>45.85</td> <td>2.85</td> <td>--</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4 15930.00</td> <td>45.47</td> <td>54.00</td> <td>-8.53</td> <td>28.83</td> <td>40.60</td> <td>18.24</td> <td>45.85</td> <td>2.85</td> <td>--</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table> | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 10620.00 | 50.17 | 74.00 | -23.83 | 34.69 | 37.40 | 14.92 | 38.99 | 2.15 | -- | -- | -- | Peak | 2 10620.00 | 43.28 | 54.00 | -10.72 | 27.00 | 37.40 | 14.92 | 38.99 | 2.15 | -- | -- | -- | Average | 3 15930.00 | 56.84 | 74.00 | -17.16 | 39.40 | 40.60 | 18.24 | 45.85 | 2.85 | -- | -- | -- | Peak | 4 15930.00 | 45.47 | 54.00 | -8.53 | 28.83 | 40.60 | 18.24 | 45.85 | 2.85 | -- | -- | -- | Average | <p>Site : 83CH3-HY Condition: PEAK(UNII) 3n DRH18-E_LE2C054180V_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>51.32</td> <td>74.00</td> <td>-22.68</td> <td>35.84</td> <td>37.40</td> <td>14.92</td> <td>38.99</td> <td>2.15</td> <td>--</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 10620.00</td> <td>42.70</td> <td>54.00</td> <td>-11.32</td> <td>27.30</td> <td>37.40</td> <td>14.92</td> <td>38.99</td> <td>2.15</td> <td>--</td> <td>--</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3 15930.00</td> <td>55.93</td> <td>74.00</td> <td>-18.07</td> <td>39.29</td> <td>40.60</td> <td>18.24</td> <td>45.85</td> <td>2.85</td> <td>--</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4 15930.00</td> <td>45.96</td> <td>54.00</td> <td>-8.04</td> <td>29.32</td> <td>40.60</td> <td>18.24</td> <td>45.85</td> <td>2.85</td> <td>--</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table> | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 10620.00 | 51.32 | 74.00 | -22.68 | 35.84 | 37.40 | 14.92 | 38.99 | 2.15 | -- | -- | -- | Peak | 2 10620.00 | 42.70 | 54.00 | -11.32 | 27.30 | 37.40 | 14.92 | 38.99 | 2.15 | -- | -- | -- | Average | 3 15930.00 | 55.93 | 74.00 | -18.07 | 39.29 | 40.60 | 18.24 | 45.85 | 2.85 | -- | -- | -- | Peak | 4 15930.00 | 45.96 | 54.00 | -8.04 | 29.32 | 40.60 | 18.24 | 45.85 | 2.85 | -- | -- | -- | Average |
| Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 10620.00 | 50.17 | 74.00 | -23.83 | 34.69 | 37.40 | 14.92 | 38.99 | 2.15 | -- | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 10620.00 | 43.28 | 54.00 | -10.72 | 27.00 | 37.40 | 14.92 | 38.99 | 2.15 | -- | -- | -- | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 15930.00 | 56.84 | 74.00 | -17.16 | 39.40 | 40.60 | 18.24 | 45.85 | 2.85 | -- | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 15930.00 | 45.47 | 54.00 | -8.53 | 28.83 | 40.60 | 18.24 | 45.85 | 2.85 | -- | -- | -- | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 10620.00 | 51.32 | 74.00 | -22.68 | 35.84 | 37.40 | 14.92 | 38.99 | 2.15 | -- | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 10620.00 | 42.70 | 54.00 | -11.32 | 27.30 | 37.40 | 14.92 | 38.99 | 2.15 | -- | -- | -- | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 15930.00 | 55.93 | 74.00 | -18.07 | 39.29 | 40.60 | 18.24 | 45.85 | 2.85 | -- | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 15930.00 | 45.96 | 54.00 | -8.04 | 29.32 | 40.60 | 18.24 | 45.85 | 2.85 | -- | -- | -- | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 33 | |
| | Harmonic | |
| | U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20R5410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20R5410EN_238712 VERTICAL</p> |



| Mode | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------------|-------------|-------------|--------|--------|--------|--------|------------|------|-------|-------------|--------------|-------------|-------------|--------|--------|--|-----|-------|-------|----|-------|------|----|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--------|--|-----|-------|-------|----|-------|------|----|----|----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|------------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DRH18-E_LEX095A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5292.91</td> <td>53.22</td> <td>74.00</td> <td>-20.78</td> <td>39.18</td> <td>32.70</td> <td>18.46</td> <td>33.01</td> <td>3.89</td> <td>300</td> <td>43 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | 1 5292.91 | 53.22 | 74.00 | -20.78 | 39.18 | 32.70 | 18.46 | 33.01 | 3.89 | 300 | 43 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3e DRH18-E_LEX095A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>60.89</td> <td>.....</td> <td>.....</td> <td>76.96</td> <td>32.52</td> <td>18.77</td> <td>33.42</td> <td>4.86</td> <td>300</td> <td>43 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | 1 5290.00 | 60.89 | | | 76.96 | 32.52 | 18.77 | 33.42 | 4.86 | 300 | 43 PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5292.91 | 53.22 | 74.00 | -20.78 | 39.18 | 32.70 | 18.46 | 33.01 | 3.89 | 300 | 43 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5290.00 | 60.89 | | | 76.96 | 32.52 | 18.77 | 33.42 | 4.86 | 300 | 43 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DRH18-E_LEX095A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5293.36</td> <td>45.53</td> <td>54.00</td> <td>-8.47</td> <td>35.52</td> <td>32.70</td> <td>18.45</td> <td>33.06</td> <td>3.92</td> <td>300</td> <td>43 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | 1 5293.36 | 45.53 | 54.00 | -8.47 | 35.52 | 32.70 | 18.45 | 33.06 | 3.92 | 300 | 43 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LEX095A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>85.15</td> <td>.....</td> <td>.....</td> <td>71.22</td> <td>32.52</td> <td>18.77</td> <td>33.42</td> <td>4.86</td> <td>300</td> <td>43 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | 1 5290.00 | 85.15 | | | 71.22 | 32.52 | 18.77 | 33.42 | 4.86 | 300 | 43 AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5293.36 | 45.53 | 54.00 | -8.47 | 35.52 | 32.70 | 18.45 | 33.06 | 3.92 | 300 | 43 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5290.00 | 85.15 | | | 71.22 | 32.52 | 18.77 | 33.42 | 4.86 | 300 | 43 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|------|------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3m DRH18-E_LEX05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.94</td> <td>51.33</td> <td>74.00</td> <td>-22.67</td> <td>37.25</td> <td>32.50</td> <td>11.82</td> <td>33.52</td> <td>4.00</td> <td>300</td> <td>43 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | deg | 1 5354.94 | 51.33 | 74.00 | -22.67 | 37.25 | 32.50 | 11.82 | 33.52 | 4.00 | 300 | 43 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5354.94 | 51.33 | 74.00 | -22.67 | 37.25 | 32.50 | 11.82 | 33.52 | 4.00 | 300 | 43 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3m DRH18-E_LEX05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5362.00</td> <td>43.91</td> <td>54.00</td> <td>-10.09</td> <td>29.81</td> <td>32.50</td> <td>11.65</td> <td>33.53</td> <td>4.00</td> <td>300</td> <td>43 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | deg | 1 5362.00 | 43.91 | 54.00 | -10.09 | 29.81 | 32.50 | 11.65 | 33.53 | 4.00 | 300 | 43 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV/m | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5362.00 | 43.91 | 54.00 | -10.09 | 29.81 | 32.50 | 11.65 | 33.53 | 4.00 | 300 | 43 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|-------|--------|-------------|--------|--------|--------|--------|--------|---------|---------|-------------|-------|--------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5889.32</td> <td>53.59</td> <td>74.00</td> <td>-20.42</td> <td>39.61</td> <td>32.70</td> <td>18.45</td> <td>33.12</td> <td>3.95</td> <td>212</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5889.32 | 53.59 | 74.00 | -20.42 | 39.61 | 32.70 | 18.45 | 33.12 | 3.95 | 212 | 144 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI) 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>102.05</td> <td>.....</td> <td>88.92</td> <td>32.51</td> <td>18.79</td> <td>33.43</td> <td>4.06</td> <td>212</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5290.00 | 102.05 | | 88.92 | 32.51 | 18.79 | 33.43 | 4.06 | 212 | 144 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5889.32 | 53.59 | 74.00 | -20.42 | 39.61 | 32.70 | 18.45 | 33.12 | 3.95 | 212 | 144 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5290.00 | 102.05 | | 88.92 | 32.51 | 18.79 | 33.43 | 4.06 | 212 | 144 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.16</td> <td>45.76</td> <td>54.00</td> <td>-8.24</td> <td>35.84</td> <td>32.67</td> <td>18.44</td> <td>33.16</td> <td>3.97</td> <td>212</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5117.16 | 45.76 | 54.00 | -8.24 | 35.84 | 32.67 | 18.44 | 33.16 | 3.97 | 212 | 144 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LEX095A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>96.00</td> <td>.....</td> <td>82.05</td> <td>32.50</td> <td>18.82</td> <td>33.44</td> <td>4.07</td> <td>212</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5290.00 | 96.00 | | 82.05 | 32.50 | 18.82 | 33.44 | 4.07 | 212 | 144 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5117.16 | 45.76 | 54.00 | -8.24 | 35.84 | 32.67 | 18.44 | 33.16 | 3.97 | 212 | 144 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5290.00 | 96.00 | | 82.05 | 32.50 | 18.82 | 33.44 | 4.07 | 212 | 144 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|-----------------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE_74 3m DRH18-E_LEX05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.47</td> <td>64.59</td> <td>74.00</td> <td>-9.42</td> <td>58.51</td> <td>32.50</td> <td>11.82</td> <td>33.52</td> <td>4.00</td> <td>212 144 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5356.47 | 64.59 | 74.00 | -9.42 | 58.51 | 32.50 | 11.82 | 33.52 | 4.00 | 212 144 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5356.47 | 64.59 | 74.00 | -9.42 | 58.51 | 32.50 | 11.82 | 33.52 | 4.00 | 212 144 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE_54 3m DRH18-E_LEX05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.08</td> <td>52.90</td> <td>54.00</td> <td>-1.02</td> <td>38.90</td> <td>32.50</td> <td>11.82</td> <td>33.52</td> <td>4.00</td> <td>212 144 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5354.08 | 52.90 | 54.00 | -1.02 | 38.90 | 32.50 | 11.82 | 33.52 | 4.00 | 212 144 AVERAGE | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5354.08 | 52.90 | 54.00 | -1.02 | 38.90 | 32.50 | 11.82 | 33.52 | 4.00 | 212 144 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|----------|-------|-------------|------------|-------------|------------|---------------|------------|---------------|------------|---------|------|--------|---|-----|-----|-----|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|----|----|---------|---|------|------|-------|-------|-------------|------------|------------|------------|---------------|------------|------|------|--------|---|-----|-----|-----|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|----|----|---------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 830K23-HY Condition: PEAK(UNII) 3m DRMS-E_LE20054180N_238712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10500.00</td> <td>50.00</td> <td>68.20</td> <td>-18.22</td> <td>34.62</td> <td>37.36</td> <td>14.90</td> <td>38.94</td> <td>2.14</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>54.14</td> <td>74.00</td> <td>-19.86</td> <td>37.44</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>46.61</td> <td>54.00</td> <td>-7.39</td> <td>29.91</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | 1 | MHz | dBm | dBm | dB | dBm | dB | dB | dB | dB | cm | deg | | 1 | 10500.00 | 50.00 | 68.20 | -18.22 | 34.62 | 37.36 | 14.90 | 38.94 | 2.14 | -- | -- | Peak | 2 | 15870.00 | 54.14 | 74.00 | -19.86 | 37.44 | 40.60 | 18.22 | 44.96 | 2.84 | -- | -- | Peak | 3 | 15870.00 | 46.61 | 54.00 | -7.39 | 29.91 | 40.60 | 18.22 | 44.96 | 2.84 | -- | -- | Average | <p>Site : 830K23-HY Condition: PEAK(UNII) 3m DRMS-E_LE20054180N_238712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10500.00</td> <td>50.66</td> <td>68.20</td> <td>-17.54</td> <td>35.20</td> <td>37.36</td> <td>14.90</td> <td>38.94</td> <td>2.14</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>53.74</td> <td>74.00</td> <td>-20.25</td> <td>37.84</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>46.78</td> <td>54.00</td> <td>-7.30</td> <td>30.00</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | 1 | MHz | dBm | dBm | dB | dBm | dB | dB | dB | dB | cm | deg | | 1 | 10500.00 | 50.66 | 68.20 | -17.54 | 35.20 | 37.36 | 14.90 | 38.94 | 2.14 | -- | -- | Peak | 2 | 15870.00 | 53.74 | 74.00 | -20.25 | 37.84 | 40.60 | 18.22 | 44.96 | 2.84 | -- | -- | Peak | 3 | 15870.00 | 46.78 | 54.00 | -7.30 | 30.00 | 40.60 | 18.22 | 44.96 | 2.84 | -- | -- | Average |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | MHz | dBm | dBm | dB | dBm | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 10500.00 | 50.00 | 68.20 | -18.22 | 34.62 | 37.36 | 14.90 | 38.94 | 2.14 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 15870.00 | 54.14 | 74.00 | -19.86 | 37.44 | 40.60 | 18.22 | 44.96 | 2.84 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 15870.00 | 46.61 | 54.00 | -7.39 | 29.91 | 40.60 | 18.22 | 44.96 | 2.84 | -- | -- | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | MHz | dBm | dBm | dB | dBm | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 10500.00 | 50.66 | 68.20 | -17.54 | 35.20 | 37.36 | 14.90 | 38.94 | 2.14 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 15870.00 | 53.74 | 74.00 | -20.25 | 37.84 | 40.60 | 18.22 | 44.96 | 2.84 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 15870.00 | 46.78 | 54.00 | -7.30 | 30.00 | 40.60 | 18.22 | 44.96 | 2.84 | -- | -- | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 34 | |
| | Harmonic | |
| | U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108V_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108V_238712 VERTICAL</p> |



| Mode | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|-------|--------|-------|--------|--------|--------|--------|------|---------|-------------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|--------|------|-------|-------------|-------|---|-------|--------|--------|-------|--------|--------|------|--------|------|-------|-------------|-------|--------|------|---------|--------|-------|--------|--------|-------|-------|------|-----|-----|---------|-----|---|---------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5432.85</td> <td>51.79</td> <td>74.00</td> <td>-22.21</td> <td>37.51</td> <td>32.63</td> <td>11.19</td> <td>33.64</td> <td>4.10</td> <td>368</td> <td>318</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.85</td> <td>54.98</td> <td>68.28</td> <td>-13.30</td> <td>48.54</td> <td>31.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>368</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5432.85 | 51.79 | 74.00 | -22.21 | 37.51 | 32.63 | 11.19 | 33.64 | 4.10 | 368 | 318 | PEAK | 2 | 5468.85 | 54.98 | 68.28 | -13.30 | 48.54 | 31.74 | 11.20 | 33.69 | 4.11 | 368 | 318 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII)_3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.88</td> <td>89.41</td> <td>.....</td> <td>85.83</td> <td>32.88</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>368</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5500.88 | 89.41 | | 85.83 | 32.88 | 11.20 | 33.74 | 4.12 | 368 | 318 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5432.85 | 51.79 | 74.00 | -22.21 | 37.51 | 32.63 | 11.19 | 33.64 | 4.10 | 368 | 318 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5468.85 | 54.98 | 68.28 | -13.30 | 48.54 | 31.74 | 11.20 | 33.69 | 4.11 | 368 | 318 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5500.88 | 89.41 | | 85.83 | 32.88 | 11.20 | 33.74 | 4.12 | 368 | 318 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:9.828kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.95</td> <td>43.36</td> <td>54.88</td> <td>-18.64</td> <td>29.81</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>368</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5469.95 | 43.36 | 54.88 | -18.64 | 29.81 | 32.72 | 11.20 | 33.68 | 4.11 | 368 | 318 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:9.828kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.88</td> <td>93.62</td> <td>.....</td> <td>79.24</td> <td>32.88</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>368</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5500.88 | 93.62 | | 79.24 | 32.88 | 11.20 | 33.74 | 4.12 | 368 | 318 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5469.95 | 43.36 | 54.88 | -18.64 | 29.81 | 32.72 | 11.20 | 33.68 | 4.11 | 368 | 318 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5500.88 | 93.62 | | 79.24 | 32.88 | 11.20 | 33.74 | 4.12 | 368 | 318 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------------|-------------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|-----|-------|-------|----|-----|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|-------|-------|-------|-------|--------|------|-------|-------------|--------------|--|--------|------|-----|-------|-------|-------|------|--------|------|-------|-------------|--------------|-------------|--------|---------|--------|-------|-------|-------|-------|-------|------|-----|-----|---------|-----|---|---------|--------|-------|--------|-------|-------|-------|------|-----|-----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LEXCR5418EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.35</td> <td>61.52</td> <td>74.00</td> <td>-12.48</td> <td>47.17</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>206</td> <td>145</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.35</td> <td>66.52</td> <td>68.20</td> <td>-1.68</td> <td>52.16</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>206</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5459.35 | 61.52 | 74.00 | -12.48 | 47.17 | 32.72 | 11.20 | 33.68 | 4.11 | 206 | 145 | PEAK | 2 | 5468.35 | 66.52 | 68.20 | -1.68 | 52.16 | 32.74 | 11.20 | 33.69 | 4.11 | 206 | 145 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII) 3e DRH18-E_LEXCR5418EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>115.69</td> <td>.....</td> <td>181.31</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>206</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5500.00 | 115.69 | | 181.31 | 32.80 | 11.20 | 33.74 | 4.12 | 206 | 145 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5459.35 | 61.52 | 74.00 | -12.48 | 47.17 | 32.72 | 11.20 | 33.68 | 4.11 | 206 | 145 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5468.35 | 66.52 | 68.20 | -1.68 | 52.16 | 32.74 | 11.20 | 33.69 | 4.11 | 206 | 145 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5500.00 | 115.69 | | 181.31 | 32.80 | 11.20 | 33.74 | 4.12 | 206 | 145 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LEXCR5418EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.020kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.68</td> <td>52.64</td> <td>54.00</td> <td>-1.36</td> <td>38.29</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>206</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5452.68 | 52.64 | 54.00 | -1.36 | 38.29 | 32.71 | 11.20 | 33.67 | 4.11 | 206 | 145 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LEXCR5418EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.020kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>118.12</td> <td>.....</td> <td>95.74</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>206</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5500.00 | 118.12 | | 95.74 | 32.80 | 11.20 | 33.74 | 4.12 | 206 | 145 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5452.68 | 52.64 | 54.00 | -1.36 | 38.29 | 32.71 | 11.20 | 33.67 | 4.11 | 206 | 145 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5500.00 | 118.12 | | 95.74 | 32.80 | 11.20 | 33.74 | 4.12 | 206 | 145 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|----------|-------|--------|--------|-------|--------|-------|--------|-------|--------|------|---------|------|--------|--|-----|-------|-------|----|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|--|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|--|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|--|------|--|------|------|-------|-------|------|--------|------|-----|-------|--------|-----|------|------|--------|--|-----|-------|-------|----|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|--|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|--|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|--|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>62.24</td> <td>74.00</td> <td>-11.76</td> <td>46.68</td> <td>37.70</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>241</td> <td>125</td> <td></td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>53.31</td> <td>54.00</td> <td>-0.69</td> <td>37.67</td> <td>37.70</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>241</td> <td>125</td> <td></td> <td>Average</td> </tr> <tr> <td>3</td> <td>16580.00</td> <td>66.17</td> <td>68.20</td> <td>-2.03</td> <td>49.71</td> <td>40.68</td> <td>18.56</td> <td>45.75</td> <td>3.85</td> <td>366</td> <td>46</td> <td></td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dB | dBV | dB | dB | dB | dB | cm | deg | | 1 | 11000.00 | 62.24 | 74.00 | -11.76 | 46.68 | 37.70 | 15.16 | 39.39 | 2.17 | 241 | 125 | | Peak | 2 | 11000.00 | 53.31 | 54.00 | -0.69 | 37.67 | 37.70 | 15.16 | 39.39 | 2.17 | 241 | 125 | | Average | 3 | 16580.00 | 66.17 | 68.20 | -2.03 | 49.71 | 40.68 | 18.56 | 45.75 | 3.85 | 366 | 46 | | Peak | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>59.82</td> <td>74.00</td> <td>-14.18</td> <td>44.18</td> <td>37.70</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>300</td> <td>249</td> <td></td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>51.83</td> <td>54.00</td> <td>-2.17</td> <td>36.59</td> <td>37.70</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>300</td> <td>249</td> <td></td> <td>Average</td> </tr> <tr> <td>3</td> <td>16580.00</td> <td>67.46</td> <td>68.20</td> <td>-0.74</td> <td>51.00</td> <td>40.68</td> <td>18.56</td> <td>45.75</td> <td>3.85</td> <td>170</td> <td>213</td> <td></td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dB | dBV | dB | dB | dB | dB | cm | deg | | 1 | 11000.00 | 59.82 | 74.00 | -14.18 | 44.18 | 37.70 | 15.16 | 39.39 | 2.17 | 300 | 249 | | Peak | 2 | 11000.00 | 51.83 | 54.00 | -2.17 | 36.59 | 37.70 | 15.16 | 39.39 | 2.17 | 300 | 249 | | Average | 3 | 16580.00 | 67.46 | 68.20 | -0.74 | 51.00 | 40.68 | 18.56 | 45.75 | 3.85 | 170 | 213 | | Peak |
| Peak | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dB | dBV | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11000.00 | 62.24 | 74.00 | -11.76 | 46.68 | 37.70 | 15.16 | 39.39 | 2.17 | 241 | 125 | | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11000.00 | 53.31 | 54.00 | -0.69 | 37.67 | 37.70 | 15.16 | 39.39 | 2.17 | 241 | 125 | | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16580.00 | 66.17 | 68.20 | -2.03 | 49.71 | 40.68 | 18.56 | 45.75 | 3.85 | 366 | 46 | | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dB | dBV | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11000.00 | 59.82 | 74.00 | -14.18 | 44.18 | 37.70 | 15.16 | 39.39 | 2.17 | 300 | 249 | | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11000.00 | 51.83 | 54.00 | -2.17 | 36.59 | 37.70 | 15.16 | 39.39 | 2.17 | 300 | 249 | | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16580.00 | 67.46 | 68.20 | -0.74 | 51.00 | 40.68 | 18.56 | 45.75 | 3.85 | 170 | 213 | | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 35 | |
| | Harmonic | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108N_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108N_238712 VERTICAL</p> |



| Mode | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|-------------|--------|--------|-------------|--------|-------|--------|------|------------|------------|-------|-------------|-------|--------|-------------|--------|--|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|--|---------|-------|-------|--------|-------|-------|-------|-------|------|------|---------|---|-------|--------|-------------|--------|-------|--------|------|------|--------|--------|-------|-------------|-------|--------|-------------|--------|-----|--------|---------|-------|--------|--------|-------|-------|-------|------|-----|------------|-----|---|---------|--------|-------|-------|-------|-------|-------|------|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5441.54</td> <td>51.55</td> <td>74.00</td> <td>-22.45</td> <td>37.23</td> <td>32.67</td> <td>11.20</td> <td>33.65</td> <td>4.10</td> <td>100</td> <td>37 PEAK</td> </tr> <tr> <td>2</td> <td>5467.53</td> <td>50.72</td> <td>68.20</td> <td>-17.48</td> <td>36.36</td> <td>31.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>100</td> <td>37 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5441.54 | 51.55 | 74.00 | -22.45 | 37.23 | 32.67 | 11.20 | 33.65 | 4.10 | 100 | 37 PEAK | 2 | 5467.53 | 50.72 | 68.20 | -17.48 | 36.36 | 31.74 | 11.20 | 33.69 | 4.11 | 100 | 37 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII)_3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>100.09</td> <td>.....</td> <td>85.44</td> <td>33.87</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>100</td> <td>37 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5580.00 | 100.09 | | 85.44 | 33.87 | 11.22 | 33.79 | 4.15 | 100 | 37 PEAK |
| | | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5441.54 | 51.55 | 74.00 | -22.45 | 37.23 | 32.67 | 11.20 | 33.65 | 4.10 | 100 | 37 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5467.53 | 50.72 | 68.20 | -17.48 | 36.36 | 31.74 | 11.20 | 33.69 | 4.11 | 100 | 37 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5580.00 | 100.09 | | 85.44 | 33.87 | 11.22 | 33.79 | 4.15 | 100 | 37 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:0.020kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.30</td> <td>42.44</td> <td>54.00</td> <td>-11.56</td> <td>28.11</td> <td>32.67</td> <td>11.20</td> <td>33.65</td> <td>4.11</td> <td>100</td> <td>37 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5443.30 | 42.44 | 54.00 | -11.56 | 28.11 | 32.67 | 11.20 | 33.65 | 4.11 | 100 | 37 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:0.020kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>93.09</td> <td>.....</td> <td>70.44</td> <td>33.87</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>100</td> <td>37 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5580.00 | 93.09 | | 70.44 | 33.87 | 11.22 | 33.79 | 4.15 | 100 | 37 AVERAGE | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5443.30 | 42.44 | 54.00 | -11.56 | 28.11 | 32.67 | 11.20 | 33.65 | 4.11 | 100 | 37 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5580.00 | 93.09 | | 70.44 | 33.87 | 11.22 | 33.79 | 4.15 | 100 | 37 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|-------------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEXC05418EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5747.43</td> <td>53.23</td> <td>68.28</td> <td>-14.97</td> <td>38.85</td> <td>33.89</td> <td>18.99</td> <td>33.89</td> <td>4.19</td> <td>188 37 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5747.43 | 53.23 | 68.28 | -14.97 | 38.85 | 33.89 | 18.99 | 33.89 | 4.19 | 188 37 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5747.43 | 53.23 | 68.28 | -14.97 | 38.85 | 33.89 | 18.99 | 33.89 | 4.19 | 188 37 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|-----|-------|-------|----|-----|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|---------|-------|-------|--------|-------|-------|-------|--------|------|-------|-------------|--------------|--|--------|------|-----|-------|-------|-------|------|--------|------|-------|-------------|--------------|-------------|--------|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5421.87</td> <td>58.92</td> <td>74.08</td> <td>-15.86</td> <td>44.67</td> <td>32.58</td> <td>11.19</td> <td>33.62</td> <td>4.18</td> <td>200</td> <td>148</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.39</td> <td>54.74</td> <td>68.28</td> <td>-13.46</td> <td>48.38</td> <td>32.73</td> <td>11.28</td> <td>33.68</td> <td>4.11</td> <td>200</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5421.87 | 58.92 | 74.08 | -15.86 | 44.67 | 32.58 | 11.19 | 33.62 | 4.18 | 200 | 148 | PEAK | 2 | 5463.39 | 54.74 | 68.28 | -13.46 | 48.38 | 32.73 | 11.28 | 33.68 | 4.11 | 200 | 148 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5588.88</td> <td>115.87</td> <td>.....</td> <td>.....</td> <td>181.23</td> <td>33.86</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>200</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5588.88 | 115.87 | | | 181.23 | 33.86 | 11.22 | 33.79 | 4.15 | 200 | 148 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5421.87 | 58.92 | 74.08 | -15.86 | 44.67 | 32.58 | 11.19 | 33.62 | 4.18 | 200 | 148 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5463.39 | 54.74 | 68.28 | -13.46 | 48.38 | 32.73 | 11.28 | 33.68 | 4.11 | 200 | 148 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5588.88 | 115.87 | | | 181.23 | 33.86 | 11.22 | 33.79 | 4.15 | 200 | 148 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.828kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.78</td> <td>47.83</td> <td>54.88</td> <td>-6.97</td> <td>32.79</td> <td>32.56</td> <td>11.19</td> <td>33.61</td> <td>4.18</td> <td>200</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5415.78 | 47.83 | 54.88 | -6.97 | 32.79 | 32.56 | 11.19 | 33.61 | 4.18 | 200 | 148 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.828kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5588.88</td> <td>189.98</td> <td>.....</td> <td>.....</td> <td>95.26</td> <td>33.86</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>200</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5588.88 | 189.98 | | | 95.26 | 33.86 | 11.22 | 33.79 | 4.15 | 200 | 148 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5415.78 | 47.83 | 54.88 | -6.97 | 32.79 | 32.56 | 11.19 | 33.61 | 4.18 | 200 | 148 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5588.88 | 189.98 | | | 95.26 | 33.86 | 11.22 | 33.79 | 4.15 | 200 | 148 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|----------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|----------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEX085418EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5746.09</td> <td>56.71</td> <td>68.28</td> <td>-11.48</td> <td>41.53</td> <td>33.89</td> <td>18.99</td> <td>33.89</td> <td>4.19</td> <td>200</td> <td>548 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5746.09 | 56.71 | 68.28 | -11.48 | 41.53 | 33.89 | 18.99 | 33.89 | 4.19 | 200 | 548 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5746.09 | 56.71 | 68.28 | -11.48 | 41.53 | 33.89 | 18.99 | 33.89 | 4.19 | 200 | 548 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|----------|-------|-------------|-------|-------------|-------|--------|-------|--------|------|---------|------|--------|--|-----|-------|-------|----|-----|------|----|----|----|----|-----|--|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|--|------|------|-------|-------|-------------|------|-----|-------|--------|-----|------|------|--------|--|-----|-------|-------|----|-----|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>64.06</td> <td>74.00</td> <td>-9.94</td> <td>48.00</td> <td>38.04</td> <td>15.31</td> <td>39.47</td> <td>2.18</td> <td>236</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>52.89</td> <td>54.00</td> <td>-1.11</td> <td>36.83</td> <td>38.04</td> <td>15.31</td> <td>39.47</td> <td>2.18</td> <td>236</td> <td>128</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>67.33</td> <td>68.20</td> <td>-0.87</td> <td>50.91</td> <td>40.38</td> <td>18.69</td> <td>45.79</td> <td>3.14</td> <td>303</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | 1 | 11160.00 | 64.06 | 74.00 | -9.94 | 48.00 | 38.04 | 15.31 | 39.47 | 2.18 | 236 | 128 | PEAK | 2 | 11160.00 | 52.89 | 54.00 | -1.11 | 36.83 | 38.04 | 15.31 | 39.47 | 2.18 | 236 | 128 | AVERAGE | 3 | 16740.00 | 67.33 | 68.20 | -0.87 | 50.91 | 40.38 | 18.69 | 45.79 | 3.14 | 303 | 56 | PEAK | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>63.89</td> <td>74.00</td> <td>-10.11</td> <td>47.83</td> <td>38.04</td> <td>15.31</td> <td>39.47</td> <td>2.18</td> <td>305</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>53.47</td> <td>54.00</td> <td>-0.53</td> <td>37.41</td> <td>38.04</td> <td>15.31</td> <td>39.47</td> <td>2.18</td> <td>305</td> <td>246</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>67.38</td> <td>68.20</td> <td>-0.82</td> <td>50.96</td> <td>40.38</td> <td>18.69</td> <td>45.79</td> <td>3.14</td> <td>300</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | 1 | 11160.00 | 63.89 | 74.00 | -10.11 | 47.83 | 38.04 | 15.31 | 39.47 | 2.18 | 305 | 246 | PEAK | 2 | 11160.00 | 53.47 | 54.00 | -0.53 | 37.41 | 38.04 | 15.31 | 39.47 | 2.18 | 305 | 246 | AVERAGE | 3 | 16740.00 | 67.38 | 68.20 | -0.82 | 50.96 | 40.38 | 18.69 | 45.79 | 3.14 | 300 | 16 | PEAK |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11160.00 | 64.06 | 74.00 | -9.94 | 48.00 | 38.04 | 15.31 | 39.47 | 2.18 | 236 | 128 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11160.00 | 52.89 | 54.00 | -1.11 | 36.83 | 38.04 | 15.31 | 39.47 | 2.18 | 236 | 128 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16740.00 | 67.33 | 68.20 | -0.87 | 50.91 | 40.38 | 18.69 | 45.79 | 3.14 | 303 | 56 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11160.00 | 63.89 | 74.00 | -10.11 | 47.83 | 38.04 | 15.31 | 39.47 | 2.18 | 305 | 246 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11160.00 | 53.47 | 54.00 | -0.53 | 37.41 | 38.04 | 15.31 | 39.47 | 2.18 | 305 | 246 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16740.00 | 67.38 | 68.20 | -0.82 | 50.96 | 40.38 | 18.69 | 45.79 | 3.14 | 300 | 16 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 36 | |
| | Harmonic | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854105N_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854105N_238712 VERTICAL</p> |



| Mode | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|-------|--------|-------|--------|--------|--------|------|------------|--------|-------|-------------|-------------|--------|--------|--------|--------|--------|-----|--------|--------|--------|------|------|------|----|----|-----|-----------|-----------|-------|-------|-------|-------|-------|-------|-------|------|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|-------|-------|-------|-------|------|-----|---------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LEXCR5418EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.83</td> <td>58.65</td> <td>68.28</td> <td>-9.55</td> <td>43.51</td> <td>33.88</td> <td>11.83</td> <td>33.88</td> <td>4.18</td> <td>234</td> <td>71 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5725.83 | 58.65 | 68.28 | -9.55 | 43.51 | 33.88 | 11.83 | 33.88 | 4.18 | 234 | 71 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII) 3e DRH18-E_LEXCR5418EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5780.80</td> <td>182.37</td> <td>.....</td> <td>.....</td> <td>87.27</td> <td>33.72</td> <td>11.86</td> <td>33.86</td> <td>4.18</td> <td>234</td> <td>71 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5780.80 | 182.37 | | | 87.27 | 33.72 | 11.86 | 33.86 | 4.18 | 234 | 71 PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5725.83 | 58.65 | 68.28 | -9.55 | 43.51 | 33.88 | 11.83 | 33.88 | 4.18 | 234 | 71 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5780.80 | 182.37 | | | 87.27 | 33.72 | 11.86 | 33.86 | 4.18 | 234 | 71 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LEXCR5418EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:8.820kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5780.80</td> <td>96.38</td> <td>.....</td> <td>.....</td> <td>81.28</td> <td>33.72</td> <td>11.86</td> <td>33.86</td> <td>4.18</td> <td>234</td> <td>71 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5780.80 | 96.38 | | | 81.28 | 33.72 | 11.86 | 33.86 | 4.18 | 234 | 71 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5780.80 | 96.38 | | | 81.28 | 33.72 | 11.86 | 33.86 | 4.18 | 234 | 71 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|-------|--------|-------|--------|--------|--------|------|-------------|--------|-------|-------------|-------------|--------|--------|--------|--------|--------|-----|--------|--------|--------|------|------|------|----|----|-----|-----------|-----------|--------|-------|-------|-------|-------|-------|-------|------|----------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|-------|-------|-------|-------|------|-----|----------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_B0(UN1)_B3 3e DR18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.26</td> <td>67.83</td> <td>68.28</td> <td>-1.17</td> <td>51.89</td> <td>33.81</td> <td>11.82</td> <td>33.88</td> <td>4.18</td> <td>291</td> <td>332 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5726.26 | 67.83 | 68.28 | -1.17 | 51.89 | 33.81 | 11.82 | 33.88 | 4.18 | 291 | 332 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UN1) 3e DR18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5780.80</td> <td>112.85</td> <td>.....</td> <td>.....</td> <td>97.77</td> <td>33.69</td> <td>11.87</td> <td>33.86</td> <td>4.18</td> <td>291</td> <td>332 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5780.80 | 112.85 | | | 97.77 | 33.69 | 11.87 | 33.86 | 4.18 | 291 | 332 PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5726.26 | 67.83 | 68.28 | -1.17 | 51.89 | 33.81 | 11.82 | 33.88 | 4.18 | 291 | 332 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5780.80 | 112.85 | | | 97.77 | 33.69 | 11.87 | 33.86 | 4.18 | 291 | 332 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <p>Site : 83CH3-HY Condition: AVG_54 3e DR18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:8.820kHz SdT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5780.80</td> <td>187.71</td> <td>.....</td> <td>.....</td> <td>92.63</td> <td>33.69</td> <td>11.87</td> <td>33.86</td> <td>4.18</td> <td>291</td> <td>332 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5780.80 | 187.71 | | | 92.63 | 33.69 | 11.87 | 33.86 | 4.18 | 291 | 332 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5780.80 | 187.71 | | | 92.63 | 33.69 | 11.87 | 33.86 | 4.18 | 291 | 332 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|----------|-------|-------------|------------|-------------|------------|---------------|------------|---------------|------------|---------|------|--------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|------|------|-------|-------|-------------|------------|------------|------------|---------------|------------|------|------|--------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>11400.00</th> <th>59.11</th> <th>74.00</th> <th>-14.89</th> <th>42.36</th> <th>30.00</th> <th>15.54</th> <th>39.50</th> <th>2.19</th> <th>400</th> <th>129</th> <th>PEAK</th> </tr> <tr> <th>2</th> <th>11400.00</th> <th>49.90</th> <th>54.00</th> <th>-4.10</th> <th>33.15</th> <th>30.00</th> <th>15.54</th> <th>39.50</th> <th>2.19</th> <th>400</th> <th>129</th> <th>AVERAGE</th> </tr> <tr> <th>3</th> <th>17100.00</th> <th>55.41</th> <th>68.20</th> <th>-12.79</th> <th>39.10</th> <th>40.10</th> <th>18.90</th> <th>45.97</th> <th>3.28</th> <th>--</th> <th>--</th> <th>PEAK</th> </tr> </thead></table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | 1 | 11400.00 | 59.11 | 74.00 | -14.89 | 42.36 | 30.00 | 15.54 | 39.50 | 2.19 | 400 | 129 | PEAK | 2 | 11400.00 | 49.90 | 54.00 | -4.10 | 33.15 | 30.00 | 15.54 | 39.50 | 2.19 | 400 | 129 | AVERAGE | 3 | 17100.00 | 55.41 | 68.20 | -12.79 | 39.10 | 40.10 | 18.90 | 45.97 | 3.28 | -- | -- | PEAK | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>11400.00</th> <th>59.79</th> <th>74.00</th> <th>-14.21</th> <th>43.04</th> <th>30.00</th> <th>15.54</th> <th>39.50</th> <th>2.19</th> <th>283</th> <th>105</th> <th>PEAK</th> </tr> <tr> <th>2</th> <th>11400.00</th> <th>52.27</th> <th>54.00</th> <th>-1.73</th> <th>35.52</th> <th>30.00</th> <th>15.54</th> <th>39.50</th> <th>2.19</th> <th>283</th> <th>105</th> <th>AVERAGE</th> </tr> <tr> <th>3</th> <th>17100.00</th> <th>59.71</th> <th>68.20</th> <th>-8.49</th> <th>43.40</th> <th>40.10</th> <th>18.90</th> <th>45.97</th> <th>3.28</th> <th>200</th> <th>243</th> <th>PEAK</th> </tr> </thead></table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | 1 | 11400.00 | 59.79 | 74.00 | -14.21 | 43.04 | 30.00 | 15.54 | 39.50 | 2.19 | 283 | 105 | PEAK | 2 | 11400.00 | 52.27 | 54.00 | -1.73 | 35.52 | 30.00 | 15.54 | 39.50 | 2.19 | 283 | 105 | AVERAGE | 3 | 17100.00 | 59.71 | 68.20 | -8.49 | 43.40 | 40.10 | 18.90 | 45.97 | 3.28 | 200 | 243 | PEAK |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11400.00 | 59.11 | 74.00 | -14.89 | 42.36 | 30.00 | 15.54 | 39.50 | 2.19 | 400 | 129 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11400.00 | 49.90 | 54.00 | -4.10 | 33.15 | 30.00 | 15.54 | 39.50 | 2.19 | 400 | 129 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17100.00 | 55.41 | 68.20 | -12.79 | 39.10 | 40.10 | 18.90 | 45.97 | 3.28 | -- | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11400.00 | 59.79 | 74.00 | -14.21 | 43.04 | 30.00 | 15.54 | 39.50 | 2.19 | 283 | 105 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11400.00 | 52.27 | 54.00 | -1.73 | 35.52 | 30.00 | 15.54 | 39.50 | 2.19 | 283 | 105 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17100.00 | 59.71 | 68.20 | -8.49 | 43.40 | 40.10 | 18.90 | 45.97 | 3.28 | 200 | 243 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 37 | |
| | Harmonic | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108V_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108V_238712 VERTICAL</p> |



| Mode | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|--------|-------|--------|-------|--------|------|------------|-------------|--------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|--------|------|-------|-------------|---|-------------|--------|-----|-------|-----|--------|--------|--------|------|-------|-------------|--------------|-------------|---------|-------|-------|-------|--------|--------|-------|-------|------|-----|------------|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT20_CH144_5720MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: STRADDLES U-NII-1&2A 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.31</td> <td>51.86</td> <td>74.00</td> <td>-32.94</td> <td>36.75</td> <td>32.66</td> <td>11.20</td> <td>33.65</td> <td>4.18</td> <td>100</td> <td>73 PEAK</td> </tr> <tr> <td>2</td> <td>5463.49</td> <td>51.33</td> <td>68.28</td> <td>-16.87</td> <td>36.97</td> <td>32.73</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>100</td> <td>73 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5439.31 | 51.86 | 74.00 | -32.94 | 36.75 | 32.66 | 11.20 | 33.65 | 4.18 | 100 | 73 PEAK | 2 | 5463.49 | 51.33 | 68.28 | -16.87 | 36.97 | 32.73 | 11.20 | 33.68 | 4.11 | 100 | 73 PEAK | <p>Site : 83CH3-HY Condition: PEAK(U-NII) 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5720.00</td> <td>103.14</td> <td>.....</td> <td>.....</td> <td>88.01</td> <td>33.79</td> <td>11.03</td> <td>33.87</td> <td>4.18</td> <td>100</td> <td>73 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5720.00 | 103.14 | | | 88.01 | 33.79 | 11.03 | 33.87 | 4.18 | 100 | 73 PEAK |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5439.31 | 51.86 | 74.00 | -32.94 | 36.75 | 32.66 | 11.20 | 33.65 | 4.18 | 100 | 73 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5463.49 | 51.33 | 68.28 | -16.87 | 36.97 | 32.73 | 11.20 | 33.68 | 4.11 | 100 | 73 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5720.00 | 103.14 | | | 88.01 | 33.79 | 11.03 | 33.87 | 4.18 | 100 | 73 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: U-NII-1&2A AVERAGE 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:9.820kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.59</td> <td>42.12</td> <td>54.00</td> <td>-11.88</td> <td>27.77</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>100</td> <td>73 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5469.59 | 42.12 | 54.00 | -11.88 | 27.77 | 32.72 | 11.20 | 33.68 | 4.11 | 100 | 73 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:9.820kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5720.00</td> <td>98.39</td> <td>.....</td> <td>.....</td> <td>83.26</td> <td>33.79</td> <td>11.03</td> <td>33.87</td> <td>4.18</td> <td>100</td> <td>73 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5720.00 | 98.39 | | | 83.26 | 33.79 | 11.03 | 33.87 | 4.18 | 100 | 73 AVERAGE | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5469.59 | 42.12 | 54.00 | -11.88 | 27.77 | 32.72 | 11.20 | 33.68 | 4.11 | 100 | 73 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5720.00 | 98.39 | | | 83.26 | 33.79 | 11.03 | 33.87 | 4.18 | 100 | 73 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|---------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|---------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT20_CH144_5720MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: STRADDLES U-NII-1&2A 3e DRH10-E_LE2CR5A18EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SFT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5921.00</td> <td>53.68</td> <td>68.28</td> <td>-14.60</td> <td>38.17</td> <td>33.94</td> <td>11.36</td> <td>33.99</td> <td>4.12</td> <td>100</td> <td>73 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5921.00 | 53.68 | 68.28 | -14.60 | 38.17 | 33.94 | 11.36 | 33.99 | 4.12 | 100 | 73 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5921.00 | 53.68 | 68.28 | -14.60 | 38.17 | 33.94 | 11.36 | 33.99 | 4.12 | 100 | 73 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|-------|--------|-------------|--------|--------|--------|--------|------|-------|-------------|-------|--------|-------------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|---------|-------|-------|--------|-------|-------|-------|--------|------|-------|-------------|-------|---|-------------|--------|-----|-------|--------|--------|------|--------|------|-------|-------------|-------|--------|-------------|---------|--------|-------|--------|--------|-------|-------|-------|------|-----|-----|---------|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT20_CH144_5720MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: STRADDLES U-NII-1&2A 3e DRH10-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5489.11</td> <td>51.94</td> <td>74.00</td> <td>-22.06</td> <td>37.73</td> <td>32.53</td> <td>11.19</td> <td>33.68</td> <td>4.89</td> <td>267</td> <td>339</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5481.54</td> <td>51.53</td> <td>68.28</td> <td>-16.67</td> <td>37.18</td> <td>32.72</td> <td>11.28</td> <td>33.68</td> <td>4.11</td> <td>267</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5489.11 | 51.94 | 74.00 | -22.06 | 37.73 | 32.53 | 11.19 | 33.68 | 4.89 | 267 | 339 | PEAK | 2 | 5481.54 | 51.53 | 68.28 | -16.67 | 37.18 | 32.72 | 11.28 | 33.68 | 4.11 | 267 | 339 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(U-NII) 3e DRH10-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.88</td> <td>114.67</td> <td>.....</td> <td>.....</td> <td>99.54</td> <td>33.79</td> <td>11.83</td> <td>33.87</td> <td>4.18</td> <td>267</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5728.88 | 114.67 | | | 99.54 | 33.79 | 11.83 | 33.87 | 4.18 | 267 | 339 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5489.11 | 51.94 | 74.00 | -22.06 | 37.73 | 32.53 | 11.19 | 33.68 | 4.89 | 267 | 339 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5481.54 | 51.53 | 68.28 | -16.67 | 37.18 | 32.72 | 11.28 | 33.68 | 4.11 | 267 | 339 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5728.88 | 114.67 | | | 99.54 | 33.79 | 11.83 | 33.87 | 4.18 | 267 | 339 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: U-NII-1&2A AVERAGE 3e DRH10-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:9.820kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.59</td> <td>42.54</td> <td>54.88</td> <td>-11.46</td> <td>28.19</td> <td>32.72</td> <td>11.28</td> <td>33.68</td> <td>4.11</td> <td>267</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5459.59 | 42.54 | 54.88 | -11.46 | 28.19 | 32.72 | 11.28 | 33.68 | 4.11 | 267 | 339 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH10-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:9.820kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.88</td> <td>189.38</td> <td>.....</td> <td>.....</td> <td>94.17</td> <td>33.79</td> <td>11.83</td> <td>33.87</td> <td>4.18</td> <td>267</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5728.88 | 189.38 | | | 94.17 | 33.79 | 11.83 | 33.87 | 4.18 | 267 | 339 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5459.59 | 42.54 | 54.88 | -11.46 | 28.19 | 32.72 | 11.28 | 33.68 | 4.11 | 267 | 339 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5728.88 | 189.38 | | | 94.17 | 33.79 | 11.83 | 33.87 | 4.18 | 267 | 339 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|-------------------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|-------------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT20_CH144_5720MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: STRADDLES U-NII-142A 3e DR10-E_LE2CR5A18EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5881.00</td> <td>56.86</td> <td>68.20</td> <td>-12.14</td> <td>48.77</td> <td>33.98</td> <td>11.21</td> <td>33.97</td> <td>4.15 287 339 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | 1 5881.00 | 56.86 | 68.20 | -12.14 | 48.77 | 33.98 | 11.21 | 33.97 | 4.15 287 339 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5881.00 | 56.86 | 68.20 | -12.14 | 48.77 | 33.98 | 11.21 | 33.97 | 4.15 287 339 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| Mode | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|----------|-------|-------------|-------|-------------|-------|--------|-------|--------|------|---------|------|--------|--|-----|-------|-------|----|-----|------|----|----|----|----|----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|--|------|------|-------|-------|-------------|------|-----|-------|--------|-----|------|------|--------|--|-----|-------|-------|----|-----|------|----|----|----|----|----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT20_CH144_5720MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2085418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>61.37</td> <td>74.00</td> <td>-12.63</td> <td>44.59</td> <td>30.00</td> <td>15.50</td> <td>39.00</td> <td>2.20</td> <td>100</td> <td>340</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>52.94</td> <td>54.00</td> <td>-1.06</td> <td>36.15</td> <td>30.00</td> <td>15.50</td> <td>39.00</td> <td>2.20</td> <td>100</td> <td>340</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17168.00</td> <td>61.72</td> <td>68.20</td> <td>-6.48</td> <td>45.55</td> <td>39.50</td> <td>18.93</td> <td>46.04</td> <td>3.30</td> <td>297</td> <td>67</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | dB | dB | | 1 | 11440.00 | 61.37 | 74.00 | -12.63 | 44.59 | 30.00 | 15.50 | 39.00 | 2.20 | 100 | 340 | Peak | 2 | 11440.00 | 52.94 | 54.00 | -1.06 | 36.15 | 30.00 | 15.50 | 39.00 | 2.20 | 100 | 340 | Average | 3 | 17168.00 | 61.72 | 68.20 | -6.48 | 45.55 | 39.50 | 18.93 | 46.04 | 3.30 | 297 | 67 | Peak | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2085418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>62.87</td> <td>74.00</td> <td>-11.13</td> <td>46.89</td> <td>30.00</td> <td>15.50</td> <td>39.00</td> <td>2.20</td> <td>300</td> <td>307</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>53.30</td> <td>54.00</td> <td>-0.62</td> <td>36.00</td> <td>30.00</td> <td>15.50</td> <td>39.00</td> <td>2.20</td> <td>300</td> <td>307</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17168.00</td> <td>64.85</td> <td>68.20</td> <td>-3.35</td> <td>48.60</td> <td>39.50</td> <td>18.93</td> <td>46.04</td> <td>3.30</td> <td>291</td> <td>199</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | dB | dB | | 1 | 11440.00 | 62.87 | 74.00 | -11.13 | 46.89 | 30.00 | 15.50 | 39.00 | 2.20 | 300 | 307 | Peak | 2 | 11440.00 | 53.30 | 54.00 | -0.62 | 36.00 | 30.00 | 15.50 | 39.00 | 2.20 | 300 | 307 | Average | 3 | 17168.00 | 64.85 | 68.20 | -3.35 | 48.60 | 39.50 | 18.93 | 46.04 | 3.30 | 291 | 199 | Peak |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11440.00 | 61.37 | 74.00 | -12.63 | 44.59 | 30.00 | 15.50 | 39.00 | 2.20 | 100 | 340 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11440.00 | 52.94 | 54.00 | -1.06 | 36.15 | 30.00 | 15.50 | 39.00 | 2.20 | 100 | 340 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17168.00 | 61.72 | 68.20 | -6.48 | 45.55 | 39.50 | 18.93 | 46.04 | 3.30 | 297 | 67 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11440.00 | 62.87 | 74.00 | -11.13 | 46.89 | 30.00 | 15.50 | 39.00 | 2.20 | 300 | 307 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11440.00 | 53.30 | 54.00 | -0.62 | 36.00 | 30.00 | 15.50 | 39.00 | 2.20 | 300 | 307 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17168.00 | 64.85 | 68.20 | -3.35 | 48.60 | 39.50 | 18.93 | 46.04 | 3.30 | 291 | 199 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 38 | |
| | Harmonic | |
| | U-NII-2C_Straddle Channel_802.11n HT20_CH144_5720MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854105N_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854105N_238712 VERTICAL</p> |







| Mode | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|-------------|--------|--------|-------------|--------|-------|--------|------|-----|------------|-------|-------------|-------|--------|-------------|--------|--|--------|--|-----|--------|--------|----|----|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|--|---------|-------|-------|--------|-------|-------|-------|-------|------|------|---------|---|-------|--------|-------------|--------|-------|--------|------|------|--------|--------|-------|-------------|-------|--------|-------------|--------|-----|--------|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|------------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5418.88</td> <td>52.77</td> <td>74.00</td> <td>-21.23</td> <td>38.52</td> <td>32.58</td> <td>11.19</td> <td>33.62</td> <td>4.18</td> <td>300</td> <td>44 PEAK</td> </tr> <tr> <td>2</td> <td>5469.84</td> <td>52.87</td> <td>68.28</td> <td>-15.23</td> <td>38.61</td> <td>32.74</td> <td>11.28</td> <td>33.69</td> <td>4.11</td> <td>300</td> <td>44 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5418.88 | 52.77 | 74.00 | -21.23 | 38.52 | 32.58 | 11.19 | 33.62 | 4.18 | 300 | 44 PEAK | 2 | 5469.84 | 52.87 | 68.28 | -15.23 | 38.61 | 32.74 | 11.28 | 33.69 | 4.11 | 300 | 44 PEAK |  <p>Site : 83CH3-HY Condition: PEAK(UNII) 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5518.88</td> <td>97.19</td> <td>.....</td> <td>.....</td> <td>82.77</td> <td>32.82</td> <td>11.21</td> <td>33.74</td> <td>4.13</td> <td>300</td> <td>44 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5518.88 | 97.19 | | | 82.77 | 32.82 | 11.21 | 33.74 | 4.13 | 300 | 44 PEAK |
| | | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5418.88 | 52.77 | 74.00 | -21.23 | 38.52 | 32.58 | 11.19 | 33.62 | 4.18 | 300 | 44 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5469.84 | 52.87 | 68.28 | -15.23 | 38.61 | 32.74 | 11.28 | 33.69 | 4.11 | 300 | 44 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5518.88 | 97.19 | | | 82.77 | 32.82 | 11.21 | 33.74 | 4.13 | 300 | 44 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.500kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.76</td> <td>43.33</td> <td>54.88</td> <td>-18.67</td> <td>28.98</td> <td>32.72</td> <td>11.28</td> <td>33.68</td> <td>4.11</td> <td>300</td> <td>44 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5469.76 | 43.33 | 54.88 | -18.67 | 28.98 | 32.72 | 11.28 | 33.68 | 4.11 | 300 | 44 AVERAGE |  <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.500kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5518.88</td> <td>98.51</td> <td>.....</td> <td>.....</td> <td>76.89</td> <td>32.82</td> <td>11.21</td> <td>33.74</td> <td>4.13</td> <td>300</td> <td>44 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5518.88 | 98.51 | | | 76.89 | 32.82 | 11.21 | 33.74 | 4.13 | 300 | 44 AVERAGE | | | | | | | | | | | | |
| | | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5469.76 | 43.33 | 54.88 | -18.67 | 28.98 | 32.72 | 11.28 | 33.68 | 4.11 | 300 | 44 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5518.88 | 98.51 | | | 76.89 | 32.82 | 11.21 | 33.74 | 4.13 | 300 | 44 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEXC05418EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5747.92</td> <td>52.69</td> <td>68.20</td> <td>-15.51</td> <td>37.51</td> <td>33.89</td> <td>18.99</td> <td>33.89</td> <td>4.19</td> <td>300</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5747.92 | 52.69 | 68.20 | -15.51 | 37.51 | 33.89 | 18.99 | 33.89 | 4.19 | 300 | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5747.92 | 52.69 | 68.20 | -15.51 | 37.51 | 33.89 | 18.99 | 33.89 | 4.19 | 300 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|-------------|--------|--------|-------------|--------|-------|--------|------|-----|-------------|-------|-------------|-------|--------|-------------|--------|--|--------|--|-----|--------|--------|----|----|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|--|---------|-------|-------|-------|-------|-------|-------|-------|------|------|----------|--|-------|--------|-------------|--------|-------|--------|------|------|--------|--------|-------|-------------|-------|--------|-------------|--------|-----|--------|---------|--------|--------|--------|-------|-------|-------|-------|------|-----|-------------|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|----------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LEXCR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.00</td> <td>68.49</td> <td>74.00</td> <td>-13.51</td> <td>46.14</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>210</td> <td>348 PEAK</td> </tr> <tr> <td>2</td> <td>5469.68</td> <td>65.86</td> <td>68.20</td> <td>-2.34</td> <td>51.58</td> <td>31.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>210</td> <td>348 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5450.00 | 68.49 | 74.00 | -13.51 | 46.14 | 32.72 | 11.20 | 33.68 | 4.11 | 210 | 348 PEAK | 2 | 5469.68 | 65.86 | 68.20 | -2.34 | 51.58 | 31.74 | 11.20 | 33.69 | 4.11 | 210 | 348 PEAK |  <p>Site : 83CH3-HY Condition: PEAK(UNII)_B3 3e DRH18-E_LEXCR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5518.00</td> <td>112.19</td> <td>.....</td> <td>.....</td> <td>97.81</td> <td>32.88</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>210</td> <td>348 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5518.00 | 112.19 | | | 97.81 | 32.88 | 11.20 | 33.74 | 4.12 | 210 | 348 PEAK |
| | | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5450.00 | 68.49 | 74.00 | -13.51 | 46.14 | 32.72 | 11.20 | 33.68 | 4.11 | 210 | 348 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5469.68 | 65.86 | 68.20 | -2.34 | 51.58 | 31.74 | 11.20 | 33.69 | 4.11 | 210 | 348 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5518.00 | 112.19 | | | 97.81 | 32.88 | 11.20 | 33.74 | 4.12 | 210 | 348 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LEXCR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.68</td> <td>52.13</td> <td>54.00</td> <td>-1.87</td> <td>37.78</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>210</td> <td>348 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5469.68 | 52.13 | 54.00 | -1.87 | 37.78 | 32.72 | 11.20 | 33.68 | 4.11 | 210 | 348 AVERAGE |  <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LEXCR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5518.00</td> <td>185.58</td> <td>.....</td> <td>.....</td> <td>91.16</td> <td>32.82</td> <td>11.21</td> <td>33.74</td> <td>4.13</td> <td>210</td> <td>348 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5518.00 | 185.58 | | | 91.16 | 32.82 | 11.21 | 33.74 | 4.13 | 210 | 348 AVERAGE | | | | | | | | | | | | |
| | | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5469.68 | 52.13 | 54.00 | -1.87 | 37.78 | 32.72 | 11.20 | 33.68 | 4.11 | 210 | 348 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5518.00 | 185.58 | | | 91.16 | 32.82 | 11.21 | 33.74 | 4.13 | 210 | 348 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEXC05418EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5736.19</td> <td>54.45</td> <td>68.28</td> <td>-13.75</td> <td>39.29</td> <td>33.84</td> <td>11.81</td> <td>33.88</td> <td>4.19</td> <td>210</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5736.19 | 54.45 | 68.28 | -13.75 | 39.29 | 33.84 | 11.81 | 33.88 | 4.19 | 210 | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5736.19 | 54.45 | 68.28 | -13.75 | 39.29 | 33.84 | 11.81 | 33.88 | 4.19 | 210 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|----------|-------|-------------|------------|-------------|------------|---------------|------------|---------------|------------|---------|------|--------|---|-----|-------|-------|----|-----|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|--|------|------|-------|-------|-------------|------------|------------|------------|---------------|------------|------|------|--------|---|-----|-------|-------|----|-----|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11828.00</td> <td>58.44</td> <td>74.00</td> <td>-15.56</td> <td>42.75</td> <td>37.74</td> <td>15.18</td> <td>39.40</td> <td>2.17</td> <td>242</td> <td>127</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11828.00</td> <td>58.39</td> <td>54.00</td> <td>-3.61</td> <td>34.78</td> <td>37.74</td> <td>15.18</td> <td>39.40</td> <td>2.17</td> <td>242</td> <td>127</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16538.00</td> <td>68.22</td> <td>68.20</td> <td>-7.98</td> <td>43.81</td> <td>48.54</td> <td>18.57</td> <td>45.76</td> <td>3.86</td> <td>387</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | 1 | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | 1 | 11828.00 | 58.44 | 74.00 | -15.56 | 42.75 | 37.74 | 15.18 | 39.40 | 2.17 | 242 | 127 | Peak | 2 | 11828.00 | 58.39 | 54.00 | -3.61 | 34.78 | 37.74 | 15.18 | 39.40 | 2.17 | 242 | 127 | Average | 3 | 16538.00 | 68.22 | 68.20 | -7.98 | 43.81 | 48.54 | 18.57 | 45.76 | 3.86 | 387 | 49 | Peak | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11828.00</td> <td>55.81</td> <td>74.00</td> <td>-18.19</td> <td>48.12</td> <td>37.74</td> <td>15.18</td> <td>39.40</td> <td>2.17</td> <td>384</td> <td>247</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11828.00</td> <td>48.85</td> <td>54.00</td> <td>-5.95</td> <td>32.36</td> <td>37.74</td> <td>15.18</td> <td>39.40</td> <td>2.17</td> <td>384</td> <td>247</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16538.00</td> <td>68.48</td> <td>68.20</td> <td>-7.88</td> <td>43.99</td> <td>48.54</td> <td>18.57</td> <td>45.76</td> <td>3.86</td> <td>168</td> <td>214</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | 1 | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | 1 | 11828.00 | 55.81 | 74.00 | -18.19 | 48.12 | 37.74 | 15.18 | 39.40 | 2.17 | 384 | 247 | Peak | 2 | 11828.00 | 48.85 | 54.00 | -5.95 | 32.36 | 37.74 | 15.18 | 39.40 | 2.17 | 384 | 247 | Average | 3 | 16538.00 | 68.48 | 68.20 | -7.88 | 43.99 | 48.54 | 18.57 | 45.76 | 3.86 | 168 | 214 | Peak |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11828.00 | 58.44 | 74.00 | -15.56 | 42.75 | 37.74 | 15.18 | 39.40 | 2.17 | 242 | 127 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11828.00 | 58.39 | 54.00 | -3.61 | 34.78 | 37.74 | 15.18 | 39.40 | 2.17 | 242 | 127 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16538.00 | 68.22 | 68.20 | -7.98 | 43.81 | 48.54 | 18.57 | 45.76 | 3.86 | 387 | 49 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Factor | Aux Factor | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11828.00 | 55.81 | 74.00 | -18.19 | 48.12 | 37.74 | 15.18 | 39.40 | 2.17 | 384 | 247 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11828.00 | 48.85 | 54.00 | -5.95 | 32.36 | 37.74 | 15.18 | 39.40 | 2.17 | 384 | 247 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16538.00 | 68.48 | 68.20 | -7.88 | 43.99 | 48.54 | 18.57 | 45.76 | 3.86 | 168 | 214 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 39 | |
| | Harmonic | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108N_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108N_238712 VERTICAL</p> |



| Mode | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|-------|--------|-------------|--------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--------|--|-----|-------|-------|----|-----|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|--------|------|-------|-------------|-------|---|-------------|--------|-----|-------|-------|-------|------|--------|------|-------|-------------|-------|---------|-------------|--------|-------|-------|-------|-------|------|-----|------|---------|----|---|---------|-------|-------|-------|-------|-------|-------|------|-----|----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNI1)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.00</td> <td>58.75</td> <td>74.00</td> <td>-15.25</td> <td>36.41</td> <td>32.70</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.68</td> <td>53.33</td> <td>68.28</td> <td>-14.95</td> <td>36.98</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5452.00 | 58.75 | 74.00 | -15.25 | 36.41 | 32.70 | 11.20 | 33.67 | 4.11 | 100 | 42 | PEAK | 2 | 5468.68 | 53.33 | 68.28 | -14.95 | 36.98 | 32.72 | 11.20 | 33.68 | 4.11 | 100 | 42 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI1) 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5558.88</td> <td>95.78</td> <td>.....</td> <td>81.23</td> <td>32.97</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5558.88 | 95.78 | | 81.23 | 32.97 | 11.21 | 33.77 | 4.14 | 100 | 42 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5452.00 | 58.75 | 74.00 | -15.25 | 36.41 | 32.70 | 11.20 | 33.67 | 4.11 | 100 | 42 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5468.68 | 53.33 | 68.28 | -14.95 | 36.98 | 32.72 | 11.20 | 33.68 | 4.11 | 100 | 42 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5558.88 | 95.78 | | 81.23 | 32.97 | 11.21 | 33.77 | 4.14 | 100 | 42 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNI1)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.00</td> <td>42.71</td> <td>54.00</td> <td>-11.29</td> <td>28.36</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>100</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5452.00 | 42.71 | 54.00 | -11.29 | 28.36 | 32.71 | 11.20 | 33.67 | 4.11 | 100 | 42 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5558.88</td> <td>89.79</td> <td>.....</td> <td>75.22</td> <td>32.99</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>100</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5558.88 | 89.79 | | 75.22 | 32.99 | 11.21 | 33.77 | 4.14 | 100 | 42 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5452.00 | 42.71 | 54.00 | -11.29 | 28.36 | 32.71 | 11.20 | 33.67 | 4.11 | 100 | 42 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5558.88 | 89.79 | | 75.22 | 32.99 | 11.21 | 33.77 | 4.14 | 100 | 42 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|------|---------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|---------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEXC05418EV_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.05</td> <td>52.13</td> <td>68.28</td> <td>-16.07</td> <td>36.96</td> <td>33.88</td> <td>18.99</td> <td>33.89</td> <td>4.19</td> <td>100</td> <td>42 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5745.05 | 52.13 | 68.28 | -16.07 | 36.96 | 33.88 | 18.99 | 33.89 | 4.19 | 100 | 42 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5745.05 | 52.13 | 68.28 | -16.07 | 36.96 | 33.88 | 18.99 | 33.89 | 4.19 | 100 | 42 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------------|-------------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|-----|-------|-------|----|-----|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|---------|-------|-------|-------|-------|-------|-------|--------|------|-------|-------------|--------------|--|--------|------|-----|-------|-------|-------|------|--------|------|-------|-------------|--------------|-------------|--------|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.68</td> <td>57.98</td> <td>74.00</td> <td>-16.18</td> <td>43.55</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>200</td> <td>145</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.28</td> <td>58.88</td> <td>68.28</td> <td>-9.32</td> <td>44.53</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>200</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5456.68 | 57.98 | 74.00 | -16.18 | 43.55 | 32.71 | 11.20 | 33.67 | 4.11 | 200 | 145 | PEAK | 2 | 5467.28 | 58.88 | 68.28 | -9.32 | 44.53 | 32.73 | 11.20 | 33.69 | 4.11 | 200 | 145 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII) 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5558.88</td> <td>111.81</td> <td>.....</td> <td>.....</td> <td>97.22</td> <td>33.81</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>200</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5558.88 | 111.81 | | | 97.22 | 33.81 | 11.21 | 33.77 | 4.14 | 200 | 145 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5456.68 | 57.98 | 74.00 | -16.18 | 43.55 | 32.71 | 11.20 | 33.67 | 4.11 | 200 | 145 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5467.28 | 58.88 | 68.28 | -9.32 | 44.53 | 32.73 | 11.20 | 33.69 | 4.11 | 200 | 145 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5558.88 | 111.81 | | | 97.22 | 33.81 | 11.21 | 33.77 | 4.14 | 200 | 145 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.88</td> <td>48.44</td> <td>54.00</td> <td>-5.56</td> <td>34.89</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>200</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5459.88 | 48.44 | 54.00 | -5.56 | 34.89 | 32.72 | 11.20 | 33.68 | 4.11 | 200 | 145 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5558.88</td> <td>105.61</td> <td>.....</td> <td>.....</td> <td>91.62</td> <td>33.81</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>200</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5558.88 | 105.61 | | | 91.62 | 33.81 | 11.21 | 33.77 | 4.14 | 200 | 145 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5459.88 | 48.44 | 54.00 | -5.56 | 34.89 | 32.72 | 11.20 | 33.68 | 4.11 | 200 | 145 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5558.88 | 105.61 | | | 91.62 | 33.81 | 11.21 | 33.77 | 4.14 | 200 | 145 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|--------------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|--------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_03 3e DRMSB-E_LEXC05418EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5756.48</td> <td>53.73</td> <td>68.28</td> <td>-14.47</td> <td>38.54</td> <td>33.91</td> <td>18.98</td> <td>33.89</td> <td>4.19</td> <td>200 145 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5756.48 | 53.73 | 68.28 | -14.47 | 38.54 | 33.91 | 18.98 | 33.89 | 4.19 | 200 145 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5756.48 | 53.73 | 68.28 | -14.47 | 38.54 | 33.91 | 18.98 | 33.89 | 4.19 | 200 145 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|----------|-------|-------------|-------|-------------|-------|--------|-------|--------|------|---------|------|--------|--|-----|-------|-------|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|--|------|------|-------|-------|-------------|------|-----|-------|--------|-----|------|------|--------|--|-----|-------|-------|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>61.42</td> <td>74.00</td> <td>-12.58</td> <td>45.52</td> <td>37.90</td> <td>15.26</td> <td>39.44</td> <td>2.10</td> <td>234</td> <td>127</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>53.33</td> <td>54.00</td> <td>-0.67</td> <td>37.43</td> <td>37.90</td> <td>15.26</td> <td>39.44</td> <td>2.10</td> <td>234</td> <td>127</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>61.12</td> <td>68.20</td> <td>-7.08</td> <td>44.85</td> <td>40.30</td> <td>18.64</td> <td>45.70</td> <td>3.11</td> <td>304</td> <td>55</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB | dB | dB | dB | cm | deg | | 1 | 11100.00 | 61.42 | 74.00 | -12.58 | 45.52 | 37.90 | 15.26 | 39.44 | 2.10 | 234 | 127 | Peak | 2 | 11100.00 | 53.33 | 54.00 | -0.67 | 37.43 | 37.90 | 15.26 | 39.44 | 2.10 | 234 | 127 | Average | 3 | 16650.00 | 61.12 | 68.20 | -7.08 | 44.85 | 40.30 | 18.64 | 45.70 | 3.11 | 304 | 55 | Peak | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>60.26</td> <td>74.00</td> <td>-13.74</td> <td>44.36</td> <td>37.90</td> <td>15.26</td> <td>39.44</td> <td>2.10</td> <td>306</td> <td>253</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>52.52</td> <td>54.00</td> <td>-1.48</td> <td>36.62</td> <td>37.90</td> <td>15.26</td> <td>39.44</td> <td>2.10</td> <td>306</td> <td>253</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>61.54</td> <td>68.20</td> <td>-7.06</td> <td>44.87</td> <td>40.30</td> <td>18.64</td> <td>45.70</td> <td>3.11</td> <td>400</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB | dB | dB | dB | cm | deg | | 1 | 11100.00 | 60.26 | 74.00 | -13.74 | 44.36 | 37.90 | 15.26 | 39.44 | 2.10 | 306 | 253 | Peak | 2 | 11100.00 | 52.52 | 54.00 | -1.48 | 36.62 | 37.90 | 15.26 | 39.44 | 2.10 | 306 | 253 | Average | 3 | 16650.00 | 61.54 | 68.20 | -7.06 | 44.87 | 40.30 | 18.64 | 45.70 | 3.11 | 400 | 49 | Peak |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11100.00 | 61.42 | 74.00 | -12.58 | 45.52 | 37.90 | 15.26 | 39.44 | 2.10 | 234 | 127 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11100.00 | 53.33 | 54.00 | -0.67 | 37.43 | 37.90 | 15.26 | 39.44 | 2.10 | 234 | 127 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16650.00 | 61.12 | 68.20 | -7.08 | 44.85 | 40.30 | 18.64 | 45.70 | 3.11 | 304 | 55 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11100.00 | 60.26 | 74.00 | -13.74 | 44.36 | 37.90 | 15.26 | 39.44 | 2.10 | 306 | 253 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11100.00 | 52.52 | 54.00 | -1.48 | 36.62 | 37.90 | 15.26 | 39.44 | 2.10 | 306 | 253 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16650.00 | 61.54 | 68.20 | -7.06 | 44.87 | 40.30 | 18.64 | 45.70 | 3.11 | 400 | 49 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 40 | |
| | Harmonic | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108V_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108V_238712 VERTICAL</p> |



| Mode | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|-------------|--------|--------|-------------|--------|-------|--------|------|------------|------------|-------|-------------|-------|--------|-------------|--------|--|--------|--|-----|--------|--------|----|----|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|--|---------|-------|-------|--------|-------|-------|-------|-------|------|------|---------|---|-------|--------|-------------|--------|-------|--------|------|------|--------|--------|-------|-------------|-------|--------|-------------|--------|-----|--------|---------|-------|--------|--------|-------|-------|-------|------|-----|------------|-----|---|---------|-------|-------|-------|-------|-------|-------|------|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5485.68</td> <td>51.66</td> <td>74.00</td> <td>-22.34</td> <td>37.46</td> <td>32.52</td> <td>11.19</td> <td>33.68</td> <td>4.89</td> <td>100</td> <td>78 PEAK</td> </tr> <tr> <td>2</td> <td>5463.92</td> <td>58.78</td> <td>68.28</td> <td>-17.50</td> <td>36.35</td> <td>32.73</td> <td>11.28</td> <td>33.69</td> <td>4.11</td> <td>100</td> <td>78 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5485.68 | 51.66 | 74.00 | -22.34 | 37.46 | 32.52 | 11.19 | 33.68 | 4.89 | 100 | 78 PEAK | 2 | 5463.92 | 58.78 | 68.28 | -17.50 | 36.35 | 32.73 | 11.28 | 33.69 | 4.11 | 100 | 78 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5678.88</td> <td>89.61</td> <td>.....</td> <td>84.63</td> <td>33.54</td> <td>11.11</td> <td>33.84</td> <td>4.17</td> <td>100</td> <td>78 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5678.88 | 89.61 | | 84.63 | 33.54 | 11.11 | 33.84 | 4.17 | 100 | 78 PEAK |
| | | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5485.68 | 51.66 | 74.00 | -22.34 | 37.46 | 32.52 | 11.19 | 33.68 | 4.89 | 100 | 78 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5463.92 | 58.78 | 68.28 | -17.50 | 36.35 | 32.73 | 11.28 | 33.69 | 4.11 | 100 | 78 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5678.88 | 89.61 | | 84.63 | 33.54 | 11.11 | 33.84 | 4.17 | 100 | 78 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.500kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.88</td> <td>42.58</td> <td>54.88</td> <td>-11.58</td> <td>28.15</td> <td>32.78</td> <td>11.28</td> <td>33.66</td> <td>4.11</td> <td>100</td> <td>78 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5448.88 | 42.58 | 54.88 | -11.58 | 28.15 | 32.78 | 11.28 | 33.66 | 4.11 | 100 | 78 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.500kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5678.88</td> <td>93.96</td> <td>.....</td> <td>78.98</td> <td>33.54</td> <td>11.11</td> <td>33.84</td> <td>4.17</td> <td>100</td> <td>78 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5678.88 | 93.96 | | 78.98 | 33.54 | 11.11 | 33.84 | 4.17 | 100 | 78 AVERAGE | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5448.88 | 42.58 | 54.88 | -11.58 | 28.15 | 32.78 | 11.28 | 33.66 | 4.11 | 100 | 78 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5678.88 | 93.96 | | 78.98 | 33.54 | 11.11 | 33.84 | 4.17 | 100 | 78 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|------|---------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|---------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEX085418EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5729.28</td> <td>56.84</td> <td>68.28</td> <td>-12.16</td> <td>48.89</td> <td>33.82</td> <td>11.82</td> <td>33.88</td> <td>4.19</td> <td>100</td> <td>70 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5729.28 | 56.84 | 68.28 | -12.16 | 48.89 | 33.82 | 11.82 | 33.88 | 4.19 | 100 | 70 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5729.28 | 56.84 | 68.28 | -12.16 | 48.89 | 33.82 | 11.82 | 33.88 | 4.19 | 100 | 70 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|-------|--------|-------------|--------|--------|--------|--------|------|-------|-------------|-------|--------|-------------|--------|--|-----|-------|-------|----|-----|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|--------|------|-------|-------------|-------|--|-------------|--------|-----|-------|-------|-------|------|--------|------|-------|-------------|-------|--------|-------------|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.16</td> <td>52.39</td> <td>74.00</td> <td>-21.61</td> <td>38.04</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>299</td> <td>339</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.36</td> <td>51.13</td> <td>68.28</td> <td>-17.07</td> <td>36.77</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>299</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5458.16 | 52.39 | 74.00 | -21.61 | 38.04 | 32.72 | 11.20 | 33.68 | 4.11 | 299 | 339 | PEAK | 2 | 5469.36 | 51.13 | 68.28 | -17.07 | 36.77 | 32.74 | 11.20 | 33.69 | 4.11 | 299 | 339 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5678.88</td> <td>111.61</td> <td>.....</td> <td>.....</td> <td>96.63</td> <td>33.54</td> <td>11.11</td> <td>33.84</td> <td>4.17</td> <td>299</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5678.88 | 111.61 | | | 96.63 | 33.54 | 11.11 | 33.84 | 4.17 | 299 | 339 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5458.16 | 52.39 | 74.00 | -21.61 | 38.04 | 32.72 | 11.20 | 33.68 | 4.11 | 299 | 339 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5469.36 | 51.13 | 68.28 | -17.07 | 36.77 | 32.74 | 11.20 | 33.69 | 4.11 | 299 | 339 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5678.88 | 111.61 | | | 96.63 | 33.54 | 11.11 | 33.84 | 4.17 | 299 | 339 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:1.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.68</td> <td>43.21</td> <td>54.00</td> <td>-10.79</td> <td>28.86</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>299</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5458.68 | 43.21 | 54.00 | -10.79 | 28.86 | 32.71 | 11.20 | 33.67 | 4.11 | 299 | 339 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:1.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5678.88</td> <td>106.87</td> <td>.....</td> <td>.....</td> <td>91.89</td> <td>33.54</td> <td>11.11</td> <td>33.84</td> <td>4.17</td> <td>299</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 5678.88 | 106.87 | | | 91.89 | 33.54 | 11.11 | 33.84 | 4.17 | 299 | 339 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5458.68 | 43.21 | 54.00 | -10.79 | 28.86 | 32.71 | 11.20 | 33.67 | 4.11 | 299 | 339 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5678.88 | 106.87 | | | 91.89 | 33.54 | 11.11 | 33.84 | 4.17 | 299 | 339 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEXC05418EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.96</td> <td>67.86</td> <td>68.28</td> <td>-1.14</td> <td>51.93</td> <td>33.88</td> <td>11.82</td> <td>33.88</td> <td>4.19</td> <td>299</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5725.96 | 67.86 | 68.28 | -1.14 | 51.93 | 33.88 | 11.82 | 33.88 | 4.19 | 299 | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5725.96 | 67.86 | 68.28 | -1.14 | 51.93 | 33.88 | 11.82 | 33.88 | 4.19 | 299 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|----------|-------|-------------|-------|-------------|-------|--------|-------|--------|------|---------|------|--------|--|-----|-------|-------|----|-----|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|------|------|-------|-------|-------------|------|-----|-------|--------|-----|------|------|--------|--|-----|-------|-------|----|-----|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>61.80</td> <td>74.00</td> <td>-12.92</td> <td>44.48</td> <td>38.48</td> <td>15.48</td> <td>39.55</td> <td>2.19</td> <td>237</td> <td>133</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>52.26</td> <td>54.00</td> <td>-1.74</td> <td>35.86</td> <td>38.48</td> <td>15.48</td> <td>39.55</td> <td>2.19</td> <td>237</td> <td>133</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17858.00</td> <td>57.63</td> <td>68.20</td> <td>-10.57</td> <td>41.21</td> <td>40.18</td> <td>18.85</td> <td>45.85</td> <td>3.24</td> <td>370</td> <td>59</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | 1 | 11340.00 | 61.80 | 74.00 | -12.92 | 44.48 | 38.48 | 15.48 | 39.55 | 2.19 | 237 | 133 | Peak | 2 | 11340.00 | 52.26 | 54.00 | -1.74 | 35.86 | 38.48 | 15.48 | 39.55 | 2.19 | 237 | 133 | Average | 3 | 17858.00 | 57.63 | 68.20 | -10.57 | 41.21 | 40.18 | 18.85 | 45.85 | 3.24 | 370 | 59 | Peak | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>57.88</td> <td>74.00</td> <td>-16.12</td> <td>41.28</td> <td>38.48</td> <td>15.48</td> <td>39.55</td> <td>2.19</td> <td>298</td> <td>189</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>51.56</td> <td>54.00</td> <td>-2.44</td> <td>34.96</td> <td>38.48</td> <td>15.48</td> <td>39.55</td> <td>2.19</td> <td>298</td> <td>189</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17858.00</td> <td>60.66</td> <td>68.20</td> <td>-7.54</td> <td>44.24</td> <td>40.18</td> <td>18.85</td> <td>45.85</td> <td>3.24</td> <td>213</td> <td>281</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | 1 | 11340.00 | 57.88 | 74.00 | -16.12 | 41.28 | 38.48 | 15.48 | 39.55 | 2.19 | 298 | 189 | Peak | 2 | 11340.00 | 51.56 | 54.00 | -2.44 | 34.96 | 38.48 | 15.48 | 39.55 | 2.19 | 298 | 189 | Average | 3 | 17858.00 | 60.66 | 68.20 | -7.54 | 44.24 | 40.18 | 18.85 | 45.85 | 3.24 | 213 | 281 | Peak |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11340.00 | 61.80 | 74.00 | -12.92 | 44.48 | 38.48 | 15.48 | 39.55 | 2.19 | 237 | 133 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11340.00 | 52.26 | 54.00 | -1.74 | 35.86 | 38.48 | 15.48 | 39.55 | 2.19 | 237 | 133 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17858.00 | 57.63 | 68.20 | -10.57 | 41.21 | 40.18 | 18.85 | 45.85 | 3.24 | 370 | 59 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11340.00 | 57.88 | 74.00 | -16.12 | 41.28 | 38.48 | 15.48 | 39.55 | 2.19 | 298 | 189 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11340.00 | 51.56 | 54.00 | -2.44 | 34.96 | 38.48 | 15.48 | 39.55 | 2.19 | 298 | 189 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17858.00 | 60.66 | 68.20 | -7.54 | 44.24 | 40.18 | 18.85 | 45.85 | 3.24 | 213 | 281 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 41 | |
| | Harmonic | |
| | U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108V_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854108V_238712 VERTICAL</p> |



| Mode | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|-------------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|-------------|--|--|-----|-------|-------|----|-----|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|--------|------|-------|-------------|--------------|--|-------------|------|-----|-------|-------|-------|------|--------|------|-------|-------------|--------------|-------------|-------------|-------|-------|-------|-------|-------|-------|------|------|-----|---------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT40_CH142_5710MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: STRADDLES U-NII-1&2A 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.38</td> <td>51.38</td> <td>74.00</td> <td>-22.62</td> <td>37.83</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.17</td> <td>51.18</td> <td>68.28</td> <td>-17.18</td> <td>36.74</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5455.38 | 51.38 | 74.00 | -22.62 | 37.83 | 32.71 | 11.20 | 33.67 | 4.11 | 100 | 289 | PEAK | 2 | 5468.17 | 51.18 | 68.28 | -17.18 | 36.74 | 32.74 | 11.20 | 33.69 | 4.11 | 100 | 289 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(U-NII) 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:3000.000kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5718.88</td> <td>94.58</td> <td>.....</td> <td>.....</td> <td>79.49</td> <td>33.74</td> <td>11.05</td> <td>33.87</td> <td>4.18</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5718.88 | 94.58 | | | 79.49 | 33.74 | 11.05 | 33.87 | 4.18 | 100 | 289 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5455.38 | 51.38 | 74.00 | -22.62 | 37.83 | 32.71 | 11.20 | 33.67 | 4.11 | 100 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5468.17 | 51.18 | 68.28 | -17.18 | 36.74 | 32.74 | 11.20 | 33.69 | 4.11 | 100 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5718.88 | 94.58 | | | 79.49 | 33.74 | 11.05 | 33.87 | 4.18 | 100 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: U-NII-1&2A AVERAGE 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.500kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.58</td> <td>42.55</td> <td>54.00</td> <td>-11.45</td> <td>28.21</td> <td>32.69</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> <td>100</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5447.58 | 42.55 | 54.00 | -11.45 | 28.21 | 32.69 | 11.20 | 33.66 | 4.11 | 100 | 289 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1800.000kHz VBW:1.500kHz SUT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5718.88</td> <td>89.15</td> <td>.....</td> <td>.....</td> <td>74.65</td> <td>33.74</td> <td>11.05</td> <td>33.87</td> <td>4.18</td> <td>100</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5718.88 | 89.15 | | | 74.65 | 33.74 | 11.05 | 33.87 | 4.18 | 100 | 289 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5447.58 | 42.55 | 54.00 | -11.45 | 28.21 | 32.69 | 11.20 | 33.66 | 4.11 | 100 | 289 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5718.88 | 89.15 | | | 74.65 | 33.74 | 11.05 | 33.87 | 4.18 | 100 | 289 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|--|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT40_CH142_5710MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : B3CH3-HY Condition: STRADDLES U-NII-142A 3e DR10-E_LE2CR5A18EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SFT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5842.75</td> <td>52.38</td> <td>68.28</td> <td>-15.90</td> <td>36.76</td> <td>33.99</td> <td>11.45</td> <td>34.01</td> <td>4.11</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | 1 5842.75 | 52.38 | 68.28 | -15.90 | 36.76 | 33.99 | 11.45 | 34.01 | 4.11 | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5842.75 | 52.38 | 68.28 | -15.90 | 36.76 | 33.99 | 11.45 | 34.01 | 4.11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|----------|------|--|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|--|-----|--|--|--|--|--|--|--|--|----------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT40_CH142_5710MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: STRADDLES U-NII-142A 3e DRH10-E_LE2CR5A18EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5867.00</td> <td>55.76</td> <td>68.20</td> <td>-12.44</td> <td>48.50</td> <td>33.98</td> <td>11.16</td> <td>33.96</td> <td>4.16</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>289 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | 1 5867.00 | 55.76 | 68.20 | -12.44 | 48.50 | 33.98 | 11.16 | 33.96 | 4.16 | | | | | | | | | 200 | | | | | | | | | 289 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5867.00 | 55.76 | 68.20 | -12.44 | 48.50 | 33.98 | 11.16 | 33.96 | 4.16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | 200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | 289 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|----------|-------|-------------|-------|-------------|-------|--------|-------|--------|------|---------|------|--------|--|-----|-------|-------|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|------|------|-------|-------|-------------|------|-----|-------|--------|-----|------|------|--------|--|-----|-------|-------|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11n HT40_CH142_5710MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNII) 3m DRH18-E_LE2095418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>59.10</td> <td>74.00</td> <td>-14.82</td> <td>42.41</td> <td>30.00</td> <td>15.56</td> <td>39.59</td> <td>2.20</td> <td>237</td> <td>128</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11420.00</td> <td>52.87</td> <td>54.00</td> <td>-1.13</td> <td>36.18</td> <td>30.00</td> <td>15.56</td> <td>39.59</td> <td>2.20</td> <td>237</td> <td>128</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17130.00</td> <td>57.38</td> <td>68.20</td> <td>-10.82</td> <td>41.14</td> <td>40.04</td> <td>18.91</td> <td>46.00</td> <td>3.29</td> <td>205</td> <td>349</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB | dB | dB | dB | cm | deg | | 1 | 11420.00 | 59.10 | 74.00 | -14.82 | 42.41 | 30.00 | 15.56 | 39.59 | 2.20 | 237 | 128 | Peak | 2 | 11420.00 | 52.87 | 54.00 | -1.13 | 36.18 | 30.00 | 15.56 | 39.59 | 2.20 | 237 | 128 | Average | 3 | 17130.00 | 57.38 | 68.20 | -10.82 | 41.14 | 40.04 | 18.91 | 46.00 | 3.29 | 205 | 349 | Peak | <p>Site : 69CH3-HY Condition: PEAK(VNII) 3m DRH18-E_LE2095418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>59.21</td> <td>74.00</td> <td>-14.79</td> <td>42.44</td> <td>30.00</td> <td>15.56</td> <td>39.59</td> <td>2.20</td> <td>313</td> <td>106</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11420.00</td> <td>53.04</td> <td>54.00</td> <td>-0.96</td> <td>36.27</td> <td>30.00</td> <td>15.56</td> <td>39.59</td> <td>2.20</td> <td>313</td> <td>106</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17130.00</td> <td>56.09</td> <td>68.20</td> <td>-12.11</td> <td>39.85</td> <td>40.04</td> <td>18.91</td> <td>46.00</td> <td>3.29</td> <td>217</td> <td>200</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB | dB | dB | dB | cm | deg | | 1 | 11420.00 | 59.21 | 74.00 | -14.79 | 42.44 | 30.00 | 15.56 | 39.59 | 2.20 | 313 | 106 | Peak | 2 | 11420.00 | 53.04 | 54.00 | -0.96 | 36.27 | 30.00 | 15.56 | 39.59 | 2.20 | 313 | 106 | Average | 3 | 17130.00 | 56.09 | 68.20 | -12.11 | 39.85 | 40.04 | 18.91 | 46.00 | 3.29 | 217 | 200 | Peak |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11420.00 | 59.10 | 74.00 | -14.82 | 42.41 | 30.00 | 15.56 | 39.59 | 2.20 | 237 | 128 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11420.00 | 52.87 | 54.00 | -1.13 | 36.18 | 30.00 | 15.56 | 39.59 | 2.20 | 237 | 128 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17130.00 | 57.38 | 68.20 | -10.82 | 41.14 | 40.04 | 18.91 | 46.00 | 3.29 | 205 | 349 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11420.00 | 59.21 | 74.00 | -14.79 | 42.44 | 30.00 | 15.56 | 39.59 | 2.20 | 313 | 106 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11420.00 | 53.04 | 54.00 | -0.96 | 36.27 | 30.00 | 15.56 | 39.59 | 2.20 | 313 | 106 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17130.00 | 56.09 | 68.20 | -12.11 | 39.85 | 40.04 | 18.91 | 46.00 | 3.29 | 217 | 200 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 42 | |
| | Harmonic | |
| | U-NII-2C_Straddle Channel_802.11n HT40_CH142_5710MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 VERTICAL</p> |



| Mode | 43 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------------|--------------|--------------|--------|--------|--------|--------|------------|------------|-------------|-------|--------|-------------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|---|---------|-------|-------|--------------|-------|-------|-------|--------|------|-------|-------------|--|--------|-------------|--------|--------------|-----|--------|--------|--------|------|-------|-------------|-------|--------|-------------|--------|---------|-------|--------|--------|-------|-------|-------|------|-----|------------|-----|---|---------|-------|-------|-------|-------|-------|-------|------|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNI1)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.64</td> <td>52.57</td> <td>74.00</td> <td>-21.43</td> <td>30.29</td> <td>32.62</td> <td>11.19</td> <td>33.63</td> <td>4.10</td> <td>236</td> <td>41 PEAK</td> </tr> <tr> <td>2</td> <td>5463.48</td> <td>51.67</td> <td>68.20</td> <td>-16.53</td> <td>37.31</td> <td>32.73</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>236</td> <td>41 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5430.64 | 52.57 | 74.00 | -21.43 | 30.29 | 32.62 | 11.19 | 33.63 | 4.10 | 236 | 41 PEAK | 2 | 5463.48 | 51.67 | 68.20 | -16.53 | 37.31 | 32.73 | 11.20 | 33.68 | 4.11 | 236 | 41 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNI1)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5538.88</td> <td>89.06</td> <td>.....</td> <td>74.55</td> <td>32.92</td> <td>11.21</td> <td>33.76</td> <td>4.14</td> <td>236</td> <td>41 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5538.88 | 89.06 | | 74.55 | 32.92 | 11.21 | 33.76 | 4.14 | 236 | 41 PEAK |
| | Limit | Read | Ant | Cable Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5430.64 | 52.57 | 74.00 | -21.43 | 30.29 | 32.62 | 11.19 | 33.63 | 4.10 | 236 | 41 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5463.48 | 51.67 | 68.20 | -16.53 | 37.31 | 32.73 | 11.20 | 33.68 | 4.11 | 236 | 41 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5538.88 | 89.06 | | 74.55 | 32.92 | 11.21 | 33.76 | 4.14 | 236 | 41 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNI1)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.32</td> <td>44.47</td> <td>54.00</td> <td>-9.53</td> <td>30.12</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>236</td> <td>41 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5453.32 | 44.47 | 54.00 | -9.53 | 30.12 | 32.71 | 11.20 | 33.67 | 4.11 | 236 | 41 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5538.88</td> <td>81.54</td> <td>.....</td> <td>67.05</td> <td>32.90</td> <td>11.21</td> <td>33.75</td> <td>4.13</td> <td>236</td> <td>41 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5538.88 | 81.54 | | 67.05 | 32.90 | 11.21 | 33.75 | 4.13 | 236 | 41 AVERAGE | | | | | | | | | | | | |
| Limit | Read | Ant | Cable Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5453.32 | 44.47 | 54.00 | -9.53 | 30.12 | 32.71 | 11.20 | 33.67 | 4.11 | 236 | 41 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5538.88 | 81.54 | | 67.05 | 32.90 | 11.21 | 33.75 | 4.13 | 236 | 41 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 43 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|-------------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMS-E_LEX085418EV_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.83</td> <td>53.32</td> <td>68.28</td> <td>-14.88</td> <td>38.14</td> <td>33.88</td> <td>11.88</td> <td>33.89</td> <td>4.19</td> <td>236 41 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5745.83 | 53.32 | 68.28 | -14.88 | 38.14 | 33.88 | 11.88 | 33.89 | 4.19 | 236 41 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5745.83 | 53.32 | 68.28 | -14.88 | 38.14 | 33.88 | 11.88 | 33.89 | 4.19 | 236 41 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 43 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|-----|-------|-------|----|-----|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|-------|-------|-------|-------|--------|------|-------|-------------|--------------|--|--------|------|-----|-------|-------|-------|------|--------|------|-------|-------------|--------------|-------------|--------|-------|-------|-------|-------|-------|------|-----|------|---------|----|---|---------|--------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.74</td> <td>61.19</td> <td>74.00</td> <td>-12.81</td> <td>46.89</td> <td>32.65</td> <td>11.20</td> <td>33.65</td> <td>4.10</td> <td>200</td> <td>144</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.84</td> <td>68.28</td> <td>68.28</td> <td>-8.00</td> <td>45.85</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>200</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5438.74 | 61.19 | 74.00 | -12.81 | 46.89 | 32.65 | 11.20 | 33.65 | 4.10 | 200 | 144 | PEAK | 2 | 5464.84 | 68.28 | 68.28 | -8.00 | 45.85 | 32.73 | 11.20 | 33.69 | 4.11 | 200 | 144 | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII)_3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5538.88</td> <td>103.96</td> <td>.....</td> <td>89.41</td> <td>32.97</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>200</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5538.88 | 103.96 | | 89.41 | 32.97 | 11.21 | 33.77 | 4.14 | 200 | 144 | PEAK |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5438.74 | 61.19 | 74.00 | -12.81 | 46.89 | 32.65 | 11.20 | 33.65 | 4.10 | 200 | 144 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5464.84 | 68.28 | 68.28 | -8.00 | 45.85 | 32.73 | 11.20 | 33.69 | 4.11 | 200 | 144 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5538.88 | 103.96 | | 89.41 | 32.97 | 11.21 | 33.77 | 4.14 | 200 | 144 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.56</td> <td>52.43</td> <td>54.00</td> <td>-1.57</td> <td>38.13</td> <td>32.65</td> <td>11.20</td> <td>33.65</td> <td>4.10</td> <td>200</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5438.56 | 52.43 | 54.00 | -1.57 | 38.13 | 32.65 | 11.20 | 33.65 | 4.10 | 200 | 144 | AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5538.88</td> <td>96.72</td> <td>.....</td> <td>82.19</td> <td>32.94</td> <td>11.21</td> <td>33.76</td> <td>4.14</td> <td>200</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | 1 | 5538.88 | 96.72 | | 82.19 | 32.94 | 11.21 | 33.76 | 4.14 | 200 | 144 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5438.56 | 52.43 | 54.00 | -1.57 | 38.13 | 32.65 | 11.20 | 33.65 | 4.10 | 200 | 144 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5538.88 | 96.72 | | 82.19 | 32.94 | 11.21 | 33.76 | 4.14 | 200 | 144 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 43 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|--------------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|--------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEX085418EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5718.23</td> <td>52.81</td> <td>68.28</td> <td>-15.39</td> <td>37.68</td> <td>33.88</td> <td>11.82</td> <td>33.88</td> <td>4.19</td> <td>200 144 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5718.23 | 52.81 | 68.28 | -15.39 | 37.68 | 33.88 | 11.82 | 33.88 | 4.19 | 200 144 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5718.23 | 52.81 | 68.28 | -15.39 | 37.68 | 33.88 | 11.82 | 33.88 | 4.19 | 200 144 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| Mode | 43 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|----------|--------|--------|--------|--------|--------|--------|------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 63043-HY Condition: PEAK(U)I) 3m DRH18-E_LE2085418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>54.79</td> <td>74.00</td> <td>-19.21</td> <td>39.00</td> <td>37.02</td> <td>15.22</td> <td>39.42</td> <td>2.17</td> <td>230</td> <td>121</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>48.52</td> <td>54.00</td> <td>-5.48</td> <td>32.73</td> <td>37.02</td> <td>15.22</td> <td>39.42</td> <td>2.17</td> <td>230</td> <td>121</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16550.00</td> <td>55.39</td> <td>68.20</td> <td>-12.81</td> <td>39.85</td> <td>40.42</td> <td>18.61</td> <td>45.77</td> <td>3.88</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 11000.00 | 54.79 | 74.00 | -19.21 | 39.00 | 37.02 | 15.22 | 39.42 | 2.17 | 230 | 121 | Peak | 2 | 11000.00 | 48.52 | 54.00 | -5.48 | 32.73 | 37.02 | 15.22 | 39.42 | 2.17 | 230 | 121 | Average | 3 | 16550.00 | 55.39 | 68.20 | -12.81 | 39.85 | 40.42 | 18.61 | 45.77 | 3.88 | -- | -- | Peak | <p>Site : 63043-HY Condition: PEAK(U)I) 3m DRH18-E_LE2085418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>54.13</td> <td>74.00</td> <td>-19.87</td> <td>38.34</td> <td>37.02</td> <td>15.22</td> <td>39.42</td> <td>2.17</td> <td>277</td> <td>313</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>47.48</td> <td>54.00</td> <td>-6.50</td> <td>31.61</td> <td>37.02</td> <td>15.22</td> <td>39.42</td> <td>2.17</td> <td>277</td> <td>313</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16550.00</td> <td>54.76</td> <td>68.20</td> <td>-13.44</td> <td>38.42</td> <td>40.42</td> <td>18.61</td> <td>45.77</td> <td>3.88</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 | 11000.00 | 54.13 | 74.00 | -19.87 | 38.34 | 37.02 | 15.22 | 39.42 | 2.17 | 277 | 313 | Peak | 2 | 11000.00 | 47.48 | 54.00 | -6.50 | 31.61 | 37.02 | 15.22 | 39.42 | 2.17 | 277 | 313 | Average | 3 | 16550.00 | 54.76 | 68.20 | -13.44 | 38.42 | 40.42 | 18.61 | 45.77 | 3.88 | -- | -- | Peak |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11000.00 | 54.79 | 74.00 | -19.21 | 39.00 | 37.02 | 15.22 | 39.42 | 2.17 | 230 | 121 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11000.00 | 48.52 | 54.00 | -5.48 | 32.73 | 37.02 | 15.22 | 39.42 | 2.17 | 230 | 121 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16550.00 | 55.39 | 68.20 | -12.81 | 39.85 | 40.42 | 18.61 | 45.77 | 3.88 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11000.00 | 54.13 | 74.00 | -19.87 | 38.34 | 37.02 | 15.22 | 39.42 | 2.17 | 277 | 313 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11000.00 | 47.48 | 54.00 | -6.50 | 31.61 | 37.02 | 15.22 | 39.42 | 2.17 | 277 | 313 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16550.00 | 54.76 | 68.20 | -13.44 | 38.42 | 40.42 | 18.61 | 45.77 | 3.88 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 43 | |
| | Harmonic | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854105N_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE20854105N_238712 VERTICAL</p> |



| Mode | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|-------------|--------|--------|-------------|--------|-------|--------|------|-----|------------|-------|-------------|-------|--------|-------------|--------|--|--------|--|-----|--------|--------|----|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|--|---------|-------|-------|--------|-------|-------|-------|-------|------|------|---------|---|-------|--------|-------------|--------|-------|--------|------|------|--------|--------|-------|-------------|-------|--------|-------------|--------|---|---------|-------|-------|--------|--------|-------|-------|-------|------|-----|------------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Site : 83CH3-HY Condition: PEAK_BE(UNI)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5426.44</td> <td>51.11</td> <td>74.00</td> <td>-22.89</td> <td>36.84</td> <td>32.61</td> <td>11.19</td> <td>33.63</td> <td>4.16</td> <td>241</td> <td>67 PEAK</td> </tr> <tr> <td>2</td> <td>5467.78</td> <td>51.96</td> <td>68.28</td> <td>-16.34</td> <td>37.68</td> <td>31.74</td> <td>11.28</td> <td>33.69</td> <td>4.11</td> <td>241</td> <td>67 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB | dB | cm | deg | 1 | 5426.44 | 51.11 | 74.00 | -22.89 | 36.84 | 32.61 | 11.19 | 33.63 | 4.16 | 241 | 67 PEAK | 2 | 5467.78 | 51.96 | 68.28 | -16.34 | 37.68 | 31.74 | 11.28 | 33.69 | 4.11 | 241 | 67 PEAK |  <p>Site : 83CH3-HY Condition: PEAK(UNI)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.88</td> <td>98.88</td> <td>.....</td> <td>.....</td> <td>84.87</td> <td>33.18</td> <td>11.28</td> <td>33.81</td> <td>4.16</td> <td>241</td> <td>67 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB | dB | cm | deg | 1 | 5628.88 | 98.88 | | | 84.87 | 33.18 | 11.28 | 33.81 | 4.16 | 241 | 67 PEAK |
| | | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5426.44 | 51.11 | 74.00 | -22.89 | 36.84 | 32.61 | 11.19 | 33.63 | 4.16 | 241 | 67 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5467.78 | 51.96 | 68.28 | -16.34 | 37.68 | 31.74 | 11.28 | 33.69 | 4.11 | 241 | 67 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5628.88 | 98.88 | | | 84.87 | 33.18 | 11.28 | 33.81 | 4.16 | 241 | 67 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Site : 83CH3-HY Condition: AVG_BE(UNI)_B3 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.36</td> <td>44.48</td> <td>54.88</td> <td>-9.68</td> <td>38.89</td> <td>32.65</td> <td>11.28</td> <td>33.64</td> <td>4.18</td> <td>241</td> <td>67 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB | dB | cm | deg | 1 | 5437.36 | 44.48 | 54.88 | -9.68 | 38.89 | 32.65 | 11.28 | 33.64 | 4.18 | 241 | 67 AVERAGE |  <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.88</td> <td>92.89</td> <td>.....</td> <td>.....</td> <td>77.36</td> <td>33.18</td> <td>11.28</td> <td>33.81</td> <td>4.16</td> <td>241</td> <td>67 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dB | dB | dB | cm | deg | 1 | 5628.88 | 92.89 | | | 77.36 | 33.18 | 11.28 | 33.81 | 4.16 | 241 | 67 AVERAGE | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5437.36 | 44.48 | 54.88 | -9.68 | 38.89 | 32.65 | 11.28 | 33.64 | 4.18 | 241 | 67 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5628.88 | 92.89 | | | 77.36 | 33.18 | 11.28 | 33.81 | 4.16 | 241 | 67 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|------|---------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|---------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: PEAK_BE(U-NII)_B3 3e DRMSB-E_LEX085418EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5729.82</td> <td>67.88</td> <td>68.28</td> <td>-13.48</td> <td>39.65</td> <td>33.82</td> <td>11.82</td> <td>33.88</td> <td>4.19</td> <td>241</td> <td>67 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5729.82 | 67.88 | 68.28 | -13.48 | 39.65 | 33.82 | 11.82 | 33.88 | 4.19 | 241 | 67 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5729.82 | 67.88 | 68.28 | -13.48 | 39.65 | 33.82 | 11.82 | 33.88 | 4.19 | 241 | 67 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|-------------|--------|--------|-------------|--------|-------|--------|------|-----|-------------|-------|-------------|-------|--------|-------------|--------|--|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|------|----------|---|-------|--------|-------------|--------|-------|--------|------|------|--------|--------|-------|-------------|-------|--------|-------------|--------|-----|--------|---------|--------|--------|--------|-------|-------|-------|-------|------|-----|-------------|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|----------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.82</td> <td>56.90</td> <td>74.00</td> <td>-17.02</td> <td>42.63</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>300</td> <td>333 PEAK</td> </tr> <tr> <td>2</td> <td>5481.88</td> <td>59.26</td> <td>68.20</td> <td>-8.94</td> <td>44.91</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>300</td> <td>333 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5455.82 | 56.90 | 74.00 | -17.02 | 42.63 | 32.71 | 11.20 | 33.67 | 4.11 | 300 | 333 PEAK | 2 | 5481.88 | 59.26 | 68.20 | -8.94 | 44.91 | 32.72 | 11.20 | 33.68 | 4.11 | 300 | 333 PEAK | <p>Site : 83CH3-HY Condition: PEAK(UNII) 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.80</td> <td>118.37</td> <td>.....</td> <td>.....</td> <td>95.68</td> <td>33.11</td> <td>11.22</td> <td>33.80</td> <td>4.16</td> <td>300</td> <td>333 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5628.80 | 118.37 | | | 95.68 | 33.11 | 11.22 | 33.80 | 4.16 | 300 | 333 PEAK |
| | | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5455.82 | 56.90 | 74.00 | -17.02 | 42.63 | 32.71 | 11.20 | 33.67 | 4.11 | 300 | 333 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5481.88 | 59.26 | 68.20 | -8.94 | 44.91 | 32.72 | 11.20 | 33.68 | 4.11 | 300 | 333 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5628.80 | 118.37 | | | 95.68 | 33.11 | 11.22 | 33.80 | 4.16 | 300 | 333 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: AVG_BE(UNII)_B3 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.00</td> <td>52.36</td> <td>54.00</td> <td>-1.64</td> <td>38.81</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>300</td> <td>333 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5456.00 | 52.36 | 54.00 | -1.64 | 38.81 | 32.71 | 11.20 | 33.67 | 4.11 | 300 | 333 AVERAGE | <p>Site : 83CH3-HY Condition: AVG_54 3e DRH18-E_LE2CR5A18EN_238712 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.80</td> <td>182.50</td> <td>.....</td> <td>.....</td> <td>87.77</td> <td>33.18</td> <td>11.20</td> <td>33.81</td> <td>4.16</td> <td>300</td> <td>333 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Aux | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5628.80 | 182.50 | | | 87.77 | 33.18 | 11.20 | 33.81 | 4.16 | 300 | 333 AVERAGE | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5456.00 | 52.36 | 54.00 | -1.64 | 38.81 | 32.71 | 11.20 | 33.67 | 4.11 | 300 | 333 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5628.80 | 182.50 | | | 87.77 | 33.18 | 11.20 | 33.81 | 4.16 | 300 | 333 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|-------------------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----------|-------|-------|-------|-------|-------|-------|-------|-------------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: PEAK_BE(UNII)_B3 3e DRMSB-E_LEXC0541REN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5725.01</td> <td>65.66</td> <td>68.20</td> <td>-2.54</td> <td>58.52</td> <td>33.88</td> <td>11.83</td> <td>33.88</td> <td>4.19 300 333 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | 1 5725.01 | 65.66 | 68.20 | -2.54 | 58.52 | 33.88 | 11.83 | 33.88 | 4.19 300 333 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5725.01 | 65.66 | 68.20 | -2.54 | 58.52 | 33.88 | 11.83 | 33.88 | 4.19 300 333 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|----------|-------|--------|--------|-------|--------|-------|--------|-------|--------|------|---------|------|--------|--|-----|-------|-------|----|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|--|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|--|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|--|------|--|------|------|-------|-------|------|--------|------|-----|-------|--------|-----|------|------|--------|--|-----|-------|-------|----|----|-----|----|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|--|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|--|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|--|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_1E2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>57.82</td> <td>74.00</td> <td>-16.18</td> <td>41.53</td> <td>30.24</td> <td>15.37</td> <td>39.50</td> <td>2.10</td> <td>300</td> <td>127</td> <td></td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>53.87</td> <td>54.00</td> <td>-0.93</td> <td>36.70</td> <td>30.24</td> <td>15.37</td> <td>39.50</td> <td>2.10</td> <td>300</td> <td>127</td> <td></td> <td>Average</td> </tr> <tr> <td>3</td> <td>16830.00</td> <td>56.68</td> <td>68.20</td> <td>-11.52</td> <td>40.81</td> <td>40.56</td> <td>18.74</td> <td>45.81</td> <td>3.18</td> <td>400</td> <td>268</td> <td></td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dB | dBV | dB | dB | dB | dB | cm | deg | | 1 | 11220.00 | 57.82 | 74.00 | -16.18 | 41.53 | 30.24 | 15.37 | 39.50 | 2.10 | 300 | 127 | | Peak | 2 | 11220.00 | 53.87 | 54.00 | -0.93 | 36.70 | 30.24 | 15.37 | 39.50 | 2.10 | 300 | 127 | | Average | 3 | 16830.00 | 56.68 | 68.20 | -11.52 | 40.81 | 40.56 | 18.74 | 45.81 | 3.18 | 400 | 268 | | Peak | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_1E2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>50.17</td> <td>74.00</td> <td>-23.83</td> <td>41.00</td> <td>30.24</td> <td>15.37</td> <td>39.50</td> <td>2.10</td> <td>209</td> <td>109</td> <td></td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>52.87</td> <td>54.00</td> <td>-1.13</td> <td>36.50</td> <td>30.24</td> <td>15.37</td> <td>39.50</td> <td>2.10</td> <td>209</td> <td>109</td> <td></td> <td>Average</td> </tr> <tr> <td>3</td> <td>16830.00</td> <td>58.67</td> <td>68.20</td> <td>-9.53</td> <td>42.00</td> <td>40.56</td> <td>18.74</td> <td>45.81</td> <td>3.18</td> <td>400</td> <td>268</td> <td></td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dB | dBV | dB | dB | dB | dB | cm | deg | | 1 | 11220.00 | 50.17 | 74.00 | -23.83 | 41.00 | 30.24 | 15.37 | 39.50 | 2.10 | 209 | 109 | | Peak | 2 | 11220.00 | 52.87 | 54.00 | -1.13 | 36.50 | 30.24 | 15.37 | 39.50 | 2.10 | 209 | 109 | | Average | 3 | 16830.00 | 58.67 | 68.20 | -9.53 | 42.00 | 40.56 | 18.74 | 45.81 | 3.18 | 400 | 268 | | Peak |
| Peak | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dB | dBV | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11220.00 | 57.82 | 74.00 | -16.18 | 41.53 | 30.24 | 15.37 | 39.50 | 2.10 | 300 | 127 | | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11220.00 | 53.87 | 54.00 | -0.93 | 36.70 | 30.24 | 15.37 | 39.50 | 2.10 | 300 | 127 | | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16830.00 | 56.68 | 68.20 | -11.52 | 40.81 | 40.56 | 18.74 | 45.81 | 3.18 | 400 | 268 | | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line | Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dB | dBV | dB | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11220.00 | 50.17 | 74.00 | -23.83 | 41.00 | 30.24 | 15.37 | 39.50 | 2.10 | 209 | 109 | | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11220.00 | 52.87 | 54.00 | -1.13 | 36.50 | 30.24 | 15.37 | 39.50 | 2.10 | 209 | 109 | | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 16830.00 | 58.67 | 68.20 | -9.53 | 42.00 | 40.56 | 18.74 | 45.81 | 3.18 | 400 | 268 | | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 44 | |
| | Harmonic | |
| | U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 VERTICAL</p> |







| Mode | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------------|-------------|--------|-------|------------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|-----|-------|-------|----|-----|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|---|---------|-------|-------|--------|-------|-------|-------|--|--|--|--|--|-------|------|-----|--|-------|------|-----|-------|-------|------|------|--|-------|-------|-------------|--------------|-------------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|----|----|-----|---------|-------|-------|-------|-------|-------|-------|---|---------|--------|-------|-------|-------|-------|------------|--|--|--|--|--|------|-----|---------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11ac VHT80_CH138_5690MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: STRADDLES U-NII-1&2A 3m DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5428.64</td> <td>52.27</td> <td>74.00</td> <td>-21.73</td> <td>30.83</td> <td>32.57</td> <td>11.19</td> </tr> <tr> <td>2</td> <td>5481.93</td> <td>49.53</td> <td>68.28</td> <td>-18.67</td> <td>35.18</td> <td>32.72</td> <td>11.20</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.62</td> <td>4.18</td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.68</td> <td>4.11</td> <td>101</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | cm | 1 | 5428.64 | 52.27 | 74.00 | -21.73 | 30.83 | 32.57 | 11.19 | 2 | 5481.93 | 49.53 | 68.28 | -18.67 | 35.18 | 32.72 | 11.20 | | | | | | 33.62 | 4.18 | 101 | | | | | | 33.68 | 4.11 | 101 | <p>Site : 83CH3-HY Condition: PEAK(U-NII) 3m DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5690.00</td> <td>100.64</td> <td>.....</td> <td>85.68</td> <td>33.62</td> <td>11.09</td> <td>33.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>4.18</td> <td>101</td> <td>73 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | cm | 1 | 5690.00 | 100.64 | | 85.68 | 33.62 | 11.09 | 33.85 | | | | | | 4.18 | 101 | 73 PEAK |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5428.64 | 52.27 | 74.00 | -21.73 | 30.83 | 32.57 | 11.19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5481.93 | 49.53 | 68.28 | -18.67 | 35.18 | 32.72 | 11.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 33.62 | 4.18 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 33.68 | 4.11 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5690.00 | 100.64 | | 85.68 | 33.62 | 11.09 | 33.85 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 4.18 | 101 | 73 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Site : 83CH3-HY Condition: U-NII-1&2A AVERAGE 3m DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.55</td> <td>43.91</td> <td>54.00</td> <td>-10.09</td> <td>29.58</td> <td>32.68</td> <td>11.20</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.66</td> <td>4.11</td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.66</td> <td>4.11</td> <td>101</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | cm | 1 | 5445.55 | 43.91 | 54.00 | -10.09 | 29.58 | 32.68 | 11.20 | | | | | | 33.66 | 4.11 | 101 | | | | | | 33.66 | 4.11 | 101 | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2CR5A18EN_238712 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5690.00</td> <td>94.23</td> <td>.....</td> <td>79.19</td> <td>33.62</td> <td>11.09</td> <td>33.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>4.18</td> <td>101</td> <td>73 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | cm | 1 | 5690.00 | 94.23 | | 79.19 | 33.62 | 11.09 | 33.85 | | | | | | 4.18 | 101 | 73 AVERAGE | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5445.55 | 43.91 | 54.00 | -10.09 | 29.58 | 32.68 | 11.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 33.66 | 4.11 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 33.66 | 4.11 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5690.00 | 94.23 | | 79.19 | 33.62 | 11.09 | 33.85 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 4.18 | 101 | 73 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|---------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|---------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11ac VHT80_CH138_5690MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: STRADDLES U-NII-1A2A 3e DRH10-E_LE2CR5A18EN_230712 HORIZONTAL : RBW:3000.000kHz VBW:3000.000kHz SFT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5851.90</td> <td>53.12</td> <td>68.20</td> <td>-15.08</td> <td>37.90</td> <td>33.90</td> <td>11.10</td> <td>33.95</td> <td>4.17</td> <td>101</td> <td>73 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5851.90 | 53.12 | 68.20 | -15.08 | 37.90 | 33.90 | 11.10 | 33.95 | 4.17 | 101 | 73 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5851.90 | 53.12 | 68.20 | -15.08 | 37.90 | 33.90 | 11.10 | 33.95 | 4.17 | 101 | 73 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|-------|--------|-------------|--------|--------|-------|--------|------|-------|-------------|-------|--------|-------------|--------|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|--------|------|-------|-------------|-------|---|-------------|--------|-----|-------|--------|--------|------|--------|------|-------|-------------|-------|---------|-------------|--------|-------|-------|--------|--------|-------|------|------|-----|---------|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11ac VHT80_CH138_5690MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Site : 83CH3-HY Condition: STRADDLES U-NII-1&2A 3m DR10-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.14</td> <td>53.43</td> <td>74.00</td> <td>-20.57</td> <td>39.13</td> <td>32.65</td> <td>11.20</td> <td>33.65</td> <td>4.18</td> <td>225</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5485.83</td> <td>54.85</td> <td>68.20</td> <td>-14.15</td> <td>39.70</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>225</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5438.14 | 53.43 | 74.00 | -20.57 | 39.13 | 32.65 | 11.20 | 33.65 | 4.18 | 225 | 186 | PEAK | 2 | 5485.83 | 54.85 | 68.20 | -14.15 | 39.70 | 32.73 | 11.20 | 33.69 | 4.11 | 225 | 186 | PEAK |  <p>Site : 83CH3-HY Condition: PEAK(U-NII) 3m DR10-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5690.00</td> <td>112.97</td> <td>.....</td> <td>.....</td> <td>97.93</td> <td>33.62</td> <td>11.09</td> <td>33.85</td> <td>4.18</td> <td>225</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5690.00 | 112.97 | | | 97.93 | 33.62 | 11.09 | 33.85 | 4.18 | 225 | 186 | PEAK |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5438.14 | 53.43 | 74.00 | -20.57 | 39.13 | 32.65 | 11.20 | 33.65 | 4.18 | 225 | 186 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5485.83 | 54.85 | 68.20 | -14.15 | 39.70 | 32.73 | 11.20 | 33.69 | 4.11 | 225 | 186 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5690.00 | 112.97 | | | 97.93 | 33.62 | 11.09 | 33.85 | 4.18 | 225 | 186 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Site : 83CH3-HY Condition: U-NII-1&2A AVERAGE 3m DR10-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.81</td> <td>46.90</td> <td>54.00</td> <td>-7.10</td> <td>32.55</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>225</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5450.81 | 46.90 | 54.00 | -7.10 | 32.55 | 32.72 | 11.20 | 33.68 | 4.11 | 225 | 186 | AVERAGE |  <p>Site : 83CH3-HY Condition: AVG_54 3m DR10-E_LE2CR5A18EN_238712 VERTICAL : RBW:3000.000kHz VBW:5.000kHz SdF:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5690.00</td> <td>185.88</td> <td>.....</td> <td>.....</td> <td>98.76</td> <td>33.62</td> <td>11.09</td> <td>33.85</td> <td>4.18</td> <td>225</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5690.00 | 185.88 | | | 98.76 | 33.62 | 11.09 | 33.85 | 4.18 | 225 | 186 | AVERAGE | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5450.81 | 46.90 | 54.00 | -7.10 | 32.55 | 32.72 | 11.20 | 33.68 | 4.11 | 225 | 186 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5690.00 | 185.88 | | | 98.76 | 33.62 | 11.09 | 33.85 | 4.18 | 225 | 186 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|--------------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|-------|-------|----|-----|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|--------------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11ac VHT80_CH138_5690MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 80CH3-HY Condition: STRADDLES U-NII-1A2A 3e DRH10-E_LE2CR5A18EN_230712 VERTICAL : RBW:3000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5858.18</td> <td>56.61</td> <td>68.28</td> <td>-11.59</td> <td>41.39</td> <td>33.98</td> <td>11.18</td> <td>33.95</td> <td>4.17</td> <td>225 186 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | 1 5858.18 | 56.61 | 68.28 | -11.59 | 41.39 | 33.98 | 11.18 | 33.95 | 4.17 | 225 186 PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5858.18 | 56.61 | 68.28 | -11.59 | 41.39 | 33.98 | 11.18 | 33.95 | 4.17 | 225 186 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|----------|-------|-------------|-------|-------------|-------|--------|-------|--------|------|---------|------|--------|--|-----|-------|-------|----|-----|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|------|------|-------|-------|-------------|------|-----|-------|--------|-----|------|------|--------|--|-----|-------|-------|----|-----|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_Straddle Channel_802.11ac VHT80_CH138_5690MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>56.71</td> <td>74.00</td> <td>-17.29</td> <td>40.81</td> <td>30.56</td> <td>15.52</td> <td>39.57</td> <td>2.19</td> <td>199</td> <td>341</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11380.00</td> <td>51.42</td> <td>54.00</td> <td>-2.58</td> <td>34.72</td> <td>30.56</td> <td>15.52</td> <td>39.57</td> <td>2.19</td> <td>199</td> <td>341</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17878.00</td> <td>57.92</td> <td>68.20</td> <td>-10.28</td> <td>41.60</td> <td>40.10</td> <td>18.88</td> <td>45.93</td> <td>3.27</td> <td>209</td> <td>335</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | 1 | 11380.00 | 56.71 | 74.00 | -17.29 | 40.81 | 30.56 | 15.52 | 39.57 | 2.19 | 199 | 341 | Peak | 2 | 11380.00 | 51.42 | 54.00 | -2.58 | 34.72 | 30.56 | 15.52 | 39.57 | 2.19 | 199 | 341 | Average | 3 | 17878.00 | 57.92 | 68.20 | -10.28 | 41.60 | 40.10 | 18.88 | 45.93 | 3.27 | 209 | 335 | Peak | <p>Site : 69CH3-HY Condition: PEAK(VNIZ) 3m DRH18-E_LE2095418EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>57.83</td> <td>74.00</td> <td>-16.17</td> <td>41.13</td> <td>30.56</td> <td>15.52</td> <td>39.57</td> <td>2.19</td> <td>200</td> <td>300</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11380.00</td> <td>53.36</td> <td>54.00</td> <td>-0.64</td> <td>36.66</td> <td>30.56</td> <td>15.52</td> <td>39.57</td> <td>2.19</td> <td>200</td> <td>300</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17878.00</td> <td>56.48</td> <td>68.20</td> <td>-11.72</td> <td>40.16</td> <td>40.10</td> <td>18.88</td> <td>45.93</td> <td>3.27</td> <td>200</td> <td>174</td> <td>Peak</td> </tr> </tbody> </table> | Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | 1 | 11380.00 | 57.83 | 74.00 | -16.17 | 41.13 | 30.56 | 15.52 | 39.57 | 2.19 | 200 | 300 | Peak | 2 | 11380.00 | 53.36 | 54.00 | -0.64 | 36.66 | 30.56 | 15.52 | 39.57 | 2.19 | 200 | 300 | Average | 3 | 17878.00 | 56.48 | 68.20 | -11.72 | 40.16 | 40.10 | 18.88 | 45.93 | 3.27 | 200 | 174 | Peak |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11380.00 | 56.71 | 74.00 | -17.29 | 40.81 | 30.56 | 15.52 | 39.57 | 2.19 | 199 | 341 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11380.00 | 51.42 | 54.00 | -2.58 | 34.72 | 30.56 | 15.52 | 39.57 | 2.19 | 199 | 341 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17878.00 | 57.92 | 68.20 | -10.28 | 41.60 | 40.10 | 18.88 | 45.93 | 3.27 | 209 | 335 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBV/m | dBV/m | dB | dBV | dB/m | dB | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11380.00 | 57.83 | 74.00 | -16.17 | 41.13 | 30.56 | 15.52 | 39.57 | 2.19 | 200 | 300 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 11380.00 | 53.36 | 54.00 | -0.64 | 36.66 | 30.56 | 15.52 | 39.57 | 2.19 | 200 | 300 | Average | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 17878.00 | 56.48 | 68.20 | -11.72 | 40.16 | 40.10 | 18.88 | 45.93 | 3.27 | 200 | 174 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | |
|----------------------|---|---|
| Mode | 45 | |
| | Harmonic | |
| | U-NII-2C_Straddle Channel_802.11ac VHT80_CH138_5690MHz | |
| ANT | 1+2 | |
| Pol. | Horizontal | Vertical |
| 10.6G ~18G Avg | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 HORIZONTAL</p> | <p>Site : 83CH3-HY Condition: AVG_54 3m DRH18-E_LE2085410EN_238712 VERTICAL</p> |



| Mode | 46 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|----------------|----------------|------------------|-------------------|-------------------|-------------------|--------------------|-----------------|--------------------|-----------------|-----------|------------|--------|---|-------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|------|------------|----------------|----------------|------------------|-------------------|-------------------|-----------------|--------------------|-----------------|-----------|------------|--------|---|-------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|
| | LF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| QP/ Peak | <p>Site : 030K3-HY Condition: QP 3e LF_633038001_231815 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>38.00</td><td>21.52</td><td>48.00</td><td>-18.48</td><td>28.72</td><td>24.48</td><td>1.87</td><td>32.75</td><td>8.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>136.78</td><td>26.89</td><td>43.50</td><td>-16.61</td><td>39.94</td><td>17.69</td><td>1.82</td><td>32.78</td><td>8.14</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>223.83</td><td>27.85</td><td>46.00</td><td>-18.15</td><td>41.88</td><td>15.49</td><td>2.24</td><td>32.73</td><td>8.17</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>318.89</td><td>26.97</td><td>46.00</td><td>-19.03</td><td>37.54</td><td>19.47</td><td>2.66</td><td>32.79</td><td>8.89</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>749.74</td><td>29.48</td><td>46.00</td><td>-16.52</td><td>29.83</td><td>28.38</td><td>3.98</td><td>32.85</td><td>8.14</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>938.89</td><td>32.22</td><td>46.00</td><td>-13.78</td><td>28.94</td><td>38.49</td><td>4.28</td><td>31.74</td><td>8.25</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table> | Peak | Freq (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Line Margin (dB) | Read Level (dBuV) | Ant Factor (dB/m) | Cable Loss (dB) | Preamp Factor (dB) | Aux Factor (dB) | APos (cm) | TPos (deg) | Remark | 1 | 38.00 | 21.52 | 48.00 | -18.48 | 28.72 | 24.48 | 1.87 | 32.75 | 8.00 | -- | -- | Peak | 2 | 136.78 | 26.89 | 43.50 | -16.61 | 39.94 | 17.69 | 1.82 | 32.78 | 8.14 | -- | -- | Peak | 3 | 223.83 | 27.85 | 46.00 | -18.15 | 41.88 | 15.49 | 2.24 | 32.73 | 8.17 | -- | -- | Peak | 4 | 318.89 | 26.97 | 46.00 | -19.03 | 37.54 | 19.47 | 2.66 | 32.79 | 8.89 | -- | -- | Peak | 5 | 749.74 | 29.48 | 46.00 | -16.52 | 29.83 | 28.38 | 3.98 | 32.85 | 8.14 | -- | -- | Peak | 6 | 938.89 | 32.22 | 46.00 | -13.78 | 28.94 | 38.49 | 4.28 | 31.74 | 8.25 | -- | -- | Peak | <p>Site : 030K3-HY Condition: QP 3e LF_633038001_231815 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>32.91</td><td>24.92</td><td>48.00</td><td>-15.88</td><td>33.21</td><td>23.48</td><td>1.86</td><td>32.75</td><td>8.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>224.38</td><td>29.47</td><td>43.50</td><td>-14.03</td><td>44.87</td><td>14.96</td><td>2.19</td><td>32.72</td><td>8.17</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>226.24</td><td>29.72</td><td>46.00</td><td>-16.28</td><td>45.12</td><td>14.95</td><td>2.28</td><td>32.72</td><td>8.17</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>513.86</td><td>26.22</td><td>46.00</td><td>-19.78</td><td>31.58</td><td>24.16</td><td>3.28</td><td>32.95</td><td>8.15</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>742.95</td><td>31.28</td><td>46.00</td><td>-14.72</td><td>31.83</td><td>28.29</td><td>3.88</td><td>32.86</td><td>8.14</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>958.29</td><td>33.59</td><td>46.00</td><td>-12.41</td><td>29.38</td><td>31.19</td><td>4.31</td><td>31.55</td><td>8.26</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table> | Peak | Freq (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Line Margin (dB) | Read Level (dBuV) | Ant Factor (dB/m) | Cable Loss (dB) | Preamp Factor (dB) | Aux Factor (dB) | APos (cm) | TPos (deg) | Remark | 1 | 32.91 | 24.92 | 48.00 | -15.88 | 33.21 | 23.48 | 1.86 | 32.75 | 8.00 | -- | -- | Peak | 2 | 224.38 | 29.47 | 43.50 | -14.03 | 44.87 | 14.96 | 2.19 | 32.72 | 8.17 | -- | -- | Peak | 3 | 226.24 | 29.72 | 46.00 | -16.28 | 45.12 | 14.95 | 2.28 | 32.72 | 8.17 | -- | -- | Peak | 4 | 513.86 | 26.22 | 46.00 | -19.78 | 31.58 | 24.16 | 3.28 | 32.95 | 8.15 | -- | -- | Peak | 5 | 742.95 | 31.28 | 46.00 | -14.72 | 31.83 | 28.29 | 3.88 | 32.86 | 8.14 | -- | -- | Peak | 6 | 958.29 | 33.59 | 46.00 | -12.41 | 29.38 | 31.19 | 4.31 | 31.55 | 8.26 | -- | -- | Peak |
| Peak | Freq (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Line Margin (dB) | Read Level (dBuV) | Ant Factor (dB/m) | Cable Loss (dB) | Preamp Factor (dB) | Aux Factor (dB) | APos (cm) | TPos (deg) | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 38.00 | 21.52 | 48.00 | -18.48 | 28.72 | 24.48 | 1.87 | 32.75 | 8.00 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 136.78 | 26.89 | 43.50 | -16.61 | 39.94 | 17.69 | 1.82 | 32.78 | 8.14 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 223.83 | 27.85 | 46.00 | -18.15 | 41.88 | 15.49 | 2.24 | 32.73 | 8.17 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 318.89 | 26.97 | 46.00 | -19.03 | 37.54 | 19.47 | 2.66 | 32.79 | 8.89 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 749.74 | 29.48 | 46.00 | -16.52 | 29.83 | 28.38 | 3.98 | 32.85 | 8.14 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 938.89 | 32.22 | 46.00 | -13.78 | 28.94 | 38.49 | 4.28 | 31.74 | 8.25 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Line Margin (dB) | Read Level (dBuV) | Ant Factor (dB/m) | Cable Loss (dB) | Preamp Factor (dB) | Aux Factor (dB) | APos (cm) | TPos (deg) | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 32.91 | 24.92 | 48.00 | -15.88 | 33.21 | 23.48 | 1.86 | 32.75 | 8.00 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 224.38 | 29.47 | 43.50 | -14.03 | 44.87 | 14.96 | 2.19 | 32.72 | 8.17 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 226.24 | 29.72 | 46.00 | -16.28 | 45.12 | 14.95 | 2.28 | 32.72 | 8.17 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 513.86 | 26.22 | 46.00 | -19.78 | 31.58 | 24.16 | 3.28 | 32.95 | 8.15 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 742.95 | 31.28 | 46.00 | -14.72 | 31.83 | 28.29 | 3.88 | 32.86 | 8.14 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 958.29 | 33.59 | 46.00 | -12.41 | 29.38 | 31.19 | 4.31 | 31.55 | 8.26 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 47 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------------|-------------|-------------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|-------|----|------|------------|-------|-------|--------|-------|-------|-------|-------|-------|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|-------|----|------|------------|-------|-------|--------|-------|-------|-------|-------|-------|----|------|
| | SHF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Site : 83CH3-HY Condition: PEAK(UICI) In SHF_1223_238718 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 23641.00</td> <td>39.12</td> <td>74.00</td> <td>-34.88</td> <td>49.63</td> <td>38.94</td> <td>20.13</td> <td>60.84</td> <td>-9.54</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 39171.85</td> <td>46.62</td> <td>74.00</td> <td>-27.38</td> <td>47.98</td> <td>44.94</td> <td>27.84</td> <td>63.88</td> <td>-9.54</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 23641.00 | 39.12 | 74.00 | -34.88 | 49.63 | 38.94 | 20.13 | 60.84 | -9.54 | -- | PEAK | 2 39171.85 | 46.62 | 74.00 | -27.38 | 47.98 | 44.94 | 27.84 | 63.88 | -9.54 | -- | PEAK | <p>Site : 83CH3-HY Condition: PEAK(UICI) In SHF_1223_238718 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 24830.48</td> <td>39.49</td> <td>68.28</td> <td>-28.71</td> <td>48.41</td> <td>39.64</td> <td>28.82</td> <td>59.84</td> <td>-9.54</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 39181.75</td> <td>46.55</td> <td>74.00</td> <td>-27.45</td> <td>48.85</td> <td>44.55</td> <td>27.54</td> <td>63.65</td> <td>-9.54</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 24830.48 | 39.49 | 68.28 | -28.71 | 48.41 | 39.64 | 28.82 | 59.84 | -9.54 | -- | PEAK | 2 39181.75 | 46.55 | 74.00 | -27.45 | 48.85 | 44.55 | 27.54 | 63.65 | -9.54 | -- | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 23641.00 | 39.12 | 74.00 | -34.88 | 49.63 | 38.94 | 20.13 | 60.84 | -9.54 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 39171.85 | 46.62 | 74.00 | -27.38 | 47.98 | 44.94 | 27.84 | 63.88 | -9.54 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 24830.48 | 39.49 | 68.28 | -28.71 | 48.41 | 39.64 | 28.82 | 59.84 | -9.54 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 39181.75 | 46.55 | 74.00 | -27.45 | 48.85 | 44.55 | 27.54 | 63.65 | -9.54 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




Appendix D. Duty Cycle Plots


<For Radiated Spurious Emission test>

| Antenna | Band | Duty Cycle(%) | T(us) | 1/T(kHz) | VBW Setting |
|---------|---------------------|---------------|-------|----------|-------------|
| 1 | 802.11a | 95.89 | 1400 | 0.71 | 750Hz |
| 2 | 802.11a | 95.88 | 1395 | 0.72 | 750Hz |
| 1+2 | 5GHz 802.11n HT20 | 95.62 | 1310 | 0.76 | 820Hz |
| 1+2 | 5GHz 802.11n HT40 | 91.53 | 648 | 1.54 | 1.6kHz |
| 1+2 | 5GHz 802.11ac VHT80 | 76.11 | 188 | 5.32 | 5.6kHz |

<Ant. 1>





<Ant. 2>





MIMO <Ant. 1+2>





<For Conducted test>

| Antenna | Band | Duty Cycle(%) | T(us) | Duty Factor(dB) |
|---------|--------------------------------|---------------|-------|-----------------|
| 1 | 802.11a for Ant.1 | 95.52 | 1385 | 0.20 |
| 2 | 802.11a for Ant.2 | 95.63 | 1400 | 0.19 |
| 1+2 | 5GHz 802.11n HT20 for Ant. 1 | 95.63 | 1400 | 0.19 |
| 1+2 | 5GHz 802.11n HT20 for Ant. 2 | 96.15 | 1400 | 0.17 |
| 1+2 | 5GHz 802.11n HT40 for Ant. 1 | 98.04 | - | 0.09 |
| 1+2 | 5GHz 802.11n HT40 for Ant. 2 | 98.05 | - | 0.09 |
| 1+2 | 5GHz 802.11ac VHT20 for Ant. 1 | 95.29 | 1315 | 0.21 |
| 1+2 | 5GHz 802.11ac VHT20 for Ant. 2 | 95.29 | 1315 | 0.21 |
| 1+2 | 5GHz 802.11ac VHT40 for Ant. 1 | 98.05 | - | 0.09 |
| 1+2 | 5GHz 802.11ac VHT40 for Ant. 2 | 98.05 | - | 0.09 |
| 1+2 | 5GHz 802.11ac VHT80 for Ant. 1 | 97.89 | 2780 | 0.09 |
| 1+2 | 5GHz 802.11ac VHT80 for Ant. 2 | 97.89 | 2780 | 0.09 |

<Ant.1>

