



n66 15kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 1730MHz Inner 1RB Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-40.20	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66 15kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	881.600	-62.85	-13	Pass

n66 15kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.000	-58.19	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3451.500	-50.55	-13	Pass

n66 15kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Edge 1RB Right Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-30.94	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1760MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	906.400	-62.85	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1760MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1541.500	-60.42	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1786.500	-46.62	-13	Pass

n66 15kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Outer Full Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.43	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.005	-24.65	-13	Pass

n66 15kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Inner 1RB Right Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-32.01	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Edge_1RB_Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-38.25	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Edge_1RB_Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	849.750	-62.56	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Edge_1RB_Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-49.58	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3945.500	-50.52	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Outer_Full Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.43	/	1	1709.995	-26.31	-13	Pass
1750	1750	0.43	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Inner_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-39.35	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	885.900	-62.69	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1524.500	-57.93	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	14230.000	-51.06	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1760MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-30.12	-13	Pass


n66 15kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1760MHz Edge 1RB Right Ant2



n66 15kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1760MHz Edge 1RB Right Ant2




n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1760MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.43	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.005	-25.03	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1760MHz_Inner_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-31.16	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-39.14	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	894.150	-62.88	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1697.000	-49.97	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3924.500	-50.83	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.43	/	1	1709.995	-29.41	-13	Pass
1750	1750	0.43	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Inner_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.498	-39.76	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	912.600	-62.84	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1698.000	-60.03	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3957.000	-51.58	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1760MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-30.90	-13	Pass


n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1760MHz Edge 1RB Right Ant2



n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1760MHz Edge 1RB Right Ant2




n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1760MHz_Outer_Full_Ant2



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.43	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.005	-27.20	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1760MHz_Inner_1RB_Right_Ant2



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-30.96	-13	Pass

6. Field Strength of Spurious Radiation

SA Band 66 ANT2-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3424.0	-66.69	-13	-53.69	-71.31	3.36	7.98	Horizontal	Pass
5136.0	-62.61	-13	-49.61	-68.22	4.61	10.22	Horizontal	Pass
6848.0	-61.44	-13	-48.44	-67.48	4.9	10.94	Horizontal	Pass
3424.0	-65.39	-13	-52.39	-70.01	3.36	7.98	Vertical	Pass
5136.0	-62.89	-13	-49.89	-68.5	4.61	10.22	Vertical	Pass
6848.0	-61.43	-13	-48.43	-67.47	4.9	10.94	Vertical	Pass

SA Band 66 ANT2-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3454.0	-66.48	-13	-53.48	-71.16	3.38	8.06	Horizontal	Pass
5181.0	-62.89	-13	-49.89	-68.51	4.63	10.25	Horizontal	Pass
6908.0	-61.29	-13	-48.29	-67.39	4.91	11.01	Horizontal	Pass
3454.0	-65.97	-13	-52.97	-70.65	3.38	8.06	Vertical	Pass
5181.0	-62.98	-13	-49.98	-68.6	4.63	10.25	Vertical	Pass
6908.0	-61.2	-13	-48.2	-67.3	4.91	11.01	Vertical	Pass

SA Band 66 ANT2-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3484.0	-67.51	-13	-54.51	-72.25	3.39	8.13	Horizontal	Pass
5226.0	-62.99	-13	-49.99	-68.63	4.64	10.28	Horizontal	Pass
6968.0	-61.82	-13	-48.82	-68.0	4.91	11.09	Horizontal	Pass
3484.0	-67.14	-13	-54.14	-71.88	3.39	8.13	Vertical	Pass
5226.0	-63.0	-13	-50.0	-68.64	4.64	10.28	Vertical	Pass
6968.0	-61.62	-13	-48.62	-67.8	4.91	11.09	Vertical	Pass

DC_7A_n66A-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3424.0	-66.11	-13	-53.11	-70.73	3.36	7.98	Horizontal	Pass
5136.0	-62.89	-13	-49.89	-68.5	4.61	10.22	Horizontal	Pass
6848.0	-60.91	-13	-47.91	-66.95	4.9	10.94	Horizontal	Pass
3424.0	-65.23	-13	-52.23	-69.85	3.36	7.98	Vertical	Pass
5136.0	-62.68	-13	-49.68	-68.29	4.61	10.22	Vertical	Pass
6848.0	-60.73	-13	-47.73	-66.77	4.9	10.94	Vertical	Pass

DC_7A_n66A-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3454.0	-66.42	-13	-53.42	-71.1	3.38	8.06	Horizontal	Pass
5181.0	-63.06	-13	-50.06	-68.68	4.63	10.25	Horizontal	Pass
6908.0	-60.86	-13	-47.86	-66.96	4.91	11.01	Horizontal	Pass
3454.0	-65.78	-13	-52.78	-70.46	3.38	8.06	Vertical	Pass
5181.0	-62.39	-13	-49.39	-68.01	4.63	10.25	Vertical	Pass
6908.0	-60.56	-13	-47.56	-66.66	4.91	11.01	Vertical	Pass

DC_7A_n66A-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3484.0	-67.34	-13	-54.34	-72.08	3.39	8.13	Horizontal	Pass
5226.0	-63.03	-13	-50.03	-68.67	4.64	10.28	Horizontal	Pass
6968.0	-61.15	-13	-48.15	-67.33	4.91	11.09	Horizontal	Pass
3484.0	-67.14	-13	-54.14	-71.88	3.39	8.13	Vertical	Pass
5226.0	-62.84	-13	-49.84	-68.48	4.64	10.28	Vertical	Pass
6968.0	-61.49	-13	-48.49	-67.67	4.91	11.09	Vertical	Pass