

Report No.: SEWM2309000386RG02

Rev.: 01

Page: 1 of 5

Appendix B.19

NR Band n77(3450-3550)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

ANT7

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limit	Verdict
N77-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Left	26.03	23.53	30.00	PASS
N77-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Left	24.99	22.49	30.00	PASS
N77-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Left	25.96	23.46	30.00	PASS
N77-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Left	24.99	22.49	30.00	PASS
N77-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Left	25.84	23.34	30.00	PASS
N77-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Left	24.85	22.35	30.00	PASS
N77-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Left	26.27	23.77	30.00	PASS
N77-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Left	25.32	22.82	30.00	PASS
N77-3450-3550	30	15	DFT-QPSK	M	Inner_1RB_Left	26.24	23.74	30.00	PASS
N77-3450-3550	30	15	DFT-16QAM	M	Inner_1RB_Left	25.09	22.59	30.00	PASS
N77-3450-3550	30	15	DFT-QPSK	H	Inner_1RB_Left	26.10	23.60	30.00	PASS
N77-3450-3550	30	15	DFT-16QAM	H	Inner_1RB_Left	24.99	22.49	30.00	PASS
N77-3450-3550	30	20	DFT-QPSK	L	Inner_1RB_Left	26.29	23.79	30.00	PASS
N77-3450-3550	30	20	DFT-16QAM	L	Inner_1RB_Left	25.17	22.67	30.00	PASS
N77-3450-3550	30	20	DFT-QPSK	M	Inner_1RB_Left	26.15	23.65	30.00	PASS
N77-3450-3550	30	20	DFT-16QAM	M	Inner_1RB_Left	25.17	22.67	30.00	PASS
N77-3450-3550	30	20	DFT-QPSK	H	Inner_1RB_Left	25.92	23.42	30.00	PASS
N77-3450-3550	30	20	DFT-16QAM	H	Inner_1RB_Left	24.94	22.44	30.00	PASS
N77-3450-3550	30	30	DFT-QPSK	L	Inner_1RB_Left	26.21	23.71	30.00	PASS
N77-3450-3550	30	30	DFT-16QAM	L	Inner_1RB_Left	25.25	22.75	30.00	PASS
N77-3450-3550	30	30	DFT-QPSK	M	Inner_1RB_Left	26.11	23.61	30.00	PASS
N77-3450-3550	30	30	DFT-16QAM	M	Inner_1RB_Left	25.17	22.67	30.00	PASS
N77-3450-3550	30	30	DFT-QPSK	H	Inner_1RB_Left	25.97	23.47	30.00	PASS
N77-3450-3550	30	30	DFT-16QAM	H	Inner_1RB_Left	25.01	22.51	30.00	PASS
N77-3450-3550	30	40	DFT-QPSK	L	Inner_1RB_Left	26.30	23.80	30.00	PASS
N77-3450-3550	30	40	DFT-16QAM	L	Inner_1RB_Left	25.35	22.85	30.00	PASS
N77-3450-3550	30	40	DFT-QPSK	M	Inner_1RB_Left	26.06	23.56	30.00	PASS
N77-3450-3550	30	40	DFT-16QAM	M	Inner_1RB_Left	25.12	22.62	30.00	PASS
N77-3450-3550	30	40	DFT-QPSK	H	Inner_1RB_Left	26.01	23.51	30.00	PASS
N77-3450-3550	30	40	DFT-16QAM	H	Inner_1RB_Left	25.03	22.53	30.00	PASS
N77-3450-3550	30	50	DFT-QPSK	L	Inner_1RB_Left	26.12	23.62	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2309000386RG02

Rev.: 01

Page: 3 of 5

N77-3450-3550	30	50	DFT-16QAM	L	Inner_1RB_Left	25.12	22.62	30.00	PASS
N77-3450-3550	30	50	DFT-QPSK	M	Inner_1RB_Left	25.88	23.38	30.00	PASS
N77-3450-3550	30	50	DFT-16QAM	M	Inner_1RB_Left	24.95	22.45	30.00	PASS
N77-3450-3550	30	50	DFT-QPSK	H	Inner_1RB_Left	25.80	23.30	30.00	PASS
N77-3450-3550	30	50	DFT-16QAM	H	Inner_1RB_Left	24.82	22.32	30.00	PASS
N77-3450-3550	30	60	DFT-QPSK	L	Inner_1RB_Left	26.15	23.65	30.00	PASS
N77-3450-3550	30	60	DFT-16QAM	L	Inner_1RB_Left	25.15	22.65	30.00	PASS
N77-3450-3550	30	60	DFT-QPSK	M	Inner_1RB_Left	25.99	23.49	30.00	PASS
N77-3450-3550	30	60	DFT-16QAM	M	Inner_1RB_Left	25.03	22.53	30.00	PASS
N77-3450-3550	30	60	DFT-QPSK	H	Inner_1RB_Left	25.96	23.46	30.00	PASS
N77-3450-3550	30	60	DFT-16QAM	H	Inner_1RB_Left	24.99	22.49	30.00	PASS
N77-3450-3550	30	70	DFT-QPSK	L	Inner_1RB_Left	26.05	23.55	30.00	PASS
N77-3450-3550	30	70	DFT-16QAM	L	Inner_1RB_Left	25.10	22.60	30.00	PASS
N77-3450-3550	30	70	DFT-QPSK	M	Inner_1RB_Left	25.76	23.26	30.00	PASS
N77-3450-3550	30	70	DFT-16QAM	M	Inner_1RB_Left	24.89	22.39	30.00	PASS
N77-3450-3550	30	70	DFT-QPSK	H	Inner_1RB_Left	25.71	23.21	30.00	PASS
N77-3450-3550	30	70	DFT-16QAM	H	Inner_1RB_Left	24.72	22.22	30.00	PASS
N77-3450-3550	30	80	DFT-QPSK	L	Inner_1RB_Left	26.12	23.62	30.00	PASS
N77-3450-3550	30	80	DFT-16QAM	L	Inner_1RB_Left	25.05	22.55	30.00	PASS
N77-3450-3550	30	80	DFT-QPSK	M	Inner_1RB_Left	25.90	23.40	30.00	PASS
N77-3450-3550	30	80	DFT-16QAM	M	Inner_1RB_Left	24.98	22.48	30.00	PASS
N77-3450-3550	30	80	DFT-QPSK	H	Inner_1RB_Left	25.74	23.24	30.00	PASS
N77-3450-3550	30	80	DFT-16QAM	H	Inner_1RB_Left	24.66	22.16	30.00	PASS
N77-3450-3550	30	90	DFT-QPSK	L	Inner_1RB_Left	26.01	23.51	30.00	PASS
N77-3450-3550	30	90	DFT-16QAM	L	Inner_1RB_Left	25.09	22.59	30.00	PASS
N77-3450-3550	30	90	DFT-QPSK	M	Inner_1RB_Left	26.01	23.51	30.00	PASS
N77-3450-3550	30	90	DFT-16QAM	M	Inner_1RB_Left	25.05	22.55	30.00	PASS
N77-3450-3550	30	90	DFT-QPSK	H	Inner_1RB_Left	25.98	23.48	30.00	PASS
N77-3450-3550	30	90	DFT-16QAM	H	Inner_1RB_Left	24.91	22.41	30.00	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	L	Inner_1RB_Left	25.97	23.47	30.00	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	L	Inner_1RB_Right	25.68	23.18	30.00	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	L	Outer_Full	25.22	22.72	30.00	PASS
N77-3450-3550	30	100	DFT-QPSK	L	Inner_1RB_Left	26.00	23.50	30.00	PASS
N77-3450-3550	30	100	DFT-QPSK	L	Inner_1RB_Right	25.70	23.20	30.00	PASS
N77-3450-3550	30	100	DFT-QPSK	L	Outer_Full	24.74	22.24	30.00	PASS
N77-3450-3550	30	100	DFT-16QAM	L	Inner_1RB_Left	25.02	22.52	30.00	PASS
N77-3450-3550	30	100	DFT-16QAM	L	Inner_1RB_Right	24.65	22.15	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2309000386RG02

Rev.: 01

Page: 4 of 5

Table with 10 columns: Test ID, Sample No., Quantity, Modulation, Bandwidth, Measurement Point, Value 1, Value 2, Value 3, Result. Contains 40 rows of test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: QN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Field Strength of Spurious Radiation

Test Band = SA Band 77 3450-3550_ TM1

Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8023.2708	41.62	-44.31	36.23	-61.71	-13.00	48.71	Horizontal
2	9331.875	42.07	-42.90	37.90	-58.19	-13.00	45.19	Horizontal
3	6910.18	42.50	-46.12	35.40	-63.47	-13.00	50.47	Horizontal
4	10365.27	37.72	-41.19	38.83	-59.90	-13.00	46.90	Horizontal
5	13820.36	36.83	-38.48	40.49	-56.43	-13.00	43.43	Horizontal
6	17275.45	35.10	-37.12	40.66	-56.62	-13.00	43.62	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8588.6875	41.84	-44.08	37.02	-60.47	-13.00	47.47	Vertical
2	9327.5625	41.97	-42.90	37.89	-58.30	-13.00	45.30	Vertical
3	6910.18	43.02	-46.12	35.40	-62.95	-13.00	49.95	Vertical
4	10365.27	38.51	-41.19	38.83	-59.11	-13.00	46.11	Vertical
5	13820.36	36.27	-38.48	40.49	-56.99	-13.00	43.99	Vertical
6	17275.45	35.29	-37.12	40.66	-56.43	-13.00	43.43	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Pre-amplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

2) All antennas of RSE are tested, and only the worst data is presented.

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: QN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com
 t (86-512) 62992980 sgs.china@sgs.com