





N66(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



N66(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



N66(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




N66(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH







N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N66(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH





N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



N66(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH





### Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	25	344500	1722.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	25	344500	1722.5	DFT-s-OFDM BPSK	128@0	see graph	PASS
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	128@0	see graph	PASS
66	15	25	353500	1767.5	DFT-s-OFDM BPSK	1@132	see graph	PASS
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@132	see graph	PASS
66	15	25	353500	1767.5	DFT-s-OFDM BPSK	128@0	see graph	PASS
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	128@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS




66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	<b>PASS</b>
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	<b>PASS</b>
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	<b>PASS</b>
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	<b>PASS</b>



N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N66(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH



N66(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH






N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



N66(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




N66(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH






N66(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N66(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N66(25M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




N66(25M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH






N66(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N66(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



N66(25M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




N66(25M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH






N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N66(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N66(40M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




N66(40M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH






N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N66(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



N66(40M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH



N66(40M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH





# FR1\_N26

LTE Band: 7, LTE BW: 10M, LTE ARFCN: Mid

## Transmitter Conducted Output Power And EIRP, (GT - LC)=-0.6dBi

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	15	5	342500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	24.65	24.05	0.2541
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	24.58	23.98	0.2500
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	23.57	22.97	0.1982
66	15	5	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.76	24.16	0.2606
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	24.71	24.11	0.2576
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.95	23.35	0.2163
66	15	5	355500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	24.78	24.18	0.2618
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	24.78	24.18	0.2618
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	24.08	23.48	0.2228
66	15	10	343000	1715	DFT-s-OFDM PI/2 BPSK	1@1	24.83	24.23	0.2649
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	24.41	23.81	0.2404
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	23.59	22.99	0.1991
66	15	10	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.97	24.37	0.2735
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	24.82	24.22	0.2642
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.95	23.35	0.2163
66	15	10	355000	1775	DFT-s-OFDM PI/2 BPSK	1@1	24.94	24.34	0.2716
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	24.99	24.39	0.2748
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	24.00	23.40	0.2188
66	15	15	343500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	24.86	24.26	0.2667
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	24.77	24.17	0.2612
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	23.74	23.14	0.2061
66	15	15	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.93	24.33	0.2710
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	24.99	24.39	0.2748
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	24.03	23.43	0.2203
66	15	15	354500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	25.02	24.42	0.2767
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	24.88	24.28	0.2679
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	23.98	23.38	0.2178
66	15	20	344000	1720	DFT-s-OFDM PI/2 BPSK	1@1	24.76	24.16	0.2606
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	24.74	24.14	0.2594
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	23.86	23.26	0.2118
66	15	20	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.83	24.23	0.2649
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	24.88	24.28	0.2679
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.86	23.26	0.2118
66	15	20	354000	1770	DFT-s-OFDM PI/2 BPSK	1@1	24.86	24.26	0.2667
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	24.81	24.21	0.2636



66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	23.94	23.34	0.2158
66	15	25	344500	1722.5	DFT-s-OFDM PI/2 BPSK	1@1	24.85	24.25	0.2661
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@1	24.85	24.25	0.2661
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@1	23.89	23.29	0.2133
66	15	25	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.98	24.38	0.2742
66	15	25	349000	1745	DFT-s-OFDM QPSK	1@1	24.86	24.26	0.2667
66	15	25	349000	1745	DFT-s-OFDM 16 QAM	1@1	24.06	23.46	0.2218
66	15	25	353500	1767.5	DFT-s-OFDM PI/2 BPSK	1@1	25.04	24.44	0.2780
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@1	25.00	24.40	0.2754
66	15	25	353500	1767.5	DFT-s-OFDM 16 QAM	1@1	24.03	23.43	0.2203
66	15	30	345000	1725	DFT-s-OFDM PI/2 BPSK	1@1	24.80	24.20	0.2630
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	24.83	24.23	0.2649
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	23.91	23.31	0.2143
66	15	30	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.80	24.20	0.2630
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	24.88	24.28	0.2679
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	24.00	23.40	0.2188
66	15	30	353000	1765	DFT-s-OFDM PI/2 BPSK	1@1	24.98	24.38	0.2742
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	24.85	24.25	0.2661
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	24.05	23.45	0.2213
66	15	35	345500	1727.5	DFT-s-OFDM PI/2 BPSK	1@1	24.65	24.05	0.2541
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	1@1	24.68	24.08	0.2559
66	15	35	345500	1727.5	DFT-s-OFDM 16 QAM	1@1	23.90	23.30	0.2138
66	15	35	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.66	24.06	0.2547
66	15	35	349000	1745	DFT-s-OFDM QPSK	1@1	24.62	24.02	0.2523
66	15	35	349000	1745	DFT-s-OFDM 16 QAM	1@1	24.03	23.43	0.2203
66	15	35	352500	1762.5	DFT-s-OFDM PI/2 BPSK	1@1	24.73	24.13	0.2588
66	15	35	352500	1762.5	DFT-s-OFDM QPSK	1@1	24.83	24.23	0.2649
66	15	35	352500	1762.5	DFT-s-OFDM 16 QAM	1@1	24.05	23.45	0.2213
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	108@54	24.91	24.31	0.2698
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@1	24.77	24.17	0.2612
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@214	24.99	24.39	0.2748
66	15	40	346000	1730	DFT-s-OFDM QPSK	108@54	24.90	24.30	0.2692
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	24.65	24.05	0.2541
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@214	24.98	24.38	0.2742
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	108@54	23.96	23.36	0.2168
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	23.90	23.30	0.2138
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@214	24.08	23.48	0.2228
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	108@54	22.45	21.85	0.1531
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@1	22.17	21.57	0.1435
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@214	22.29	21.69	0.1476
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	108@54	20.40	19.80	0.0955
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@1	19.88	19.28	0.0847
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@214	20.10	19.50	0.0891
66	15	40	346000	1730	CP-OFDM QPSK	108@54	23.59	22.99	0.1991



66	15	40	346000	1730	CP-OFDM QPSK	1@1	23.66	23.06	0.2023
66	15	40	346000	1730	CP-OFDM QPSK	1@214	23.84	23.24	0.2109
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	108@54	24.88	24.28	0.2679
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.87	24.27	0.2673
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@214	25.01	24.41	0.2761
66	15	40	349000	1745	DFT-s-OFDM QPSK	108@54	25.05	24.45	0.2786
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	24.71	24.11	0.2576
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@214	24.84	24.24	0.2655
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	108@54	24.04	23.44	0.2208
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.90	23.30	0.2138
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@214	24.10	23.50	0.2239
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	108@54	22.46	21.86	0.1535
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@1	22.20	21.60	0.1445
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@214	22.40	21.80	0.1514
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	108@54	20.47	19.87	0.0971
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@1	19.95	19.35	0.0861
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@214	20.09	19.49	0.0889
66	15	40	349000	1745	CP-OFDM QPSK	108@54	23.72	23.12	0.2051
66	15	40	349000	1745	CP-OFDM QPSK	1@1	23.52	22.92	0.1959
66	15	40	349000	1745	CP-OFDM QPSK	1@214	23.82	23.22	0.2099
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	108@54	24.91	24.31	0.2698
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@1	24.86	24.26	0.2667
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@214	25.12	24.52	0.2831
66	15	40	352000	1760	DFT-s-OFDM QPSK	108@54	24.88	24.28	0.2679
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	24.73	24.13	0.2588
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@214	24.94	24.34	0.2716
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	108@54	23.97	23.37	0.2173
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	23.97	23.37	0.2173
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@214	24.14	23.54	0.2259
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	108@54	22.50	21.90	0.1549
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@1	22.30	21.70	0.1479
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@214	22.48	21.88	0.1542
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	108@54	20.44	19.84	0.0964
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@1	19.99	19.39	0.0869
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@214	20.19	19.59	0.0910
66	15	40	352000	1760	CP-OFDM QPSK	108@54	23.66	23.06	0.2023
66	15	40	352000	1760	CP-OFDM QPSK	1@1	23.76	23.16	0.2070
66	15	40	352000	1760	CP-OFDM QPSK	1@214	23.84	23.24	0.2109



# Appendix B. Test Results of Radiated Test

## Radiated Spurious Emission

Test Engineer :	Bruce	Temperature :	23~25°C
		Relative Humidity :	41~42%

Note: Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

n2 SA / NR 40MHz / QPSK(ANT3)								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3720	-54.97	-13	-41.97	-67.23	2.64	14.90	H
	5584.27	-50.21	-13	-37.21	-62.07	2.94	14.80	H
	7448.36	-53.20	-13	-40.20	-62.97	3.39	13.16	H
	3720	-55.11	-13	-42.11	-67.37	2.64	14.90	V
	5586.27	-49.47	-13	-36.47	-61.33	2.94	14.80	V
	7448.36	-53.82	-13	-40.82	-63.59	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_7A_n5A / LTE 10MHz + NR 20MHz / QPSK (ANT3+0)								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1655	-65.98	-13	-52.98	-72.95	1.58	10.70	H
	2482	-60.20	-13	-47.20	-68.45	2.102	12.50	H
	3310	-59.43	-13	-46.43	-68.32	2.856	13.90	H
	1655	-64.93	-13	-51.93	-71.90	1.58	10.70	V
	2482	-58.47	-13	-45.47	-66.72	2.10	12.50	V
	3310	-59.20	-13	-46.20	-68.09	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n26 SA / NR 20MHz / QPSK(ANT0)								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1645	-59.83	-13	-46.83	-66.80	1.58	10.70	H
	2467	-35.93	-13	-22.93	-44.18	2.102	12.50	H
	3288	-56.49	-13	-43.49	-65.38	2.856	13.90	H
	1645	-58.53	-13	-45.53	-65.50	1.58	10.70	V
	2467	-41.54	-13	-28.54	-49.79	2.10	12.50	V
	3290	-56.28	-13	-43.28	-65.17	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n66 SA / NR 40MHz / QPSK(ANT3)								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3450	-56.04	-13	-43.04	-66.78	2.604	13.34	H
	5151.27	-53.83	-13	-40.83	-64.34	3.011	13.52	H
	6908.36	-54.73	-13	-41.73	-64.93	3.271	13.47	H
	3450	-57.35	-13	-44.35	-68.09	2.604	13.34	V
	5181.27	-53.40	-13	-40.40	-63.91	3.011	13.52	V
	6908.36	-54.50	-13	-41.50	-64.70	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_7A_n66A / LTE 10MHz + NR 40MHz / QPSK (ANT0+6)								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3450	-57.77	-13	-44.77	-68.51	2.604	13.34	H
	5175	-53.93	-13	-40.93	-64.44	3.011	13.52	H
	6915	-54.00	-13	-41.00	-64.20	3.271	13.47	H
	3450	-57.16	-13	-44.16	-67.90	2.604	13.34	V
	5175	-53.48	-13	-40.48	-63.99	3.011	13.52	V
	6915	-54.24	-13	-41.24	-64.44	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.