




BUREAU VERITAS

Test Report No.: W7L-P23030003RF04

MODE	TX channel 26915	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,665.000	-57.77	-13.00	44.77	13.81	V	1	1
5	7,277.500	-42.22	-13.00	29.22	34.16	V	359	2






CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 26915	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.500	-58.46	-13.00	45.46	13.71	H	359	2
5	7,876.000	-42.37	-13.00	29.37	34.04	H	90.2	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04

MODE	TX channel 26915	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,661.500	-58.03	-13.00	45.03	13.73	V	1	1
5	7,907.500	-42.27	-13.00	29.27	34.20	V	1	1






3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



BUREAU
VERITAS

Test Report No.: W7L-P23030003RF04

4 PHOTOGRAPHS OF THE TEST CONFIGURATION

Please refer to the attached file (Test Setup Photo).



BUREAU
VERITAS

Test Report No.: W7L-P23030003RF04

5 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



BUREAU
VERITAS

Test Report No.: W7L-P23030003RF04

6 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.



7 APPENDIX

GSM850

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	189	2.59	13	PASS
GSM850	128	2.59	13	PASS
GSM850	251	2.59	13	PASS
EGPRS850	189	5.51	13	PASS
EGPRS850	128	5.53	13	PASS
EGPRS850	251	5.53	13	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04


Test Graphs






BUREAU VERITAS


Test Report No.: W7L-P23030003RF04



EGPRS850-189



EGPRS850-128




EGPRS850-251



**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04





26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result


Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM850	189	0.24640	0.3151	---	PASS
GSM850	128	0.24689	0.3128	---	PASS
GSM850	251	0.24635	0.3144	---	PASS
EGPRS850	189	0.24729	0.3062	---	PASS
EGPRS850	128	0.25125	0.3115	---	PASS
EGPRS850	251	0.25134	0.3192	---	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04


Test Graphs






BUREAU VERITAS


Test Report No.: W7L-P23030003RF04



EGPRS850-189



EGPRS850-128




EGPRS850-251



**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04





BUREAU
VERITAS

Test Report No.: W7L-P23030003RF04

BAND EDGE

Test Result


Band	Channel	Freq (MHz)	Result (dBm)	Limit(dBm)	Verdict
GSM850	128	823.99	-26.36	-13	PASS
GSM850	251	849.01	-22.51	-13	PASS
EGPRS850	128	823.96	-33.50	-13	PASS
EGPRS850	251	849.02	-25.40	-13	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04


Test Graphs






BUREAU VERITAS

Test Report No.: W7L-P23030003RF04



EGPRS850-251





CONDUCTED SPURIOUS EMISSION

Test Result


Band	Channel	Frequency Range(MHz)	Max.Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM850	189	30~1000MHz	615.3	-49.81	-13	PASS
GSM850	189	1000~10000MHz	2509.3	-31.18	-13	PASS
GSM850	128	30~1000MHz	926.25	-50.21	-13	PASS
GSM850	128	1000~10000MHz	2473	-30.83	-13	PASS
GSM850	251	30~1000MHz	604.73	-50.58	-13	PASS
GSM850	251	1000~10000MHz	2546.2	-31.13	-13	PASS
EGPRS850	189	30~1000MHz	970.38	-50.03	-13	PASS
EGPRS850	189	1000~10000MHz	3757.9	-32.77	-13	PASS
EGPRS850	128	30~1000MHz	929.32	-50.13	-13	PASS
EGPRS850	128	1000~10000MHz	3859.6	-32.11	-13	PASS
EGPRS850	251	30~1000MHz	966.05	-49.54	-13	PASS
EGPRS850	251	1000~10000MHz	3868.6	-32.7	-13	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04


Test Graphs





BUREAU VERITAS


Test Report No.: W7L-P23030003RF04



GSM850-128-1000~10000MHz



GSM850-251-30~1000MHz



GSM850-251-1000~10000MHz




BUREAU VERITAS

Test Report No.: W7L-P23030003RF04



EGPRS850-189-30~1000MHz



EGPRS850-189-1000~10000MHz




EGPRS850-128-30~1000MHz



BUREAU VERITAS


Test Report No.: W7L-P23030003RF04



EGPRS850-128-1000~10000MHz



EGPRS850-251-30~1000MHz



EGPRS850-251-1000~10000MHz



**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04



FREQUENCY STABILITY

Test Result

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	189	LV	NT	0.90	0.001076	±2.5	PASS
GSM850	189	NV	NT	4.26	0.005093	±2.5	PASS
GSM850	189	HV	NT	1.65	0.001973	±2.5	PASS
GSM850	128	LV	NT	0.74	0.000898	±2.5	PASS
GSM850	128	NV	NT	1.00	0.001213	±2.5	PASS
GSM850	128	HV	NT	3.81	0.004623	±2.5	PASS
GSM850	251	LV	NT	2.58	0.003040	±2.5	PASS
GSM850	251	NV	NT	-1.23	-0.001449	±2.5	PASS
GSM850	251	HV	NT	-1.19	-0.001402	±2.5	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	189	NV	-30	1.23	0.001471	±2.5	PASS
GSM850	189	NV	-20	3.20	0.003826	±2.5	PASS
GSM850	189	NV	-10	6.23	0.007449	±2.5	PASS
GSM850	189	NV	0	2.49	0.002977	±2.5	PASS
GSM850	189	NV	10	6.39	0.007640	±2.5	PASS
GSM850	189	NV	20	2.74	0.003276	±2.5	PASS
GSM850	189	NV	30	2.81	0.003360	±2.5	PASS
GSM850	189	NV	40	3.87	0.004627	±2.5	PASS



GSM850	189	NV	50	1.23	0.001471	±2.5	PASS
GSM850	128	NV	-30	-4.04	-0.004902	±2.5	PASS
GSM850	128	NV	-20	3.97	0.004817	±2.5	PASS
GSM850	128	NV	-10	5.71	0.006928	±2.5	PASS
GSM850	128	NV	0	3.81	0.004623	±2.5	PASS
GSM850	128	NV	10	3.97	0.004817	±2.5	PASS
GSM850	128	NV	20	3.71	0.004501	±2.5	PASS
GSM850	128	NV	30	3.58	0.004344	±2.5	PASS
GSM850	128	NV	40	2.45	0.002973	±2.5	PASS
GSM850	128	NV	50	3.94	0.004780	±2.5	PASS
GSM850	251	NV	-30	2.45	0.002886	±2.5	PASS
GSM850	251	NV	-20	0.90	0.001060	±2.5	PASS
GSM850	251	NV	-10	2.74	0.003228	±2.5	PASS
GSM850	251	NV	0	2.65	0.003122	±2.5	PASS
GSM850	251	NV	10	-0.42	-0.000495	±2.5	PASS
GSM850	251	NV	20	2.13	0.002509	±2.5	PASS
GSM850	251	NV	30	3.29	0.003876	±2.5	PASS
GSM850	251	NV	40	2.71	0.003193	±2.5	PASS
GSM850	251	NV	50	0.65	0.000766	±2.5	PASS

Note: LV = Low voltage(3.5V); NV = Normal voltage(3.8V); HV = High voltage(4.2V);NT = Normal temperature (25°C).

MAX Deviation calculation

Frequency Stability	Frequency(MHz)	Limit Line(MHz)	Result
fL- MAX(Δf)	836.2768	≥824	PASS
fH- MAX(Δf)	848.923175	≤849	

Note : 1. |MAX(Δf)| = Max Deviation

2. fL = Occ low channel fL(-13dBm/MHz)

3. fH = Occ High channel fH(-13dBm/MHz)

4. |MAX(Δf)| =6.39 Hz.



**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04

WCDMA BAND5

PEAK-TO-AVERAGE RATIO

Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dBm)	Verdict
Band5	4132	2.87	13	PASS
Band5	4182	2.85	13	PASS
Band5	4233	2.95	13	PASS




BUREAU VERITAS

Test Report No.: W7L-P23030003RF04

Test Graphs





26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result


Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band5	4132	4.1945	4.726	---	PASS
Band5	4182	4.1849	4.718	---	PASS
Band5	4233	4.1902	4.730	---	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04


Test Graphs





**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04



BAND EDGE

Test Result


Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band5	4132	823.87	-27.32	-13	PASS
Band5	4233	849.14	-27.01	-13	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04

Test Graphs





CONDUCTED SPURIOUS EMISSION

Test Result


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band5	4132	30~1000MHz	438.66	-49.51	-13	PASS
Band5	4132	1000~10000MHz	5033.8	-31.93	-13	PASS
Band5	4182	30~1000MHz	954.99	-50.49	-13	PASS
Band5	4182	1000~10000MHz	3717.4	-32.7	-13	PASS
Band5	4233	30~1000MHz	746.41	-49.83	-13	PASS
Band5	4233	1000~10000MHz	3773.8	-32.39	-13	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04


Test Graphs





BUREAU VERITAS


Test Report No.: W7L-P23030003RF04



Band5-4182-1000~10000MHz



Band5-4233-30~1000MHz



Band5-4233-1000~10000MHz



**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04



FREQUENCY STABILITY

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	LV	NT	-6.69	-0.008095	±2.5	PASS
Band5	4132	NV	NT	-6.46	-0.007817	±2.5	PASS
Band5	4132	HV	NT	-8.27	-0.010007	±2.5	PASS
Band5	4182	LV	NT	-7.31	-0.008740	±2.5	PASS
Band5	4182	NV	NT	-5.50	-0.006576	±2.5	PASS
Band5	4182	HV	NT	-13.40	-0.016021	±2.5	PASS
Band5	4233	LV	NT	-11.92	-0.014080	±2.5	PASS
Band5	4233	NV	NT	-11.02	-0.013017	±2.5	PASS
Band5	4233	HV	NT	-10.28	-0.012143	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-7.36	-0.008906	±2.5	PASS
Band5	4132	NV	-20	-4.69	-0.005675	±2.5	PASS
Band5	4132	NV	-10	-8.37	-0.010128	±2.5	PASS
Band5	4132	NV	0	-9.83	-0.011895	±2.5	PASS
Band5	4132	NV	10	-7.77	-0.009402	±2.5	PASS
Band5	4132	NV	20	-6.25	-0.007563	±2.5	PASS
Band5	4132	NV	30	-10.88	-0.013166	±2.5	PASS
Band5	4132	NV	40	-11.79	-0.014267	±2.5	PASS
Band5	4132	NV	50	-4.56	-0.005518	±2.5	PASS



Band5	4182	NV	-30	-5.49	-0.006564	±2.5	PASS
Band5	4182	NV	-20	-11.00	-0.013152	±2.5	PASS
Band5	4182	NV	-10	-9.11	-0.010892	±2.5	PASS
Band5	4182	NV	0	-3.26	-0.003898	±2.5	PASS
Band5	4182	NV	10	-10.25	-0.012255	±2.5	PASS
Band5	4182	NV	20	-11.48	-0.013725	±2.5	PASS
Band5	4182	NV	30	-9.33	-0.011155	±2.5	PASS
Band5	4182	NV	40	-6.97	-0.008333	±2.5	PASS
Band5	4182	NV	50	-11.01	-0.013164	±2.5	PASS
Band5	4233	NV	-30	-11.57	-0.013666	±2.5	PASS
Band5	4233	NV	-20	-10.89	-0.012863	±2.5	PASS
Band5	4233	NV	-10	-6.45	-0.007619	±2.5	PASS
Band5	4233	NV	0	-6.47	-0.007642	±2.5	PASS
Band5	4233	NV	10	-10.66	-0.012592	±2.5	PASS
Band5	4233	NV	20	-10.58	-0.012497	±2.5	PASS
Band5	4233	NV	30	-12.01	-0.014186	±2.5	PASS
Band5	4233	NV	40	-5.39	-0.006367	±2.5	PASS
Band5	4233	NV	50	-13.96	-0.016489	±2.5	PASS

Note: LV = Low voltage(3.5V); NV = Normal voltage(3.8V); HV = High voltage(4.2V);NT = Normal temperature (25°C).

MAX Deviation calculation

Frequency Stability	Frequency(MHz)	Limit Line(MHz)	Result
fL- MAX(Δf)	824.30275	≥824	PASS
fH- MAX(Δf)	848.6951	≤849	

Note : 1. |MAX(Δf)| = Max Deviation

2. fL = Occ low channel f(-13dBm/MHz)

3. fH = Occ High channel fH(-13dBm/MHz)

4. |MAX(Δf)| = -13.96Hz.



LTE BAND26 (INDCLUDING LTE BAND5)

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	15MHz	QPSK	26865	1RB#0	4.21	13	PASS
Band26	15MHz	QPSK	26865	75RB#0	5.45	13	PASS
Band26	15MHz	QPSK	26915	1RB#0	4.20	13	PASS
Band26	15MHz	QPSK	26915	75RB#0	5.39	13	PASS
Band26	15MHz	QPSK	26965	1RB#0	4.07	13	PASS
Band26	15MHz	QPSK	26965	75RB#0	5.49	13	PASS
Band26	15MHz	16QAM	26865	1RB#0	5.20	13	PASS
Band26	15MHz	16QAM	26865	75RB#0	6.18	13	PASS
Band26	15MHz	16QAM	26915	1RB#0	5.26	13	PASS
Band26	15MHz	16QAM	26915	75RB#0	6.14	13	PASS
Band26	15MHz	16QAM	26965	1RB#0	4.94	13	PASS
Band26	15MHz	16QAM	26965	75RB#0	6.19	13	PASS
Band26	15MHz	64QAM	26865	1RB#0	5.84	13	PASS
Band26	15MHz	64QAM	26865	75RB#0	6.57	13	PASS
Band26	15MHz	64QAM	26915	1RB#0	6.07	13	PASS
Band26	15MHz	64QAM	26915	75RB#0	6.58	13	PASS
Band26	15MHz	64QAM	26965	1RB#0	5.72	13	PASS
Band26	15MHz	64QAM	26965	75RB#0	6.58	13	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04




Test Graphs





BUREAU VERITAS


Test Report No.: W7L-P23030003RF04






BUREAU VERITAS

Test Report No.: W7L-P23030003RF04



Band26-15MHz-16QAM-26865-1RB#0



Band26-15MHz-16QAM-26865-75RB#0




Band26-15MHz-16QAM-26915-1RB#0




BUREAU VERITAS


Test Report No.: W7L-P23030003RF04



Band26-15MHz-16QAM-26915-75RB#0



Band26-15MHz-16QAM-26965-1RB#0



Band26-15MHz-16QAM-26965-75RB#0




BUREAU VERITAS


Test Report No.: W7L-P23030003RF04



Band26-15MHz-64QAM-26865-1RB#0



Band26-15MHz-64QAM-26865-75RB#0






Band26-15MHz-64QAM-26915-1RB#0



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04





**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04





26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	1.0853	1.254	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	1.0833	1.257	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	1.0877	1.258	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	1.0915	1.257	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	1.0917	1.263	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	1.0910	1.249	PASS
Band26	1.4MHz	64QAM	26797	6RB#0	1.0872	1.256	PASS
Band26	1.4MHz	64QAM	26915	6RB#0	1.0886	1.248	PASS
Band26	1.4MHz	64QAM	27033	6RB#0	1.0852	1.241	PASS
Band26	3MHz	QPSK	26805	15RB#0	2.6902	2.854	PASS
Band26	3MHz	QPSK	26915	15RB#0	2.6919	2.860	PASS
Band26	3MHz	QPSK	27025	15RB#0	2.6914	2.860	PASS
Band26	3MHz	16QAM	26805	15RB#0	2.6861	2.849	PASS
Band26	3MHz	16QAM	26915	15RB#0	2.6938	2.855	PASS
Band26	3MHz	16QAM	27025	15RB#0	2.6903	2.856	PASS
Band26	3MHz	64QAM	26805	15RB#0	2.6941	2.864	PASS
Band26	3MHz	64QAM	26915	15RB#0	2.6905	2.844	PASS
Band26	3MHz	64QAM	27025	15RB#0	2.6996	2.877	PASS
Band26	5MHz	QPSK	26815	25RB#0	4.4960	4.786	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.4975	4.778	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.4983	4.803	PASS
Band26	5MHz	16QAM	26815	25RB#0	4.5066	4.829	PASS
Band26	5MHz	16QAM	26915	25RB#0	4.4978	4.768	PASS
Band26	5MHz	16QAM	27015	25RB#0	4.5081	4.825	PASS
Band26	5MHz	64QAM	26815	25RB#0	4.4985	4.822	PASS
Band26	5MHz	64QAM	26915	25RB#0	4.4976	4.799	PASS
Band26	5MHz	64QAM	27015	25RB#0	4.5045	4.809	PASS
Band26	10MHz	QPSK	26840	50RB#0	8.9873	9.520	PASS
Band26	10MHz	QPSK	26915	50RB#0	8.9896	9.495	PASS
Band26	10MHz	QPSK	26990	50RB#0	8.9996	9.529	PASS
Band26	10MHz	16QAM	26840	50RB#0	8.9739	9.517	PASS
Band26	10MHz	16QAM	26915	50RB#0	8.9890	9.521	PASS
Band26	10MHz	16QAM	26990	50RB#0	8.9833	9.504	PASS
Band26	10MHz	64QAM	26840	50RB#0	8.9755	9.517	PASS
Band26	10MHz	64QAM	26915	50RB#0	8.9848	9.525	PASS
Band26	10MHz	64QAM	26990	50RB#0	8.9861	9.507	PASS
Band26	15MHz	QPSK	26865	75RB#0	13.470	14.26	PASS
Band26	15MHz	QPSK	26915	75RB#0	13.465	14.23	PASS
Band26	15MHz	QPSK	26965	75RB#0	13.462	14.23	PASS
Band26	15MHz	16QAM	26865	75RB#0	13.473	14.24	PASS
Band26	15MHz	16QAM	26915	75RB#0	13.458	14.24	PASS
Band26	15MHz	16QAM	26965	75RB#0	13.463	14.22	PASS



**BUREAU
VERITAS**

Test Report No.: W7L-P23030003RF04


Band26	15MHz	64QAM	26865	75RB#0	13.453	14.26	PASS
Band26	15MHz	64QAM	26915	75RB#0	13.463	14.23	PASS
Band26	15MHz	64QAM	26965	75RB#0	13.451	14.23	PASS



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04

Test Graphs





BUREAU VERITAS


Test Report No.: W7L-P23030003RF04



Band26-1.4MHz-16QAM-26797-6RB#0



Band26-1.4MHz-16QAM-26915-6RB#0




Band26-1.4MHz-16QAM-27033-6RB#0



BUREAU VERITAS

Test Report No.: W7L-P23030003RF04



Band26-1.4MHz-64QAM-26797-6RB#0



Band26-1.4MHz-64QAM-26915-6RB#0



Band26-1.4MHz-64QAM-27033-6RB#0