



**APPROVAL SHEET
FOR ANTENNA**

CUSTOMER: xiaomi

FA-MAIN-SZ0204

FA-DIV-SZ0205

AAC P/N: FA-3IN1-SZ0206

CUSTOMER P/N: C3S L Antenna

CUSTOMER	APPROVER	CHECKER

AAC ACOUSTIC TECHNOLOGIES HOLDINGS INC.

**Add: AAC Technology Building, NO.18., Xinxu Road, North Hi-Tech
Industrial Park, Nanshan District, Shenzhen, P.R. China 518057**

Tel : 0086 755 26054538

AAC Confidential Information



Main antenna:GSM850/900/1800/1900,WCDMA B1/2/4/5/8,FDD-LTE B1/2/3/4/5/7/8/28,TDD-LTE B38/40/41;

NO.	0	Issue:	x4	Revision Date:	2022/6/15	Page:	2/24
-----	---	--------	----	----------------	-----------	-------	------

1. Scope

This document contains required environmental, electrical characteristic, mechanical, package and reliability test requirements.

2. Environmental Requirement


all components must be free from lead (Pb) and other banned or restricted substances according to customer's requirements.

3. Electrical Characteristic Measurement Method


3.1 Measurement method

To measure the Return Loss and VSWR, Smith Chart, Vector Network Analyzer Agilent E5071C was used. Satimo SG24 Anechoic chamber was used to measure the Efficiency, Gain, TRP and TIS.

3.1.1 Return Loss and VSWR



3.1.2 Efficiency, Gain, OTA measurement







Main antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO. 0 Issue: x4 Revision Date: 2022/6/15 Page: 3/24


3.1.3 Cutting plane and polarization




Phi=0deg



Phi=90deg



Theta=90deg



AAC Confidential Information



Main antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/4

NO.

0

Issue: x4


**Revision
Date:**

2022/6/15


Page: 6/24

6. Passive Measurement Data


6.1 Main Ant




状态1



状态2



状态3



状态4

Fig.1 Return


Main antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO. 0


Issue: x4

Revision Date: 2022/6/15


Page: 7/24




状态1



状态2



状态3



状态4

Fig.2 Smith Chart

AAC Confidential Information

DIV antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;


NO. 0

Issue: x4


Revision Date: 2022/6/15

Page: 8/24


6.2 Diversity antenna




状态1



状态2



状态3



状态4

Fig.1 Return Loss

AAC Confidential Information

DIV antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO.


0

Issue: x4


Revision Date:

2022/6/15


Page: 9/24




状态1



状态2



状态3



状态4

Fig.2 smith chart

GPS&WIFI antenna:GPS,WIFI 2.4G;

NO. 0 Issue: x4 Revision Date: 2022/6/15 Page: 10/24

6.3 GPS/BT/WIFI Ant




Fig.1 Return Loss




Fig.2 smith chart


AAC Confidential Information

Main antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO. 0 Issue: x4 Revision Date: 2022/6/15 Page: 11/24

6.4 Radiation Pattern

Main ant



Main antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO.


0 Issue: x4

Revision Date: 2022/6/15

Page: 12/24

6.4 Radiation Pattern

Main ant



DIV antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO.

0

Issue: x4


Revision Date:

2022/6/15

Page: 13/24

6.4 Radiation Pattern

Diversity ant






DIV antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO. 0 Issue: x4 Revision Date: 2022/6/15 Page: 14/24


6.4 Radiation Pattern

Diversity ant

2100MHz



2600MHz



AAC Confidential Information




GPS&WIFI antenna:GPS,WIFI 2.4G;

NO. 0 Issue: x4 Revision Date: 2022/6/15 Page: 15/24

6.4 Radiation Pattern

GPS&wifi ant





Product Specification

P/N

FA-MAIN-SZ0204

Main antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO.	0	Issue:	x4	Revision Date:	2022/6/15	Page:	16/24
-----	---	--------	----	----------------	-----------	-------	-------

6.5 Efficiency

main ant

Fre (MHz)	Eff (dB)	Eff (%)	Peak Gain
700	-7.7	17.2	-4.6
720	-6.3	23.3	-3.7
740	-7.0	20.2	-4.3
760	-7.9	16.3	-5.2
780	-8.0	15.8	-4.8
800	-9.9	10.2	-6.8
820	-8.4	14.4	-4.7
840	-7.8	16.7	-4.4
860	-7.3	18.6	-4.2
880	-7.7	16.9	-4.3
900	-8.8	13.2	-5.3
920	-8.2	15.0	-4.7
940	-8.7	13.5	-5.1
960	-10.0	9.9	-6.3
1710	-5.6	27.7	-1.3
1730	-5.6	27.6	-1.3
1750	-5.3	29.7	-1.2
1770	-4.9	32.6	-0.7
1790	-5.1	30.7	-0.9
1810	-5.3	29.6	-1.0
1830	-5.3	29.8	-1.1
1850	-5.2	30.2	-0.9
1870	-5.3	29.8	-0.9
1890	-4.6	34.8	-0.5
1910	-4.9	32.3	-0.7
1930	-4.7	33.9	-0.3
1950	-4.7	34.3	-0.4
1970	-4.5	35.3	-0.4
1990	-4.5	35.8	-0.1
2010	-4.4	36.4	0.3
2030	-4.0	39.4	0.6
2050	-4.2	37.8	0.3
2070	-4.7	33.8	-0.4
2090	-5.2	30.1	-0.6
2110	-5.8	26.5	-0.7
2130	-5.6	27.4	0.3
2150	-5.7	27.0	0.9
2170	-5.3	29.2	1.6

Fre (MHz)	Eff (dB)	Eff (%)	Peak Gain
2190	-5.3	29.3	1.4
2210	-5.0	31.5	1.3
2230	-4.5	35.2	1.8
2250	-4.5	35.1	1.3
2270	-4.5	35.3	0.5
2290	-4.2	37.8	0.2
2310	-4.6	34.7	-0.6
2330	-4.9	32.0	-1.1
2350	-5.1	31.2	-1.5
2370	-5.3	29.8	-2.0
2390	-5.1	31.0	-1.6
2410	-5.0	31.5	-1.7
2430	-5.0	31.9	-1.6
2450	-5.6	27.7	-2.1
2470	-5.6	27.7	-2.2
2490	-5.6	27.5	-2.1
2510	-5.2	30.0	-0.9
2530	-5.2	30.3	-0.9
2550	-5.3	29.5	-1.3
2570	-5.4	28.6	-1.3
2590	-5.8	26.3	-1.9
2610	-5.9	26.0	-2.5
2630	-5.9	25.5	-2.9
2650	-6.3	23.6	-3.1
2670	-6.2	23.8	-3.3
2690	-6.2	23.7	-2.9

AAC Confidential Information



Product Specification

P/N

FA-DIV-SZ0205

DIV antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;

NO.	0	Issue:	x4	Revision Date:	2022/6/15	Page:	17/24
-----	---	--------	----	----------------	-----------	-------	-------

6.5 Efficiency

Diversity ant

Frequency (MHz)	Eff. (Db)	Eff. (%)	Peak Gain
700	-8.4	14.5	-5.4
720	-7.6	17.2	-4.5
740	-8.3	14.9	-4.9
760	-9.2	12.0	-5.8
780	-7.8	16.8	-4.7
800	-7.7	16.9	-4.1
820	-7.2	19.0	-3.2
840	-7.9	16.3	-4.3
860	-8.1	15.4	-4.4
880	-7.1	19.5	-3.4
900	-7.6	17.3	-3.9
920	-9.7	10.7	-6.1
940	-12.1	6.1	-8.5
960	-13.9	4.0	-10.4
1710	-4.1	39.1	-0.9
1730	-4.0	40.1	-0.4
1750	-3.8	41.8	-0.2
1770	-3.7	42.8	-0.4
1790	-4.1	38.6	-0.9
1810	-4.9	32.7	-1.0
1830	-5.3	29.8	-1.4
1850	-5.9	25.9	-1.4
1870	-5.9	25.9	-1.2
1890	-5.2	30.4	-1.0
1910	-5.4	29.1	-1.4
1930	-5.1	31.0	-1.5
1950	-5.2	30.4	-1.5
1970	-5.2	30.0	-1.6
1990	-5.4	29.0	-1.8
2010	-5.4	29.0	-1.6
2030	-5.0	31.5	-1.3
2050	-5.1	30.8	-1.3
2070	-5.4	28.7	-1.5
2090	-5.6	27.8	-1.5
2110	-5.6	27.4	-1.6
2130	-5.1	30.7	-1.1
2150	-5.1	31.0	-0.7
2170	-5.0	31.7	-0.6

Frequency	Eff. (Db)	Eff. (%)	Peak Gain
2190	-5.2	30.0	-0.6
2210	-5.2	30.1	-0.6
2230	-5.0	31.4	-0.5
2250	-5.4	29.0	-0.3
2270	-5.7	26.7	-1.0
2290	-6.3	23.4	-1.1
2310	-6.6	22.0	-1.5
2330	-6.8	20.9	-1.5
2350	-6.7	21.3	-1.5
2370	-6.8	20.8	-2.1
2390	-6.6	21.9	-2.0
2410	-6.5	22.1	-2.0
2430	-6.7	21.5	-1.8
2450	-7.7	17.2	-2.7
2470	-8.0	15.7	-3.1
2490	-7.1	19.3	-2.2
2510	-6.8	21.1	-1.5
2530	-6.3	23.4	-0.9
2550	-5.9	25.5	-0.6
2570	-5.6	27.5	-0.4
2590	-5.4	29.1	-0.1
2610	-5.0	31.5	0.2
2630	-4.8	33.5	0.7
2650	-5.0	32.0	0.8
2670	-4.9	32.1	1.0
2690	-5.1	31.0	1.1

AAC Confidential Information

The information contained in this document is PROPRIETARY to AAC Inc. and shall not be reproduced or used in part or whole without AAC's written consent.

GPS&WIFI antenna:GPS,WIFI 2.4G;

NO.	0	Issue:	x4	Revision Date:	2022/6/15	Page:	18/24
-----	---	--------	----	----------------	-----------	-------	-------

6.5 Efficiency

GPS/WIFI

Frequency/MHZ	Eff (dB)	Eff (%)	Gain (dB)	Upper Hem. Total Radiated Pwr (dBm)
1550	-4.6	34.6	-1.1	-5.0
1560	-4.2	37.8	-0.4	-4.7
1570	-4.3	36.8	-0.4	-4.9
1580	-4.5	35.4	-0.7	-5.2
1590	-4.8	33.5	-0.6	-5.6
1600	-4.9	32.1	-1.1	-5.9
1610	-4.9	32.3	-0.8	-6.1
1620	-4.8	32.8	-0.7	-6.0

2400	-6.0	25.2	-0.6	-7.1
2410	-5.6	27.7	-0.4	-6.7
2420	-5.2	30.2	0.0	-6.3
2430	-4.9	32.5	0.5	-5.9
2440	-4.9	32.7	0.5	-5.9
2450	-5.2	30.4	0.0	-6.2
2460	-5.2	30.3	0.1	-6.2
2470	-5.1	30.6	0.2	-6.1
2480	-5.2	30.5	0.0	-6.1
2490	-5.2	30.3	-0.1	-6.1
2500	-5.2	30.3	-0.2	-6.1

Main antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;
NO.
0
Issue: x4
**Revision
Date:**
2022/6/15
Page: 19/24

7.Active Measurement Data

BAND	CH	TRP	TIS	BAND	CH	TRP	TIS
GSM850	128	23.1	-105.2	DCS1800	512	23.9	-107.3
	190	24.6	-105.4		699	24.8	-107.6
	251	25.0	-102.8		885	24.3	-106.6
GSM900	975	21.3	-104.6	PCS1900	512	25.1	-106.5
	38	23.2	-105.2		661	24.8	-106.8
	124	24.0	-103.4		810	24.9	-106.2
BAND	CH	TRP	TIS	BAND	CH	TRP	TIS
WCDMA B1	9612	18.8	-110.4	WCDMA B5	4132	14.5	-107.3
	9750	18.6	-110.6		4183	15.0	-107.8
	9888	18.3	-109.2		4233	15.5	-106.0
WCDMA B2	9262	18.4	-109.8	WCDMA B8	2712	12.7	-105.7
	9400	18.3	-110.2		2788	14.3	-106.6
	9538	18.8	-109.4		2863	15.4	-105.5
WCDMA B4	1312	17.6	-109.1				
	1413	18.2	-108.5				
	1513	18.2	-108.9				

AAC Confidential Information

Main antenna: GSM850/900/1800/1900, WCDMA B1/2/4/5/8, FDD-LTE B1/2/3/4/5/7/8/28, TDD-LTE B38/40/41;
NO. 0 Issue: x4 Revision Date: 2022/6/15 Page: 20/24

7.Active Measurement Data

BAND	CH	TRP	TIS	BAND	CH	TRP	TIS
LTE B1 (10M)	18050	18.9	-97.4	LTE B38 (20M)	37850	16.9	-93.0
	18300	18.6	-97.3		38000	17.3	-92.5
	18550	18.4	-96.4		38150	17.2	-92.0
LTE B2 (10M)	18650	18.3	-97.2	LTE B40 (20M)	38750	17.5	-92.3
	18900	18.1	-96.9		39150	18.4	-93.2
	19150	18.5	-97.0		39550	17.4	-91.9
LTE B3 (10M)	19250	17.4	-97.2	LTE B41 (20M)	39750	17.2	-91.9
	19575	18.2	-97.6		40620	17.2	-92.8
	19900	17.4	-96.5		41490	17.5	-90.7
LTE B4 (10M)	20000	17.4	-95.7	LTE B13 (10M)			
	20175	18.1	-95.7		23230	15.6	-93.1
	20350	17.9	-96.7				
LTE B5 (10M)	20450	14.1	-93.4	LTE B26 (5M)	26715	15.2	-94.2
	20525	14.8	-94.2		26865	16.4	-94.1
	20600	15.4	-93.7		27015	15.7	-94.6
LTE B7 (10M)	20850	17.2	-93.2	LTE B66 (10M)	132022	18.5	-94.5
	21100	17.1	-92.9		132322	18.4	-94.7
	21350	17.1	-93.7		132622	18.3	-94.9
LTE B8 (10M)	21500	12.4	-94.1				
	21625	14.1	-93.9				
	21750	15.2	-92.0				
LTE B28 (10M)	27260	12.7	-93.7				
	27410	14.7	-92.5				
	27610	15.8	-91.8				

DIV antenna:GSM850/900/1800/1900,WCDMAB1/2/4/5/8,FDD-LTE B1/2/3/4/5/7/8/28,TDD-LTE B38/40/41;
NO.
0
Issue: x4
**Revision
Date:**
2022/6/15
Page: 21/24

7.Active Measurement Data

BAND	CH	TRP	TIS	BAND	CH	TRP	TIS
GSM850	128	23.3	-105.4	DCS1800	512	23.0	-107.8
	190	23.5	-105.4		699	24.5	-107.9
	251	23.6	-103.0		885	24.8	-106.6
GSM900	975	23.7	-102.7	PCS1900	512	25.4	-106.2
	38	24.3	-103.4		661	25.9	-106.7
	124	24.9	-101.4		810	25.4	-106.0
BAND	CH	TRP	TIS	BAND	CH	TRP	TIS
WCDMA B1	9612	17.8	-109.4	WCDMA B5	4132	14.3	-107.1
	9750	17.6	-109.5		4183	15.0	-107.5
	9888	17.4	-108.2		4233	15.9	-106.1
WCDMA B2	9262	18.5	-109.3	WCDMA B8	2712	14.2	-104.6
	9400	18.1	-109.7		2788	15.8	-105.1
	9538	17.9	-109.3		2863	16.4	-103.9
WCDMA B4	1312	16.6	-108.5				
	1413	17.7	-107.8				
	1513	18.3	-108.3				

AAC Confidential Information



Product Specification

P/N

FA-DIV-SZ0205

DIV antenna:GSM850/900/1800/1900,WCDMA B1/2/4/5/8,FDD-LTE B1/2/3/4/5/7/8/28,TDD-LTE B38/40/41;

NO.	0	Issue: x4	Revision Date:	2022/6/15	Page: 22/24
-----	---	-----------	----------------	-----------	-------------

7.Active Measurement Data

BAND	CH	TRP	TIS	BAND	CH	TRP	TIS
LTE B1 (10M)	18050	17.8	-96.4	LTE B38 (20M)	37850	18.1	-89.5
	18300	17.6	-96.6		38000	17.5	-88.9
	18550	17.4	-95.6		38150	16.9	-88.4
LTE B2 (10M)	18650	18.4	-96.8	LTE B40 (20M)	38750	18.2	-91.5
	18900	18.1	-97.4		39150	18.6	-92.5
	19150	17.8	-97.1		39550	18.0	-90.9
LTE B3 (10M)	19250	16.5	-97.4	LTE B41 (20M)	39750	19.5	-87.6
	19575	18.0	-97.9		40620	17.8	-88.4
	19900	18.5	-96.8		41490	15.0	-86.5
LTE B4 (10M)	20000	16.6	-94.5	LTE B13 (10M)			
	20175	17.7	-94.8		23230	14.5	-93.1
	20350	18.1	-95.8				
LTE B5 (10M)	20450	14.0	-92.9	LTE B26 (5M)	26715	15.5	-94.2
	20525	14.9	-93.7		26865	16.3	-94.1
	20600	16.0	-92.7		27015	15.9	-94.6
LTE B7 (10M)	20850	19.6	-91.2	LTE B66 (10M)	132022	17.7	-94.5
	21100	19.0	-90.7		132322	17.6	-94.7
	21350	18.6	-91.3		132622	17.7	-94.9
LTE B8 (10M)	21500	14.0	-93.9				
	21625	15.7	-94.2				
	21750	16.3	-92.2				
LTE B28 (10M)	27260	12.9	-95.2				
	27410	14.5	-93.8				
	27610	14.5	-92.9				

GPS&WIFI antenna:GPS,WIFI 2.4G;
NO. 0 Issue: x4 Revision Date 2022/6/15 Page: 23/24

7.Active Measurement Data

GPS/BT/WIFI ant

BAND	CH	TRP	TIS
		11M	11M
B	1	11.95	-81.13
	7	13.41	-82.39
	13	13.33	-82.48
		6M	54M
G	1	10.86	-68.21
	7	12.13	-69.63
	13	12.09	-69.47

GPS	
TIS	-152.2
TICN	41.6
UHS	-148.9

8. Antenna measurement spec on RF test jig

Test band	Reference frequency(MHz)	Spec(MHz)
MAIN	952 / 1067	±15
	1946 / 2622	±25
	3078 / 3499	±35
DIV	981 / 1028	±15
	2185 / 2240	±25
GPS & WIFI2.4G	1636 / 1738	±15
	2930 / 3101	±25