


# **Annex A.5 Spurious Emission at Antenna Terminals**

# 1. GSM\_GSM850


## 1.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-29.16	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.59	-13	Pass	2986
30	500	0.1	Peak	495.8	-42.41	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.12	-13	N/A	5001
1000	10000	1	Peak	9517	-39.52	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-29.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.71	-13	Pass	2986
30	500	0.1	Peak	443.5	-41.92	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.11	-13	N/A	5001
1000	10000	1	Peak	9966	-40.07	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-29.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.04	-13	Pass	2986
30	500	0.1	Peak	381	-43.2	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.06	-13	N/A	5001
1000	10000	1	Peak	7046	-40.02	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.49	-13	Pass	401
0.15	30	0.01	Peak	0.16	-34.94	-13	Pass	2986
30	1000	0.1	Peak	909.4	-47.46	-13	Pass	9701
1000	3000	1	Peak	1850	29.54	-13	N/A	2001
3000	20000	1	Peak	19991	-39.69	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.26	-13	Pass	2986
30	1000	0.1	Peak	925	-47.13	-13	Pass	9701
1000	3000	1	Peak	1880	28.83	-13	N/A	2001
3000	20000	1	Peak	20000	-38.8	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.55	-13	Pass	2986
30	1000	0.1	Peak	782.8	-46.93	-13	Pass	9701
1000	3000	1	Peak	1910	29.45	-13	N/A	2001
3000	20000	1	Peak	19739	-38.9	-13	Pass	17001



## 1. EGPRS\_GSM850

### 1.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-28.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.45	-13	Pass	2986
30	500	0.1	Peak	379.8	-43.16	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.16	-13	N/A	5001
1000	10000	1	Peak	7747	-39.5	-13	Pass	9001






## 1.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-29.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.69	-13	Pass	2986
30	500	0.1	Peak	450.7	-42.77	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.15	-13	N/A	5001
1000	10000	1	Peak	9515	-40.25	-13	Pass	9001



### 1.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-28.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.66	-13	Pass	2986
30	500	0.1	Peak	455.7	-42.37	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.11	-13	N/A	5001
1000	10000	1	Peak	7710	-40.3	-13	Pass	9001



## 2. EGPRS\_PCS


### 2.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.8	-13	Pass	401
0.15	30	0.01	Peak	0.16	-35.68	-13	Pass	2986
30	1000	0.1	Peak	924.3	-46.34	-13	Pass	9701
1000	3000	1	Peak	1850	27.82	-13	N/A	2001
3000	20000	1	Peak	19749	-39.87	-13	Pass	17001




## 2.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-34.94	-13	Pass	401
0.15	30	0.01	Peak	0.16	-36.37	-13	Pass	2986
30	1000	0.1	Peak	915.8	-47.42	-13	Pass	9701
1000	3000	1	Peak	1880	26.43	-13	N/A	2001
3000	20000	1	Peak	19069	-39.32	-13	Pass	17001



### 2.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-35.73	-13	Pass	2986
30	1000	0.1	Peak	918.6	-47.01	-13	Pass	9701
1000	3000	1	Peak	1909	26.99	-13	N/A	2001
3000	20000	1	Peak	19746	-39.68	-13	Pass	17001



## 1. WCDMA\_Band2


### 1.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.81	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.65	-13	Pass	2986
30	1000	0.1	Peak	980.2	-50.86	-13	Pass	9701
1000	3000	1	Peak	1854	24.56	-13	N/A	2001
3000	20000	1	Peak	19782	-25.62	-13	Pass	17001




## 1.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.92	-13	Pass	2986
30	1000	0.1	Peak	920.8	-50.84	-13	Pass	9701
1000	3000	1	Peak	1881	24.6	-13	N/A	2001
3000	20000	1	Peak	19798	-25	-13	Pass	17001



### 1.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.93	-13	Pass	2986
30	1000	0.1	Peak	812.6	-50.55	-13	Pass	9701
1000	3000	1	Peak	1906	24.52	-13	N/A	2001
3000	20000	1	Peak	19778	-26.02	-13	Pass	17001






## 2. WCDMA\_Band4


### 2.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-40.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.47	-13	Pass	2986
30	1000	0.1	Peak	834.9	-50.93	-13	Pass	9701
1000	3000	1	Peak	1714	24.54	-13	N/A	2001
3000	20000	1	Peak	19962	-25.89	-13	Pass	17001




## 2.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.48	-13	Pass	2986
30	1000	0.1	Peak	944.4	-51.59	-13	Pass	9701
1000	3000	1	Peak	1734	24.38	-13	N/A	2001
3000	20000	1	Peak	19938	-24.88	-13	Pass	17001



### 2.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.61	-13	Pass	2986
30	1000	0.1	Peak	958.3	-51.09	-13	Pass	9701
1000	3000	1	Peak	1754	24.51	-13	N/A	2001
3000	20000	1	Peak	19976	-24.88	-13	Pass	17001



### 3. WCDMA\_Band5


#### 3.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.87	-13	Pass	401
0.15	30	0.01	Peak	0.18	-42.56	-13	Pass	2986
30	500	0.1	Peak	494.7	-52.99	-13	Pass	4701
500	1000	0.1	Peak	827	19.99	-13	N/A	5001
1000	10000	1	Peak	7703	-30.55	-13	Pass	9001




### 3.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.9	-13	Pass	2986
30	500	0.1	Peak	441.7	-53.67	-13	Pass	4701
500	1000	0.1	Peak	837.1	19.29	-13	N/A	5001
1000	10000	1	Peak	9544	-30.47	-13	Pass	9001



### 3.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.24	-13	Pass	2986
30	500	0.1	Peak	439.6	-52.54	-13	Pass	4701
500	1000	0.1	Peak	845.6	18.1	-13	N/A	5001
1000	10000	1	Peak	8063	-30.09	-13	Pass	9001



## 1. LTE\_Band2


### 1.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	1000	0.1	RMS	894.2	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.24	-13	Pass	841
1840	1920	1	RMS	1850.2	24.05	60	Pass	401
1920	3000	1	RMS	2650	-46.83	-13	Pass	1081
3000	12000	1	RMS	11948	-40.48	-13	Pass	9001
12000	20000	1	RMS	20000	-28.09	-13	Pass	8001



**1.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.55	-13	Pass	2986
30	1000	0.1	RMS	909.9	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1920	1	RMS	1850.2	23.07	60	Pass	401
1920	3000	1	RMS	2658	-46.85	-13	Pass	1081
3000	12000	1	RMS	11994	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.08	-13	Pass	8001






**1.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-50.12	-13	Pass	2986
30	1000	0.1	RMS	935	-62.17	-13	Pass	9701
1000	1840	1	RMS	1829	-50.66	-13	Pass	841
1840	1920	1	RMS	1879.6	24.01	60	Pass	401
1920	3000	1	RMS	2652	-46.75	-13	Pass	1081
3000	12000	1	RMS	11853	-40.53	-13	Pass	9001
12000	20000	1	RMS	19999	-28.03	-13	Pass	8001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.65	-13	Pass	2986
30	1000	0.1	RMS	967.3	-62.17	-13	Pass	9701
1000	1840	1	RMS	1836	-50.71	-13	Pass	841
1840	1920	1	RMS	1879.6	23.04	60	Pass	401
1920	3000	1	RMS	2657	-46.85	-13	Pass	1081
3000	12000	1	RMS	11936	-40.51	-13	Pass	9001
12000	20000	1	RMS	19997	-28.11	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.62	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.15	-13	Pass	9701
1000	1840	1	RMS	1831	-50.71	-13	Pass	841
1840	1920	1	RMS	1908.8	24.16	60	Pass	401
1920	3000	1	RMS	2651	-46.8	-13	Pass	1081
3000	12000	1	RMS	11925	-40.48	-13	Pass	9001
12000	20000	1	RMS	19999	-28.08	-13	Pass	8001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.51	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.33	-13	Pass	9701
1000	1840	1	RMS	1825	-50.74	-13	Pass	841
1840	1920	1	RMS	1908.8	23.19	60	Pass	401
1920	3000	1	RMS	2644	-46.85	-13	Pass	1081
3000	12000	1	RMS	11972	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.07	-13	Pass	8001




**1.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-49.75	-13	Pass	841
1840	1920	1	RMS	1850.2	23.98	60	Pass	401
1920	3000	1	RMS	2647	-46.86	-13	Pass	1081
3000	12000	1	RMS	11944	-40.54	-13	Pass	9001
12000	20000	1	RMS	19998	-28.14	-13	Pass	8001




**1.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-13	Pass	2986
30	1000	0.1	RMS	940.9	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-49.96	-13	Pass	841
1840	1920	1	RMS	1850.2	23.07	60	Pass	401
1920	3000	1	RMS	2651	-46.84	-13	Pass	1081
3000	12000	1	RMS	11843	-40.52	-13	Pass	9001
12000	20000	1	RMS	19995	-28.08	-13	Pass	8001



**1.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.22	-13	Pass	2986
30	1000	0.1	RMS	949.6	-62.26	-13	Pass	9701
1000	1840	1	RMS	1838	-50.68	-13	Pass	841
1840	1920	1	RMS	1878.8	23.92	60	Pass	401
1920	3000	1	RMS	2652	-46.81	-13	Pass	1081
3000	12000	1	RMS	11941	-40.52	-13	Pass	9001
12000	20000	1	RMS	19999	-28.1	-13	Pass	8001



### 1.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.42	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1878.8	22.94	60	Pass	401
1920	3000	1	RMS	2650	-46.86	-13	Pass	1081
3000	12000	1	RMS	11927	-40.51	-13	Pass	9001
12000	20000	1	RMS	19997	-28.06	-13	Pass	8001






### 1.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	1000	0.1	RMS	934.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1835	-50.68	-13	Pass	841
1840	1920	1	RMS	1907.2	24.01	60	Pass	401
1920	3000	1	RMS	2649	-46.82	-13	Pass	1081
3000	12000	1	RMS	11855	-40.5	-13	Pass	9001
12000	20000	1	RMS	19998	-28.14	-13	Pass	8001



### 1.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.78	-13	Pass	2986
30	1000	0.1	RMS	911.6	-62.28	-13	Pass	9701
1000	1840	1	RMS	1834	-50.72	-13	Pass	841
1840	1920	1	RMS	1907.2	23.08	60	Pass	401
1920	3000	1	RMS	2655	-46.81	-13	Pass	1081
3000	12000	1	RMS	11957	-40.51	-13	Pass	9001
12000	20000	1	RMS	19999	-28.09	-13	Pass	8001



### 1.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.34	-13	Pass	2986
30	1000	0.1	RMS	937.4	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1920	1	RMS	1850.4	24.17	60	Pass	401
1920	3000	1	RMS	2653	-46.81	-13	Pass	1081
3000	12000	1	RMS	11843	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.06	-13	Pass	8001



### 1.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.32	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1850.4	23.19	60	Pass	401
1920	3000	1	RMS	2647	-46.81	-13	Pass	1081
3000	12000	1	RMS	11943	-40.51	-13	Pass	9001
12000	20000	1	RMS	19997	-28.08	-13	Pass	8001



### 1.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	1000	0.1	RMS	905.3	-62.25	-13	Pass	9701
1000	1840	1	RMS	1834	-50.69	-13	Pass	841
1840	1920	1	RMS	1877.8	24.2	60	Pass	401
1920	3000	1	RMS	2654	-46.84	-13	Pass	1081
3000	12000	1	RMS	11947	-40.49	-13	Pass	9001
12000	20000	1	RMS	19992	-28.04	-13	Pass	8001



### 1.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-13	Pass	2986
30	1000	0.1	RMS	945.8	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1877.8	23.37	60	Pass	401
1920	3000	1	RMS	2654	-46.88	-13	Pass	1081
3000	12000	1	RMS	11944	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.01	-13	Pass	8001



### 1.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.84	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.24	-13	Pass	9701
1000	1840	1	RMS	1836	-50.69	-13	Pass	841
1840	1920	1	RMS	1905.4	24.18	60	Pass	401
1920	3000	1	RMS	2650	-46.79	-13	Pass	1081
3000	12000	1	RMS	11967	-40.55	-13	Pass	9001
12000	20000	1	RMS	19997	-28.06	-13	Pass	8001



### 1.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.93	-13	Pass	2986
30	1000	0.1	RMS	938.2	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1920	1	RMS	1905.4	23.37	60	Pass	401
1920	3000	1	RMS	2654	-46.81	-13	Pass	1081
3000	12000	1	RMS	11955	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.02	-13	Pass	8001






### 1.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.05	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-46.21	-13	Pass	841
1840	1920	1	RMS	1850.6	24.33	60	Pass	401
1920	3000	1	RMS	2660	-46.83	-13	Pass	1081
3000	12000	1	RMS	11959	-40.49	-13	Pass	9001
12000	20000	1	RMS	19996	-28.12	-13	Pass	8001



### 1.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.5	-13	Pass	2986
30	1000	0.1	RMS	932.6	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-46.62	-13	Pass	841
1840	1920	1	RMS	1850.6	23.5	60	Pass	401
1920	3000	1	RMS	2650	-46.82	-13	Pass	1081
3000	12000	1	RMS	11962	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.04	-13	Pass	8001



### 1.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.66	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-47.84	-13	Pass	841
1840	1920	1	RMS	1875.6	24.32	60	Pass	401
1920	3000	1	RMS	2651	-46.86	-13	Pass	1081
3000	12000	1	RMS	11948	-40.49	-13	Pass	9001
12000	20000	1	RMS	19995	-28.11	-13	Pass	8001



### 1.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.74	-13	Pass	2986
30	1000	0.1	RMS	906	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-48.94	-13	Pass	841
1840	1920	1	RMS	1875.6	23.31	60	Pass	401
1920	3000	1	RMS	2648	-46.82	-13	Pass	1081
3000	12000	1	RMS	11851	-40.48	-13	Pass	9001
12000	20000	1	RMS	19999	-28.05	-13	Pass	8001



### 1.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-13	Pass	2986
30	1000	0.1	RMS	941.7	-62.22	-13	Pass	9701
1000	1840	1	RMS	1839	-50.66	-13	Pass	841
1840	1920	1	RMS	1900.6	24.31	60	Pass	401
1920	3000	1	RMS	2649	-46.8	-13	Pass	1081
3000	12000	1	RMS	11853	-40.48	-13	Pass	9001
12000	20000	1	RMS	19994	-28.12	-13	Pass	8001



### 1.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.11	-13	Pass	2986
30	1000	0.1	RMS	908.8	-62.21	-13	Pass	9701
1000	1840	1	RMS	1839	-50.64	-13	Pass	841
1840	1920	1	RMS	1900.6	23.35	60	Pass	401
1920	3000	1	RMS	2653	-46.83	-13	Pass	1081
3000	12000	1	RMS	11950	-40.46	-13	Pass	9001
12000	20000	1	RMS	19997	-28.07	-13	Pass	8001



### 1.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.86	-13	Pass	2986
30	1000	0.1	RMS	919.9	-62.2	-13	Pass	9701
1000	1840	1	RMS	1838	-38.77	-13	Pass	841
1840	1920	1	RMS	1850.8	24.23	60	Pass	401
1920	3000	1	RMS	2650	-46.84	-13	Pass	1081
3000	12000	1	RMS	11948	-40.56	-13	Pass	9001
12000	20000	1	RMS	19999	-28.1	-13	Pass	8001



### 1.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.59	-13	Pass	2986
30	1000	0.1	RMS	922.5	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-40.78	-13	Pass	841
1840	1920	1	RMS	1850.8	23.4	60	Pass	401
1920	3000	1	RMS	2659	-46.85	-13	Pass	1081
3000	12000	1	RMS	11943	-40.47	-13	Pass	9001
12000	20000	1	RMS	19999	-28.03	-13	Pass	8001






### 1.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.45	-13	Pass	2986
30	1000	0.1	RMS	945.9	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	Pass	841
1840	1920	1	RMS	1873.4	24.2	60	Pass	401
1920	3000	1	RMS	2645	-46.78	-13	Pass	1081
3000	12000	1	RMS	11907	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.06	-13	Pass	8001



### 1.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.53	-13	Pass	2986
30	1000	0.1	RMS	897	-62.22	-13	Pass	9701
1000	1840	1	RMS	1833	-50.7	-13	Pass	841
1840	1920	1	RMS	1873.4	23.2	60	Pass	401
1920	3000	1	RMS	2649	-46.84	-13	Pass	1081
3000	12000	1	RMS	11952	-40.46	-13	Pass	9001
12000	20000	1	RMS	20000	-28.08	-13	Pass	8001



### 1.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.26	-13	Pass	2986
30	1000	0.1	RMS	943.8	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1895.8	24.19	60	Pass	401
1920	3000	1	RMS	2648	-46.85	-13	Pass	1081
3000	12000	1	RMS	11945	-40.49	-13	Pass	9001
12000	20000	1	RMS	20000	-28	-13	Pass	8001



### 1.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	1000	0.1	RMS	922	-62.22	-13	Pass	9701
1000	1840	1	RMS	1839	-50.7	-13	Pass	841
1840	1920	1	RMS	1895.8	23.35	60	Pass	401
1920	3000	1	RMS	2651	-46.82	-13	Pass	1081
3000	12000	1	RMS	11844	-40.47	-13	Pass	9001
12000	20000	1	RMS	19999	-28.11	-13	Pass	8001



### 1.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-13	Pass	2986
30	1000	0.1	RMS	895.1	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-39.81	-13	Pass	841
1840	1920	1	RMS	1851	24.08	60	Pass	401
1920	3000	1	RMS	2654	-46.82	-13	Pass	1081
3000	12000	1	RMS	11949	-40.55	-13	Pass	9001
12000	20000	1	RMS	19994	-28.14	-13	Pass	8001



### 1.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.97	-13	Pass	2986
30	1000	0.1	RMS	927.1	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-41.85	-13	Pass	841
1840	1920	1	RMS	1851	23.22	60	Pass	401
1920	3000	1	RMS	2656	-46.87	-13	Pass	1081
3000	12000	1	RMS	11852	-40.48	-13	Pass	9001
12000	20000	1	RMS	19998	-28	-13	Pass	8001



### 1.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	1000	0.1	RMS	915.9	-62.2	-13	Pass	9701
1000	1840	1	RMS	1836	-42.28	-13	Pass	841
1840	1920	1	RMS	1871	24.09	60	Pass	401
1920	3000	1	RMS	2647	-46.8	-13	Pass	1081
3000	12000	1	RMS	11962	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.06	-13	Pass	8001



### 1.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.67	-13	Pass	2986
30	1000	0.1	RMS	937.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1835	-43.45	-13	Pass	841
1840	1920	1	RMS	1871	23.09	60	Pass	401
1920	3000	1	RMS	2654	-46.87	-13	Pass	1081
3000	12000	1	RMS	11967	-40.52	-13	Pass	9001
12000	20000	1	RMS	19999	-28.09	-13	Pass	8001






### 1.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.08	-13	Pass	2986
30	1000	0.1	RMS	936.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	Pass	841
1840	1920	1	RMS	1891	24.01	60	Pass	401
1920	3000	1	RMS	2647	-46.78	-13	Pass	1081
3000	12000	1	RMS	11850	-40.36	-13	Pass	9001
12000	20000	1	RMS	19999	-28.07	-13	Pass	8001



### 1.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.07	-13	Pass	2986
30	1000	0.1	RMS	934.7	-62.14	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1920	1	RMS	1891	23.04	60	Pass	401
1920	3000	1	RMS	2652	-46.87	-13	Pass	1081
3000	12000	1	RMS	11951	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.01	-13	Pass	8001



## 2. LTE\_Band4


### 2.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2986
30	1000	0.1	RMS	925.7	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	Pass	701
1700	1765	1	RMS	1710.238	24.06	60	Pass	401
1765	3000	1	RMS	2651	-46.86	-13	Pass	1236
3000	12000	1	RMS	11863	-40.55	-13	Pass	9001
12000	20000	1	RMS	19994	-28.14	-13	Pass	8001




**2.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.65	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-50.79	-13	Pass	701
1700	1765	1	RMS	1710.238	23.29	60	Pass	401
1765	3000	1	RMS	2659	-46.85	-13	Pass	1236
3000	12000	1	RMS	11852	-40.51	-13	Pass	9001
12000	20000	1	RMS	19999	-28.04	-13	Pass	8001




**2.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.77	-13	Pass	2986
30	1000	0.1	RMS	933.3	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-51.29	-13	Pass	701
1700	1765	1	RMS	1732.013	24.05	60	Pass	401
1765	3000	1	RMS	2657	-46.8	-13	Pass	1236
3000	12000	1	RMS	11843	-40.49	-13	Pass	9001
12000	20000	1	RMS	19997	-28.13	-13	Pass	8001




**2.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.89	-13	Pass	2986
30	1000	0.1	RMS	938.1	-62.11	-13	Pass	9701
1000	1700	1	RMS	1698	-51.29	-13	Pass	701
1700	1765	1	RMS	1732.013	23.3	60	Pass	401
1765	3000	1	RMS	2651	-46.81	-13	Pass	1236
3000	12000	1	RMS	11960	-40.46	-13	Pass	9001
12000	20000	1	RMS	20000	-28.11	-13	Pass	8001




**2.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.22	-13	Pass	9701
1000	1700	1	RMS	1690	-51.26	-13	Pass	701
1700	1765	1	RMS	1753.788	24.23	60	Pass	401
1765	3000	1	RMS	2648	-46.82	-13	Pass	1236
3000	12000	1	RMS	11863	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.09	-13	Pass	8001



**2.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.79	-13	Pass	2986
30	1000	0.1	RMS	932.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1615	-51.27	-13	Pass	701
1700	1765	1	RMS	1753.788	23.38	60	Pass	401
1765	3000	1	RMS	2655	-46.82	-13	Pass	1236
3000	12000	1	RMS	11938	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.07	-13	Pass	8001






**2.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.56	-13	Pass	2986
30	1000	0.1	RMS	940	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-50.05	-13	Pass	701
1700	1765	1	RMS	1710.238	24.02	60	Pass	401
1765	3000	1	RMS	2650	-46.81	-13	Pass	1236
3000	12000	1	RMS	11932	-40.53	-13	Pass	9001
12000	20000	1	RMS	19998	-28.01	-13	Pass	8001




**2.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.65	-13	Pass	2986
30	1000	0.1	RMS	923.4	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.27	-13	Pass	701
1700	1765	1	RMS	1710.238	23.37	60	Pass	401
1765	3000	1	RMS	2654	-46.8	-13	Pass	1236
3000	12000	1	RMS	11950	-40.47	-13	Pass	9001
12000	20000	1	RMS	20000	-28.06	-13	Pass	8001



**2.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.85	-13	Pass	2986
30	1000	0.1	RMS	913.9	-62.3	-13	Pass	9701
1000	1700	1	RMS	1695	-51.27	-13	Pass	701
1700	1765	1	RMS	1731.2	24.15	60	Pass	401
1765	3000	1	RMS	2655	-46.8	-13	Pass	1236
3000	12000	1	RMS	11929	-40.47	-13	Pass	9001
12000	20000	1	RMS	20000	-28.01	-13	Pass	8001



## 2.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.05	-13	Pass	2986
30	1000	0.1	RMS	949.2	-62.3	-13	Pass	9701
1000	1700	1	RMS	1699	-51.26	-13	Pass	701
1700	1765	1	RMS	1731.2	23.21	60	Pass	401
1765	3000	1	RMS	2652	-46.87	-13	Pass	1236
3000	12000	1	RMS	11958	-40.49	-13	Pass	9001
12000	20000	1	RMS	19998	-28.06	-13	Pass	8001



### 2.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.83	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1765	1	RMS	1752.325	24.12	60	Pass	401
1765	3000	1	RMS	2647	-46.81	-13	Pass	1236
3000	12000	1	RMS	11913	-40.51	-13	Pass	9001
12000	20000	1	RMS	19997	-28.08	-13	Pass	8001



## 2.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.46	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.23	-13	Pass	9701
1000	1700	1	RMS	1699	-51.28	-13	Pass	701
1700	1765	1	RMS	1752.325	23.2	60	Pass	401
1765	3000	1	RMS	2646	-46.83	-13	Pass	1236
3000	12000	1	RMS	11938	-40.56	-13	Pass	9001
12000	20000	1	RMS	19996	-28.08	-13	Pass	8001



### 2.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.93	-13	Pass	2986
30	1000	0.1	RMS	911.9	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-50.43	-13	Pass	701
1700	1765	1	RMS	1710.4	24.38	60	Pass	401
1765	3000	1	RMS	2650	-46.82	-13	Pass	1236
3000	12000	1	RMS	11934	-40.48	-13	Pass	9001
12000	20000	1	RMS	19998	-28.1	-13	Pass	8001



### 2.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.97	-13	Pass	2986
30	1000	0.1	RMS	938.8	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1765	1	RMS	1710.4	23.4	60	Pass	401
1765	3000	1	RMS	2654	-46.86	-13	Pass	1236
3000	12000	1	RMS	11957	-40.54	-13	Pass	9001
12000	20000	1	RMS	19999	-28.07	-13	Pass	8001






## 2.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.32	-13	Pass	2986
30	1000	0.1	RMS	927	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-51.28	-13	Pass	701
1700	1765	1	RMS	1730.388	24.41	60	Pass	401
1765	3000	1	RMS	2651	-46.79	-13	Pass	1236
3000	12000	1	RMS	11910	-40.53	-13	Pass	9001
12000	20000	1	RMS	19993	-28.08	-13	Pass	8001



## 2.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.16	-13	Pass	2986
30	1000	0.1	RMS	932.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1698	-51.25	-13	Pass	701
1700	1765	1	RMS	1730.388	23.6	60	Pass	401
1765	3000	1	RMS	2653	-46.76	-13	Pass	1236
3000	12000	1	RMS	11942	-40.52	-13	Pass	9001
12000	20000	1	RMS	19997	-28.14	-13	Pass	8001



### 2.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	1000	0.1	RMS	921.7	-62.22	-13	Pass	9701
1000	1700	1	RMS	1584	-51.27	-13	Pass	701
1700	1765	1	RMS	1750.375	24.41	60	Pass	401
1765	3000	1	RMS	2658	-46.84	-13	Pass	1236
3000	12000	1	RMS	11961	-40.56	-13	Pass	9001
12000	20000	1	RMS	19998	-28.05	-13	Pass	8001



## 2.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	1000	0.1	RMS	926	-62.17	-13	Pass	9701
1000	1700	1	RMS	1584	-51.26	-13	Pass	701
1700	1765	1	RMS	1750.375	23.63	60	Pass	401
1765	3000	1	RMS	2646	-46.83	-13	Pass	1236
3000	12000	1	RMS	11934	-40.55	-13	Pass	9001
12000	20000	1	RMS	19998	-28.02	-13	Pass	8001



## 2.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.23	-13	Pass	2986
30	1000	0.1	RMS	923.8	-62.14	-13	Pass	9701
1000	1700	1	RMS	1693	-43.44	-13	Pass	701
1700	1765	1	RMS	1710.563	24.45	60	Pass	401
1765	3000	1	RMS	2649	-46.83	-13	Pass	1236
3000	12000	1	RMS	11974	-40.51	-13	Pass	9001
12000	20000	1	RMS	19999	-27.97	-13	Pass	8001



## 2.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.23	-13	Pass	9701
1000	1700	1	RMS	1693	-43.05	-13	Pass	701
1700	1765	1	RMS	1710.563	23.67	60	Pass	401
1765	3000	1	RMS	2652	-46.84	-13	Pass	1236
3000	12000	1	RMS	11858	-40.53	-13	Pass	9001
12000	20000	1	RMS	19996	-28.06	-13	Pass	8001



## 2.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.9	-13	Pass	2986
30	1000	0.1	RMS	921.9	-61.97	-13	Pass	9701
1000	1700	1	RMS	1693	-50.42	-13	Pass	701
1700	1765	1	RMS	1728.113	24.39	60	Pass	401
1765	3000	1	RMS	2652	-46.75	-13	Pass	1236
3000	12000	1	RMS	11846	-40.52	-13	Pass	9001
12000	20000	1	RMS	19997	-28.1	-13	Pass	8001



## 2.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.78	-13	Pass	2986
30	1000	0.1	RMS	914.8	-62.21	-13	Pass	9701
1000	1700	1	RMS	1693	-50.87	-13	Pass	701
1700	1765	1	RMS	1728.113	23.57	60	Pass	401
1765	3000	1	RMS	2656	-46.83	-13	Pass	1236
3000	12000	1	RMS	11962	-40.47	-13	Pass	9001
12000	20000	1	RMS	20000	-28.05	-13	Pass	8001






### 2.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.11	-13	Pass	2986
30	1000	0.1	RMS	922.7	-62.04	-13	Pass	9701
1000	1700	1	RMS	1693	-51.17	-13	Pass	701
1700	1765	1	RMS	1745.663	24.51	60	Pass	401
1765	3000	1	RMS	2651	-46.74	-13	Pass	1236
3000	12000	1	RMS	11963	-40.52	-13	Pass	9001
12000	20000	1	RMS	19996	-28.15	-13	Pass	8001



## 2.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.09	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.08	-13	Pass	9701
1000	1700	1	RMS	1588	-51.3	-13	Pass	701
1700	1765	1	RMS	1745.663	23.55	60	Pass	401
1765	3000	1	RMS	2659	-46.86	-13	Pass	1236
3000	12000	1	RMS	11861	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.15	-13	Pass	8001



## 2.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.22	-13	Pass	2986
30	1000	0.1	RMS	945.3	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-37.97	-13	Pass	701
1700	1765	1	RMS	1710.888	24.33	60	Pass	401
1765	3000	1	RMS	2654	-46.85	-13	Pass	1236
3000	12000	1	RMS	11960	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.1	-13	Pass	8001



## 2.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.54	-13	Pass	2986
30	1000	0.1	RMS	923.2	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-39.92	-13	Pass	701
1700	1765	1	RMS	1710.888	23.53	60	Pass	401
1765	3000	1	RMS	2654	-46.86	-13	Pass	1236
3000	12000	1	RMS	11925	-40.52	-13	Pass	9001
12000	20000	1	RMS	19998	-28.11	-13	Pass	8001



## 2.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49	-13	Pass	2986
30	1000	0.1	RMS	908.9	-62.07	-13	Pass	9701
1000	1700	1	RMS	1699	-39.86	-13	Pass	701
1700	1765	1	RMS	1725.838	24.23	60	Pass	401
1765	3000	1	RMS	2647	-46.83	-13	Pass	1236
3000	12000	1	RMS	11937	-40.42	-13	Pass	9001
12000	20000	1	RMS	19995	-28.12	-13	Pass	8001



## 2.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	1000	0.1	RMS	907.7	-62.21	-13	Pass	9701
1000	1700	1	RMS	1699	-41.08	-13	Pass	701
1700	1765	1	RMS	1725.838	23.5	60	Pass	401
1765	3000	1	RMS	2651	-46.82	-13	Pass	1236
3000	12000	1	RMS	11943	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28	-13	Pass	8001



## 2.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.24	-13	Pass	2986
30	1000	0.1	RMS	949.9	-62.09	-13	Pass	9701
1000	1700	1	RMS	1688	-51.19	-13	Pass	701
1700	1765	1	RMS	1740.788	24.43	60	Pass	401
1765	3000	1	RMS	1767	-31.35	-13	Pass	1236
3000	12000	1	RMS	11922	-40.54	-13	Pass	9001
12000	20000	1	RMS	19998	-28.08	-13	Pass	8001



### 2.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.62	-13	Pass	2986
30	1000	0.1	RMS	934.3	-62.06	-13	Pass	9701
1000	1700	1	RMS	1688	-51.26	-13	Pass	701
1700	1765	1	RMS	1740.788	23.59	60	Pass	401
1765	3000	1	RMS	1767	-31.97	-13	Pass	1236
3000	12000	1	RMS	11972	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.13	-13	Pass	8001






### 2.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-38.96	-13	Pass	701
1700	1765	1	RMS	1711.05	24.37	60	Pass	401
1765	3000	1	RMS	1782	-44.43	-13	Pass	1236
3000	12000	1	RMS	11932	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.07	-13	Pass	8001



### 2.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.58	-13	Pass	2986
30	1000	0.1	RMS	938.8	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-41.39	-13	Pass	701
1700	1765	1	RMS	1711.05	23.51	60	Pass	401
1765	3000	1	RMS	1782	-45.91	-13	Pass	1236
3000	12000	1	RMS	11931	-40.53	-13	Pass	9001
12000	20000	1	RMS	19997	-28.13	-13	Pass	8001



### 2.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.08	-13	Pass	2986
30	1000	0.1	RMS	886.3	-62.23	-13	Pass	9701
1000	1700	1	RMS	1688	-47.31	-13	Pass	701
1700	1765	1	RMS	1723.563	24.44	60	Pass	401
1765	3000	1	RMS	2646	-46.81	-13	Pass	1236
3000	12000	1	RMS	11947	-40.58	-13	Pass	9001
12000	20000	1	RMS	20000	-28.17	-13	Pass	8001



### 2.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2986
30	1000	0.1	RMS	916.4	-62.23	-13	Pass	9701
1000	1700	1	RMS	1688	-48.65	-13	Pass	701
1700	1765	1	RMS	1723.563	23.44	60	Pass	401
1765	3000	1	RMS	2654	-46.86	-13	Pass	1236
3000	12000	1	RMS	11951	-40.42	-13	Pass	9001
12000	20000	1	RMS	20000	-28.11	-13	Pass	8001



### 2.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	1000	0.1	RMS	918.5	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-39.66	-13	Pass	701
1700	1765	1	RMS	1736.075	24.4	60	Pass	401
1765	3000	1	RMS	1772	-30.27	-13	Pass	1236
3000	12000	1	RMS	11952	-40.53	-13	Pass	9001
12000	20000	1	RMS	19998	-28.04	-13	Pass	8001



### 2.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.08	-13	Pass	2986
30	1000	0.1	RMS	936	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-40.51	-13	Pass	701
1700	1765	1	RMS	1736.075	23.41	60	Pass	401
1765	3000	1	RMS	1772	-30.96	-13	Pass	1236
3000	12000	1	RMS	11943	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.13	-13	Pass	8001



### 3. LTE\_Band5


#### 3.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.4	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.07	-13	Pass	7841
814	860	0.1	RMS	824.3	21.18	60	Pass	461
860	1000	0.1	RMS	931.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	2660	-46.74	-13	Pass	2001
3000	10000	1	RMS	7728	-42.25	-13	Pass	7001



**3.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.17	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.97	-13	Pass	7841
814	860	0.1	RMS	824.2	20.16	60	Pass	461
860	1000	0.1	RMS	926.9	-62.48	-13	Pass	1401
1000	3000	1	RMS	2653	-46.78	-13	Pass	2001
3000	10000	1	RMS	7728	-42.23	-13	Pass	7001






**3.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.08	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.39	-13	Pass	7841
814	860	0.1	RMS	836.1	21.33	60	Pass	461
860	1000	0.1	RMS	979.8	-62.5	-13	Pass	1401
1000	3000	1	RMS	2652	-46.75	-13	Pass	2001
3000	10000	1	RMS	7732	-42.21	-13	Pass	7001




**3.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2986
30	814	0.1	RMS	799.2	-62.41	-13	Pass	7841
814	860	0.1	RMS	836.1	20.29	60	Pass	461
860	1000	0.1	RMS	936.1	-62.46	-13	Pass	1401
1000	3000	1	RMS	2652	-46.75	-13	Pass	2001
3000	10000	1	RMS	7733	-42.23	-13	Pass	7001




**3.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.33	-13	Pass	2986
30	814	0.1	RMS	810.9	-62.39	-13	Pass	7841
814	860	0.1	RMS	847.8	21.22	60	Pass	461
860	1000	0.1	RMS	927	-62.44	-13	Pass	1401
1000	3000	1	RMS	2544	-46.3	-13	Pass	2001
3000	10000	1	RMS	7741	-42.25	-13	Pass	7001




**3.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2986
30	814	0.1	RMS	793.5	-62.37	-13	Pass	7841
814	860	0.1	RMS	847.9	20.26	60	Pass	461
860	1000	0.1	RMS	928.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	2642	-46.77	-13	Pass	2001
3000	10000	1	RMS	7746	-42.18	-13	Pass	7001




**3.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.68	-13	Pass	2986
30	814	0.1	RMS	814	-61.15	-13	Pass	7841
814	860	0.1	RMS	824.2	21.24	60	Pass	461
860	1000	0.1	RMS	926.3	-62.27	-13	Pass	1401
1000	3000	1	RMS	2652	-46.74	-13	Pass	2001
3000	10000	1	RMS	7734	-42.25	-13	Pass	7001




**3.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.13	-13	Pass	7841
814	860	0.1	RMS	824.2	20.37	60	Pass	461
860	1000	0.1	RMS	943.2	-62.45	-13	Pass	1401
1000	3000	1	RMS	2652	-46.76	-13	Pass	2001
3000	10000	1	RMS	7744	-42.2	-13	Pass	7001



**3.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.28	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.45	-13	Pass	7841
814	860	0.1	RMS	835.2	21.38	60	Pass	461
860	1000	0.1	RMS	934.5	-62.29	-13	Pass	1401
1000	3000	1	RMS	2655	-46.73	-13	Pass	2001
3000	10000	1	RMS	7741	-42.21	-13	Pass	7001



### 3.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.92	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.22	-13	Pass	7841
814	860	0.1	RMS	835.2	20.3	60	Pass	461
860	1000	0.1	RMS	923.6	-62.37	-13	Pass	1401
1000	3000	1	RMS	2651	-46.77	-13	Pass	2001
3000	10000	1	RMS	7737	-42.25	-13	Pass	7001






### 3.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.03	-13	Pass	2986
30	814	0.1	RMS	787.5	-62.28	-13	Pass	7841
814	860	0.1	RMS	846.2	21.28	60	Pass	461
860	1000	0.1	RMS	938.2	-62.38	-13	Pass	1401
1000	3000	1	RMS	2651	-46.71	-13	Pass	2001
3000	10000	1	RMS	7726	-42.2	-13	Pass	7001



### 3.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.31	-13	Pass	2986
30	814	0.1	RMS	814	-62.52	-13	Pass	7841
814	860	0.1	RMS	846.2	20.34	60	Pass	461
860	1000	0.1	RMS	944	-62.52	-13	Pass	1401
1000	3000	1	RMS	2651	-46.74	-13	Pass	2001
3000	10000	1	RMS	7734	-42.24	-13	Pass	7001



### 3.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.39	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.17	-13	Pass	7841
814	860	0.1	RMS	824.3	21.51	60	Pass	461
860	1000	0.1	RMS	922	-62.43	-13	Pass	1401
1000	3000	1	RMS	1649	-46.67	-13	Pass	2001
3000	10000	1	RMS	7745	-42.2	-13	Pass	7001



### 3.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.18	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.15	-13	Pass	7841
814	860	0.1	RMS	824.3	20.5	60	Pass	461
860	1000	0.1	RMS	891.4	-62.43	-13	Pass	1401
1000	3000	1	RMS	2653	-46.74	-13	Pass	2001
3000	10000	1	RMS	7731	-42.25	-13	Pass	7001



### 3.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.68	-13	Pass	2986
30	814	0.1	RMS	807	-62.25	-13	Pass	7841
814	860	0.1	RMS	834.3	21.67	60	Pass	461
860	1000	0.1	RMS	922.8	-62.37	-13	Pass	1401
1000	3000	1	RMS	2652	-46.74	-13	Pass	2001
3000	10000	1	RMS	7731	-42.17	-13	Pass	7001



### 3.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.75	-13	Pass	2986
30	814	0.1	RMS	811.3	-62.4	-13	Pass	7841
814	860	0.1	RMS	834.3	20.76	60	Pass	461
860	1000	0.1	RMS	931.5	-62.37	-13	Pass	1401
1000	3000	1	RMS	2657	-46.75	-13	Pass	2001
3000	10000	1	RMS	7741	-42.26	-13	Pass	7001



### 3.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.42	-13	Pass	7841
814	860	0.1	RMS	844.3	21.68	60	Pass	461
860	1000	0.1	RMS	893.2	-62.4	-13	Pass	1401
1000	3000	1	RMS	1689	-45.93	-13	Pass	2001
3000	10000	1	RMS	7740	-42.16	-13	Pass	7001



### 3.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.25	-13	Pass	2986
30	814	0.1	RMS	806.7	-62.35	-13	Pass	7841
814	860	0.1	RMS	844.3	20.81	60	Pass	461
860	1000	0.1	RMS	927.4	-62.47	-13	Pass	1401
1000	3000	1	RMS	1689	-46.52	-13	Pass	2001
3000	10000	1	RMS	7744	-42.22	-13	Pass	7001






### 3.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	814	0.1	RMS	814	-50.96	-13	Pass	7841
814	860	0.1	RMS	824.6	22.11	60	Pass	461
860	1000	0.1	RMS	940.9	-62.4	-13	Pass	1401
1000	3000	1	RMS	1649	-46.08	-13	Pass	2001
3000	10000	1	RMS	7733	-42.23	-13	Pass	7001



### 3.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.19	-13	Pass	2986
30	814	0.1	RMS	814	-51.74	-13	Pass	7841
814	860	0.1	RMS	824.6	21.19	60	Pass	461
860	1000	0.1	RMS	966.5	-62.39	-13	Pass	1401
1000	3000	1	RMS	2651	-46.78	-13	Pass	2001
3000	10000	1	RMS	7732	-42.22	-13	Pass	7001



### 3.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.48	-13	Pass	2986
30	814	0.1	RMS	814	-59.44	-13	Pass	7841
814	860	0.1	RMS	832.1	22.22	60	Pass	461
860	1000	0.1	RMS	937.1	-62.37	-13	Pass	1401
1000	3000	1	RMS	2496	-46.68	-13	Pass	2001
3000	10000	1	RMS	7731	-42.23	-13	Pass	7001



### 3.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.05	-13	Pass	2986
30	814	0.1	RMS	814	-60.67	-13	Pass	7841
814	860	0.1	RMS	832.1	21.15	60	Pass	461
860	1000	0.1	RMS	974.5	-62.39	-13	Pass	1401
1000	3000	1	RMS	2653	-46.81	-13	Pass	2001
3000	10000	1	RMS	7739	-42.17	-13	Pass	7001



### 3.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.66	-13	Pass	2986
30	814	0.1	RMS	809.3	-62.17	-13	Pass	7841
814	860	0.1	RMS	839.6	22.1	60	Pass	461
860	1000	0.1	RMS	961.2	-62.4	-13	Pass	1401
1000	3000	1	RMS	2648	-46.72	-13	Pass	2001
3000	10000	1	RMS	7723	-42.28	-13	Pass	7001



### 3.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.2	-13	Pass	7841
814	860	0.1	RMS	839.6	21.19	60	Pass	461
860	1000	0.1	RMS	934	-62.42	-13	Pass	1401
1000	3000	1	RMS	2655	-46.77	-13	Pass	2001
3000	10000	1	RMS	7735	-42.26	-13	Pass	7001



## 4. LTE\_Band7


### 4.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.7	-25	Pass	2986
30	1000	0.1	RMS	975.4	-62.2	-25	Pass	9701
1000	2490	1	RMS	2490	-47.43	-25	Pass	1491
2490	2580	1	RMS	2500.35	24.39	60	Pass	401
2580	3000	1	RMS	2654	-46.8	-25	Pass	421
3000	12000	1	RMS	11852	-63.91	-25	Pass	9001
12000	26000	1	RMS	25017	-45.9	-25	Pass	14001



**4.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.08	-25	Pass	2986
30	1000	0.1	RMS	929.6	-62.12	-25	Pass	9701
1000	2490	1	RMS	2490	-47.59	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.4	60	Pass	401
2580	3000	1	RMS	2655	-46.8	-25	Pass	421
3000	12000	1	RMS	11854	-63.92	-25	Pass	9001
12000	26000	1	RMS	25012	-41.23	-25	Pass	14001






**4.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.9	-25	Pass	2986
30	1000	0.1	RMS	963	-62.17	-25	Pass	9701
1000	2490	1	RMS	2489	-48.06	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.27	60	Pass	401
2580	3000	1	RMS	2652	-46.77	-25	Pass	421
3000	12000	1	RMS	11857	-63.93	-25	Pass	9001
12000	26000	1	RMS	25012	-41.24	-25	Pass	14001




**4.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-25	Pass	2986
30	1000	0.1	RMS	911.5	-62.21	-25	Pass	9701
1000	2490	1	RMS	2489	-48.01	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.36	60	Pass	401
2580	3000	1	RMS	2653	-46.81	-25	Pass	421
3000	12000	1	RMS	11852	-63.94	-25	Pass	9001
12000	26000	1	RMS	25009	-41.19	-25	Pass	14001




**4.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.43	-25	Pass	2986
30	1000	0.1	RMS	936.5	-62.21	-25	Pass	9701
1000	2490	1	RMS	2490	-48.03	-25	Pass	1491
2490	2580	1	RMS	2565.375	24.01	60	Pass	401
2580	3000	1	RMS	2648	-46.76	-25	Pass	421
3000	12000	1	RMS	11848	-63.95	-25	Pass	9001
12000	26000	1	RMS	25009	-41.13	-25	Pass	14001




**4.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.03	-25	Pass	2986
30	1000	0.1	RMS	933.7	-62.21	-25	Pass	9701
1000	2490	1	RMS	2490	-47.94	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.59	60	Pass	401
2580	3000	1	RMS	2656	-46.81	-25	Pass	421
3000	12000	1	RMS	11845	-63.9	-25	Pass	9001
12000	26000	1	RMS	25021	-41.31	-25	Pass	14001




**4.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-25	Pass	2986
30	1000	0.1	RMS	920.9	-62.22	-25	Pass	9701
1000	2490	1	RMS	2483	-43.75	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.48	60	Pass	401
2580	3000	1	RMS	2648	-46.79	-25	Pass	421
3000	12000	1	RMS	11848	-63.93	-25	Pass	9001
12000	26000	1	RMS	25011	-41.17	-25	Pass	14001




**4.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.43	-25	Pass	2986
30	1000	0.1	RMS	932.1	-62.22	-25	Pass	9701
1000	2490	1	RMS	2483	-44.26	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.63	60	Pass	401
2580	3000	1	RMS	2656	-46.81	-25	Pass	421
3000	12000	1	RMS	11867	-63.91	-25	Pass	9001
12000	26000	1	RMS	25012	-41.17	-25	Pass	14001



**4.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.33	-25	Pass	2986
30	1000	0.1	RMS	909.6	-62.2	-25	Pass	9701
1000	2490	1	RMS	2488	-48.07	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.37	60	Pass	401
2580	3000	1	RMS	2649	-46.83	-25	Pass	421
3000	12000	1	RMS	11847	-63.95	-25	Pass	9001
12000	26000	1	RMS	25012	-41.28	-25	Pass	14001



#### 4.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-25	Pass	2986
30	1000	0.1	RMS	927.1	-62.32	-25	Pass	9701
1000	2490	1	RMS	2489	-48.12	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.31	60	Pass	401
2580	3000	1	RMS	2652	-46.8	-25	Pass	421
3000	12000	1	RMS	11839	-63.95	-25	Pass	9001
12000	26000	1	RMS	25009	-41.17	-25	Pass	14001






#### 4.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.49	-25	Pass	2986
30	1000	0.1	RMS	910.3	-62.22	-25	Pass	9701
1000	2490	1	RMS	2489	-48.03	-25	Pass	1491
2490	2580	1	RMS	2560.65	24.54	60	Pass	401
2580	3000	1	RMS	2652	-46.75	-25	Pass	421
3000	12000	1	RMS	11860	-63.95	-25	Pass	9001
12000	26000	1	RMS	25020	-41.27	-25	Pass	14001



#### 4.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-25	Pass	2986
30	1000	0.1	RMS	922.6	-62.27	-25	Pass	9701
1000	2490	1	RMS	2487	-48.02	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.54	60	Pass	401
2580	3000	1	RMS	2652	-46.82	-25	Pass	421
3000	12000	1	RMS	11864	-63.89	-25	Pass	9001
12000	26000	1	RMS	25012	-41.18	-25	Pass	14001



### 4.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.61	-25	Pass	2986
30	1000	0.1	RMS	923.1	-62.23	-25	Pass	9701
1000	2490	1	RMS	2488	-36.31	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.39	60	Pass	401
2580	3000	1	RMS	2655	-46.78	-25	Pass	421
3000	12000	1	RMS	11853	-63.97	-25	Pass	9001
12000	26000	1	RMS	25014	-41.24	-25	Pass	14001



#### 4.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-25	Pass	2986
30	1000	0.1	RMS	939.7	-62.1	-25	Pass	9701
1000	2490	1	RMS	2488	-38.37	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.5	60	Pass	401
2580	3000	1	RMS	2658	-46.81	-25	Pass	421
3000	12000	1	RMS	11846	-63.93	-25	Pass	9001
12000	26000	1	RMS	25014	-41.22	-25	Pass	14001



#### 4.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.58	-25	Pass	2986
30	1000	0.1	RMS	940.7	-62.19	-25	Pass	9701
1000	2490	1	RMS	2490	-48.02	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.32	60	Pass	401
2580	3000	1	RMS	2650	-46.79	-25	Pass	421
3000	12000	1	RMS	11858	-63.97	-25	Pass	9001
12000	26000	1	RMS	25012	-41.22	-25	Pass	14001



#### 4.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.6	-25	Pass	2986
30	1000	0.1	RMS	929	-62.16	-25	Pass	9701
1000	2490	1	RMS	2489	-48.04	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.29	60	Pass	401
2580	3000	1	RMS	2649	-46.81	-25	Pass	421
3000	12000	1	RMS	11864	-63.92	-25	Pass	9001
12000	26000	1	RMS	25017	-41.23	-25	Pass	14001



#### 4.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-25	Pass	2986
30	1000	0.1	RMS	933.7	-62.25	-25	Pass	9701
1000	2490	1	RMS	2480	-48.04	-25	Pass	1491
2490	2595	1	RMS	2555.888	24.43	60	Pass	401
2595	3000	1	RMS	2654	-46.81	-25	Pass	406
3000	12000	1	RMS	11858	-63.91	-25	Pass	9001
12000	26000	1	RMS	25011	-41.24	-25	Pass	14001



#### 4.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.57	-25	Pass	2986
30	1000	0.1	RMS	911.7	-62.19	-25	Pass	9701
1000	2490	1	RMS	2488	-48.03	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.49	60	Pass	401
2595	3000	1	RMS	2653	-46.82	-25	Pass	406
3000	12000	1	RMS	11850	-63.97	-25	Pass	9001
12000	26000	1	RMS	25012	-41.24	-25	Pass	14001






#### 4.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.69	-25	Pass	2986
30	1000	0.1	RMS	978.4	-62.29	-25	Pass	9701
1000	2490	1	RMS	2483	-37.92	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.31	60	Pass	401
2580	3000	1	RMS	2652	-46.79	-25	Pass	421
3000	12000	1	RMS	11864	-63.94	-25	Pass	9001
12000	26000	1	RMS	25012	-41.24	-25	Pass	14001



#### 4.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.7	-25	Pass	2986
30	1000	0.1	RMS	942.1	-62.3	-25	Pass	9701
1000	2490	1	RMS	2483	-39.84	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.43	60	Pass	401
2580	3000	1	RMS	2651	-46.83	-25	Pass	421
3000	12000	1	RMS	11847	-63.96	-25	Pass	9001
12000	26000	1	RMS	25013	-41.3	-25	Pass	14001



#### 4.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.58	-25	Pass	2986
30	1000	0.1	RMS	935.9	-62.33	-25	Pass	9701
1000	2490	1	RMS	2490	-44.2	-25	Pass	1491
2490	2580	1	RMS	2526	24.29	60	Pass	401
2580	3000	1	RMS	2650	-46.82	-25	Pass	421
3000	12000	1	RMS	11865	-63.93	-25	Pass	9001
12000	26000	1	RMS	25010	-41.17	-25	Pass	14001



#### 4.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.93	-25	Pass	2986
30	1000	0.1	RMS	937.4	-62.12	-25	Pass	9701
1000	2490	1	RMS	2490	-46.27	-25	Pass	1491
2490	2580	1	RMS	2526	23.29	60	Pass	401
2580	3000	1	RMS	2650	-46.78	-25	Pass	421
3000	12000	1	RMS	11850	-63.97	-25	Pass	9001
12000	26000	1	RMS	25017	-41.21	-25	Pass	14001



### 4.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.99	-25	Pass	2986
30	1000	0.1	RMS	921.5	-62.2	-25	Pass	9701
1000	2490	1	RMS	2480	-47.68	-25	Pass	1491
2490	2595	1	RMS	2551.163	24.31	60	Pass	401
2595	3000	1	RMS	2652	-46.8	-25	Pass	406
3000	12000	1	RMS	11845	-63.96	-25	Pass	9001
12000	26000	1	RMS	25010	-41.2	-25	Pass	14001



#### 4.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.92	-25	Pass	2986
30	1000	0.1	RMS	896.5	-62.28	-25	Pass	9701
1000	2490	1	RMS	2480	-47.89	-25	Pass	1491
2490	2595	1	RMS	2551.163	23.3	60	Pass	401
2595	3000	1	RMS	2649	-46.81	-25	Pass	406
3000	12000	1	RMS	11837	-63.95	-25	Pass	9001
12000	26000	1	RMS	25012	-41.16	-25	Pass	14001



## 5. LTE\_Band12


### 5.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.62	-13	Pass	2986
30	689	0.1	RMS	686.8	-63.13	-13	Pass	6591
689	726	0.1	RMS	699.268	21.87	60	Pass	401
726	1000	0.1	RMS	922	-62.25	-13	Pass	2741
1000	3000	1	RMS	2656	-46.83	-13	Pass	2001
3000	10000	1	RMS	9543	-42.27	-13	Pass	7001



**5.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.61	-13	Pass	2986
30	689	0.1	RMS	685.3	-63.32	-13	Pass	6591
689	726	0.1	RMS	699.268	20.7	60	Pass	401
726	1000	0.1	RMS	885	-62.24	-13	Pass	2741
1000	3000	1	RMS	2657	-46.88	-13	Pass	2001
3000	10000	1	RMS	9550	-42.28	-13	Pass	7001






**5.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.95	-13	Pass	2986
30	689	0.1	RMS	511.5	-63.12	-13	Pass	6591
689	726	0.1	RMS	707.038	22.05	60	Pass	401
726	1000	0.1	RMS	935.8	-62.21	-13	Pass	2741
1000	3000	1	RMS	1414	-44.77	-13	Pass	2001
3000	10000	1	RMS	7739	-42.18	-13	Pass	7001




**5.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.66	-13	Pass	2986
30	689	0.1	RMS	521.6	-63.4	-13	Pass	6591
689	726	0.1	RMS	707.038	20.78	60	Pass	401
726	1000	0.1	RMS	929.4	-62.2	-13	Pass	2741
1000	3000	1	RMS	1414	-46.33	-13	Pass	2001
3000	10000	1	RMS	7731	-42.17	-13	Pass	7001




**5.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.06	-13	Pass	2986
30	689	0.1	RMS	505.4	-63.25	-13	Pass	6591
689	726	0.1	RMS	714.808	21.62	60	Pass	401
726	1000	0.1	RMS	886.4	-61.98	-13	Pass	2741
1000	3000	1	RMS	1430	-43.79	-13	Pass	2001
3000	10000	1	RMS	7734	-42.19	-13	Pass	7001




**5.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.39	-13	Pass	2986
30	689	0.1	RMS	518.4	-63.33	-13	Pass	6591
689	726	0.1	RMS	714.808	20.44	60	Pass	401
726	1000	0.1	RMS	920.9	-62.22	-13	Pass	2741
1000	3000	1	RMS	1430	-44.97	-13	Pass	2001
3000	10000	1	RMS	7752	-42.29	-13	Pass	7001




**5.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.88	-13	Pass	2986
30	689	0.1	RMS	525.8	-63.26	-13	Pass	6591
689	726	0.1	RMS	699.268	21.65	60	Pass	401
726	1000	0.1	RMS	916.5	-61.8	-13	Pass	2741
1000	3000	1	RMS	2653	-46.78	-13	Pass	2001
3000	10000	1	RMS	9548	-42.26	-13	Pass	7001




**5.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.91	-13	Pass	2986
30	689	0.1	RMS	682.6	-63.47	-13	Pass	6591
689	726	0.1	RMS	699.268	20.74	60	Pass	401
726	1000	0.1	RMS	944.6	-62.17	-13	Pass	2741
1000	3000	1	RMS	2646	-46.82	-13	Pass	2001
3000	10000	1	RMS	7738	-42.26	-13	Pass	7001



**5.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.49	-13	Pass	2986
30	689	0.1	RMS	516.7	-63.1	-13	Pass	6591
689	726	0.1	RMS	706.205	21.51	60	Pass	401
726	1000	0.1	RMS	883.9	-62.24	-13	Pass	2741
1000	3000	1	RMS	2655	-46.82	-13	Pass	2001
3000	10000	1	RMS	7752	-42.27	-13	Pass	7001



### 5.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.89	-13	Pass	2986
30	689	0.1	RMS	514.6	-63.4	-13	Pass	6591
689	726	0.1	RMS	706.205	20.37	60	Pass	401
726	1000	0.1	RMS	891.7	-62.16	-13	Pass	2741
1000	3000	1	RMS	2651	-46.87	-13	Pass	2001
3000	10000	1	RMS	9540	-42.25	-13	Pass	7001






### 5.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.89	-13	Pass	2986
30	689	0.1	RMS	521.8	-63.34	-13	Pass	6591
689	726	0.1	RMS	713.235	21.96	60	Pass	401
726	1000	0.1	RMS	863.2	-62.14	-13	Pass	2741
1000	3000	1	RMS	1426	-45.12	-13	Pass	2001
3000	10000	1	RMS	7742	-42.3	-13	Pass	7001



### 5.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.1	-13	Pass	2986
30	689	0.1	RMS	507.7	-63.42	-13	Pass	6591
689	726	0.1	RMS	713.235	20.82	60	Pass	401
726	1000	0.1	RMS	915.5	-62.2	-13	Pass	2741
1000	3000	1	RMS	1426	-46.54	-13	Pass	2001
3000	10000	1	RMS	7730	-42.21	-13	Pass	7001



### 5.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-13	Pass	2986
30	689	0.1	RMS	508	-63.22	-13	Pass	6591
689	726	0.1	RMS	699.36	21.77	60	Pass	401
726	1000	0.1	RMS	884.5	-62.13	-13	Pass	2741
1000	3000	1	RMS	2652	-46.87	-13	Pass	2001
3000	10000	1	RMS	7729	-42.27	-13	Pass	7001



### 5.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.87	-13	Pass	2986
30	689	0.1	RMS	504.9	-63.42	-13	Pass	6591
689	726	0.1	RMS	699.36	20.92	60	Pass	401
726	1000	0.1	RMS	899	-62.09	-13	Pass	2741
1000	3000	1	RMS	2654	-46.86	-13	Pass	2001
3000	10000	1	RMS	7730	-42.19	-13	Pass	7001



### 5.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-13	Pass	2986
30	689	0.1	RMS	509.9	-63.29	-13	Pass	6591
689	726	0.1	RMS	705.373	21.76	60	Pass	401
726	1000	0.1	RMS	897.1	-62.18	-13	Pass	2741
1000	3000	1	RMS	1411	-46.02	-13	Pass	2001
3000	10000	1	RMS	7728	-42.26	-13	Pass	7001



### 5.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.82	-13	Pass	2986
30	689	0.1	RMS	686.7	-63.35	-13	Pass	6591
689	726	0.1	RMS	705.373	20.72	60	Pass	401
726	1000	0.1	RMS	920.5	-62.14	-13	Pass	2741
1000	3000	1	RMS	2645	-46.87	-13	Pass	2001
3000	10000	1	RMS	7740	-42.25	-13	Pass	7001



### 5.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.33	-13	Pass	2986
30	689	0.1	RMS	504.9	-63.12	-13	Pass	6591
689	726	0.1	RMS	711.293	21.54	60	Pass	401
726	1000	0.1	RMS	917.4	-62.04	-13	Pass	2741
1000	3000	1	RMS	1423	-45.01	-13	Pass	2001
3000	10000	1	RMS	7743	-42.27	-13	Pass	7001



### 5.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.68	-13	Pass	2986
30	689	0.1	RMS	499.1	-63.36	-13	Pass	6591
689	726	0.1	RMS	711.385	20.54	60	Pass	401
726	1000	0.1	RMS	911.4	-62.29	-13	Pass	2741
1000	3000	1	RMS	1423	-46.06	-13	Pass	2001
3000	10000	1	RMS	7740	-42.24	-13	Pass	7001






### 5.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.22	-13	Pass	2986
30	689	0.1	RMS	689	-62.86	-13	Pass	6591
689	726	0.1	RMS	699.545	21.52	60	Pass	401
726	1000	0.1	RMS	902.4	-62.18	-13	Pass	2741
1000	3000	1	RMS	1399	-46.48	-13	Pass	2001
3000	10000	1	RMS	7743	-42.24	-13	Pass	7001



### 5.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.87	-13	Pass	2986
30	689	0.1	RMS	689	-63.12	-13	Pass	6591
689	726	0.1	RMS	699.638	20.51	60	Pass	401
726	1000	0.1	RMS	938.5	-62.29	-13	Pass	2741
1000	3000	1	RMS	2651	-46.87	-13	Pass	2001
3000	10000	1	RMS	7744	-42.25	-13	Pass	7001



### 5.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.8	-13	Pass	2986
30	689	0.1	RMS	503	-63	-13	Pass	6591
689	726	0.1	RMS	703.06	21.87	60	Pass	401
726	1000	0.1	RMS	914.5	-62.05	-13	Pass	2741
1000	3000	1	RMS	1406	-45.75	-13	Pass	2001
3000	10000	1	RMS	7744	-42.28	-13	Pass	7001



### 5.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.32	-13	Pass	2986
30	689	0.1	RMS	515.6	-63.39	-13	Pass	6591
689	726	0.1	RMS	703.06	20.78	60	Pass	401
726	1000	0.1	RMS	958.8	-62	-13	Pass	2741
1000	3000	1	RMS	1406	-46.86	-13	Pass	2001
3000	10000	1	RMS	7732	-42.27	-13	Pass	7001



### 5.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.31	-13	Pass	2986
30	689	0.1	RMS	689	-61.04	-13	Pass	6591
689	726	0.1	RMS	706.575	22.21	60	Pass	401
726	1000	0.1	RMS	938.2	-62.12	-13	Pass	2741
1000	3000	1	RMS	1413	-45.35	-13	Pass	2001
3000	10000	1	RMS	7738	-42.27	-13	Pass	7001



### 5.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.19	-13	Pass	2986
30	689	0.1	RMS	689	-62.64	-13	Pass	6591
689	726	0.1	RMS	706.575	21.02	60	Pass	401
726	1000	0.1	RMS	940.2	-62.24	-13	Pass	2741
1000	3000	1	RMS	1413	-46.81	-13	Pass	2001
3000	10000	1	RMS	7727	-42.25	-13	Pass	7001



## 6. LTE\_Band13


### 6.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	767	0.1	RMS	760.5	-62.62	-13	Pass	7371
767	797	0.1	RMS	777.35	22.09	60	Pass	401
797	1000	0.1	RMS	954	-62.17	-13	Pass	2031
1000	3000	1	RMS	2648	-46.86	-13	Pass	2001
3000	10000	1	RMS	7731	-42.25	-13	Pass	7001



**6.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	767	0.1	RMS	763.8	-62.75	-13	Pass	7371
767	797	0.1	RMS	777.35	21.24	60	Pass	401
797	1000	0.1	RMS	942.3	-62.27	-13	Pass	2031
1000	3000	1	RMS	2651	-46.84	-13	Pass	2001
3000	10000	1	RMS	9543	-42.2	-13	Pass	7001






**6.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.62	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.5	-13	Pass	7371
767	797	0.1	RMS	779.825	22.1	60	Pass	401
797	1000	0.1	RMS	905.4	-62.14	-13	Pass	2031
1000	3000	1	RMS	2651	-46.84	-13	Pass	2001
3000	10000	1	RMS	7748	-42.27	-13	Pass	7001




**6.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.13	-13	Pass	2986
30	767	0.1	RMS	765.2	-62.81	-13	Pass	7371
767	797	0.1	RMS	779.825	21.28	60	Pass	401
797	1000	0.1	RMS	940.8	-62.35	-13	Pass	2031
1000	3000	1	RMS	2654	-46.86	-13	Pass	2001
3000	10000	1	RMS	7741	-42.27	-13	Pass	7001




**6.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.88	-13	Pass	2986
30	767	0.1	RMS	763.2	-62.69	-13	Pass	7371
767	797	0.1	RMS	782.3	21.83	60	Pass	401
797	1000	0.1	RMS	931.6	-62.32	-13	Pass	2031
1000	3000	1	RMS	2652	-46.82	-13	Pass	2001
3000	10000	1	RMS	7730	-42.22	-13	Pass	7001




**6.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	767	0.1	RMS	754.4	-62.73	-13	Pass	7371
767	797	0.1	RMS	782.375	20.96	60	Pass	401
797	1000	0.1	RMS	951.7	-62.29	-13	Pass	2031
1000	3000	1	RMS	2651	-46.82	-13	Pass	2001
3000	10000	1	RMS	7733	-42.21	-13	Pass	7001




**6.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.75	-13	Pass	2986
30	767	0.1	RMS	761.5	-62.67	-13	Pass	7371
767	797	0.1	RMS	777.575	22.3	60	Pass	401
797	1000	0.1	RMS	797.1	-62.14	-13	Pass	2031
1000	3000	1	RMS	1555	-46.59	-13	Pass	2001
3000	10000	1	RMS	7737	-42.17	-13	Pass	7001



**6.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.04	-13	Pass	2986
30	767	0.1	RMS	765.7	-62.49	-13	Pass	7371
767	797	0.1	RMS	777.575	21.31	60	Pass	401
797	1000	0.1	RMS	936.8	-62.18	-13	Pass	2031
1000	3000	1	RMS	2648	-46.85	-13	Pass	2001
3000	10000	1	RMS	7733	-42.22	-13	Pass	7001



## 7. LTE\_Band17


### 7.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.32	-13	Pass	2986
30	694	0.1	RMS	693.8	-62.84	-13	Pass	6641
694	726	0.1	RMS	704.32	21.96	60	Pass	401
726	1000	0.1	RMS	963	-62.1	-13	Pass	2741
1000	3000	1	RMS	1409	-46.12	-13	Pass	2001
3000	10000	1	RMS	7740	-42.2	-13	Pass	7001



**7.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.91	-13	Pass	2986
30	694	0.1	RMS	694	-62.84	-13	Pass	6641
694	726	0.1	RMS	704.32	20.89	60	Pass	401
726	1000	0.1	RMS	915.2	-62.19	-13	Pass	2741
1000	3000	1	RMS	2649	-46.8	-13	Pass	2001
3000	10000	1	RMS	7741	-42.24	-13	Pass	7001






**7.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.69	-13	Pass	2986
30	694	0.1	RMS	498.4	-63.25	-13	Pass	6641
694	726	0.1	RMS	707.84	22.17	60	Pass	401
726	1000	0.1	RMS	944	-62.08	-13	Pass	2741
1000	3000	1	RMS	1416	-44.62	-13	Pass	2001
3000	10000	1	RMS	7743	-42.27	-13	Pass	7001




**7.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.33	-13	Pass	2986
30	694	0.1	RMS	690.8	-63.3	-13	Pass	6641
694	726	0.1	RMS	707.84	21.2	60	Pass	401
726	1000	0.1	RMS	962.7	-62.09	-13	Pass	2741
1000	3000	1	RMS	1416	-46	-13	Pass	2001
3000	10000	1	RMS	7736	-42.18	-13	Pass	7001




**7.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.57	-13	Pass	2986
30	694	0.1	RMS	512.7	-63.25	-13	Pass	6641
694	726	0.1	RMS	711.36	21.85	60	Pass	401
726	1000	0.1	RMS	901.5	-62	-13	Pass	2741
1000	3000	1	RMS	1423	-44.96	-13	Pass	2001
3000	10000	1	RMS	7738	-42.24	-13	Pass	7001




**7.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.19	-13	Pass	2986
30	694	0.1	RMS	512.3	-63.19	-13	Pass	6641
694	726	0.1	RMS	711.36	21.14	60	Pass	401
726	1000	0.1	RMS	927.3	-62.24	-13	Pass	2741
1000	3000	1	RMS	1423	-45.94	-13	Pass	2001
3000	10000	1	RMS	7743	-42.23	-13	Pass	7001




**7.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.44	-13	Pass	2986
30	694	0.1	RMS	694	-51.86	-13	Pass	6641
694	726	0.1	RMS	704.56	21.96	60	Pass	401
726	1000	0.1	RMS	888.9	-62.16	-13	Pass	2741
1000	3000	1	RMS	1409	-45.44	-13	Pass	2001
3000	10000	1	RMS	7738	-42.19	-13	Pass	7001




**7.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.61	-13	Pass	2986
30	694	0.1	RMS	694	-52.74	-13	Pass	6641
694	726	0.1	RMS	704.56	20.91	60	Pass	401
726	1000	0.1	RMS	873.9	-62.25	-13	Pass	2741
1000	3000	1	RMS	1409	-46.53	-13	Pass	2001
3000	10000	1	RMS	7726	-42.26	-13	Pass	7001



**7.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.91	-13	Pass	2986
30	694	0.1	RMS	690.2	-59.66	-13	Pass	6641
694	726	0.1	RMS	705.6	22.27	60	Pass	401
726	1000	0.1	RMS	894.8	-62.2	-13	Pass	2741
1000	3000	1	RMS	1411	-45.6	-13	Pass	2001
3000	10000	1	RMS	7725	-42.16	-13	Pass	7001



### 7.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.41	-13	Pass	2986
30	694	0.1	RMS	693.2	-61.34	-13	Pass	6641
694	726	0.1	RMS	705.6	21.04	60	Pass	401
726	1000	0.1	RMS	929.3	-62.18	-13	Pass	2741
1000	3000	1	RMS	1411	-46.81	-13	Pass	2001
3000	10000	1	RMS	7741	-42.19	-13	Pass	7001






### 7.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.52	-13	Pass	2986
30	694	0.1	RMS	691.2	-55.1	-13	Pass	6641
694	726	0.1	RMS	706.56	22.11	60	Pass	401
726	1000	0.1	RMS	891.9	-62.18	-13	Pass	2741
1000	3000	1	RMS	1413	-45.21	-13	Pass	2001
3000	10000	1	RMS	7745	-42.2	-13	Pass	7001



### 7.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.09	-13	Pass	2986
30	694	0.1	RMS	691.2	-57.65	-13	Pass	6641
694	726	0.1	RMS	706.56	20.9	60	Pass	401
726	1000	0.1	RMS	887.5	-62.22	-13	Pass	2741
1000	3000	1	RMS	1413	-46.69	-13	Pass	2001
3000	10000	1	RMS	7730	-42.15	-13	Pass	7001



## 8. LTE\_Band26(part22)


### 8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.2	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.96	-13	Pass	7841
814	860	0.1	RMS	824.2	21.1	60	Pass	461
860	1000	0.1	RMS	922.9	-62.34	-13	Pass	1401
1000	3000	1	RMS	2641	-46.79	-13	Pass	2001
3000	10000	1	RMS	7747	-42.23	-13	Pass	7001




**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2986
30	814	0.1	RMS	814	-61.8	-13	Pass	7841
814	860	0.1	RMS	824.3	20.21	60	Pass	461
860	1000	0.1	RMS	961.8	-62.43	-13	Pass	1401
1000	3000	1	RMS	2646	-46.8	-13	Pass	2001
3000	10000	1	RMS	7731	-42.17	-13	Pass	7001




**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.19	-13	Pass	2986
30	814	0.1	RMS	776.6	-62.42	-13	Pass	7841
814	860	0.1	RMS	836.1	21.3	60	Pass	461
860	1000	0.1	RMS	943.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	2653	-46.75	-13	Pass	2001
3000	10000	1	RMS	7745	-42.21	-13	Pass	7001




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.5	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.47	-13	Pass	7841
814	860	0.1	RMS	836.1	20.18	60	Pass	461
860	1000	0.1	RMS	920.4	-62.49	-13	Pass	1401
1000	3000	1	RMS	2652	-46.77	-13	Pass	2001
3000	10000	1	RMS	7738	-42.17	-13	Pass	7001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.23	-13	Pass	2986
30	814	0.1	RMS	810.1	-62.39	-13	Pass	7841
814	860	0.1	RMS	847.9	20.79	60	Pass	461
860	1000	0.1	RMS	920.3	-62.41	-13	Pass	1401
1000	3000	1	RMS	2544	-46.58	-13	Pass	2001
3000	10000	1	RMS	7748	-42.19	-13	Pass	7001



**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.71	-13	Pass	2986
30	814	0.1	RMS	789.1	-62.4	-13	Pass	7841
814	860	0.1	RMS	847.9	20.26	60	Pass	461
860	1000	0.1	RMS	914.6	-62.46	-13	Pass	1401
1000	3000	1	RMS	2649	-46.8	-13	Pass	2001
3000	10000	1	RMS	7734	-42.21	-13	Pass	7001






**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.14	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.21	-13	Pass	7841
814	860	0.1	RMS	824.2	21.21	60	Pass	461
860	1000	0.1	RMS	945	-62.29	-13	Pass	1401
1000	3000	1	RMS	2648	-46.79	-13	Pass	2001
3000	10000	1	RMS	7736	-42.13	-13	Pass	7001




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.5	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.25	-13	Pass	7841
814	860	0.1	RMS	824.2	20.37	60	Pass	461
860	1000	0.1	RMS	941.5	-62.3	-13	Pass	1401
1000	3000	1	RMS	2649	-46.8	-13	Pass	2001
3000	10000	1	RMS	7742	-42.21	-13	Pass	7001



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.77	-13	Pass	2986
30	814	0.1	RMS	790.4	-62.43	-13	Pass	7841
814	860	0.1	RMS	835.2	21.33	60	Pass	461
860	1000	0.1	RMS	944.4	-62.49	-13	Pass	1401
1000	3000	1	RMS	2652	-46.78	-13	Pass	2001
3000	10000	1	RMS	7739	-42.17	-13	Pass	7001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.04	-13	Pass	2986
30	814	0.1	RMS	794.9	-62.48	-13	Pass	7841
814	860	0.1	RMS	835.2	20.35	60	Pass	461
860	1000	0.1	RMS	911.8	-62.4	-13	Pass	1401
1000	3000	1	RMS	2648	-46.78	-13	Pass	2001
3000	10000	1	RMS	7729	-42.13	-13	Pass	7001



### 8.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	814	0.1	RMS	809.2	-62.45	-13	Pass	7841
814	860	0.1	RMS	846.2	21.12	60	Pass	461
860	1000	0.1	RMS	934.4	-62.36	-13	Pass	1401
1000	3000	1	RMS	2654	-46.77	-13	Pass	2001
3000	10000	1	RMS	7741	-42.18	-13	Pass	7001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.99	-13	Pass	2986
30	814	0.1	RMS	812	-62.41	-13	Pass	7841
814	860	0.1	RMS	846.2	20.2	60	Pass	461
860	1000	0.1	RMS	902	-62.46	-13	Pass	1401
1000	3000	1	RMS	2647	-46.82	-13	Pass	2001
3000	10000	1	RMS	7728	-42.09	-13	Pass	7001



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.02	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.11	-13	Pass	7841
814	860	0.1	RMS	824.3	21.51	60	Pass	461
860	1000	0.1	RMS	912.3	-62.4	-13	Pass	1401
1000	3000	1	RMS	1649	-46.69	-13	Pass	2001
3000	10000	1	RMS	9544	-42.21	-13	Pass	7001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.2	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.35	-13	Pass	7841
814	860	0.1	RMS	824.3	20.56	60	Pass	461
860	1000	0.1	RMS	927.6	-62.33	-13	Pass	1401
1000	3000	1	RMS	2655	-46.76	-13	Pass	2001
3000	10000	1	RMS	7732	-42.18	-13	Pass	7001






### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.29	-13	Pass	7841
814	860	0.1	RMS	834.3	21.65	60	Pass	461
860	1000	0.1	RMS	914.8	-62.49	-13	Pass	1401
1000	3000	1	RMS	2648	-46.75	-13	Pass	2001
3000	10000	1	RMS	7731	-42.17	-13	Pass	7001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.93	-13	Pass	2986
30	814	0.1	RMS	812	-62.41	-13	Pass	7841
814	860	0.1	RMS	834.3	20.77	60	Pass	461
860	1000	0.1	RMS	918.3	-62.43	-13	Pass	1401
1000	3000	1	RMS	2655	-46.76	-13	Pass	2001
3000	10000	1	RMS	7733	-42.19	-13	Pass	7001



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.34	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.4	-13	Pass	7841
814	860	0.1	RMS	844.3	21.61	60	Pass	461
860	1000	0.1	RMS	920	-62.33	-13	Pass	1401
1000	3000	1	RMS	1689	-46.06	-13	Pass	2001
3000	10000	1	RMS	7731	-42.15	-13	Pass	7001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.17	-13	Pass	2986
30	814	0.1	RMS	784.1	-62.43	-13	Pass	7841
814	860	0.1	RMS	844.3	20.81	60	Pass	461
860	1000	0.1	RMS	902.9	-62.37	-13	Pass	1401
1000	3000	1	RMS	1689	-46.7	-13	Pass	2001
3000	10000	1	RMS	7726	-42.2	-13	Pass	7001



### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.03	-13	Pass	2986
30	814	0.1	RMS	814	-50.74	-13	Pass	7841
814	860	0.1	RMS	824.6	22.08	60	Pass	461
860	1000	0.1	RMS	918.3	-62.45	-13	Pass	1401
1000	3000	1	RMS	1649	-46.12	-13	Pass	2001
3000	10000	1	RMS	7746	-42.2	-13	Pass	7001



### 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.56	-13	Pass	2986
30	814	0.1	RMS	814	-51.63	-13	Pass	7841
814	860	0.1	RMS	824.6	21.18	60	Pass	461
860	1000	0.1	RMS	926.4	-62.42	-13	Pass	1401
1000	3000	1	RMS	2652	-46.76	-13	Pass	2001
3000	10000	1	RMS	9546	-42.15	-13	Pass	7001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.16	-13	Pass	7841
814	860	0.1	RMS	832.1	22.16	60	Pass	461
860	1000	0.1	RMS	931.9	-62.42	-13	Pass	1401
1000	3000	1	RMS	2496	-46.68	-13	Pass	2001
3000	10000	1	RMS	7729	-42.21	-13	Pass	7001



### 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.84	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.34	-13	Pass	7841
814	860	0.1	RMS	832.1	21.09	60	Pass	461
860	1000	0.1	RMS	946.8	-62.34	-13	Pass	1401
1000	3000	1	RMS	2656	-46.81	-13	Pass	2001
3000	10000	1	RMS	9540	-42.21	-13	Pass	7001






### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.04	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.29	-13	Pass	7841
814	860	0.1	RMS	839.6	22.18	60	Pass	461
860	1000	0.1	RMS	934.6	-62.36	-13	Pass	1401
1000	3000	1	RMS	2658	-46.75	-13	Pass	2001
3000	10000	1	RMS	7754	-42.22	-13	Pass	7001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.54	-13	Pass	2986
30	814	0.1	RMS	802.4	-62.43	-13	Pass	7841
814	860	0.1	RMS	839.6	21.19	60	Pass	461
860	1000	0.1	RMS	922.9	-62.37	-13	Pass	1401
1000	3000	1	RMS	2651	-46.77	-13	Pass	2001
3000	10000	1	RMS	7729	-42.21	-13	Pass	7001



### 8.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.98	-13	Pass	2986
30	814	0.1	RMS	813.5	-49.71	-13	Pass	7841
814	860	0.1	RMS	824.8	21.52	60	Pass	461
860	1000	0.1	RMS	915.8	-62.36	-13	Pass	1401
1000	3000	1	RMS	1650	-46.45	-13	Pass	2001
3000	10000	1	RMS	7740	-42.2	-13	Pass	7001



### 8.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.35	-13	Pass	2986
30	814	0.1	RMS	813.6	-51.47	-13	Pass	7841
814	860	0.1	RMS	824.8	20.6	60	Pass	461
860	1000	0.1	RMS	916	-62.45	-13	Pass	1401
1000	3000	1	RMS	2647	-46.8	-13	Pass	2001
3000	10000	1	RMS	7737	-42.16	-13	Pass	7001



### 8.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2986
30	814	0.1	RMS	813.6	-57.58	-13	Pass	7841
814	860	0.1	RMS	829.8	21.56	60	Pass	461
860	1000	0.1	RMS	872.9	-62.37	-13	Pass	1401
1000	3000	1	RMS	1660	-46.58	-13	Pass	2001
3000	10000	1	RMS	7733	-42.2	-13	Pass	7001



### 8.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2986
30	814	0.1	RMS	813.5	-57.7	-13	Pass	7841
814	860	0.1	RMS	829.8	20.51	60	Pass	461
860	1000	0.1	RMS	929.5	-62.22	-13	Pass	1401
1000	3000	1	RMS	2653	-46.8	-13	Pass	2001
3000	10000	1	RMS	7739	-42.15	-13	Pass	7001



### 8.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.86	-13	Pass	2986
30	814	0.1	RMS	811.8	-55.52	-13	Pass	7841
814	860	0.1	RMS	834.8	21.48	60	Pass	461
860	1000	0.1	RMS	994	-62.29	-13	Pass	1401
1000	3000	1	RMS	2655	-46.79	-13	Pass	2001
3000	10000	1	RMS	7734	-42.16	-13	Pass	7001



### 8.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	814	0.1	RMS	811.8	-56.69	-13	Pass	7841
814	860	0.1	RMS	834.8	20.58	60	Pass	461
860	1000	0.1	RMS	913.1	-62.52	-13	Pass	1401
1000	3000	1	RMS	2648	-46.78	-13	Pass	2001
3000	10000	1	RMS	7734	-42.16	-13	Pass	7001






## 1. LTE\_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.61	-13	Pass	2986
30	809	0.1	Peak	808.8	-49.49	-13	Pass	7791
809	829	0.1	Peak	814.25	26.77	60	Pass	401
829	1000	0.1	Peak	970.5	-51.36	-13	Pass	1711
1000	3000	1	Peak	2667	-35.45	-13	Pass	2001
3000	10000	1	Peak	9756	-30.61	-13	Pass	7001




**1.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.57	-13	Pass	2986
30	809	0.1	Peak	625.7	-51.46	-13	Pass	7791
809	829	0.1	Peak	814.3	26.93	60	Pass	401
829	1000	0.1	Peak	924	-51.35	-13	Pass	1711
1000	3000	1	Peak	2653	-34.97	-13	Pass	2001
3000	10000	1	Peak	9681	-30.92	-13	Pass	7001




**1.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.73	-13	Pass	2986
30	809	0.1	Peak	791.4	-51.9	-13	Pass	7791
809	829	0.1	Peak	818.55	26.85	60	Pass	401
829	1000	0.1	Peak	950.1	-50.9	-13	Pass	1711
1000	3000	1	Peak	2610	-35.02	-13	Pass	2001
3000	10000	1	Peak	7720	-30.34	-13	Pass	7001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.31	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.06	-13	Pass	2986
30	809	0.1	Peak	806.5	-50.78	-13	Pass	7791
809	829	0.1	Peak	818.6	26.62	60	Pass	401
829	1000	0.1	Peak	981.3	-50.83	-13	Pass	1711
1000	3000	1	Peak	2980	-35.15	-13	Pass	2001
3000	10000	1	Peak	7747	-30.54	-13	Pass	7001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.93	-13	Pass	2986
30	809	0.1	Peak	806.4	-50.85	-13	Pass	7791
809	829	0.1	Peak	822.85	26.67	60	Pass	401
829	1000	0.1	Peak	829.1	-46.15	-13	Pass	1711
1000	3000	1	Peak	2986	-34.71	-13	Pass	2001
3000	10000	1	Peak	9529	-30.57	-13	Pass	7001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6,  
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.13	-13	Pass	2986
30	809	0.1	Peak	756.5	-51.97	-13	Pass	7791
809	829	0.1	Peak	822.85	26.75	60	Pass	401
829	1000	0.1	Peak	829.5	-47.13	-13	Pass	1711
1000	3000	1	Peak	2767	-35.47	-13	Pass	2001
3000	10000	1	Peak	7298	-29.9	-13	Pass	7001




**1.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.89	-13	Pass	2986
30	809	0.1	Peak	809	-43.49	-13	Pass	7791
809	829	0.1	Peak	814.3	26.46	60	Pass	401
829	1000	0.1	Peak	829.2	-51.56	-13	Pass	1711
1000	3000	1	Peak	2655	-34.96	-13	Pass	2001
3000	10000	1	Peak	7698	-30.62	-13	Pass	7001



**1.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.6	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.24	-13	Pass	2986
30	809	0.1	Peak	809	-42.14	-13	Pass	7791
809	829	0.1	Peak	814.3	26.72	60	Pass	401
829	1000	0.1	Peak	843	-51.84	-13	Pass	1711
1000	3000	1	Peak	2999	-35.45	-13	Pass	2001
3000	10000	1	Peak	7741	-29.93	-13	Pass	7001






**1.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.94	-13	Pass	401
0.15	30	0.01	Peak	0.17	-42.9	-13	Pass	2986
30	809	0.1	Peak	789.3	-51.3	-13	Pass	7791
809	829	0.1	Peak	817.75	26.75	60	Pass	401
829	1000	0.1	Peak	830.7	-46.41	-13	Pass	1711
1000	3000	1	Peak	2654	-34.53	-13	Pass	2001
3000	10000	1	Peak	9525	-29.87	-13	Pass	7001




**1.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-43.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.29	-13	Pass	2986
30	809	0.1	Peak	796.1	-51.68	-13	Pass	7791
809	829	0.1	Peak	817.75	26.49	60	Pass	401
829	1000	0.1	Peak	830.8	-46.17	-13	Pass	1711
1000	3000	1	Peak	2783	-34.55	-13	Pass	2001
3000	10000	1	Peak	7695	-30.91	-13	Pass	7001




**1.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-42.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.6	-13	Pass	2986
30	809	0.1	Peak	795.4	-51.37	-13	Pass	7791
809	829	0.1	Peak	821.2	26.65	60	Pass	401
829	1000	0.1	Peak	829	-45.56	-13	Pass	1711
1000	3000	1	Peak	2658	-34.63	-13	Pass	2001
3000	10000	1	Peak	7731	-29.58	-13	Pass	7001




**1.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.6	-13	Pass	2986
30	809	0.1	Peak	749	-51.88	-13	Pass	7791
809	829	0.1	Peak	821.25	26.88	60	Pass	401
829	1000	0.1	Peak	829.1	-45.35	-13	Pass	1711
1000	3000	1	Peak	2764	-35.11	-13	Pass	2001
3000	10000	1	Peak	7739	-29.73	-13	Pass	7001




**1.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.54	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.45	-13	Pass	2986
30	809	0.1	Peak	809	-46.15	-13	Pass	7791
809	829	0.1	Peak	814.3	27.06	60	Pass	401
829	1000	0.1	Peak	830.7	-51.23	-13	Pass	1711
1000	3000	1	Peak	2734	-35.16	-13	Pass	2001
3000	10000	1	Peak	7351	-28.94	-13	Pass	7001




**1.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.07	-13	Pass	2986
30	809	0.1	Peak	809	-46.21	-13	Pass	7791
809	829	0.1	Peak	814.3	27.27	60	Pass	401
829	1000	0.1	Peak	911.4	-51.78	-13	Pass	1711
1000	3000	1	Peak	2766	-35.19	-13	Pass	2001
3000	10000	1	Peak	9528	-30.19	-13	Pass	7001




**1.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.09	-13	Pass	2986
30	809	0.1	Peak	808.2	-48.69	-13	Pass	7791
809	829	0.1	Peak	816.85	26.85	60	Pass	401
829	1000	0.1	Peak	982.9	-49.72	-13	Pass	1711
1000	3000	1	Peak	2655	-34.33	-13	Pass	2001
3000	10000	1	Peak	7393	-30.65	-13	Pass	7001



**1.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.09	-13	Pass	2986
30	809	0.1	Peak	808.3	-49.32	-13	Pass	7791
809	829	0.1	Peak	816.8	26.93	60	Pass	401
829	1000	0.1	Peak	829.9	-50.52	-13	Pass	1711
1000	3000	1	Peak	2967	-34.98	-13	Pass	2001
3000	10000	1	Peak	7740	-30.19	-13	Pass	7001






**1.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-41.3	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.92	-13	Pass	2986
30	809	0.1	Peak	778.8	-51.33	-13	Pass	7791
809	829	0.1	Peak	819.3	26.85	60	Pass	401
829	1000	0.1	Peak	829.1	-48.03	-13	Pass	1711
1000	3000	1	Peak	2934	-35.34	-13	Pass	2001
3000	10000	1	Peak	7723	-30.5	-13	Pass	7001




**1.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.95	-13	Pass	2986
30	809	0.1	Peak	788.4	-51.28	-13	Pass	7791
809	829	0.1	Peak	819.3	26.98	60	Pass	401
829	1000	0.1	Peak	829	-45.48	-13	Pass	1711
1000	3000	1	Peak	2658	-35.09	-13	Pass	2001
3000	10000	1	Peak	7943	-31.12	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.31	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.33	-13	Pass	2986
30	809	0.1	Peak	809	-37.28	-13	Pass	7791
809	829	0.1	Peak	814.55	27.04	60	Pass	401
829	1000	0.1	Peak	830	-30.88	-13	Pass	1711
1000	3000	1	Peak	2835	-35.46	-13	Pass	2001
3000	10000	1	Peak	7651	-30.06	-13	Pass	7001



**1.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.15	-13	Pass	2986
30	809	0.1	Peak	808.6	-40.75	-13	Pass	7791
809	829	0.1	Peak	814.55	26.95	60	Pass	401
829	1000	0.1	Peak	830	-30.42	-13	Pass	1711
1000	3000	1	Peak	2659	-35.14	-13	Pass	2001
3000	10000	1	Peak	5974	-30.5	-13	Pass	7001



## 1. LTE\_Band38


### 1.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.03	-25	Pass	2986
30	1000	0.1	RMS	848.5	-59.78	-25	Pass	9701
1000	2560	1	RMS	2559	-42.75	-25	Pass	1561
2560	2630	1	RMS	2570.15	25.02	60	Pass	401
2630	3000	1	RMS	2955.6	-45.03	-25	Pass	401
3000	12000	1	RMS	11851	-46.82	-25	Pass	9002
12000	26500	1	RMS	26001	-42.97	-25	Pass	14502




**1.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.82	-25	Pass	2986
30	1000	0.1	RMS	609.6	-59.5	-25	Pass	9701
1000	2560	1	RMS	2559	-42.3	-25	Pass	1561
2560	2630	1	RMS	2570.15	24.09	60	Pass	401
2630	3000	1	RMS	2957.45	-44.99	-25	Pass	401
3000	12000	1	RMS	5141	-45.77	-25	Pass	9002
12000	26500	1	RMS	26001	-42.94	-25	Pass	14502




**1.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.63	-25	Pass	2986
30	1000	0.1	RMS	836.4	-59.73	-25	Pass	9701
1000	2560	1	RMS	2560	-46.42	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.97	60	Pass	401
2630	3000	1	RMS	2953.75	-45.03	-25	Pass	401
3000	12000	1	RMS	5185	-43.83	-25	Pass	9002
12000	26500	1	RMS	26007	-43.01	-25	Pass	14502



**1.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	Pass	2986
30	1000	0.1	RMS	857.205	-59.82	-25	Pass	9701
1000	2560	1	RMS	2559	-46.37	-25	Pass	1561
2560	2630	1	RMS	2592.725	24	60	Pass	401
2630	3000	1	RMS	2960.225	-45.02	-25	Pass	401
3000	12000	1	RMS	5186	-42.65	-25	Pass	9002
12000	26500	1	RMS	25987	-42.98	-25	Pass	14502






**1.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.71	-25	Pass	2986
30	1000	0.1	RMS	847.3	-59.66	-25	Pass	9701
1000	2560	1	RMS	2560	-46.45	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.78	60	Pass	401
2630	3000	1	RMS	2634.625	-44.68	-25	Pass	401
3000	12000	1	RMS	5230	-43.76	-25	Pass	9002
12000	26500	1	RMS	25988	-43.05	-25	Pass	14502




**1.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.61	-25	Pass	2986
30	1000	0.1	RMS	847	-59.67	-25	Pass	9701
1000	2560	1	RMS	2560	-46.54	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.93	60	Pass	401
2630	3000	1	RMS	2633.7	-44.91	-25	Pass	401
3000	12000	1	RMS	5231	-46.44	-25	Pass	9002
12000	26500	1	RMS	26004	-43	-25	Pass	14502




**1.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.27	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.03	-25	Pass	2986
30	1000	0.1	RMS	609.9	-59.33	-25	Pass	9701
1000	2560	1	RMS	2560	-40.87	-25	Pass	1561
2560	2630	1	RMS	2570.5	25.34	60	Pass	401
2630	3000	1	RMS	2960.225	-45.02	-25	Pass	401
3000	12000	1	RMS	5141	-45.95	-25	Pass	9002
12000	26500	1	RMS	26001	-43.03	-25	Pass	14502




**1.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.3	-25	Pass	2986
30	1000	0.1	RMS	609.9	-59.4	-25	Pass	9701
1000	2560	1	RMS	2560	-40.36	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.84	60	Pass	401
2630	3000	1	RMS	2959.3	-45.03	-25	Pass	401
3000	12000	1	RMS	5141	-45.01	-25	Pass	9002
12000	26500	1	RMS	26001	-43	-25	Pass	14502



**1.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.44	-25	Pass	2986
30	1000	0.1	RMS	846.3	-59.67	-25	Pass	9701
1000	2560	1	RMS	2560	-46.47	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.91	60	Pass	401
2630	3000	1	RMS	2956.525	-45.01	-25	Pass	401
3000	12000	1	RMS	5181	-40.95	-25	Pass	9002
12000	26500	1	RMS	26002	-43.03	-25	Pass	14502



### 1.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.85	-25	Pass	2986
30	1000	0.1	RMS	851.201	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-46.42	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.85	60	Pass	401
2630	3000	1	RMS	2957.45	-45	-25	Pass	401
3000	12000	1	RMS	11857	-46.93	-25	Pass	9002
12000	26500	1	RMS	26002	-42.99	-25	Pass	14502



### 1.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	Pass	2986
30	1000	0.1	RMS	830.6	-59.75	-25	Pass	9701
1000	2560	1	RMS	2559	-46.49	-25	Pass	1561
2560	2630	1	RMS	2610.4	25.3	60	Pass	401
2630	3000	1	RMS	2630	-44.01	-25	Pass	401
3000	12000	1	RMS	11849	-46.96	-25	Pass	9002
12000	26500	1	RMS	26002	-43.01	-25	Pass	14502



### 1.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-25	Pass	2986
30	1000	0.1	RMS	854.504	-59.8	-25	Pass	9701
1000	2560	1	RMS	2559	-46.5	-25	Pass	1561
2560	2630	1	RMS	2610.4	24.35	60	Pass	401
2630	3000	1	RMS	2630	-44.43	-25	Pass	401
3000	12000	1	RMS	5221	-43.59	-25	Pass	9002
12000	26500	1	RMS	25998	-42.93	-25	Pass	14502






### 1.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.54	-25	Pass	2986
30	1000	0.1	RMS	610.1	-59.11	-25	Pass	9701
1000	2560	1	RMS	2558	-34.94	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.8	60	Pass	401
2630	3000	1	RMS	2952.825	-45.04	-25	Pass	401
3000	12000	1	RMS	11853	-46.97	-25	Pass	9002
12000	26500	1	RMS	26002	-42.91	-25	Pass	14502



### 1.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.65	-25	Pass	2986
30	1000	0.1	RMS	610.1	-59.53	-25	Pass	9701
1000	2560	1	RMS	2560	-37.32	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.24	60	Pass	401
2630	3000	1	RMS	2957.45	-45.01	-25	Pass	401
3000	12000	1	RMS	5142	-45.76	-25	Pass	9002
12000	26500	1	RMS	26005	-43.03	-25	Pass	14502



### 1.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	Pass	2986
30	1000	0.1	RMS	862.409	-59.85	-25	Pass	9701
1000	2560	1	RMS	2559	-46.36	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.72	60	Pass	401
2630	3000	1	RMS	2952.825	-44.99	-25	Pass	401
3000	12000	1	RMS	5176	-44.21	-25	Pass	9002
12000	26500	1	RMS	25996	-42.96	-25	Pass	14502



### 1.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.5	-25	Pass	2986
30	1000	0.1	RMS	836.4	-59.76	-25	Pass	9701
1000	2560	1	RMS	2560	-46.36	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.12	60	Pass	401
2630	3000	1	RMS	2952.825	-45.04	-25	Pass	401
3000	12000	1	RMS	5177	-43.73	-25	Pass	9002
12000	26500	1	RMS	25996	-42.97	-25	Pass	14502



### 1.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.72	-25	Pass	2986
30	1000	0.1	RMS	848.4	-59.8	-25	Pass	9701
1000	2560	1	RMS	2558	-46.51	-25	Pass	1561
2560	2630	1	RMS	2605.85	25.24	60	Pass	401
2630	3000	1	RMS	2631.85	-32.3	-25	Pass	401
3000	12000	1	RMS	5211	-44.34	-25	Pass	9002
12000	26500	1	RMS	25996	-42.97	-25	Pass	14502



### 1.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.09	-25	Pass	2986
30	1000	0.1	RMS	905.838	-59.77	-25	Pass	9701
1000	2560	1	RMS	2556	-46.48	-25	Pass	1561
2560	2630	1	RMS	2605.675	23.97	60	Pass	401
2630	3000	1	RMS	2631.85	-33.12	-25	Pass	401
3000	12000	1	RMS	11855	-46.9	-25	Pass	9002
12000	26500	1	RMS	25993	-43.02	-25	Pass	14502



### 1.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.17	-25	Pass	2986
30	1000	0.1	RMS	852.402	-59.73	-25	Pass	9701
1000	2560	1	RMS	2560	-35.43	-25	Pass	1561
2560	2630	1	RMS	2571.025	25.21	60	Pass	401
2630	3000	1	RMS	2948.2	-45	-25	Pass	401
3000	12000	1	RMS	5143	-46.79	-25	Pass	9002
12000	26500	1	RMS	26001	-43.02	-25	Pass	14502



### 1.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.72	-25	Pass	2986
30	1000	0.1	RMS	610.4	-59.28	-25	Pass	9701
1000	2560	1	RMS	2560	-37.18	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.06	60	Pass	401
2630	3000	1	RMS	2960.225	-45.04	-25	Pass	401
3000	12000	1	RMS	11846	-46.98	-25	Pass	9002
12000	26500	1	RMS	26001	-42.88	-25	Pass	14502






### 1.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.51	-25	Pass	2986
30	1000	0.1	RMS	839.6	-59.68	-25	Pass	9701
1000	2560	1	RMS	2550	-44.09	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.38	60	Pass	401
2630	3000	1	RMS	2954.675	-45.02	-25	Pass	401
3000	12000	1	RMS	5172	-41.88	-25	Pass	9002
12000	26500	1	RMS	25999	-43.04	-25	Pass	14502



### 1.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.87	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.85	-25	Pass	2986
30	1000	0.1	RMS	856.205	-59.79	-25	Pass	9701
1000	2560	1	RMS	2551	-44.65	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.48	60	Pass	401
2630	3000	1	RMS	2955.6	-45.03	-25	Pass	401
3000	12000	1	RMS	5172	-46.87	-25	Pass	9002
12000	26500	1	RMS	26012	-42.97	-25	Pass	14502



### 1.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.48	-25	Pass	2986
30	1000	0.1	RMS	844.4	-59.73	-25	Pass	9701
1000	2560	1	RMS	2560	-46.5	-25	Pass	1561
2560	2630	1	RMS	2601.125	25.1	60	Pass	401
2630	3000	1	RMS	2636.475	-30.45	-25	Pass	401
3000	12000	1	RMS	11852	-46.96	-25	Pass	9002
12000	26500	1	RMS	26000	-42.98	-25	Pass	14502



### 1.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-25	Pass	2986
30	1000	0.1	RMS	851.502	-59.9	-25	Pass	9701
1000	2560	1	RMS	2560	-46.51	-25	Pass	1561
2560	2630	1	RMS	2600.95	23.79	60	Pass	401
2630	3000	1	RMS	2636.475	-33.17	-25	Pass	401
3000	12000	1	RMS	5202	-42.79	-25	Pass	9002
12000	26500	1	RMS	26005	-43	-25	Pass	14502



## 2. LTE\_Band41 full


### 2.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.37	-25	Pass	2986
30	1000	0.1	RMS	848.4	-59.9	-25	Pass	9701
1000	2486	1	RMS	2485	-43.84	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.3	60	Pass	401
2700	3000	1	RMS	2954.25	-45.05	-25	Pass	401
3000	12000	1	RMS	4993	-49.98	-25	Pass	9002
12000	27000	1	RMS	26020	-42.12	-25	Pass	15002




**2.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.51	-25	Pass	2986
30	1000	0.1	RMS	848.7	-59.89	-25	Pass	9701
1000	2486	1	RMS	2485	-45.47	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.1	60	Pass	401
2700	3000	1	RMS	2959.5	-45.02	-25	Pass	401
3000	12000	1	RMS	4992	-51.92	-25	Pass	9002
12000	27000	1	RMS	26007	-42.11	-25	Pass	15002




**2.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.14	-25	Pass	2986
30	1000	0.1	RMS	841.6	-59.76	-25	Pass	9701
1000	2486	1	RMS	2483	-46.63	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.33	60	Pass	401
2700	3000	1	RMS	2945.25	-45.05	-25	Pass	401
3000	12000	1	RMS	5182	-45.48	-25	Pass	9002
12000	27000	1	RMS	25995	-42.13	-25	Pass	15002



**2.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-25	Pass	2986
30	1000	0.1	RMS	845	-59.77	-25	Pass	9701
1000	2486	1	RMS	2486	-46.7	-25	Pass	1487
2486	2700	1	RMS	2590.325	21.89	60	Pass	401
2700	3000	1	RMS	2951.25	-45.02	-25	Pass	401
3000	12000	1	RMS	5182	-43.9	-25	Pass	9002
12000	27000	1	RMS	26005	-42.2	-25	Pass	15002






**2.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.54	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.02	-25	Pass	2986
30	1000	0.1	RMS	724.6	-58.84	-25	Pass	9701
1000	2486	1	RMS	2483	-46.67	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.87	60	Pass	401
2700	3000	1	RMS	2703	-44.47	-25	Pass	401
3000	12000	1	RMS	5371	-48.8	-25	Pass	9002
12000	27000	1	RMS	25992	-42.14	-25	Pass	15002




**2.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.53	-25	Pass	2986
30	1000	0.1	RMS	724.7	-59.78	-25	Pass	9701
1000	2486	1	RMS	2485	-46.76	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.67	60	Pass	401
2700	3000	1	RMS	2704.5	-44.62	-25	Pass	401
3000	12000	1	RMS	5370	-49.75	-25	Pass	9002
12000	27000	1	RMS	26005	-42.15	-25	Pass	15002




**2.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.73	-25	Pass	2986
30	1000	0.1	RMS	837.2	-59.71	-25	Pass	9701
1000	2486	1	RMS	2486	-41.25	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.88	60	Pass	401
2700	3000	1	RMS	2944.5	-45.01	-25	Pass	401
3000	12000	1	RMS	4993	-54.32	-25	Pass	9002
12000	27000	1	RMS	26000	-42.08	-25	Pass	15002




**2.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.84	-25	Pass	2986
30	1000	0.1	RMS	856.905	-59.72	-25	Pass	9701
1000	2486	1	RMS	2486	-42.84	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.45	60	Pass	401
2700	3000	1	RMS	2952.75	-45.03	-25	Pass	401
3000	12000	1	RMS	4993	-55.44	-25	Pass	9002
12000	27000	1	RMS	26004	-42.04	-25	Pass	15002



**2.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.92	-25	Pass	2986
30	1000	0.1	RMS	835.8	-59.76	-25	Pass	9701
1000	2486	1	RMS	2480	-46.75	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.73	60	Pass	401
2700	3000	1	RMS	2955	-45.02	-25	Pass	401
3000	12000	1	RMS	5178	-46.74	-25	Pass	9002
12000	27000	1	RMS	25997	-42.14	-25	Pass	15002



## 2.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-25	Pass	2986
30	1000	0.1	RMS	849.7	-59.75	-25	Pass	9701
1000	2486	1	RMS	2483	-46.75	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.13	60	Pass	401
2700	3000	1	RMS	2943.75	-45	-25	Pass	401
3000	12000	1	RMS	5178	-51.31	-25	Pass	9002
12000	27000	1	RMS	26001	-42.05	-25	Pass	15002



## 2.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.85	-25	Pass	2986
30	1000	0.1	RMS	719.9	-59.31	-25	Pass	9701
1000	2486	1	RMS	2486	-46.77	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.35	60	Pass	401
2700	3000	1	RMS	2700	-44.97	-25	Pass	401
3000	12000	1	RMS	5361	-47.2	-25	Pass	9002
12000	27000	1	RMS	26005	-42.17	-25	Pass	15002



## 2.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	Pass	2986
30	1000	0.1	RMS	857.806	-59.66	-25	Pass	9701
1000	2486	1	RMS	2480	-46.73	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.93	60	Pass	401
2700	3000	1	RMS	2700	-44.87	-25	Pass	401
3000	12000	1	RMS	5361	-49.75	-25	Pass	9002
12000	27000	1	RMS	26002	-42.14	-25	Pass	15002






### 2.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.76	-25	Pass	2986
30	1000	0.1	RMS	846.1	-59.78	-25	Pass	9701
1000	2486	1	RMS	2485	-38.59	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.99	60	Pass	401
2700	3000	1	RMS	2958.75	-45.01	-25	Pass	401
3000	12000	1	RMS	4993	-51.78	-25	Pass	9002
12000	27000	1	RMS	25995	-42.15	-25	Pass	15002



## 2.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.88	-25	Pass	2986
30	1000	0.1	RMS	831.8	-59.77	-25	Pass	9701
1000	2486	1	RMS	2485	-39.41	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.76	60	Pass	401
2700	3000	1	RMS	2958	-45.02	-25	Pass	401
3000	12000	1	RMS	11846	-57.03	-25	Pass	9002
12000	27000	1	RMS	26016	-42.22	-25	Pass	15002



## 2.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	Pass	2986
30	1000	0.1	RMS	827	-59.74	-25	Pass	9701
1000	2486	1	RMS	2486	-46.67	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.27	60	Pass	401
2700	3000	1	RMS	2946	-45.01	-25	Pass	401
3000	12000	1	RMS	5172	-54.27	-25	Pass	9002
12000	27000	1	RMS	26010	-42.07	-25	Pass	15002



## 2.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.5	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.58	-25	Pass	2986
30	1000	0.1	RMS	854.103	-59.86	-25	Pass	9701
1000	2486	1	RMS	2483	-46.72	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.16	60	Pass	401
2700	3000	1	RMS	2949.75	-45.01	-25	Pass	401
3000	12000	1	RMS	5172	-51.03	-25	Pass	9002
12000	27000	1	RMS	26003	-42.08	-25	Pass	15002



### 2.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.04	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.54	-25	Pass	2986
30	1000	0.1	RMS	841.9	-59.88	-25	Pass	9701
1000	2486	1	RMS	2481	-46.66	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.47	60	Pass	401
2700	3000	1	RMS	2702.25	-33.57	-25	Pass	401
3000	12000	1	RMS	5352	-45.75	-25	Pass	9002
12000	27000	1	RMS	26000	-42.1	-25	Pass	15002



## 2.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.97	-25	Pass	2986
30	1000	0.1	RMS	839.6	-59.8	-25	Pass	9701
1000	2486	1	RMS	2486	-46.64	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.29	60	Pass	401
2700	3000	1	RMS	2702.25	-35.28	-25	Pass	401
3000	12000	1	RMS	5352	-49.1	-25	Pass	9002
12000	27000	1	RMS	26004	-42.15	-25	Pass	15002



## 2.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.95	-25	Pass	2986
30	1000	0.1	RMS	850.701	-59.73	-25	Pass	9701
1000	2486	1	RMS	2485	-37.3	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.39	60	Pass	401
2700	3000	1	RMS	2956.5	-45.01	-25	Pass	401
3000	12000	1	RMS	4994	-48.45	-25	Pass	9002
12000	27000	1	RMS	26000	-42.06	-25	Pass	15002



## 2.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.13	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.54	-25	Pass	2986
30	1000	0.1	RMS	838.4	-59.78	-25	Pass	9701
1000	2486	1	RMS	2485	-39.19	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.45	60	Pass	401
2700	3000	1	RMS	2955	-45.01	-25	Pass	401
3000	12000	1	RMS	4994	-52.04	-25	Pass	9002
12000	27000	1	RMS	26001	-42.11	-25	Pass	15002






## 2.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.77	-25	Pass	2986
30	1000	0.1	RMS	835	-59.74	-25	Pass	9701
1000	2486	1	RMS	2482	-46.74	-25	Pass	1487
2486	2700	1	RMS	2583.905	24.09	60	Pass	401
2700	3000	1	RMS	2955.75	-45.02	-25	Pass	401
3000	12000	1	RMS	5168	-43.68	-25	Pass	9002
12000	27000	1	RMS	26010	-42.25	-25	Pass	15002



## 2.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.86	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.03	-25	Pass	2986
30	1000	0.1	RMS	851.301	-59.77	-25	Pass	9701
1000	2486	1	RMS	2485	-46.77	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.86	60	Pass	401
2700	3000	1	RMS	2948.25	-45.03	-25	Pass	401
3000	12000	1	RMS	5168	-43.43	-25	Pass	9002
12000	27000	1	RMS	26001	-42.19	-25	Pass	15002



### 2.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.52	-25	Pass	2986
30	1000	0.1	RMS	851.301	-59.76	-25	Pass	9701
1000	2486	1	RMS	2485	-46.69	-25	Pass	1487
2486	2700	1	RMS	2670.575	23.26	60	Pass	401
2700	3000	1	RMS	2706.75	-34.4	-25	Pass	401
3000	12000	1	RMS	5342	-47.54	-25	Pass	9002
12000	27000	1	RMS	26003	-42.22	-25	Pass	15002



## 2.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	Pass	2986
30	1000	0.1	RMS	843.5	-59.86	-25	Pass	9701
1000	2486	1	RMS	2480	-46.74	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.01	60	Pass	401
2700	3000	1	RMS	2706	-34.25	-25	Pass	401
3000	12000	1	RMS	5343	-53.26	-25	Pass	9002
12000	27000	1	RMS	26000	-42.14	-25	Pass	15002



## 9. LTE\_Band66


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.71	-13	Pass	2986
30	1000	0.1	RMS	953.1	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-50.45	-13	Pass	701
1700	1790	1	RMS	1710.35	24.35	60	Pass	401
1790	3000	1	RMS	2649	-46.83	-13	Pass	1211
3000	12000	1	RMS	11944	-40.53	-13	Pass	9001
12000	20000	1	RMS	19999	-28.09	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.68	-13	Pass	2986
30	1000	0.1	RMS	913.5	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1710.35	23.33	60	Pass	401
1790	3000	1	RMS	2657	-46.82	-13	Pass	1211
3000	12000	1	RMS	11952	-40.52	-13	Pass	9001
12000	20000	1	RMS	19997	-28.14	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.9	-13	Pass	2986
30	1000	0.1	RMS	895.7	-62.25	-13	Pass	9701
1000	1700	1	RMS	1695	-51.23	-13	Pass	701
1700	1790	1	RMS	1744.55	24.48	60	Pass	401
1790	3000	1	RMS	2654	-46.8	-13	Pass	1211
3000	12000	1	RMS	11963	-40.56	-13	Pass	9001
12000	20000	1	RMS	20000	-28.06	-13	Pass	8001



**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.81	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62.23	-13	Pass	9701
1000	1700	1	RMS	1612	-51.26	-13	Pass	701
1700	1790	1	RMS	1744.55	23.51	60	Pass	401
1790	3000	1	RMS	2658	-46.83	-13	Pass	1211
3000	12000	1	RMS	11852	-40.56	-13	Pass	9001
12000	20000	1	RMS	20000	-28.1	-13	Pass	8001






**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1790	1	RMS	1778.75	23.88	60	Pass	401
1790	3000	1	RMS	2647	-46.82	-13	Pass	1211
3000	12000	1	RMS	11955	-40.5	-13	Pass	9001
12000	20000	1	RMS	19997	-28.14	-13	Pass	8001




**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.9	-13	Pass	2986
30	1000	0.1	RMS	931.8	-62.26	-13	Pass	9701
1000	1700	1	RMS	1698	-51.29	-13	Pass	701
1700	1790	1	RMS	1778.75	22.91	60	Pass	401
1790	3000	1	RMS	2657	-46.81	-13	Pass	1211
3000	12000	1	RMS	11949	-40.51	-13	Pass	9001
12000	20000	1	RMS	20000	-28.14	-13	Pass	8001




**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.55	-13	Pass	2986
30	1000	0.1	RMS	952.4	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-49.57	-13	Pass	701
1700	1790	1	RMS	1710.125	24.11	60	Pass	401
1790	3000	1	RMS	2651	-46.8	-13	Pass	1211
3000	12000	1	RMS	11960	-40.54	-13	Pass	9001
12000	20000	1	RMS	20000	-28.09	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.31	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-49.75	-13	Pass	701
1700	1790	1	RMS	1710.35	23.34	60	Pass	401
1790	3000	1	RMS	2650	-46.74	-13	Pass	1211
3000	12000	1	RMS	11944	-40.51	-13	Pass	9001
12000	20000	1	RMS	19997	-28.15	-13	Pass	8001



**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.16	-13	Pass	2986
30	1000	0.1	RMS	917.8	-62.15	-13	Pass	9701
1000	1700	1	RMS	1691	-51.23	-13	Pass	701
1700	1790	1	RMS	1743.65	24.3	60	Pass	401
1790	3000	1	RMS	2653	-46.8	-13	Pass	1211
3000	12000	1	RMS	11846	-40.5	-13	Pass	9001
12000	20000	1	RMS	19998	-28.1	-13	Pass	8001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	1000	0.1	RMS	922	-62.18	-13	Pass	9701
1000	1700	1	RMS	1693	-51.3	-13	Pass	701
1700	1790	1	RMS	1743.65	23.3	60	Pass	401
1790	3000	1	RMS	2650	-46.8	-13	Pass	1211
3000	12000	1	RMS	11962	-40.51	-13	Pass	9001
12000	20000	1	RMS	20000	-28.01	-13	Pass	8001



### 9.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	1000	0.1	RMS	921.6	-62.14	-13	Pass	9701
1000	1700	1	RMS	1694	-51.25	-13	Pass	701
1700	1790	1	RMS	1777.175	23.88	60	Pass	401
1790	3000	1	RMS	2650	-46.81	-13	Pass	1211
3000	12000	1	RMS	11978	-40.55	-13	Pass	9001
12000	20000	1	RMS	19997	-28.13	-13	Pass	8001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.9	-13	Pass	2986
30	1000	0.1	RMS	925.5	-62.01	-13	Pass	9701
1000	1700	1	RMS	1583	-51.31	-13	Pass	701
1700	1790	1	RMS	1777.175	23.13	60	Pass	401
1790	3000	1	RMS	2653	-46.79	-13	Pass	1211
3000	12000	1	RMS	11954	-40.54	-13	Pass	9001
12000	20000	1	RMS	20000	-28.16	-13	Pass	8001






### 9.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.24	-13	Pass	2986
30	1000	0.1	RMS	921.8	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1790	1	RMS	1710.35	24.36	60	Pass	401
1790	3000	1	RMS	2650	-46.8	-13	Pass	1211
3000	12000	1	RMS	11936	-40.56	-13	Pass	9001
12000	20000	1	RMS	19998	-28.05	-13	Pass	8001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.09	-13	Pass	2986
30	1000	0.1	RMS	916.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	Pass	701
1700	1790	1	RMS	1710.35	23.68	60	Pass	401
1790	3000	1	RMS	2651	-46.8	-13	Pass	1211
3000	12000	1	RMS	11956	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.11	-13	Pass	8001



### 9.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.73	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.16	-13	Pass	9701
1000	1700	1	RMS	1695	-51.26	-13	Pass	701
1700	1790	1	RMS	1742.75	24.57	60	Pass	401
1790	3000	1	RMS	2654	-46.84	-13	Pass	1211
3000	12000	1	RMS	11842	-40.5	-13	Pass	9001
12000	20000	1	RMS	19998	-28.15	-13	Pass	8001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.02	-13	Pass	2986
30	1000	0.1	RMS	891.5	-62.22	-13	Pass	9701
1000	1700	1	RMS	1654	-51.27	-13	Pass	701
1700	1790	1	RMS	1742.75	23.75	60	Pass	401
1790	3000	1	RMS	2650	-46.84	-13	Pass	1211
3000	12000	1	RMS	11936	-40.56	-13	Pass	9001
12000	20000	1	RMS	20000	-28.14	-13	Pass	8001



### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1790	1	RMS	1775.375	24.07	60	Pass	401
1790	3000	1	RMS	2654	-46.78	-13	Pass	1211
3000	12000	1	RMS	11851	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.12	-13	Pass	8001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.85	-13	Pass	2986
30	1000	0.1	RMS	929	-62.13	-13	Pass	9701
1000	1700	1	RMS	1587	-51.29	-13	Pass	701
1700	1790	1	RMS	1775.375	23.39	60	Pass	401
1790	3000	1	RMS	2654	-46.78	-13	Pass	1211
3000	12000	1	RMS	11882	-40.5	-13	Pass	9001
12000	20000	1	RMS	19998	-28.18	-13	Pass	8001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.22	-13	Pass	2986
30	1000	0.1	RMS	920.6	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-46.21	-13	Pass	701
1700	1790	1	RMS	1710.575	24.34	60	Pass	401
1790	3000	1	RMS	2655	-46.83	-13	Pass	1211
3000	12000	1	RMS	11947	-40.49	-13	Pass	9001
12000	20000	1	RMS	19994	-28.09	-13	Pass	8001



### 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.08	-13	Pass	2986
30	1000	0.1	RMS	920.1	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-46.34	-13	Pass	701
1700	1790	1	RMS	1710.575	23.82	60	Pass	401
1790	3000	1	RMS	2648	-46.81	-13	Pass	1211
3000	12000	1	RMS	11949	-40.48	-13	Pass	9001
12000	20000	1	RMS	19998	-28.15	-13	Pass	8001






### 9.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.08	-13	Pass	2986
30	1000	0.1	RMS	977.4	-62.18	-13	Pass	9701
1000	1700	1	RMS	1697	-51.22	-13	Pass	701
1700	1790	1	RMS	1740.5	24.68	60	Pass	401
1790	3000	1	RMS	2648	-46.82	-13	Pass	1211
3000	12000	1	RMS	11943	-40.56	-13	Pass	9001
12000	20000	1	RMS	19998	-28.14	-13	Pass	8001



### 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.09	-13	Pass	2986
30	1000	0.1	RMS	922.7	-62.25	-13	Pass	9701
1000	1700	1	RMS	1697	-51.21	-13	Pass	701
1700	1790	1	RMS	1740.5	23.69	60	Pass	401
1790	3000	1	RMS	2653	-46.81	-13	Pass	1211
3000	12000	1	RMS	11850	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.08	-13	Pass	8001



### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.57	-13	Pass	2986
30	1000	0.1	RMS	930.8	-62.27	-13	Pass	9701
1000	1700	1	RMS	1697	-51.15	-13	Pass	701
1700	1790	1	RMS	1770.65	24.3	60	Pass	401
1790	3000	1	RMS	2647	-46.79	-13	Pass	1211
3000	12000	1	RMS	11944	-40.54	-13	Pass	9001
12000	20000	1	RMS	19997	-28.1	-13	Pass	8001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.19	-13	Pass	2986
30	1000	0.1	RMS	956.4	-62.31	-13	Pass	9701
1000	1700	1	RMS	1586	-51.23	-13	Pass	701
1700	1790	1	RMS	1770.65	23.77	60	Pass	401
1790	3000	1	RMS	2657	-46.84	-13	Pass	1211
3000	12000	1	RMS	11947	-40.46	-13	Pass	9001
12000	20000	1	RMS	20000	-28.13	-13	Pass	8001



### 9.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.58	-13	Pass	2986
30	1000	0.1	RMS	906.3	-62.27	-13	Pass	9701
1000	1700	1	RMS	1698	-37.61	-13	Pass	701
1700	1790	1	RMS	1710.8	24.57	60	Pass	401
1790	3000	1	RMS	2650	-46.72	-13	Pass	1211
3000	12000	1	RMS	11946	-40.53	-13	Pass	9001
12000	20000	1	RMS	19997	-28.13	-13	Pass	8001



### 9.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.77	-13	Pass	2986
30	1000	0.1	RMS	935.9	-62.09	-13	Pass	9701
1000	1700	1	RMS	1698	-39.19	-13	Pass	701
1700	1790	1	RMS	1710.8	23.74	60	Pass	401
1790	3000	1	RMS	2653	-46.79	-13	Pass	1211
3000	12000	1	RMS	11864	-40.47	-13	Pass	9001
12000	20000	1	RMS	20000	-28.15	-13	Pass	8001



### 9.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1698	-51.2	-13	Pass	701
1700	1790	1	RMS	1738.25	24.62	60	Pass	401
1790	3000	1	RMS	2648	-46.8	-13	Pass	1211
3000	12000	1	RMS	11842	-40.58	-13	Pass	9001
12000	20000	1	RMS	20000	-28.11	-13	Pass	8001



### 9.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.65	-13	Pass	2986
30	1000	0.1	RMS	905.3	-62.17	-13	Pass	9701
1000	1700	1	RMS	1609	-51.28	-13	Pass	701
1700	1790	1	RMS	1738.25	23.61	60	Pass	401
1790	3000	1	RMS	2648	-46.88	-13	Pass	1211
3000	12000	1	RMS	11931	-40.55	-13	Pass	9001
12000	20000	1	RMS	19998	-28.1	-13	Pass	8001






### 9.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.09	-13	Pass	2986
30	1000	0.1	RMS	923.2	-62.2	-13	Pass	9701
1000	1700	1	RMS	1603	-51.28	-13	Pass	701
1700	1790	1	RMS	1765.925	24.57	60	Pass	401
1790	3000	1	RMS	1792	-33.78	-13	Pass	1211
3000	12000	1	RMS	11955	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.18	-13	Pass	8001



### 9.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.62	-13	Pass	2986
30	1000	0.1	RMS	912.9	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-51.17	-13	Pass	701
1700	1790	1	RMS	1765.925	23.71	60	Pass	401
1790	3000	1	RMS	1792	-34.2	-13	Pass	1211
3000	12000	1	RMS	11948	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.17	-13	Pass	8001



### 9.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	1000	0.1	RMS	890.1	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-39.05	-13	Pass	701
1700	1790	1	RMS	1711.025	24.55	60	Pass	401
1790	3000	1	RMS	2650	-46.82	-13	Pass	1211
3000	12000	1	RMS	11842	-40.52	-13	Pass	9001
12000	20000	1	RMS	19999	-28.13	-13	Pass	8001



### 9.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.69	-13	Pass	2986
30	1000	0.1	RMS	938.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-41.04	-13	Pass	701
1700	1790	1	RMS	1711.025	23.66	60	Pass	401
1790	3000	1	RMS	2649	-46.79	-13	Pass	1211
3000	12000	1	RMS	11839	-40.55	-13	Pass	9001
12000	20000	1	RMS	19991	-28.11	-13	Pass	8001



### 9.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.78	-13	Pass	2986
30	1000	0.1	RMS	939.5	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-43.64	-13	Pass	701
1700	1790	1	RMS	1736	24.52	60	Pass	401
1790	3000	1	RMS	2651	-46.82	-13	Pass	1211
3000	12000	1	RMS	11865	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.13	-13	Pass	8001



### 9.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.1	-13	Pass	2986
30	1000	0.1	RMS	919.1	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-44.81	-13	Pass	701
1700	1790	1	RMS	1736	23.54	60	Pass	401
1790	3000	1	RMS	2654	-46.85	-13	Pass	1211
3000	12000	1	RMS	11831	-40.51	-13	Pass	9001
12000	20000	1	RMS	20000	-28.06	-13	Pass	8001



### 9.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.59	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.08	-13	Pass	9701
1000	1700	1	RMS	1690	-50.75	-13	Pass	701
1700	1790	1	RMS	1760.975	24.42	60	Pass	401
1790	3000	1	RMS	1797	-36.57	-13	Pass	1211
3000	12000	1	RMS	11961	-40.54	-13	Pass	9001
12000	20000	1	RMS	20000	-28.11	-13	Pass	8001



### 9.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.35	-13	Pass	2986
30	1000	0.1	RMS	932.4	-62.15	-13	Pass	9701
1000	1700	1	RMS	1690	-50.98	-13	Pass	701
1700	1790	1	RMS	1761.2	23.42	60	Pass	401
1790	3000	1	RMS	1797	-36.91	-13	Pass	1211
3000	12000	1	RMS	11953	-40.56	-13	Pass	9001
12000	20000	1	RMS	19998	-28.08	-13	Pass	8001



--BLANK BELOW--