


# **Annex A.5 Spurious Emission at Antenna Terminals**

# 1. GSM\_GSM850


## 1.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.58	-13	Pass	401
0.15	30	0.01	Peak	0.17	-52.88	-13	Pass	2986
30	500	0.1	Peak	371	-43.87	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.5	-13	N/A	5001
1000	10000	1	Peak	8892	-20.49	-13	Pass	9002




## 1.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.06	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.39	-13	Pass	2986
30	500	0.1	Peak	471.8	-43.14	-13	Pass	4701
500	1000	0.1	Peak	836.7	31.99	-13	N/A	5001
1000	10000	1	Peak	9180	-20.57	-13	Pass	9002



### 1.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.71	-13	Pass	401
0.15	30	0.01	Peak	0.23	-52.58	-13	Pass	2986
30	500	0.1	Peak	486.4	-43.31	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.93	-13	N/A	5001
1000	10000	1	Peak	7104	-20.39	-13	Pass	9002



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-26.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-16.56	-13	Pass	2986
30	1000	0.1	Peak	815.8	-46.98	-13	Pass	9701
1000	3000	1	Peak	1850	29.55	-13	N/A	2001
3000	20000	1	Peak	19750	-37.47	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-24.95	-13	Pass	401
0.15	30	0.01	Peak	0.15	-17.88	-13	Pass	2986
30	1000	0.1	Peak	948.1	-46.58	-13	Pass	9701
1000	3000	1	Peak	1880	29.89	-13	N/A	2001
3000	20000	1	Peak	19988	-37.47	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-24.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-17.29	-13	Pass	2986
30	1000	0.1	Peak	997.5	-47.04	-13	Pass	9701
1000	3000	1	Peak	1909	27.29	-13	N/A	2001
3000	20000	1	Peak	19737	-37.47	-13	Pass	17001



### 3. EGPRS\_GSM850

#### 3.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.67	-13	Pass	401
0.15	30	0.01	Peak	0.63	-53.12	-13	Pass	2986
30	500	0.1	Peak	461.9	-43.46	-13	Pass	4701
500	1000	0.1	Peak	824.1	27.85	-13	N/A	5001
1000	10000	1	Peak	7239	-20.33	-13	Pass	9002






### 3.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.53	-13	Pass	401
0.15	30	0.01	Peak	0.18	-51.9	-13	Pass	2986
30	500	0.1	Peak	488.8	-43.08	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.91	-13	N/A	5001
1000	10000	1	Peak	7011	-20.42	-13	Pass	9002



### 3.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-52.83	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.04	-13	Pass	2986
30	500	0.1	Peak	453.2	-43.75	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.8	-13	N/A	5001
1000	10000	1	Peak	7434	-20.36	-13	Pass	9002



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-24.88	-13	Pass	401
0.15	30	0.01	Peak	0.16	-17.33	-13	Pass	2986
30	1000	0.1	Peak	892.2	-46.85	-13	Pass	9701
1000	3000	1	Peak	1851	26.75	-13	N/A	2001
3000	20000	1	Peak	19790	-37.51	-13	Pass	17001




## 4.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-26.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-17.55	-13	Pass	2986
30	1000	0.1	Peak	906.5	-47.06	-13	Pass	9701
1000	3000	1	Peak	1880	29.01	-13	N/A	2001
3000	20000	1	Peak	19336	-37.78	-13	Pass	17001



### 4.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-24.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-16.79	-13	Pass	2986
30	1000	0.1	Peak	772.2	-46.88	-13	Pass	9701
1000	3000	1	Peak	1910	29.39	-13	N/A	2001
3000	20000	1	Peak	19402	-37.75	-13	Pass	17001



## 5. WCDMA\_Band2


### 5.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-32.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-22.26	-13	Pass	2986
30	1000	0.1	Peak	936	-50.93	-13	Pass	9701
1000	3000	1	Peak	1851	24.42	-13	N/A	2001
3000	20000	1	Peak	19365	-16.23	-13	Pass	17001




## 5.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-31.73	-13	Pass	401
0.15	30	0.01	Peak	0.17	-22.87	-13	Pass	2986
30	1000	0.1	Peak	885.8	-51.27	-13	Pass	9701
1000	3000	1	Peak	1879	24.45	-13	N/A	2001
3000	20000	1	Peak	19711	-16.51	-13	Pass	17001



### 5.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-30.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-24	-13	Pass	2986
30	1000	0.1	Peak	908.7	-50.64	-13	Pass	9701
1000	3000	1	Peak	1906	24.74	-13	N/A	2001
3000	20000	1	Peak	19709	-16.03	-13	Pass	17001






## 6. WCDMA\_Band4


### 6.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-23.93	-13	Pass	2986
30	1000	0.1	Peak	946.7	-51.12	-13	Pass	9701
1000	3000	1	Peak	1711	24.87	-13	N/A	2001
3000	20000	1	Peak	19741	-16.16	-13	Pass	17001




## 6.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-31.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-21.54	-13	Pass	2986
30	1000	0.1	Peak	929.1	-50.92	-13	Pass	9701
1000	3000	1	Peak	1731	24.8	-13	N/A	2001
3000	20000	1	Peak	19988	-16.46	-13	Pass	17001



### 6.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.02	-13	Pass	401
0.15	30	0.01	Peak	0.15	-24.91	-13	Pass	2986
30	1000	0.1	Peak	913.5	-50.82	-13	Pass	9701
1000	3000	1	Peak	1751	24.91	-13	N/A	2001
3000	20000	1	Peak	19986	-16.55	-13	Pass	17001



## 7. WCDMA\_Band5


### 7.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-31.27	-13	Pass	401
0.15	30	0.01	Peak	0.16	-23.14	-13	Pass	2986
30	500	0.1	Peak	445.8	-52.73	-13	Pass	4701
500	1000	0.1	Peak	825.2	18.46	-13	N/A	5001
1000	10000	1	Peak	9544	-30.16	-13	Pass	9001




## 7.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-32.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-22.92	-13	Pass	2986
30	500	0.1	Peak	470.3	-52.87	-13	Pass	4701
500	1000	0.1	Peak	837.6	18.97	-13	N/A	5001
1000	10000	1	Peak	7697	-30.19	-13	Pass	9001



### 7.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-32.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-23.91	-13	Pass	2986
30	500	0.1	Peak	449	-53.35	-13	Pass	4701
500	1000	0.1	Peak	845.1	18.57	-13	N/A	5001
1000	10000	1	Peak	9571	-30.82	-13	Pass	9001



## 8. LTE\_Band2


### 8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.53	-13	Pass	2986
30	1000	0.1	RMS	915.3	-61.91	-13	Pass	9701
1000	1840	1	RMS	1840	-50.24	-13	Pass	841
1840	1920	1	RMS	1850.2	24.19	60	Pass	401
1920	3000	1	RMS	2650	-46.36	-13	Pass	1081
3000	12000	1	RMS	11851	-39.61	-13	Pass	9001
12000	20000	1	RMS	19996	-26.69	-13	Pass	8001



**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.56	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1920	1	RMS	1850.2	23.23	60	Pass	401
1920	3000	1	RMS	2636	-46.36	-13	Pass	1081
3000	12000	1	RMS	11847	-39.65	-13	Pass	9001
12000	20000	1	RMS	19995	-26.71	-13	Pass	8001






**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-36.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.44	-13	Pass	2986
30	1000	0.1	RMS	955.8	-62.02	-13	Pass	9701
1000	1840	1	RMS	1839	-50.36	-13	Pass	841
1840	1920	1	RMS	1879.6	24.02	60	Pass	401
1920	3000	1	RMS	2656	-46.35	-13	Pass	1081
3000	12000	1	RMS	11849	-39.62	-13	Pass	9001
12000	20000	1	RMS	19999	-26.67	-13	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-35.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.89	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1879.6	23.09	60	Pass	401
1920	3000	1	RMS	2649	-46.38	-13	Pass	1081
3000	12000	1	RMS	11849	-39.59	-13	Pass	9001
12000	20000	1	RMS	20000	-26.65	-13	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.69	-13	Pass	2986
30	1000	0.1	RMS	917.9	-61.95	-13	Pass	9701
1000	1840	1	RMS	1839	-50.4	-13	Pass	841
1840	1920	1	RMS	1908.8	23.86	60	Pass	401
1920	3000	1	RMS	2642	-46.35	-13	Pass	1081
3000	12000	1	RMS	11847	-39.62	-13	Pass	9001
12000	20000	1	RMS	19998	-26.63	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.45	-13	Pass	2986
30	1000	0.1	RMS	951.6	-61.97	-13	Pass	9701
1000	1840	1	RMS	1838	-50.44	-13	Pass	841
1840	1920	1	RMS	1908.8	22.96	60	Pass	401
1920	3000	1	RMS	2659	-46.36	-13	Pass	1081
3000	12000	1	RMS	11839	-39.62	-13	Pass	9001
12000	20000	1	RMS	19998	-26.66	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.03	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.2	24.28	60	Pass	401
1920	3000	1	RMS	2649	-46.39	-13	Pass	1081
3000	12000	1	RMS	11850	-39.53	-13	Pass	9001
12000	20000	1	RMS	20000	-26.59	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.7	-13	Pass	2986
30	1000	0.1	RMS	924.3	-61.99	-13	Pass	9701
1000	1840	1	RMS	1839	-50.31	-13	Pass	841
1840	1920	1	RMS	1850.2	23.44	60	Pass	401
1920	3000	1	RMS	2646	-46.39	-13	Pass	1081
3000	12000	1	RMS	11850	-39.63	-13	Pass	9001
12000	20000	1	RMS	19999	-26.71	-13	Pass	8001



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.28	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	Pass	841
1840	1920	1	RMS	1878.8	24.05	60	Pass	401
1920	3000	1	RMS	2650	-46.4	-13	Pass	1081
3000	12000	1	RMS	11857	-39.6	-13	Pass	9001
12000	20000	1	RMS	20000	-26.59	-13	Pass	8001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.46	-13	Pass	2986
30	1000	0.1	RMS	933	-61.97	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1878.8	23.04	60	Pass	401
1920	3000	1	RMS	2653	-46.47	-13	Pass	1081
3000	12000	1	RMS	11858	-39.56	-13	Pass	9001
12000	20000	1	RMS	20000	-26.69	-13	Pass	8001






### 8.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.7	-13	Pass	2986
30	1000	0.1	RMS	923.2	-62	-13	Pass	9701
1000	1840	1	RMS	1839	-50.48	-13	Pass	841
1840	1920	1	RMS	1907.2	23.83	60	Pass	401
1920	3000	1	RMS	2646	-46.46	-13	Pass	1081
3000	12000	1	RMS	11851	-39.54	-13	Pass	9001
12000	20000	1	RMS	19996	-26.66	-13	Pass	8001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.68	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.06	-13	Pass	9701
1000	1840	1	RMS	1837	-50.48	-13	Pass	841
1840	1920	1	RMS	1907.2	22.91	60	Pass	401
1920	3000	1	RMS	2654	-46.45	-13	Pass	1081
3000	12000	1	RMS	11859	-39.64	-13	Pass	9001
12000	20000	1	RMS	19995	-26.72	-13	Pass	8001



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.44	-13	Pass	2986
30	1000	0.1	RMS	934.4	-61.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	Pass	841
1840	1920	1	RMS	1850.4	24.05	60	Pass	401
1920	3000	1	RMS	2644	-46.45	-13	Pass	1081
3000	12000	1	RMS	11847	-39.59	-13	Pass	9001
12000	20000	1	RMS	19997	-26.63	-13	Pass	8001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.15	-13	Pass	2986
30	1000	0.1	RMS	929.9	-61.95	-13	Pass	9701
1000	1840	1	RMS	1840	-50.32	-13	Pass	841
1840	1920	1	RMS	1850.4	23.1	60	Pass	401
1920	3000	1	RMS	2652	-46.49	-13	Pass	1081
3000	12000	1	RMS	11856	-39.54	-13	Pass	9001
12000	20000	1	RMS	19999	-26.57	-13	Pass	8001



### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.03	-13	Pass	2986
30	1000	0.1	RMS	918.7	-61.85	-13	Pass	9701
1000	1840	1	RMS	1833	-50.46	-13	Pass	841
1840	1920	1	RMS	1877.8	23.96	60	Pass	401
1920	3000	1	RMS	2650	-46.47	-13	Pass	1081
3000	12000	1	RMS	11852	-39.6	-13	Pass	9001
12000	20000	1	RMS	19993	-26.64	-13	Pass	8001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.76	-13	Pass	2986
30	1000	0.1	RMS	929.2	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1877.8	23.1	60	Pass	401
1920	3000	1	RMS	2655	-46.45	-13	Pass	1081
3000	12000	1	RMS	11853	-39.59	-13	Pass	9001
12000	20000	1	RMS	19998	-26.59	-13	Pass	8001



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.12	-13	Pass	2986
30	1000	0.1	RMS	922	-62.05	-13	Pass	9701
1000	1840	1	RMS	1833	-50.49	-13	Pass	841
1840	1920	1	RMS	1905.4	23.7	60	Pass	401
1920	3000	1	RMS	2649	-46.43	-13	Pass	1081
3000	12000	1	RMS	11849	-39.49	-13	Pass	9001
12000	20000	1	RMS	19999	-26.64	-13	Pass	8001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.95	-13	Pass	2986
30	1000	0.1	RMS	923.6	-61.92	-13	Pass	9701
1000	1840	1	RMS	1832	-50.5	-13	Pass	841
1840	1920	1	RMS	1905.4	22.94	60	Pass	401
1920	3000	1	RMS	2646	-46.47	-13	Pass	1081
3000	12000	1	RMS	11856	-39.58	-13	Pass	9001
12000	20000	1	RMS	19998	-26.69	-13	Pass	8001






### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.97	-13	Pass	2986
30	1000	0.1	RMS	955.2	-61.97	-13	Pass	9701
1000	1840	1	RMS	1840	-46.6	-13	Pass	841
1840	1920	1	RMS	1850.6	24.17	60	Pass	401
1920	3000	1	RMS	2640	-46.41	-13	Pass	1081
3000	12000	1	RMS	3701	-39.15	-13	Pass	9001
12000	20000	1	RMS	19998	-26.7	-13	Pass	8001



## 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.2	-13	Pass	2986
30	1000	0.1	RMS	934.9	-61.79	-13	Pass	9701
1000	1840	1	RMS	1840	-45.9	-13	Pass	841
1840	1920	1	RMS	1850.6	23.33	60	Pass	401
1920	3000	1	RMS	2656	-46.48	-13	Pass	1081
3000	12000	1	RMS	11850	-39.63	-13	Pass	9001
12000	20000	1	RMS	19999	-26.58	-13	Pass	8001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.25	-13	Pass	2986
30	1000	0.1	RMS	902.5	-61.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1875.6	24.05	60	Pass	401
1920	3000	1	RMS	2645	-46.41	-13	Pass	1081
3000	12000	1	RMS	11850	-39.56	-13	Pass	9001
12000	20000	1	RMS	20000	-26.57	-13	Pass	8001



### 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.56	-13	Pass	2986
30	1000	0.1	RMS	936.1	-61.98	-13	Pass	9701
1000	1840	1	RMS	1839	-50.47	-13	Pass	841
1840	1920	1	RMS	1875.6	23.04	60	Pass	401
1920	3000	1	RMS	2658	-46.42	-13	Pass	1081
3000	12000	1	RMS	11854	-39.56	-13	Pass	9001
12000	20000	1	RMS	20000	-26.62	-13	Pass	8001



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.01	-13	Pass	2986
30	1000	0.1	RMS	920.5	-61.97	-13	Pass	9701
1000	1840	1	RMS	1835	-50.43	-13	Pass	841
1840	1920	1	RMS	1900.6	23.93	60	Pass	401
1920	3000	1	RMS	2647	-46.41	-13	Pass	1081
3000	12000	1	RMS	11854	-39.6	-13	Pass	9001
12000	20000	1	RMS	20000	-26.61	-13	Pass	8001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.78	-13	Pass	2986
30	1000	0.1	RMS	915.9	-61.75	-13	Pass	9701
1000	1840	1	RMS	1838	-50.5	-13	Pass	841
1840	1920	1	RMS	1900.6	22.98	60	Pass	401
1920	3000	1	RMS	2647	-46.43	-13	Pass	1081
3000	12000	1	RMS	11840	-39.62	-13	Pass	9001
12000	20000	1	RMS	20000	-26.67	-13	Pass	8001



### 8.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.84	-13	Pass	2986
30	1000	0.1	RMS	919.7	-61.89	-13	Pass	9701
1000	1840	1	RMS	1840	-48.56	-13	Pass	841
1840	1920	1	RMS	1850.8	24.11	60	Pass	401
1920	3000	1	RMS	2647	-46.45	-13	Pass	1081
3000	12000	1	RMS	11851	-39.66	-13	Pass	9001
12000	20000	1	RMS	19998	-26.51	-13	Pass	8001



### 8.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.65	-13	Pass	2986
30	1000	0.1	RMS	928	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-48.86	-13	Pass	841
1840	1920	1	RMS	1850.8	23.33	60	Pass	401
1920	3000	1	RMS	2645	-46.46	-13	Pass	1081
3000	12000	1	RMS	11854	-39.63	-13	Pass	9001
12000	20000	1	RMS	19998	-26.56	-13	Pass	8001






### 8.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.81	-13	Pass	2986
30	1000	0.1	RMS	939.8	-61.94	-13	Pass	9701
1000	1840	1	RMS	1833	-50.47	-13	Pass	841
1840	1920	1	RMS	1873.4	23.87	60	Pass	401
1920	3000	1	RMS	2649	-46.51	-13	Pass	1081
3000	12000	1	RMS	11852	-39.57	-13	Pass	9001
12000	20000	1	RMS	19999	-26.63	-13	Pass	8001



### 8.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.07	-13	Pass	2986
30	1000	0.1	RMS	923.1	-61.89	-13	Pass	9701
1000	1840	1	RMS	1838	-50.46	-13	Pass	841
1840	1920	1	RMS	1873.4	22.97	60	Pass	401
1920	3000	1	RMS	2643	-46.45	-13	Pass	1081
3000	12000	1	RMS	11845	-39.59	-13	Pass	9001
12000	20000	1	RMS	19998	-26.58	-13	Pass	8001



### 8.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.58	-13	Pass	2986
30	1000	0.1	RMS	921.4	-62.05	-13	Pass	9701
1000	1840	1	RMS	1839	-50.44	-13	Pass	841
1840	1920	1	RMS	1895.8	23.93	60	Pass	401
1920	3000	1	RMS	1922	-42.53	-13	Pass	1081
3000	12000	1	RMS	11853	-39.61	-13	Pass	9001
12000	20000	1	RMS	19997	-26.61	-13	Pass	8001



### 8.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.94	-13	Pass	2986
30	1000	0.1	RMS	916.2	-62	-13	Pass	9701
1000	1840	1	RMS	1836	-50.46	-13	Pass	841
1840	1920	1	RMS	1895.8	23.12	60	Pass	401
1920	3000	1	RMS	1922	-43.6	-13	Pass	1081
3000	12000	1	RMS	11850	-39.5	-13	Pass	9001
12000	20000	1	RMS	19998	-26.57	-13	Pass	8001



### 8.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.78	-13	Pass	2986
30	1000	0.1	RMS	925.5	-61.89	-13	Pass	9701
1000	1840	1	RMS	1840	-49.05	-13	Pass	841
1840	1920	1	RMS	1851	24	60	Pass	401
1920	3000	1	RMS	2647	-46.42	-13	Pass	1081
3000	12000	1	RMS	3702	-39.51	-13	Pass	9001
12000	20000	1	RMS	19995	-26.67	-13	Pass	8001



### 8.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.4	-13	Pass	2986
30	1000	0.1	RMS	935.3	-61.95	-13	Pass	9701
1000	1840	1	RMS	1840	-49.18	-13	Pass	841
1840	1920	1	RMS	1851	23.17	60	Pass	401
1920	3000	1	RMS	2648	-46.48	-13	Pass	1081
3000	12000	1	RMS	11855	-39.59	-13	Pass	9001
12000	20000	1	RMS	19997	-26.58	-13	Pass	8001



### 8.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.26	-13	Pass	2986
30	1000	0.1	RMS	932.3	-62.02	-13	Pass	9701
1000	1840	1	RMS	1836	-50.31	-13	Pass	841
1840	1920	1	RMS	1871	23.82	60	Pass	401
1920	3000	1	RMS	2653	-46.44	-13	Pass	1081
3000	12000	1	RMS	11850	-39.57	-13	Pass	9001
12000	20000	1	RMS	19999	-26.48	-13	Pass	8001



### 8.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.23	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.04	-13	Pass	9701
1000	1840	1	RMS	1835	-50.42	-13	Pass	841
1840	1920	1	RMS	1871	22.84	60	Pass	401
1920	3000	1	RMS	2658	-46.44	-13	Pass	1081
3000	12000	1	RMS	11845	-39.55	-13	Pass	9001
12000	20000	1	RMS	19998	-26.59	-13	Pass	8001






### 8.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.6	-13	Pass	2986
30	1000	0.1	RMS	961.8	-62.02	-13	Pass	9701
1000	1840	1	RMS	1838	-50.47	-13	Pass	841
1840	1920	1	RMS	1891	23.79	60	Pass	401
1920	3000	1	RMS	2653	-46.47	-13	Pass	1081
3000	12000	1	RMS	11850	-39.6	-13	Pass	9001
12000	20000	1	RMS	19994	-26.6	-13	Pass	8001



### 8.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.16	-13	Pass	2986
30	1000	0.1	RMS	916.6	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1891	22.82	60	Pass	401
1920	3000	1	RMS	2648	-46.41	-13	Pass	1081
3000	12000	1	RMS	11851	-39.53	-13	Pass	9001
12000	20000	1	RMS	19998	-26.61	-13	Pass	8001



## 9. LTE\_Band4


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.36	-13	Pass	2986
30	1000	0.1	RMS	917.5	-61.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	Pass	701
1700	1765	1	RMS	1710.238	24.5	60	Pass	401
1765	3000	1	RMS	2652	-46.48	-13	Pass	1236
3000	12000	1	RMS	11850	-39.58	-13	Pass	9001
12000	20000	1	RMS	20000	-26.7	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.05	-13	Pass	2986
30	1000	0.1	RMS	942.8	-61.99	-13	Pass	9701
1000	1700	1	RMS	1700	-50.81	-13	Pass	701
1700	1765	1	RMS	1710.238	23.52	60	Pass	401
1765	3000	1	RMS	2655	-46.46	-13	Pass	1236
3000	12000	1	RMS	11850	-39.58	-13	Pass	9001
12000	20000	1	RMS	20000	-26.71	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.06	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1765	1	RMS	1732.013	24.53	60	Pass	401
1765	3000	1	RMS	2641	-46.46	-13	Pass	1236
3000	12000	1	RMS	11847	-39.61	-13	Pass	9001
12000	20000	1	RMS	19999	-26.67	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.72	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.01	-13	Pass	9701
1000	1700	1	RMS	1681	-51.03	-13	Pass	701
1700	1765	1	RMS	1732.013	23.56	60	Pass	401
1765	3000	1	RMS	2655	-46.47	-13	Pass	1236
3000	12000	1	RMS	11855	-39.57	-13	Pass	9001
12000	20000	1	RMS	19998	-26.65	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.26	-13	Pass	2986
30	1000	0.1	RMS	922.6	-62.05	-13	Pass	9701
1000	1700	1	RMS	1698	-50.97	-13	Pass	701
1700	1765	1	RMS	1753.788	24.53	60	Pass	401
1765	3000	1	RMS	2641	-46.34	-13	Pass	1236
3000	12000	1	RMS	11852	-39.48	-13	Pass	9001
12000	20000	1	RMS	20000	-26.54	-13	Pass	8001



**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.85	-13	Pass	2986
30	1000	0.1	RMS	906	-62.07	-13	Pass	9701
1000	1700	1	RMS	1693	-50.97	-13	Pass	701
1700	1765	1	RMS	1753.788	23.63	60	Pass	401
1765	3000	1	RMS	2640	-46.44	-13	Pass	1236
3000	12000	1	RMS	11850	-39.58	-13	Pass	9001
12000	20000	1	RMS	20000	-26.6	-13	Pass	8001






**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.75	-13	Pass	2986
30	1000	0.1	RMS	919.2	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.49	-13	Pass	701
1700	1765	1	RMS	1710.238	24.56	60	Pass	401
1765	3000	1	RMS	2646	-46.4	-13	Pass	1236
3000	12000	1	RMS	11844	-39.52	-13	Pass	9001
12000	20000	1	RMS	19997	-26.58	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.52	-13	Pass	2986
30	1000	0.1	RMS	934.3	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.56	-13	Pass	701
1700	1765	1	RMS	1710.238	23.78	60	Pass	401
1765	3000	1	RMS	2655	-46.44	-13	Pass	1236
3000	12000	1	RMS	11857	-39.54	-13	Pass	9001
12000	20000	1	RMS	20000	-26.54	-13	Pass	8001



**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.54	-13	Pass	2986
30	1000	0.1	RMS	899.5	-61.94	-13	Pass	9701
1000	1700	1	RMS	1697	-51.01	-13	Pass	701
1700	1765	1	RMS	1731.2	24.59	60	Pass	401
1765	3000	1	RMS	2645	-46.4	-13	Pass	1236
3000	12000	1	RMS	11845	-39.58	-13	Pass	9001
12000	20000	1	RMS	19998	-26.62	-13	Pass	8001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-34.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.9	-13	Pass	2986
30	1000	0.1	RMS	974.7	-61.97	-13	Pass	9701
1000	1700	1	RMS	1683	-51.04	-13	Pass	701
1700	1765	1	RMS	1731.2	23.62	60	Pass	401
1765	3000	1	RMS	2646	-46.45	-13	Pass	1236
3000	12000	1	RMS	11854	-39.6	-13	Pass	9001
12000	20000	1	RMS	20000	-26.64	-13	Pass	8001



### 9.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.7	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.01	-13	Pass	9701
1000	1700	1	RMS	1689	-51	-13	Pass	701
1700	1765	1	RMS	1752.163	24.63	60	Pass	401
1765	3000	1	RMS	2652	-46.39	-13	Pass	1236
3000	12000	1	RMS	11854	-39.59	-13	Pass	9001
12000	20000	1	RMS	19999	-26.64	-13	Pass	8001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.96	-13	Pass	2986
30	1000	0.1	RMS	954.4	-61.9	-13	Pass	9701
1000	1700	1	RMS	1577	-51.01	-13	Pass	701
1700	1765	1	RMS	1752.163	23.68	60	Pass	401
1765	3000	1	RMS	2656	-46.41	-13	Pass	1236
3000	12000	1	RMS	11850	-39.59	-13	Pass	9001
12000	20000	1	RMS	19998	-26.64	-13	Pass	8001



### 9.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.86	-13	Pass	2986
30	1000	0.1	RMS	916.5	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.41	-13	Pass	701
1700	1765	1	RMS	1710.4	24.37	60	Pass	401
1765	3000	1	RMS	2654	-46.48	-13	Pass	1236
3000	12000	1	RMS	11855	-39.58	-13	Pass	9001
12000	20000	1	RMS	20000	-26.67	-13	Pass	8001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.18	-13	Pass	2986
30	1000	0.1	RMS	905.7	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1765	1	RMS	1710.4	23.44	60	Pass	401
1765	3000	1	RMS	2651	-46.48	-13	Pass	1236
3000	12000	1	RMS	11845	-39.62	-13	Pass	9001
12000	20000	1	RMS	19998	-26.68	-13	Pass	8001






### 9.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.82	-13	Pass	2986
30	1000	0.1	RMS	894.6	-62.03	-13	Pass	9701
1000	1700	1	RMS	1698	-50.98	-13	Pass	701
1700	1765	1	RMS	1730.388	24.45	60	Pass	401
1765	3000	1	RMS	2640	-46.44	-13	Pass	1236
3000	12000	1	RMS	11854	-39.56	-13	Pass	9001
12000	20000	1	RMS	19999	-26.6	-13	Pass	8001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.34	-13	Pass	2986
30	1000	0.1	RMS	919	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-50.95	-13	Pass	701
1700	1765	1	RMS	1730.388	23.63	60	Pass	401
1765	3000	1	RMS	2651	-46.43	-13	Pass	1236
3000	12000	1	RMS	11855	-39.61	-13	Pass	9001
12000	20000	1	RMS	19998	-26.61	-13	Pass	8001



### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.14	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.05	-13	Pass	9701
1000	1700	1	RMS	1680	-50.99	-13	Pass	701
1700	1765	1	RMS	1750.375	24.54	60	Pass	401
1765	3000	1	RMS	2644	-46.42	-13	Pass	1236
3000	12000	1	RMS	11847	-39.58	-13	Pass	9001
12000	20000	1	RMS	19999	-26.55	-13	Pass	8001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.87	-13	Pass	2986
30	1000	0.1	RMS	959.4	-61.98	-13	Pass	9701
1000	1700	1	RMS	1678	-51.02	-13	Pass	701
1700	1765	1	RMS	1750.375	23.83	60	Pass	401
1765	3000	1	RMS	2645	-46.43	-13	Pass	1236
3000	12000	1	RMS	11851	-39.54	-13	Pass	9001
12000	20000	1	RMS	19997	-26.64	-13	Pass	8001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.59	-13	Pass	2986
30	1000	0.1	RMS	917.2	-61.9	-13	Pass	9701
1000	1700	1	RMS	1693	-42.03	-13	Pass	701
1700	1765	1	RMS	1710.563	24.52	60	Pass	401
1765	3000	1	RMS	2638	-46.42	-13	Pass	1236
3000	12000	1	RMS	11851	-39.54	-13	Pass	9001
12000	20000	1	RMS	19997	-26.63	-13	Pass	8001



## 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.09	-13	Pass	2986
30	1000	0.1	RMS	930.7	-61.93	-13	Pass	9701
1000	1700	1	RMS	1693	-43.84	-13	Pass	701
1700	1765	1	RMS	1710.563	23.72	60	Pass	401
1765	3000	1	RMS	2647	-46.4	-13	Pass	1236
3000	12000	1	RMS	11845	-39.64	-13	Pass	9001
12000	20000	1	RMS	19994	-26.65	-13	Pass	8001



### 9.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.79	-13	Pass	2986
30	1000	0.1	RMS	919.4	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	Pass	701
1700	1765	1	RMS	1728.113	24.55	60	Pass	401
1765	3000	1	RMS	2647	-46.45	-13	Pass	1236
3000	12000	1	RMS	11845	-39.56	-13	Pass	9001
12000	20000	1	RMS	20000	-26.57	-13	Pass	8001



### 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.05	-13	Pass	2986
30	1000	0.1	RMS	923	-61.96	-13	Pass	9701
1000	1700	1	RMS	1696	-50.57	-13	Pass	701
1700	1765	1	RMS	1728.113	23.56	60	Pass	401
1765	3000	1	RMS	2644	-46.45	-13	Pass	1236
3000	12000	1	RMS	11847	-39.59	-13	Pass	9001
12000	20000	1	RMS	20000	-26.58	-13	Pass	8001






### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.02	-13	Pass	2986
30	1000	0.1	RMS	896.9	-62.01	-13	Pass	9701
1000	1700	1	RMS	1694	-50.96	-13	Pass	701
1700	1765	1	RMS	1745.663	24.61	60	Pass	401
1765	3000	1	RMS	2645	-46.47	-13	Pass	1236
3000	12000	1	RMS	11854	-39.6	-13	Pass	9001
12000	20000	1	RMS	20000	-26.62	-13	Pass	8001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.28	-13	Pass	2986
30	1000	0.1	RMS	949.2	-61.96	-13	Pass	9701
1000	1700	1	RMS	1698	-50.98	-13	Pass	701
1700	1765	1	RMS	1745.663	23.71	60	Pass	401
1765	3000	1	RMS	2652	-46.42	-13	Pass	1236
3000	12000	1	RMS	11851	-39.6	-13	Pass	9001
12000	20000	1	RMS	19998	-26.62	-13	Pass	8001



### 9.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.94	-13	Pass	2986
30	1000	0.1	RMS	920.5	-62.01	-13	Pass	9701
1000	1700	1	RMS	1698	-45.12	-13	Pass	701
1700	1765	1	RMS	1710.888	24.46	60	Pass	401
1765	3000	1	RMS	2648	-46.48	-13	Pass	1236
3000	12000	1	RMS	11851	-39.58	-13	Pass	9001
12000	20000	1	RMS	19997	-26.6	-13	Pass	8001



### 9.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-35.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.02	-13	Pass	2986
30	1000	0.1	RMS	916.5	-61.91	-13	Pass	9701
1000	1700	1	RMS	1698	-45.33	-13	Pass	701
1700	1765	1	RMS	1710.888	23.64	60	Pass	401
1765	3000	1	RMS	2650	-46.35	-13	Pass	1236
3000	12000	1	RMS	11841	-39.61	-13	Pass	9001
12000	20000	1	RMS	20000	-26.5	-13	Pass	8001



### 9.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.03	-13	Pass	2986
30	1000	0.1	RMS	930.7	-61.98	-13	Pass	9701
1000	1700	1	RMS	1699	-42.52	-13	Pass	701
1700	1765	1	RMS	1725.838	24.48	60	Pass	401
1765	3000	1	RMS	2655	-46.42	-13	Pass	1236
3000	12000	1	RMS	11848	-39.52	-13	Pass	9001
12000	20000	1	RMS	19999	-26.59	-13	Pass	8001



### 9.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.49	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.03	-13	Pass	9701
1000	1700	1	RMS	1699	-44.41	-13	Pass	701
1700	1765	1	RMS	1725.838	23.52	60	Pass	401
1765	3000	1	RMS	2650	-46.47	-13	Pass	1236
3000	12000	1	RMS	11843	-39.58	-13	Pass	9001
12000	20000	1	RMS	19998	-26.64	-13	Pass	8001



### 9.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.72	-13	Pass	2986
30	1000	0.1	RMS	888.2	-61.98	-13	Pass	9701
1000	1700	1	RMS	1681	-50.94	-13	Pass	701
1700	1765	1	RMS	1740.788	24.59	60	Pass	401
1765	3000	1	RMS	1767	-27.69	-13	Pass	1236
3000	12000	1	RMS	11850	-39.63	-13	Pass	9001
12000	20000	1	RMS	19990	-26.68	-13	Pass	8001



### 9.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.64	-13	Pass	2986
30	1000	0.1	RMS	930.6	-61.96	-13	Pass	9701
1000	1700	1	RMS	1695	-51.01	-13	Pass	701
1700	1765	1	RMS	1740.788	23.77	60	Pass	401
1765	3000	1	RMS	1767	-29.05	-13	Pass	1236
3000	12000	1	RMS	11852	-39.6	-13	Pass	9001
12000	20000	1	RMS	19999	-26.62	-13	Pass	8001






### 9.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.58	-13	Pass	2986
30	1000	0.1	RMS	941	-62.02	-13	Pass	9701
1000	1700	1	RMS	1693	-44.26	-13	Pass	701
1700	1765	1	RMS	1711.05	24.42	60	Pass	401
1765	3000	1	RMS	2652	-46.43	-13	Pass	1236
3000	12000	1	RMS	11850	-39.58	-13	Pass	9001
12000	20000	1	RMS	19996	-26.64	-13	Pass	8001



### 9.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.47	-13	Pass	2986
30	1000	0.1	RMS	927.3	-61.94	-13	Pass	9701
1000	1700	1	RMS	1693	-45.64	-13	Pass	701
1700	1765	1	RMS	1711.05	23.62	60	Pass	401
1765	3000	1	RMS	2647	-46.47	-13	Pass	1236
3000	12000	1	RMS	11846	-39.57	-13	Pass	9001
12000	20000	1	RMS	19999	-26.62	-13	Pass	8001



### 9.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.84	-13	Pass	2986
30	1000	0.1	RMS	934.5	-62.01	-13	Pass	9701
1000	1700	1	RMS	1688	-50.13	-13	Pass	701
1700	1765	1	RMS	1723.563	24.43	60	Pass	401
1765	3000	1	RMS	2644	-46.44	-13	Pass	1236
3000	12000	1	RMS	11853	-39.52	-13	Pass	9001
12000	20000	1	RMS	20000	-26.56	-13	Pass	8001



### 9.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.81	-13	Pass	2986
30	1000	0.1	RMS	915.3	-62	-13	Pass	9701
1000	1700	1	RMS	1688	-50.73	-13	Pass	701
1700	1765	1	RMS	1723.563	23.49	60	Pass	401
1765	3000	1	RMS	2657	-46.47	-13	Pass	1236
3000	12000	1	RMS	11848	-39.6	-13	Pass	9001
12000	20000	1	RMS	19999	-26.66	-13	Pass	8001



### 9.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.36	-13	Pass	2986
30	1000	0.1	RMS	930	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-44.69	-13	Pass	701
1700	1765	1	RMS	1736.075	24.48	60	Pass	401
1765	3000	1	RMS	1772	-27.58	-13	Pass	1236
3000	12000	1	RMS	11855	-39.56	-13	Pass	9001
12000	20000	1	RMS	19998	-26.6	-13	Pass	8001



### 9.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.97	-13	Pass	2986
30	1000	0.1	RMS	903.2	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-46.06	-13	Pass	701
1700	1765	1	RMS	1736.075	23.5	60	Pass	401
1765	3000	1	RMS	1772	-29.05	-13	Pass	1236
3000	12000	1	RMS	11850	-39.57	-13	Pass	9001
12000	20000	1	RMS	19998	-26.67	-13	Pass	8001



## 10. LTE\_Band5


### 10.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.08	-13	Pass	2986
30	814	0.1	RMS	814	-62.12	-13	Pass	7841
814	860	0.1	RMS	824.3	21.02	60	Pass	461
860	1000	0.1	RMS	924.3	-62.32	-13	Pass	1401
1000	3000	1	RMS	2649	-46.45	-13	Pass	2001
3000	10000	1	RMS	7730	-41.92	-13	Pass	7001



**10.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-30	-13	Pass	2986
30	814	0.1	RMS	814	-62.2	-13	Pass	7841
814	860	0.1	RMS	824.3	20.18	60	Pass	461
860	1000	0.1	RMS	914.8	-62.23	-13	Pass	1401
1000	3000	1	RMS	2651	-46.46	-13	Pass	2001
3000	10000	1	RMS	7731	-41.93	-13	Pass	7001






**10.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.01	-13	Pass	2986
30	814	0.1	RMS	809.9	-62.19	-13	Pass	7841
814	860	0.1	RMS	836.1	21.09	60	Pass	461
860	1000	0.1	RMS	934.4	-62.22	-13	Pass	1401
1000	3000	1	RMS	2650	-46.43	-13	Pass	2001
3000	10000	1	RMS	7728	-41.85	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.18	-13	Pass	2986
30	814	0.1	RMS	813	-62.24	-13	Pass	7841
814	860	0.1	RMS	836.1	20.13	60	Pass	461
860	1000	0.1	RMS	920.1	-62.33	-13	Pass	1401
1000	3000	1	RMS	2648	-46.48	-13	Pass	2001
3000	10000	1	RMS	7741	-41.94	-13	Pass	7001




**10.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.86	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.18	-13	Pass	7841
814	860	0.1	RMS	847.9	21	60	Pass	461
860	1000	0.1	RMS	931.6	-62.34	-13	Pass	1401
1000	3000	1	RMS	2648	-46.41	-13	Pass	2001
3000	10000	1	RMS	7733	-41.91	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.69	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.12	-13	Pass	7841
814	860	0.1	RMS	847.9	20.09	60	Pass	461
860	1000	0.1	RMS	939.7	-62.28	-13	Pass	1401
1000	3000	1	RMS	2654	-46.47	-13	Pass	2001
3000	10000	1	RMS	7737	-41.9	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.01	-13	Pass	2986
30	814	0.1	RMS	812.7	-61.93	-13	Pass	7841
814	860	0.1	RMS	824.2	21.27	60	Pass	461
860	1000	0.1	RMS	920.9	-62.3	-13	Pass	1401
1000	3000	1	RMS	2653	-46.46	-13	Pass	2001
3000	10000	1	RMS	7725	-41.94	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.97	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.98	-13	Pass	7841
814	860	0.1	RMS	824.2	20.44	60	Pass	461
860	1000	0.1	RMS	939.2	-62.21	-13	Pass	1401
1000	3000	1	RMS	2654	-46.45	-13	Pass	2001
3000	10000	1	RMS	7730	-41.88	-13	Pass	7001



**10.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.36	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.19	-13	Pass	7841
814	860	0.1	RMS	835.2	21.35	60	Pass	461
860	1000	0.1	RMS	933.9	-62.3	-13	Pass	1401
1000	3000	1	RMS	2653	-46.43	-13	Pass	2001
3000	10000	1	RMS	7741	-41.94	-13	Pass	7001



### 10.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-35.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.67	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.24	-13	Pass	7841
814	860	0.1	RMS	835.2	20.38	60	Pass	461
860	1000	0.1	RMS	930.8	-62.27	-13	Pass	1401
1000	3000	1	RMS	2651	-46.48	-13	Pass	2001
3000	10000	1	RMS	7732	-41.82	-13	Pass	7001






### 10.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.04	-13	Pass	2986
30	814	0.1	RMS	780.1	-62.29	-13	Pass	7841
814	860	0.1	RMS	846.2	21.3	60	Pass	461
860	1000	0.1	RMS	922	-62.3	-13	Pass	1401
1000	3000	1	RMS	2648	-46.49	-13	Pass	2001
3000	10000	1	RMS	7723	-41.94	-13	Pass	7001



### 10.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.86	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.27	-13	Pass	7841
814	860	0.1	RMS	846.2	20.4	60	Pass	461
860	1000	0.1	RMS	935.3	-62.19	-13	Pass	1401
1000	3000	1	RMS	2641	-46.49	-13	Pass	2001
3000	10000	1	RMS	7730	-41.94	-13	Pass	7001



### 10.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.56	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.93	-13	Pass	7841
814	860	0.1	RMS	824.3	21.18	60	Pass	461
860	1000	0.1	RMS	940.5	-62.35	-13	Pass	1401
1000	3000	1	RMS	1649	-46.12	-13	Pass	2001
3000	10000	1	RMS	7726	-41.91	-13	Pass	7001



### 10.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.9	-13	Pass	2986
30	814	0.1	RMS	814	-62.01	-13	Pass	7841
814	860	0.1	RMS	824.3	20.23	60	Pass	461
860	1000	0.1	RMS	946.8	-62.15	-13	Pass	1401
1000	3000	1	RMS	2649	-46.46	-13	Pass	2001
3000	10000	1	RMS	7734	-41.85	-13	Pass	7001



### 10.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.86	-13	Pass	2986
30	814	0.1	RMS	801	-62.28	-13	Pass	7841
814	860	0.1	RMS	834.3	21.27	60	Pass	461
860	1000	0.1	RMS	918.8	-62.33	-13	Pass	1401
1000	3000	1	RMS	2644	-46.47	-13	Pass	2001
3000	10000	1	RMS	7740	-41.9	-13	Pass	7001



### 10.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.73	-13	Pass	2986
30	814	0.1	RMS	814	-62.21	-13	Pass	7841
814	860	0.1	RMS	834.3	20.43	60	Pass	461
860	1000	0.1	RMS	929.6	-62.29	-13	Pass	1401
1000	3000	1	RMS	2647	-46.49	-13	Pass	2001
3000	10000	1	RMS	7731	-41.88	-13	Pass	7001



### 10.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.79	-13	Pass	2986
30	814	0.1	RMS	799	-62.16	-13	Pass	7841
814	860	0.1	RMS	844.3	21.28	60	Pass	461
860	1000	0.1	RMS	920.9	-62.33	-13	Pass	1401
1000	3000	1	RMS	1689	-46.4	-13	Pass	2001
3000	10000	1	RMS	7725	-41.94	-13	Pass	7001



### 10.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.83	-13	Pass	2986
30	814	0.1	RMS	799.7	-62.22	-13	Pass	7841
814	860	0.1	RMS	844.3	20.48	60	Pass	461
860	1000	0.1	RMS	894	-62.24	-13	Pass	1401
1000	3000	1	RMS	2646	-46.46	-13	Pass	2001
3000	10000	1	RMS	7731	-41.9	-13	Pass	7001






### 10.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.41	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.08	-13	Pass	7841
814	860	0.1	RMS	824.6	21.7	60	Pass	461
860	1000	0.1	RMS	871.8	-62.29	-13	Pass	1401
1000	3000	1	RMS	1649	-45.59	-13	Pass	2001
3000	10000	1	RMS	7731	-41.9	-13	Pass	7001



### 10.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.72	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.76	-13	Pass	7841
814	860	0.1	RMS	824.6	20.99	60	Pass	461
860	1000	0.1	RMS	942.4	-62.32	-13	Pass	1401
1000	3000	1	RMS	1649	-46.33	-13	Pass	2001
3000	10000	1	RMS	7725	-41.93	-13	Pass	7001



### 10.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-36.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.57	-13	Pass	2986
30	814	0.1	RMS	814	-62.16	-13	Pass	7841
814	860	0.1	RMS	832.1	21.84	60	Pass	461
860	1000	0.1	RMS	937.4	-62.18	-13	Pass	1401
1000	3000	1	RMS	2647	-46.46	-13	Pass	2001
3000	10000	1	RMS	7746	-41.91	-13	Pass	7001



## 10.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-35.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.55	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.29	-13	Pass	7841
814	860	0.1	RMS	832.1	20.89	60	Pass	461
860	1000	0.1	RMS	914.9	-62.32	-13	Pass	1401
1000	3000	1	RMS	2644	-46.47	-13	Pass	2001
3000	10000	1	RMS	7731	-41.85	-13	Pass	7001



### 10.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.78	-13	Pass	2986
30	814	0.1	RMS	801.8	-62.18	-13	Pass	7841
814	860	0.1	RMS	839.6	21.84	60	Pass	461
860	1000	0.1	RMS	927.8	-62.19	-13	Pass	1401
1000	3000	1	RMS	1679	-46.15	-13	Pass	2001
3000	10000	1	RMS	7735	-41.87	-13	Pass	7001



### 10.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.24	-13	Pass	2986
30	814	0.1	RMS	798	-62.17	-13	Pass	7841
814	860	0.1	RMS	839.6	20.89	60	Pass	461
860	1000	0.1	RMS	917.9	-62.27	-13	Pass	1401
1000	3000	1	RMS	2649	-46.45	-13	Pass	2001
3000	10000	1	RMS	7735	-41.94	-13	Pass	7001



## 11. LTE\_Band7


### 11.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.44	-69.95	-25	Pass	2986
30	1000	0.1	RMS	908.239	-61.35	-25	Pass	9701
1000	2490	1	RMS	2490	-47.4	-25	Pass	1491
2490	2580	1	RMS	2500.125	24.39	60	Pass	401
2580	3000	1	RMS	2979	-46.86	-25	Pass	421
3000	12000	1	RMS	10357	-57.73	-25	Pass	9002
12000	26000	1	RMS	25102	-49.91	-25	Pass	14002



**11.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.43	-25	Pass	2986
30	1000	0.1	RMS	875.117	-61.51	-25	Pass	9701
1000	2490	1	RMS	2490	-47.41	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.66	60	Pass	401
2580	3000	1	RMS	2954	-46.81	-25	Pass	421
3000	12000	1	RMS	11909	-57.73	-25	Pass	9002
12000	26000	1	RMS	25803	-45.16	-25	Pass	14002






**11.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.45	-25	Pass	2986
30	1000	0.1	RMS	903.636	-61.48	-25	Pass	9701
1000	2490	1	RMS	2490	-47.81	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.59	60	Pass	401
2580	3000	1	RMS	2951	-46.76	-25	Pass	421
3000	12000	1	RMS	10343	-57.68	-25	Pass	9002
12000	26000	1	RMS	25824	-45.09	-25	Pass	14002




**11.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.37	-25	Pass	2986
30	1000	0.1	RMS	992.495	-61.5	-25	Pass	9701
1000	2490	1	RMS	2490	-47.98	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.58	60	Pass	401
2580	3000	1	RMS	2974	-46.82	-25	Pass	421
3000	12000	1	RMS	10346	-57.68	-25	Pass	9002
12000	26000	1	RMS	25806	-45.2	-25	Pass	14002




**11.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-72.68	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.1	-25	Pass	2986
30	1000	0.1	RMS	916.144	-61.26	-25	Pass	9701
1000	2490	1	RMS	2490	-48.03	-25	Pass	1491
2490	2580	1	RMS	2565.15	24.31	60	Pass	401
2580	3000	1	RMS	2961	-46.86	-25	Pass	421
3000	12000	1	RMS	11966	-57.76	-25	Pass	9002
12000	26000	1	RMS	25869	-45.19	-25	Pass	14002




**11.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.02	-25	Pass	2986
30	1000	0.1	RMS	903.136	-61.42	-25	Pass	9701
1000	2490	1	RMS	2485	-47.89	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.58	60	Pass	401
2580	3000	1	RMS	2959	-46.81	-25	Pass	421
3000	12000	1	RMS	11483	-57.69	-25	Pass	9002
12000	26000	1	RMS	25807	-45.18	-25	Pass	14002




**11.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-74.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.13	-25	Pass	2986
30	1000	0.1	RMS	895.431	-61.5	-25	Pass	9701
1000	2490	1	RMS	2483	-39.81	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.61	60	Pass	401
2580	3000	1	RMS	2949	-46.8	-25	Pass	421
3000	12000	1	RMS	11972	-57.72	-25	Pass	9002
12000	26000	1	RMS	25790	-45.27	-25	Pass	14002




**11.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.36	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.32	-25	Pass	2986
30	1000	0.1	RMS	992.195	-61.52	-25	Pass	9701
1000	2490	1	RMS	2483	-40.4	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.77	60	Pass	401
2580	3000	1	RMS	2970	-46.8	-25	Pass	421
3000	12000	1	RMS	10383	-57.73	-25	Pass	9002
12000	26000	1	RMS	25805	-45.19	-25	Pass	14002



**11.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.52	-69.78	-25	Pass	2986
30	1000	0.1	RMS	868.113	-61.4	-25	Pass	9701
1000	2490	1	RMS	2487	-48.02	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.75	60	Pass	401
2580	3000	1	RMS	2961	-46.86	-25	Pass	421
3000	12000	1	RMS	10399	-57.68	-25	Pass	9002
12000	26000	1	RMS	25859	-45.26	-25	Pass	14002



### 11.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.33	-70.71	-25	Pass	2986
30	1000	0.1	RMS	917.545	-61.45	-25	Pass	9701
1000	2490	1	RMS	2489	-48.03	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.77	60	Pass	401
2580	3000	1	RMS	2961	-46.85	-25	Pass	421
3000	12000	1	RMS	10346	-57.71	-25	Pass	9002
12000	26000	1	RMS	25826	-45.29	-25	Pass	14002






### 11.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.01	-25	Pass	401
0.15	30	0.01	RMS	2.85	-70.38	-25	Pass	2986
30	1000	0.1	RMS	909.44	-61.55	-25	Pass	9701
1000	2490	1	RMS	2490	-48.13	-25	Pass	1491
2490	2580	1	RMS	2560.425	24.56	60	Pass	401
2580	3000	1	RMS	2954	-46.86	-25	Pass	421
3000	12000	1	RMS	10396	-57.72	-25	Pass	9002
12000	26000	1	RMS	25806	-45.23	-25	Pass	14002



### 11.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.3	-25	Pass	2986
30	1000	0.1	RMS	919.547	-61.31	-25	Pass	9701
1000	2490	1	RMS	2490	-47.95	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.7	60	Pass	401
2580	3000	1	RMS	2971	-46.83	-25	Pass	421
3000	12000	1	RMS	10396	-57.7	-25	Pass	9002
12000	26000	1	RMS	25842	-45.21	-25	Pass	14002



### 11.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.21	-25	Pass	2986
30	1000	0.1	RMS	964.076	-61.6	-25	Pass	9701
1000	2490	1	RMS	2488	-42.79	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.47	60	Pass	401
2580	3000	1	RMS	2959	-46.76	-25	Pass	421
3000	12000	1	RMS	10378	-57.72	-25	Pass	9002
12000	26000	1	RMS	25809	-45.16	-25	Pass	14002



### 11.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.06	-25	Pass	2986
30	1000	0.1	RMS	845.7	-60.08	-25	Pass	9701
1000	2490	1	RMS	2488	-43.74	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.69	60	Pass	401
2580	3000	1	RMS	2952	-46.69	-25	Pass	421
3000	12000	1	RMS	11856	-57.6	-25	Pass	9002
12000	26000	1	RMS	25797	-45.19	-25	Pass	14002



### 11.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.03	-25	Pass	401
0.15	30	0.01	RMS	13.22	-69.53	-25	Pass	2986
30	1000	0.1	RMS	733.3	-60.27	-25	Pass	9701
1000	2490	1	RMS	2490	-47.75	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.7	60	Pass	401
2580	3000	1	RMS	2978	-46.81	-25	Pass	421
3000	12000	1	RMS	10369	-57.65	-25	Pass	9002
12000	26000	1	RMS	25810	-45.17	-25	Pass	14002



### 11.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-25	Pass	2986
30	1000	0.1	RMS	862.809	-61.66	-25	Pass	9701
1000	2490	1	RMS	2488	-48.01	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.73	60	Pass	401
2580	3000	1	RMS	2961	-46.82	-25	Pass	421
3000	12000	1	RMS	10368	-57.66	-25	Pass	9002
12000	26000	1	RMS	25831	-45.06	-25	Pass	14002



### 11.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.94	-25	Pass	2986
30	1000	0.1	RMS	595.8	-61.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.77	-25	Pass	1491
2490	2595	1	RMS	2555.625	24.35	60	Pass	401
2595	3000	1	RMS	2962	-46.69	-25	Pass	406
3000	12000	1	RMS	10359	-57.61	-25	Pass	9002
12000	26000	1	RMS	25792	-45.08	-25	Pass	14002



### 11.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-25	Pass	401
0.15	30	0.01	RMS	15.43	-69.77	-25	Pass	2986
30	1000	0.1	RMS	826	-59.98	-25	Pass	9701
1000	2490	1	RMS	2490	-47.79	-25	Pass	1491
2490	2595	1	RMS	2555.625	23.66	60	Pass	401
2595	3000	1	RMS	2950	-46.68	-25	Pass	406
3000	12000	1	RMS	10363	-57.62	-25	Pass	9002
12000	26000	1	RMS	25781	-45.16	-25	Pass	14002






### 11.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-25	Pass	401
0.15	30	0.01	RMS	0.62	-69.21	-25	Pass	2986
30	1000	0.1	RMS	470.2	-59.98	-25	Pass	9701
1000	2490	1	RMS	2483	-43.83	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.55	60	Pass	401
2580	3000	1	RMS	2957	-46.72	-25	Pass	421
3000	12000	1	RMS	10377	-57.54	-25	Pass	9002
12000	26000	1	RMS	25764	-45.18	-25	Pass	14002



### 11.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-25	Pass	401
0.15	30	0.01	RMS	22.1	-69.3	-25	Pass	2986
30	1000	0.1	RMS	888.426	-59.71	-25	Pass	9701
1000	2490	1	RMS	2483	-44.83	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.74	60	Pass	401
2580	3000	1	RMS	2960	-46.7	-25	Pass	421
3000	12000	1	RMS	11865	-57.65	-25	Pass	9002
12000	26000	1	RMS	25971	-45.2	-25	Pass	14002



### 11.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-25	Pass	2986
30	1000	0.1	RMS	919.046	-61.2	-25	Pass	9701
1000	2490	1	RMS	2490	-39.12	-25	Pass	1491
2490	2580	1	RMS	2526	24.58	60	Pass	401
2580	3000	1	RMS	2962	-46.8	-25	Pass	421
3000	12000	1	RMS	11996	-57.75	-25	Pass	9002
12000	26000	1	RMS	25788	-45.28	-25	Pass	14002



### 11.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.84	-25	Pass	2986
30	1000	0.1	RMS	890.828	-61.05	-25	Pass	9701
1000	2490	1	RMS	2490	-41.26	-25	Pass	1491
2490	2580	1	RMS	2526	23.69	60	Pass	401
2580	3000	1	RMS	2948	-46.84	-25	Pass	421
3000	12000	1	RMS	10398	-57.63	-25	Pass	9002
12000	26000	1	RMS	25827	-45.22	-25	Pass	14002



### 11.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.68	-25	Pass	2986
30	1000	0.1	RMS	894.63	-61.27	-25	Pass	9701
1000	2490	1	RMS	2477	-48.13	-25	Pass	1491
2490	2595	1	RMS	2550.9	24.44	60	Pass	401
2595	3000	1	RMS	2962	-46.8	-25	Pass	406
3000	12000	1	RMS	11454	-57.81	-25	Pass	9002
12000	26000	1	RMS	25835	-45.12	-25	Pass	14002



### 11.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.74	-70.23	-25	Pass	2986
30	1000	0.1	RMS	927.952	-61.35	-25	Pass	9701
1000	2490	1	RMS	2490	-48.09	-25	Pass	1491
2490	2595	1	RMS	2550.9	23.34	60	Pass	401
2595	3000	1	RMS	2951	-46.81	-25	Pass	406
3000	12000	1	RMS	10386	-57.76	-25	Pass	9002
12000	26000	1	RMS	25804	-45.31	-25	Pass	14002



## 12. LTE\_Band13


### 12.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-37.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.91	-13	Pass	2986
30	767	0.1	RMS	751.4	-62.52	-13	Pass	7371
767	797	0.1	RMS	777.35	21.39	60	Pass	401
797	1000	0.1	RMS	947.6	-62.06	-13	Pass	2031
1000	3000	1	RMS	1555	-45.95	-13	Pass	2001
3000	10000	1	RMS	7731	-41.93	-13	Pass	7001



**12.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.64	-13	Pass	2986
30	767	0.1	RMS	759.6	-62.55	-13	Pass	7371
767	797	0.1	RMS	777.35	20.58	60	Pass	401
797	1000	0.1	RMS	927.6	-62.11	-13	Pass	2031
1000	3000	1	RMS	2648	-46.39	-13	Pass	2001
3000	10000	1	RMS	7732	-41.92	-13	Pass	7001






**12.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.35	-13	Pass	2986
30	767	0.1	RMS	763.5	-62.59	-13	Pass	7371
767	797	0.1	RMS	779.825	21.45	60	Pass	401
797	1000	0.1	RMS	926.2	-62.02	-13	Pass	2031
1000	3000	1	RMS	1560	-46.33	-13	Pass	2001
3000	10000	1	RMS	7724	-41.92	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.91	-13	Pass	2986
30	767	0.1	RMS	747.1	-62.62	-13	Pass	7371
767	797	0.1	RMS	779.825	20.69	60	Pass	401
797	1000	0.1	RMS	950.9	-62.15	-13	Pass	2031
1000	3000	1	RMS	2654	-46.39	-13	Pass	2001
3000	10000	1	RMS	7727	-41.9	-13	Pass	7001




**12.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.7	-13	Pass	2986
30	767	0.1	RMS	761.7	-62.51	-13	Pass	7371
767	797	0.1	RMS	782.3	21.12	60	Pass	401
797	1000	0.1	RMS	973.7	-62.04	-13	Pass	2031
1000	3000	1	RMS	2654	-46.33	-13	Pass	2001
3000	10000	1	RMS	7710	-41.91	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.78	-13	Pass	2986
30	767	0.1	RMS	765.5	-62.52	-13	Pass	7371
767	797	0.1	RMS	782.375	20.36	60	Pass	401
797	1000	0.1	RMS	926	-62.08	-13	Pass	2031
1000	3000	1	RMS	2646	-46.39	-13	Pass	2001
3000	10000	1	RMS	7745	-41.89	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.52	-13	Pass	2986
30	767	0.1	RMS	765.9	-62.54	-13	Pass	7371
767	797	0.1	RMS	777.575	21.6	60	Pass	401
797	1000	0.1	RMS	968.4	-61.97	-13	Pass	2031
1000	3000	1	RMS	1555	-45.59	-13	Pass	2001
3000	10000	1	RMS	7729	-41.88	-13	Pass	7001



**12.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.25	-13	Pass	2986
30	767	0.1	RMS	765.5	-62.57	-13	Pass	7371
767	797	0.1	RMS	777.575	20.76	60	Pass	401
797	1000	0.1	RMS	797.4	-62.06	-13	Pass	2031
1000	3000	1	RMS	1555	-46.11	-13	Pass	2001
3000	10000	1	RMS	7732	-41.9	-13	Pass	7001



### 13. LTE\_Band26(part22)


13.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.03	-13	Pass	2986
30	814	0.1	RMS	813.5	-60.53	-13	Pass	7841
814	860	0.1	RMS	824.3	21.08	60	Pass	461
860	1000	0.1	RMS	907.9	-61.13	-13	Pass	1401
1000	3000	1	RMS	1648	-44.48	-13	Pass	2001
3000	10000	1	RMS	7098	-38.22	-13	Pass	7001



**13.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.3	-70.01	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.78	-13	Pass	7841
814	860	0.1	RMS	824.3	20.12	60	Pass	461
860	1000	0.1	RMS	864	-61.25	-13	Pass	1401
1000	3000	1	RMS	1648	-45.44	-13	Pass	2001
3000	10000	1	RMS	7104	-38.21	-13	Pass	7001






**13.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.02	-13	Pass	2986
30	814	0.1	RMS	809.7	-61.68	-13	Pass	7841
814	860	0.1	RMS	836.1	21.25	60	Pass	461
860	1000	0.1	RMS	908.2	-61.04	-13	Pass	1401
1000	3000	1	RMS	1672	-45.99	-13	Pass	2001
3000	10000	1	RMS	7103	-38.2	-13	Pass	7001




**13.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.07	-13	Pass	2986
30	814	0.1	RMS	740.6	-61.82	-13	Pass	7841
814	860	0.1	RMS	836.1	20.3	60	Pass	461
860	1000	0.1	RMS	979.1	-61.26	-13	Pass	1401
1000	3000	1	RMS	2952	-46.78	-13	Pass	2001
3000	10000	1	RMS	9997	-38.22	-13	Pass	7001




**13.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.95	-13	Pass	2986
30	814	0.1	RMS	486.5	-61.58	-13	Pass	7841
814	860	0.1	RMS	847.9	21.18	60	Pass	461
860	1000	0.1	RMS	888.2	-61.14	-13	Pass	1401
1000	3000	1	RMS	1695	-43.48	-13	Pass	2001
3000	10000	1	RMS	7095	-38.23	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.99	-13	Pass	2986
30	814	0.1	RMS	718.3	-61.7	-13	Pass	7841
814	860	0.1	RMS	847.9	20.27	60	Pass	461
860	1000	0.1	RMS	996.1	-61.24	-13	Pass	1401
1000	3000	1	RMS	1695	-44.94	-13	Pass	2001
3000	10000	1	RMS	7100	-38.2	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.48	-13	Pass	2986
30	814	0.1	RMS	813.5	-60.48	-13	Pass	7841
814	860	0.1	RMS	824.2	21.47	60	Pass	461
860	1000	0.1	RMS	985	-61.25	-13	Pass	1401
1000	3000	1	RMS	1648	-44.43	-13	Pass	2001
3000	10000	1	RMS	7100	-38.06	-13	Pass	7001




**13.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.66	-70.41	-13	Pass	2986
30	814	0.1	RMS	813.5	-60.88	-13	Pass	7841
814	860	0.1	RMS	824.2	20.5	60	Pass	461
860	1000	0.1	RMS	912.5	-61.17	-13	Pass	1401
1000	3000	1	RMS	1648	-45.17	-13	Pass	2001
3000	10000	1	RMS	7801	-38.16	-13	Pass	7001



**13.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.03	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.74	-13	Pass	7841
814	860	0.1	RMS	835.2	21.43	60	Pass	461
860	1000	0.1	RMS	892.2	-61.35	-13	Pass	1401
1000	3000	1	RMS	1670	-45.43	-13	Pass	2001
3000	10000	1	RMS	7801	-38.21	-13	Pass	7001



### 13.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.92	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.68	-13	Pass	7841
814	860	0.1	RMS	835.2	20.55	60	Pass	461
860	1000	0.1	RMS	997.4	-61.3	-13	Pass	1401
1000	3000	1	RMS	1670	-46.37	-13	Pass	2001
3000	10000	1	RMS	7101	-38.12	-13	Pass	7001






### 13.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.82	-13	Pass	2986
30	814	0.1	RMS	487.7	-61.73	-13	Pass	7841
814	860	0.1	RMS	846.2	21.42	60	Pass	461
860	1000	0.1	RMS	889	-61.24	-13	Pass	1401
1000	3000	1	RMS	1692	-45.56	-13	Pass	2001
3000	10000	1	RMS	7082	-38.25	-13	Pass	7001



### 13.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.91	-13	Pass	2986
30	814	0.1	RMS	474.7	-61.8	-13	Pass	7841
814	860	0.1	RMS	846.2	20.53	60	Pass	461
860	1000	0.1	RMS	871	-61.34	-13	Pass	1401
1000	3000	1	RMS	1692	-46.37	-13	Pass	2001
3000	10000	1	RMS	9998	-38.17	-13	Pass	7001



### 13.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.27	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.49	-13	Pass	7841
814	860	0.1	RMS	824.3	21.31	60	Pass	461
860	1000	0.1	RMS	989.2	-61.39	-13	Pass	1401
1000	3000	1	RMS	1648	-44.61	-13	Pass	2001
3000	10000	1	RMS	7100	-38.11	-13	Pass	7001



### 13.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.51	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.8	-13	Pass	7841
814	860	0.1	RMS	824.3	20.32	60	Pass	461
860	1000	0.1	RMS	885	-61.48	-13	Pass	1401
1000	3000	1	RMS	1648	-45.57	-13	Pass	2001
3000	10000	1	RMS	7104	-38.02	-13	Pass	7001



### 13.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.27	-69.07	-13	Pass	2986
30	814	0.1	RMS	737.2	-61.78	-13	Pass	7841
814	860	0.1	RMS	834.3	21.36	60	Pass	461
860	1000	0.1	RMS	885.6	-61.1	-13	Pass	1401
1000	3000	1	RMS	1668	-46.07	-13	Pass	2001
3000	10000	1	RMS	7099	-38.12	-13	Pass	7001



### 13.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.46	-13	Pass	2986
30	814	0.1	RMS	810.9	-61.8	-13	Pass	7841
814	860	0.1	RMS	834.3	20.59	60	Pass	461
860	1000	0.1	RMS	909.8	-61.16	-13	Pass	1401
1000	3000	1	RMS	1668	-46.78	-13	Pass	2001
3000	10000	1	RMS	7090	-38.22	-13	Pass	7001



### 13.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.26	-13	Pass	2986
30	814	0.1	RMS	726.7	-61.63	-13	Pass	7841
814	860	0.1	RMS	844.3	21.41	60	Pass	461
860	1000	0.1	RMS	894.5	-61.16	-13	Pass	1401
1000	3000	1	RMS	1688	-44.57	-13	Pass	2001
3000	10000	1	RMS	7098	-38.12	-13	Pass	7001



### 13.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	1.9	-70.5	-13	Pass	2986
30	814	0.1	RMS	493.7	-61.86	-13	Pass	7841
814	860	0.1	RMS	844.3	20.65	60	Pass	461
860	1000	0.1	RMS	882.1	-61.22	-13	Pass	1401
1000	3000	1	RMS	1688	-45.45	-13	Pass	2001
3000	10000	1	RMS	7108	-38.21	-13	Pass	7001






### 13.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.75	-13	Pass	7841
814	860	0.1	RMS	824.6	21.82	60	Pass	461
860	1000	0.1	RMS	885.7	-61.27	-13	Pass	1401
1000	3000	1	RMS	1649	-45.05	-13	Pass	2001
3000	10000	1	RMS	9999	-38.21	-13	Pass	7001



### 13.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.32	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.82	-13	Pass	7841
814	860	0.1	RMS	824.6	21.01	60	Pass	461
860	1000	0.1	RMS	898.6	-61.22	-13	Pass	1401
1000	3000	1	RMS	1649	-45.85	-13	Pass	2001
3000	10000	1	RMS	7100	-38.11	-13	Pass	7001



### 13.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.59	-13	Pass	2986
30	814	0.1	RMS	802.7	-61.68	-13	Pass	7841
814	860	0.1	RMS	832.1	21.94	60	Pass	461
860	1000	0.1	RMS	910.4	-61.18	-13	Pass	1401
1000	3000	1	RMS	2956	-46.78	-13	Pass	2001
3000	10000	1	RMS	7103	-38.13	-13	Pass	7001



### 13.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.57	-13	Pass	2986
30	814	0.1	RMS	814	-61.69	-13	Pass	7841
814	860	0.1	RMS	832.1	20.97	60	Pass	461
860	1000	0.1	RMS	886	-61.2	-13	Pass	1401
1000	3000	1	RMS	2949	-46.83	-13	Pass	2001
3000	10000	1	RMS	9997	-38.19	-13	Pass	7001



### 13.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.67	-13	Pass	2986
30	814	0.1	RMS	808.6	-61.82	-13	Pass	7841
814	860	0.1	RMS	839.6	21.83	60	Pass	461
860	1000	0.1	RMS	883.3	-61.27	-13	Pass	1401
1000	3000	1	RMS	1679	-44.06	-13	Pass	2001
3000	10000	1	RMS	7100	-38.17	-13	Pass	7001



### 13.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.6	-13	Pass	2986
30	814	0.1	RMS	488.3	-61.65	-13	Pass	7841
814	860	0.1	RMS	839.6	21.02	60	Pass	461
860	1000	0.1	RMS	891.4	-61.29	-13	Pass	1401
1000	3000	1	RMS	1679	-45	-13	Pass	2001
3000	10000	1	RMS	7102	-38.19	-13	Pass	7001



### 13.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.52	-13	Pass	2986
30	814	0.1	RMS	811.5	-52.27	-13	Pass	7841
814	860	0.1	RMS	824.8	21.41	60	Pass	461
860	1000	0.1	RMS	989.8	-61.38	-13	Pass	1401
1000	3000	1	RMS	1649	-44.66	-13	Pass	2001
3000	10000	1	RMS	9995	-38.2	-13	Pass	7001



### 13.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.22	-13	Pass	2986
30	814	0.1	RMS	811.6	-53.07	-13	Pass	7841
814	860	0.1	RMS	824.8	20.51	60	Pass	461
860	1000	0.1	RMS	888.1	-61.2	-13	Pass	1401
1000	3000	1	RMS	1649	-45.46	-13	Pass	2001
3000	10000	1	RMS	7100	-38.1	-13	Pass	7001






### 13.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.27	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.53	-13	Pass	7841
814	860	0.1	RMS	829.8	21.37	60	Pass	461
860	1000	0.1	RMS	891.5	-61.23	-13	Pass	1401
1000	3000	1	RMS	1659	-46.12	-13	Pass	2001
3000	10000	1	RMS	9993	-38.15	-13	Pass	7001



### 13.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.3	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.61	-13	Pass	7841
814	860	0.1	RMS	829.8	20.39	60	Pass	461
860	1000	0.1	RMS	865.3	-61.24	-13	Pass	1401
1000	3000	1	RMS	2961	-46.82	-13	Pass	2001
3000	10000	1	RMS	7104	-38.16	-13	Pass	7001



### 13.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.49	-13	Pass	2986
30	814	0.1	RMS	811.8	-58.4	-13	Pass	7841
814	860	0.1	RMS	834.8	21.33	60	Pass	461
860	1000	0.1	RMS	885.6	-61.28	-13	Pass	1401
1000	3000	1	RMS	1669	-45.82	-13	Pass	2001
3000	10000	1	RMS	7101	-38.22	-13	Pass	7001



### 13.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.3	-13	Pass	7841
814	860	0.1	RMS	834.8	20.47	60	Pass	461
860	1000	0.1	RMS	888.4	-61.2	-13	Pass	1401
1000	3000	1	RMS	1669	-46.57	-13	Pass	2001
3000	10000	1	RMS	7101	-38.05	-13	Pass	7001



## 14. LTE\_Band26(part90)


14.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.77	-13	Pass	401
0.15	30	0.01	Peak	25.98	-62.18	-13	Pass	2986
30	809	0.1	Peak	608.5	-50.31	-13	Pass	7791
809	829	0.1	Peak	814.3	26.75	60	Pass	401
829	1000	0.1	Peak	923.4	-49.88	-13	Pass	1711
1000	3000	1	Peak	2522	-34.02	-13	Pass	2001
3000	10000	1	Peak	7965	-25.6	-13	Pass	7001




**14.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.68	-13	Pass	401
0.15	30	0.01	Peak	15.12	-62.14	-13	Pass	2986
30	809	0.1	Peak	723.8	-50.47	-13	Pass	7791
809	829	0.1	Peak	814.3	27.07	60	Pass	401
829	1000	0.1	Peak	871.3	-49.54	-13	Pass	1711
1000	3000	1	Peak	2891	-34.67	-13	Pass	2001
3000	10000	1	Peak	7085	-25.66	-13	Pass	7001




**14.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.29	-13	Pass	401
0.15	30	0.01	Peak	0.47	-62.78	-13	Pass	2986
30	809	0.1	Peak	371.2	-50.62	-13	Pass	7791
809	829	0.1	Peak	818.55	26.83	60	Pass	401
829	1000	0.1	Peak	897.8	-50.11	-13	Pass	1711
1000	3000	1	Peak	3000	-34.6	-13	Pass	2001
3000	10000	1	Peak	7413	-25.76	-13	Pass	7001



**14.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.78	-13	Pass	401
0.15	30	0.01	Peak	29.21	-61.51	-13	Pass	2986
30	809	0.1	Peak	750.7	-50.93	-13	Pass	7791
809	829	0.1	Peak	818.6	26.86	60	Pass	401
829	1000	0.1	Peak	898	-49.29	-13	Pass	1711
1000	3000	1	Peak	2953	-34.68	-13	Pass	2001
3000	10000	1	Peak	9964	-25.66	-13	Pass	7001






**14.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.34	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.56	-13	Pass	2986
30	809	0.1	Peak	750.8	-49.84	-13	Pass	7791
809	829	0.1	Peak	822.9	26.79	60	Pass	401
829	1000	0.1	Peak	857.4	-49.54	-13	Pass	1711
1000	3000	1	Peak	2816	-34.47	-13	Pass	2001
3000	10000	1	Peak	7806	-25.6	-13	Pass	7001




**14.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.17	-13	Pass	401
0.15	30	0.01	Peak	18.44	-61.48	-13	Pass	2986
30	809	0.1	Peak	366.7	-49.61	-13	Pass	7791
809	829	0.1	Peak	822.8	26.86	60	Pass	401
829	1000	0.1	Peak	983.1	-49.46	-13	Pass	1711
1000	3000	1	Peak	2869	-34.68	-13	Pass	2001
3000	10000	1	Peak	7441	-25.56	-13	Pass	7001




**14.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.99	-13	Pass	401
0.15	30	0.01	Peak	0.17	-61.36	-13	Pass	2986
30	809	0.1	Peak	809	-45.9	-13	Pass	7791
809	829	0.1	Peak	814.3	26.88	60	Pass	401
829	1000	0.1	Peak	916.4	-48.7	-13	Pass	1711
1000	3000	1	Peak	2812	-34.77	-13	Pass	2001
3000	10000	1	Peak	7799	-25.65	-13	Pass	7001




**14.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-66.09	-13	Pass	401
0.15	30	0.01	Peak	0.67	-62.49	-13	Pass	2986
30	809	0.1	Peak	809	-45.26	-13	Pass	7791
809	829	0.1	Peak	814.2	27.1	60	Pass	401
829	1000	0.1	Peak	986.7	-48.52	-13	Pass	1711
1000	3000	1	Peak	2627	-34.31	-13	Pass	2001
3000	10000	1	Peak	7302	-25.29	-13	Pass	7001




**14.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.13	-13	Pass	401
0.15	30	0.01	Peak	0.2	-61.83	-13	Pass	2986
30	809	0.1	Peak	687.7	-49.96	-13	Pass	7791
809	829	0.1	Peak	817.75	26.96	60	Pass	401
829	1000	0.1	Peak	844.8	-50.15	-13	Pass	1711
1000	3000	1	Peak	2775	-34.24	-13	Pass	2001
3000	10000	1	Peak	7465	-25.04	-13	Pass	7001




**14.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.24	-13	Pass	401
0.15	30	0.01	Peak	0.17	-61.04	-13	Pass	2986
30	809	0.1	Peak	503.9	-50.45	-13	Pass	7791
809	829	0.1	Peak	817.75	27.12	60	Pass	401
829	1000	0.1	Peak	966.3	-50.32	-13	Pass	1711
1000	3000	1	Peak	2990	-34.64	-13	Pass	2001
3000	10000	1	Peak	9635	-25.17	-13	Pass	7001




**14.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.73	-13	Pass	401
0.15	30	0.01	Peak	3.79	-61.49	-13	Pass	2986
30	809	0.1	Peak	618	-49.82	-13	Pass	7791
809	829	0.1	Peak	821.2	27.12	60	Pass	401
829	1000	0.1	Peak	829	-43.96	-13	Pass	1711
1000	3000	1	Peak	2830	-34.27	-13	Pass	2001
3000	10000	1	Peak	7802	-25.16	-13	Pass	7001



**14.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.77	-13	Pass	401
0.15	30	0.01	Peak	9.85	-61.55	-13	Pass	2986
30	809	0.1	Peak	745.1	-50.35	-13	Pass	7791
809	829	0.1	Peak	821.25	27.42	60	Pass	401
829	1000	0.1	Peak	829.1	-43.72	-13	Pass	1711
1000	3000	1	Peak	2975	-33.65	-13	Pass	2001
3000	10000	1	Peak	7084	-24.75	-13	Pass	7001






**14.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.029	-65.57	-13	Pass	401
0.15	30	0.01	Peak	20	-62.3	-13	Pass	2986
30	809	0.1	Peak	808.8	-41.56	-13	Pass	7791
809	829	0.1	Peak	814.4	27.11	60	Pass	401
829	1000	0.1	Peak	829.3	-47.62	-13	Pass	1711
1000	3000	1	Peak	2847	-34.56	-13	Pass	2001
3000	10000	1	Peak	7790	-25.55	-13	Pass	7001




**14.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.81	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.28	-13	Pass	2986
30	809	0.1	Peak	808.9	-49.79	-13	Pass	7791
809	829	0.1	Peak	814.3	27.46	60	Pass	401
829	1000	0.1	Peak	910.3	-50.12	-13	Pass	1711
1000	3000	1	Peak	2976	-33.8	-13	Pass	2001
3000	10000	1	Peak	7461	-25.41	-13	Pass	7001




**14.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.2	-13	Pass	401
0.15	30	0.01	Peak	0.27	-61.84	-13	Pass	2986
30	809	0.1	Peak	726	-50.07	-13	Pass	7791
809	829	0.1	Peak	816.85	26.97	60	Pass	401
829	1000	0.1	Peak	829.4	-50.33	-13	Pass	1711
1000	3000	1	Peak	2956	-33.94	-13	Pass	2001
3000	10000	1	Peak	9719	-25.93	-13	Pass	7001




**14.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.79	-13	Pass	401
0.15	30	0.01	Peak	0.43	-62.03	-13	Pass	2986
30	809	0.1	Peak	806.1	-49.46	-13	Pass	7791
809	829	0.1	Peak	816.8	27.03	60	Pass	401
829	1000	0.1	Peak	877.4	-48.82	-13	Pass	1711
1000	3000	1	Peak	2954	-33.91	-13	Pass	2001
3000	10000	1	Peak	7025	-25.65	-13	Pass	7001




**14.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.29	-13	Pass	401
0.15	30	0.01	Peak	0.3	-62.5	-13	Pass	2986
30	809	0.1	Peak	754.6	-49.58	-13	Pass	7791
809	829	0.1	Peak	819.35	26.92	60	Pass	401
829	1000	0.1	Peak	829.1	-47.71	-13	Pass	1711
1000	3000	1	Peak	2953	-34.18	-13	Pass	2001
3000	10000	1	Peak	9992	-25.31	-13	Pass	7001




**14.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.84	-13	Pass	401
0.15	30	0.01	Peak	1.4	-61.77	-13	Pass	2986
30	809	0.1	Peak	584.2	-48.96	-13	Pass	7791
809	829	0.1	Peak	819.3	27.03	60	Pass	401
829	1000	0.1	Peak	829	-47.38	-13	Pass	1711
1000	3000	1	Peak	2568	-33.78	-13	Pass	2001
3000	10000	1	Peak	7772	-25.14	-13	Pass	7001




**14.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.54	-13	Pass	401
0.15	30	0.01	Peak	0.61	-62.13	-13	Pass	2986
30	809	0.1	Peak	808.6	-47.33	-13	Pass	7791
809	829	0.1	Peak	814.6	27.11	60	Pass	401
829	1000	0.1	Peak	829.9	-37.56	-13	Pass	1711
1000	3000	1	Peak	2999	-33.75	-13	Pass	2001
3000	10000	1	Peak	7398	-25.58	-13	Pass	7001



**14.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.08	-13	Pass	401
0.15	30	0.01	Peak	0.5	-61.36	-13	Pass	2986
30	809	0.1	Peak	808.8	-48.18	-13	Pass	7791
809	829	0.1	Peak	814.65	27.11	60	Pass	401
829	1000	0.1	Peak	829.9	-38.41	-13	Pass	1711
1000	3000	1	Peak	2622	-34.27	-13	Pass	2001
3000	10000	1	Peak	7520	-24.75	-13	Pass	7001






## 15. LTE\_Band38


### 15.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.51	-25	Pass	2986
30	1000	0.1	RMS	984.39	-56.98	-25	Pass	9701
1000	2560	1	RMS	2560	-43.5	-25	Pass	1561
2560	2630	1	RMS	2570.15	24.78	60	Pass	401
2630	3000	1	RMS	2957.45	-42.81	-25	Pass	401
3000	12000	1	RMS	5141	-47.97	-25	Pass	9002
12000	26500	1	RMS	25107	-45.92	-25	Pass	14502




**15.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.22	-66.44	-25	Pass	2986
30	1000	0.1	RMS	991.594	-56.95	-25	Pass	9701
1000	2560	1	RMS	2560	-43.67	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.35	60	Pass	401
2630	3000	1	RMS	2971.325	-42.84	-25	Pass	401
3000	12000	1	RMS	5140	-52.75	-25	Pass	9002
12000	26500	1	RMS	24103	-45.98	-25	Pass	14502




**15.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.2	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.7	-25	Pass	2986
30	1000	0.1	RMS	888.026	-57.09	-25	Pass	9701
1000	2560	1	RMS	2494	-43.82	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.52	60	Pass	401
2630	3000	1	RMS	2952.825	-42.82	-25	Pass	401
3000	12000	1	RMS	7778	-52.56	-25	Pass	9002
12000	26500	1	RMS	25086	-45.99	-25	Pass	14502




**15.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.91	-25	Pass	401
0.15	30	0.01	RMS	0.17	-65.3	-25	Pass	2986
30	1000	0.1	RMS	914.243	-57.15	-25	Pass	9701
1000	2560	1	RMS	2492	-43.92	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.47	60	Pass	401
2630	3000	1	RMS	2973.175	-42.82	-25	Pass	401
3000	12000	1	RMS	5186	-50.52	-25	Pass	9002
12000	26500	1	RMS	24094	-46.11	-25	Pass	14502




**15.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.47	-25	Pass	2986
30	1000	0.1	RMS	896.531	-57.18	-25	Pass	9701
1000	2560	1	RMS	2510	-43.96	-25	Pass	1561
2560	2630	1	RMS	2615.125	24.56	60	Pass	401
2630	3000	1	RMS	2965.775	-42.81	-25	Pass	401
3000	12000	1	RMS	5230	-49.44	-25	Pass	9002
12000	26500	1	RMS	24117	-46.14	-25	Pass	14502




**15.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.21	-25	Pass	2986
30	1000	0.1	RMS	907.539	-57.28	-25	Pass	9701
1000	2560	1	RMS	2495	-43.88	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.25	60	Pass	401
2630	3000	1	RMS	2953.75	-42.83	-25	Pass	401
3000	12000	1	RMS	5230	-51.16	-25	Pass	9002
12000	26500	1	RMS	25112	-46.08	-25	Pass	14502




**15.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.71	-25	Pass	401
0.15	30	0.01	RMS	0.26	-64.93	-25	Pass	2986
30	1000	0.1	RMS	917.946	-57.26	-25	Pass	9701
1000	2560	1	RMS	2560	-41.74	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.44	60	Pass	401
2630	3000	1	RMS	2965.775	-42.83	-25	Pass	401
3000	12000	1	RMS	5142	-50.79	-25	Pass	9002
12000	26500	1	RMS	25086	-46.01	-25	Pass	14502



**15.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.17	-65.97	-25	Pass	2986
30	1000	0.1	RMS	883.022	-57.25	-25	Pass	9701
1000	2560	1	RMS	2560	-42.48	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.51	60	Pass	401
2630	3000	1	RMS	2952.825	-42.8	-25	Pass	401
3000	12000	1	RMS	5141	-48.11	-25	Pass	9002
12000	26500	1	RMS	25104	-46.06	-25	Pass	14502





**15.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.25	-65.95	-25	Pass	2986
30	1000	0.1	RMS	872.516	-57.29	-25	Pass	9701
1000	2560	1	RMS	2503	-43.85	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.97	60	Pass	401
2630	3000	1	RMS	2951.9	-42.83	-25	Pass	401
3000	12000	1	RMS	7771	-53.07	-25	Pass	9002
12000	26500	1	RMS	24108	-46.07	-25	Pass	14502



### 15.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.18	-25	Pass	2986
30	1000	0.1	RMS	866.812	-57.26	-25	Pass	9701
1000	2560	1	RMS	2503	-43.89	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.44	60	Pass	401
2630	3000	1	RMS	2974.1	-42.8	-25	Pass	401
3000	12000	1	RMS	7772	-52.45	-25	Pass	9002
12000	26500	1	RMS	25097	-46.11	-25	Pass	14502



### 15.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.02	-25	Pass	2986
30	1000	0.1	RMS	913.943	-57.28	-25	Pass	9701
1000	2560	1	RMS	2493	-43.85	-25	Pass	1561
2560	2630	1	RMS	2610.4	25.03	60	Pass	401
2630	3000	1	RMS	2966.7	-42.84	-25	Pass	401
3000	12000	1	RMS	5221	-47.65	-25	Pass	9002
12000	26500	1	RMS	24111	-46.07	-25	Pass	14502



### 15.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.49	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.21	-25	Pass	2986
30	1000	0.1	RMS	998.599	-57.26	-25	Pass	9701
1000	2560	1	RMS	2510	-43.92	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.82	60	Pass	401
2630	3000	1	RMS	2954.675	-42.86	-25	Pass	401
3000	12000	1	RMS	5222	-51.8	-25	Pass	9002
12000	26500	1	RMS	25085	-46.07	-25	Pass	14502



### 15.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.18	-65.4	-25	Pass	2986
30	1000	0.1	RMS	994.897	-57.2	-25	Pass	9701
1000	2560	1	RMS	2557	-37.27	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.94	60	Pass	401
2630	3000	1	RMS	2951.9	-42.83	-25	Pass	401
3000	12000	1	RMS	5142	-48.5	-25	Pass	9002
12000	26500	1	RMS	25097	-45.93	-25	Pass	14502



### 15.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.27	-25	Pass	401
0.15	30	0.01	RMS	0.28	-66.37	-25	Pass	2986
30	1000	0.1	RMS	905.037	-57.19	-25	Pass	9701
1000	2560	1	RMS	2557	-38.54	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.89	60	Pass	401
2630	3000	1	RMS	2946.35	-42.85	-25	Pass	401
3000	12000	1	RMS	5142	-50	-25	Pass	9002
12000	26500	1	RMS	25095	-46.09	-25	Pass	14502



### 15.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.38	-25	Pass	2986
30	1000	0.1	RMS	911.541	-57.18	-25	Pass	9701
1000	2560	1	RMS	2505	-43.76	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.89	60	Pass	401
2630	3000	1	RMS	2960.225	-42.78	-25	Pass	401
3000	12000	1	RMS	10386	-53.69	-25	Pass	9002
12000	26500	1	RMS	25101	-46	-25	Pass	14502



### 15.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.62	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.23	-25	Pass	2986
30	1000	0.1	RMS	920.347	-57.24	-25	Pass	9701
1000	2560	1	RMS	2507	-43.82	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.45	60	Pass	401
2630	3000	1	RMS	2956.525	-42.8	-25	Pass	401
3000	12000	1	RMS	5177	-51.22	-25	Pass	9002
12000	26500	1	RMS	25093	-46.12	-25	Pass	14502






### 15.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.97	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.42	-25	Pass	2986
30	1000	0.1	RMS	881.822	-57.06	-25	Pass	9701
1000	2560	1	RMS	2502	-43.79	-25	Pass	1561
2560	2645	1	RMS	2605.9	24.83	60	Pass	401
2645	3000	1	RMS	2974.263	-42.81	-25	Pass	401
3000	12000	1	RMS	5211	-50.38	-25	Pass	9002
12000	26500	1	RMS	25097	-46.06	-25	Pass	14502



### 15.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.83	-25	Pass	2986
30	1000	0.1	RMS	860.007	-57.2	-25	Pass	9701
1000	2560	1	RMS	2501	-43.83	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.96	60	Pass	401
2645	3000	1	RMS	2968.938	-42.8	-25	Pass	401
3000	12000	1	RMS	7818	-53.51	-25	Pass	9002
12000	26500	1	RMS	25083	-46.09	-25	Pass	14502



### 15.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-69.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-65.88	-25	Pass	2986
30	1000	0.1	RMS	992.995	-57.17	-25	Pass	9701
1000	2560	1	RMS	2553	-35.5	-25	Pass	1561
2560	2630	1	RMS	2571.025	25.03	60	Pass	401
2630	3000	1	RMS	2957.45	-42.8	-25	Pass	401
3000	12000	1	RMS	5142	-50.5	-25	Pass	9002
12000	26500	1	RMS	24100	-46.11	-25	Pass	14502



### 15.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.5	-25	Pass	401
0.15	30	0.01	RMS	0.3	-66.08	-25	Pass	2986
30	1000	0.1	RMS	873.616	-57.24	-25	Pass	9701
1000	2560	1	RMS	2553	-37.69	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.69	60	Pass	401
2630	3000	1	RMS	2965.775	-42.81	-25	Pass	401
3000	12000	1	RMS	10357	-53.76	-25	Pass	9002
12000	26500	1	RMS	24098	-45.99	-25	Pass	14502



### 15.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.94	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.02	-25	Pass	2986
30	1000	0.1	RMS	888.926	-57.13	-25	Pass	9701
1000	2560	1	RMS	2550	-43.02	-25	Pass	1561
2560	2630	1	RMS	2585.9	24.23	60	Pass	401
2630	3000	1	RMS	2952.825	-42.83	-25	Pass	401
3000	12000	1	RMS	5172	-46.21	-25	Pass	9002
12000	26500	1	RMS	24096	-46.08	-25	Pass	14502



### 15.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.04	-25	Pass	401
0.15	30	0.01	RMS	0.4	-66.53	-25	Pass	2986
30	1000	0.1	RMS	907.939	-57.16	-25	Pass	9701
1000	2560	1	RMS	2551	-43.4	-25	Pass	1561
2560	2630	1	RMS	2585.9	23.91	60	Pass	401
2630	3000	1	RMS	2965.775	-42.82	-25	Pass	401
3000	12000	1	RMS	5172	-50.66	-25	Pass	9002
12000	26500	1	RMS	25081	-46.03	-25	Pass	14502



### 15.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.22	-25	Pass	2986
30	1000	0.1	RMS	983.589	-57.02	-25	Pass	9701
1000	2560	1	RMS	2506	-43.83	-25	Pass	1561
2560	2645	1	RMS	2601.013	24.9	60	Pass	401
2645	3000	1	RMS	2966.275	-42.85	-25	Pass	401
3000	12000	1	RMS	5202	-50.85	-25	Pass	9002
12000	26500	1	RMS	25101	-45.93	-25	Pass	14502



### 15.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.11	-25	Pass	401
0.15	30	0.01	RMS	0.23	-66.34	-25	Pass	2986
30	1000	0.1	RMS	898.733	-57.3	-25	Pass	9701
1000	2560	1	RMS	2501	-43.85	-25	Pass	1561
2560	2645	1	RMS	2600.8	23.66	60	Pass	401
2645	3000	1	RMS	2957.4	-42.8	-25	Pass	401
3000	12000	1	RMS	5202	-49.43	-25	Pass	9002
12000	26500	1	RMS	24102	-46	-25	Pass	14502






## 16. LTE\_Band41 full


### 16.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.06	-25	Pass	401
0.15	30	0.01	RMS	0.24	-65.54	-25	Pass	2986
30	1000	0.1	RMS	998.699	-57.64	-25	Pass	9701
1000	2486	1	RMS	2485	-43.8	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.06	60	Pass	401
2700	3000	1	RMS	2970	-42.85	-25	Pass	401
3000	12000	1	RMS	4993	-46.77	-25	Pass	9002
12000	27000	1	RMS	26191	-41.23	-25	Pass	15002




**16.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.67	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.29	-25	Pass	2986
30	1000	0.1	RMS	878.019	-57.52	-25	Pass	9701
1000	2486	1	RMS	2485	-43.82	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.52	60	Pass	401
2700	3000	1	RMS	2962.5	-42.86	-25	Pass	401
3000	12000	1	RMS	4993	-47.87	-25	Pass	9002
12000	27000	1	RMS	25860	-41.15	-25	Pass	15002




**16.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.56	-25	Pass	2986
30	1000	0.1	RMS	888.826	-57.5	-25	Pass	9701
1000	2486	1	RMS	2482	-44.19	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.47	60	Pass	401
2700	3000	1	RMS	2950.5	-42.9	-25	Pass	401
3000	12000	1	RMS	5182	-46.35	-25	Pass	9002
12000	27000	1	RMS	26184	-41.23	-25	Pass	15002




**16.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.96	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.19	-25	Pass	2986
30	1000	0.1	RMS	911.842	-57.54	-25	Pass	9701
1000	2486	1	RMS	2485	-44.16	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.1	60	Pass	401
2700	3000	1	RMS	2964.75	-42.9	-25	Pass	401
3000	12000	1	RMS	5181	-50.43	-25	Pass	9002
12000	27000	1	RMS	26222	-41.21	-25	Pass	15002




**16.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.52	-25	Pass	2986
30	1000	0.1	RMS	880.421	-57.43	-25	Pass	9701
1000	2486	1	RMS	2484	-44.08	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.93	60	Pass	401
2700	3000	1	RMS	2950.5	-42.86	-25	Pass	401
3000	12000	1	RMS	5371	-39.84	-25	Pass	9002
12000	27000	1	RMS	26221	-41.18	-25	Pass	15002




**16.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.1	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.58	-25	Pass	2986
30	1000	0.1	RMS	865.711	-57.51	-25	Pass	9701
1000	2486	1	RMS	2486	-44.14	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.27	60	Pass	401
2700	3000	1	RMS	2955.75	-42.83	-25	Pass	401
3000	12000	1	RMS	5370	-50.39	-25	Pass	9002
12000	27000	1	RMS	26206	-41.22	-25	Pass	15002




**16.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.28	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.19	-25	Pass	2986
30	1000	0.1	RMS	902.535	-57.52	-25	Pass	9701
1000	2486	1	RMS	2486	-41.41	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.83	60	Pass	401
2700	3000	1	RMS	2959.5	-42.87	-25	Pass	401
3000	12000	1	RMS	4993	-46.96	-25	Pass	9002
12000	27000	1	RMS	25810	-41.12	-25	Pass	15002



**16.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.97	-25	Pass	2986
30	1000	0.1	RMS	859.407	-55.66	-25	Pass	9701
1000	2486	1	RMS	2486	-41.3	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.94	60	Pass	401
2700	3000	1	RMS	2961.75	-42.71	-25	Pass	401
3000	12000	1	RMS	10374	-53.61	-25	Pass	9002
12000	27000	1	RMS	26173	-41.12	-25	Pass	15002





**16.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.59	-25	Pass	2986
30	1000	0.1	RMS	727.9	-56.31	-25	Pass	9701
1000	2486	1	RMS	2483	-44.08	-25	Pass	1487
2486	2700	1	RMS	2588.185	24.65	60	Pass	401
2700	3000	1	RMS	2973.75	-42.7	-25	Pass	401
3000	12000	1	RMS	5177	-46.24	-25	Pass	9002
12000	27000	1	RMS	26228	-41.06	-25	Pass	15002



### 16.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-68.36	-25	Pass	401
0.15	30	0.01	RMS	0.25	-65.76	-25	Pass	2986
30	1000	0.1	RMS	923.149	-57.38	-25	Pass	9701
1000	2486	1	RMS	2485	-43.9	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.35	60	Pass	401
2700	3000	1	RMS	2948.25	-42.77	-25	Pass	401
3000	12000	1	RMS	5177	-47.54	-25	Pass	9002
12000	27000	1	RMS	25794	-40.95	-25	Pass	15002



### 16.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.42	-25	Pass	401
0.15	30	0.01	RMS	26.52	-65.33	-25	Pass	2986
30	1000	0.1	RMS	481.2	-56.07	-25	Pass	9701
1000	2486	1	RMS	2483	-44.06	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.97	60	Pass	401
2700	3000	1	RMS	2946	-42.72	-25	Pass	401
3000	12000	1	RMS	5362	-49.81	-25	Pass	9002
12000	27000	1	RMS	26073	-41.13	-25	Pass	15002



### 16.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.53	-25	Pass	401
0.15	30	0.01	RMS	0.21	-65.76	-25	Pass	2986
30	1000	0.1	RMS	892.129	-57.41	-25	Pass	9701
1000	2486	1	RMS	2486	-44.03	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.7	60	Pass	401
2700	3000	1	RMS	2700	-42.69	-25	Pass	401
3000	12000	1	RMS	5362	-49.77	-25	Pass	9002
12000	27000	1	RMS	25833	-41.1	-25	Pass	15002



### 16.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.9	-25	Pass	2986
30	1000	0.1	RMS	898.132	-57.56	-25	Pass	9701
1000	2486	1	RMS	2483	-38.04	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.78	60	Pass	401
2700	3000	1	RMS	2951.25	-42.87	-25	Pass	401
3000	12000	1	RMS	4994	-47.91	-25	Pass	9002
12000	27000	1	RMS	26157	-41.2	-25	Pass	15002



### 16.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.23	-66.31	-25	Pass	2986
30	1000	0.1	RMS	840.5	-57.69	-25	Pass	9701
1000	2486	1	RMS	2483	-39.35	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.88	60	Pass	401
2700	3000	1	RMS	2976	-42.87	-25	Pass	401
3000	12000	1	RMS	4994	-51.35	-25	Pass	9002
12000	27000	1	RMS	26963	-41.18	-25	Pass	15002



### 16.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.41	-25	Pass	401
0.15	30	0.01	RMS	0.66	-66.36	-25	Pass	2986
30	1000	0.1	RMS	901.034	-57.38	-25	Pass	9701
1000	2486	1	RMS	2486	-44.25	-25	Pass	1487
2486	2700	1	RMS	2586.045	24.73	60	Pass	401
2700	3000	1	RMS	2952	-42.82	-25	Pass	401
3000	12000	1	RMS	5173	-50.8	-25	Pass	9002
12000	27000	1	RMS	26213	-41.16	-25	Pass	15002



### 16.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.3	-25	Pass	401
0.15	30	0.01	RMS	0.26	-66.29	-25	Pass	2986
30	1000	0.1	RMS	982.188	-57.28	-25	Pass	9701
1000	2486	1	RMS	2484	-44.2	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.7	60	Pass	401
2700	3000	1	RMS	2964.75	-42.87	-25	Pass	401
3000	12000	1	RMS	5172	-51.76	-25	Pass	9002
12000	27000	1	RMS	26206	-41.11	-25	Pass	15002






### 16.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.35	-25	Pass	401
0.15	30	0.01	RMS	0.27	-66.55	-25	Pass	2986
30	1000	0.1	RMS	899.734	-57.28	-25	Pass	9701
1000	2486	1	RMS	2486	-44.15	-25	Pass	1487
2486	2715	1	RMS	2675.498	24.19	60	Pass	401
2715	3000	1	RMS	2971.5	-42.79	-25	Pass	401
3000	12000	1	RMS	5352	-40.81	-25	Pass	9002
12000	27000	1	RMS	26214	-41.17	-25	Pass	15002



### 16.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.99	-25	Pass	401
0.15	30	0.01	RMS	0.37	-65.88	-25	Pass	2986
30	1000	0.1	RMS	907.739	-57.34	-25	Pass	9701
1000	2486	1	RMS	2485	-44.2	-25	Pass	1487
2486	2715	1	RMS	2675.498	22.92	60	Pass	401
2715	3000	1	RMS	2943	-42.79	-25	Pass	401
3000	12000	1	RMS	5352	-42.06	-25	Pass	9002
12000	27000	1	RMS	25793	-41.11	-25	Pass	15002



### 16.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.47	-25	Pass	2986
30	1000	0.1	RMS	547.7	-56.65	-25	Pass	9701
1000	2486	1	RMS	2486	-38.8	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.79	60	Pass	401
2700	3000	1	RMS	2952	-42.67	-25	Pass	401
3000	12000	1	RMS	4994	-49.69	-25	Pass	9002
12000	27000	1	RMS	25833	-41.05	-25	Pass	15002



### 16.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.83	-25	Pass	401
0.15	30	0.01	RMS	29.84	-66.08	-25	Pass	2986
30	1000	0.1	RMS	903.436	-55.63	-25	Pass	9701
1000	2486	1	RMS	2484	-39.41	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.91	60	Pass	401
2700	3000	1	RMS	2972.25	-42.7	-25	Pass	401
3000	12000	1	RMS	4994	-50.99	-25	Pass	9002
12000	27000	1	RMS	26196	-41.1	-25	Pass	15002



### 16.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.03	-25	Pass	401
0.15	30	0.01	RMS	0.37	-64.58	-25	Pass	2986
30	1000	0.1	RMS	988.893	-55.9	-25	Pass	9701
1000	2486	1	RMS	2486	-43.95	-25	Pass	1487
2486	2700	1	RMS	2583.905	24.52	60	Pass	401
2700	3000	1	RMS	2974.5	-42.67	-25	Pass	401
3000	12000	1	RMS	5169	-53.26	-25	Pass	9002
12000	27000	1	RMS	26052	-41.09	-25	Pass	15002



### 16.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.89	-25	Pass	401
0.15	30	0.01	RMS	1.49	-64.65	-25	Pass	2986
30	1000	0.1	RMS	891.428	-55.71	-25	Pass	9701
1000	2486	1	RMS	2484	-43.95	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.81	60	Pass	401
2700	3000	1	RMS	2969.25	-42.71	-25	Pass	401
3000	12000	1	RMS	5169	-51.49	-25	Pass	9002
12000	27000	1	RMS	25092	-41.05	-25	Pass	15002



### 16.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.06	-25	Pass	401
0.15	30	0.01	RMS	0.29	-66.08	-25	Pass	2986
30	1000	0.1	RMS	999.5	-55.6	-25	Pass	9701
1000	2486	1	RMS	2486	-43.8	-25	Pass	1487
2486	2715	1	RMS	2670.918	24.44	60	Pass	401
2715	3000	1	RMS	2956.538	-42.72	-25	Pass	401
3000	12000	1	RMS	5343	-48.73	-25	Pass	9002
12000	27000	1	RMS	25871	-41.14	-25	Pass	15002



### 16.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.04	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.71	-25	Pass	2986
30	1000	0.1	RMS	684.2	-56.6	-25	Pass	9701
1000	2486	1	RMS	2484	-44.17	-25	Pass	1487
2486	2715	1	RMS	2670.918	22.52	60	Pass	401
2715	3000	1	RMS	2951.55	-42.77	-25	Pass	401
3000	12000	1	RMS	5342	-42.87	-25	Pass	9002
12000	27000	1	RMS	26948	-41.13	-25	Pass	15002






## 17. LTE\_Band66


**17.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-30.08	-13	Pass	2986
30	1000	0.1	RMS	924.3	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.67	-13	Pass	701
1700	1790	1	RMS	1710.35	24.47	60	Pass	401
1790	3000	1	RMS	2641	-46.41	-13	Pass	1211
3000	12000	1	RMS	11846	-39.67	-13	Pass	9001
12000	20000	1	RMS	19996	-26.6	-13	Pass	8001




**17.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.3	-13	Pass	2986
30	1000	0.1	RMS	925.2	-61.92	-13	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	Pass	701
1700	1790	1	RMS	1710.35	23.54	60	Pass	401
1790	3000	1	RMS	2647	-46.38	-13	Pass	1211
3000	12000	1	RMS	11850	-39.57	-13	Pass	9001
12000	20000	1	RMS	19999	-26.61	-13	Pass	8001




**17.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.44	-13	Pass	2986
30	1000	0.1	RMS	917.9	-61.8	-13	Pass	9701
1000	1700	1	RMS	1692	-50.93	-13	Pass	701
1700	1790	1	RMS	1744.55	24.76	60	Pass	401
1790	3000	1	RMS	2638	-46.38	-13	Pass	1211
3000	12000	1	RMS	11851	-39.51	-13	Pass	9001
12000	20000	1	RMS	19998	-26.58	-13	Pass	8001




**17.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-35.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.02	-13	Pass	2986
30	1000	0.1	RMS	936.6	-61.9	-13	Pass	9701
1000	1700	1	RMS	1682	-50.94	-13	Pass	701
1700	1790	1	RMS	1744.55	23.78	60	Pass	401
1790	3000	1	RMS	2659	-46.38	-13	Pass	1211
3000	12000	1	RMS	11847	-39.61	-13	Pass	9001
12000	20000	1	RMS	19995	-26.66	-13	Pass	8001




**17.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.91	-13	Pass	2986
30	1000	0.1	RMS	932.3	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-50.91	-13	Pass	701
1700	1790	1	RMS	1778.75	24.6	60	Pass	401
1790	3000	1	RMS	2656	-46.33	-13	Pass	1211
3000	12000	1	RMS	11842	-39.57	-13	Pass	9001
12000	20000	1	RMS	19996	-26.65	-13	Pass	8001




**17.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.07	-13	Pass	2986
30	1000	0.1	RMS	923.3	-61.99	-13	Pass	9701
1000	1700	1	RMS	1680	-50.94	-13	Pass	701
1700	1790	1	RMS	1778.75	23.63	60	Pass	401
1790	3000	1	RMS	2648	-46.37	-13	Pass	1211
3000	12000	1	RMS	11850	-39.57	-13	Pass	9001
12000	20000	1	RMS	20000	-26.54	-13	Pass	8001




**17.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-37.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.51	-13	Pass	2986
30	1000	0.1	RMS	889.9	-61.87	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1790	1	RMS	1710.35	24.55	60	Pass	401
1790	3000	1	RMS	2651	-46.39	-13	Pass	1211
3000	12000	1	RMS	11850	-39.6	-13	Pass	9001
12000	20000	1	RMS	19997	-26.64	-13	Pass	8001



**17.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.49	-13	Pass	2986
30	1000	0.1	RMS	919.4	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1790	1	RMS	1710.125	23.77	60	Pass	401
1790	3000	1	RMS	2649	-46.34	-13	Pass	1211
3000	12000	1	RMS	11848	-39.54	-13	Pass	9001
12000	20000	1	RMS	20000	-26.59	-13	Pass	8001





**17.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.78	-13	Pass	2986
30	1000	0.1	RMS	918.2	-61.98	-13	Pass	9701
1000	1700	1	RMS	1698	-50.87	-13	Pass	701
1700	1790	1	RMS	1743.65	24.78	60	Pass	401
1790	3000	1	RMS	2651	-46.32	-13	Pass	1211
3000	12000	1	RMS	11850	-39.6	-13	Pass	9001
12000	20000	1	RMS	19997	-26.54	-13	Pass	8001



### 17.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.24	-13	Pass	2986
30	1000	0.1	RMS	919.6	-61.75	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1790	1	RMS	1743.65	23.83	60	Pass	401
1790	3000	1	RMS	2648	-46.32	-13	Pass	1211
3000	12000	1	RMS	11854	-39.57	-13	Pass	9001
12000	20000	1	RMS	19996	-26.63	-13	Pass	8001



### 17.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.28	-13	Pass	2986
30	1000	0.1	RMS	924.7	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1790	1	RMS	1777.175	24.73	60	Pass	401
1790	3000	1	RMS	2653	-46.38	-13	Pass	1211
3000	12000	1	RMS	11848	-39.51	-13	Pass	9001
12000	20000	1	RMS	19998	-26.68	-13	Pass	8001



### 17.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.51	-13	Pass	2986
30	1000	0.1	RMS	924.6	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.86	-13	Pass	701
1700	1790	1	RMS	1777.175	23.83	60	Pass	401
1790	3000	1	RMS	2645	-46.38	-13	Pass	1211
3000	12000	1	RMS	11851	-39.57	-13	Pass	9001
12000	20000	1	RMS	19999	-26.65	-13	Pass	8001



### 17.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.42	-13	Pass	2986
30	1000	0.1	RMS	916.6	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.22	-13	Pass	701
1700	1790	1	RMS	1710.35	24.61	60	Pass	401
1790	3000	1	RMS	2646	-46.39	-13	Pass	1211
3000	12000	1	RMS	11847	-39.58	-13	Pass	9001
12000	20000	1	RMS	20000	-26.61	-13	Pass	8001



### 17.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.97	-13	Pass	2986
30	1000	0.1	RMS	908.1	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-50.41	-13	Pass	701
1700	1790	1	RMS	1710.35	23.63	60	Pass	401
1790	3000	1	RMS	2641	-46.37	-13	Pass	1211
3000	12000	1	RMS	11849	-39.56	-13	Pass	9001
12000	20000	1	RMS	19997	-26.69	-13	Pass	8001



### 17.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.43	-13	Pass	2986
30	1000	0.1	RMS	941.6	-61.96	-13	Pass	9701
1000	1700	1	RMS	1693	-50.89	-13	Pass	701
1700	1790	1	RMS	1742.75	24.67	60	Pass	401
1790	3000	1	RMS	2648	-46.28	-13	Pass	1211
3000	12000	1	RMS	11847	-39.57	-13	Pass	9001
12000	20000	1	RMS	20000	-26.51	-13	Pass	8001



### 17.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.47	-13	Pass	2986
30	1000	0.1	RMS	926.5	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.95	-13	Pass	701
1700	1790	1	RMS	1742.75	23.85	60	Pass	401
1790	3000	1	RMS	2645	-46.33	-13	Pass	1211
3000	12000	1	RMS	11851	-39.63	-13	Pass	9001
12000	20000	1	RMS	19998	-26.6	-13	Pass	8001






### 17.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.96	-13	Pass	2986
30	1000	0.1	RMS	917.8	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1790	1	RMS	1775.375	24.62	60	Pass	401
1790	3000	1	RMS	2654	-46.38	-13	Pass	1211
3000	12000	1	RMS	11847	-39.54	-13	Pass	9001
12000	20000	1	RMS	19989	-26.62	-13	Pass	8001



### 17.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-28.5	-13	Pass	2986
30	1000	0.1	RMS	903.8	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1790	1	RMS	1775.375	23.9	60	Pass	401
1790	3000	1	RMS	2640	-46.41	-13	Pass	1211
3000	12000	1	RMS	11846	-39.45	-13	Pass	9001
12000	20000	1	RMS	19999	-26.66	-13	Pass	8001



### 17.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.44	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.01	-13	Pass	9701
1000	1700	1	RMS	1693	-43.57	-13	Pass	701
1700	1790	1	RMS	1710.575	24.68	60	Pass	401
1790	3000	1	RMS	2652	-46.38	-13	Pass	1211
3000	12000	1	RMS	11847	-39.65	-13	Pass	9001
12000	20000	1	RMS	19999	-26.68	-13	Pass	8001



### 17.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.8	-13	Pass	2986
30	1000	0.1	RMS	919.4	-61.98	-13	Pass	9701
1000	1700	1	RMS	1693	-43.22	-13	Pass	701
1700	1790	1	RMS	1710.575	23.86	60	Pass	401
1790	3000	1	RMS	2647	-46.3	-13	Pass	1211
3000	12000	1	RMS	11849	-39.55	-13	Pass	9001
12000	20000	1	RMS	20000	-26.62	-13	Pass	8001



### 17.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.78	-13	Pass	2986
30	1000	0.1	RMS	893.8	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1790	1	RMS	1740.5	24.75	60	Pass	401
1790	3000	1	RMS	2640	-46.33	-13	Pass	1211
3000	12000	1	RMS	11851	-39.59	-13	Pass	9001
12000	20000	1	RMS	20000	-26.6	-13	Pass	8001



### 17.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-37.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.64	-13	Pass	2986
30	1000	0.1	RMS	918.8	-61.96	-13	Pass	9701
1000	1700	1	RMS	1696	-50.97	-13	Pass	701
1700	1790	1	RMS	1740.5	23.81	60	Pass	401
1790	3000	1	RMS	2655	-46.36	-13	Pass	1211
3000	12000	1	RMS	11847	-39.53	-13	Pass	9001
12000	20000	1	RMS	20000	-26.7	-13	Pass	8001



### 17.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.46	-13	Pass	2986
30	1000	0.1	RMS	909.8	-61.93	-13	Pass	9701
1000	1700	1	RMS	1678	-50.9	-13	Pass	701
1700	1790	1	RMS	1770.65	24.67	60	Pass	401
1790	3000	1	RMS	2652	-46.37	-13	Pass	1211
3000	12000	1	RMS	11848	-39.53	-13	Pass	9001
12000	20000	1	RMS	20000	-26.56	-13	Pass	8001



### 17.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.37	-13	Pass	2986
30	1000	0.1	RMS	913.6	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1770.65	23.78	60	Pass	401
1790	3000	1	RMS	2654	-46.39	-13	Pass	1211
3000	12000	1	RMS	11845	-39.5	-13	Pass	9001
12000	20000	1	RMS	20000	-26.63	-13	Pass	8001






### 17.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.33	-13	Pass	2986
30	1000	0.1	RMS	923.8	-62.01	-13	Pass	9701
1000	1700	1	RMS	1697	-44.22	-13	Pass	701
1700	1790	1	RMS	1710.8	24.59	60	Pass	401
1790	3000	1	RMS	2648	-46.38	-13	Pass	1211
3000	12000	1	RMS	11856	-39.59	-13	Pass	9001
12000	20000	1	RMS	19999	-26.63	-13	Pass	8001



### 17.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-36.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.97	-13	Pass	2986
30	1000	0.1	RMS	932	-61.92	-13	Pass	9701
1000	1700	1	RMS	1698	-44.96	-13	Pass	701
1700	1790	1	RMS	1710.8	23.73	60	Pass	401
1790	3000	1	RMS	2648	-46.46	-13	Pass	1211
3000	12000	1	RMS	11855	-39.58	-13	Pass	9001
12000	20000	1	RMS	20000	-26.63	-13	Pass	8001



### 17.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.6	-13	Pass	2986
30	1000	0.1	RMS	916.8	-61.97	-13	Pass	9701
1000	1700	1	RMS	1699	-50.99	-13	Pass	701
1700	1790	1	RMS	1738.25	24.58	60	Pass	401
1790	3000	1	RMS	2646	-46.44	-13	Pass	1211
3000	12000	1	RMS	11854	-39.58	-13	Pass	9001
12000	20000	1	RMS	19996	-26.61	-13	Pass	8001



### 17.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-37.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.06	-13	Pass	2986
30	1000	0.1	RMS	919.2	-62.02	-13	Pass	9701
1000	1700	1	RMS	1694	-50.99	-13	Pass	701
1700	1790	1	RMS	1738.25	23.62	60	Pass	401
1790	3000	1	RMS	2650	-46.47	-13	Pass	1211
3000	12000	1	RMS	11854	-39.59	-13	Pass	9001
12000	20000	1	RMS	19998	-26.65	-13	Pass	8001



### 17.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-37.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.89	-13	Pass	2986
30	1000	0.1	RMS	917.5	-61.93	-13	Pass	9701
1000	1700	1	RMS	1697	-50.99	-13	Pass	701
1700	1790	1	RMS	1765.925	24.45	60	Pass	401
1790	3000	1	RMS	1792	-28.67	-13	Pass	1211
3000	12000	1	RMS	11854	-39.51	-13	Pass	9001
12000	20000	1	RMS	19992	-26.67	-13	Pass	8001



### 17.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-35.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.37	-13	Pass	2986
30	1000	0.1	RMS	910.9	-61.91	-13	Pass	9701
1000	1700	1	RMS	1681	-51.01	-13	Pass	701
1700	1790	1	RMS	1765.925	23.64	60	Pass	401
1790	3000	1	RMS	1792	-30.06	-13	Pass	1211
3000	12000	1	RMS	11851	-39.64	-13	Pass	9001
12000	20000	1	RMS	19997	-26.6	-13	Pass	8001



### 17.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.84	-13	Pass	2986
30	1000	0.1	RMS	941.7	-61.89	-13	Pass	9701
1000	1700	1	RMS	1693	-45.29	-13	Pass	701
1700	1790	1	RMS	1711.025	24.45	60	Pass	401
1790	3000	1	RMS	2654	-46.46	-13	Pass	1211
3000	12000	1	RMS	11855	-39.56	-13	Pass	9001
12000	20000	1	RMS	19991	-26.61	-13	Pass	8001



### 17.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.49	-13	Pass	2986
30	1000	0.1	RMS	925.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1693	-46.08	-13	Pass	701
1700	1790	1	RMS	1711.025	23.65	60	Pass	401
1790	3000	1	RMS	2647	-46.46	-13	Pass	1211
3000	12000	1	RMS	11866	-39.6	-13	Pass	9001
12000	20000	1	RMS	19992	-26.67	-13	Pass	8001






### 17.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.49	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-43.8	-13	Pass	701
1700	1790	1	RMS	1736	24.5	60	Pass	401
1790	3000	1	RMS	2649	-46.41	-13	Pass	1211
3000	12000	1	RMS	11835	-39.57	-13	Pass	9001
12000	20000	1	RMS	19999	-26.68	-13	Pass	8001



### 17.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.85	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-45.53	-13	Pass	701
1700	1790	1	RMS	1736	23.54	60	Pass	401
1790	3000	1	RMS	2655	-46.43	-13	Pass	1211
3000	12000	1	RMS	11851	-39.56	-13	Pass	9001
12000	20000	1	RMS	19997	-26.56	-13	Pass	8001



### 17.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.44	-13	Pass	2986
30	1000	0.1	RMS	916.4	-62.01	-13	Pass	9701
1000	1700	1	RMS	1688	-50.94	-13	Pass	701
1700	1790	1	RMS	1760.975	24.34	60	Pass	401
1790	3000	1	RMS	1797	-32.76	-13	Pass	1211
3000	12000	1	RMS	11850	-39.64	-13	Pass	9001
12000	20000	1	RMS	20000	-26.64	-13	Pass	8001



### 17.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.34	-13	Pass	2986
30	1000	0.1	RMS	941.2	-62.05	-13	Pass	9701
1000	1700	1	RMS	1694	-51.01	-13	Pass	701
1700	1790	1	RMS	1760.975	23.4	60	Pass	401
1790	3000	1	RMS	1797	-33.52	-13	Pass	1211
3000	12000	1	RMS	11846	-39.54	-13	Pass	9001
12000	20000	1	RMS	20000	-26.56	-13	Pass	8001



--BLANK BELOW--