Report No.: SEWM2302000047RG05

Rev.: 01 Page: 1 of 28

TEST REPORT

Application No.: SEWM2302000047RG

Applicant: Xiaomi Communications Co., Ltd.

Address of Applicant: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

Manufacturer: Xiaomi Communications Co., Ltd.

Address of Manufacturer: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

EUT Description: Tablet Computer Model No.: 23043RP34G

Trade Mark: XIAOMI

FCC ID: 2AFZZRP34G

Standard(s): FCC 47 CFR Part 15, Subpart B

Date of Receipt: 2023/02/22

Date of Test: 2023/03/05 to 2023/03/07

Date of Issue: 2023/03/16

Test Result: Pass*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://mems-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://mww.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, pelease contact sattled then

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 2 of 28

	Revision Record				
Version Chapter Date Modifier Remark					
01		2023/03/16		Original	

Prepared By	King-P Li
	(King-p Li) / Test Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND. Doccheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 3 of 28

Test Summary

y					
Emission Part					
Item	Requirement	Result			
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	

Internal Source	Upper Frequency	
Below 1.705MHz	30MHz	
1.705MHz to 108MHz	1GHz	
108MHz to 500MHz	2GHz	
500MHz to 1GHz	5GHz	
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government to enable the approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Action of the company of the Compa



Report No.: SEWM2302000047RG05

Rev.: 01 4 of 28 Page:

Contents

1 General Information	5
 1.1 Description of Support Units 1.2 Test Location 1.3 Test Facility 1.4 Deviation from Standards 1.5 Abnormalities from Standard Conditions 	
2 Emission Test Results	7
2.1 Conducted Emissions at Mains Terminals (150kHz-30M 2.1.1 E.U.T. Operation	
3 Equipment List	25
4 Measurement Uncertainty	27
5 Photographs	28
5.1 Test Setup	28
2	1.1 Description of Support Units 1.2 Test Location 1.3 Test Facility 1.4 Deviation from Standards 1.5 Abnormalities from Standard Conditions Emission Test Results 2.1 Conducted Emissions at Mains Terminals (150kHz-30N 2.1.1 E.U.T. Operation 2.1.2 Test Setup Procedures 2.1.3 Measurement Data 2.2 Radiated Emissions (30MHz-1GHz) 2.2.1 E.U.T. Operation 2.2.2 Test Setup Procedures 2.2.3 Measurement Data 2.3 Radiated Emissions (above 1GHz) 2.3.1 E.U.T. Operation 2.3.2 Test Setup Procedures 2.3.3 Measurement Data Equipment List Measurement Uncertainty Photographs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND. Doccheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 5 of 28

General Information 1

EUT Description:	Tablet Computer		
Model No.:	23043RP34G		
Trade Mark:	XIAOMI		
Hardware Version:	P2		
Software Version:	MIUI 14		
SN:	SN1: VY307K000112 SN2: VY307K000037 SN3: VY307K000044		
	Band	Tx (MHz)	Rx (MHz)
Frequency Bands:	Wi-Fi 2.4G	2412~2462	2412~2462
	Bluetooth	2402~2480	2402~2480
	Wi-Fi 5G	5150~5850	5150~5850
Domonic	<u> </u>		·

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Accessory:

Adapter No.	Model No.	Manufacturer
1	MDY-12-EA	Xiaomi Communications Co.,Ltd.

Battery No. Model No.		Manufacturer	
1	BP4N	Xiaomi Communications Co.,Ltd.	

USB Cable No.	Model No.	Manufacturer
1	H23230	HUIZHOU DEHONG TECHNOLOGY CO.,LTD



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 6 of 28

1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01
Computer	Lenovo	T14	SUWI-03-33-04
Mouse	Lenovo	3D optical Mouse	SUWI-03-33-05
Smart Pen	MI	23031MPADC	1
Keyboard	MI	23046KBD9S	1

1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.	
Address: South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial F Suzhou Area, China (Jiangsu) Pilot Free Trade Zone		
Post code:	215000	
Test engineer:	King-p Li	

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327

1.4 Deviation from Standards

None

1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2302000047RG05

Rev.: 01 7 of 28 Page:

Emission Test Results 2

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B			
Test Method:	ANSI C63.4:2014			
Frequency Range:	150kHz to 30MHz			
Receiver Setup:	RBW = 9kHz, VBW = 30kHz			
	Frequency Range (MHz)	Limit(dBµV)		
		Quasi-peak	average	
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*	
Limit:	0.5M-5MHz	56	46	
	5M-30MHz 60 50		50	
	*Decreases with the logarithm of the frequency			
	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz			

2.1.1 E.U.T. Operation

Operating Environment:

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0kPa
	a: adapter(1)+usb Cable(1)+BT+2.4GWLAN +Camera(Rear)+keyboard+open 8+256G b: adapter(1)+usb Cable(1)+BT+5GWLAN +Camera(Front)+keyboard+open
	8+256G
	c: adapter(1)+usb Cable(1)+BT+2.4GWLAN +MP4+keyboard+open 8+256G
	d: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+256G
Pretest these modes to find the worst case:	e: Transfer data between the EUT and the PC+USB cable +keyboard+open 8+256G
	f: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+128G
	g: Transfer data between the EUT and the PC+USB cable +keyboard+open 8+128G
	h: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 6+128G
	i: Transfer data between the EUT and the PC+USB cable+keyboard+open
	6+128G
The word area for final	d: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+256G
The worst case for final test:	i: Transfer data between the EUT and the PC+USB cable+keyboard+open
1001.	6+128G



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its interrution only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document content or expectation of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com




Report No.: SEWM2302000047RG05

Rev.: 01 Page: 8 of 28

2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 9 of 28



Data	Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.1815	10.76	32.57	43.33	64.42	21.09	22.56	33.32	54.42	21.10	PASS	
2	0.2490	10.80	25.85	36.65	61.79	25.14	12.69	23.49	51.79	28.30	PASS	
3	1.6890	10.74	30.70	41.44	56.00	14.56	17.46	28.20	46.00	17.80	PASS	
4	2.5215	10.66	29.16	39.82	56.00	16.18	16.14	26.80	46.00	19.20	PASS	
5	5.7300	10.66	26.82	37.48	60.00	22.52	18.99	29.65	50.00	20.35	PASS	
6	8.4885	10.67	29.84	40.51	60.00	19.49	23.96	34.63	50.00	15.37	PASS	
	0000				00.00	101.10		000	00.00			

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 10 of 28



Data	Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.1815	10.70	31.82	42.52	64.42	21.90	23.06	33.76	54.42	20.66	PASS	
2	0.2445	10.72	25.57	36.29	61.94	25.65	13.90	24.62	51.94	27.32	PASS	
3	1.6890	10.76	30.85	41.61	56.00	14.39	17.49	28.25	46.00	17.75	PASS	
4	2.5215	10.77	29.68	40.45	56.00	15.55	16.35	27.12	46.00	18.88	PASS	
5	8.4075	10.59	29.03	39.62	60.00	20.38	23.26	33.85	50.00	16.15	PASS	
6	10.6575	10.66	26.73	37.39	60.00	22.61	20.65	31.31	50.00	18.69	PASS	

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 11 of 28



Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1950	10.81	30.48	41.29	63.82	22.53	21.34	32.15	53.82	21.67	PASS
2	0.2670	10.74	24.36	35.10	61.21	26.11	11.15	21.89	51.21	29.32	PASS
3	1.5675	10.77	29.41	40.18	56.00	15.82	17.97	28.74	46.00	17.26	PASS
4	2.5260	10.66	29.01	39.67	56.00	16.33	16.09	26.75	46.00	19.25	PASS
5	8.4480	10.68	30.22	40.90	60.00	19.10	24.30	34.98	50.00	15.02	PASS
6	10.7745	10.61	28.52	39.13	60.00	20.87	22.43	33.04	50.00	16.96	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 12 of 28



Data	Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.1995	10.66	18.63	29.29	63.63	34.34	12.72	23.38	53.63	30.25	PASS	
2	0.2670	10.74	18.15	28.89	61.21	32.32	8.79	19.53	51.21	31.68	PASS	
3	1.6800	10.77	30.84	41.61	56.00	14.39	16.78	27.55	46.00	18.45	PASS	
4	2.5260	10.77	28.89	39.66	56.00	16.34	15.38	26.15	46.00	19.85	PASS	
5	8.5425	10.59	25.06	35.65	60.00	24.35	18.02	28.61	50.00	21.39	PASS	
6	10.9365	10.67	24.34	35.01	60.00	24.99	16.39	27.06	50.00	22.94	PASS	

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 13 of 28

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B								
Test Method:	ANSI C63.4:2014								
Frequency Range:	30MHz to 1GHz	30MHz to 1GHz							
Measurement Distance:	3m								
	Frequency Range (MHz)	Limit(dBµV/m)	Detector						
	30MHz -88MHz	40.0	Quasi-peak						
Limit:	88MHz-216MHz	43.5	Quasi-peak						
	216MHz-960MHz 46.0 Quasi-peak								
	960MHz-1000MHz 54.0 Quasi-peak								
Detector:	Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz								

2.2.1 E.U.T. Operation

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0kPa
Pretest these modes to find the worst case:	a: adapter(1)+usb Cable(1)+BT+2.4GWLAN +Camera(Rear)+keyboard+open 8+256G b: adapter(1)+usb Cable(1)+BT+5GWLAN +Camera(Front)+keyboard+open 8+256G c: adapter(1)+usb Cable(1)+BT+2.4GWLAN +MP4+keyboard+open 8+256G d: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+256G e: Transfer data between the EUT and the PC+USB cable +keyboard+open 8+256G f: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+128G g: Transfer data between the EUT and the PC+USB cable +keyboard+open 8+128G h: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 6+128G i: Transfer data between the EUT and the PC+USB cable+keyboard+open 6+128G
The worst case for final test:	d: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+256G i: Transfer data between the EUT and the PC+USB cable+keyboard+open 6+128G



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-and-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document control to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact ax telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Pant, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2302000047RG05

Rev.: 01 Page: 14 of 28

2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn sgs.china@sgs.com


t (86-512) 62992980

t (86-512) 62992980



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 15 of 28



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	42.6689	33.59	13.85	-28.06	19.38	40.00	20.62	220	0	Horizontal	
2	79.5586	44.30	9.37	-27.93	25.74	40.00	14.26	200	4	Horizontal	
3	180.9963	34.43	14.42	-26.93	21.92	43.50	21.58	206	308	Horizontal	
4	281.4775	37.97	12.33	-26.65	23.65	46.00	22.35	109	356	Horizontal	
5	355.4813	38.03	13.93	-25.77	26.19	46.00	19.81	106	271	Horizontal	
6	408.0369	35.18	14.94	-25.68	24.44	46.00	21.56	214	351	Horizontal	

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T

South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号的6号厂房南部 邮编: 215000



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 16 of 28



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	44.1737	49.01	13.73	-28.05	34.69	40.00	5.31	142	4	Vertical	
2	50.6605	47.68	13.49	-27.99	33.18	40.00	6.82	256	298	Vertical	
3	79.6364	49.64	9.33	-27.93	31.04	40.00	8.96	254	96	Vertical	
4	107.9923	40.19	10.92	-27.41	23.70	43.50	19.80	142	248	Vertical	
5	181.0120	31.43	14.42	-26.93	18.92	43.50	24.58	233	145	Vertical	
6	355.8736	31.36	13.92	-25.76	19.52	46.00	26.48	221	210	Vertical	

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T

South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号的6号厂房南部 邮编: 215000



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 17 of 28



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	50.855	34.62	13.47	-27.98	20.11	40.00	19.89	142	22	Horizontal	
2	99.84	30.29	10.14	-27.36	13.06	43.50	30.44	285	309	Horizontal	
3	143.49	33.25	13.62	-27.27	19.60	43.50	23.90	263	332	Horizontal	
4	223.2725	38.96	10.68	-26.46	23.18	46.00	22.82	265	338	Horizontal	
5	378.23	34.62	14.34	-25.53	23.44	46.00	22.56	241	155	Horizontal	
6	466.015	33.59	16.14	-25.22	24.52	46.00	21.48	142	115	Horizontal	

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T

South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号的6号厂房南部 邮编: 215000



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 18 of 28



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	51.5825	38.62	13.41	-27.95	24.09	40.00	15.91	142	295	Vertical	
2	119.9675	34.62	12.24	-27.71	19.15	43.50	24.35	265	0	Vertical	
3	249.4625	34.28	11.55	-26.01	19.82	46.00	26.18	285	360	Vertical	
4	332.155	38.59	13.46	-25.79	26.27	46.00	19.73	241	360	Vertical	
5	377.5025	34.26	14.33	-25.54	23.05	46.00	22.95	142	198	Vertical	
6	954.1675	39.86	22.15	-22.63	39.38	46.00	6.62	263	22	Vertical	

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T



Report No.: SEWM2302000047RG05

Rev.: 01 19 of 28 Page:

2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Subpa	rt B							
Test Method:	ANSI C63.4:2014	ANSI C63.4:2014							
Frequency Range:	Above 1GHz								
Measurement Distance:	3m								
	Frequency (MHz)	Limit (dBµV/m)	Detector						
Limit:	Above 1011	74	Peak						
	Above 1GHz 54 Average								
Detector:	Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower.								

2.3.1 E.U.T. Operation

2.3.1 L.O.1. Operation	
Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0kPa
	a: adapter(1)+usb Cable(1)+BT+2.4GWLAN +Camera(Rear)+keyboard+open 8+256G b: adapter(1)+usb Cable(1)+BT+5GWLAN +Camera(Front)+keyboard+open
	8+256G
	c: adapter(1)+usb Cable(1)+BT+2.4GWLAN +MP4+keyboard+open 8+256G d: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+256G
Pretest these modes to find the worst case:	e: Transfer data between the EUT and the PC+USB cable +keyboard+open 8+256G
	f: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+128G
	g: Transfer data between the EUT and the PC+USB cable +keyboard+open 8+128G
	h: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 6+128G
	i: Transfer data between the EUT and the PC+USB cable+keyboard+open
	6+128G
The word area for first	f: adapter(1)+usb Cable(1)+BT+5GWLAN +keyboard+open 8+128G
The worst case for final test:	e: Transfer data between the EUT and the PC+USB cable +keyboard+open
	8+256G



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-and-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document control to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact ax telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com




Report No.: SEWM2302000047RG05

Rev.: 01 Page: 20 of 28

2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.



2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/T

t (86-512) 62992980



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 21 of 28



Data List

Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1802.4	53.22	25.52	30.39	-48.34	74.00	43.61	263	80	Horizontal
2	4307.35	51.32	31.09	37.32	-45.09	74.00	36.68	285	260	Horizontal
3	10700.2	42.30	39.27	45.68	-35.89	74.00	28.32	241	3	Horizontal
4	2722.95	43.61	28.66	25.30	-46.97	54.00	28.70	142	52	Horizontal
5	6568.35	39.43	35.34	31.76	-43.00	54.00	22.24	296	313	Horizontal
6	12721.5	32.91	39.32	36.93	-35.30	54.00	17.07	221	3	Horizontal

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[$dB\mu V/m$] - Level[$dB\mu V/m$]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of lew Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact at telephone: (86-759) 83071443,



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 22 of 28



Data List

Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1878.9	52.82	26.05	30.71	-48.16	74.00	43.29	296	68	Vertical
2	5028.15	50.13	32.60	37.84	-44.89	74.00	36.16	285	0	Vertical
3	9568.85	45.35	38.54	45.74	-38.15	74.00	28.26	241	357	Vertical
4	3018.75	42.78	29.59	25.88	-46.49	54.00	28.12	142	225	Vertical
5	8549.7	36.18	38.10	34.48	-39.80	54.00	19.52	263	225	Vertical
6	13594.45	32.99	39.96	38.59	-34.36	54.00	15.41	298	334	Vertical

Remark:

1. The Peak and Average measurements were performed on the EUT.

2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of lew Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact at telephone: (86-759) 83071443,



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 23 of 28



Data List

Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1673.2	53.69	25.56	30.94	-48.32	74.00	43.06	296	25	Horizontal
2	6129.75	49.27	34.46	40.80	-42.93	74.00	33.20	285	159	Horizontal
3	13487.35	41.38	39.89	47.19	-34.08	74.00	26.81	241	288	Horizontal
4	2424.6	43.26	27.75	23.63	-47.38	54.00	30.37	142	212	Horizontal
5	9012.1	35.95	38.60	36.00	-38.55	54.00	18.00	263	314	Horizontal
6	14600	31.63	39.60	37.32	-33.91	54.00	16.68	221	237	Horizontal

Remark:

1. The Peak and Average measurements were performed on the EUT.

2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of lew Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact at telephone: (86-759) 83071443,



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 24 of 28



Data List

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2108.4	52.66	27.12	31.91	-47.87	74.00	42.09	296	357	Vertical
2	3938.45	51.52	30.45	36.45	-45.52	74.00	37.55	284	236	Vertical
3	10805.6	43.31	39.39	46.82	-35.88	74.00	27.18	254	236	Vertical
4	3100.35	42.63	29.56	25.65	-46.54	54.00	28.35	126	1	Vertical
5	6780.85	40.49	35.76	33.46	-42.79	54.00	20.54	285	157	Vertical
6	13602.1	33.25	39.96	38.82	-34.39	54.00	15.18	243	236	Vertical

Remark:

1. The Peak and Average measurements were performed on the EUT.

2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of lew Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact at telephone: (86-759) 83071443,



Report No.: SEWM2302000047RG05

Rev.: 01 25 of 28 Page:

3 **Equipment List**

CE Test System									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07				
Measurement Software CE	Tonsend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its internition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unautionized alteration, forgery, or latelistication of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sg.com



Report No.: SEWM2302000047RG05

Rev.: 01 26 of 28 Page:

RE Test System								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)			
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06			
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/05/16	2023/05/15			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/05/16	2023/05/15			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/05/14	2023/05/13			
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05			
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05			
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07			
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/06/10	2023/06/09			
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND. Doccheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 27 of 28

4 Measurement Uncertainty

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)		
		± 4.8dB (Below 1GHz)		
2	Radiated Emission	± 4.8dB (1GHz to 18GHz)		
		± 4.8dB (Above 18GHz)		

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Jnless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer, overleaf, available on request or accessible at https://mems-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://mww.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.tetentions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any mauthorized alteration, forgor faisification of the content of each state of the company and the provided and the subject of the content of

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000



Report No.: SEWM2302000047RG05

Rev.: 01 Page: 28 of 28

Photographs 5

5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---

