

EUT EXTERNAL PHOTOS

FRONT VIEW OF EUT




REAR VIEW OF EUT




LEFT SIDE VIEW OF EUT




RIGHT SIDE OF EUT




TOP VIEW OF EUT



BOTTOM VIEW OF EUT




Accessory-Power Adapter - MDY-15-EA (US Plug)



CLOSE-UP - MDY-15-EA (US Plug)



Accessory-USB Cable (K73312)



Accessory-USB Cable (L73312)



Accessory-Headset



Ancillary Equipment 1	Li-Polymer Battery 1	
	Brand Name	MI
	Model No.	BN81
	Serial No.	N/A
	Capacitance	Rated:7800mAh/30.1Wh Typical: 8000mAh/30.9Wh
	Rated Voltage	3.87Vdc
	Limited Voltage	4.45Vdc
	Manufacturer	Sunwoda Electronic CO., LTD.
Ancillary Equipment 2	Li-Polymer Battery 2	
	Brand Name	MI
	Model No.	BN82
	Serial No.	N/A
	Capacitance	Rated:7800mAh/30.1Wh Typical: 8000mAh/30.9Wh
	Rated Voltage	3.87Vdc
	Limited Voltage	4.45Vdc
	Manufacturer	Sunwoda Electronic CO., LTD.
Ancillary Equipment 3	Power Supply Unit 1	
	Brand Name	MI
	Model No.	MDY-09-EQ (US Plug)
	Serial No.	N/A
	Rated Input	100-240V~ 50/60Hz 0.35A
	Rated Output	5.0 Vdc, 2.0A 10W
	Manufacturer	Aohai
Ancillary Equipment 4	Power Supply Unit 2	
	Brand Name	MI
	Model No.	MDY-15-EA (US Plug)
	Serial No.	N/A
	Rated Input	100-240V~ 50/60Hz 0.35A
	Rated Output	5.0 Vdc, 2.0A 10W
	Manufacturer	Aohai
Ancillary Equipment 7	USB Cable1	
	Model No.	K73312
	Length (Approx.)	1.0m
Ancillary Equipment 8	USB Cable2	
	Model No.	L73312
	Length (Approx.)	1.0m
Ancillary Equipment 9	Headset	
	Model No.	EM023
	Length (Approx.)	1.25m

Note 1: All batteries are tested, only the worst data of BN81-Sunwoda Electronic CO., LTD. shown in this report.

Note 2: All adapters are tested, only the worst data of MDY-09-EQ (US Plug) shown in this report.

Note 3: All USB Cable are tested, only the worst data of K73312 shown in this report.

--BLANK BELOW--