


## 1. Duty Cycle


### 1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
1M	SISO	2402	100.000	100.000	100.00	0.00	0.00
		2440	100.000	100.000	100.00	0.00	0.00
		2480	100.000	100.000	100.00	0.00	0.00

1.2 Test Graph



1M\_HCH\_2480MHz\_Ant1\_NTNV




## 2. Bandwidth

### 2.1 OBW


#### 2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	1.065	/	Pass
		2440	1	1.065	/	Pass
		2480	1	1.065	/	Pass

2.1.2 Test Graph



1M\_HCH\_2480MHz\_Ant1\_NTNV




## 2.2 6dB BW

### 2.2.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.745	>=0.5	Pass
		2440	1	0.707	>=0.5	Pass
		2480	1	0.741	>=0.5	Pass

2.2.2 Test Graph





1M\_HCH\_2480MHz\_Ant1\_NTNV




### 3. Maximum Conducted Output Power


#### 3.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	3.16	<=30	Pass
		2440	3.21	<=30	Pass
		2480	3.15	<=30	Pass

3.2 Test Graph



1M\_HCH\_2480MHz\_Ant1\_NTNV




## 4. Maximum Power Spectral Density


### 4.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-9.73	<=8	Pass
		2440	-10.87	<=8	Pass
		2480	-10.26	<=8	Pass

4.2 Test Graph



1M\_HCH\_2480MHz\_Ant1\_NTNV



## 5. Unwanted Emissions In Non-restricted Frequency Bands

### 5.1 Ref


#### 5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	2.46
		2440	1	3.07
		2480	1	2.49


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



5.1.2 Test Graph



1M\_HCH\_2480MHz\_Ant1\_NTNV





## 5.2 CSE

### 5.2.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	3.07	-16.93	Pass
		2440	1	3.07	-16.93	Pass
		2480	1	3.07	-16.93	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


5.2.2 Test Graph




1M\_MCH\_2440MHz\_Ant1\_NTNV



1M\_HCH\_2480MHz\_Ant1\_NTNV



1M\_HCH\_2480MHz\_Ant1\_NTNV



-----End-----