

FCC Test Report

Report No.: AGC02115210401FE06

FCC ID : 2AG6IMPPUA

APPLICATION PURPOSE : Original Equipment

PRODUCT DESIGNATION: PARROT SKYCONTROLLER USA

BRAND NAME : PARROT

MODEL NAME : MPPUA

APPLICANT: PARROT DRONES

DATE OF ISSUE : Jul. 19, 2021

STANDARD(S) FCC Part 15.407

TEST PROCEDURE(S) KDB 789033 D02 v02r01

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd

AGC





Page 2 of 154


REPORT REVISE RECORD

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Jul. 19, 2021	Valid	Initial Release




TABLE OF CONTENTS

1. VERIFICATION OF CONFORMITY	
2. GENERAL INFORMATION	
2.1. PRODUCT DESCRIPTION	
2.2. TABLE OF CARRIER FREQUENCYS	
2.3. RELATED SUBMITTAL(S) / GRANT (S)	8
2.4. TEST METHODOLOGY	
2.5. SPECIAL ACCESSORIES	
2.6. EQUIPMENT MODIFICATIONS	
2.7. ANTENNA REQUIREMENT	
3. MEASUREMENT UNCERTAINTY	10
4. DESCRIPTION OF TEST MODES	
5. SYSTEM TEST CONFIGURATION	
5.1. CONFIGURATION OF EUT SYSTEM	12
5.2. EQUIPMENT USED IN EUT SYSTEM	
5.3. SUMMARY OF TEST RESULTS	
6. TEST FACILITY	13
7. MAXIMUM CONDUCTED OUTPUT POWER	14
7.1. MEASUREMENT PROCEDURE	
7.2. TEST SET-UP	
7.3. LIMITS AND MEASUREMENT RESULT	
8. BANDWIDTH	19
8.1. MEASUREMENT PROCEDURE	
8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	
8.3. LIMITS AND MEASUREMENT RESULTS	
9. MAXIMUM CONDUCTED OUTPUT AVERAGE POWER SPECTRAL DENSITY	59
9.1. MEASUREMENT PROCEDURE	
9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	59
9.3. MEASUREMENT EQUIPMENT USED	59
9.4. LIMITS AND MEASUREMENT RESULT	59
10. CONDUCTED SPURIOUS EMISSION	87
10.1. MEASUREMENT PROCEDURE	87
10.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	. <u></u>





10.3. MEASUREMENT EQUIPMENT USED	87
10.4. LIMITS AND MEASUREMENT RESULT	
11. RADIATED EMISSION	129
11.1. MEASUREMENT PROCEDURE	129
11.2. TEST SETUP	
11.3. LIMITS AND MEASUREMENT RESULT	
11.4. TEST RESULT	
12. LINE CONDUCTED EMISSION TEST	147
12.1. LIMITS OF LINE CONDUCTED EMISSION TEST	
12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST	
12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST	
12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST	
12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST	149
APPENDIX A: PHOTOGRAPHS OF TEST SETUP	150
APPENDIX B: PHOTOGRAPHS OF EUT	154





1. VERIFICATION OF CONFORMITY

Applicant	PARROT DRONES		
Address	174 quai de jemmapes 75010 Paris France		
Manufacturer	ACTIA		
Address	10, avenue Edouard Serres, 31772 COLOMIERS Cedex (FRANCE)		
Factory	ACTIA		
Address	10, avenue Edouard Serres, 31772 COLOMIERS Cedex (FRANCE)		
Product Designation	PARROT SKYCONTROLLER USA		
Brand Name	PARROT		
Test Model	MPPUA		
Date of test	Apr. 19, 2021~Jul. 19, 2021		
Deviation	No any deviation from the test method		
Condition of Test Sample	Normal		
Test Result	Pass		
Report Template	AGCRT-US-BGN/RF		

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with requirement of FCC Part 15 Rules requirement.

Prepared By	Jonjon Aucorg	
	Donjon Huang (Project Engineer)	Jul. 19, 2021
Reviewed By	Max Zhang	NGC .
	Max Zhang (Reviewer)	Jul. 19, 2021
Approved By	Formere	
	Forrest Lei (Authorized Officer)	Jul. 19, 2021

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Psychological Psycholo



Page 6 of 154

2. GENERAL INFORMATION

2.1. PRODUCT DESCRIPTION

The EUT is designed as "PARROT SKYCONTROLLER USA". It is designed by way of utilizing the OFDM technology to achieve the system operation.

A major technical description of EUT is described as following

A major technical description	of EOT is described as following		
Operation Frequency	5150 MHz~5250MHz; 5725 MHz~5850	MHz	
Output Power(5G 10MHz)	OFDM with data rate 6:24.04dBm; OFDM	with data rate MCS0:24.00dBm	
Output Power(5G MIMO)	OFDM with data rate MCS0:26.87dBm	CC C	
Output Power(5G 20MHz)	IEEE 802.11A:24.47dBm; IEEE 802.11N::	24.32dBm	
Output Power(5G MIMO)	IEEE 802.11N:27.29dBm		
Modulation	BPSK, QPSK, 16QAM, 64QAM, 128QAM	, 256QAM, OFDM	
Modulation(5G 10MHz)	OFDM		
Number of channels	15		
Hardware Version	HW02		
Software Version	3.0.1		
Antenna Designation	Integral antenna (Comply with requirement	nts of the FCC part 15.203)	
Number of transmit chain(10MHz)	2(OFDM with data rate 6/ OFDM with data rate MCS0 all used two antennas, but OFDM with data rate 6 support SISO and OFDM with data rate MCS0 support MIMO)		
Number of transmit chain(20MHz)	2(802.a/11n20 all used two antennas, but 802.11a support SISO and 802.11n20 support MIMO)		
Antenna Gain		nd 4 t 1:5.9dBi; Ant 2: 5.9dBi	
Power Supply	DC 7.2V by battery or DC 5V by adapter		

Note:

- 1. The EUT is client devices operating without radar detection.
- 2. The device do not support TPC.



Page 7 of 154

2.2. TABLE OF CARRIER FREQUENCYS

Frequency Band	Channel Number	Frequency	Frequency Band	Channel Number	Frequency
	36	5180 MHz	8	149	5745 MHz
5150 GHz~ 5250GHz	40	5200 MHz	5725 GHz∼ 5850GHz	153	5765 MHz
	44	5220 MHz		157	5785 MHz
	48	5240 MHz		161	5805 MHz
60 6			_ 60	165	5825MHz



Page 8 of 154

2.3. RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for **FCC ID**: **2AG6IMPPUA** filing to comply with the FCC Part 15 requirements.

2.4. TEST METHODOLOGY

Both conducted and radiated testing was performed according to the procedures in ANSI C63.10 (2013). Radiated testing was performed at an antenna to EUT distance 3 meters.

Others testing (listed at item 5.3) was performed according to the procedures in FCC Part 15.407 rules KDB 789033 D02

2.5. SPECIAL ACCESSORIES

Refer to section 5.2.

2.6. EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

2.7. ANTENNA REQUIREMENT

This intentional radiator is designed with a permanently attached antenna of an antenna to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

For more information of the antenna, please refer to the APPENDIX B: PHOTOGRAPHS OF EUT.



Page 9 of 154

2.8. DESCRIPTION OF AVAILABLE ANTENNAS

Antenna	Frequency	Frequency TX Bandwidth Max Peak Gair	Max Peak Gain (dBi)		Max Directional Gain	
Type	Band (MHz)	Paths	(MHz) Ant 1		Ant 2	(dBi)
5G WIFI Inte	ernal Antenna Lis	t (5GHz :	2*2 MIMO)			
Internal	5150 ~ 5250	2	10,20	5.15	5.15	5.15
Antenna	5725 ~ 5850	2	10,20	5.90	5.90	5.90

Note 1: The EUT supports Cyclic Delay Diversity (CDD) technology for 802.11n mode.

Note 2: The EUT supports Cyclic Delay Diversity (CDD) mode, and CDD signals are correlated.

If all antennas have the same gain, Gant, Directional gain = Gant + Array Gain, where Array Gain is as follows.

• For power spectral density (PSD) measurements on devices:

Array Gain = $10 \log (N_{ANT}/N_{SS}) dB = 3.01$;

For power measurements on IEEE 802.1devices:

Array Gain = 0 dB for $N_{ANT} \le 4$;

Array Gain = 0 dB (i.e., no array gain) for channel widths ≥40 MHz for any NANT;

Array Gain = 5 log(Nant/Nss) dB or 3 dB, whichever is less, for 20 MHz channel widths with Nant ≥ 5.

If antenna gains are not equal, Directional gain may be calculated by using the formulas applicable to equal gain antennas with Gant set equal to the gain of the antenna having the highest gain.



Page 10 of 154

3. MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y ±U, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%.

Item	Measurement Uncertainty
Uncertainty of Conducted Emission for AC Port	$U_c = \pm 3.1 \text{ dB}$
Uncertainty of Radiated Emission below 1GHz	$U_c = \pm 4.0 \text{ dB}$
Uncertainty of Radiated Emission above 1GHz	$U_c = \pm 4.8 \text{ dB}$
Uncertainty of total RF power, conducted	$U_c = \pm 0.8 \text{ dB}$
Uncertainty of RF power density, conducted	$U_c = \pm 2.6 \text{ dB}$
Uncertainty of spurious emissions, conducted	U _c = ±2 %
Uncertainty of Occupied Channel Bandwidth	U _c = ±2 %



Page 11 of 154


4. DESCRIPTION OF TEST MODES

Mode	Tested channel	Modulation	Date rate (Mbps)
802.11a/n20	36,40,48, 149,157,165	OFDM	6Mbps/MCS0
5G 10/20MHz	36,40,48, 149,157,165	OFDM	6Mbps/MCS0

Note:

- 1. The EUT has been set to operate continuously on tested channel individually, and the EUT is operating at its maximum duty cycle>or equal 98%.
- 2. All modes under which configure applicable have been tested and the worst mode test data recording in the test report, if no other mode data.

Test software



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the coefficient of permitted without the written authorization of AGE. The presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the return of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 12 of 154

5. SYSTEM TEST CONFIGURATION

5.1. CONFIGURATION OF EUT SYSTEM

Configure 1:



5.2. EQUIPMENT USED IN EUT SYSTEM

Item	Equipment	Model No.	ID or Specification	Remark
1	PARROT SKYCONTROLLER USA	MPPUA	2AG6IMPPUA	EUT
2	Adapter	TY0500100E1MN	N/A	AE
3	Type-C line	N/A	N/A	AE
4	Load	RX24-50W	N/A	AE

5.3. SUMMARY OF TEST RESULTS

FCC RULES	CC RULES DESCRIPTION OF TEST	
§15.407	6dB Bandwidth	Compliant
§15.407	Emission Bandwidth	Compliant
§15.407	Maximum conducted output power	Compliant
§15.407	Conducted Spurious Emission	Compliant
§15.407	Maximum Conducted Output Power Density	Compliant
§15.209	Radiated Emission	Compliant
§15.407	Band Edges	Compliant
§15.207	AC Line Conduction Emission	Compliant



Page 13 of 154

6. TEST FACILITY

Test Site	Attestation of Global Compliance (Shenzhen) Co., Ltd		
Location	1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China		
Designation Number	CN1259		
FCC Test Firm Registration Number	975832		
A2LA Cert. No.	5054.02		
Description	Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA		

TEST EQUIPMENT OF CONDUCTED EMISSION TEST

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESPI	101206	May 15, 2020	May 14, 2021
TEST RECEIVER	R&S	ESPI	101206	May 13, 2021	May 12, 2022
LISN	R&S	ESH2-Z5	100086	Jul. 03,2020	Jul. 02,2021
LISN	R&S	ESH2-Z5	100086	Jun. 09, 2021	Jun. 08, 2022
Test software	R&S	ES-K1 (Ver V1.71)	N/A	N/A	N/A

TEST EQUIPMENT OF RADIATED EMISSION TEST

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESCI	10096	Apr. 14, 2021	Apr. 13, 2022
EXA Signal Analyzer	Aglient	N9010A	MY53470504	Dec. 07, 2020	Dec. 06, 2021
Power sensor	Aglient	U2021XA	MY54110007	Jun. 08, 2020	Jun. 07, 2021
5GHz Fliter	EM Electronics	5150-5880MHz	N/A	Mar. 23, 2020	Mar. 22, 2022
Attenuator	ZHINAN	E-002	N/A	Sep. 03, 2020	Sep. 02, 2022
Horn antenna	SCHWARZBECK	BBHA 9170	#768	Sep.21, 2019	Sep. 20, 2021
Active loop antenna (9K-30MHz)	ZHINAN	ZN30900C	18051	May 22, 2020	May 21, 2022
Double-Ridged Waveguide Horn	ETS LINDGREN	3117	00034609	May 17, 2019	May 16, 2021
Double-Ridged Waveguide Horn	ETS LINDGREN	3117	00034609	May 15, 2021	May 14, 2023
Broadband Preamplifier	ETS LINDGREN	3117PA	00225134	Sep. 03, 2020	Sep. 02, 2022
ANTENNA	SCHWARZBECK	VULB9168	494	Sep. 20, 2019	Sep. 19, 2021
Test software	FARA	EZ-EMC(Ver.RA-03 A)	N/A	N/A	N/A



Page 14 of 154

7. MAXIMUM CONDUCTED OUTPUT POWER

7.1. MEASUREMENT PROCEDURE


For average power test:

- 1. Connect EUT RF output port to power sensor through an RF attenuator.
- 2. Connect the power sensor to the PC.
- 3. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 4. Record the maximum power from the software.

Note: The EUT was tested according to KDB 789033 for compliance to FCC 47CFR 15.407 requirements.

7.2. TEST SET-UP

AVERAGE POWER SETUP






Page 15 of 154

7.3. LIMITS AND MEASUREMENT RESULT

Test Data o	Test Data of Conducted Output Power for band 5.15-5.25 GHz- Bandwidth 10 MHz of antenna 1					
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail		
OFDM :	5180	16.39	23.98	Pass		
OFDM with data rate 6	5200	16.00	23.98	Pass		
data rate o	5240	16.15	23.98	Pass		
OFDM with	5180	13.48	23.98	Pass		
data rate	5200	13.09	23.98	Pass		
MCS0	5240	13.08	23.98	Pass		

Test Data o	Test Data of Conducted Output Power for band 5.725-5.85 GHz- Bandwidth 10 MHz of antenna 1					
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail		
OEDM :	5745	23.91	30	Pass		
OFDM with data rate 6	5785	23.84	30	Pass		
data rate o	5825	23.36	30	Pass		
OFDM with	5745	23.26	30	Pass		
data rate	5785	24.00	30	Pass		
MCS0	5825	23.42	30	Pass		

Test Data of Conducted Output Power for band 5.15-5.25 GHz- Bandwidth 10 MHz of antenna 2					
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail	
05011	5180	16.16	23.98	Pass	
OFDM with data rate 6	5200	16.15	23.98	Pass	
data rate o	5240	16.20	23.98	Pass	
OFDM with data rate	5180	13.19	23.98	Pass	
	5200	12.66	23.98	Pass	
MCS0	5240	12.79	23.98	Pass	






Test Data	Test Data of Conducted Output Power for band 5.725-5.85 GHz- Bandwidth 10 MHz of antenna 2				
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail	
OEDM :	5745	24.04	30	Pass	
OFDM with data rate 6	5785	23.83	30	Pass	
data rate o	5825	23.30	30	Pass	
OFDM with	5745	23.88	30	Pass	
data rate	5785	23.72	30	Pass	
MCS0	5825	23.25	30	Pass	

Test Data of Conducted Output Power for band 5.15-5.25 GHz- Bandwidth 10 MHz of antenna 1+2				
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail
OFDM with	5180	16.35	23.98	Pass
data rate	5200	15.89	23.98	Pass
MCS0	5240	15.95	23.98	Pass

Test Data	Test Data of Conducted Output Power for band 5.725-5.85 GHz- Bandwidth 10 MHz of antenna 1+2				
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail	
OFDM with	5745	26.59	30	Pass	
data rate MCS0	5785	26.87	30	Pass	
	5825	26.35	30	Pass	

Test Data of	Test Data of Conducted Output Power for band 5.15-5.25 GHz- Bandwidth 20 MHz of antenna 1					
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail		
®	5180	19.25	23.98	Pass		
802.11a	5200	18.88	23.98	Pass		
9	5240	19.26	23.98	Pass		
	5180	15.98	23.98	Pass		
802.11n20	5200	15.86	23.98	Pass		
9	5240	16.29	23.98	Pass		





Test Data	Test Data of Conducted Output Power for band 5.725-5.85 GHz- Bandwidth 20 MHz of antenna 1				
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail	
	5745	24.47	30	Pass	
802.11a	5785	24.26	30	Pass	
	5825	23.56	30	Pass	
®	5745	24.32	30	Pass	
802.11n20	5785	24.24	30	Pass	
	5825	23.74	30	Pass	

Test Data	Test Data of Conducted Output Power for band 5.15-5.25 GHz- Bandwidth 20 MHz of antenna 2				
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail	
8	5180	19.11	23.98	Pass	
802.11a	5200	18.90	23.98	Pass	
	5240	18.86	23.98	Pass	
0	5180	15.72	23.98	Pass	
802.11n20	5200	15.79	23.98	Pass	
	5240	15.88	23.98	Pass	

Test Data	Test Data of Conducted Output Power for band 5.725-5.85 GHz- Bandwidth 20 MHz of antenna 2					
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail		
	5745	24.28	30	Pass		
802.11a	5785	24.17	30	Pass		
- 60	5825	23.39	30	Pass		
	5745	24.24	30	Pass		
802.11n20	5785	23.61	30	Pass		
-G	5825	23.52	30	Pass		


Test Data of Conducted Output Power for band 5.15-5.25 GHz- Bandwidth 20 MHz of antenna 1+2						
Test Mode	Test Channel (MHz)	Average Power (dBm)	Limits (dBm)	Pass or Fail		
	5180	18.86	23.98	Pass		
802.11n20	5200	18.84	23.98	Pass		
®	5240	19.10	23.98	Pass		



Page 18 of 154

Test Data	Test Data of Conducted Output Power for band 5.725-5.85 GHz- Bandwidth 20 MHz of antenna 1+2						
Test Mode Test Channel (MHz) Average Power Limits (dBm) Pa							
8	5745	27.29	30	Pass			
802.11n20	5785	26.95	30	Pass			
	5825	26.64	30	Pass			

Note: 1.The Total Average Power (dBm) = $10*log \{10^{(Ant \ 1 \ Average \ Power \ /10)} + 10^{(Ant \ 2 \ Average \ Power \ /10)}\}$.





8. BANDWIDTH

8.1. MEASUREMENT PROCEDURE

-6dB bandwidth (DTS bandwidth):

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. Set the EUT Work on operation frequency individually.
- 3. Set RBW = 100kHz.
- 4. Set the VBW ≥3*RBW. Detector = Peak. Trace mode = max hold.
- 5. Measure the maximum width of the emission that is 6 dB down from the peak of the emission.

99% occupied bandwidth:


- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set Span = approximately 1.5 to 5 times the OBW, centered on a nominal channel
 The nominal IF filter bandwidth (3 dB RBW) shall be in the range of 1% to 5% of the OBW and video
 bandwidth (VBW) shall be approximately three times RBW; Sweep = auto; Detector function = peak
- 4. Set SPA Trace 1 Max hold, then View.

-26dB Bandwidth:

- 1. Set RBW = approximately 1% of the emission bandwidth.
- 2. Set the VBW > RBW.
- 3. Detector = Peak.
- 4. Trace mode = max hold.
- 5. Measure the maximum width of the emission that is 26 dB down from the maximum of the emission. Compare this with the RBW setting of the analyzer. Readjust RBW and repeat measurement as needed until the RBW/EBW ratio is approximately 1%.

Note: The EUT was tested according to KDB 789033 for compliance to FCC 47CFR 15.407 requirements.

8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)






Page 20 of 154

8.3. LIMITS AND MEASUREMENT RESULTS

Test Data of Occupied Bandwidth and -26dB Bandwidth for band 5.15-5.25 GHz- Bandwidth 10 MHz of antenna 1						
Test Mode	Test Channel (MHz)	99% Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Limits (MHz)	Pass or Fail	
	5180	8.171	9.572	N/A	Pass	
OFDM with data rate 6	5200	8.174	9.598	N/A	Pass	
Tale o	5240	8.174	9.486	N/A	Pass	
69	5180	8.738	10.143	N/A	Pass	
OFDM with data rate MCS0	5200	8.729	10.013	N/A	Pass	
	5240	8.738	10.150	N/A	Pass	

Test Data of Occupied Bandwidth and DTS Bandwidth for band 5.725-5.85 GHz- Bandwidth 10 MHz of antenna 1						
Test Mode	Test Channel (MHz)	99% Occupied Bandwidth (MHz)	DTS Bandwidth (MHz)	Limits (MHz)	Pass or Fail	
	5745	8.282	7.606	0.5	Pass	
OFDM with data rate 6	5785	8.331	7.854	0.5	Pass	
Tate o	5825	8.298	7.705	0.5	Pass	
	5745	8.849	8.222	0.5	Pass	
OFDM with data rate MCS0	5785	8.843	7.922	0.5	Pass	
	5825	8.803	7.867	0.5	Pass	

Test Data of Occupied Bandwidth and -26dB Bandwidth for band 5.15-5.25 GHz- Bandwidth 10 MHz of antenna 2						
Test Mode	Test Channel (MHz)	99% Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Limits (MHz)	Pass or Fail	
	5180	8.178	9.557	N/A	Pass	
OFDM with data rate 6	5200	8.191	9.685	N/A	Pass	
Tuto o	5240	8.189	9.635	N/A	Pass	
	5180	8.735	10.058	N/A	Pass	
OFDM with data rate MCS0	5200	8.753	10.227	N/A	Pass	
	5240	8.751	10.168	N/A	Pass	





Test Data of Occupied Bandwidth and DTS Bandwidth for band 5.725-5.85 GHz- Bandwidth 10 MHz of antenna 2						
Test Mode	Test Channel (MHz)	99% Occupied Bandwidth (MHz)	DTS Bandwidth (MHz)	Limits (MHz)	Pass or Fail	
	5745	8.276	7.920	0.5	Pass	
OFDM with data rate 6	5785	8.306	7.882	0.5	Pass	
Tate o	5825	8.296	7.726	0.5	Pass	
OFDM with data rate MCS0	5745	8.829	8.060	0.5	Pass	
	5785	8.825	8.158	0.5	Pass	
	5825	8.802	7.960	0.5	Pass	

Test Data of Occupied Bandwidth and -26dB Bandwidth for band 5.15-5.25 GHz- Bandwidth 20 MHz of antenna 1						
Test Mode	Test Channel (MHz)	99% Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Limits (MHz)	Pass or Fail	
	5180	16.276	19.005	N/A	Pass	
802.11a	5200	16.261	19.293	N/A	Pass	
GU CC	5240	16.272	19.081	N/A	Pass	
	5180	17.362	19.708	N/A	Pass	
802.11n20	5200	17.368	19.794	N/A	Pass	
	5240	17.379	19.503	N/A	Pass	

Test Data of Occupied Bandwidth and DTS Bandwidth for band 5.725-5.85 GHz- Bandwidth 20 MHz of antenna 1					
Test Mode	Test Channel (MHz)	99% Occupied Bandwidth (MHz)	DTS Bandwidth (MHz)	Limits (MHz)	Pass or Fail
802.11a	5745	16.404	15.103	0.5	Pass
	5785	16.435	15.721	0.5	Pass
	5825	16.397	15.076	0.5	Pass
0	5745	17.459	15.303	0.5	Pass
802.11n20	5785	17.520	15.081	0.5	Pass
	5825	17.487	15.069	0.5	Pass




Page 22 of 154

c/Inspection
The test results
the test report.


Test Data of Occupied Bandwidth and -26dB Bandwidth for band 5.15-5.25 GHz- Bandwidth 20 MHz of antenna 2						
Test Mode	Test Channel (MHz)	99% Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Limits (MHz)	Pass or Fail	
C	5180	16.288	19.124	N/A	Pass	
802.11a	5200	16.278	19.032	N/A	Pass	
10	5240	16.276	19.188	N/A	Pass	
	5180	17.370	19.587	N/A	Pass	
802.11n20	5200	17.374	19.573	N/A	Pass	
	5240	17.383	19.492	N/A	Pass	

Test Data of Occupied Bandwidth and DTS Bandwidth for band 5.725-5.85 GHz- Bandwidth 20 MHz of antenna 2					
Test Mode	Test Channel (MHz)	99% Occupied Bandwidth (MHz)	DTS Bandwidth (MHz)	Limits (MHz)	Pass or Fail
802.11a	5745	16.375	15.324	0.5	Pass
	5785	16.406	15.500	0.5	Pass
	5825	16.383	15.309	0.5	Pass
802.11n20	5745	17.478	15.082	0.5	Pass
	5785	17.476	15.065	0.5	Pass
	5825	17.528	15.525	0.5	Pass







Test Graphs of Occupied Bandwidth and -26dB Bandwidth for band 5.15-5.25 GHz -Bandwidth 10 MHz-ant 1













Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance at the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Test_Graph_OFDM_ANT1_5240_MCS0_OBW





Test Graphs of Occupied Bandwidth for band 5.725-5.85 GHz -Bandwidth 10 MHz-ant 1








Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Test_Graph_OFDM_ANT1_5745_MCS0_OBW






Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Test_Graph_OFDM_ANT1_5825_MCS0_OBW






Test Graphs of DTS Bandwidth for band 5.725-5.85 GHz -Bandwidth 10 MHz-ant 1













Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance at the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Test_Graph_OFDM_ANT1_5825_MCS0_DTSBW







Test Graphs of Occupied Bandwidth and -26dB Bandwidth for band 5.15-5.25 GHz -Bandwidth 10 MHz-ant 2
















Test Graphs of Occupied Bandwidth for band 5.725-5.85 GHz -Bandwidth 10 MHz-ant 2








Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Test_Graph_OFDM_ANT2_5745_MCS0_OBW






Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Test_Graph_OFDM_ANT1_5825_MCS0_OBW






Test Graphs of DTS Bandwidth for band 5.725-5.85 GHz -Bandwidth 10 MHz-ant 2



















Test Graphs of Occupied Bandwidth and -26dB Bandwidth for band 5.15-5.25 GHz -Bandwidth 20 MHz-ant 1



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written perhorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



