


Spurious Emissions at Antenna Terminal


Channel

10MHz Bandwidth QPSK

Lowest




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 16:06:19




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 16:06:38

Middle




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 16:07:20




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 16:07:46

Highest



ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 16:08:20





ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 16:08:46

Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest







Middle









Highest




Out of band emission, Band Edge

Mode	Lowest-RB 1#0	Highest-RB 1#Max
QPSK 1.4MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -21.00 dBm 1.7100000 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 3.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:20:41	 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -22.07 dBm 1.7550000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 3.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 16:27:15
QPSK 3MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -21.09 dBm 1.7100000 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 6.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:31:39	 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -20.14 dBm 1.7550000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 6.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 14:15:21
QPSK 5MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -19.06 dBm 1.7100000 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 10.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:33:52	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -10.53 dBm 1.7550000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 10.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 14:20:07







Out of band emission, Band Edge

Mode	Lowest-RB 1#0	Highest-RB 1#Max
QPSK 10MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -31.84 dBm 1.701760 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 20.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:36:23	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -30.56 dBm 1.755000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 20.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:37:47
QPSK 15MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 300 kHz Att 35 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -22.56 dBm 1.710000 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 30.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:39:12	 Ref Level 30.00 dBm Offset 7.50 dB RBW 300 kHz Att 35 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -24.05 dBm 1.755000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 30.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:40:24
QPSK 20MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 300 kHz Att 35 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -29.28 dBm 1.710000 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 40.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:41:49	 Ref Level 30.00 dBm Offset 7.50 dB RBW 300 kHz Att 35 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -27.86 dBm 1.755000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 40.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 14:18:30




Out of band emission, Band Edge




Out of band emission, Band Edge

Mode	Lowest-RB 1#0	Highest-RB 1#Max
16QAM 10MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -32.47 dBm 1.710000 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 20.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:36:51	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -31.24 dBm 1.755000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 20.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:38:36
16QAM 15MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 300 kHz Att 35 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -23.19 dBm 1.710000 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 30.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:39:43	 Ref Level 30.00 dBm Offset 7.50 dB RBW 300 kHz Att 35 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -23.61 dBm 1.755000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 30.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:40:14
16QAM 20MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 300 kHz Att 35 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -28.10 dBm 1.710000 GHz D1 -13.000 dBm CF 1.71 GHz 501 pts Span 40.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 09:42:22	 Ref Level 30.00 dBm Offset 7.50 dB RBW 300 kHz Att 35 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr MI[1] -20.03 dBm 1.755000 GHz D1 -13.000 dBm CF 1.755 GHz 501 pts Span 40.0 MHz ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 8.APR.2024 14:21:17


Out of band emission, Band Edge

Mode	Lowest-Full RB	Highest-Full RB
QPSK 1.4MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 16:50:25	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 16:52:35
QPSK 3MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 16:54:55	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 16:55:07
QPSK 5MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 16:59:21	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 16:59:33


Out of band emission, Band Edge

Mode	Lowest-Full RB	Highest-Full RB
QPSK 10MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:03:04	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:03:18
QPSK 15MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:06:28	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:06:42
QPSK 20MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:09:58	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:10:12

Out of band emission, Band Edge



Out of band emission, Band Edge

Mode	Lowest-Full RB	Highest-Full RB
16QAM 10MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:03:11	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:03:24
16QAM 15MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:06:34	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:06:49
16QAM 20MHz	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:10:04	 ProjectNo.:XMDN240206-08120E Tester:Jeff Wei Date: 6.APR.2024 17:10:19

5.8 Antenna Port Test Data and Results for LTE Band 5

Serial Number:	2HPA-1	Test Date:	2024/4/1~2024/4/11
Test Site:	RF	Test Mode:	Transmitting
Tester:	Loge Long, Jeff Wei	Test Result:	Pass

Environmental Conditions:					
Temperature: (°C)	25.1~26.9	Relative Humidity: (%)	49~72	ATM Pressure: (kPa)	100.2~101.1

Test Equipment List and Details:					
Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2023/11/27	2024/11/26
Micro-Coax	Coaxial Cable	UFB205A	323308-024	2024/1/2	2025/1/1
Minl-Clrucits	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2024/2/25	2025/2/24
R&S	Wideband Radio Communication Tester	CMW500	110479	2023/10/18	2024/10/17
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2023/10/18	2024/10/17
All-sun	Clamp Meter	EM305A	8348897	2023/8/3	2024/8/2
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:			
Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	824.7	836.5	848.3
3MHz	825.5	836.5	847.5
5MHz	826.5	836.5	846.5
10MHz	829	836.5	844

Test Data:**RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	23.93	23.67	23.82	19.84	38.45
	RB1#3	23.92	23.79	23.79		
	RB1#5	23.71	23.66	23.89		
	RB3#0	23.89	23.56	23.68		
	RB3#3	23.9	23.61	23.67		
	RB6#0	22.87	22.75	22.65		
1.4MHz 16QAM	RB1#0	23.08	22.61	22.86	19	38.45
	RB1#3	23.09	22.73	23.07		
	RB1#5	22.89	22.64	22.81		
	RB3#0	23.08	22.86	22.64		
	RB3#3	22.87	22.8	22.53		
	RB6#0	21.52	21.45	21.54		
3MHz QPSK	RB1#0	24.08	23.67	23.51	19.99	38.45
	RB1#8	23.93	23.63	23.44		
	RB1#14	23.85	23.56	23.57		
	RB6#0	22.9	22.73	22.61		
	RB6#9	22.79	22.68	22.72		
	RB15#0	22.86	22.79	22.68		
3MHz 16QAM	RB1#0	22.87	23.14	23.03	19.14	38.45
	RB1#8	22.69	23.02	23.23		
	RB1#14	22.65	22.97	23		
	RB6#0	21.98	21.73	21.77		
	RB6#9	21.95	21.67	21.49		
	RB15#0	21.84	21.69	21.46		
5MHz QPSK	RB1#0	23.57	23.44	23.52	19.58	38.45
	RB1#13	23.67	23.67	23.59		
	RB1#24	23.56	23.61	23.6		
	RB15#0	22.87	22.78	22.68		
	RB15#10	22.87	22.73	22.72		
	RB25#0	22.83	22.76	22.62		
5MHz 16QAM	RB1#0	23.2	22.38	22.35	19.44	38.45
	RB1#13	23.53	22.61	22.39		
	RB1#24	23.33	21.54	21.93		
	RB15#0	22	21.67	21.68		
	RB15#10	22.08	21.68	21.5		
	RB25#0	21.85	21.64	21.63		
10MHz QPSK	RB1#0	23.89	23.56	23.75	19.8	38.45
	RB1#25	23.74	23.85	23.85		
	RB1#49	23.63	23.71	23.61		
	RB25#0	22.85	22.82	22.73		

10MHz 16QAM	RB25#25	22.77	22.83	22.65	19.6	38.45
	RB50#0	22.86	22.82	22.76		
	RB1#0	23.69	22.65	23.3		
	RB1#25	23.15	22.9	23.23		
	RB1#49	23.18	22.48	22.57		
	RB25#0	22.11	21.95	21.82		
	RB25#25	21.92	21.96	21.76		
	RB50#0	21.91	21.71	21.73		

Note:

ERP= Conducted Power(dBm) - L_c(dB) + G_T(dBd)G_T(dBd)=G_T(dBi)-2.15The result was calculated with the maximum combination of G_T - L_c**Result:****Pass****Peak-to-average Ratio(PAR)**

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	3.97	4	4.14	13
	RB50#0	4.46	4.55	4.55	13
10MHz 16QAM	RB1#0	4.84	4.75	4.87	13
	RB50#0	5.48	5.57	5.57	13
				Result:	Pass

Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.108	1.108	1.102	1.29	1.32	1.302
1.4MHz 16QAM	1.102	1.096	1.102	1.32	1.302	1.32
3MHz QPSK	2.683	2.695	2.695	2.964	2.94	2.94
3MHz 16QAM	2.683	2.695	2.683	2.964	2.964	2.952
5MHz QPSK	4.531	4.511	4.491	5.02	5.04	4.96
5MHz 16QAM	4.491	4.511	4.531	4.98	5	5.02
10MHz QPSK	8.942	8.942	8.942	9.84	9.76	9.72
10MHz 16QAM	8.902	8.942	8.942	9.64	9.76	9.64

Note: The test plots please refer to the Plots of Occupied Bandwidth

Spurious Emissions at Antenna Terminal

Result:	Pass, Test was performed at RB1#0, please refer to the test plots of Spurious Emissions at Antenna Terminal.
----------------	--

Out of band emission, Band Edge

Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
----------------	--

Frequency Stability					
Test Modulation:	10 MHz QPSK		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	7.7	2.63	0.003	2.5
	-20	7.7	9.12	0.011	2.5
	-10	7.7	8.51	0.010	2.5
	0	7.7	-7.15	-0.009	2.5
	10	7.7	-5.29	-0.006	2.5
	20	7.7	0.39	0.000	2.5
	30	7.7	-5.81	-0.007	2.5
	40	7.7	5.59	0.007	2.5
	50	7.7	6.87	0.008	2.5
Frequency Stability vs. Voltage	20	6.8	9.94	0.012	2.5
	20	8.8	9.99	0.012	2.5
				Result:	Pass

Test Modulation:	10 MHz 16QAM		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	7.7	3.71	0.004	2.5
	-20	7.7	8.1	0.010	2.5
	-10	7.7	-8.59	-0.010	2.5
	0	7.7	9.33	0.011	2.5
	10	7.7	-6.94	-0.008	2.5
	20	7.7	0.14	0.000	2.5
	30	7.7	6.43	0.008	2.5
	40	7.7	-6.17	-0.007	2.5
	50	7.7	-6.44	-0.008	2.5
Frequency Stability vs. Voltage	20	6.8	6.34	0.008	2.5
	20	8.8	-6.89	-0.008	2.5
				Result:	Pass

Test Plots:


Occupied Bandwidth

Channel


1.4MHz Bandwidth QPSK

1.4MHz Bandwidth 16QAM

Lowest




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 1.APR.2024 17:57:47




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 1.APR.2024 17:58:07

Middle




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 1.APR.2024 17:58:51




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 1.APR.2024 17:59:11

Highest




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 1.APR.2024 17:59:57



ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 1.APR.2024 18:00:17

Occupied Bandwidth



Occupied Bandwidth

Channel	5MHz Bandwidth QPSK	5MHz Bandwidth 16QAM
Lowest	Spectrum Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 1 ms VBW 300 kHz Mode Sweep 1PK Max </	



Occupied Bandwidth

Channel



10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Middle



Highest




Spurious Emissions at Antenna Terminal


Channel

1.4MHz Bandwidth QPSK

Lowest




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 17:41:06




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 17:41:28

Middle




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 17:42:26




ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 17:42:55

Highest



ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 17:50:50





ProjectNo.:XMDN240206-08120E Tester:Jeff Wei
Date: 2.APR.2024 17:51:10

Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK

Lowest



Middle



Highest

