

Test Mode		Mode 1					
Frequency		5300 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5304	1	70.4	15	1864.7	1	1
	5304	2	88.5	16	1557.2	3	
	5305	3	68.9	12	1757.8	2	
	5306	4	55.0	11	1960.6	1	
	5307	5	53.0	7	1779.4	3	
	5306	6	63.6	10	1746.3	3	
	5303	7	79.3	17	1539.5	2	
	5308	8	54.6	6	1155.4	2	
	5304	9	60.7	15	1463.5	1	
	5305	10	91.0	13	1246.1	2	
	5304	11	72.1	14	1151.8	3	
	5302	12	99.4	19	1416.6	1	
	5305	13	69.4	12	1375.2	1	
	5306	14	77.6	9	1123.1	3	
	5305	15	74.3	13	1085.5	2	
	5306	16	84.8	9	1015.9	2	
	5308	17	57.5	5	1876.3	3	
	5308	18	96.0	5	1039.5	1	
	5308	19	84.1	6	1839.3	1	
	5305	20	76.7	12	1514.8	3	
28	5306	1	60.9	11	1292.6	3	1
	5308	2	50.1	6	1498.8	1	
	5303	3	92.7	18	1367.6	2	
	5308	4	55.9	6	1376.9	1	
	5303	5	73.8	17	1348.4	2	
	5308	6	56.3	6	1143.4	3	
	5306	7	67.4	9	1003.8	3	
	5302	8	85.5	19	1595.4	3	
	5306	9	70.3	11	1354.4	1	
	5303	10	89.2	17	1138.8	3	
	5307	11	83.3	7	1407.4	3	
	5306	12	95.8	10	1265.8	1	
	5306	13	79.3	11	1355.2	1	
	5308	14	79.3	5	1933.5	3	
	5304	15	97.2	16	1512.3	1	
	5303	16	54.0	18	1875.7	2	
	5305	17	73.7	12	1903.3	1	
	5306	18	74.3	9	1245.9	1	
	5307	19	70.6	7	1458.3	3	
	5306	20	79.4	10	1770.8	2	

Test Mode		Mode 1					
Frequency		5300 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5304	1	56.8	16	1932.1	3	1
	5306	2	99.0	9	1209.9	1	
	5303	3	59.7	18	1565.0	3	
	5308	4	50.2	6	1865.1	1	
	5306	5	99.7	10	1749.4	3	
	5307	6	58.6	7	1571.0	3	
	5304	7	63.2	14	1764.0	2	
	5306	8	78.6	9	1176.9	1	
	5306	9	92.0	9	1895.7	3	
	5304	10	79.1	16	1035.7	3	
	5303	11	74.1	17	1630.2	2	
	5302	12	60.3	19	1021.3	1	
	5307	13	53.0	7	1584.2	2	
	5306	14	66.0	11	1987.0	3	
	5304	15	90.0	14	1144.7	2	
	5306	16	99.7	9	1239.4	3	
	5308	17	83.3	6	1014.3	1	
30	5306	1	88.5	10	1199.0	2	1
	5302	2	75.6	19	1921.2	1	
	5306	3	58.9	10	1302.3	2	
	5306	4	85.4	10	1871.9	1	
	5306	5	67.1	9	1711.0	2	
	5305	6	64.6	13	1909.5	1	
	5302	7	63.6	19	1750.3	3	
	5302	8	59.7	19	1365.1	3	
	5305	9	80.5	12	1726.7	2	
	5307	10	87.6	8	1612.0	3	
	5306	11	87.6	10	1696.4	3	
	5303	12	67.1	18	1381.5	1	
	5303	13	90.7	18	1816.7	3	
	5304	14	68.5	16	1121.2	3	
Detection Percentage (%)							83.33

Test Mode		Mode 1				
Frequency		5300 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	0
6	1	333	9	0.333	300	0
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	0
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	0
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	0
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	0
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						80.00

Test Mode		Mode 1				
Frequency		5560 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	1	3066	18	326	1
2	5560	1	598	89	1672	1
3	5560	1	618	86	1618	1
4	5560	1	738	72	1355	1
5	5560	1	698	76	1433	1
6	5560	1	618	86	1618	1
7	5560	1	818	65	1222	1
8	5560	1	638	83	1567	1
9	5560	1	898	59	1114	1
10	5560	1	878	61	1139	1
11	5560	1	618	86	1618	1
12	5560	1	818	65	1222	1
13	5560	1	838	63	1193	1
14	5560	1	518	102	1931	1
15	5560	1	578	92	1730	1
16	5560	1	1276	42	784	0
17	5560	1	618	86	1618	1
18	5560	1	1451	37	689	1
19	5560	1	1165	46	858	1
20	5560	1	1813	30	552	1
21	5560	1	3031	18	330	1
22	5560	1	2620	21	382	1
23	5560	1	2434	22	411	1
24	5560	1	617	86	1621	1
25	5560	1	2714	20	368	0
26	5560	1	570	93	1754	1
27	5560	1	2491	22	401	1
28	5560	1	1089	49	918	1
29	5560	1	1856	29	539	1
30	5560	1	926	57	1080	1
Detection Percentage (%)						93.33

Test Mode		Mode 1				
Frequency		5560 MHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	3.80	229.10	27	4365	1
2	5560	1.50	163.90	28	6101	1
3	5560	2.50	204.60	29	4888	1
4	5560	2.20	216.50	28	4619	1
5	5560	3.10	206.90	26	4833	1
6	5560	3.30	201.10	27	4973	1
7	5560	4.10	211.50	29	4728	1
8	5560	1.60	215.50	25	4640	1
9	5560	3.00	227.30	23	4399	0
10	5560	4.00	177.10	29	5647	0
11	5560	3.60	161.30	28	6200	1
12	5560	2.90	226.10	27	4423	1
13	5560	2.90	198.00	26	5051	0
14	5560	2.60	220.30	23	4539	1
15	5560	4.80	198.10	28	5048	1
16	5560	1.30	222.70	26	4490	1
17	5560	4.90	209.80	23	4766	1
18	5560	1.30	166.70	24	5999	1
19	5560	1.10	196.90	25	5079	1
20	5560	2.90	179.40	27	5574	1
21	5560	5.00	158.60	23	6305	1
22	5560	2.10	175.80	29	5688	1
23	5560	3.80	201.80	29	4955	1
24	5560	2.20	205.90	26	4857	1
25	5560	2.90	166.40	28	6010	1
26	5560	2.80	194.50	23	5141	1
27	5560	3.60	211.20	25	4735	1
28	5560	1.50	160.20	25	6242	1
29	5560	1.00	187.50	25	5333	1
30	5560	4.00	188.50	27	5305	1
Detection Percentage (%)						90.00

Test Mode		Mode 1				
Frequency		5560 MHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	9.10	424.90	18	2353.49	0
2	5560	9.00	495.50	17	2018.16	1
3	5560	6.90	444.30	17	2250.73	1
4	5560	6.80	297.60	18	3360.22	1
5	5560	6.20	355.40	18	2813.73	0
6	5560	6.50	215.30	17	4644.68	1
7	5560	7.10	206.10	18	4852.01	0
8	5560	8.90	486.00	16	2057.61	1
9	5560	7.50	392.20	16	2549.72	1
10	5560	7.80	407.50	18	2453.99	0
11	5560	8.20	370.40	17	2699.78	1
12	5560	8.30	423.20	17	2362.95	1
13	5560	7.00	439.50	16	2275.31	0
14	5560	8.50	237.30	18	4214.08	1
15	5560	6.30	372.30	18	2686.01	1
16	5560	7.60	230.00	18	4347.83	1
17	5560	7.40	362.40	17	2759.38	1
18	5560	8.80	415.00	18	2409.64	1
19	5560	7.60	327.40	18	3054.37	1
20	5560	9.00	450.50	17	2219.76	1
21	5560	6.50	208.10	16	4805.38	1
22	5560	7.30	230.60	18	4336.51	1
23	5560	6.20	470.80	17	2124.04	1
24	5560	7.20	433.80	18	2305.21	1
25	5560	9.30	307.50	17	3252.03	1
26	5560	6.10	350.10	18	2856.33	1
27	5560	9.90	378.50	16	2642.01	0
28	5560	6.60	276.50	18	3616.64	0
29	5560	9.30	486.40	17	2055.92	1
30	5560	6.50	261.60	17	3822.63	1
Detection Percentage (%)						76.67

Test Mode		Mode 1				
Frequency		5560 MHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	12.30	384.50	16	2601	1
2	5560	15.70	335.30	15	2982	0
3	5560	20.00	395.20	15	2530	1
4	5560	19.20	490.80	16	2037	1
5	5560	12.40	362.50	15	2759	1
6	5560	14.10	268.90	14	3719	0
7	5560	17.70	393.10	13	2544	1
8	5560	11.30	498.80	15	2005	1
9	5560	15.50	294.90	12	3391	1
10	5560	12.20	391.30	15	2556	1
11	5560	19.20	207.90	14	4810	1
12	5560	17.50	486.80	15	2054	1
13	5560	12.40	267.20	13	3743	1
14	5560	15.00	263.80	13	3791	1
15	5560	12.50	498.80	12	2005	1
16	5560	18.30	486.10	14	2057	0
17	5560	17.40	360.30	15	2775	1
18	5560	17.00	336.60	15	2971	0
19	5560	18.90	318.50	14	3140	1
20	5560	11.30	352.40	14	2838	0
21	5560	15.00	316.10	14	3164	1
22	5560	13.90	222.40	16	4496	0
23	5560	11.90	384.40	15	2601	1
24	5560	19.40	390.90	16	2558	0
25	5560	19.00	265.30	13	3769	1
26	5560	19.90	219.30	14	4560	1
27	5560	12.30	267.50	16	3738	1
28	5560	13.50	388.40	15	2575	1
29	5560	17.10	442.50	14	2260	1
30	5560	15.60	415.10	15	2409	1
Detection Percentage (%)						76.67

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5557	1	98.3	15	1886.1	2	1
	5557	2	98.2	14	1056.3	1	
	5555	3	90.1	10	1311.8	3	
	5554	4	97.1	8	1228.3	1	
	5555	5	69.7	11	1793.4	3	
	5557	6	74.4	15	1212.0	3	
	5557	7	77.7	14	1756.4	3	
	5558	8	81.9	18	1495.3	2	
	5558	9	54.3	18	1973.3	1	
	5555	10	56.8	10	1766.1	2	
	5556	11	59.0	13	1541.2	1	
2	5553	1	62.8	6	1028.8	3	1
	5559	2	71.9	20	1911.3	1	
	5555	3	62.7	9	1945.4	1	
	5553	4	87.6	5	1135.4	3	
	5555	5	64.5	10	1868.4	2	
	5558	6	65.7	17	1188.9	3	
	5557	7	89.7	14	1802.4	3	
	5554	8	62.7	7	1982.2	2	
	5557	9	62.5	15	1211.5	3	
	5559	10	61.6	19	1711.7	2	
	5553	11	64.9	5	1205.9	3	
	5553	12	59.2	6	1593.3	1	
3	5555	1	78.0	11	1220.1	3	1
	5555	2	50.7	10	1263.4	3	
	5555	3	93.3	10	1033.5	3	
	5555	4	84.1	9	1499.1	2	
	5557	5	50.3	14	1279.8	3	
	5555	6	73.5	10	1259.2	1	
	5559	7	83.2	19	1080.7	2	
	5557	8	50.9	15	1608.6	1	
	5557	9	61.3	16	1544.6	1	
	5557	10	50.6	15	1797.2	1	
	5556	11	63.3	13	1466.0	3	
	5557	12	69.4	15	1078.3	1	
	5558	13	98.9	18	1886.5	1	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5556	1	50.1	12	1237.6	3	1
	5556	2	96.1	13	1181.2	1	
	5557	3	69.5	16	1559.0	1	
	5554	4	85.9	7	1598.3	2	
	5559	5	95.6	19	1323.2	1	
	5554	6	95.9	7	1578.5	2	
	5555	7	78.9	10	1702.0	3	
	5554	8	83.6	8	1297.1	2	
	5557	9	83.8	16	1008.7	1	
5	5553	1	95.7	6	1422.7	1	1
	5558	2	62.2	17	1752.9	2	
	5557	3	97.1	16	1440.5	1	
	5555	4	61.6	9	1906.7	1	
	5558	5	97.3	18	1987.1	2	
	5559	6	57.8	19	1939.1	1	
	5557	7	73.2	14	1353.7	2	
	5556	8	53.4	13	1755.8	1	
	5558	9	67.5	17	1050.7	3	
	5556	10	95.5	13	1516.1	3	
	5558	11	51.1	17	1489.5	2	
	5556	12	87.0	13	1501.1	1	
	5554	13	55.5	7	1301.7	2	
	5556	14	71.4	12	1890.1	3	
	5558	15	76.4	18	1162.8	1	
6	5556	1	93.7	12	1727.0	1	1
	5557	2	74.1	14	1091.9	2	
	5554	3	81.5	7	1113.7	3	
	5558	4	80.2	17	1262.8	1	
	5553	5	85.0	6	1504.2	3	
	5555	6	87.3	11	1878.6	3	
	5554	7	76.8	8	1750.0	3	
	5553	8	63.2	6	1208.9	3	
	5557	9	63.9	16	1211.3	2	
	5558	10	82.0	18	1608.7	2	
	5554	11	98.5	7	1959.2	3	
	5555	12	51.6	11	1310.7	2	
	5555	13	55.0	10	1036.2	1	
	5557	14	78.1	15	1752.4	1	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5557	1	78.0	14	1731.5	3	1
	5559	2	81.1	19	1104.1	2	
	5558	3	53.6	18	1562.3	2	
	5558	4	74.7	17	1497.2	2	
	5553	5	56.4	6	1562.5	2	
	5553	6	95.4	6	1556.8	2	
	5558	7	62.4	18	1982.8	1	
	5553	8	55.9	5	1314.9	3	
	5558	9	58.6	18	1615.2	1	
	5556	10	59.4	12	1025.5	2	
	5558	11	75.0	18	1164.7	3	
	5555	12	55.1	10	1447.5	1	
	5557	13	99.4	15	1733.0	2	
	5555	14	88.1	9	1682.8	2	
	5557	15	63.9	15	1903.4	1	
	5555	16	65.0	11	1409.5	1	
	5557	17	69.9	14	1541.6	2	
8	5557	1	55.2	15	1073.7	1	1
	5559	2	58.3	19	1274.6	3	
	5558	3	59.3	17	1872.4	3	
	5557	4	84.3	16	1349.6	2	
	5557	5	77.3	16	1497.9	3	
	5553	6	99.9	5	1232.9	3	
	5559	7	64.3	19	1411.5	3	
	5557	8	63.6	15	1998.3	2	
	5559	9	99.2	19	1277.9	2	
	5554	10	88.8	8	1828.2	3	
	5554	11	64.5	8	1659.1	1	
	5556	12	63.1	12	1516.8	3	
	5557	13	52.4	16	1860.4	1	
	5555	14	57.7	10	1724.4	3	
	5557	15	52.2	15	1567.0	1	
	5553	16	68.0	5	1523.5	1	
	5556	17	75.8	13	1423.6	2	
	5557	18	56.7	14	1881.0	3	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5558	1	91.9	18	1845.8	2	1
	5555	2	95.7	10	1577.6	1	
	5557	3	98.5	15	1947.1	3	
	5557	4	94.0	15	1685.1	2	
	5557	5	99.5	14	1441.6	1	
	5556	6	77.3	12	1660.4	2	
	5559	7	53.3	20	1483.2	1	
	5556	8	61.0	13	1963.6	2	
	5558	9	88.9	17	1968.0	1	
	5557	10	72.6	15	1373.9	2	
	5554	11	57.1	8	1369.2	1	
	5555	12	98.6	11	1689.1	3	
	5558	13	97.7	18	1884.6	1	
	5556	14	77.7	12	1550.8	2	
	5558	15	62.1	17	1436.7	2	
	5559	16	65.8	19	1832.3	3	
	5555	17	57.3	9	1888.4	2	
	5554	18	74.8	7	1476.1	2	
	5557	19	71.3	16	1252.5	1	
10	5557	1	80.5	14	1561.9	1	1
	5557	2	76.7	16	1655.7	1	
	5555	3	82.1	9	1261.0	3	
	5557	4	93.2	14	1153.3	2	
	5555	5	84.7	9	1703.2	2	
	5555	6	72.3	11	1121.3	3	
	5558	7	75.0	18	1778.3	1	
	5557	8	91.7	14	1287.2	2	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5560	1	84.1	19	1659.3	3	1
	5560	2	66.5	19	1754.7	1	
	5560	3	65.5	6	1271.1	2	
	5560	4	59.8	16	1024.9	2	
	5560	5	79.7	18	1131.7	1	
	5560	6	85.5	6	1564.1	2	
	5560	7	71.7	16	1329.6	2	
	5560	8	52.8	16	1414.4	3	
	5560	9	92.0	18	1606.2	1	
	5560	10	59.3	10	1345.7	2	
	5560	11	99.1	8	1548.0	1	
	5560	12	55.4	16	1226.2	2	
	5560	13	93.1	19	1040.0	3	
	5560	14	67.5	8	1219.2	1	
	5560	15	64.6	14	1983.1	3	
	5560	16	62.2	18	1856.4	1	
12	5560	1	73.2	20	1138.9	2	1
	5560	2	82.8	10	1929.0	3	
	5560	3	95.1	18	1561.7	2	
	5560	4	90.6	17	1458.7	1	
	5560	5	72.7	14	1799.4	1	
	5560	6	79.1	6	1284.5	3	
	5560	7	66.1	18	1619.6	2	
	5560	8	67.2	18	1247.6	2	
	5560	9	54.9	19	1529.3	3	
	5560	10	50.3	16	1483.7	1	
	5560	11	76.9	11	1566.0	1	
	5560	12	65.3	15	1749.6	2	
	5560	13	89.6	7	1535.1	1	
	5560	14	82.2	20	1725.1	2	
	5560	15	71.0	20	1513.7	3	
	5560	16	70.1	6	1836.2	2	
	5560	17	73.9	6	1035.0	3	
	5560	18	79.4	18	1944.7	1	
	5560	19	66.6	16	1021.2	3	
	5560	20	65.9	6	1627.1	2	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5560	1	64.3	11	1428.8	1	0
	5560	2	63.9	14	1395.5	2	
	5560	3	60.5	5	1078.7	2	
	5560	4	80.2	7	1019.4	2	
	5560	5	99.3	7	1398.8	2	
	5560	6	55.6	16	1406.2	2	
	5560	7	84.2	5	1277.7	1	
	5560	8	57.0	15	1895.0	1	
	5560	9	52.1	12	1001.0	3	
	5560	10	88.5	11	1157.3	3	
14	5560	1	84.4	13	1528.6	2	1
	5560	2	59.8	13	1158.9	3	
	5560	3	90.2	11	1692.5	3	
	5560	4	95.4	9	1170.3	2	
	5560	5	92.9	12	1998.9	3	
	5560	6	75.1	7	1811.1	2	
	5560	7	86.1	6	1919.0	2	
	5560	8	58.5	16	1888.4	2	
	5560	9	53.7	11	1730.0	1	
	5560	10	90.6	19	1923.0	1	
	5560	11	60.3	15	1567.4	3	
	5560	12	89.6	8	1879.4	3	
	5560	13	51.9	5	1787.2	1	
	5560	14	93.5	14	1644.2	3	
	5560	15	97.4	9	1673.4	3	
	5560	16	67.9	6	1033.5	3	
	5560	17	81.5	6	1734.4	2	
	5560	18	52.7	8	1073.8	2	
	5560	19	69.8	11	1593.8	3	
	5560	20	94.5	7	1965.8	2	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5560	1	91.9	15	1671.6	3	1
	5560	2	75.2	12	1997.9	2	
	5560	3	55.1	16	1554.0	2	
	5560	4	91.0	6	1208.8	1	
	5560	5	92.1	19	1575.8	1	
	5560	6	62.8	18	1247.5	2	
	5560	7	97.7	8	1352.7	1	
	5560	8	69.0	11	1682.7	3	
	5560	9	58.1	13	1483.2	3	
	5560	10	63.3	6	1423.9	1	
	5560	11	50.2	19	1614.5	3	
	5560	12	90.4	9	1395.1	1	
	5560	13	68.2	9	1891.0	2	
	5560	14	55.5	9	1205.2	3	
	5560	15	58.2	8	1181.1	1	
	5560	16	54.4	11	1125.4	3	
	5560	17	79.9	16	1738.4	1	
	5560	18	78.8	14	1293.1	2	
	5560	19	96.5	13	1140.6	1	
16	5560	1	80.6	9	1584.4	2	0
	5560	2	68.0	9	1029.6	1	
	5560	3	97.3	15	1175.5	1	
	5560	4	52.7	18	1059.6	2	
	5560	5	95.3	17	1324.0	1	
	5560	6	75.7	12	1192.9	2	
	5560	7	73.2	19	1190.3	2	
	5560	8	56.0	8	1440.9	3	
	5560	9	85.8	10	1012.0	2	
	5560	10	91.1	10	1929.6	1	
	5560	11	76.0	6	1569.5	2	
	5560	12	57.0	14	1098.4	3	
	5560	13	81.9	16	1265.1	2	
	5560	14	56.2	12	1924.5	3	
	5560	15	82.2	11	1786.3	3	
	5560	16	84.6	20	1033.6	3	
	5560	17	74.1	8	1022.7	3	
	5560	18	99.7	17	1925.7	2	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5560	1	59.7	16	1537.2	2	1
	5560	2	52.2	19	1956.7	2	
	5560	3	74.4	6	1300.4	1	
	5560	4	78.4	19	1039.7	1	
	5560	5	56.6	12	1432.1	3	
	5560	6	78.2	6	1682.8	3	
	5560	7	60.9	8	1780.3	3	
	5560	8	73.5	20	1836.1	2	
	5560	9	53.5	8	1034.5	3	
	5560	10	62.7	10	1062.4	3	
	5560	11	77.8	14	1729.9	1	
	5560	12	58.8	19	1527.9	3	
	5560	13	88.4	17	1018.0	3	
	5560	14	76.2	20	1496.9	3	
	5560	15	84.8	8	1068.6	2	
	5560	16	73.8	17	1514.8	1	
	5560	17	56.5	15	1502.9	1	
18	5560	1	69.2	7	1306.5	1	1
	5560	2	62.3	11	1913.5	1	
	5560	3	84.0	10	1019.0	2	
	5560	4	75.8	17	1362.4	3	
	5560	5	64.9	15	1100.0	1	
	5560	6	55.2	17	1278.1	2	
	5560	7	69.1	16	1447.5	1	
	5560	8	54.6	12	1479.6	3	
	5560	9	61.4	15	1071.6	1	
	5560	10	84.4	7	1583.6	1	
	5560	11	87.4	13	1009.7	3	
	5560	12	65.5	13	1978.3	3	
	5560	13	82.0	15	1917.7	3	
	5560	14	65.5	7	1241.3	2	
	5560	15	77.7	7	1278.1	3	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5560	1	71.4	19	1384.1	1	0
	5560	2	85.9	20	1356.9	3	
	5560	3	59.1	18	1032.4	1	
	5560	4	98.5	14	1094.6	3	
	5560	5	50.8	12	1547.6	2	
	5560	6	80.2	12	1857.8	1	
	5560	7	79.5	13	1174.6	3	
	5560	8	55.9	12	1163.8	3	
	5560	9	70.2	7	1550.2	3	
	5560	10	55.9	10	1722.8	3	
	5560	11	67.9	7	1393.2	2	
	5560	12	59.7	6	1137.5	3	
	5560	13	83.5	15	1710.2	1	
	5560	14	97.0	16	1563.3	2	
20	5560	1	95.0	16	1290.8	1	1
	5560	2	64.1	16	1192.4	3	
	5560	3	68.9	14	1746.2	3	
	5560	4	65.3	10	1173.4	2	
	5560	5	51.9	10	1361.2	3	
	5560	6	59.9	5	1174.6	3	
	5560	7	86.7	12	1186.0	3	
	5560	8	51.0	12	1866.3	1	
	5560	9	62.9	9	1458.2	3	
	5560	10	52.7	11	1193.8	1	
21	5564	1	98.0	12	1636.9	1	1
	5562	2	63.6	17	1218.0	3	
	5567	3	56.6	5	1164.7	2	
	5566	4	53.0	8	1304.6	3	
	5564	5	98.3	12	1112.0	2	
	5566	6	68.1	7	1427.4	2	
	5565	7	60.4	9	1933.6	3	
	5564	8	77.0	12	1025.0	2	
	5563	9	81.7	15	1273.7	3	
	5564	10	87.9	12	1647.4	2	
	5563	11	94.8	15	1989.2	2	
	5564	12	75.1	12	1348.7	2	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5566	1	78.9	7	1287.7	2	0
	5566	2	71.4	7	1334.5	1	
	5563	3	94.2	15	1643.4	3	
	5564	4	75.6	12	1321.6	3	
	5565	5	63.6	10	1358.2	2	
	5564	6	83.0	13	1598.8	3	
	5565	7	70.4	9	1102.5	1	
	5567	8	66.9	6	1420.7	3	
	5564	9	59.4	13	1931.3	2	
23	5564	1	89.5	12	1467.7	1	1
	5562	2	95.3	18	1520.2	1	
	5563	3	93.7	14	1947.5	2	
	5563	4	50.6	15	1299.3	3	
	5564	5	75.3	12	1138.3	1	
	5562	6	78.4	17	1902.6	3	
	5564	7	65.1	12	1088.5	3	
	5562	8	80.8	17	1403.5	1	
	5565	9	87.7	10	1613.9	2	
	5564	10	89.0	12	1984.9	2	
	5561	11	86.6	19	1325.9	1	
	5565	12	90.3	11	1362.9	2	
	5566	13	59.8	8	1036.1	1	
	5563	14	83.8	16	1869.6	2	
	5562	15	93.6	18	1487.9	2	
24	5561	1	77.0	19	1327.1	1	1
	5563	2	91.1	15	1900.3	1	
	5563	3	72.5	16	1360.0	2	
	5565	4	54.2	11	1776.5	1	
	5565	5	61.7	9	1369.5	2	
	5565	6	90.5	10	1391.1	3	
	5566	7	52.1	7	1924.9	2	
	5563	8	62.5	15	1974.8	2	
	5565	9	51.2	10	1209.5	1	
	5565	10	65.5	10	1146.4	3	
	5565	11	67.2	9	1214.9	1	
	5564	12	78.4	12	1519.7	3	
	5562	13	65.6	18	1003.8	3	
	5564	14	64.2	12	1863.6	1	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5561	1	64.8	19	1567.5	2	0
	5566	2	84.2	7	1556.1	2	
	5562	3	80.3	18	1394.0	3	
	5564	4	96.0	13	1603.7	3	
	5566	5	66.0	8	1533.8	1	
	5564	6	80.1	13	1064.2	2	
	5566	7	69.9	7	1893.2	2	
	5563	8	61.6	14	1088.2	3	
	5566	9	74.4	7	1689.3	1	
	5563	10	72.1	16	1259.4	2	
	5566	11	96.8	8	1461.4	2	
	5563	12	57.1	14	1642.6	1	
	5565	13	70.3	11	1677.0	1	
	5564	14	54.4	12	1251.3	2	
	5567	15	80.2	6	1634.1	3	
	5562	16	96.4	17	1005.2	3	
	5562	17	90.5	17	1896.7	1	
	5567	18	98.4	6	1423.0	2	
26	5564	1	95.1	13	1185.1	2	1
	5562	2	79.8	18	1648.8	1	
	5561	3	84.0	20	1878.5	1	
	5565	4	57.2	9	1856.3	3	
	5562	5	81.1	17	1166.0	3	
	5566	6	87.6	8	1270.7	3	
	5567	7	67.4	6	1732.7	1	
	5561	8	51.8	19	1985.4	2	
	5563	9	81.2	14	1091.2	2	
	5564	10	82.8	13	1280.8	3	
	5564	11	63.3	13	1621.3	1	
	5565	12	62.9	11	1683.5	1	
	5563	13	92.4	16	1972.0	3	
	5563	14	59.4	14	1233.8	1	
	5562	15	66.4	18	1663.8	2	
	5564	16	64.3	12	1846.0	3	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5564	1	73.2	13	1259.8	3	1
	5561	2	72.4	19	1441.4	2	
	5566	3	81.8	7	1705.0	1	
	5566	4	56.4	7	1571.2	2	
	5564	5	76.2	13	1761.6	3	
	5564	6	66.2	12	1538.9	2	
	5565	7	53.1	9	1504.3	3	
	5563	8	68.4	15	1501.9	1	
	5565	9	64.4	11	1712.1	2	
	5562	10	56.2	18	1716.4	1	
	5561	11	99.2	20	1839.5	1	
	5562	12	92.6	17	1380.8	3	
	5564	13	86.6	13	1744.0	1	
	5564	14	63.5	12	1401.8	1	
	5561	15	76.9	20	1572.6	3	
	5565	16	89.2	10	1003.5	2	
	5564	17	98.9	13	1635.1	1	
	5566	18	71.8	8	1045.1	1	
	5563	19	60.4	14	1298.7	2	
	5566	20	50.8	8	1324.5	2	
28	5562	1	82.2	17	1535.7	3	1
	5565	2	76.7	10	1034.1	1	
	5567	3	98.8	6	1155.8	3	
	5566	4	98.6	7	1750.2	2	
	5563	5	65.5	15	1526.0	2	
	5561	6	74.0	19	1570.1	3	
	5563	7	68.3	16	1984.7	3	
	5564	8	67.1	13	1633.4	2	
	5563	9	71.4	16	1407.9	2	
	5562	10	89.1	18	1740.8	2	
	5565	11	91.9	9	1173.1	2	
	5567	12	53.8	6	1885.8	1	
	5561	13	95.1	19	1878.6	1	
	5562	14	88.0	17	1531.7	3	
	5562	15	58.9	17	1222.1	2	
	5562	16	97.8	18	1530.5	1	
	5566	17	76.2	7	1460.7	3	
	5567	18	62.1	5	1202.6	1	
	5565	19	94.6	9	1375.8	2	
	5563	20	78.3	15	1378.5	2	

Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5566	1	65.5	7	1916.4	1	1
	5567	2	88.4	6	1928.4	3	
	5564	3	76.3	12	1521.7	2	
	5562	4	71.4	17	1051.3	1	
	5564	5	74.6	12	1951.0	3	
	5563	6	66.3	14	1007.9	2	
	5565	7	71.5	10	1274.0	2	
	5565	8	82.8	11	1781.3	1	
	5563	9	54.5	15	1203.3	1	
	5565	10	52.1	9	1894.4	1	
	5563	11	65.6	14	1540.6	1	
	5565	12	50.7	10	1530.2	1	
	5561	13	62.4	20	1381.0	1	
	5561	14	79.0	20	1743.0	3	
	5566	15	98.6	7	1953.4	2	
	5564	16	90.7	12	1982.2	3	
	5564	17	62.2	12	1606.0	3	
30	5567	1	61.1	5	1337.5	1	1
	5566	2	94.5	7	1159.3	1	
	5565	3	59.0	9	1016.9	1	
	5565	4	64.0	11	1216.4	1	
	5566	5	59.6	7	1259.0	3	
	5562	6	87.4	18	1203.6	3	
	5566	7	61.8	8	1394.8	1	
	5562	8	87.3	18	1435.3	2	
	5562	9	84.5	17	1964.8	2	
	5567	10	64.4	5	1799.4	1	
	5564	11	96.1	13	1590.6	2	
	5563	12	68.3	15	1036.6	1	
	5565	13	53.4	9	1170.2	3	
	5565	14	79.2	10	1829.2	2	
Detection Percentage (%)							83.33

Test Mode		Mode 1				
Frequency		5560 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	0
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	0
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	0
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	0
27	1	333	9	0.333	300	0
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	0
Detection Percentage (%)						80.00

Test Mode		Mode 2				
Frequency		5310 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5310	1	518	102	1931	0
2	5310	1	718	74	1393	1
3	5310	1	598	89	1672	1
4	5310	1	598	89	1672	1
5	5310	1	678	78	1475	1
6	5310	1	758	70	1319	1
7	5310	1	638	83	1567	1
8	5310	1	578	92	1730	1
9	5310	1	738	72	1355	1
10	5310	1	638	83	1567	1
11	5310	1	718	74	1393	1
12	5310	1	938	57	1066	1
13	5310	1	858	62	1166	1
14	5310	1	578	92	1730	1
15	5310	1	638	83	1567	1
16	5310	1	2024	27	494	1
17	5310	1	1061	50	943	1
18	5310	1	1148	46	871	1
19	5310	1	689	77	1451	1
20	5310	1	2098	26	477	1
21	5310	1	1307	41	765	1
22	5310	1	2845	19	351	1
23	5310	1	1637	33	611	1
24	5310	1	1909	28	524	1
25	5310	1	683	78	1464	1
26	5310	1	2004	27	499	1
27	5310	1	2367	23	422	1
28	5310	1	1120	48	893	1
29	5310	1	1698	32	589	1
30	5310	1	1747	31	572	0
Detection Percentage (%)						93.33

Test Mode		Mode 2				
Frequency		5310 MHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5310	2.60	183.40	26	5453	1
2	5310	1.80	162.60	28	6150	1
3	5310	2.00	150.80	27	6631	1
4	5310	3.10	151.30	23	6609	1
5	5310	4.20	192.00	24	5208	1
6	5310	1.40	153.10	23	6532	1
7	5310	3.40	181.70	29	5504	1
8	5310	1.50	193.80	29	5160	1
9	5310	3.60	180.10	26	5552	1
10	5310	2.50	157.20	27	6361	1
11	5310	2.70	219.00	29	4566	1
12	5310	4.20	190.30	24	5255	1
13	5310	1.90	166.70	28	5999	1
14	5310	2.50	178.30	23	5609	1
15	5310	4.40	221.50	28	4515	1
16	5310	1.90	193.10	24	5179	1
17	5310	4.80	223.60	27	4472	1
18	5310	1.40	211.80	28	4721	1
19	5310	1.30	210.70	25	4746	1
20	5310	3.50	207.20	23	4826	1
21	5310	1.30	179.90	25	5559	1
22	5310	3.00	185.30	25	5397	1
23	5310	4.60	150.80	29	6631	0
24	5310	2.50	189.20	26	5285	1
25	5310	4.90	227.00	27	4405	1
26	5310	4.10	194.10	29	5152	1
27	5310	3.60	206.00	26	4854	1
28	5310	1.90	204.40	25	4892	1
29	5310	4.20	160.10	25	6246	0
30	5310	2.60	224.80	26	4448	1
Detection Percentage (%)						93.33

Test Mode		Mode 2				
Frequency		5310 MHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5310	10.00	384.50	17	2600.78	1
2	5310	7.90	283.10	18	3532.32	1
3	5310	6.40	380.00	17	2631.58	1
4	5310	8.10	403.20	16	2480.16	0
5	5310	10.00	476.80	18	2097.32	0
6	5310	9.20	380.80	16	2626.05	0
7	5310	7.90	246.60	18	4055.15	1
8	5310	8.60	356.60	17	2804.26	1
9	5310	6.20	302.60	16	3304.69	1
10	5310	8.20	270.90	16	3691.40	1
11	5310	8.60	237.50	17	4210.53	1
12	5310	9.20	215.80	17	4633.92	1
13	5310	6.70	250.20	16	3996.80	1
14	5310	9.70	369.50	17	2706.36	1
15	5310	9.10	395.70	16	2527.17	1
16	5310	7.40	426.80	16	2343.02	1
17	5310	7.30	464.90	17	2151.00	1
18	5310	9.20	437.10	18	2287.81	1
19	5310	8.40	373.50	18	2677.38	0
20	5310	8.20	421.90	17	2370.23	1
21	5310	8.20	451.90	17	2212.88	1
22	5310	9.00	294.80	17	3392.13	1
23	5310	9.30	380.40	18	2628.81	1
24	5310	9.30	242.30	18	4127.12	1
25	5310	9.90	462.50	18	2162.16	1
26	5310	7.50	281.80	17	3548.62	1
27	5310	6.90	225.90	17	4426.74	1
28	5310	8.30	381.90	17	2618.49	1
29	5310	9.20	491.20	17	2035.83	1
30	5310	8.90	397.40	17	2516.36	1
Detection Percentage (%)						86.67

Test Mode		Mode 2				
Frequency		5310 MHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5310	15.90	242.60	15	4122	1
2	5310	19.30	266.80	16	3748	1
3	5310	19.20	327.80	13	3051	1
4	5310	19.50	231.60	12	4318	1
5	5310	14.20	201.80	14	4955	1
6	5310	17.50	341.60	12	2927	1
7	5310	17.30	254.80	15	3925	1
8	5310	19.60	210.20	16	4757	1
9	5310	11.20	445.40	12	2245	0
10	5310	16.80	361.40	14	2767	1
11	5310	16.30	373.40	16	2678	1
12	5310	13.80	496.80	15	2013	1
13	5310	14.40	448.50	12	2230	1
14	5310	19.20	255.00	13	3922	1
15	5310	14.10	300.90	16	3323	1
16	5310	17.60	372.10	16	2687	1
17	5310	16.50	436.20	12	2293	1
18	5310	11.50	487.80	12	2050	1
19	5310	19.10	329.00	12	3040	1
20	5310	13.50	317.30	16	3152	1
21	5310	12.90	500.00	14	2000	1
22	5310	12.60	347.70	14	2876	1
23	5310	18.50	474.60	16	2107	0
24	5310	16.30	463.80	14	2156	1
25	5310	17.40	421.00	12	2375	1
26	5310	15.80	251.90	14	3970	0
27	5310	15.50	248.40	13	4026	1
28	5310	14.60	486.30	15	2056	1
29	5310	17.20	428.80	16	2332	0
30	5310	13.90	434.10	12	2304	1
Detection Percentage (%)						86.67

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5298	1	79.7	17	1736.6	2	1
	5296	2	77.7	13	1115.2	2	
	5298	3	91.1	17	1230.7	1	
	5295	4	59.2	9	1552.6	1	
	5293	5	86.8	6	1937.8	1	
	5299	6	72.3	20	1601.6	3	
	5295	7	99.6	10	1975.9	3	
	5293	8	85.5	5	1338.1	2	
	5297	9	63.4	15	1098.1	2	
	5296	10	65.3	12	1871.1	2	
	5293	11	64.7	5	1809.0	3	
2	5297	1	97.6	16	1268.0	3	1
	5297	2	91.5	15	1929.6	3	
	5293	3	72.7	5	1715.2	2	
	5295	4	81.4	10	1709.8	2	
	5295	5	61.7	9	1162.0	2	
	5295	6	95.1	9	1365.2	2	
	5298	7	75.7	18	1419.3	3	
	5297	8	65.9	14	1267.9	1	
	5299	9	93.7	19	1966.1	3	
	5296	10	56.4	12	1904.4	2	
	5295	11	70.0	10	1947.4	3	
	5299	12	50.6	20	1001.0	3	
3	5298	1	77.6	18	1951.4	1	1
	5293	2	53.2	6	1209.6	2	
	5299	3	97.7	20	1451.6	2	
	5298	4	99.5	17	1851.3	3	
	5298	5	64.6	17	1305.9	3	
	5297	6	64.0	14	1618.1	1	
	5295	7	58.1	10	1264.5	3	
	5295	8	64.7	10	1998.9	1	
	5293	9	82.0	5	1595.6	1	
	5293	10	78.4	6	1149.3	3	
	5296	11	58.3	12	1886.8	2	
	5293	12	99.6	6	1912.1	3	
	5297	13	69.1	14	1572.4	2	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5297	1	77.1	15	1347.0	2	1
	5298	2	95.2	17	1726.3	2	
	5295	3	73.9	9	1462.1	3	
	5293	4	68.5	5	1442.6	3	
	5295	5	89.0	10	1536.4	1	
	5297	6	73.1	16	1042.6	2	
	5296	7	91.9	12	1115.9	1	
	5295	8	69.5	10	1636.5	1	
	5296	9	74.9	13	1318.4	1	
5	5297	1	84.1	14	1789.0	2	1
	5297	2	98.1	16	1575.3	1	
	5298	3	54.5	18	1038.1	2	
	5295	4	63.4	9	1473.6	2	
	5297	5	79.3	15	1539.1	1	
	5296	6	61.4	13	1475.5	1	
	5297	7	71.5	16	1961.4	1	
	5297	8	65.5	16	1839.3	2	
	5294	9	92.5	8	1152.9	1	
	5296	10	77.3	12	1389.6	3	
	5299	11	85.0	19	1106.7	3	
	5299	12	77.5	20	1402.4	3	
	5298	13	57.8	18	1350.4	2	
	5295	14	98.8	9	1581.2	2	
	5295	15	56.8	9	1483.2	3	
6	5294	1	84.9	7	1811.0	2	0
	5296	2	68.7	13	1567.4	1	
	5293	3	86.2	6	1862.8	2	
	5297	4	92.4	15	1671.9	3	
	5299	5	61.4	19	1258.1	2	
	5295	6	86.2	10	1104.0	3	
	5299	7	66.5	19	1417.3	3	
	5295	8	89.4	11	1038.5	2	
	5295	9	78.5	11	1668.5	3	
	5295	10	76.1	9	1780.8	1	
	5293	11	77.9	5	1854.2	2	
	5296	12	56.0	13	1727.6	1	
	5295	13	73.1	11	1703.8	1	
	5299	14	54.5	20	1435.2	3	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5297	1	99.3	16	1228.6	3	1
	5296	2	79.9	13	1551.1	1	
	5297	3	65.6	14	1839.1	1	
	5294	4	62.0	8	1421.2	3	
	5295	5	88.4	10	1968.2	2	
	5295	6	97.3	11	1166.7	1	
	5293	7	66.0	6	1100.4	1	
	5296	8	56.5	12	1406.0	2	
	5295	9	55.3	10	1568.3	3	
	5295	10	56.7	9	1965.4	2	
	5293	11	50.2	6	1772.9	1	
	5296	12	76.8	13	1506.8	3	
	5295	13	92.2	11	1437.5	1	
	5294	14	58.8	7	1641.9	1	
	5295	15	67.1	11	1225.9	2	
	5295	16	73.3	11	1254.6	3	
	5297	17	90.2	15	1572.5	3	
8	5295	1	83.2	11	1240.9	1	1
	5297	2	98.6	14	1472.1	2	
	5295	3	53.1	10	1760.7	3	
	5295	4	87.0	10	1033.2	1	
	5296	5	95.4	13	1424.5	1	
	5295	6	58.8	10	1685.2	1	
	5296	7	60.5	12	1417.5	3	
	5297	8	79.6	14	1594.0	3	
	5296	9	91.4	13	1176.5	2	
	5293	10	91.9	6	1805.2	2	
	5297	11	73.2	14	1281.4	1	
	5297	12	93.8	15	1099.1	2	
	5297	13	70.4	14	1823.9	2	
	5298	14	64.9	17	1751.0	3	
	5296	15	55.8	13	1480.1	3	
	5296	16	76.6	12	1748.9	3	
	5295	17	51.6	10	1747.9	1	
	5294	18	88.1	7	1956.8	2	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5296	1	82.1	12	1175.5	3	1
	5294	2	65.6	7	1073.0	3	
	5298	3	76.4	18	1467.0	2	
	5295	4	78.9	10	1027.0	1	
	5298	5	60.9	18	1822.5	3	
	5295	6	73.6	9	1074.4	1	
	5297	7	87.8	16	1079.6	2	
	5297	8	99.4	14	1617.9	2	
	5297	9	81.4	14	1392.4	1	
	5298	10	71.5	17	1699.8	2	
	5297	11	73.6	14	1075.1	2	
	5298	12	64.1	18	1484.6	3	
	5294	13	65.7	7	1199.3	2	
	5296	14	80.4	13	1014.7	1	
	5297	15	55.3	14	1695.1	2	
	5293	16	93.0	6	1094.8	3	
	5298	17	65.3	17	1609.8	2	
	5297	18	94.2	14	1332.4	3	
	5296	19	95.8	13	1926.1	2	
10	5297	1	74.2	16	1662.6	1	1
	5298	2	60.4	18	1907.4	2	
	5297	3	59.4	16	1621.9	1	
	5295	4	50.6	11	1161.4	3	
	5293	5	82.6	5	1729.9	2	
	5295	6	88.3	10	1589.8	1	
	5294	7	97.6	7	1190.3	1	
	5298	8	62.8	17	1919.9	2	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5310	1	73.9	5	1695.9	3	0
	5310	2	67.5	17	1978.9	1	
	5310	3	66.8	12	1627.2	1	
	5310	4	72.1	17	1162.6	2	
	5310	5	91.7	14	1425.6	1	
	5310	6	83.8	7	1353.5	2	
	5310	7	79.3	19	1504.6	3	
	5310	8	53.3	16	1796.2	3	
	5310	9	76.4	10	1487.2	1	
	5310	10	62.4	18	1698.6	3	
	5310	11	95.8	7	1049.6	3	
	5310	12	74.8	16	1634.5	1	
	5310	13	58.3	19	1984.4	2	
	5310	14	76.6	18	1106.0	3	
	5310	15	90.0	18	1794.1	1	
	5310	16	77.9	10	1054.1	1	
12	5310	1	73.5	8	1434.5	1	1
	5310	2	52.8	12	1838.4	3	
	5310	3	82.6	6	1833.6	3	
	5310	4	73.6	15	1150.1	2	
	5310	5	90.7	12	1193.1	3	
	5310	6	93.0	10	1132.0	3	
	5310	7	76.4	16	1542.5	3	
	5310	8	71.5	15	1692.3	1	
	5310	9	55.4	9	1583.8	1	
	5310	10	73.8	8	1318.9	2	
	5310	11	54.7	11	1268.4	2	
	5310	12	61.7	11	1894.8	1	
	5310	13	55.1	19	1217.7	1	
	5310	14	78.1	16	1589.0	1	
	5310	15	91.7	9	1807.8	2	
	5310	16	94.3	17	1034.8	1	
	5310	17	64.9	5	1998.2	3	
	5310	18	68.7	6	1577.8	2	
	5310	19	92.2	16	1631.9	2	
5310	20	57.5	9	1031.1	1		

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5310	1	90.1	19	1073.1	2	1
	5310	2	85.2	12	1653.0	3	
	5310	3	97.7	16	1881.1	1	
	5310	4	91.8	6	1221.8	1	
	5310	5	51.6	13	1918.9	3	
	5310	6	86.4	9	1847.7	1	
	5310	7	69.9	20	1889.9	3	
	5310	8	95.8	18	1103.9	2	
	5310	9	68.6	7	1847.3	1	
	5310	10	86.1	11	1592.0	3	
14	5310	1	80.4	19	1555.3	3	1
	5310	2	60.5	15	1954.9	3	
	5310	3	97.8	12	1496.9	2	
	5310	4	60.2	7	1426.4	1	
	5310	5	90.5	10	1569.4	2	
	5310	6	89.4	8	1793.1	1	
	5310	7	67.2	5	1307.5	1	
	5310	8	75.7	14	1753.0	1	
	5310	9	60.8	7	1398.4	2	
	5310	10	70.3	19	1218.6	2	
	5310	11	84.6	16	1114.3	3	
	5310	12	64.0	19	1239.3	3	
	5310	13	97.8	17	1100.3	2	
	5310	14	63.3	13	1442.3	2	
	5310	15	62.1	6	1786.3	1	
	5310	16	52.3	16	1152.9	1	
	5310	17	85.4	8	1219.8	2	
	5310	18	50.4	11	1883.8	1	
	5310	19	91.1	12	1462.4	2	
	5310	20	72.9	14	1698.7	1	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5310	1	72.0	11	1791.4	2	0
	5310	2	66.8	19	1700.0	1	
	5310	3	56.6	15	1070.1	2	
	5310	4	57.5	19	1011.5	3	
	5310	5	66.3	19	1368.4	2	
	5310	6	84.9	15	1227.5	1	
	5310	7	69.8	14	1210.2	3	
	5310	8	71.5	14	1406.8	1	
	5310	9	60.1	18	1970.5	3	
	5310	10	68.5	10	1647.5	3	
	5310	11	74.2	15	1215.3	2	
	5310	12	71.4	15	1847.1	3	
	5310	13	95.1	14	1735.4	1	
	5310	14	93.0	7	1312.8	3	
	5310	15	59.5	16	1849.4	1	
	5310	16	61.1	6	1771.9	3	
	5310	17	70.1	12	1916.2	1	
	5310	18	77.9	15	1333.9	1	
	5310	19	84.8	19	1451.2	2	
16	5310	1	77.2	7	1792.3	2	1
	5310	2	57.4	12	1218.1	3	
	5310	3	61.2	19	1676.4	2	
	5310	4	84.4	13	1102.1	3	
	5310	5	61.8	13	1624.6	3	
	5310	6	58.7	11	1245.8	2	
	5310	7	67.4	19	1548.1	3	
	5310	8	63.1	19	1842.3	3	
	5310	9	59.7	13	1045.4	1	
	5310	10	65.3	9	1149.5	1	
	5310	11	78.6	13	1083.5	1	
	5310	12	69.4	17	1579.8	1	
	5310	13	83.4	14	1253.8	3	
	5310	14	53.0	15	1047.6	2	
	5310	15	60.8	7	1357.2	1	
	5310	16	97.0	5	1091.3	3	
	5310	17	78.2	11	1223.9	2	
	5310	18	63.3	16	1709.2	2	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5310	1	95.9	8	1069.2	2	1
	5310	2	80.4	15	1045.2	1	
	5310	3	76.4	14	1684.4	2	
	5310	4	60.4	12	1336.4	2	
	5310	5	70.5	10	1741.6	2	
	5310	6	89.4	6	1059.7	1	
	5310	7	68.0	16	1490.5	2	
	5310	8	72.9	6	1444.9	3	
	5310	9	91.4	17	1593.3	3	
	5310	10	55.8	9	1631.1	2	
	5310	11	55.4	9	1794.9	1	
	5310	12	73.8	17	1213.8	3	
	5310	13	71.7	9	1948.1	1	
	5310	14	59.6	6	1508.9	3	
	5310	15	93.8	19	1936.9	1	
	5310	16	91.7	7	1255.2	1	
	5310	17	89.4	9	1490.4	3	
18	5310	1	67.2	9	1143.7	2	0
	5310	2	97.3	11	1077.9	1	
	5310	3	89.5	20	1684.8	2	
	5310	4	99.7	10	1591.1	2	
	5310	5	89.9	11	1159.5	1	
	5310	6	62.4	12	1515.8	1	
	5310	7	83.4	6	1457.1	1	
	5310	8	96.5	16	1362.2	3	
	5310	9	79.1	7	1352.6	2	
	5310	10	80.8	17	1787.3	2	
	5310	11	99.8	16	1772.9	1	
	5310	12	67.9	7	1758.3	2	
	5310	13	98.0	8	1296.2	1	
	5310	14	78.5	19	1301.1	3	
	5310	15	80.6	9	1528.1	2	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5310	1	52.4	19	1923.8	1	1
	5310	2	51.8	13	1769.1	2	
	5310	3	99.7	8	1762.3	3	
	5310	4	55.9	18	1131.2	1	
	5310	5	88.7	11	1769.6	3	
	5310	6	59.9	7	1693.2	3	
	5310	7	82.0	16	1080.0	2	
	5310	8	81.8	19	1308.9	3	
	5310	9	62.7	11	1491.9	3	
	5310	10	97.6	17	1282.2	2	
	5310	11	89.5	20	1744.6	3	
	5310	12	96.7	7	1060.3	2	
	5310	13	66.6	5	1035.4	3	
	5310	14	59.8	7	1582.1	2	
20	5310	1	95.2	11	1415.7	3	1
	5310	2	66.4	5	1252.1	1	
	5310	3	98.7	8	1099.5	1	
	5310	4	83.0	6	1503.3	2	
	5310	5	53.9	11	1256.7	3	
	5310	6	85.2	7	1186.8	2	
	5310	7	88.7	12	1672.4	2	
	5310	8	63.4	6	1419.8	1	
	5310	9	64.3	9	1825.5	1	
	5310	10	72.9	17	1135.9	3	
21	5323	1	92.7	14	1638.9	1	1
	5323	2	73.7	16	1472.2	1	
	5325	3	90.9	9	1259.2	2	
	5324	4	75.0	12	1312.7	3	
	5321	5	61.9	20	1385.4	3	
	5322	6	69.9	18	1942.1	2	
	5327	7	74.0	6	1589.8	3	
	5325	8	53.0	10	1351.0	3	
	5325	9	95.5	11	1537.1	3	
	5321	10	93.0	19	1051.5	2	
	5322	11	95.8	18	1032.7	1	
	5321	12	88.4	20	1588.2	1	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5327	1	82.4	6	1539.4	3	1
	5321	2	99.1	19	1322.0	3	
	5323	3	67.9	15	1427.5	3	
	5326	4	91.8	7	1711.6	2	
	5327	5	96.9	6	1575.0	1	
	5324	6	78.9	13	1600.1	3	
	5326	7	52.0	7	1777.7	3	
	5327	8	85.1	5	1846.0	1	
23	5327	9	94.6	6	1102.0	1	1
	5326	1	67.0	8	1938.6	2	
	5325	2	52.9	10	1347.9	1	
	5323	3	87.3	14	1657.4	2	
	5323	4	67.2	15	1317.2	2	
	5326	5	83.2	8	1497.9	3	
	5327	6	96.0	5	1154.4	1	
	5325	7	72.8	11	1875.7	3	
	5324	8	53.4	12	1885.3	1	
	5321	9	83.6	19	1215.1	3	
	5327	10	80.4	6	1763.5	2	
	5326	11	54.9	7	1045.1	1	
	5322	12	87.9	17	1108.3	3	
	5326	13	98.1	8	1038.1	1	
	5325	14	87.4	10	1947.7	1	
5327	15	87.5	5	1557.5	3		
24	5321	1	67.7	20	1452.0	2	1
	5327	2	96.5	5	1805.4	2	
	5323	3	96.3	16	1290.8	1	
	5325	4	64.9	11	1943.6	2	
	5325	5	93.9	11	1452.2	3	
	5326	6	67.1	7	1234.0	3	
	5325	7	57.5	10	1495.4	2	
	5326	8	72.9	8	1868.3	2	
	5324	9	94.6	13	1528.0	3	
	5326	10	67.2	7	1761.7	2	
	5321	11	83.4	20	1682.9	3	
	5324	12	50.3	12	1484.4	2	
	5323	13	54.8	15	1948.5	2	
	5325	14	59.2	10	1878.3	1	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5322	1	99.8	17	1293.7	2	1
	5323	2	72.6	14	1706.8	3	
	5322	3	68.8	18	1552.8	1	
	5323	4	74.7	16	1273.1	3	
	5324	5	65.8	13	1564.8	1	
	5325	6	74.6	9	1686.1	1	
	5327	7	88.9	6	1056.5	3	
	5321	8	62.7	19	1250.3	2	
	5321	9	57.0	19	1931.4	2	
	5326	10	97.7	8	1565.1	2	
	5327	11	76.4	6	1743.9	2	
	5325	12	69.3	9	1932.7	3	
	5323	13	98.1	15	1683.9	3	
	5327	14	55.7	5	1579.2	3	
	5326	15	75.9	8	1121.8	2	
	5326	16	58.5	7	1335.2	3	
	5322	17	63.8	18	1125.7	3	
	5327	18	56.2	5	1333.1	2	
26	5324	1	89.7	12	1015.3	1	0
	5325	2	50.9	9	1207.5	1	
	5325	3	66.7	10	1283.5	2	
	5324	4	57.3	12	1093.0	3	
	5323	5	94.1	14	1137.2	1	
	5323	6	69.8	14	1879.0	3	
	5323	7	92.6	14	1689.6	3	
	5324	8	54.0	13	1280.6	1	
	5321	9	91.6	19	1072.8	2	
	5326	10	82.7	7	1115.3	1	
	5326	11	59.2	7	1539.5	2	
	5322	12	76.5	17	1476.3	3	
	5325	13	95.9	10	1287.3	3	
	5323	14	99.5	14	1529.3	3	
	5325	15	72.9	11	1274.6	2	
	5321	16	75.6	19	1024.6	3	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5322	1	90.1	17	1352.9	3	1
	5324	2	59.4	13	1440.9	1	
	5324	3	50.6	13	1671.1	2	
	5324	4	70.5	12	1078.7	3	
	5324	5	60.1	13	1001.2	2	
	5326	6	83.3	8	1246.6	2	
	5325	7	69.5	9	1291.5	3	
	5325	8	71.5	9	1524.0	3	
	5323	9	87.6	14	1411.7	3	
	5327	10	89.0	6	1332.9	1	
	5326	11	58.5	7	1508.3	1	
	5324	12	64.7	13	1403.3	3	
	5321	13	99.8	19	1909.8	1	
	5322	14	55.3	17	1801.8	3	
	5321	15	76.1	19	1714.1	1	
	5323	16	70.1	15	1983.8	1	
	5323	17	58.5	14	1771.3	2	
	5325	18	75.8	11	1154.7	3	
	5325	19	82.5	9	1933.0	3	
	5323	20	68.1	14	1219.8	1	
28	5327	1	81.3	6	1532.6	2	1
	5325	2	73.0	10	1038.0	2	
	5322	3	77.4	17	1904.3	3	
	5326	4	71.6	7	1046.6	3	
	5322	5	76.6	17	1330.7	2	
	5324	6	53.1	12	1181.3	1	
	5325	7	54.0	11	1729.2	2	
	5324	8	78.0	13	1091.5	2	
	5324	9	97.7	13	1763.2	1	
	5323	10	98.0	14	1409.0	1	
	5323	11	52.6	15	1597.1	2	
	5324	12	75.8	13	1083.3	2	
	5322	13	66.4	17	1638.6	3	
	5323	14	52.9	14	1469.4	3	
	5326	15	90.6	7	1712.6	3	
	5324	16	58.0	13	1030.6	1	
	5326	17	81.3	8	1455.9	3	
	5323	18	95.4	15	1722.3	1	
	5323	19	68.9	15	1670.9	1	
	5325	20	82.0	10	1417.4	3	

Test Mode		Mode 2					
Frequency		5310 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5324	1	76.8	13	1907.7	1	1
	5325	2	67.3	10	1614.9	1	
	5323	3	87.3	15	1763.2	1	
	5326	4	67.3	7	1641.5	3	
	5323	5	87.6	15	1761.4	2	
	5325	6	80.7	9	1756.9	2	
	5321	7	76.8	20	1650.8	2	
	5323	8	50.5	15	1199.9	1	
	5326	9	64.5	8	1603.8	3	
	5323	10	64.9	15	1937.9	3	
	5321	11	58.4	20	1838.4	2	
	5321	12	76.3	19	1255.6	1	
	5323	13	59.0	14	1467.4	1	
	5323	14	83.4	16	1839.8	2	
	5323	15	90.6	16	1552.8	2	
	5324	16	89.7	12	1299.0	1	
	5322	17	61.9	18	1678.7	3	
30	5321	1	78.9	19	1566.1	3	1
	5326	2	89.8	7	1194.2	1	
	5327	3	90.0	5	1587.6	3	
	5323	4	86.3	14	1404.0	3	
	5324	5	96.8	13	1944.5	2	
	5325	6	79.3	10	1701.4	1	
	5326	7	87.3	7	1833.7	3	
	5322	8	54.8	17	1613.7	3	
	5325	9	73.6	9	1261.4	1	
	5327	10	51.1	6	1788.4	3	
	5322	11	82.8	18	1676.1	3	
	5322	12	53.8	18	1559.7	3	
	5323	13	75.0	15	1021.1	1	
	5323	14	59.8	14	1802.7	3	
Detection Percentage (%)							83.33

Test Mode		Mode 2				
Frequency		5310 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	0
16	1	333	9	0.333	300	0
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	0
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	0
30	1	333	9	0.333	300	0
Detection Percentage (%)						83.33

Test Mode		Mode 2				
Frequency		5550 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	1	758	70	1319	1
2	5550	1	598	89	1672	1
3	5550	1	878	61	1139	1
4	5550	1	798	67	1253	1
5	5550	1	638	83	1567	1
6	5550	1	598	89	1672	1
7	5550	1	518	102	1931	1
8	5550	1	518	102	1931	1
9	5550	1	818	65	1222	0
10	5550	1	918	58	1089	1
11	5550	1	638	83	1567	1
12	5550	1	698	76	1433	0
13	5550	1	598	89	1672	1
14	5550	1	618	86	1618	1
15	5550	1	798	67	1253	1
16	5550	1	2602	21	384	1
17	5550	1	544	98	1838	1
18	5550	1	2305	23	434	1
19	5550	1	3060	18	327	1
20	5550	1	1019	52	981	1
21	5550	1	2029	27	493	1
22	5550	1	2746	20	364	1
23	5550	1	2725	20	367	1
24	5550	1	2600	21	385	0
25	5550	1	1130	47	885	1
26	5550	1	2521	21	397	1
27	5550	1	2860	19	350	0
28	5550	1	2088	26	479	1
29	5550	1	2299	23	435	1
30	5550	1	2146	25	466	1
Detection Percentage (%)						86.67

Test Mode		Mode 2				
Frequency		5550 MHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	2.40	214.50	23	4662	1
2	5550	4.60	212.20	24	4713	1
3	5550	3.80	217.90	26	4589	1
4	5550	3.40	192.00	28	5208	1
5	5550	4.00	161.00	25	6211	1
6	5550	2.50	203.70	25	4909	1
7	5550	4.90	213.70	24	4679	1
8	5550	4.20	191.90	27	5211	1
9	5550	2.90	228.00	29	4386	1
10	5550	3.80	181.60	25	5507	1
11	5550	4.50	210.30	24	4755	1
12	5550	4.70	219.00	24	4566	0
13	5550	3.30	162.50	23	6154	1
14	5550	4.60	192.30	26	5200	0
15	5550	5.00	169.10	26	5914	1
16	5550	1.40	229.50	26	4357	1
17	5550	2.50	192.80	28	5187	1
18	5550	3.90	183.60	26	5447	1
19	5550	3.80	208.40	23	4798	0
20	5550	1.70	171.70	27	5824	1
21	5550	4.20	217.30	24	4602	1
22	5550	4.10	195.90	29	5105	1
23	5550	2.20	173.20	26	5774	0
24	5550	1.90	185.30	26	5397	1
25	5550	2.60	158.20	26	6321	1
26	5550	1.10	152.60	25	6553	1
27	5550	1.80	206.10	27	4852	1
28	5550	1.40	166.10	28	6020	1
29	5550	4.80	216.10	23	4627	1
30	5550	4.40	185.70	26	5385	1
Detection Percentage (%)						86.67

Test Mode		Mode 2				
Frequency		5550 MHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	8.30	231.70	16	4315.93	0
2	5550	7.90	394.10	18	2537.43	1
3	5550	6.40	271.20	17	3687.32	1
4	5550	6.20	334.30	18	2991.33	1
5	5550	7.00	491.90	16	2032.93	1
6	5550	6.80	260.20	17	3843.20	1
7	5550	7.30	376.80	16	2653.93	0
8	5550	8.20	464.20	18	2154.24	1
9	5550	8.00	474.50	17	2107.48	1
10	5550	6.30	467.90	16	2137.21	1
11	5550	6.10	340.00	17	2941.18	1
12	5550	7.10	360.90	16	2770.85	1
13	5550	8.00	493.90	17	2024.70	1
14	5550	8.10	292.00	17	3424.66	1
15	5550	8.30	436.10	17	2293.05	1
16	5550	9.70	403.30	17	2479.54	1
17	5550	9.10	261.90	17	3818.25	0
18	5550	8.80	427.30	18	2340.28	1
19	5550	9.10	407.10	17	2456.40	1
20	5550	7.50	461.40	17	2167.32	1
21	5550	7.80	435.20	16	2297.79	1
22	5550	7.40	208.40	17	4798.46	1
23	5550	7.40	271.10	18	3688.68	1
24	5550	9.40	325.20	17	3075.03	0
25	5550	8.00	338.70	16	2952.47	1
26	5550	9.80	403.90	16	2475.86	1
27	5550	9.70	380.60	17	2627.43	1
28	5550	8.20	294.60	18	3394.43	1
29	5550	6.60	368.90	17	2710.76	1
30	5550	8.40	413.80	17	2416.63	0
Detection Percentage (%)						83.33

Test Mode		Mode 2				
Frequency		5550 MHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	12.80	475.50	13	2103	1
2	5550	18.90	224.70	13	4450	0
3	5550	18.90	498.30	15	2007	1
4	5550	18.90	410.60	12	2435	1
5	5550	12.20	301.10	12	3321	1
6	5550	12.90	466.60	12	2143	1
7	5550	16.30	461.00	12	2169	1
8	5550	18.50	405.50	15	2466	1
9	5550	18.10	481.20	16	2078	1
10	5550	18.50	302.70	16	3304	1
11	5550	11.70	324.30	15	3084	1
12	5550	12.30	277.20	15	3608	0
13	5550	13.70	483.10	14	2070	1
14	5550	17.90	357.10	14	2800	1
15	5550	11.30	220.60	16	4533	1
16	5550	11.60	282.90	15	3535	1
17	5550	19.90	350.00	13	2857	1
18	5550	16.70	242.00	16	4132	1
19	5550	11.60	209.00	16	4785	1
20	5550	16.50	273.30	16	3659	0
21	5550	17.10	378.90	13	2639	1
22	5550	15.30	398.40	13	2510	1
23	5550	15.60	289.70	14	3452	1
24	5550	18.40	394.50	15	2535	0
25	5550	15.30	264.50	16	3781	1
26	5550	17.60	438.10	13	2283	1
27	5550	11.70	369.30	13	2708	1
28	5550	16.00	316.90	15	3156	0
29	5550	11.30	299.70	12	3337	0
30	5550	16.10	489.60	16	2042	1
Detection Percentage (%)						80.00

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5536.5	1	98.6	12	1382.4	1	1
	5538.5	2	60.2	17	1159.7	1	
	5534.5	3	75.1	7	1565.5	1	
	5537.5	4	55.6	14	1937.6	2	
	5537.5	5	70.6	15	1832.3	1	
	5533.5	6	90.0	5	1739.4	2	
	5537.5	7	88.3	16	1270.4	2	
	5538.5	8	71.3	17	1401.0	1	
	5535.5	9	60.3	10	1581.8	3	
	5535.5	10	74.9	10	1637.8	2	
	5533.5	11	91.4	6	1216.2	3	
2	5533.5	1	69.2	5	1007.4	3	1
	5534.5	2	65.3	8	1961.7	2	
	5537.5	3	50.1	16	1588.5	3	
	5538.5	4	53.3	18	1418.1	1	
	5534.5	5	77.7	8	1952.5	1	
	5536.5	6	73.3	12	1282.0	1	
	5533.5	7	84.0	5	1885.8	2	
	5535.5	8	62.1	9	1734.0	1	
	5537.5	9	50.8	16	1514.1	1	
	5534.5	10	93.7	8	1978.4	2	
	5537.5	11	88.9	16	1397.5	1	
	5537.5	12	95.3	14	1869.7	2	
3	5533.5	1	99.6	6	1707.1	2	1
	5537.5	2	90.7	15	1853.2	1	
	5538.5	3	92.1	17	1966.7	2	
	5534.5	4	55.7	7	1829.8	1	
	5534.5	5	98.2	8	1203.7	1	
	5539.5	6	82.4	19	1288.4	2	
	5535.5	7	86.7	9	1260.6	1	
	5534.5	8	97.8	8	1853.4	1	
	5537.5	9	98.0	14	1318.3	2	
	5534.5	10	85.0	7	1978.7	3	
	5534.5	11	52.5	7	1237.5	2	
	5538.5	12	54.2	17	1358.9	1	
	5538.5	13	85.1	18	1851.7	2	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5535.5	1	59.8	9	1049.0	3	1
	5536.5	2	51.1	12	1454.1	1	
	5538.5	3	85.7	17	1465.1	3	
	5533.5	4	73.7	6	1093.6	3	
	5536.5	5	66.1	12	1596.3	3	
	5534.5	6	56.2	7	1145.1	1	
	5537.5	7	67.0	14	1511.1	1	
	5533.5	8	61.7	5	1566.8	2	
	5536.5	9	52.1	13	1262.8	3	
5	5536.5	1	62.2	13	1593.7	1	1
	5534.5	2	57.4	8	1522.7	3	
	5535.5	3	55.1	10	1740.6	2	
	5533.5	4	62.1	6	1309.2	3	
	5534.5	5	57.1	8	1356.7	1	
	5536.5	6	68.5	13	1937.0	3	
	5535.5	7	90.5	10	1800.2	2	
	5535.5	8	97.8	9	1285.8	3	
	5537.5	9	65.8	14	1094.7	3	
	5533.5	10	98.9	6	1221.6	2	
	5534.5	11	64.6	8	1379.7	1	
	5538.5	12	80.8	18	1272.8	3	
	5536.5	13	62.0	12	1659.1	1	
	5534.5	14	52.0	7	1699.3	2	
	5534.5	15	80.0	8	1425.2	3	
6	5538.5	1	54.1	18	1518.4	3	0
	5533.5	2	84.8	6	1474.8	1	
	5533.5	3	91.3	5	1216.2	3	
	5535.5	4	60.6	10	1068.6	3	
	5538.5	5	86.7	17	1501.3	3	
	5537.5	6	62.3	14	1564.7	3	
	5534.5	7	78.2	8	1430.8	1	
	5538.5	8	54.2	17	1196.0	3	
	5537.5	9	92.3	14	1664.7	3	
	5537.5	10	77.3	15	1575.8	3	
	5534.5	11	50.5	8	1117.5	2	
	5535.5	12	61.1	9	1707.1	2	
	5535.5	13	89.9	9	1339.1	3	
	5539.5	14	80.8	19	1757.9	2	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5535.5	1	96.6	9	1438.0	2	1
	5534.5	2	58.3	7	1533.5	3	
	5533.5	3	71.6	6	1583.1	2	
	5533.5	4	95.2	6	1061.7	3	
	5535.5	5	74.0	9	1397.0	2	
	5537.5	6	58.2	15	1048.3	1	
	5537.5	7	70.2	14	1546.6	2	
	5537.5	8	56.7	15	1579.0	2	
	5536.5	9	97.9	12	1189.5	1	
	5534.5	10	60.3	8	1345.2	1	
	5538.5	11	86.2	17	1080.2	1	
	5537.5	12	62.8	14	1710.9	1	
	5537.5	13	98.1	16	1540.8	3	
	5535.5	14	86.1	11	1469.7	3	
	5534.5	15	63.6	7	1918.0	2	
	5537.5	16	73.7	14	1574.1	3	
	5539.5	17	76.5	20	1511.1	2	
8	5537.5	1	52.1	16	1834.7	1	1
	5536.5	2	93.4	13	1113.7	3	
	5534.5	3	62.3	7	1991.9	2	
	5537.5	4	60.6	14	1374.6	3	
	5533.5	5	58.9	6	1093.4	3	
	5535.5	6	94.9	11	1937.3	3	
	5534.5	7	88.8	8	1736.3	3	
	5537.5	8	83.7	15	1136.9	1	
	5537.5	9	95.2	15	1190.7	3	
	5536.5	10	90.6	12	1488.4	1	
	5536.5	11	61.2	13	1792.4	1	
	5533.5	12	90.2	6	1936.7	1	
	5534.5	13	63.9	8	1672.1	2	
	5535.5	14	98.2	10	1357.5	3	
	5537.5	15	59.6	14	1389.1	1	
	5535.5	16	72.6	9	1841.4	2	
	5537.5	17	75.0	16	1196.3	2	
	5537.5	18	75.3	14	1795.4	2	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5535.5	1	70.2	10	1912.0	2	1
	5533.5	2	68.2	5	1159.6	1	
	5537.5	3	64.9	14	1499.0	1	
	5537.5	4	66.7	16	1781.8	2	
	5538.5	5	91.0	17	1140.0	3	
	5537.5	6	73.4	15	1540.1	2	
	5536.5	7	72.7	13	1277.5	3	
	5535.5	8	75.3	9	1177.4	3	
	5533.5	9	97.3	6	1461.1	2	
	5535.5	10	67.1	10	1781.8	1	
	5539.5	11	72.3	19	1223.2	2	
	5538.5	12	72.2	17	1024.8	2	
	5536.5	13	58.9	13	1714.0	2	
	5534.5	14	69.9	7	1054.9	1	
	5536.5	15	91.5	12	1561.3	1	
	5536.5	16	59.8	13	1629.8	1	
	5535.5	17	73.7	11	1464.8	1	
	5538.5	18	94.0	18	1752.8	1	
	5539.5	19	54.8	19	1616.8	2	
10	5534.5	1	81.6	7	1134.7	2	1
	5537.5	2	59.9	15	1238.8	1	
	5538.5	3	70.7	17	1447.6	3	
	5534.5	4	96.7	7	1852.0	2	
	5537.5	5	59.0	15	1906.1	1	
	5533.5	6	59.8	6	1161.4	3	
	5538.5	7	75.9	17	1021.7	2	
	5533.5	8	67.9	6	1889.4	1	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5550	1	78.5	19	1224.9	2	1
	5550	2	82.6	6	1934.0	3	
	5550	3	67.8	20	1878.7	1	
	5550	4	84.0	7	1782.2	3	
	5550	5	79.3	9	1710.4	2	
	5550	6	71.5	19	1963.6	1	
	5550	7	79.0	10	1736.3	2	
	5550	8	80.1	11	1916.6	2	
	5550	9	70.0	20	1027.7	1	
	5550	10	64.4	18	1250.9	2	
	5550	11	58.3	18	1346.7	1	
	5550	12	80.7	10	1812.0	2	
	5550	13	66.0	5	1894.2	1	
	5550	14	94.1	14	1167.0	3	
	5550	15	86.2	11	1278.0	3	
	5550	16	54.6	15	1607.1	3	
12	5550	1	83.7	10	1942.4	1	1
	5550	2	52.4	9	1538.0	1	
	5550	3	81.1	12	1357.9	3	
	5550	4	80.6	8	1894.6	2	
	5550	5	58.6	17	1112.1	2	
	5550	6	67.8	6	1770.7	3	
	5550	7	50.8	9	1752.7	1	
	5550	8	50.5	6	1702.7	1	
	5550	9	56.6	12	1358.6	3	
	5550	10	71.6	19	1015.2	2	
	5550	11	94.3	6	1067.2	1	
	5550	12	51.8	11	1468.6	1	
	5550	13	51.0	15	1243.6	3	
	5550	14	85.6	18	1136.2	3	
	5550	15	66.8	11	1037.6	2	
	5550	16	51.2	8	1672.2	1	
	5550	17	81.9	17	1486.3	3	
	5550	18	64.1	13	1550.2	2	
	5550	19	59.1	14	1195.8	1	
	5550	20	97.2	10	1469.7	3	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5550	1	88.9	19	1097.2	1	0
	5550	2	84.6	13	1012.3	1	
	5550	3	52.1	16	1958.3	3	
	5550	4	82.8	18	1576.9	3	
	5550	5	80.2	5	1682.3	3	
	5550	6	55.5	15	1257.1	2	
	5550	7	51.4	8	1338.6	2	
	5550	8	65.2	12	1627.2	2	
	5550	9	80.3	7	1746.0	1	
	5550	10	98.5	10	1226.2	2	
14	5550	1	81.4	7	1517.3	3	1
	5550	2	91.6	17	1207.1	3	
	5550	3	79.6	12	1246.5	3	
	5550	4	89.8	8	1189.6	1	
	5550	5	84.6	10	1548.8	3	
	5550	6	89.3	18	1244.5	1	
	5550	7	92.3	14	1097.4	2	
	5550	8	52.6	11	1428.2	2	
	5550	9	100.0	14	1322.0	3	
	5550	10	68.7	7	1788.1	3	
	5550	11	83.6	19	1032.8	3	
	5550	12	52.8	10	1139.9	3	
	5550	13	77.5	15	1572.0	1	
	5550	14	59.2	8	1452.7	2	
	5550	15	61.5	8	1467.6	2	
	5550	16	70.5	15	1774.1	3	
	5550	17	98.8	19	1667.0	2	
	5550	18	81.9	12	1032.0	3	
	5550	19	52.9	13	1252.1	2	
	5550	20	56.5	17	1694.2	3	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5550	1	57.9	5	1704.8	1	1
	5550	2	93.8	9	1883.1	3	
	5550	3	50.2	19	1221.2	2	
	5550	4	89.7	16	1520.6	2	
	5550	5	86.9	11	1333.5	2	
	5550	6	98.3	16	1355.4	3	
	5550	7	52.0	10	1176.8	2	
	5550	8	63.7	12	1176.6	2	
	5550	9	58.5	9	1655.8	3	
	5550	10	54.8	13	1367.8	1	
	5550	11	67.5	14	1713.5	2	
	5550	12	57.4	20	1732.8	2	
	5550	13	65.5	11	1421.3	2	
	5550	14	99.0	13	1279.8	2	
	5550	15	87.9	10	1945.4	2	
	5550	16	96.9	16	1898.6	3	
	5550	17	67.0	14	1378.8	1	
	5550	18	61.2	5	1838.5	3	
	5550	19	88.7	9	1640.3	1	
16	5550	1	82.2	8	1547.4	3	1
	5550	2	65.9	11	1458.8	3	
	5550	3	50.8	19	1887.1	3	
	5550	4	84.7	11	1931.6	3	
	5550	5	87.5	12	1605.3	3	
	5550	6	66.4	18	1812.8	1	
	5550	7	86.8	7	1360.7	2	
	5550	8	51.5	6	1951.4	2	
	5550	9	93.0	18	1933.5	1	
	5550	10	66.7	6	1594.8	3	
	5550	11	85.3	13	1245.1	2	
	5550	12	64.8	7	1044.1	1	
	5550	13	86.9	18	1539.7	1	
	5550	14	65.4	16	1797.1	1	
	5550	15	63.3	19	1249.3	2	
	5550	16	74.2	8	1513.4	2	
	5550	17	53.9	13	1917.6	3	
	5550	18	84.9	14	1234.4	2	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5550	1	67.7	16	1442.5	1	1
	5550	2	62.9	17	1945.4	2	
	5550	3	69.3	10	1922.2	2	
	5550	4	62.6	14	1111.6	1	
	5550	5	60.0	10	1529.0	2	
	5550	6	93.4	9	1522.4	3	
	5550	7	56.8	13	1530.8	1	
	5550	8	77.0	13	1412.9	2	
	5550	9	99.8	17	1490.5	2	
	5550	10	73.6	14	1200.5	2	
	5550	11	94.7	9	1627.7	1	
	5550	12	95.0	16	1329.7	3	
	5550	13	98.2	11	1417.8	2	
	5550	14	62.6	17	1825.1	2	
	5550	15	71.9	18	1194.5	3	
	5550	16	73.6	15	1673.9	1	
	5550	17	85.9	11	1393.1	3	
18	5550	1	66.7	11	1847.6	2	1
	5550	2	75.7	5	1276.6	3	
	5550	3	77.8	15	1099.1	1	
	5550	4	74.3	13	1916.9	1	
	5550	5	68.9	12	1786.1	1	
	5550	6	83.1	16	1612.5	1	
	5550	7	95.3	16	1795.8	2	
	5550	8	92.1	13	1282.3	1	
	5550	9	98.3	5	1960.9	3	
	5550	10	63.6	15	1472.5	2	
	5550	11	63.2	17	1788.2	2	
	5550	12	61.2	8	1718.2	1	
	5550	13	62.2	8	1847.3	2	
	5550	14	50.2	5	1037.1	3	
	5550	15	94.4	11	1985.1	3	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5550	1	78.3	15	1827.9	3	0
	5550	2	86.2	20	1647.6	2	
	5550	3	85.9	14	1375.5	3	
	5550	4	54.2	17	1961.1	2	
	5550	5	54.3	19	1519.9	1	
	5550	6	67.1	19	1153.8	3	
	5550	7	86.8	14	1836.1	3	
	5550	8	84.9	14	1365.7	2	
	5550	9	67.7	7	1170.8	3	
	5550	10	58.5	11	1168.7	2	
	5550	11	68.9	14	1301.3	3	
	5550	12	78.3	11	1930.2	2	
	5550	13	57.5	18	1977.6	3	
	5550	14	54.4	16	1955.3	1	
20	5550	1	57.5	7	1978.7	3	1
	5550	2	64.1	17	1777.5	2	
	5550	3	83.7	20	1197.0	1	
	5550	4	56.7	17	1084.5	3	
	5550	5	62.5	18	1526.5	3	
	5550	6	82.3	9	1271.2	3	
	5550	7	95.6	7	1981.6	3	
	5550	8	73.7	15	1742.0	3	
	5550	9	67.1	10	1180.4	1	
	5550	10	82.9	14	1796.5	1	
21	5562.5	1	98.1	14	1093.3	3	1
	5563.5	2	95.3	13	1231.6	1	
	5560.5	3	98.3	20	1900.0	3	
	5563.5	4	85.0	12	1109.2	3	
	5560.5	5	75.3	19	1235.9	1	
	5562.5	6	81.7	15	1931.4	2	
	5566.5	7	72.5	5	1085.9	3	
	5560.5	8	91.4	19	1449.8	2	
	5564.5	9	76.4	11	1463.5	3	
	5562.5	10	63.1	15	1875.6	1	
	5562.5	11	85.6	15	1267.8	3	
	5563.5	12	87.8	12	1926.0	3	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5562.5	1	50.4	15	1352.4	1	1
	5565.5	2	60.6	8	1430.1	2	
	5560.5	3	58.0	19	1752.0	2	
	5564.5	4	55.9	11	1004.8	1	
	5562.5	5	94.4	16	1823.8	1	
	5565.5	6	60.7	7	1484.7	3	
	5563.5	7	59.3	12	1810.5	2	
	5564.5	8	95.0	11	1592.4	2	
	5564.5	9	59.6	10	1173.7	3	
23	5564.5	1	83.2	11	1046.1	2	1
	5560.5	2	82.5	19	1136.0	3	
	5561.5	3	99.9	17	1157.7	3	
	5563.5	4	95.2	13	1737.8	1	
	5561.5	5	71.7	17	1751.2	3	
	5565.5	6	94.6	8	1922.9	3	
	5564.5	7	70.7	10	1928.2	2	
	5566.5	8	92.3	6	1132.7	1	
	5564.5	9	56.7	11	1908.2	1	
	5562.5	10	73.0	15	1255.6	1	
	5563.5	11	67.7	12	1279.9	1	
	5561.5	12	65.8	17	1581.7	2	
	5562.5	13	88.4	15	1366.8	3	
	5563.5	14	54.1	13	1033.7	3	
	5564.5	15	71.1	9	1431.4	3	
24	5565.5	1	88.7	7	1202.7	2	1
	5564.5	2	94.1	9	1984.2	2	
	5563.5	3	86.6	13	1560.0	1	
	5562.5	4	80.6	15	1700.5	1	
	5560.5	5	52.2	20	1642.5	3	
	5562.5	6	85.2	15	1321.3	3	
	5564.5	7	93.7	11	1260.3	2	
	5562.5	8	93.0	14	1879.0	2	
	5566.5	9	57.3	6	1062.1	3	
	5565.5	10	84.1	7	1848.4	2	
	5565.5	11	87.6	8	1058.6	2	
	5560.5	12	71.6	19	1034.8	2	
	5566.5	13	82.3	6	1587.2	2	
	5562.5	14	83.2	16	1644.5	2	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5561.5	1	54.5	17	1544.8	1	1
	5560.5	2	99.3	19	1830.9	2	
	5564.5	3	77.5	11	1999.9	2	
	5561.5	4	74.6	18	1888.0	3	
	5562.5	5	57.6	16	1760.4	1	
	5564.5	6	57.7	10	1959.0	1	
	5565.5	7	55.6	8	1072.8	3	
	5566.5	8	69.2	6	1743.1	2	
	5563.5	9	75.8	13	1296.2	1	
	5562.5	10	98.0	16	1616.9	1	
	5563.5	11	63.3	13	1800.8	2	
	5563.5	12	53.9	13	1910.9	3	
	5562.5	13	63.0	14	1309.5	1	
	5562.5	14	58.6	15	1113.9	3	
	5565.5	15	75.1	7	1399.8	1	
	5564.5	16	67.3	9	1267.4	2	
	5561.5	17	65.3	17	1919.7	3	
	5560.5	18	65.8	20	1992.7	2	
26	5561.5	1	71.5	17	1435.1	1	0
	5564.5	2	71.0	9	1875.4	1	
	5565.5	3	60.6	7	1337.9	2	
	5566.5	4	65.7	5	1151.8	2	
	5566.5	5	68.5	5	1584.1	2	
	5565.5	6	72.8	7	1755.1	1	
	5560.5	7	84.0	19	1703.0	1	
	5564.5	8	66.8	10	1040.4	1	
	5562.5	9	97.0	16	1456.8	3	
	5566.5	10	83.1	5	1323.0	2	
	5565.5	11	53.8	7	1034.0	1	
	5564.5	12	70.5	11	1031.1	3	
	5560.5	13	78.4	20	1908.6	1	
	5565.5	14	69.3	7	1738.1	1	
	5564.5	15	80.1	9	1740.2	2	
	5564.5	16	99.8	10	1051.8	3	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5565.5	1	52.5	7	1573.4	2	0
	5566.5	2	98.1	6	1982.3	1	
	5560.5	3	70.8	19	1807.5	3	
	5566.5	4	79.7	5	1148.3	3	
	5564.5	5	54.4	10	1696.2	2	
	5564.5	6	84.3	11	1713.3	1	
	5566.5	7	64.8	6	1732.4	2	
	5564.5	8	97.6	9	1389.1	1	
	5565.5	9	57.6	8	1507.5	1	
	5562.5	10	74.5	16	1011.2	3	
	5562.5	11	96.8	15	1024.9	3	
	5564.5	12	95.5	9	1402.2	2	
	5562.5	13	93.0	16	1982.6	1	
	5563.5	14	97.2	12	1117.2	2	
	5564.5	15	91.6	10	1931.9	2	
	5564.5	16	72.7	11	1374.9	3	
	5560.5	17	53.8	20	1215.9	1	
	5562.5	18	78.5	15	1584.7	3	
	5562.5	19	94.1	14	1239.8	2	
	5566.5	20	68.3	6	1133.2	2	
28	5563.5	1	80.8	13	1614.5	2	1
	5562.5	2	67.3	14	1998.4	2	
	5565.5	3	83.9	8	1173.0	3	
	5563.5	4	62.0	13	1881.4	1	
	5564.5	5	56.4	9	1617.8	3	
	5562.5	6	54.3	14	1772.5	3	
	5564.5	7	62.3	10	1666.0	3	
	5563.5	8	98.0	13	1474.1	1	
	5566.5	9	70.4	6	1868.5	2	
	5561.5	10	52.8	17	1412.3	3	
	5564.5	11	88.8	11	1008.3	1	
	5566.5	12	58.1	5	1988.5	1	
	5565.5	13	84.5	7	1763.3	3	
	5566.5	14	65.9	6	1474.7	1	
	5562.5	15	52.3	14	1331.2	2	
	5561.5	16	63.1	17	1020.5	3	
	5564.5	17	86.9	10	1306.9	3	
	5562.5	18	50.8	15	1595.9	1	
	5565.5	19	61.9	7	1683.6	1	
	5563.5	20	67.9	13	1242.2	1	

Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5564.5	1	64.6	11	1935.6	1	1
	5565.5	2	84.5	8	1115.6	2	
	5563.5	3	84.7	13	1809.2	1	
	5562.5	4	77.8	14	1407.7	2	
	5563.5	5	66.1	12	1490.0	3	
	5561.5	6	58.2	18	1696.8	1	
	5560.5	7	68.3	19	1221.3	3	
	5563.5	8	77.8	12	1315.2	3	
	5566.5	9	57.1	5	1968.6	2	
	5564.5	10	86.6	11	1292.7	2	
	5563.5	11	59.3	13	1508.4	2	
	5562.5	12	69.0	16	1132.5	1	
	5562.5	13	94.7	16	1910.1	2	
	5564.5	14	76.6	9	1106.0	3	
	5563.5	15	63.8	13	1833.0	2	
	5566.5	16	95.8	5	1398.3	3	
	5562.5	17	69.1	16	1941.1	2	
30	5562.5	1	62.5	15	1603.2	1	1
	5561.5	2	75.7	18	1755.4	2	
	5565.5	3	50.4	7	1639.1	2	
	5565.5	4	86.9	8	1704.7	2	
	5562.5	5	82.2	15	1780.0	3	
	5562.5	6	69.9	14	1712.6	2	
	5562.5	7	75.0	15	1350.6	1	
	5560.5	8	67.5	19	1473.1	3	
	5563.5	9	95.6	13	1145.0	3	
	5561.5	10	68.7	17	1349.1	2	
	5560.5	11	81.4	19	1223.7	1	
	5565.5	12	52.1	8	1139.9	3	
	5565.5	13	74.2	7	1815.9	2	
	5562.5	14	96.7	14	1703.0	3	
Detection Percentage (%)							83.33

Test Mode		Mode 2				
Frequency		5550 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	0
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	0
20	1	333	9	0.333	300	0
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	0
26	1	333	9	0.333	300	0
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						83.33

Test Mode		Mode 3				
Frequency		5290 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5290	1	618	86	1618	1
2	5290	1	918	58	1089	1
3	5290	1	658	81	1520	1
4	5290	1	938	57	1066	1
5	5290	1	578	92	1730	1
6	5290	1	738	72	1355	1
7	5290	1	578	92	1730	1
8	5290	1	638	83	1567	1
9	5290	1	798	67	1253	1
10	5290	1	738	72	1355	1
11	5290	1	718	74	1393	1
12	5290	1	718	74	1393	1
13	5290	1	758	70	1319	1
14	5290	1	778	68	1285	1
15	5290	1	698	76	1433	1
16	5290	1	2134	25	469	0
17	5290	1	1906	28	525	1
18	5290	1	1805	30	554	1
19	5290	1	1339	40	747	1
20	5290	1	1396	38	716	0
21	5290	1	2778	19	360	1
22	5290	1	1696	32	590	1
23	5290	1	2734	20	366	1
24	5290	1	2625	21	381	1
25	5290	1	2487	22	402	0
26	5290	1	861	62	1161	0
27	5290	1	2066	26	484	1
28	5290	1	824	65	1214	1
29	5290	1	2013	27	497	1
30	5290	1	2801	19	357	1
Detection Percentage (%)						86.67

Test Mode		Mode 3				
Frequency		5290 MHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5290	1.80	225.50	26	4435	1
2	5290	2.00	183.00	26	5464	1
3	5290	4.70	189.50	29	5277	0
4	5290	3.00	217.80	29	4591	0
5	5290	2.60	183.50	24	5450	1
6	5290	4.50	155.50	26	6431	1
7	5290	1.80	158.50	29	6309	1
8	5290	4.70	184.80	29	5411	1
9	5290	4.60	150.20	23	6658	1
10	5290	2.40	189.40	26	5280	1
11	5290	1.60	215.50	25	4640	1
12	5290	4.50	163.70	26	6109	1
13	5290	3.10	179.70	25	5565	1
14	5290	4.40	214.20	25	4669	1
15	5290	1.90	183.90	25	5438	1
16	5290	4.90	193.20	28	5176	0
17	5290	4.20	161.90	23	6177	1
18	5290	4.10	213.50	28	4684	1
19	5290	4.20	170.10	28	5879	1
20	5290	3.20	182.90	23	5467	1
21	5290	1.70	178.70	24	5596	1
22	5290	3.20	184.50	24	5420	1
23	5290	1.20	165.80	23	6031	1
24	5290	1.30	191.70	26	5216	1
25	5290	2.70	180.20	29	5549	1
26	5290	2.00	208.30	27	4801	1
27	5290	4.20	211.30	25	4733	1
28	5290	4.60	208.10	28	4805	1
29	5290	2.00	172.90	23	5784	1
30	5290	1.60	171.20	28	5841	0
Detection Percentage (%)						86.67

Test Mode		Mode 3				
Frequency		5290 MHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5290	9.90	460.40	17	2172.02	1
2	5290	6.80	237.30	17	4214.08	1
3	5290	8.90	449.80	18	2223.21	0
4	5290	6.50	355.70	17	2811.36	1
5	5290	9.90	223.20	17	4480.29	1
6	5290	6.30	239.60	18	4173.62	1
7	5290	7.70	475.90	18	2101.28	0
8	5290	8.10	443.20	18	2256.32	1
9	5290	8.50	440.70	17	2269.12	1
10	5290	9.90	297.40	17	3362.47	1
11	5290	8.30	401.70	18	2489.42	1
12	5290	8.70	340.50	16	2936.86	1
13	5290	8.30	234.50	16	4264.39	1
14	5290	7.00	455.10	18	2197.32	1
15	5290	7.70	433.50	18	2306.81	0
16	5290	7.50	205.40	17	4868.55	1
17	5290	8.90	402.20	17	2486.33	1
18	5290	6.20	482.60	18	2072.11	0
19	5290	7.40	442.30	16	2260.91	1
20	5290	6.20	236.30	17	4231.91	1
21	5290	9.10	445.40	18	2245.17	0
22	5290	9.10	254.30	16	3932.36	0
23	5290	6.70	456.20	17	2192.02	1
24	5290	7.40	309.70	16	3228.93	1
25	5290	9.60	253.10	16	3951.01	0
26	5290	7.50	365.50	17	2735.98	1
27	5290	7.40	225.40	17	4436.56	1
28	5290	6.50	370.80	16	2696.87	1
29	5290	9.20	265.10	17	3772.16	1
30	5290	7.50	395.60	17	2527.81	0
Detection Percentage (%)						73.33

Test Mode		Mode 3				
Frequency		5290 MHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5290	13.30	214.40	15	4664	1
2	5290	15.70	337.30	12	2965	0
3	5290	16.70	220.50	14	4535	1
4	5290	13.20	239.20	13	4181	1
5	5290	13.30	484.20	14	2065	1
6	5290	16.70	343.30	16	2913	0
7	5290	12.60	419.10	12	2386	1
8	5290	16.60	432.80	16	2311	1
9	5290	11.30	439.10	16	2277	0
10	5290	11.90	290.80	12	3439	1
11	5290	19.20	431.40	13	2318	1
12	5290	18.20	273.10	12	3662	1
13	5290	13.60	387.70	13	2579	1
14	5290	13.50	431.70	13	2316	1
15	5290	12.30	210.00	13	4762	1
16	5290	14.90	254.20	15	3934	1
17	5290	18.10	319.70	16	3128	1
18	5290	16.70	408.40	13	2449	1
19	5290	18.60	236.20	15	4234	1
20	5290	15.10	216.10	14	4627	1
21	5290	18.50	499.00	16	2004	0
22	5290	14.30	410.60	16	2435	0
23	5290	11.70	269.90	12	3705	0
24	5290	19.80	457.30	12	2187	1
25	5290	16.90	349.70	12	2860	0
26	5290	16.50	472.90	14	2115	0
27	5290	18.90	335.90	15	2977	1
28	5290	14.90	442.40	13	2260	1
29	5290	19.90	414.90	16	2410	1
30	5290	19.90	207.60	15	4817	1
Detection Percentage (%)						73.33

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5255.5	1	91.7	11	1666.6	1	1
	5259.5	2	72.8	20	1661.5	3	
	5254.5	3	62.3	8	1705.6	1	
	5257.5	4	69.4	14	1712.7	1	
	5255.5	5	94.5	9	1595.9	1	
	5259.5	6	81.0	20	1446.5	3	
	5258.5	7	99.9	17	1663.5	1	
	5255.5	8	61.8	9	1344.7	2	
	5255.5	9	91.7	9	1537.2	1	
	5255.5	10	68.6	9	1877.8	1	
	5257.5	11	51.1	15	1368.3	3	
2	5257.5	1	61.0	14	1148.6	1	1
	5255.5	2	89.3	9	1583.1	1	
	5257.5	3	55.1	15	1943.8	2	
	5256.5	4	85.9	13	1341.9	1	
	5253.5	5	79.9	6	1657.7	3	
	5257.5	6	65.2	16	1806.5	2	
	5256.5	7	61.9	13	1754.4	2	
	5259.5	8	91.8	19	1147.5	3	
	5255.5	9	59.9	9	1731.0	1	
	5257.5	10	87.4	14	1994.9	2	
	5254.5	11	88.8	7	1517.1	1	
	5257.5	12	72.0	15	1010.1	2	
3	5255.5	1	60.5	10	1112.8	2	1
	5258.5	2	83.2	17	1740.7	2	
	5257.5	3	91.5	15	1942.5	1	
	5257.5	4	55.1	14	1623.8	3	
	5256.5	5	96.5	13	1754.5	3	
	5256.5	6	98.1	13	1614.6	3	
	5254.5	7	67.2	8	1752.1	2	
	5258.5	8	58.0	18	1040.4	3	
	5253.5	9	60.7	6	1633.8	1	
	5258.5	10	94.1	18	1615.2	1	
	5254.5	11	61.5	8	1808.0	3	
	5256.5	12	67.8	12	1821.2	3	
	5255.5	13	86.0	10	1397.7	1	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5257.5	1	74.6	14	1569.1	1	1
	5259.5	2	63.2	20	1714.7	3	
	5253.5	3	96.3	6	1865.7	1	
	5258.5	4	58.9	17	1999.3	1	
	5257.5	5	96.3	16	1116.6	3	
	5258.5	6	58.0	18	1233.0	3	
	5259.5	7	86.8	19	1799.3	2	
	5257.5	8	73.3	16	1114.2	1	
	5257.5	9	88.2	15	1409.5	2	
5	5255.5	1	60.1	10	1717.2	1	1
	5257.5	2	92.9	14	1316.3	1	
	5257.5	3	97.9	16	1929.7	1	
	5254.5	4	74.5	8	1728.9	3	
	5257.5	5	71.9	14	1537.6	1	
	5259.5	6	90.0	20	1379.4	1	
	5258.5	7	70.0	17	1144.4	2	
	5257.5	8	64.7	15	1624.6	2	
	5255.5	9	79.5	9	1430.8	2	
	5258.5	10	71.9	17	1872.9	1	
	5257.5	11	61.6	15	1024.8	3	
	5254.5	12	97.5	8	1877.0	3	
	5254.5	13	92.0	8	1997.3	1	
	5257.5	14	61.4	15	1484.4	3	
	5255.5	15	80.8	9	1889.4	2	
6	5255.5	1	54.4	9	1313.2	2	1
	5253.5	2	62.6	6	1942.2	2	
	5256.5	3	76.1	12	1060.8	1	
	5253.5	4	61.5	6	1894.6	3	
	5255.5	5	90.7	11	1495.6	2	
	5255.5	6	96.6	9	1802.8	2	
	5258.5	7	53.3	18	1511.7	1	
	5254.5	8	79.3	8	1220.8	1	
	5257.5	9	66.9	15	1236.2	2	
	5257.5	10	77.3	15	1829.1	2	
	5255.5	11	52.2	9	1385.7	3	
	5257.5	12	84.4	14	1073.1	1	
	5254.5	13	77.8	8	1146.6	3	
	5254.5	14	54.6	7	1115.8	1	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5257.5	1	55.8	16	1292.3	3	1
	5258.5	2	69.5	17	1928.4	2	
	5257.5	3	57.1	15	1023.0	3	
	5256.5	4	78.5	12	1131.3	1	
	5257.5	5	53.7	16	1165.1	3	
	5256.5	6	90.2	12	1293.3	2	
	5256.5	7	92.8	13	1650.4	3	
	5256.5	8	50.1	12	1279.7	2	
	5254.5	9	59.3	8	1087.5	2	
	5257.5	10	68.1	16	1876.0	1	
	5256.5	11	61.0	12	1671.3	3	
	5256.5	12	94.6	13	1229.4	2	
	5258.5	13	73.5	18	1074.6	2	
	5255.5	14	99.1	11	1498.1	1	
	5255.5	15	62.1	10	1274.9	1	
	5257.5	16	52.9	14	1057.0	2	
	5256.5	17	59.7	12	1846.0	1	
8	5254.5	1	80.2	8	1200.3	1	1
	5254.5	2	94.7	8	1418.8	3	
	5253.5	3	73.6	5	1186.1	3	
	5257.5	4	66.9	14	1356.3	3	
	5253.5	5	67.1	6	1500.6	2	
	5253.5	6	82.9	6	1214.1	3	
	5255.5	7	63.8	11	1247.6	2	
	5254.5	8	72.0	8	1202.4	2	
	5259.5	9	82.7	19	1227.6	3	
	5254.5	10	66.4	7	1435.1	3	
	5259.5	11	52.6	19	1515.2	1	
	5255.5	12	90.9	11	1600.8	3	
	5254.5	13	64.3	8	1615.4	1	
	5255.5	14	96.4	9	1230.5	3	
	5254.5	15	89.0	7	1914.1	1	
	5255.5	16	94.1	10	1387.2	3	
	5259.5	17	52.1	20	1772.4	1	
	5257.5	18	89.0	14	1974.3	1	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5255.5	1	59.6	10	1931.3	3	1
	5258.5	2	61.0	17	1836.1	2	
	5254.5	3	92.2	8	1264.0	1	
	5258.5	4	66.2	18	1567.2	3	
	5254.5	5	95.3	7	1721.0	3	
	5259.5	6	62.0	20	1064.0	3	
	5254.5	7	54.7	7	1851.6	3	
	5257.5	8	97.5	14	1357.5	2	
	5254.5	9	84.7	7	1107.7	1	
	5256.5	10	64.2	13	1638.8	2	
	5255.5	11	99.0	10	1115.6	3	
	5257.5	12	83.1	16	1247.0	3	
	5255.5	13	92.6	9	1038.1	3	
	5255.5	14	83.7	9	1470.7	2	
	5257.5	15	74.4	14	1938.2	1	
	5257.5	16	98.6	14	1195.0	2	
	5255.5	17	60.4	11	1900.2	1	
	5253.5	18	52.4	5	1088.0	2	
	5257.5	19	62.6	15	1295.7	1	
10	5259.5	1	74.1	19	1593.9	3	0
	5254.5	2	56.5	7	1772.2	3	
	5253.5	3	90.8	6	1341.8	1	
	5255.5	4	56.5	10	1308.0	3	
	5255.5	5	99.4	11	1252.1	1	
	5253.5	6	86.1	6	1123.9	3	
	5255.5	7	63.5	11	1012.8	1	
	5256.5	8	94.3	12	1470.2	3	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5290	1	56.1	6	1565.5	2	1
	5290	2	96.4	16	1702.3	3	
	5290	3	81.5	11	1536.0	3	
	5290	4	93.3	10	1447.5	3	
	5290	5	71.5	19	1042.2	3	
	5290	6	55.5	6	1284.7	1	
	5290	7	52.3	16	1965.4	2	
	5290	8	89.2	19	1663.0	2	
	5290	9	96.2	6	1552.7	2	
	5290	10	77.3	7	1176.2	3	
	5290	11	72.6	18	1672.6	1	
	5290	12	76.5	17	1291.0	3	
	5290	13	94.5	8	1248.8	3	
	5290	14	83.8	6	1227.3	2	
	5290	15	82.5	11	1014.6	3	
	5290	16	68.6	7	1026.3	3	
12	5290	1	84.4	7	1988.5	3	1
	5290	2	79.3	15	1027.3	1	
	5290	3	62.9	11	1689.1	2	
	5290	4	76.0	6	1900.9	2	
	5290	5	85.8	11	1901.2	3	
	5290	6	99.8	16	1370.9	1	
	5290	7	87.2	10	1467.1	2	
	5290	8	98.8	20	1657.1	1	
	5290	9	77.5	18	1331.8	2	
	5290	10	55.2	7	1414.2	2	
	5290	11	93.6	8	1112.5	2	
	5290	12	64.2	19	1632.2	3	
	5290	13	65.6	12	1069.0	2	
	5290	14	86.6	18	1719.8	2	
	5290	15	67.3	9	1818.9	2	
	5290	16	54.9	7	1780.3	3	
	5290	17	52.1	13	1683.5	1	
	5290	18	61.4	10	1081.1	3	
	5290	19	56.8	19	1284.9	3	
	5290	20	76.2	16	1407.0	1	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5290	1	67.5	12	1457.0	3	1
	5290	2	69.8	8	1140.2	3	
	5290	3	85.2	12	1899.5	1	
	5290	4	51.0	8	1579.7	1	
	5290	5	91.3	20	1519.3	1	
	5290	6	99.3	18	1350.7	2	
	5290	7	84.5	12	1989.4	1	
	5290	8	97.9	7	1427.5	3	
	5290	9	80.0	16	1065.9	3	
	5290	10	77.4	8	1264.8	1	
14	5290	1	82.1	15	1789.9	1	0
	5290	2	75.7	17	1291.7	1	
	5290	3	86.4	15	1216.4	1	
	5290	4	66.2	18	1398.8	1	
	5290	5	88.0	5	1576.6	3	
	5290	6	54.6	6	1262.3	1	
	5290	7	65.7	18	1464.2	3	
	5290	8	98.2	8	1936.0	2	
	5290	9	52.1	14	1262.9	1	
	5290	10	86.2	14	1738.3	1	
	5290	11	77.8	16	1657.7	1	
	5290	12	89.0	12	1417.0	2	
	5290	13	95.3	8	1768.5	3	
	5290	14	73.7	14	1569.2	2	
	5290	15	85.6	16	1294.5	2	
	5290	16	98.7	20	1779.6	3	
	5290	17	69.2	13	1612.3	3	
	5290	18	75.9	17	1704.9	1	
	5290	19	95.5	11	1675.9	1	
	5290	20	91.4	9	1436.6	1	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5290	1	58.5	17	1225.4	2	1
	5290	2	59.6	9	1673.4	2	
	5290	3	82.1	18	1258.4	1	
	5290	4	85.5	9	1665.2	3	
	5290	5	76.3	9	1954.4	2	
	5290	6	69.0	14	1702.8	1	
	5290	7	70.0	10	1045.4	2	
	5290	8	80.0	12	1354.0	2	
	5290	9	61.0	14	1960.4	1	
	5290	10	89.4	12	1413.2	2	
	5290	11	93.5	15	1988.7	2	
	5290	12	75.0	16	1265.1	1	
	5290	13	55.3	7	1407.3	3	
	5290	14	91.5	18	1741.7	2	
	5290	15	73.2	5	1707.9	1	
	5290	16	97.6	5	1184.6	1	
	5290	17	79.5	8	1904.9	2	
	5290	18	53.8	18	1695.7	1	
	5290	19	62.3	19	1445.1	1	
16	5290	1	75.7	20	1076.4	1	1
	5290	2	94.6	13	1461.1	2	
	5290	3	83.3	14	1094.7	3	
	5290	4	87.5	16	1749.8	2	
	5290	5	69.9	8	1500.2	1	
	5290	6	52.8	16	1614.9	3	
	5290	7	84.2	5	1042.3	1	
	5290	8	97.5	7	1435.9	2	
	5290	9	97.7	14	1323.1	3	
	5290	10	53.6	10	1523.3	3	
	5290	11	52.2	18	1490.9	3	
	5290	12	65.9	8	1450.0	2	
	5290	13	62.9	7	1324.8	2	
	5290	14	61.5	8	1839.9	1	
	5290	15	57.5	13	1348.2	2	
	5290	16	67.4	11	1082.4	3	
	5290	17	83.8	16	1180.9	1	
	5290	18	88.0	6	1653.2	1	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5290	1	97.9	12	1923.9	1	1
	5290	2	82.8	11	1193.4	3	
	5290	3	87.8	9	1711.4	2	
	5290	4	60.9	15	1957.4	3	
	5290	5	96.2	19	1007.5	1	
	5290	6	83.7	7	1635.0	1	
	5290	7	63.8	14	1806.4	1	
	5290	8	72.6	13	1954.3	2	
	5290	9	84.2	20	1640.2	1	
	5290	10	87.7	8	1028.3	1	
	5290	11	96.5	14	1396.5	1	
	5290	12	85.4	12	1535.2	3	
	5290	13	50.8	7	1539.4	3	
	5290	14	53.5	19	1572.6	2	
	5290	15	93.0	8	1947.1	2	
	5290	16	56.3	8	1090.5	2	
	5290	17	71.2	6	1711.7	3	
18	5290	1	94.3	13	1776.1	3	0
	5290	2	72.0	11	1529.2	1	
	5290	3	98.7	5	1670.1	3	
	5290	4	72.1	16	1345.6	1	
	5290	5	74.5	10	1076.8	1	
	5290	6	69.0	18	1713.0	3	
	5290	7	82.6	18	1769.7	2	
	5290	8	80.2	16	1115.0	1	
	5290	9	97.5	18	1823.7	3	
	5290	10	67.9	17	1928.8	3	
	5290	11	67.0	20	1553.3	1	
	5290	12	54.6	15	1520.5	1	
	5290	13	76.2	20	1054.8	2	
	5290	14	59.8	11	1217.1	3	
	5290	15	84.7	19	1079.3	3	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5290	1	88.4	5	1491.5	2	1
	5290	2	67.4	19	1219.4	1	
	5290	3	59.9	12	1544.4	2	
	5290	4	67.6	18	1697.2	2	
	5290	5	60.4	11	1417.6	3	
	5290	6	89.7	12	1882.8	2	
	5290	7	62.5	20	1305.8	3	
	5290	8	83.5	19	1535.2	2	
	5290	9	93.1	18	1925.2	3	
	5290	10	58.1	10	1296.2	3	
	5290	11	71.9	12	1178.4	3	
	5290	12	74.4	19	1568.2	3	
	5290	13	97.3	10	1034.3	1	
	5290	14	94.2	8	1397.3	1	
20	5290	1	95.1	19	1198.8	2	1
	5290	2	93.5	17	1771.0	1	
	5290	3	67.1	18	1467.7	1	
	5290	4	98.3	15	1961.4	1	
	5290	5	75.8	18	1232.6	3	
	5290	6	80.5	18	1614.1	1	
	5290	7	94.6	9	1269.8	2	
	5290	8	77.7	11	1260.0	2	
	5290	9	94.9	17	1255.5	3	
	5290	10	87.1	5	1052.3	3	
21	5322.5	1	84.1	14	1188.9	1	0
	5326.5	2	90.1	6	1641.9	3	
	5326.5	3	57.6	6	1243.8	1	
	5322.5	4	73.8	14	1917.1	2	
	5320.5	5	71.9	20	1442.0	3	
	5322.5	6	73.2	15	1409.6	3	
	5321.5	7	54.5	17	1974.2	1	
	5324.5	8	86.8	10	1376.3	2	
	5321.5	9	73.4	17	1403.2	3	
	5326.5	10	54.8	6	1860.9	3	
	5322.5	11	53.4	15	1994.4	3	
	5326.5	12	88.8	5	1217.9	2	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5320.5	1	92.5	19	1947.1	2	1
	5324.5	2	90.9	11	1403.3	3	
	5321.5	3	92.0	17	1966.5	2	
	5323.5	4	66.3	13	1294.4	1	
	5323.5	5	61.0	12	1342.9	3	
	5324.5	6	97.0	10	1592.4	1	
	5325.5	7	79.8	7	1392.5	3	
	5324.5	8	69.8	10	1190.9	1	
	5324.5	9	96.3	11	1632.1	1	
23	5324.5	1	64.0	10	1799.9	3	1
	5325.5	2	50.1	7	1006.5	2	
	5322.5	3	72.0	14	1384.6	3	
	5322.5	4	59.6	15	1922.6	3	
	5324.5	5	76.5	9	1170.5	2	
	5323.5	6	64.8	13	1693.0	1	
	5325.5	7	51.1	8	1943.0	1	
	5323.5	8	88.6	12	1511.8	3	
	5324.5	9	62.8	10	1847.6	1	
	5325.5	10	98.2	8	1290.7	2	
	5326.5	11	93.4	5	1518.5	1	
	5322.5	12	99.2	14	1337.8	2	
	5324.5	13	81.3	11	1308.3	1	
	5321.5	14	85.7	17	1928.7	1	
	5325.5	15	95.1	7	1562.2	1	
24	5324.5	1	50.7	9	1215.3	3	1
	5324.5	2	54.7	9	1479.0	2	
	5325.5	3	82.0	8	1928.4	3	
	5322.5	4	65.9	14	1464.3	1	
	5322.5	5	58.4	14	1121.7	3	
	5321.5	6	61.0	17	1711.3	1	
	5324.5	7	79.9	11	1301.7	3	
	5326.5	8	84.7	5	1574.3	1	
	5323.5	9	66.7	12	1331.0	2	
	5322.5	10	58.8	16	1462.0	2	
	5324.5	11	75.0	11	1370.2	3	
	5326.5	12	76.3	6	1269.7	2	
	5320.5	13	72.5	19	1078.2	3	
	5323.5	14	98.1	13	1682.4	3	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5324.5	1	77.6	9	1887.3	3	1
	5323.5	2	61.2	13	1177.3	3	
	5325.5	3	62.0	8	1182.0	1	
	5320.5	4	98.7	19	1538.7	3	
	5322.5	5	87.1	14	1261.4	2	
	5323.5	6	76.2	12	1878.4	2	
	5324.5	7	71.0	10	1797.9	1	
	5323.5	8	64.2	12	1483.5	2	
	5324.5	9	93.8	9	1608.4	2	
	5321.5	10	70.4	17	1101.2	2	
	5322.5	11	72.5	14	1988.8	1	
	5324.5	12	78.6	10	1001.8	3	
	5326.5	13	65.3	5	1883.5	1	
	5326.5	14	71.0	6	1073.8	2	
	5323.5	15	79.6	13	1319.9	1	
	5324.5	16	95.0	11	1101.6	1	
	5323.5	17	87.7	13	1613.7	2	
	5324.5	18	96.9	10	1315.8	2	
26	5324.5	1	75.4	11	1302.5	1	0
	5323.5	2	79.1	13	1923.5	2	
	5324.5	3	75.7	9	1605.1	3	
	5321.5	4	57.3	17	1029.4	1	
	5323.5	5	68.5	13	1537.2	1	
	5324.5	6	50.1	11	1599.5	1	
	5322.5	7	85.7	15	1553.2	1	
	5324.5	8	95.8	9	1345.1	1	
	5323.5	9	99.4	13	1512.8	2	
	5323.5	10	67.1	13	1586.0	1	
	5325.5	11	55.7	7	1852.7	3	
	5324.5	12	76.0	10	1343.2	3	
	5325.5	13	51.4	7	1245.0	1	
	5322.5	14	67.5	14	1016.5	2	
	5326.5	15	62.0	6	1308.6	2	
	5322.5	16	68.2	16	1055.5	3	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5326.5	1	87.1	6	1684.0	3	0
	5325.5	2	98.3	7	1555.3	1	
	5321.5	3	88.2	18	1883.0	2	
	5321.5	4	53.1	18	1633.6	1	
	5325.5	5	57.1	8	1761.5	1	
	5325.5	6	67.3	8	1513.7	3	
	5324.5	7	92.8	9	1847.7	3	
	5325.5	8	59.6	7	1091.7	2	
	5326.5	9	71.7	6	1922.0	2	
	5320.5	10	52.6	20	1462.1	2	
	5322.5	11	73.4	15	1590.0	3	
	5320.5	12	94.2	19	1970.6	1	
	5325.5	13	92.6	7	1916.7	2	
	5326.5	14	91.5	6	1762.1	1	
	5321.5	15	75.1	17	1366.2	1	
	5322.5	16	99.8	14	1865.2	3	
	5322.5	17	63.5	15	1109.1	2	
	5324.5	18	50.8	9	1085.4	3	
	5322.5	19	66.7	16	1362.7	1	
	5322.5	20	95.9	14	1799.7	2	
28	5326.5	1	70.8	5	1342.9	2	1
	5321.5	2	76.6	17	1691.8	1	
	5325.5	3	84.0	7	1335.1	3	
	5323.5	4	68.6	13	1072.2	3	
	5326.5	5	97.0	6	1805.7	1	
	5325.5	6	74.1	8	1619.6	3	
	5320.5	7	77.2	19	1384.6	2	
	5321.5	8	53.3	17	1721.4	1	
	5325.5	9	98.2	7	1298.1	1	
	5322.5	10	64.3	15	1825.5	1	
	5324.5	11	57.2	10	1922.9	2	
	5320.5	12	75.8	19	1014.1	2	
	5320.5	13	99.4	20	1915.8	3	
	5323.5	14	62.3	13	1091.6	1	
	5325.5	15	69.3	7	1719.7	3	
	5325.5	16	87.2	7	1992.8	2	
	5323.5	17	68.6	13	1650.6	1	
	5322.5	18	68.6	16	1385.3	2	
	5321.5	19	78.5	17	1333.4	1	
	5322.5	20	81.7	14	1721.5	2	

Test Mode		Mode 3					
Frequency		5290 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5322.5	1	51.2	16	1174.1	3	1
	5325.5	2	54.4	8	1727.3	2	
	5324.5	3	82.8	10	1207.6	2	
	5320.5	4	82.7	19	1481.9	2	
	5326.5	5	67.2	6	1832.3	1	
	5323.5	6	70.8	12	1501.9	2	
	5320.5	7	52.1	19	1129.7	3	
	5325.5	8	72.5	7	1687.1	1	
	5322.5	9	61.6	15	1682.3	2	
	5322.5	10	60.7	14	1322.7	1	
	5321.5	11	56.1	18	1083.5	1	
	5326.5	12	53.4	6	1194.8	1	
	5325.5	13	56.0	7	1297.0	3	
	5324.5	14	51.3	9	1812.8	2	
	5325.5	15	97.2	7	1253.1	1	
	5324.5	16	85.1	10	1604.7	3	
	5324.5	17	65.9	11	1206.6	1	
30	5324.5	1	56.7	9	1623.1	3	1
	5322.5	2	64.3	14	1486.1	3	
	5320.5	3	68.1	19	1099.9	1	
	5322.5	4	57.2	15	1327.4	1	
	5324.5	5	80.2	11	1157.1	3	
	5322.5	6	56.7	15	1293.5	2	
	5323.5	7	81.4	12	1628.1	1	
	5326.5	8	53.1	6	1034.2	1	
	5325.5	9	60.2	8	1519.7	3	
	5322.5	10	57.3	14	1329.1	1	
	5324.5	11	81.8	9	1978.4	3	
	5321.5	12	90.5	17	1848.7	3	
	5326.5	13	86.1	5	1833.5	2	
	5322.5	14	73.5	14	1940.5	3	
Detection Percentage (%)							80.00

Test Mode		Mode 3				
Frequency		5290 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	0
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	0
17	1	333	9	0.333	300	0
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	0
23	1	333	9	0.333	300	0
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	0
30	1	333	9	0.333	300	1
Detection Percentage (%)						80.00

Test Mode		Mode 3				
Frequency		5530 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	1	718	74	1393	1
2	5530	1	738	72	1355	1
3	5530	1	858	62	1166	1
4	5530	1	938	57	1066	1
5	5530	1	938	57	1066	1
6	5530	1	578	92	1730	0
7	5530	1	698	76	1433	1
8	5530	1	638	83	1567	1
9	5530	1	838	63	1193	1
10	5530	1	3066	18	326	1
11	5530	1	798	67	1253	1
12	5530	1	578	92	1730	1
13	5530	1	538	99	1859	1
14	5530	1	678	78	1475	1
15	5530	1	558	95	1792	1
16	5530	1	2031	26	492	1
17	5530	1	2171	25	461	1
18	5530	1	3053	18	328	1
19	5530	1	2786	19	359	1
20	5530	1	1338	40	747	1
21	5530	1	1789	30	559	1
22	5530	1	1237	43	808	1
23	5530	1	2952	18	339	1
24	5530	1	1273	42	786	0
25	5530	1	1825	29	548	0
26	5530	1	3036	18	329	1
27	5530	1	853	62	1172	1
28	5530	1	1100	48	909	1
29	5530	1	1307	41	765	1
30	5530	1	528	100	1894	0
Detection Percentage (%)						86.67

Test Mode		Mode 3				
Frequency		5530 MHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	1.10	223.70	26	4470	1
2	5530	2.60	228.00	28	4386	1
3	5530	2.70	210.80	27	4744	1
4	5530	3.70	165.20	23	6053	1
5	5530	4.20	199.10	27	5023	1
6	5530	2.00	168.10	25	5949	1
7	5530	4.60	187.70	24	5328	1
8	5530	1.50	167.70	29	5963	1
9	5530	5.00	207.00	23	4831	1
10	5530	3.30	218.10	28	4585	1
11	5530	1.60	206.50	29	4843	1
12	5530	4.90	186.40	28	5365	0
13	5530	2.10	163.00	23	6135	0
14	5530	2.90	165.00	28	6061	1
15	5530	4.20	180.80	27	5531	1
16	5530	1.20	206.10	28	4852	1
17	5530	3.80	156.90	23	6373	1
18	5530	3.50	190.60	26	5247	1
19	5530	3.50	206.90	28	4833	1
20	5530	2.80	171.10	28	5845	1
21	5530	3.60	193.60	25	5165	1
22	5530	3.80	159.50	25	6270	0
23	5530	4.80	222.60	25	4492	1
24	5530	1.20	169.00	23	5917	1
25	5530	1.30	214.50	25	4662	1
26	5530	2.50	210.20	24	4757	1
27	5530	3.50	168.50	26	5935	0
28	5530	4.70	226.00	24	4425	0
29	5530	4.60	157.30	24	6357	1
30	5530	2.60	157.20	24	6361	1
Detection Percentage (%)						83.33

Test Mode		Mode 3				
Frequency		5530 MHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	8.90	325.90	16	3068.43	0
2	5530	8.50	237.30	18	4214.08	1
3	5530	6.10	352.10	16	2840.10	1
4	5530	9.10	464.00	18	2155.17	1
5	5530	9.50	447.00	18	2237.14	1
6	5530	8.40	332.10	17	3011.14	1
7	5530	7.50	437.10	18	2287.81	1
8	5530	8.70	295.30	16	3386.39	1
9	5530	8.70	485.50	18	2059.73	1
10	5530	9.80	475.90	17	2101.28	1
11	5530	7.20	272.20	16	3673.77	1
12	5530	9.20	355.00	17	2816.90	1
13	5530	8.80	394.60	16	2534.21	1
14	5530	7.00	323.10	18	3095.02	0
15	5530	8.50	286.90	16	3485.54	1
16	5530	9.60	290.10	18	3447.09	1
17	5530	6.90	240.40	18	4159.73	1
18	5530	8.50	483.40	17	2068.68	1
19	5530	9.10	255.40	17	3915.43	1
20	5530	9.90	332.40	18	3008.42	0
21	5530	8.30	438.70	17	2279.46	0
22	5530	7.50	209.30	16	4777.83	1
23	5530	6.20	237.50	17	4210.53	1
24	5530	9.80	316.50	16	3159.56	1
25	5530	7.00	312.90	16	3195.91	1
26	5530	8.50	247.90	18	4033.88	1
27	5530	8.50	397.00	17	2518.89	0
28	5530	7.70	239.90	18	4168.40	1
29	5530	7.80	275.70	18	3627.13	1
30	5530	7.10	344.90	17	2899.39	1
Detection Percentage (%)						83.33

Test Mode		Mode 3				
Frequency		5530 MHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	19.00	408.80	16	2446	0
2	5530	18.20	302.00	12	3311	1
3	5530	12.50	378.80	15	2640	1
4	5530	18.20	213.10	13	4693	0
5	5530	19.60	275.40	13	3631	0
6	5530	16.10	379.00	14	2639	1
7	5530	18.20	315.90	12	3166	1
8	5530	14.00	275.10	16	3635	1
9	5530	19.40	228.80	13	4371	1
10	5530	18.00	480.30	13	2082	1
11	5530	11.50	215.50	15	4640	1
12	5530	13.00	221.20	14	4521	0
13	5530	17.70	443.10	13	2257	1
14	5530	17.40	369.20	14	2709	1
15	5530	19.00	213.90	16	4675	1
16	5530	19.70	422.40	16	2367	1
17	5530	11.30	207.70	13	4815	1
18	5530	15.90	382.60	12	2614	0
19	5530	11.40	267.60	13	3737	1
20	5530	19.90	343.50	14	2911	1
21	5530	13.40	409.80	13	2440	1
22	5530	12.70	237.40	15	4212	1
23	5530	15.70	285.70	13	3500	1
24	5530	16.70	384.90	13	2598	1
25	5530	16.70	287.80	13	3475	1
26	5530	18.20	253.30	13	3948	1
27	5530	19.20	417.30	16	2396	1
28	5530	16.90	310.20	14	3224	1
29	5530	11.40	314.90	15	3176	0
30	5530	12.00	228.80	16	4371	1
Detection Percentage (%)						80.00

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5496	1	96.2	9	1736.6	1	1
	5496	2	66.2	10	1218.6	1	
	5496	3	82.1	10	1476.2	1	
	5495	4	65.0	8	1310.3	1	
	5498	5	88.6	14	1194.8	2	
	5500	6	67.3	19	1968.2	1	
	5496	7	58.1	11	1130.2	3	
	5496	8	88.4	10	1228.9	3	
	5498	9	58.5	16	1673.8	2	
	5495	10	57.3	7	1929.1	1	
	5496	11	75.6	10	1822.2	3	
2	5496	1	78.9	9	1431.5	3	0
	5500	2	90.4	20	1000.5	2	
	5500	3	68.0	19	1202.8	1	
	5496	4	72.9	11	1490.1	1	
	5496	5	54.2	11	1447.3	3	
	5499	6	79.0	17	1342.7	1	
	5495	7	50.2	7	1423.2	3	
	5500	8	58.5	19	1801.1	2	
	5497	9	90.1	12	1760.9	3	
	5499	10	99.6	17	1811.4	3	
	5495	11	86.2	8	1127.4	3	
	5500	12	83.7	19	1304.0	1	
3	5495	1	71.3	8	1897.2	3	1
	5499	2	83.1	18	1808.1	3	
	5498	3	91.4	14	1328.3	3	
	5500	4	56.9	19	1787.0	3	
	5496	5	73.7	10	1833.1	2	
	5497	6	52.0	12	1403.1	2	
	5499	7	59.4	17	1615.7	3	
	5496	8	94.0	11	1387.8	2	
	5496	9	68.6	10	1303.7	3	
	5498	10	51.2	16	1778.6	3	
	5496	11	93.4	9	1671.1	3	
	5499	12	75.3	17	1016.3	1	
	5494	13	58.8	6	1919.6	1	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5496	1	67.8	9	1228.5	2	1
	5498	2	58.2	16	1652.5	1	
	5499	3	78.5	18	1798.3	2	
	5496	4	66.0	9	1811.8	1	
	5499	5	92.8	18	1864.6	3	
	5496	6	68.7	9	1638.5	3	
	5496	7	97.6	10	1822.2	2	
	5494	8	51.1	6	1319.3	1	
	5498	9	92.2	15	1176.3	2	
5	5495	1	65.5	8	1669.0	1	1
	5498	2	72.3	14	1907.9	2	
	5497	3	92.5	13	1960.2	2	
	5495	4	60.3	7	1310.0	3	
	5497	5	65.8	12	1873.4	3	
	5496	6	61.0	9	1920.7	3	
	5495	7	61.0	8	1486.9	2	
	5497	8	61.0	13	1768.5	1	
	5497	9	82.1	12	1260.3	2	
	5496	10	91.0	11	1994.9	1	
	5496	11	63.5	9	1714.0	3	
	5494	12	73.2	5	1823.0	3	
	5495	13	74.0	7	1060.5	2	
	5498	14	59.3	16	1458.3	1	
	5498	15	90.6	15	1645.5	2	
6	5500	1	99.8	19	1453.3	2	1
	5495	2	58.8	7	1261.5	2	
	5499	3	89.0	17	1752.4	2	
	5495	4	61.4	8	1368.1	2	
	5498	5	77.7	15	1560.4	1	
	5497	6	63.3	12	1277.1	3	
	5497	7	91.8	13	1849.5	1	
	5499	8	94.4	18	1809.5	2	
	5498	9	99.8	14	1488.9	1	
	5496	10	64.3	9	1256.6	1	
	5496	11	66.7	11	1244.1	1	
	5495	12	77.0	7	1852.8	3	
	5497	13	50.4	13	1414.0	3	
	5495	14	89.4	8	1401.6	3	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5494	1	72.3	6	1757.2	1	1
	5496	2	94.9	9	1122.2	1	
	5500	3	98.9	19	1078.5	1	
	5496	4	72.8	10	1048.2	3	
	5496	5	75.1	10	1160.4	3	
	5498	6	74.5	14	1056.8	2	
	5496	7	84.5	10	1076.0	2	
	5496	8	60.0	10	1090.2	1	
	5496	9	97.3	10	1761.2	3	
	5496	10	66.4	10	1855.7	3	
	5496	11	51.4	9	1152.7	3	
	5499	12	71.4	17	1648.6	1	
	5497	13	64.3	12	1022.9	2	
	5497	14	60.6	13	1475.9	1	
	5498	15	71.4	14	1739.8	3	
	5499	16	57.5	18	1689.4	3	
	5499	17	83.4	18	1081.7	1	
8	5495	1	72.3	7	1752.7	1	1
	5499	2	82.2	17	1664.8	1	
	5499	3	63.8	17	1851.7	2	
	5497	4	56.9	12	1101.0	3	
	5497	5	60.8	12	1829.8	3	
	5497	6	91.2	13	1961.9	1	
	5497	7	54.5	12	1493.9	3	
	5498	8	89.2	15	1421.9	3	
	5496	9	74.5	10	1277.6	3	
	5496	10	56.2	9	1775.0	2	
	5498	11	80.9	14	1648.3	3	
	5499	12	80.7	18	1054.5	2	
	5499	13	76.5	18	1967.3	1	
	5496	14	94.9	9	1986.1	2	
	5495	15	85.0	7	1344.3	1	
	5499	16	68.2	18	1994.0	2	
	5497	17	86.4	12	1635.1	2	
	5496	18	66.8	11	1739.8	2	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5498	1	80.3	16	1486.5	3	0
	5498	2	83.6	16	1884.6	2	
	5498	3	96.3	15	1298.8	1	
	5496	4	62.8	11	1589.7	2	
	5498	5	90.8	14	1418.0	2	
	5500	6	94.4	19	1523.3	3	
	5496	7	95.6	11	1866.9	2	
	5500	8	77.7	19	1771.6	2	
	5500	9	63.2	19	1775.1	3	
	5499	10	89.4	17	1731.5	1	
	5495	11	51.8	7	1649.6	2	
	5497	12	80.6	12	1933.9	1	
	5498	13	67.5	16	1361.7	1	
	5497	14	93.7	13	1099.4	2	
	5497	15	57.4	12	1702.8	3	
	5498	16	61.0	15	1674.4	3	
	5499	17	89.0	18	1832.6	3	
	5499	18	97.0	18	1638.9	2	
	5499	19	66.5	17	1425.7	3	
10	5500	1	96.9	19	1281.1	3	1
	5499	2	52.4	18	1188.3	3	
	5496	3	77.1	10	1514.1	3	
	5495	4	88.9	8	1368.3	1	
	5496	5	96.9	10	1815.0	2	
	5495	6	77.2	8	1422.5	3	
	5498	7	79.7	15	1971.8	2	
	5494	8	91.6	6	1610.2	2	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5530	1	56.7	20	1296.3	1	1
	5530	2	93.5	18	1313.7	2	
	5530	3	87.3	13	1695.1	2	
	5530	4	62.5	17	1851.4	2	
	5530	5	67.8	7	1737.5	1	
	5530	6	78.7	13	1763.6	3	
	5530	7	83.8	7	1482.7	1	
	5530	8	62.6	15	1878.8	1	
	5530	9	81.0	8	1227.4	2	
	5530	10	94.8	9	1233.0	2	
	5530	11	61.9	12	1552.2	3	
	5530	12	96.0	7	1749.4	2	
	5530	13	94.5	17	1371.3	1	
	5530	14	67.4	16	1268.7	2	
	5530	15	90.0	6	1606.3	1	
	5530	16	54.6	6	1989.1	1	
12	5530	1	97.2	14	1482.0	1	1
	5530	2	60.2	15	1681.4	1	
	5530	3	82.3	6	1459.3	2	
	5530	4	92.6	12	1130.9	2	
	5530	5	97.1	16	1369.8	2	
	5530	6	51.3	14	1763.2	1	
	5530	7	70.9	14	1896.5	2	
	5530	8	50.1	6	1820.9	1	
	5530	9	51.3	13	1766.3	3	
	5530	10	74.6	20	1663.2	1	
	5530	11	97.1	17	1753.9	2	
	5530	12	78.3	6	1167.7	3	
	5530	13	64.5	17	1710.9	3	
	5530	14	66.4	9	1151.8	2	
	5530	15	61.6	7	1232.2	3	
	5530	16	50.4	10	1851.8	1	
	5530	17	90.6	15	1511.7	1	
	5530	18	58.4	17	1243.3	3	
	5530	19	99.9	6	1657.2	1	
	5530	20	80.8	12	1722.2	3	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5530	1	58.0	16	1088.6	3	1
	5530	2	73.1	16	1874.6	1	
	5530	3	86.4	13	1881.4	3	
	5530	4	81.8	9	1160.1	1	
	5530	5	73.4	13	1341.9	1	
	5530	6	94.3	6	1979.2	1	
	5530	7	94.8	17	1157.5	1	
	5530	8	95.5	18	1974.3	1	
	5530	9	62.7	20	1122.4	3	
	5530	10	52.9	20	1125.0	1	
14	5530	1	96.6	8	1353.3	1	1
	5530	2	99.8	17	1457.3	3	
	5530	3	89.7	17	1573.5	1	
	5530	4	58.5	6	1013.8	3	
	5530	5	56.3	9	1591.3	1	
	5530	6	90.3	18	1732.1	1	
	5530	7	86.7	15	1855.3	1	
	5530	8	68.9	12	1966.6	1	
	5530	9	92.9	11	1211.5	1	
	5530	10	57.3	11	1801.9	1	
	5530	11	50.5	10	1592.3	3	
	5530	12	64.0	13	1702.0	1	
	5530	13	51.9	12	1953.5	1	
	5530	14	63.3	13	1132.8	3	
	5530	15	69.8	14	1358.1	3	
	5530	16	93.1	14	1889.8	1	
	5530	17	51.6	19	1958.9	3	
	5530	18	52.9	6	1000.8	3	
	5530	19	53.4	17	1727.9	2	
	5530	20	87.7	17	1984.6	1	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5530	1	64.9	10	1204.4	2	1
	5530	2	90.2	12	1185.7	1	
	5530	3	64.3	14	1635.9	1	
	5530	4	62.7	9	1550.6	1	
	5530	5	81.3	12	1012.7	3	
	5530	6	90.8	20	1816.4	1	
	5530	7	66.4	14	1643.1	2	
	5530	8	53.3	12	1345.2	1	
	5530	9	79.0	14	1530.1	2	
	5530	10	72.7	9	1622.8	3	
	5530	11	91.8	13	1289.2	2	
	5530	12	74.4	11	1678.1	2	
	5530	13	69.5	20	1370.6	3	
	5530	14	86.5	10	1603.9	3	
	5530	15	76.6	10	1413.9	2	
	5530	16	70.8	18	1674.6	3	
	5530	17	55.6	6	1840.1	2	
	5530	18	72.0	10	1592.0	1	
	5530	19	92.5	15	1896.3	3	
16	5530	1	70.5	7	1610.4	3	0
	5530	2	86.8	10	1808.2	3	
	5530	3	60.5	9	1163.5	1	
	5530	4	90.7	14	1947.2	1	
	5530	5	75.9	17	1067.6	2	
	5530	6	64.2	12	1571.5	1	
	5530	7	83.5	14	1168.8	3	
	5530	8	95.0	11	1698.3	3	
	5530	9	83.5	8	1990.8	2	
	5530	10	73.7	10	1481.6	3	
	5530	11	64.0	18	1918.5	1	
	5530	12	67.8	9	1621.7	3	
	5530	13	97.1	14	1947.4	2	
	5530	14	87.1	14	1374.4	3	
	5530	15	51.1	14	1791.0	1	
	5530	16	99.7	16	1307.9	2	
	5530	17	56.9	9	1359.8	1	
	5530	18	90.7	11	1686.2	1	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5530	1	94.3	12	1390.1	3	1
	5530	2	79.3	17	1508.2	1	
	5530	3	67.0	16	1322.6	1	
	5530	4	87.1	9	1646.8	3	
	5530	5	96.7	16	1199.4	3	
	5530	6	98.2	17	1329.6	3	
	5530	7	60.3	6	1401.6	2	
	5530	8	80.9	10	1526.2	1	
	5530	9	99.0	10	1228.0	1	
	5530	10	96.5	6	1287.5	1	
	5530	11	74.0	19	1782.5	3	
	5530	12	58.8	11	1222.7	2	
	5530	13	54.9	13	1119.9	1	
	5530	14	91.8	11	1604.1	3	
	5530	15	97.3	19	1231.3	1	
	5530	16	78.9	7	1042.3	3	
	5530	17	68.0	20	1991.8	3	
18	5530	1	76.0	7	1974.6	2	1
	5530	2	82.5	12	1638.5	1	
	5530	3	86.1	20	1457.2	3	
	5530	4	55.8	14	1126.2	1	
	5530	5	80.3	13	1698.8	2	
	5530	6	97.7	17	1029.6	3	
	5530	7	67.3	7	1291.3	1	
	5530	8	91.8	18	1471.4	2	
	5530	9	97.2	10	1028.8	1	
	5530	10	67.0	14	1743.8	2	
	5530	11	78.1	13	1533.6	3	
	5530	12	79.2	19	1733.2	1	
	5530	13	76.4	12	1123.2	3	
	5530	14	52.8	9	1218.5	3	
	5530	15	71.0	8	1815.4	3	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5530	1	98.1	10	1896.0	2	1
	5530	2	84.6	13	1698.1	2	
	5530	3	60.8	13	1302.0	2	
	5530	4	77.9	14	1897.3	1	
	5530	5	89.5	19	1024.4	3	
	5530	6	58.9	9	1550.4	3	
	5530	7	76.6	8	1300.5	3	
	5530	8	85.5	18	1556.6	1	
	5530	9	66.7	9	1200.4	1	
	5530	10	62.4	13	1056.1	2	
	5530	11	70.4	16	1478.9	3	
	5530	12	73.1	14	1003.4	2	
	5530	13	92.6	15	1419.5	1	
	5530	14	79.0	9	1609.4	3	
20	5530	1	85.3	6	1261.6	1	0
	5530	2	61.7	18	1816.7	1	
	5530	3	97.3	15	1813.0	2	
	5530	4	65.4	10	1743.7	3	
	5530	5	73.0	12	1782.2	1	
	5530	6	62.3	13	1072.8	3	
	5530	7	57.5	12	1420.0	3	
	5530	8	67.3	10	1752.1	2	
	5530	9	96.8	8	1040.9	2	
	5530	10	65.1	8	1925.6	1	
21	5560	1	56.8	19	1632.9	1	1
	5566	2	78.9	6	1947.3	2	
	5561	3	64.9	17	1131.0	2	
	5563	4	69.7	13	1540.9	1	
	5562	5	51.1	14	1676.0	2	
	5564	6	56.9	11	1065.7	3	
	5565	7	98.9	8	1560.5	3	
	5565	8	77.5	8	1574.5	2	
	5563	9	50.7	13	1338.2	1	
	5562	10	99.6	14	1896.2	1	
	5563	11	91.5	12	1701.8	2	
	5561	12	86.9	18	1614.9	2	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5564	1	56.5	10	1391.9	3	1
	5560	2	78.8	20	1644.8	2	
	5563	3	92.9	12	1558.9	2	
	5561	4	55.3	17	1141.2	2	
	5563	5	64.2	12	1454.3	3	
	5561	6	91.4	17	1472.8	3	
	5566	7	84.6	6	1445.0	1	
	5565	8	70.5	8	1727.2	1	
23	5561	1	65.3	17	1099.7	3	1
	5565	2	63.7	8	1397.4	2	
	5566	3	78.8	6	1929.1	3	
	5560	4	76.7	20	1822.1	1	
	5562	5	79.8	16	1357.9	1	
	5566	6	56.2	6	1849.5	1	
	5565	7	63.9	7	1444.2	1	
	5563	8	55.0	12	1507.0	3	
	5562	9	74.8	16	1686.1	3	
	5563	10	62.6	12	1245.0	3	
	5564	11	78.9	9	1240.1	1	
	5564	12	61.5	11	1011.1	1	
	5564	13	56.8	9	1969.1	2	
	5562	14	90.8	14	1014.9	2	
	5562	15	51.5	15	1138.3	1	
24	5560	1	77.5	19	1574.2	3	1
	5561	2	87.5	17	1291.8	3	
	5560	3	95.7	19	1764.0	3	
	5565	4	51.4	8	1041.1	3	
	5565	5	79.0	7	1915.7	2	
	5564	6	61.4	9	1137.2	3	
	5562	7	64.6	16	1336.6	3	
	5564	8	74.0	9	1493.2	3	
	5565	9	50.1	8	1471.6	2	
	5563	10	80.4	13	1457.7	2	
	5564	11	75.6	10	1440.7	2	
	5564	12	73.3	11	1019.8	2	
	5565	13	73.0	7	1553.7	1	
	5563	14	67.0	13	1884.7	2	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5562	1	92.2	14	1567.6	3	1
	5566	2	92.6	6	1576.9	1	
	5566	3	53.7	5	1824.0	1	
	5564	4	93.9	9	1723.8	2	
	5560	5	66.3	19	1948.2	3	
	5563	6	60.2	13	1378.8	2	
	5563	7	95.9	12	1715.2	3	
	5562	8	61.3	16	1118.9	3	
	5564	9	86.2	11	1020.3	1	
	5562	10	92.5	16	1129.2	2	
	5560	11	76.2	19	1767.2	1	
	5562	12	93.9	15	1917.8	2	
	5560	13	74.6	19	1944.4	2	
	5565	14	66.6	7	1818.3	3	
	5562	15	64.2	16	1153.2	2	
	5560	16	95.7	20	1930.6	2	
	5562	17	90.5	16	1951.4	3	
	5561	18	82.7	18	1568.4	2	
26	5561	1	94.6	18	1257.3	3	1
	5566	2	81.0	6	1029.1	3	
	5564	3	63.9	11	1295.1	2	
	5564	4	66.5	9	1736.9	2	
	5564	5	77.3	10	1712.2	1	
	5563	6	67.0	13	1877.9	3	
	5564	7	78.1	11	1702.4	1	
	5564	8	71.6	11	1680.8	2	
	5562	9	58.7	15	1174.6	2	
	5561	10	74.4	17	1931.2	1	
	5560	11	69.4	19	1522.1	1	
	5565	12	99.9	7	1122.5	1	
	5563	13	99.0	12	1596.9	3	
	5565	14	85.7	7	1788.8	3	
	5562	15	64.7	14	1944.9	3	
	5563	16	68.4	12	1247.2	1	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5560	1	89.7	19	1931.0	3	0
	5561	2	89.4	17	1649.9	3	
	5561	3	71.8	17	1130.7	2	
	5566	4	91.3	5	1281.1	3	
	5564	5	74.3	11	1721.1	2	
	5563	6	98.0	12	1352.7	3	
	5562	7	95.3	14	1265.0	2	
	5564	8	76.5	9	1712.6	3	
	5565	9	53.6	7	1246.3	3	
	5566	10	99.8	6	1034.9	3	
	5560	11	60.0	19	1042.1	3	
	5560	12	86.1	20	1003.4	3	
	5561	13	50.6	18	1831.2	1	
	5565	14	54.0	8	1658.7	3	
	5563	15	58.3	13	1897.2	2	
	5563	16	52.0	12	1955.5	2	
	5565	17	71.8	8	1513.2	1	
	5562	18	56.0	15	1167.5	3	
	5566	19	86.8	6	1081.7	2	
	5564	20	76.8	10	1390.8	2	
28	5563	1	95.6	13	1592.1	2	1
	5562	2	53.3	16	1837.3	2	
	5564	3	66.5	11	1560.5	3	
	5565	4	69.4	7	1616.1	2	
	5562	5	99.2	16	1145.3	3	
	5565	6	78.1	7	1593.3	3	
	5562	7	90.5	14	1458.5	2	
	5566	8	89.3	6	1252.6	1	
	5565	9	56.8	7	1477.7	1	
	5562	10	85.7	15	1367.6	2	
	5560	11	79.5	19	1148.3	3	
	5562	12	63.4	14	1897.6	2	
	5562	13	84.5	14	1696.8	1	
	5563	14	63.8	12	1857.4	1	
	5563	15	82.0	13	1859.8	1	
	5562	16	70.9	15	1293.9	1	
	5565	17	75.0	7	1159.8	2	
	5562	18	82.2	16	1406.8	2	
	5566	19	68.6	5	1760.3	3	
	5564	20	59.6	11	1069.1	2	

Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5564	1	57.0	11	1002.7	3	1
	5564	2	69.9	10	1914.3	1	
	5565	3	81.7	7	1319.3	2	
	5566	4	78.2	5	1429.6	1	
	5566	5	94.1	6	1874.4	3	
	5563	6	70.5	13	1390.3	1	
	5562	7	64.6	15	1852.9	2	
	5564	8	99.9	9	1907.4	1	
	5561	9	80.3	17	1206.2	1	
	5560	10	63.7	19	1750.4	1	
	5562	11	72.1	15	1177.4	2	
	5564	12	79.9	9	1017.0	2	
	5565	13	66.0	7	1551.1	3	
	5565	14	61.2	7	1626.5	1	
	5564	15	98.7	9	1524.3	3	
	5560	16	50.4	19	1640.5	3	
	5566	17	57.5	6	1988.0	2	
30	5564	1	87.2	11	1457.1	3	1
	5565	2	61.5	8	1162.9	1	
	5566	3	56.3	6	1274.9	1	
	5563	4	57.2	13	1972.7	1	
	5565	5	97.1	8	1087.9	1	
	5564	6	78.3	11	1334.0	3	
	5564	7	71.1	11	1333.2	1	
	5564	8	63.2	10	1532.4	1	
	5563	9	92.5	12	1887.2	3	
	5563	10	93.0	12	1992.8	1	
	5565	11	66.0	8	1255.2	1	
	5564	12	96.5	11	1416.4	3	
	5565	13	58.7	8	1942.3	3	
	5561	14	77.0	18	1957.2	1	
Detection Percentage (%)							83.33

Test Mode		Mode 3				
Frequency		5530 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	0
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	0
21	1	333	9	0.333	300	0
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	0
30	1	333	9	0.333	300	1
Detection Percentage (%)						86.67

Test Mode		Mode 4				
Frequency		5250 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5250	1	558	95	1792	1
2	5250	1	878	61	1139	1
3	5250	1	578	92	1730	1
4	5250	1	838	63	1193	1
5	5250	1	718	74	1393	1
6	5250	1	638	83	1567	1
7	5250	1	738	72	1355	1
8	5250	1	578	92	1730	1
9	5250	1	578	92	1730	1
10	5250	1	778	68	1285	1
11	5250	1	518	102	1931	1
12	5250	1	518	102	1931	1
13	5250	1	658	81	1520	1
14	5250	1	738	72	1355	1
15	5250	1	558	95	1792	1
16	5250	1	2975	18	336	0
17	5250	1	769	69	1300	1
18	5250	1	2997	18	334	1
19	5250	1	1964	27	509	1
20	5250	1	594	89	1684	1
21	5250	1	1021	52	979	1
22	5250	1	1188	45	842	1
23	5250	1	2854	19	350	0
24	5250	1	2421	22	413	1
25	5250	1	986	54	1014	0
26	5250	1	2080	26	481	1
27	5250	1	2008	27	498	0
28	5250	1	965	55	1036	1
29	5250	1	1667	32	600	0
30	5250	1	1496	36	668	1
Detection Percentage (%)						83.33

Test Mode		Mode 4				
Frequency		5250 MHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5250	2.90	194.10	29	5152	0
2	5250	4.60	215.40	26	4643	1
3	5250	2.00	193.80	27	5160	0
4	5250	2.80	210.00	24	4762	1
5	5250	2.50	157.80	25	6337	1
6	5250	1.90	212.00	29	4717	1
7	5250	2.70	164.50	24	6079	1
8	5250	3.40	153.20	26	6527	1
9	5250	3.90	169.60	28	5896	1
10	5250	2.30	200.30	29	4993	1
11	5250	4.90	196.50	28	5089	0
12	5250	1.10	157.90	25	6333	1
13	5250	4.40	156.70	28	6382	1
14	5250	3.00	161.60	28	6188	0
15	5250	4.80	185.80	24	5382	1
16	5250	3.10	205.70	29	4861	1
17	5250	2.60	181.60	27	5507	1
18	5250	2.50	153.70	29	6506	0
19	5250	4.80	214.30	24	4666	1
20	5250	3.20	159.70	28	6262	1
21	5250	2.20	205.30	26	4871	1
22	5250	1.20	157.90	29	6333	1
23	5250	2.70	175.50	23	5698	1
24	5250	4.70	164.60	24	6075	1
25	5250	1.90	194.70	29	5136	1
26	5250	2.40	187.10	27	5345	0
27	5250	4.60	220.10	29	4543	1
28	5250	1.80	207.20	29	4826	1
29	5250	2.00	215.10	26	4649	0
30	5250	1.30	175.60	25	5695	1
Detection Percentage (%)						76.67

Test Mode		Mode 4				
Frequency		5250 MHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5250	9.90	387.90	17	2577.98	1
2	5250	9.60	333.20	18	3001.20	0
3	5250	9.70	359.50	16	2781.64	1
4	5250	7.70	265.80	18	3762.23	1
5	5250	9.70	309.80	16	3227.89	1
6	5250	9.10	221.90	17	4506.53	0
7	5250	6.90	459.40	18	2176.75	1
8	5250	9.20	428.50	16	2333.72	1
9	5250	6.40	245.70	16	4070.00	1
10	5250	7.40	245.40	16	4074.98	1
11	5250	6.90	274.30	17	3645.64	1
12	5250	9.70	428.80	17	2332.09	1
13	5250	9.20	226.70	17	4411.12	1
14	5250	6.40	248.40	17	4025.76	0
15	5250	8.30	284.30	17	3517.41	1
16	5250	6.90	481.70	17	2075.98	1
17	5250	8.20	363.70	16	2749.52	0
18	5250	9.60	233.10	17	4290.00	1
19	5250	8.40	411.20	16	2431.91	0
20	5250	6.10	311.30	17	3212.34	1
21	5250	6.70	248.60	16	4022.53	1
22	5250	6.70	232.70	18	4297.38	1
23	5250	6.80	348.30	16	2871.09	1
24	5250	6.90	254.70	18	3926.19	1
25	5250	8.60	366.80	16	2726.28	1
26	5250	9.10	436.80	18	2289.38	1
27	5250	6.50	489.60	18	2042.48	1
28	5250	7.80	320.90	16	3116.24	0
29	5250	7.10	310.40	16	3221.65	1
30	5250	9.60	324.40	16	3082.61	1
Detection Percentage (%)						80.00

Test Mode		Mode 4				
Frequency		5250 MHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5250	16.10	330.90	13	3022	1
2	5250	15.90	206.50	12	4843	1
3	5250	17.60	499.40	14	2002	1
4	5250	15.50	364.00	14	2747	1
5	5250	17.20	362.00	15	2762	1
6	5250	16.80	418.70	12	2388	0
7	5250	14.30	328.40	14	3045	1
8	5250	13.90	267.80	13	3734	0
9	5250	14.40	204.30	15	4895	0
10	5250	11.10	449.20	12	2226	1
11	5250	14.50	259.30	13	3857	1
12	5250	11.30	285.30	12	3505	1
13	5250	14.80	383.30	12	2609	1
14	5250	15.40	259.10	16	3860	0
15	5250	19.70	425.60	12	2350	1
16	5250	12.30	313.10	16	3194	0
17	5250	11.50	220.80	13	4529	1
18	5250	20.00	365.50	14	2736	1
19	5250	11.90	381.50	15	2621	1
20	5250	17.60	366.60	15	2728	1
21	5250	13.80	345.00	16	2899	1
22	5250	12.90	293.50	14	3407	1
23	5250	19.10	491.30	12	2035	1
24	5250	18.10	261.40	12	3826	1
25	5250	16.90	264.10	16	3786	1
26	5250	15.30	249.50	12	4008	1
27	5250	18.60	203.30	16	4919	1
28	5250	18.10	294.10	12	3400	1
29	5250	19.50	372.80	15	2682	1
30	5250	14.30	230.90	16	4331	0
Detection Percentage (%)						80.00

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5179.5	1	53.8	19	1321.9	2	1
	5177.5	2	55.7	15	1141.8	3	
	5177.5	3	72.3	14	1265.5	1	
	5176.5	4	82.7	12	1916.8	2	
	5177.5	5	64.7	16	1273.5	1	
	5177.5	6	64.5	15	1361.1	1	
	5176.5	7	79.8	13	1489.0	1	
	5174.5	8	92.2	7	1991.0	2	
	5174.5	9	77.7	7	1284.8	1	
	5176.5	10	51.3	12	1673.2	3	
	5175.5	11	51.5	10	1260.8	2	
2	5174.5	1	75.4	8	1428.2	1	1
	5177.5	2	56.1	15	1639.1	1	
	5178.5	3	90.7	18	1491.0	1	
	5176.5	4	67.2	12	1265.2	1	
	5175.5	5	82.0	11	1769.9	1	
	5177.5	6	66.7	15	1774.7	1	
	5177.5	7	96.7	14	1112.8	2	
	5175.5	8	63.8	9	1375.1	1	
	5175.5	9	56.0	9	1413.7	1	
	5177.5	10	97.8	16	1140.5	1	
	5174.5	11	74.7	8	1900.3	2	
	5174.5	12	91.0	8	1261.5	2	
3	5176.5	1	97.4	12	1610.8	2	1
	5174.5	2	93.2	7	1461.3	2	
	5175.5	3	96.7	10	1763.6	3	
	5173.5	4	95.0	6	1943.2	2	
	5176.5	5	79.8	13	1972.7	1	
	5175.5	6	82.0	9	1015.3	2	
	5175.5	7	64.2	11	1680.8	2	
	5179.5	8	89.2	19	1284.3	1	
	5176.5	9	84.5	13	1214.2	3	
	5179.5	10	58.4	20	1904.3	2	
	5178.5	11	94.8	17	1888.2	3	
	5174.5	12	53.3	7	1195.0	1	
	5177.5	13	87.8	15	1264.1	2	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5178.5	1	79.5	18	1714.7	1	1
	5179.5	2	57.8	19	1595.9	3	
	5178.5	3	98.6	18	1904.4	1	
	5173.5	4	90.1	5	1630.1	3	
	5173.5	5	71.8	6	1526.9	2	
	5175.5	6	84.8	11	1604.1	2	
	5177.5	7	65.7	15	1625.7	1	
	5173.5	8	54.5	6	1666.7	2	
	5177.5	9	68.8	16	1929.5	3	
5	5178.5	1	59.1	17	1120.7	2	1
	5173.5	2	60.2	6	1238.2	2	
	5177.5	3	69.5	14	1190.1	1	
	5176.5	4	76.1	12	1565.2	2	
	5173.5	5	79.3	6	1960.3	3	
	5179.5	6	76.3	20	1727.8	1	
	5175.5	7	85.9	9	1142.0	1	
	5174.5	8	61.9	7	1783.4	1	
	5175.5	9	65.5	10	1139.1	2	
	5175.5	10	82.3	9	1493.0	2	
	5176.5	11	89.0	13	1492.5	2	
	5175.5	12	66.0	11	1547.4	2	
	5177.5	13	74.3	14	1953.0	2	
	5177.5	14	80.3	16	1118.6	2	
	5179.5	15	78.0	19	1304.4	2	
6	5174.5	1	76.0	8	1570.7	3	1
	5177.5	2	61.2	15	1062.2	2	
	5176.5	3	50.9	12	1956.2	1	
	5177.5	4	69.9	14	1121.2	3	
	5175.5	5	94.5	11	1222.4	3	
	5179.5	6	59.3	19	1284.6	1	
	5173.5	7	79.3	6	1755.6	3	
	5177.5	8	66.7	16	1573.8	1	
	5174.5	9	57.2	8	1443.7	1	
	5176.5	10	54.5	13	1570.9	2	
	5177.5	11	60.4	15	1209.9	1	
	5177.5	12	97.8	16	1579.4	1	
	5176.5	13	52.2	13	1496.4	1	
	5177.5	14	76.2	16	1729.7	3	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5174.5	1	99.8	7	1481.0	3	1
	5175.5	2	51.1	9	1544.7	3	
	5177.5	3	61.5	16	1803.9	3	
	5179.5	4	70.8	20	1808.1	2	
	5179.5	5	61.7	19	1651.1	3	
	5174.5	6	83.4	7	1213.6	1	
	5175.5	7	50.0	9	1737.8	2	
	5177.5	8	61.6	16	1408.9	1	
	5174.5	9	61.0	8	1366.2	1	
	5174.5	10	96.5	7	1688.3	3	
	5177.5	11	80.9	16	1960.8	1	
	5179.5	12	85.0	19	1329.6	3	
	5178.5	13	98.1	18	1635.6	1	
	5174.5	14	59.2	7	1315.5	2	
	5176.5	15	93.0	13	1714.5	3	
	5174.5	16	53.2	8	1895.8	3	
	5176.5	17	87.3	13	1798.9	2	
8	5175.5	1	92.6	10	1966.4	3	1
	5177.5	2	67.5	15	1346.4	3	
	5177.5	3	77.3	15	1579.9	2	
	5179.5	4	56.0	19	1566.0	1	
	5176.5	5	73.4	12	1182.2	1	
	5176.5	6	63.1	13	1947.3	2	
	5177.5	7	52.6	16	1043.2	2	
	5178.5	8	75.9	18	1052.1	1	
	5179.5	9	67.6	19	1908.9	1	
	5173.5	10	64.8	5	1639.4	2	
	5173.5	11	77.2	5	1689.5	2	
	5177.5	12	76.1	16	1046.2	1	
	5177.5	13	92.1	16	1986.2	2	
	5174.5	14	70.1	8	1934.9	3	
	5177.5	15	80.1	16	1435.9	1	
	5176.5	16	97.3	12	1748.4	2	
	5174.5	17	97.3	7	1741.6	1	
	5174.5	18	67.9	8	1345.9	1	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5175.5	1	58.8	9	1984.4	1	1
	5177.5	2	70.6	16	1351.2	3	
	5176.5	3	72.8	13	1201.1	2	
	5174.5	4	52.9	7	1060.5	1	
	5179.5	5	87.1	19	1503.9	3	
	5177.5	6	67.1	16	1950.8	2	
	5176.5	7	68.6	12	1748.5	3	
	5179.5	8	73.4	19	1314.4	2	
	5176.5	9	78.9	13	1261.1	2	
	5177.5	10	62.6	15	1941.6	1	
	5173.5	11	66.8	6	1866.0	1	
	5177.5	12	74.9	16	1759.0	3	
	5175.5	13	81.4	10	1693.5	3	
	5177.5	14	84.2	15	1827.3	3	
	5175.5	15	50.5	9	1107.4	2	
	5179.5	16	88.2	20	1933.2	2	
	5177.5	17	91.8	16	1229.1	3	
	5174.5	18	63.4	8	1306.5	3	
	5179.5	19	78.9	20	1998.9	1	
10	5177.5	1	86.5	14	1439.9	1	1
	5174.5	2	62.4	8	1639.6	2	
	5176.5	3	87.7	12	1228.2	1	
	5178.5	4	56.8	18	1504.2	2	
	5179.5	5	93.9	20	1524.8	3	
	5177.5	6	80.4	15	1281.2	2	
	5174.5	7	50.3	8	1906.6	2	
	5177.5	8	79.6	16	1211.4	3	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5250	1	82.4	17	1278.4	2	1
	5250	2	66.0	8	1649.0	1	
	5250	3	88.0	18	1220.5	3	
	5250	4	77.3	16	1956.9	2	
	5250	5	62.6	20	1000.4	2	
	5250	6	93.0	15	1414.7	3	
	5250	7	70.1	17	1314.8	2	
	5250	8	82.2	8	1793.5	2	
	5250	9	93.2	7	1381.8	3	
	5250	10	57.8	11	1632.5	2	
	5250	11	70.1	12	1909.8	3	
	5250	12	56.0	10	1040.2	1	
	5250	13	73.0	8	1799.4	1	
	5250	14	85.5	9	1369.7	1	
	5250	15	57.0	14	1811.7	2	
	5250	16	89.8	12	1921.4	2	
12	5250	1	75.5	12	1481.5	3	1
	5250	2	82.4	12	1571.8	3	
	5250	3	78.7	15	1929.5	1	
	5250	4	79.5	17	1581.3	2	
	5250	5	91.6	8	1218.4	3	
	5250	6	51.8	14	1690.6	1	
	5250	7	73.6	10	1269.4	1	
	5250	8	81.7	6	1437.4	2	
	5250	9	73.7	20	1941.5	3	
	5250	10	88.6	11	1540.2	2	
	5250	11	70.9	6	1427.7	1	
	5250	12	86.2	15	1950.3	1	
	5250	13	53.2	6	1262.0	1	
	5250	14	54.2	5	1198.3	1	
	5250	15	72.7	12	1389.1	3	
	5250	16	69.2	19	1578.6	1	
	5250	17	64.8	11	1056.2	3	
	5250	18	75.5	15	1062.9	1	
	5250	19	97.4	8	1650.7	3	
	5250	20	65.4	7	1052.2	2	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5250	1	62.8	12	1920.8	3	1
	5250	2	64.9	14	1803.9	3	
	5250	3	83.4	9	1742.9	1	
	5250	4	57.8	16	1728.4	2	
	5250	5	93.7	19	1481.7	2	
	5250	6	53.4	7	1518.8	2	
	5250	7	91.4	7	1952.3	2	
	5250	8	51.8	14	1669.3	1	
	5250	9	72.3	10	1413.8	2	
	5250	10	54.3	17	1639.2	1	
14	5250	1	55.0	14	1638.8	1	1
	5250	2	94.1	14	1157.1	1	
	5250	3	67.4	10	1909.3	2	
	5250	4	51.5	9	1268.0	1	
	5250	5	73.8	5	1501.9	2	
	5250	6	72.1	12	1266.0	2	
	5250	7	93.2	14	1941.3	3	
	5250	8	51.3	17	1470.0	2	
	5250	9	55.5	14	1971.9	3	
	5250	10	92.5	19	1108.6	2	
	5250	11	69.5	17	1198.6	1	
	5250	12	75.3	17	1384.5	3	
	5250	13	86.7	18	1448.2	2	
	5250	14	52.6	18	1947.6	1	
	5250	15	65.6	14	1468.8	2	
	5250	16	78.4	18	1754.4	1	
	5250	17	51.4	10	1957.8	2	
	5250	18	93.9	7	1705.3	2	
	5250	19	56.4	9	1549.4	1	
	5250	20	94.8	10	1826.4	3	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5250	1	63.6	7	1829.2	2	1
	5250	2	89.1	16	1892.5	3	
	5250	3	83.3	18	1583.9	2	
	5250	4	86.8	12	1301.5	1	
	5250	5	73.9	11	1142.2	3	
	5250	6	80.7	13	1850.5	2	
	5250	7	67.3	7	1045.7	1	
	5250	8	81.9	15	1597.0	3	
	5250	9	91.6	17	1705.0	2	
	5250	10	78.9	8	1967.3	2	
	5250	11	72.4	5	1605.2	3	
	5250	12	63.5	14	1437.6	3	
	5250	13	98.2	18	1958.5	1	
	5250	14	59.2	15	1642.5	1	
	5250	15	66.8	17	1348.2	3	
	5250	16	76.5	20	1739.3	2	
	5250	17	80.2	16	1883.9	3	
	5250	18	84.8	18	1866.0	1	
	5250	19	73.0	6	1848.2	3	
16	5250	1	66.4	7	1825.4	3	0
	5250	2	99.1	20	1436.4	3	
	5250	3	73.5	19	1094.6	2	
	5250	4	51.0	7	1638.2	3	
	5250	5	77.1	8	1489.8	2	
	5250	6	71.5	10	1712.2	3	
	5250	7	77.8	18	1290.5	1	
	5250	8	87.8	17	1434.9	2	
	5250	9	96.7	12	1912.0	1	
	5250	10	59.0	14	1608.5	3	
	5250	11	71.7	12	1035.8	3	
	5250	12	51.4	20	1762.7	1	
	5250	13	75.9	11	1245.7	3	
	5250	14	57.3	11	1938.3	3	
	5250	15	56.6	6	1057.6	3	
	5250	16	72.4	15	1565.1	2	
	5250	17	55.2	7	1537.6	1	
	5250	18	78.7	18	1146.7	3	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5250	1	67.3	13	1230.9	1	1
	5250	2	95.7	12	1964.0	1	
	5250	3	63.4	18	1257.8	2	
	5250	4	72.2	11	1052.0	1	
	5250	5	60.1	8	1284.0	3	
	5250	6	72.3	18	1640.1	3	
	5250	7	85.9	9	1468.5	2	
	5250	8	65.1	12	1278.3	2	
	5250	9	56.5	15	1770.6	1	
	5250	10	98.4	13	1416.2	2	
	5250	11	83.8	8	1971.2	1	
	5250	12	78.7	15	1630.8	3	
	5250	13	82.9	11	1841.6	1	
	5250	14	61.5	18	1207.1	1	
	5250	15	97.6	16	1655.0	3	
	5250	16	89.1	13	1551.9	3	
	5250	17	68.8	9	1096.5	2	
18	5250	1	50.8	12	1065.5	1	1
	5250	2	79.1	7	1736.6	1	
	5250	3	98.1	20	1677.6	2	
	5250	4	60.9	8	1600.4	1	
	5250	5	85.7	13	1232.9	2	
	5250	6	66.5	19	1012.6	1	
	5250	7	52.0	15	1146.8	3	
	5250	8	79.0	9	1017.4	3	
	5250	9	61.9	12	1733.3	2	
	5250	10	71.5	10	1501.7	3	
	5250	11	96.9	9	1740.1	1	
	5250	12	64.2	16	1705.3	2	
	5250	13	94.5	11	1508.2	1	
	5250	14	54.4	11	1957.0	1	
	5250	15	66.4	18	1550.5	1	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5250	1	58.4	8	1077.8	1	1
	5250	2	64.2	17	1362.4	3	
	5250	3	65.5	7	1528.6	2	
	5250	4	92.3	18	1267.2	2	
	5250	5	80.3	8	1047.9	3	
	5250	6	99.6	12	1295.9	2	
	5250	7	94.8	6	1483.7	3	
	5250	8	85.5	15	1775.0	1	
	5250	9	80.7	16	1197.0	2	
	5250	10	98.5	17	1083.4	1	
	5250	11	82.2	19	1553.7	2	
	5250	12	69.1	6	1538.8	2	
	5250	13	85.0	20	1849.1	3	
	5250	14	62.9	14	1591.6	2	
20	5250	1	95.0	12	1501.9	3	1
	5250	2	69.7	11	1541.9	2	
	5250	3	62.2	7	1602.3	3	
	5250	4	69.9	19	1008.3	3	
	5250	5	83.0	9	1434.6	2	
	5250	6	76.3	9	1475.6	3	
	5250	7	95.2	19	1424.5	1	
	5250	8	52.8	17	1591.6	3	
	5250	9	64.4	13	1854.1	1	
	5250	10	90.0	8	1347.8	3	
21	5324.5	1	68.2	9	1732.0	2	1
	5323.5	2	98.3	12	1104.6	3	
	5324.5	3	65.6	10	1568.1	2	
	5326.5	4	64.7	6	1914.0	1	
	5324.5	5	75.5	10	1954.6	3	
	5326.5	6	60.5	5	1297.1	3	
	5324.5	7	77.1	10	1585.9	3	
	5322.5	8	83.8	16	1430.6	2	
	5324.5	9	96.7	9	1950.8	2	
	5322.5	10	91.0	14	1782.4	2	
	5321.5	11	67.1	17	1372.9	3	
	5322.5	12	88.4	16	1944.0	2	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5322.5	1	72.3	15	1351.1	2	0
	5322.5	2	70.4	16	1981.1	3	
	5321.5	3	67.8	17	1556.4	1	
	5321.5	4	90.9	17	1389.1	3	
	5322.5	5	84.7	16	1744.2	2	
	5321.5	6	79.7	17	1323.6	1	
	5323.5	7	85.9	13	1620.7	3	
	5321.5	8	83.8	17	1262.1	3	
	5324.5	9	81.6	9	1849.6	1	
23	5326.5	1	98.0	6	1918.4	3	1
	5325.5	2	83.6	7	1997.5	2	
	5320.5	3	66.9	20	1075.6	1	
	5320.5	4	90.7	19	1360.1	3	
	5325.5	5	54.6	8	1219.9	3	
	5323.5	6	59.9	13	1318.1	1	
	5322.5	7	62.3	14	1719.7	2	
	5325.5	8	78.4	7	1727.8	3	
	5325.5	9	77.6	8	1873.8	3	
	5324.5	10	96.0	9	1308.3	1	
	5324.5	11	84.9	10	1799.0	3	
	5322.5	12	70.4	15	1820.1	1	
	5326.5	13	96.4	6	1812.2	2	
	5325.5	14	60.6	8	1446.2	3	
	5321.5	15	53.4	18	1569.7	3	
24	5323.5	1	53.6	13	1763.7	3	1
	5320.5	2	98.2	20	1495.1	2	
	5322.5	3	65.6	15	1482.4	1	
	5323.5	4	81.2	12	1173.7	1	
	5323.5	5	62.3	12	1260.6	2	
	5324.5	6	60.8	9	1407.6	2	
	5324.5	7	81.6	11	1252.4	3	
	5326.5	8	54.8	6	1437.2	1	
	5322.5	9	94.0	16	1993.0	2	
	5321.5	10	79.6	17	1899.7	1	
	5325.5	11	88.3	7	1828.3	2	
	5322.5	12	76.5	14	1417.4	2	
	5322.5	13	69.5	14	1133.6	1	
	5322.5	14	55.9	14	1341.2	3	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5324.5	1	60.5	10	1566.1	1	0
	5321.5	2	90.5	17	1802.1	1	
	5322.5	3	91.8	16	1819.0	1	
	5323.5	4	62.2	12	1116.5	2	
	5322.5	5	90.7	14	1691.1	1	
	5323.5	6	71.4	13	1510.0	1	
	5326.5	7	98.1	6	1789.0	3	
	5325.5	8	74.8	8	1984.6	3	
	5322.5	9	88.1	14	1848.6	3	
	5324.5	10	72.3	9	1676.0	2	
	5321.5	11	71.1	17	1610.2	2	
	5322.5	12	57.3	14	1496.7	1	
	5321.5	13	66.8	17	1843.9	3	
	5324.5	14	67.8	11	1076.8	2	
	5323.5	15	77.7	12	1321.3	1	
	5321.5	16	88.5	18	1070.6	1	
	5323.5	17	72.3	13	1722.1	2	
	5326.5	18	91.0	5	1325.7	1	
26	5326.5	1	65.7	5	1521.0	1	0
	5321.5	2	93.5	17	1882.5	3	
	5326.5	3	69.8	6	1431.4	1	
	5321.5	4	51.0	17	1937.2	1	
	5320.5	5	73.6	19	1175.7	2	
	5324.5	6	81.2	9	1989.9	1	
	5321.5	7	73.7	17	1111.4	3	
	5322.5	8	94.6	14	1562.8	2	
	5323.5	9	72.6	12	1124.6	2	
	5324.5	10	91.6	9	1767.1	3	
	5325.5	11	62.4	8	1396.1	1	
	5323.5	12	93.7	12	1301.7	2	
	5325.5	13	80.2	7	1816.7	2	
	5322.5	14	67.5	16	1370.5	3	
	5322.5	15	90.8	15	1478.4	3	
	5325.5	16	69.6	8	1903.5	3	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5322.5	1	99.5	14	1346.5	1	1
	5322.5	2	93.9	16	1024.3	3	
	5321.5	3	60.2	17	1535.9	3	
	5324.5	4	58.5	11	1191.0	2	
	5321.5	5	52.1	18	1895.9	3	
	5324.5	6	85.9	9	1318.4	3	
	5326.5	7	84.9	6	1258.1	1	
	5321.5	8	94.3	17	1510.4	3	
	5321.5	9	96.0	18	1895.2	3	
	5323.5	10	99.9	12	1986.7	1	
	5325.5	11	99.4	8	1934.7	1	
	5324.5	12	67.8	11	1606.7	2	
	5322.5	13	75.7	14	1153.9	1	
	5323.5	14	65.3	13	1299.5	2	
	5321.5	15	80.9	17	1665.4	2	
	5322.5	16	60.1	15	1553.0	1	
	5323.5	17	97.6	12	1907.1	3	
	5324.5	18	59.3	9	1558.8	2	
	5324.5	19	71.8	10	1116.1	2	
	5324.5	20	55.3	9	1381.0	2	
28	5324.5	1	77.9	9	1985.8	2	1
	5321.5	2	80.9	18	1399.6	2	
	5325.5	3	65.3	7	1541.8	3	
	5322.5	4	55.8	14	1986.9	2	
	5320.5	5	96.6	19	1993.1	2	
	5321.5	6	87.7	17	1061.6	2	
	5323.5	7	94.0	12	1100.1	2	
	5325.5	8	57.1	7	1847.7	3	
	5323.5	9	53.6	12	1540.8	3	
	5323.5	10	76.7	13	1955.9	2	
	5325.5	11	59.8	8	1468.7	3	
	5323.5	12	56.9	12	1163.6	2	
	5320.5	13	50.4	20	1593.8	1	
	5326.5	14	65.7	6	1561.5	3	
	5325.5	15	67.7	7	1010.9	1	
	5321.5	16	94.8	17	1248.0	2	
	5322.5	17	86.7	14	1393.3	2	
	5324.5	18	66.1	11	1871.2	1	
	5320.5	19	67.5	20	1625.1	2	
	5321.5	20	87.0	18	1986.1	2	

Test Mode		Mode 4					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5321.5	1	67.5	17	1080.1	3	0
	5324.5	2	92.3	11	1609.5	2	
	5323.5	3	69.7	13	1475.2	2	
	5325.5	4	63.5	7	1811.3	3	
	5320.5	5	96.3	19	1005.2	3	
	5323.5	6	84.9	13	1860.2	3	
	5322.5	7	65.1	16	1906.3	3	
	5322.5	8	90.8	14	1938.3	1	
	5323.5	9	98.9	13	1538.7	2	
	5324.5	10	82.3	11	1777.8	1	
	5322.5	11	91.6	14	1208.1	3	
	5321.5	12	74.9	18	1035.2	3	
	5326.5	13	99.2	5	1954.2	2	
	5321.5	14	97.3	17	1360.4	2	
	5323.5	15	99.3	12	1530.2	2	
	5324.5	16	87.1	9	1386.0	3	
	5323.5	17	55.9	13	1709.6	2	
30	5326.5	1	80.0	6	1290.6	2	1
	5325.5	2	73.0	7	1328.9	3	
	5322.5	3	58.9	15	1844.8	3	
	5322.5	4	89.5	14	1054.1	1	
	5324.5	5	92.8	10	1519.6	3	
	5324.5	6	66.2	11	1990.7	3	
	5322.5	7	85.8	14	1441.9	3	
	5322.5	8	61.5	15	1034.5	1	
	5322.5	9	54.2	15	1023.3	1	
	5325.5	10	100.0	8	1081.8	2	
	5321.5	11	94.7	17	1377.5	3	
	5324.5	12	59.5	10	1588.3	1	
	5326.5	13	64.0	5	1751.2	2	
	5325.5	14	97.6	7	1781.6	1	
Detection Percentage (%)							83.33

Test Mode		Mode 4				
Frequency		5250 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	0
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	0
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	0
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	0
16	1	333	9	0.333	300	0
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	0
23	1	333	9	0.333	300	0
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	0
30	1	333	9	0.333	300	1
Detection Percentage (%)						73.33

Bridge Mode

Test Mode		Mode 1: IEEE 802.11ax 20 MHz Continuous TX mode					
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μ s)	Pass Times	Fail Times	Probability	Limit
5300	Type1	Table 5a	1	26	4	86.67%	$\geq 60\%$
5560	Type1	Table 5a	1	26	4	86.67%	$\geq 60\%$

Test Mode		Mode 2: IEEE 802.11ax 40 MHz Continuous TX mode					
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μ s)	Pass Times	Fail Times	Probability	Limit
5310	Type1	Table 5a	1	27	3	90.00%	$\geq 60\%$
5550	Type1	Table 5a	1	25	5	83.33%	$\geq 60\%$

Test Mode		Mode 3: IEEE 802.11ax 80 MHz Continuous TX mode					
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μ s)	Pass Times	Fail Times	Probability	Limit
5290	Type1	Table 5a	1	24	6	80.00%	$\geq 60\%$
5530	Type1	Table 5a	1	26	4	83.33%	$\geq 60\%$

Test Mode		Mode 4: IEEE 802.11ax 160 MHz Continuous TX mode					
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μ s)	Pass Times	Fail Times	Probability	Limit
5250	Type1	Table 5a	1	25	5	80.00%	$\geq 60\%$

Test Mode		Mode 1				
Frequency		5300 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5300	1	698	76	1433	1
2	5300	1	738	72	1355	1
3	5300	1	678	78	1475	1
4	5300	1	938	57	1066	1
5	5300	1	558	95	1792	1
6	5300	1	898	59	1114	1
7	5300	1	898	59	1114	1
8	5300	1	818	65	1222	1
9	5300	1	778	68	1285	1
10	5300	1	778	68	1285	1
11	5300	1	658	81	1520	1
12	5300	1	558	95	1792	1
13	5300	1	898	59	1114	1
14	5300	1	798	67	1253	1
15	5300	1	698	76	1433	1
16	5300	1	2494	22	401	1
17	5300	1	2601	21	384	1
18	5300	1	1640	33	610	1
19	5300	1	2784	19	359	0
20	5300	1	1445	37	692	1
21	5300	1	2130	25	469	1
22	5300	1	2817	19	355	1
23	5300	1	2311	23	433	1
24	5300	1	2200	24	455	1
25	5300	1	2360	23	424	0
26	5300	1	1717	31	582	1
27	5300	1	2491	22	401	1
28	5300	1	1632	33	613	1
29	5300	1	1477	36	677	0
30	5300	1	523	101	1912	0
Detection Percentage (%)						86.67

Test Mode		Mode 1				
Frequency		5560 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	1	818	65	1222	1
2	5560	1	638	83	1567	0
3	5560	1	838	63	1193	1
4	5560	1	538	99	1859	1
5	5560	1	838	63	1193	1
6	5560	1	738	72	1355	1
7	5560	1	638	83	1567	1
8	5560	1	658	81	1520	1
9	5560	1	838	63	1193	1
10	5560	1	518	102	1931	0
11	5560	1	618	86	1618	1
12	5560	1	638	83	1567	1
13	5560	1	698	76	1433	1
14	5560	1	3066	18	326	1
15	5560	1	538	99	1859	1
16	5560	1	1964	27	509	0
17	5560	1	1667	32	600	1
18	5560	1	2749	20	364	1
19	5560	1	2973	18	336	1
20	5560	1	3011	18	332	1
21	5560	1	2661	20	376	1
22	5560	1	1429	37	700	1
23	5560	1	2660	20	376	1
24	5560	1	2960	18	338	1
25	5560	1	1056	50	947	0
26	5560	1	1407	38	711	1
27	5560	1	1546	35	647	1
28	5560	1	2810	19	356	1
29	5560	1	2668	20	375	1
30	5560	1	2963	18	337	1
Detection Percentage (%)						86.67

Test Mode		Mode 2				
Frequency		5310 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5310	1	698	76	1433	1
2	5310	1	558	95	1792	1
3	5310	1	778	68	1285	1
4	5310	1	578	92	1730	1
5	5310	1	538	99	1859	1
6	5310	1	518	102	1931	1
7	5310	1	638	83	1567	1
8	5310	1	918	58	1089	1
9	5310	1	898	59	1114	1
10	5310	1	518	102	1931	0
11	5310	1	598	89	1672	1
12	5310	1	578	92	1730	1
13	5310	1	718	74	1393	1
14	5310	1	518	102	1931	1
15	5310	1	578	92	1730	1
16	5310	1	2288	24	437	1
17	5310	1	1424	38	702	1
18	5310	1	1050	51	952	1
19	5310	1	2884	19	347	1
20	5310	1	1729	31	578	1
21	5310	1	1830	29	546	1
22	5310	1	2773	20	361	1
23	5310	1	2181	25	459	1
24	5310	1	2586	21	387	1
25	5310	1	1882	29	531	0
26	5310	1	579	92	1727	1
27	5310	1	1443	37	693	1
28	5310	1	2222	24	450	1
29	5310	1	2244	24	446	1
30	5310	1	2222	24	450	0
Detection Percentage (%)						90.00

Test Mode		Mode 2				
Frequency		5550 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	1	798	67	1253	1
2	5550	1	778	68	1285	1
3	5550	1	898	59	1114	1
4	5550	1	558	95	1792	1
5	5550	1	878	61	1139	1
6	5550	1	558	95	1792	1
7	5550	1	3066	18	326	1
8	5550	1	598	89	1672	1
9	5550	1	518	102	1931	1
10	5550	1	938	57	1066	1
11	5550	1	598	89	1672	1
12	5550	1	3066	18	326	1
13	5550	1	798	67	1253	1
14	5550	1	758	70	1319	1
15	5550	1	798	67	1253	1
16	5550	1	1387	39	721	1
17	5550	1	2882	19	347	1
18	5550	1	2112	25	473	1
19	5550	1	1058	50	945	0
20	5550	1	2927	19	342	1
21	5550	1	2759	20	362	1
22	5550	1	2221	24	450	1
23	5550	1	711	75	1406	1
24	5550	1	2388	23	419	0
25	5550	1	2777	20	360	1
26	5550	1	2699	20	371	0
27	5550	1	2425	22	412	0
28	5550	1	1883	29	531	1
29	5550	1	2739	20	365	1
30	5550	1	2462	22	406	0
Detection Percentage (%)						83.33

Test Mode		Mode 3				
Frequency		5290 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5290	1	558	95	1792	1
2	5290	1	798	67	1253	1
3	5290	1	638	83	1567	1
4	5290	1	558	95	1792	1
5	5290	1	758	70	1319	1
6	5290	1	558	95	1792	1
7	5290	1	698	76	1433	1
8	5290	1	638	83	1567	1
9	5290	1	518	102	1931	1
10	5290	1	818	65	1222	1
11	5290	1	938	57	1066	1
12	5290	1	838	63	1193	0
13	5290	1	918	58	1089	1
14	5290	1	778	68	1285	1
15	5290	1	938	57	1066	1
16	5290	1	2839	19	352	0
17	5290	1	2501	22	400	1
18	5290	1	929	57	1076	1
19	5290	1	1306	41	766	1
20	5290	1	664	80	1506	1
21	5290	1	1636	33	611	1
22	5290	1	1824	29	548	0
23	5290	1	1489	36	672	1
24	5290	1	1351	40	740	1
25	5290	1	1658	32	603	0
26	5290	1	1690	32	592	0
27	5290	1	1551	35	645	1
28	5290	1	1847	29	541	1
29	5290	1	3065	18	326	0
30	5290	1	1279	42	782	1
Detection Percentage (%)						80.00

Test Mode		Mode 3				
Frequency		5530 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	1	818	65	1222	1
2	5530	1	898	59	1114	0
3	5530	1	678	78	1475	1
4	5530	1	858	62	1166	1
5	5530	1	838	63	1193	1
6	5530	1	818	65	1222	0
7	5530	1	798	67	1253	1
8	5530	1	658	81	1520	1
9	5530	1	798	67	1253	1
10	5530	1	878	61	1139	0
11	5530	1	618	86	1618	0
12	5530	1	538	99	1859	1
13	5530	1	618	86	1618	1
14	5530	1	518	102	1931	1
15	5530	1	518	102	1931	1
16	5530	1	787	68	1271	1
17	5530	1	2017	27	496	1
18	5530	1	2370	23	422	1
19	5530	1	2326	23	430	1
20	5530	1	2297	23	435	1
21	5530	1	1332	40	751	1
22	5530	1	3029	18	330	1
23	5530	1	2539	21	394	1
24	5530	1	610	87	1639	0
25	5530	1	1034	52	967	1
26	5530	1	519	102	1927	1
27	5530	1	1394	38	717	1
28	5530	1	1295	41	772	1
29	5530	1	751	71	1332	1
30	5530	1	2250	24	444	1
Detection Percentage (%)						83.33

Test Mode		Mode 4				
Frequency		5250 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5250	1	818	65	1222	1
2	5250	1	778	68	1285	1
3	5250	1	878	61	1139	0
4	5250	1	658	81	1520	1
5	5250	1	838	63	1193	1
6	5250	1	838	63	1193	0
7	5250	1	538	99	1859	1
8	5250	1	838	63	1193	1
9	5250	1	918	58	1089	1
10	5250	1	578	92	1730	1
11	5250	1	618	86	1618	1
12	5250	1	638	83	1567	1
13	5250	1	798	67	1253	0
14	5250	1	858	62	1166	1
15	5250	1	878	61	1139	1
16	5250	1	1925	28	519	0
17	5250	1	2550	21	392	1
18	5250	1	1370	39	730	1
19	5250	1	2367	23	422	1
20	5250	1	2452	22	408	1
21	5250	1	1642	33	609	1
22	5250	1	2237	24	447	1
23	5250	1	2020	27	495	0
24	5250	1	2516	21	397	1
25	5250	1	2593	21	386	0
26	5250	1	1770	30	565	1
27	5250	1	1516	35	660	1
28	5250	1	1375	39	727	1
29	5250	1	525	101	1905	1
30	5250	1	2581	21	387	1
Detection Percentage (%)						80.00

---END---