


## Appendix B. Validation Data

### TABLE OF CONTENTS

<b>1 Test Results .....</b>	<b>2</b>
1.1. Non-Occupancy Period .....	2
1.2. Statistical Performance check .....	3

# 1 Test Results

## 1.1. Non-Occupancy Period



Note: Non-Occupancy Period time is 30 minute during which a Channel will not be utilized after a Radar Waveform is detected on that Channel.

## 1.2. Statistical Performance check

### ■ Test Results

Master Mode
-------------

Test Mode		802.11ax HE160					
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5570	Type1	Table 5a	1	25	5	83.33%	≥60 %
	Type2	Random	Random	27	3	90.00%	≥60 %
	Type3	Random	Random	25	5	83.33%	≥60 %
	Type4	Random	Random	25	5	83.33%	≥60 %
	Type1~4					85.00%	≥80 %
	Type5	Random	Random	24	6	80.00%	≥80 %
	Type6	Hopping	1	24	6	80.00%	≥70 %

Test Mode		802.11ax HE160				
Frequency		5570 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5570	1	558	95	1792	1
2	5570	1	778	68	1285	1
3	5570	1	718	74	1393	1
4	5570	1	738	72	1355	0
5	5570	1	938	57	1066	0
6	5570	1	718	74	1393	1
7	5570	1	938	57	1066	1
8	5570	1	538	99	1859	1
9	5570	1	878	61	1139	1
10	5570	1	638	83	1567	1
11	5570	1	778	68	1285	1
12	5570	1	878	61	1139	1
13	5570	1	518	102	1931	1
14	5570	1	918	58	1089	1
15	5570	1	898	59	1114	1
16	5570	1	2820	19	355	1
17	5570	1	1122	48	891	1
18	5570	1	2898	19	345	0
19	5570	1	2493	22	401	1
20	5570	1	3066	18	326	1
21	5570	1	2485	22	402	1
22	5570	1	1978	27	506	1
23	5570	1	1221	44	819	1
24	5570	1	847	63	1181	1
25	5570	1	1383	39	723	0
26	5570	1	2231	24	448	1
27	5570	1	1402	38	713	1
28	5570	1	1385	39	722	1
29	5570	1	2021	27	495	0
30	5570	1	2217	24	451	1
Detection Percentage (%)						83.33

Test Mode		802.11ax HE160				
Frequency		5570 MHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5570	2.50	208.80	23	4789	1
2	5570	3.80	156.40	25	6394	1
3	5570	4.80	176.50	26	5666	1
4	5570	2.00	202.10	28	4948	0
5	5570	3.70	156.30	24	6398	1
6	5570	3.10	198.50	24	5038	1
7	5570	2.30	197.10	29	5074	1
8	5570	2.80	194.20	28	5149	1
9	5570	2.20	164.80	26	6068	1
10	5570	4.00	222.30	26	4498	1
11	5570	4.50	159.40	23	6274	1
12	5570	2.60	157.00	27	6369	1
13	5570	1.30	196.60	28	5086	1
14	5570	1.20	177.70	29	5627	1
15	5570	4.80	216.50	27	4619	1
16	5570	4.80	167.30	23	5977	0
17	5570	3.80	208.10	25	4805	1
18	5570	2.90	221.70	27	4511	1
19	5570	2.40	185.60	24	5388	1
20	5570	4.60	175.80	26	5688	1
21	5570	4.70	214.70	29	4658	1
22	5570	1.90	154.90	29	6456	1
23	5570	2.60	168.10	29	5949	1
24	5570	1.10	158.70	25	6301	1
25	5570	1.70	221.70	27	4511	1
26	5570	1.20	157.40	28	6353	1
27	5570	4.60	172.70	23	5790	1
28	5570	3.00	178.60	25	5599	1
29	5570	3.90	154.60	25	6468	0
30	5570	5.00	164.60	26	6075	1
Detection Percentage (%)						90.00

Test Mode		802.11ax HE160				
Frequency		5570 MHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5570	8.90	421.70	18	2371.35	1
2	5570	8.90	217.90	16	4589.26	1
3	5570	9.60	215.70	16	4636.07	1
4	5570	7.50	342.10	18	2923.12	1
5	5570	8.50	210.60	17	4748.34	1
6	5570	9.80	472.40	18	2116.85	1
7	5570	7.00	360.60	16	2773.16	1
8	5570	6.20	360.50	17	2773.93	1
9	5570	9.90	379.40	18	2635.74	1
10	5570	7.10	209.70	16	4768.72	1
11	5570	9.90	201.80	17	4955.40	0
12	5570	9.60	260.40	16	3840.25	1
13	5570	7.10	285.60	18	3501.40	1
14	5570	8.50	474.40	18	2107.93	1
15	5570	6.70	466.10	18	2145.46	0
16	5570	8.50	320.80	16	3117.21	1
17	5570	8.40	457.10	17	2187.71	1
18	5570	6.60	382.50	16	2614.38	0
19	5570	7.00	353.10	18	2832.06	1
20	5570	8.80	267.90	18	3732.74	1
21	5570	9.30	381.00	17	2624.67	1
22	5570	6.50	293.10	18	3411.80	1
23	5570	7.70	374.90	16	2667.38	1
24	5570	7.00	428.50	16	2333.72	1
25	5570	9.80	341.90	18	2924.83	1
26	5570	6.60	499.50	17	2002.00	0
27	5570	9.10	201.80	18	4955.40	1
28	5570	8.60	374.10	16	2673.08	0
29	5570	8.50	289.20	17	3457.81	1
30	5570	8.80	444.90	17	2247.70	1
Detection Percentage (%)						83.33

Test Mode		802.11ax HE160				
Frequency		5570 MHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5570	17.00	395.50	12	2528	1
2	5570	15.70	238.40	12	4195	1
3	5570	18.00	221.90	15	4507	0
4	5570	18.40	467.10	12	2141	1
5	5570	18.40	393.60	13	2541	1
6	5570	16.90	282.30	15	3542	1
7	5570	11.60	460.10	14	2173	1
8	5570	18.40	312.30	16	3202	0
9	5570	11.70	232.70	12	4297	1
10	5570	14.40	364.50	13	2743	1
11	5570	17.10	368.20	12	2716	1
12	5570	16.80	246.50	15	4057	1
13	5570	15.40	266.40	15	3754	1
14	5570	17.10	411.40	12	2431	1
15	5570	14.20	407.30	13	2455	1
16	5570	15.50	284.10	16	3520	1
17	5570	14.90	404.60	13	2472	0
18	5570	17.00	392.90	12	2545	1
19	5570	11.10	301.90	14	3312	1
20	5570	16.80	240.20	16	4163	1
21	5570	17.80	488.10	13	2049	1
22	5570	17.70	229.00	16	4367	0
23	5570	19.20	351.70	14	2843	1
24	5570	16.30	466.80	16	2142	1
25	5570	11.70	375.90	16	2660	1
26	5570	16.10	265.00	14	3774	1
27	5570	11.50	319.20	12	3133	1
28	5570	12.50	243.20	12	4112	1
29	5570	14.20	333.90	14	2995	1
30	5570	12.30	450.60	13	2219	0
Detection Percentage (%)						83.33

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5496	1	87.4	11	1138.0	2	0
	5496	2	86.8	10	1107.9	3	
	5500	3	85.4	19	1215.2	3	
	5499	4	94.0	18	1470.3	3	
	5495	5	52.9	7	1404.4	3	
	5498	6	50.1	15	1807.2	3	
	5500	7	63.9	19	1339.1	2	
	5500	8	91.3	19	1638.6	3	
	5500	9	99.9	19	1444.0	1	
	5499	10	78.5	17	1397.4	1	
	5496	11	98.0	11	1881.3	1	
2	5496	1	62.7	9	1688.9	2	1
	5494	2	96.5	5	1556.1	3	
	5498	3	53.7	14	1673.1	2	
	5498	4	77.9	15	1594.5	1	
	5495	5	66.4	7	1893.6	2	
	5499	6	52.6	18	1595.4	2	
	5500	7	76.0	19	1476.6	2	
	5495	8	58.1	8	1476.5	2	
	5496	9	80.1	9	1577.0	3	
	5497	10	65.1	13	1666.2	1	
	5499	11	63.6	18	1262.0	3	
	5498	12	56.0	15	1792.2	3	
3	5496	1	56.9	11	1214.1	2	1
	5498	2	61.5	16	1866.3	3	
	5496	3	98.8	11	1804.5	2	
	5496	4	71.1	9	1842.3	1	
	5496	5	84.0	11	1985.1	1	
	5496	6	94.5	11	1693.6	1	
	5494	7	90.8	5	1856.1	3	
	5498	8	91.4	16	1768.3	1	
	5495	9	61.6	8	1371.5	1	
	5495	10	65.9	8	1508.5	2	
	5500	11	93.1	20	1764.6	3	
	5495	12	50.0	8	1358.7	2	
	5499	13	90.6	17	1411.0	2	



Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5496	1	74.1	9	1967.7	1	1
	5494	2	73.9	6	1343.9	1	
	5500	3	89.4	19	1724.8	1	
	5500	4	52.7	20	1586.2	1	
	5499	5	60.6	18	1376.1	2	
	5496	6	95.6	9	1275.2	2	
	5495	7	89.6	7	1382.5	3	
	5500	8	83.8	20	1892.6	3	
	5494	9	76.2	6	1298.6	1	
5	5496	1	98.8	9	1429.7	1	1
	5497	2	52.4	12	1171.2	2	
	5500	3	98.0	20	1735.0	1	
	5499	4	90.7	18	1141.4	3	
	5500	5	55.4	19	1166.4	3	
	5496	6	56.2	9	1849.9	3	
	5497	7	84.4	13	1232.3	1	
	5499	8	89.0	17	1143.3	2	
	5497	9	94.1	13	1098.5	3	
	5496	10	79.7	9	1037.9	3	
	5494	11	64.4	5	1491.2	1	
	5497	12	74.4	13	1497.6	2	
	5499	13	74.3	18	1070.4	1	
	5495	14	53.6	8	1139.6	3	
	5495	15	83.1	8	1183.6	1	
6	5497	1	90.5	12	1371.8	3	1
	5499	2	55.6	18	1128.0	2	
	5496	3	87.7	9	1857.7	3	
	5494	4	55.3	6	1831.7	1	
	5494	5	71.5	6	1601.0	3	
	5495	6	69.4	7	1219.5	2	
	5495	7	71.5	7	1009.2	3	
	5496	8	50.2	9	1798.3	3	
	5499	9	65.8	17	1095.5	2	
	5496	10	53.7	9	1352.7	2	
	5499	11	67.0	17	1739.5	3	
	5499	12	59.6	17	1798.8	1	
	5498	13	90.2	15	1432.9	3	
	5498	14	69.9	15	1064.1	3	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5496	1	76.2	10	1267.3	3	0
	5500	2	65.8	20	1237.7	3	
	5496	3	60.8	9	1064.2	2	
	5497	4	88.1	13	1349.2	1	
	5498	5	58.0	15	1188.7	1	
	5498	6	92.0	16	1234.9	2	
	5497	7	60.2	12	1557.8	1	
	5496	8	91.8	10	1738.5	1	
	5499	9	87.7	18	1569.3	2	
	5496	10	97.5	11	1304.0	2	
	5495	11	96.4	7	1478.1	3	
	5499	12	70.5	17	1396.4	2	
	5497	13	57.6	13	1758.5	2	
	5495	14	67.5	8	1874.9	2	
	5497	15	62.4	13	1434.2	1	
	5498	16	50.1	15	1984.6	2	
	5498	17	77.2	14	1402.6	2	
8	5496	1	91.9	10	1746.1	1	1
	5499	2	69.0	18	1217.9	2	
	5499	3	93.5	17	1716.1	2	
	5496	4	88.0	9	1084.1	2	
	5496	5	77.1	9	1585.7	3	
	5495	6	76.8	7	1756.1	3	
	5497	7	55.8	13	1699.5	1	
	5497	8	90.0	13	1418.1	1	
	5496	9	57.0	9	1227.2	3	
	5498	10	88.6	16	1850.2	1	
	5496	11	61.9	10	1879.9	2	
	5498	12	54.0	16	1400.2	3	
	5494	13	54.8	5	1215.4	2	
	5497	14	92.7	12	1402.9	1	
	5497	15	94.6	13	1526.1	1	
	5498	16	77.5	16	1151.2	1	
	5498	17	98.0	16	1541.7	2	
	5498	18	90.7	16	1917.2	3	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5495	1	85.3	7	1400.5	1	1
	5498	2	80.8	14	1075.9	3	
	5495	3	74.4	8	1886.3	1	
	5496	4	87.5	10	1631.8	1	
	5498	5	68.9	16	1063.9	2	
	5498	6	75.2	15	1010.8	1	
	5497	7	85.6	13	1044.6	2	
	5497	8	85.0	13	1672.0	1	
	5499	9	54.0	18	1970.9	3	
	5500	10	95.1	20	1795.6	3	
	5497	11	97.0	13	1207.0	3	
	5496	12	58.5	10	1480.7	2	
	5496	13	71.8	10	1349.1	2	
	5495	14	59.4	7	1842.4	3	
	5498	15	67.0	16	1320.4	2	
	5499	16	60.1	18	1491.3	3	
	5498	17	76.5	15	1211.7	2	
	5496	18	72.9	9	1570.4	1	
	5496	19	57.5	11	1689.2	3	
10	5496	1	68.7	11	1528.7	2	1
	5496	2	88.5	10	1934.8	2	
	5496	3	92.9	10	1733.9	1	
	5496	4	96.5	11	1332.7	1	
	5496	5	76.9	9	1943.1	2	
	5494	6	92.4	5	1320.1	1	
	5498	7	94.6	16	1485.4	1	
	5495	8	52.5	7	1014.8	3	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5570	1	85.8	12	1500.0	1	0
	5570	2	86.0	5	1487.7	2	
	5570	3	62.1	15	1691.3	3	
	5570	4	69.1	15	1624.9	1	
	5570	5	86.6	19	1675.2	3	
	5570	6	55.7	7	1760.5	2	
	5570	7	51.1	5	1372.0	2	
	5570	8	65.0	15	1622.0	2	
	5570	9	56.9	16	1345.1	1	
	5570	10	78.9	14	1226.6	1	
	5570	11	78.0	8	1779.5	1	
	5570	12	99.3	7	1630.9	3	
	5570	13	68.8	18	1166.6	3	
	5570	14	50.7	5	1723.3	3	
	5570	15	65.2	11	1595.3	3	
	5570	16	76.6	8	1447.9	1	
12	5570	1	58.7	18	1991.8	2	1
	5570	2	92.5	12	1863.0	2	
	5570	3	89.0	20	1178.3	3	
	5570	4	76.0	15	1847.7	1	
	5570	5	50.2	9	1725.0	1	
	5570	6	88.2	18	1092.0	3	
	5570	7	89.4	16	1582.9	2	
	5570	8	67.7	6	1434.5	3	
	5570	9	87.7	19	1105.6	2	
	5570	10	92.5	16	1604.0	3	
	5570	11	70.3	8	1882.0	3	
	5570	12	97.8	11	1710.3	3	
	5570	13	88.5	17	1625.2	2	
	5570	14	81.7	16	1072.5	2	
	5570	15	60.7	11	1771.3	2	
	5570	16	85.8	9	1575.1	2	
	5570	17	64.3	10	1344.9	1	
	5570	18	85.2	20	1116.6	1	
	5570	19	55.3	12	1256.7	1	
	5570	20	75.6	8	1816.9	2	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5570	1	56.8	15	1219.6	1	1
	5570	2	83.8	19	1968.9	1	
	5570	3	67.7	7	1784.5	1	
	5570	4	61.0	19	1731.9	1	
	5570	5	64.0	13	1221.0	1	
	5570	6	57.7	11	1267.8	2	
	5570	7	72.2	14	1549.4	1	
	5570	8	54.1	13	1076.9	2	
	5570	9	62.4	6	1925.7	3	
	5570	10	68.8	9	1468.9	2	
14	5570	1	56.2	18	1808.9	3	1
	5570	2	56.4	9	1303.6	1	
	5570	3	65.6	15	1479.9	2	
	5570	4	88.7	9	1683.6	3	
	5570	5	82.7	19	1332.2	1	
	5570	6	60.1	12	1395.9	3	
	5570	7	69.6	14	1840.2	3	
	5570	8	85.1	15	1328.5	1	
	5570	9	85.9	12	1028.6	1	
	5570	10	71.9	6	1957.7	3	
	5570	11	59.2	8	1938.7	2	
	5570	12	93.4	8	1153.5	1	
	5570	13	83.3	16	1021.2	3	
	5570	14	63.6	19	1867.9	1	
	5570	15	97.3	6	1628.4	1	
	5570	16	94.4	19	1588.3	1	
	5570	17	59.9	12	1194.5	3	
	5570	18	95.7	15	1374.2	1	
	5570	19	61.2	18	1567.0	1	
	5570	20	89.2	7	1472.5	3	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5570	1	52.7	9	1280.2	1	1
	5570	2	99.7	12	1676.7	1	
	5570	3	68.2	15	1975.1	1	
	5570	4	83.7	10	1730.4	3	
	5570	5	89.4	18	1997.7	3	
	5570	6	62.0	13	1293.2	3	
	5570	7	53.0	17	1462.9	2	
	5570	8	77.1	7	1557.8	3	
	5570	9	70.2	16	1239.3	2	
	5570	10	74.1	14	1331.1	1	
	5570	11	82.7	8	1597.6	2	
	5570	12	89.4	14	1998.5	2	
	5570	13	71.5	16	1298.8	1	
	5570	14	53.2	16	1798.8	1	
	5570	15	76.5	16	1899.8	1	
	5570	16	80.3	13	1124.0	2	
	5570	17	93.8	20	1180.2	2	
	5570	18	68.5	12	1433.5	1	
	5570	19	88.3	11	1206.0	2	
16	5570	1	56.1	15	1170.9	2	1
	5570	2	90.3	10	1916.7	1	
	5570	3	51.7	14	1079.2	3	
	5570	4	84.8	11	1610.8	1	
	5570	5	85.4	15	1901.0	2	
	5570	6	97.2	15	1170.4	1	
	5570	7	86.3	17	1533.5	2	
	5570	8	57.4	15	1616.4	1	
	5570	9	87.9	15	1900.3	2	
	5570	10	54.0	18	1647.2	1	
	5570	11	93.5	18	1933.9	2	
	5570	12	62.9	18	1342.5	1	
	5570	13	60.9	19	1232.6	1	
	5570	14	71.9	10	1228.8	2	
	5570	15	54.7	9	1199.2	2	
	5570	16	73.8	11	1338.9	3	
	5570	17	61.7	7	1818.4	1	
	5570	18	50.6	10	1372.0	1	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5570	1	77.9	14	1291.7	2	1
	5570	2	85.2	9	1233.7	1	
	5570	3	55.1	16	1900.4	1	
	5570	4	92.4	18	1305.2	2	
	5570	5	59.1	6	1507.9	3	
	5570	6	51.0	14	1765.2	2	
	5570	7	75.9	17	1605.4	3	
	5570	8	52.5	18	1757.2	2	
	5570	9	53.5	7	1342.7	1	
	5570	10	98.0	5	1016.9	3	
	5570	11	81.1	11	1157.4	1	
	5570	12	54.9	12	1722.2	3	
	5570	13	87.7	10	1355.7	3	
	5570	14	69.5	6	1111.8	1	
	5570	15	72.8	19	1244.7	3	
	5570	16	54.1	17	1904.0	1	
	5570	17	50.9	18	1147.8	3	
18	5570	1	96.6	12	1367.0	1	1
	5570	2	93.6	18	1800.4	3	
	5570	3	91.3	15	1421.1	1	
	5570	4	54.5	5	1541.0	1	
	5570	5	55.9	6	1595.4	3	
	5570	6	88.1	13	1294.2	1	
	5570	7	81.5	9	1384.1	2	
	5570	8	94.2	20	1034.1	3	
	5570	9	70.0	15	1576.3	3	
	5570	10	94.8	10	1430.3	1	
	5570	11	57.2	14	1755.7	2	
	5570	12	89.0	6	1765.3	1	
	5570	13	69.7	13	1106.5	2	
	5570	14	97.1	16	1617.3	3	
	5570	15	85.4	12	1821.1	1	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5570	1	58.0	13	1939.8	1	1
	5570	2	73.1	9	1980.4	3	
	5570	3	55.7	12	1803.0	2	
	5570	4	62.3	14	1844.6	1	
	5570	5	62.1	12	1503.3	2	
	5570	6	59.5	8	1319.4	3	
	5570	7	53.6	18	1175.7	1	
	5570	8	61.1	7	1647.7	2	
	5570	9	93.5	11	1662.6	2	
	5570	10	90.7	19	1441.3	1	
	5570	11	91.9	14	1424.6	2	
	5570	12	79.1	10	1127.2	3	
	5570	13	65.2	12	1576.2	2	
	5570	14	71.8	13	1840.7	2	
20	5570	1	88.1	17	1955.3	3	1
	5570	2	69.4	10	1183.7	2	
	5570	3	94.0	15	1420.3	3	
	5570	4	79.3	11	1454.8	1	
	5570	5	85.5	8	1956.3	3	
	5570	6	61.1	17	1715.7	3	
	5570	7	79.8	15	1372.4	2	
	5570	8	98.6	13	1517.1	1	
	5570	9	62.3	15	1431.4	3	
	5570	10	73.4	9	1344.4	2	
21	5640	1	95.1	19	1514.5	1	0
	5644	2	93.2	9	1197.7	3	
	5641	3	59.5	18	1783.0	1	
	5642	4	71.4	15	1063.8	3	
	5644	5	94.3	9	1494.4	2	
	5642	6	88.0	15	1706.7	2	
	5642	7	61.5	14	1221.7	1	
	5644	8	67.3	9	1825.5	1	
	5640	9	82.9	19	1485.5	3	
	5642	10	74.5	15	1019.3	1	
	5644	11	99.3	9	1160.2	1	
	5641	12	94.4	18	1961.8	2	



Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5644	1	77.7	10	1489.7	2	1
	5640	2	78.4	20	1909.0	1	
	5644	3	50.4	9	1178.4	2	
	5644	4	70.1	9	1458.4	3	
	5641	5	93.0	17	1411.1	3	
	5642	6	81.0	16	1790.4	2	
	5641	7	88.6	18	1338.3	1	
	5642	8	93.5	14	1484.7	1	
	5645	9	65.5	7	1314.2	1	
23	5640	1	78.2	19	1809.5	2	1
	5643	2	61.9	12	1004.7	2	
	5642	3	53.8	14	1020.8	1	
	5645	4	72.4	7	1793.8	2	
	5641	5	54.9	18	1225.9	2	
	5643	6	93.9	13	1483.3	3	
	5644	7	70.4	10	1946.2	1	
	5645	8	97.9	7	1910.7	3	
	5641	9	80.7	18	1312.1	1	
	5646	10	81.6	6	1118.1	1	
	5643	11	75.9	12	1273.1	2	
	5644	12	67.4	11	1121.6	3	
	5642	13	85.6	14	1022.7	1	
	5645	14	57.6	7	1262.8	2	
	5646	15	58.1	6	1637.6	3	
24	5642	1	85.1	14	1452.8	2	1
	5640	2	71.4	19	1267.7	2	
	5646	3	87.6	6	1066.7	3	
	5642	4	79.5	14	1308.1	2	
	5645	5	98.2	7	1308.7	2	
	5643	6	51.5	13	1360.0	1	
	5643	7	55.7	12	1875.8	3	
	5644	8	89.1	11	1583.9	3	
	5644	9	81.4	10	1646.0	3	
	5640	10	50.2	19	1021.5	1	
	5642	11	99.7	14	1183.8	1	
	5641	12	86.9	18	1601.4	3	
	5640	13	50.2	19	1097.0	1	
	5642	14	73.8	15	1127.5	1	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5645	1	81.2	7	1612.9	1	0
	5641	2	96.2	18	1241.1	2	
	5643	3	84.5	13	1042.2	1	
	5644	4	96.4	10	1458.3	2	
	5645	5	89.5	7	1758.6	1	
	5646	6	86.6	6	1777.2	1	
	5644	7	90.9	10	1367.1	2	
	5645	8	85.6	8	1660.2	2	
	5643	9	54.8	13	1987.2	2	
	5644	10	64.0	10	1999.9	3	
	5644	11	63.0	11	1361.9	1	
	5645	12	92.4	7	1449.3	1	
	5645	13	55.3	7	1311.9	1	
	5645	14	87.3	8	1375.5	2	
	5641	15	53.1	18	1711.8	1	
	5644	16	74.4	11	1089.6	2	
	5640	17	64.7	19	1786.1	2	
	5642	18	56.6	16	1064.0	2	
26	5642	1	85.8	16	1366.9	2	1
	5643	2	83.7	12	1160.9	2	
	5641	3	61.9	18	1101.2	1	
	5644	4	62.2	10	1348.2	1	
	5644	5	59.1	11	1562.4	1	
	5645	6	82.3	7	1161.7	2	
	5643	7	76.3	12	1708.4	3	
	5641	8	57.1	18	1849.9	2	
	5642	9	69.8	15	1487.8	3	
	5646	10	64.0	6	1571.1	2	
	5642	11	51.0	15	1185.2	1	
	5643	12	97.2	12	1924.9	3	
	5642	13	53.6	14	1426.4	3	
	5641	14	58.2	18	1578.2	2	
	5642	15	93.3	15	1059.1	2	
	5641	16	84.4	17	1585.9	3	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5645	1	53.4	7	1021.7	1	0
	5645	2	61.8	8	1325.8	2	
	5643	3	76.9	12	1909.6	2	
	5645	4	89.8	7	1325.4	1	
	5646	5	90.1	5	1094.2	3	
	5644	6	70.5	9	1061.1	1	
	5640	7	65.5	19	1213.0	2	
	5640	8	60.9	20	1685.8	3	
	5645	9	80.3	8	1163.5	3	
	5646	10	56.3	5	1037.9	2	
	5644	11	73.7	10	1791.2	2	
	5645	12	83.1	8	1499.0	3	
	5642	13	59.1	14	1263.5	1	
	5644	14	81.2	11	1180.0	2	
	5646	15	86.1	6	1394.6	3	
	5646	16	53.4	5	1625.5	2	
	5644	17	88.1	10	1959.5	2	
	5645	18	87.5	8	1744.6	3	
	5643	19	52.5	12	1786.5	2	
	5644	20	61.4	11	1417.7	1	
28	5644	1	99.4	10	1336.2	1	1
	5642	2	68.0	16	1692.8	2	
	5643	3	73.7	13	1935.9	2	
	5644	4	82.3	9	1794.1	3	
	5646	5	66.1	5	1313.7	1	
	5645	6	74.7	7	1742.0	1	
	5642	7	52.0	14	1967.6	3	
	5645	8	90.4	7	1764.7	3	
	5642	9	54.9	14	1670.3	2	
	5646	10	71.2	6	1925.0	2	
	5645	11	54.9	8	1014.2	1	
	5643	12	77.5	13	1159.2	2	
	5644	13	71.9	10	1531.3	3	
	5642	14	64.7	14	1596.9	2	
	5640	15	83.9	19	1723.8	1	
	5642	16	99.4	14	1920.8	3	
	5642	17	70.4	15	1237.8	3	
	5640	18	88.2	19	1564.1	2	
	5644	19	74.6	9	1162.0	2	
	5641	20	70.4	17	1760.8	1	

Test Mode		802.11ax HE160					
Frequency		5570 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5642	1	69.2	16	1846.0	1	1
	5645	2	99.1	7	1230.5	1	
	5642	3	50.2	16	1638.1	2	
	5643	4	85.1	12	1995.4	3	
	5642	5	61.4	15	1787.6	2	
	5645	6	78.5	7	1971.4	3	
	5644	7	56.9	11	1552.0	2	
	5645	8	78.6	7	1025.2	3	
	5641	9	60.0	18	1884.1	1	
	5644	10	98.6	9	1123.1	3	
	5644	11	92.3	9	1187.0	1	
	5642	12	97.0	15	1595.2	1	
	5646	13	69.1	6	1472.8	2	
	5646	14	62.8	5	1471.8	2	
	5643	15	58.7	13	1098.0	3	
	5641	16	72.5	18	1245.8	1	
	5644	17	58.2	11	1158.9	2	
30	5640	1	64.5	19	1331.0	2	1
	5644	2	97.5	9	1089.2	2	
	5642	3	72.8	14	1961.2	1	
	5641	4	94.9	17	1425.5	1	
	5645	5	95.0	8	1981.3	3	
	5641	6	98.4	18	1665.2	3	
	5644	7	51.3	11	1924.8	3	
	5642	8	94.5	15	1669.0	1	
	5644	9	65.5	11	1318.9	3	
	5641	10	89.3	17	1995.8	2	
	5641	11	80.5	17	1332.1	1	
	5642	12	93.9	16	1313.8	2	
	5646	13	77.6	6	1488.5	3	
	5644	14	54.4	11	1005.7	3	
Detection Percentage (%)							80.00

Test Mode		802.11ax HE160				
Frequency		5570 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	0
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	0
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	0
21	1	333	9	0.333	300	0
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	0
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	0
Detection Percentage (%)						80.00

---END---