


## Appendix C. Radiated Emission


Below 1 GHz

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	Transmit Mode		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	110.5100	33.54	-10.63	22.91	43.50	-20.59	QP
2	147.3700	31.37	-7.10	24.27	43.50	-19.23	QP
3	239.5200	34.82	-7.77	27.05	46.00	-18.95	QP
4	360.7700	29.60	-4.73	24.87	46.00	-21.13	QP
5	425.7600	28.60	-3.12	25.48	46.00	-20.52	QP
6*	497.5400	34.72	-1.85	32.87	46.00	-13.13	QP

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	Transmit Mode		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	166.7700	34.01	-6.90	27.11	43.50	-16.39	QP
2	190.0500	28.44	-8.75	19.69	43.50	-23.81	QP
3	266.6800	29.90	-7.06	22.84	46.00	-23.16	QP
4	336.5200	28.76	-5.33	23.43	46.00	-22.57	QP
5	456.8000	28.44	-2.45	25.99	46.00	-20.01	QP
6	560.5900	28.90	-0.48	28.42	46.00	-17.58	QP

SISO Low Band B1 & B2A 1X1

Harmonic


Above 1 GHz

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	32.61	13.99	46.60	68.20	-21.60	peak
2	15540.000	31.88	17.31	49.19	74.00	-24.81	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	32.14	13.99	46.13	68.20	-22.07	peak
2	15540.000	31.61	17.31	48.92	74.00	-25.08	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	32.84	14.10	46.94	68.20	-21.26	peak
2	15600.000	32.72	17.01	49.73	74.00	-24.27	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	33.04	14.10	47.14	68.20	-21.06	peak
2	15600.000	32.65	17.01	49.66	74.00	-24.34	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	33.90	14.54	48.44	68.20	-19.76	peak
2	15720.000	32.98	17.34	50.32	74.00	-23.68	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	34.78	14.54	49.32	68.20	-18.88	peak
2	15720.000	31.50	17.34	48.84	74.00	-25.16	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	32.33	14.60	46.93	68.20	-21.27	peak
2*	15780.000	36.02	17.10	53.12	74.00	-20.88	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	34.64	14.60	49.24	68.20	-18.96	peak
2	15780.000	32.07	17.10	49.17	74.00	-24.83	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	34.35	14.48	48.83	68.20	-19.37	peak
2	15840.000	33.36	16.90	50.26	74.00	-23.74	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	32.90	14.48	47.38	68.20	-20.82	peak
2	15840.000	31.29	16.90	48.19	74.00	-25.81	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	34.74	14.41	49.15	74.00	-24.85	peak
2*	15960.000	34.19	16.55	50.74	74.00	-23.26	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	33.05	14.41	47.46	74.00	-26.54	peak
2*	15960.000	34.15	16.55	50.70	74.00	-23.30	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	31.97	13.99	45.96	68.20	-22.24	peak
2	15540.000	32.13	17.31	49.44	74.00	-24.56	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	31.90	13.99	45.89	68.20	-22.31	peak
2	15540.000	31.80	17.31	49.11	74.00	-24.89	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	32.35	14.10	46.45	68.20	-21.75	peak
2	15600.000	33.00	17.01	50.01	74.00	-23.99	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	32.69	14.10	46.79	68.20	-21.41	peak
2	15600.000	31.60	17.01	48.61	74.00	-25.39	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	33.06	14.54	47.60	68.20	-20.60	peak
2	15720.000	32.84	17.34	50.18	74.00	-23.82	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	32.81	14.54	47.35	68.20	-20.85	peak
2	15720.000	32.10	17.34	49.44	74.00	-24.56	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	32.63	14.60	47.23	68.20	-20.97	peak
2	15780.000	34.67	17.10	51.77	74.00	-22.23	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	33.07	14.60	47.67	68.20	-20.53	peak
2	15780.000	33.92	17.10	51.02	74.00	-22.98	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	33.96	14.48	48.44	68.20	-19.76	peak
2	15840.000	33.25	16.90	50.15	74.00	-23.85	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	33.89	14.48	48.37	68.20	-19.83	peak
2	15840.000	32.16	16.90	49.06	74.00	-24.94	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	32.64	14.41	47.05	74.00	-26.95	peak
2*	15960.000	34.97	16.55	51.52	74.00	-22.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	32.91	14.41	47.32	74.00	-26.68	peak
2*	15960.000	33.16	16.55	49.71	74.00	-24.29	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	32.23	14.04	46.27	68.20	-21.93	peak
2	15570.000	31.94	17.16	49.10	74.00	-24.90	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	32.71	14.04	46.75	68.20	-21.45	peak
2	15570.000	31.94	17.16	49.10	74.00	-24.90	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	32.04	14.43	46.47	68.20	-21.73	peak
2	15690.000	32.40	17.37	49.77	74.00	-24.23	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	32.74	14.43	47.17	68.20	-21.03	peak
2	15690.000	32.25	17.37	49.62	74.00	-24.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	32.92	14.55	47.47	68.20	-20.73	peak
2	15810.000	31.38	17.00	48.38	74.00	-25.62	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	32.86	14.55	47.41	68.20	-20.79	peak
2	15810.000	32.15	17.00	49.15	74.00	-24.85	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	33.36	14.40	47.76	74.00	-26.24	peak
2*	15930.000	32.39	16.64	49.03	74.00	-24.97	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	31.65	14.40	46.05	74.00	-27.95	peak
2*	15930.000	32.08	16.64	48.72	74.00	-25.28	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	32.08	14.20	46.28	68.20	-21.92	peak
2	15630.000	32.44	17.14	49.58	74.00	-24.42	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	34.06	14.43	48.49	68.20	-19.71	peak
2	15870.000	32.84	16.81	49.65	74.00	-24.35	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	32.74	14.43	47.17	68.20	-21.03	peak
2	15870.000	31.48	16.81	48.29	74.00	-25.71	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10500.000	33.47	14.66	48.13	68.20	-20.07	peak
2	15750.000	31.68	17.22	48.90	74.00	-25.10	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10500.000	32.83	14.66	47.49	68.20	-20.71	peak
2	15750.000	32.39	17.22	49.61	74.00	-24.39	peak



Band Edge


Peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.200	60.12	1.41	61.53	74.00	-12.47	peak
2	5150.000	61.01	1.42	62.43	74.00	-11.57	peak
3*	5187.040	111.29	1.31	112.60	68.20	44.40	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.160	61.15	1.40	62.55	74.00	-11.45	peak
2	5150.000	57.97	1.42	59.39	74.00	-14.61	peak
3*	5187.800	108.55	1.32	109.87	68.20	41.67	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5093.280	61.18	1.32	62.50	74.00	-11.50	peak
2	5150.000	58.34	1.42	59.76	74.00	-14.24	peak
3*	5193.120	113.33	1.31	114.64	68.20	46.44	peak
4	5350.000	57.43	1.08	58.51	74.00	-15.49	peak
5	5440.800	58.38	1.68	60.06	74.00	-13.94	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5073.120	61.04	1.20	62.24	74.00	-11.76	peak
2	5150.000	58.59	1.42	60.01	74.00	-13.99	peak
3*	5202.720	113.97	1.27	115.24	68.20	47.04	peak
4	5350.000	57.41	1.08	58.49	74.00	-15.51	peak
5	5407.200	59.06	1.56	60.62	74.00	-13.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5125.920	60.86	1.39	62.25	74.00	-11.75	peak
2	5150.000	60.48	1.42	61.90	74.00	-12.10	peak
3*	5244.000	117.04	1.09	118.13	68.20	49.93	peak
4	5350.000	56.70	1.08	57.78	74.00	-16.22	peak
5	5449.440	58.81	1.71	60.52	74.00	-13.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5119.200	61.21	1.38	62.59	74.00	-11.41	peak
2	5150.000	59.50	1.42	60.92	74.00	-13.08	peak
3*	5233.440	118.20	1.13	119.33	68.20	51.13	peak
4	5350.000	58.04	1.08	59.12	74.00	-14.88	peak
5	5397.600	58.30	1.53	59.83	74.00	-14.17	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5088.480	60.58	1.28	61.86	74.00	-12.14	peak
2	5150.000	59.35	1.42	60.77	74.00	-13.23	peak
3*	5254.560	116.39	1.03	117.42	68.20	49.22	peak
4	5350.000	57.97	1.08	59.05	74.00	-14.95	peak
5	5367.840	58.95	1.24	60.19	74.00	-13.81	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5106.720	61.77	1.36	63.13	74.00	-10.87	peak
2	5150.000	58.95	1.42	60.37	74.00	-13.63	peak
3*	5268.000	117.04	1.00	118.04	68.20	49.84	peak
4	5350.000	58.79	1.08	59.87	74.00	-14.13	peak
5	5450.400	58.65	1.71	60.36	74.00	-13.64	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5126.880	61.14	1.39	62.53	74.00	-11.47	peak
2	5150.000	59.03	1.42	60.45	74.00	-13.55	peak
3*	5281.440	118.25	0.96	119.21	68.20	51.01	peak
4	5350.000	58.26	1.08	59.34	74.00	-14.66	peak
5	5353.440	60.27	1.11	61.38	74.00	-12.62	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5119.200	61.15	1.38	62.53	74.00	-11.47	peak
2	5150.000	58.43	1.42	59.85	74.00	-14.15	peak
3*	5275.680	117.71	0.99	118.70	68.20	50.50	peak
4	5350.000	59.09	1.08	60.17	74.00	-13.83	peak
5	5352.480	60.26	1.10	61.36	74.00	-12.64	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5317.440	111.92	0.97	112.89	68.20	44.69	peak
2	5350.000	58.26	1.08	59.34	74.00	-14.66	peak
3	5350.560	62.80	1.08	63.88	74.00	-10.12	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.160	109.92	0.98	110.90	68.20	42.70	peak
2	5350.000	57.15	1.08	58.23	74.00	-15.77	peak
3	5354.160	60.27	1.11	61.38	74.00	-12.62	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.960	62.58	1.41	63.99	74.00	-10.01	peak
2	5150.000	63.19	1.42	64.61	74.00	-9.39	peak
3*	5179.440	113.50	1.34	114.84	68.20	46.64	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5088.240	60.50	1.28	61.78	74.00	-12.22	peak
2	5150.000	58.28	1.42	59.70	74.00	-14.30	peak
3*	5177.160	110.09	1.35	111.44	68.20	43.24	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5091.360	60.90	1.31	62.21	74.00	-11.79	peak
2	5150.000	61.59	1.42	63.01	74.00	-10.99	peak
3*	5198.880	114.99	1.28	116.27	68.20	48.07	peak
4	5350.000	56.01	1.08	57.09	74.00	-16.91	peak
5	5396.640	58.72	1.52	60.24	74.00	-13.76	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5101.920	61.38	1.35	62.73	74.00	-11.27	peak
2	5150.000	60.14	1.42	61.56	74.00	-12.44	peak
3*	5194.080	113.65	1.30	114.95	68.20	46.75	peak
4	5350.000	55.96	1.08	57.04	74.00	-16.96	peak
5	5422.560	59.04	1.62	60.66	74.00	-13.34	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	60.93	1.41	62.34	74.00	-11.66	peak
2	5150.000	62.77	1.42	64.19	74.00	-9.81	peak
3*	5238.240	117.13	1.10	118.23	68.20	50.03	peak
4	5350.000	57.75	1.08	58.83	74.00	-15.17	peak
5	5402.400	58.07	1.55	59.62	74.00	-14.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5123.040	60.80	1.38	62.18	74.00	-11.82	peak
2	5150.000	60.21	1.42	61.63	74.00	-12.37	peak
3*	5236.320	118.35	1.11	119.46	68.20	51.26	peak
4	5350.000	57.80	1.08	58.88	74.00	-15.12	peak
5	5452.320	58.05	1.72	59.77	74.00	-14.23	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.240	60.88	1.41	62.29	74.00	-11.71	peak
2	5150.000	59.75	1.42	61.17	74.00	-12.83	peak
3*	5262.240	116.12	1.02	117.14	68.20	48.94	peak
4	5350.000	58.75	1.08	59.83	74.00	-14.17	peak
5	5354.400	58.84	1.13	59.97	74.00	-14.03	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5100.960	61.18	1.35	62.53	74.00	-11.47	peak
2	5150.000	59.39	1.42	60.81	74.00	-13.19	peak
3*	5267.040	119.03	1.00	120.03	68.20	51.83	peak
4	5350.000	60.45	1.08	61.53	74.00	-12.47	peak
5	5359.200	59.74	1.17	60.91	74.00	-13.09	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.200	60.36	1.41	61.77	74.00	-12.23	peak
2	5150.000	58.89	1.42	60.31	74.00	-13.69	peak
3*	5285.280	116.58	0.96	117.54	68.20	49.34	peak
4	5350.000	59.52	1.08	60.60	74.00	-13.40	peak
5	5351.520	62.46	1.09	63.55	74.00	-10.45	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5093.280	61.83	1.32	63.15	74.00	-10.85	peak
2	5150.000	58.20	1.42	59.62	74.00	-14.38	peak
3*	5278.560	117.36	0.98	118.34	68.20	50.14	peak
4	5350.000	60.28	1.08	61.36	74.00	-12.64	peak
5	5353.440	62.56	1.11	63.67	74.00	-10.33	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5325.600	112.34	1.00	113.34	68.20	45.14	peak
2	5350.000	60.22	1.08	61.30	74.00	-12.70	peak
3	5351.280	63.33	1.09	64.42	74.00	-9.58	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5312.160	110.23	0.95	111.18	68.20	42.98	peak
2	5350.000	60.56	1.08	61.64	74.00	-12.36	peak
3	5354.160	63.03	1.11	64.14	74.00	-9.86	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5095.840	59.80	1.33	61.13	74.00	-12.87	peak
2	5150.000	60.10	1.42	61.52	74.00	-12.48	peak
3*	5201.480	106.94	1.28	108.22	68.20	40.02	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5108.000	60.86	1.36	62.22	74.00	-11.78	peak
2	5150.000	58.61	1.42	60.03	74.00	-13.97	peak
3*	5191.600	103.88	1.30	105.18	68.20	36.98	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	62.93	1.41	64.34	74.00	-9.66	peak
2	5150.000	61.32	1.42	62.74	74.00	-11.26	peak
3*	5235.360	109.74	1.12	110.86	68.20	42.66	peak
4	5350.000	56.24	1.08	57.32	74.00	-16.68	peak
5	5459.040	57.99	1.73	59.72	74.00	-14.28	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.960	60.74	1.42	62.16	74.00	-11.84	peak
2	5150.000	60.45	1.42	61.87	74.00	-12.13	peak
3*	5223.840	110.91	1.17	112.08	68.20	43.88	peak
4	5350.000	57.46	1.08	58.54	74.00	-15.46	peak
5	5351.520	58.77	1.09	59.86	74.00	-14.14	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5097.120	61.24	1.34	62.58	74.00	-11.42	peak
2	5150.000	58.39	1.42	59.81	74.00	-14.19	peak
3*	5262.240	110.62	1.02	111.64	68.20	43.44	peak
4	5350.000	60.78	1.08	61.86	74.00	-12.14	peak
5	5354.400	63.67	1.13	64.80	74.00	-9.20	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5106.720	60.75	1.36	62.11	74.00	-11.89	peak
2	5150.000	58.71	1.42	60.13	74.00	-13.87	peak
3*	5285.280	111.83	0.96	112.79	68.20	44.59	peak
4	5350.000	61.57	1.08	62.65	74.00	-11.35	peak
5	5352.480	62.38	1.10	63.48	74.00	-10.52	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5313.840	109.86	0.97	110.83	68.20	42.63	peak
2	5350.000	62.59	1.08	63.67	74.00	-10.33	peak
3	5351.040	66.70	1.09	67.79	74.00	-6.21	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5310.720	106.44	0.95	107.39	68.20	39.19	peak
2	5350.000	58.20	1.08	59.28	74.00	-14.72	peak
3	5353.920	62.71	1.11	63.82	74.00	-10.18	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.480	61.04	1.41	62.45	74.00	-11.55	peak
2	5150.000	59.27	1.42	60.69	74.00	-13.31	peak
3*	5186.280	104.40	1.31	105.71	68.20	37.51	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.200	61.35	1.41	62.76	74.00	-11.24	peak
2	5150.000	58.29	1.42	59.71	74.00	-14.29	peak
3*	5240.240	103.35	1.09	104.44	68.20	36.24	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5254.080	106.50	1.03	107.53	68.20	39.33	peak
2	5350.000	66.68	1.08	67.76	74.00	-6.24	peak
3	5352.240	70.99	1.10	72.09	74.00	-1.91	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5283.120	104.91	0.96	105.87	68.20	37.67	peak
2	5350.000	59.69	1.08	60.77	74.00	-13.23	peak
3	5352.000	67.62	1.10	68.72	74.00	-5.28	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	64.55	1.42	65.97	74.00	-8.03	peak
2	5150.000	59.21	1.42	60.63	74.00	-13.37	peak
3*	5234.400	103.84	1.12	104.96	68.20	36.76	peak
4	5350.000	58.85	1.08	59.93	74.00	-14.07	peak
5	5386.080	59.21	1.42	60.63	74.00	-13.37	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5076.000	60.44	1.22	61.66	74.00	-12.34	peak
2	5150.000	58.29	1.42	59.71	74.00	-14.29	peak
3*	5279.520	100.14	0.97	101.11	68.20	32.91	peak
4	5350.000	57.68	1.08	58.76	74.00	-15.24	peak
5	5394.720	57.90	1.50	59.40	74.00	-14.60	peak


Average

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5142.200	51.49	1.41	52.90	54.00	-1.10	AVG
2	5150.000	51.07	1.42	52.49	54.00	-1.51	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5140.680	50.44	1.40	51.84	54.00	-2.16	AVG
2	5150.000	50.10	1.42	51.52	54.00	-2.48	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5150.000	51.44	1.42	52.86	54.00	-1.14	AVG
2	5350.000	47.85	1.08	48.93	54.00	-5.07	AVG
3	5414.880	47.94	1.60	49.54	54.00	-4.46	AVG
4	5138.400	51.34	1.40	52.74	54.00	-1.26	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5150.000	51.32	1.42	52.74	54.00	-1.26	AVG
2	5350.000	47.97	1.08	49.05	54.00	-4.95	AVG
3	5407.200	48.58	1.56	50.14	54.00	-3.86	AVG
4	5148.000	51.31	1.42	52.73	54.00	-1.27	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5113.440	51.43	1.37	52.80	54.00	-1.20	AVG
2	5150.000	51.05	1.42	52.47	54.00	-1.53	AVG
3	5350.000	48.75	1.08	49.83	54.00	-4.17	AVG
4	5355.360	49.47	1.13	50.60	54.00	-3.40	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5130.720	51.54	1.39	52.93	54.00	-1.07	AVG
2	5150.000	51.47	1.42	52.89	54.00	-1.11	AVG
3	5350.000	49.37	1.08	50.45	54.00	-3.55	AVG
4	5397.600	49.39	1.53	50.92	54.00	-3.08	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	51.23	1.41	52.64	54.00	-1.36	AVG
2*	5150.000	51.42	1.42	52.84	54.00	-1.16	AVG
3	5350.000	49.87	1.08	50.95	54.00	-3.05	AVG
4	5351.520	49.63	1.09	50.72	54.00	-3.28	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5138.400	51.49	1.40	52.89	54.00	-1.11	AVG
2	5150.000	51.03	1.42	52.45	54.00	-1.55	AVG
3	5350.000	49.11	1.08	50.19	54.00	-3.81	AVG
4	5351.520	50.29	1.09	51.38	54.00	-2.62	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5124.960	51.40	1.38	52.78	54.00	-1.22	AVG
2	5150.000	50.85	1.42	52.27	54.00	-1.73	AVG
3	5350.000	49.76	1.08	50.84	54.00	-3.16	AVG
4	5353.440	50.44	1.11	51.55	54.00	-2.45	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5124.960	51.42	1.38	52.80	54.00	-1.20	AVG
2	5150.000	50.79	1.42	52.21	54.00	-1.79	AVG
3	5350.000	50.78	1.08	51.86	54.00	-2.14	AVG
4	5352.480	51.38	1.10	52.48	54.00	-1.52	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.90	1.08	52.98	54.00	-1.02	AVG
2	5351.280	51.44	1.09	52.53	54.00	-1.47	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.85	1.08	50.93	54.00	-3.07	AVG
2	5352.960	49.34	1.10	50.44	54.00	-3.56	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5148.280	51.63	1.42	53.05	54.00	-0.95	AVG
2	5150.000	51.61	1.42	53.03	54.00	-0.97	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5138.400	49.67	1.40	51.07	54.00	-2.93	AVG
2*	5150.000	50.06	1.42	51.48	54.00	-2.52	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	50.62	1.42	52.04	54.00	-1.96	AVG
2*	5150.000	50.83	1.42	52.25	54.00	-1.75	AVG
3	5350.000	47.03	1.08	48.11	54.00	-5.89	AVG
4	5359.200	47.27	1.17	48.44	54.00	-5.56	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5148.000	50.90	1.42	52.32	54.00	-1.68	AVG
2	5150.000	50.85	1.42	52.27	54.00	-1.73	AVG
3	5350.000	47.20	1.08	48.28	54.00	-5.72	AVG
4	5369.760	47.49	1.27	48.76	54.00	-5.24	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	51.11	1.41	52.52	54.00	-1.48	AVG
2*	5150.000	51.46	1.42	52.88	54.00	-1.12	AVG
3	5350.000	48.15	1.08	49.23	54.00	-4.77	AVG
4	5355.360	47.91	1.13	49.04	54.00	-4.96	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.240	51.06	1.41	52.47	54.00	-1.53	AVG
2*	5150.000	51.35	1.42	52.77	54.00	-1.23	AVG
3	5350.000	48.64	1.08	49.72	54.00	-4.28	AVG
4	5350.560	48.64	1.08	49.72	54.00	-4.28	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	50.46	1.42	51.88	54.00	-2.12	AVG
2*	5150.000	50.98	1.42	52.40	54.00	-1.60	AVG
3	5350.000	49.98	1.08	51.06	54.00	-2.94	AVG
4	5351.520	49.71	1.09	50.80	54.00	-3.20	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5149.920	50.90	1.42	52.32	54.00	-1.68	AVG
2	5150.000	50.85	1.42	52.27	54.00	-1.73	AVG
3	5350.000	50.28	1.08	51.36	54.00	-2.64	AVG
4	5351.520	49.92	1.09	51.01	54.00	-2.99	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5102.880	50.00	1.35	51.35	54.00	-2.65	AVG
2	5150.000	49.63	1.42	51.05	54.00	-2.95	AVG
3*	5350.000	50.94	1.08	52.02	54.00	-1.98	AVG
4	5352.480	50.76	1.10	51.86	54.00	-2.14	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5129.760	50.24	1.39	51.63	54.00	-2.37	AVG
2	5150.000	49.96	1.42	51.38	54.00	-2.62	AVG
3	5350.000	51.14	1.08	52.22	54.00	-1.78	AVG
4*	5351.520	51.46	1.09	52.55	54.00	-1.45	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.78	1.08	52.86	54.00	-1.14	AVG
2	5351.280	51.57	1.09	52.66	54.00	-1.34	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.92	1.08	51.00	54.00	-3.00	AVG
2	5352.720	49.20	1.10	50.30	54.00	-3.70	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	50.67	1.41	52.08	54.00	-1.92	AVG
2*	5150.000	51.52	1.42	52.94	54.00	-1.06	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5135.360	49.76	1.40	51.16	54.00	-2.84	AVG
2*	5150.000	49.96	1.42	51.38	54.00	-2.62	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5148.000	51.41	1.42	52.83	54.00	-1.17	AVG
2	5150.000	51.05	1.42	52.47	54.00	-1.53	AVG
3	5350.000	47.46	1.08	48.54	54.00	-5.46	AVG
4	5400.480	47.32	1.55	48.87	54.00	-5.13	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	51.26	1.42	52.68	54.00	-1.32	AVG
2*	5150.000	51.39	1.42	52.81	54.00	-1.19	AVG
3	5350.000	47.73	1.08	48.81	54.00	-5.19	AVG
4	5358.240	47.70	1.16	48.86	54.00	-5.14	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	50.64	1.41	52.05	54.00	-1.95	AVG
2	5150.000	50.66	1.42	52.08	54.00	-1.92	AVG
3*	5350.000	51.31	1.08	52.39	54.00	-1.61	AVG
4	5351.520	51.26	1.09	52.35	54.00	-1.65	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5141.280	50.97	1.40	52.37	54.00	-1.63	AVG
2	5150.000	50.67	1.42	52.09	54.00	-1.91	AVG
3*	5350.000	51.83	1.08	52.91	54.00	-1.09	AVG
4	5351.520	51.61	1.09	52.70	54.00	-1.30	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.92	1.08	53.00	54.00	-1.00	AVG
2	5352.720	51.71	1.10	52.81	54.00	-1.19	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	50.06	1.08	51.14	54.00	-2.86	AVG
2*	5351.520	50.50	1.09	51.59	54.00	-2.41	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.720	51.28	1.41	52.69	54.00	-1.31	AVG
2*	5150.000	51.35	1.42	52.77	54.00	-1.23	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5141.440	50.32	1.40	51.72	54.00	-2.28	AVG
2	5150.000	50.17	1.42	51.59	54.00	-2.41	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	51.52	1.08	52.60	54.00	-1.40	AVG
2*	5352.240	51.98	1.10	53.08	54.00	-0.92	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	49.24	1.08	50.32	54.00	-3.68	AVG
2*	5357.280	49.91	1.15	51.06	54.00	-2.94	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5135.520	51.33	1.40	52.73	54.00	-1.27	AVG
2*	5150.000	51.36	1.42	52.78	54.00	-1.22	AVG
3	5350.000	48.18	1.08	49.26	54.00	-4.74	AVG
4	5365.920	48.19	1.23	49.42	54.00	-4.58	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5138.400	50.13	1.40	51.53	54.00	-2.47	AVG
2	5150.000	49.81	1.42	51.23	54.00	-2.77	AVG
3	5350.000	47.25	1.08	48.33	54.00	-5.67	AVG
4	5359.200	47.76	1.17	48.93	54.00	-5.07	AVG

SISO High Band\_B2C & B3 1X1

Harmonic


Above 1 GHz

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.57	14.73	47.30	74.00	-26.70	peak
2*	16500.000	30.64	17.77	48.41	68.20	-19.79	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.84	14.73	47.57	74.00	-26.43	peak
2*	16500.000	31.20	17.77	48.97	68.20	-19.23	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	33.00	14.79	47.79	74.00	-26.21	peak
2*	16680.000	32.18	18.61	50.79	68.20	-17.41	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	33.02	14.79	47.81	74.00	-26.19	peak
2*	16680.000	31.10	18.61	49.71	68.20	-18.49	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	32.62	15.07	47.69	74.00	-26.31	peak
2*	17100.000	32.48	20.64	53.12	68.20	-15.08	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	32.16	15.07	47.23	74.00	-26.77	peak
2*	17100.000	31.91	20.64	52.55	68.20	-15.65	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.75	15.23	47.98	74.00	-26.02	peak
2*	17160.000	31.30	21.25	52.55	68.20	-15.65	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.30	15.23	47.53	74.00	-26.47	peak
2*	17160.000	31.55	21.25	52.80	68.20	-15.40	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	32.17	15.42	47.59	74.00	-26.41	peak
2*	17235.000	30.97	22.01	52.98	68.20	-15.22	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	33.14	15.42	48.56	74.00	-25.44	peak
2*	17235.000	31.15	22.01	53.16	68.20	-15.04	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.19	15.21	47.40	74.00	-26.60	peak
2*	17355.000	30.63	22.96	53.59	68.20	-14.61	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.48	15.21	47.69	74.00	-26.31	peak
2*	17355.000	31.36	22.96	54.32	68.20	-13.88	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	31.83	15.04	46.87	74.00	-27.13	peak
2*	17475.000	31.21	23.95	55.16	68.20	-13.04	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	32.95	15.04	47.99	74.00	-26.01	peak
2*	17475.000	32.44	23.95	56.39	68.20	-11.81	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	31.83	14.73	46.56	74.00	-27.44	peak
2*	16500.000	31.42	17.77	49.19	68.20	-19.01	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.66	14.73	47.39	74.00	-26.61	peak
2*	16500.000	31.60	17.77	49.37	68.20	-18.83	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	33.31	14.79	48.10	74.00	-25.90	peak
2*	16680.000	32.08	18.61	50.69	68.20	-17.51	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	34.80	14.79	49.59	74.00	-24.41	peak
2*	16680.000	31.73	18.61	50.34	68.20	-17.86	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	33.42	15.07	48.49	74.00	-25.51	peak
2*	17100.000	31.27	20.64	51.91	68.20	-16.29	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	33.60	15.07	48.67	74.00	-25.33	peak
2*	17100.000	31.89	20.64	52.53	68.20	-15.67	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.91	15.23	48.14	74.00	-25.86	peak
2*	17160.000	32.41	21.25	53.66	68.20	-14.54	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.73	15.23	47.96	74.00	-26.04	peak
2*	17160.000	31.70	21.25	52.95	68.20	-15.25	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	33.58	15.42	49.00	74.00	-25.00	peak
2*	17235.000	31.79	22.01	53.80	68.20	-14.40	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	33.07	15.42	48.49	74.00	-25.51	peak
2*	17235.000	31.33	22.01	53.34	68.20	-14.86	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	33.45	15.21	48.66	74.00	-25.34	peak
2*	17355.000	32.23	22.96	55.19	68.20	-13.01	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	33.22	15.21	48.43	74.00	-25.57	peak
2*	17355.000	31.02	22.96	53.98	68.20	-14.22	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	32.99	15.04	48.03	74.00	-25.97	peak
2*	17475.000	31.87	23.95	55.82	68.20	-12.38	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	34.07	15.04	49.11	74.00	-24.89	peak
2*	17475.000	31.90	23.95	55.85	68.20	-12.35	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	33.00	14.75	47.75	74.00	-26.25	peak
2*	16530.000	32.10	17.92	50.02	68.20	-18.18	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	33.27	14.75	48.02	74.00	-25.98	peak
2*	16530.000	31.74	17.92	49.66	68.20	-18.54	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	31.94	14.82	46.76	74.00	-27.24	peak
2*	16650.000	31.85	18.49	50.34	68.20	-17.86	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	33.02	14.82	47.84	74.00	-26.16	peak
2*	16650.000	31.47	18.49	49.96	68.20	-18.24	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	33.07	14.84	47.91	74.00	-26.09	peak
2*	17010.000	32.03	20.09	52.12	68.20	-16.08	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	32.16	14.84	47.00	74.00	-27.00	peak
2*	17010.000	31.37	20.09	51.46	68.20	-16.74	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	32.76	15.15	47.91	74.00	-26.09	peak
2*	17130.000	31.04	20.95	51.99	68.20	-16.21	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	33.07	15.15	48.22	74.00	-25.78	peak
2*	17130.000	31.46	20.95	52.41	68.20	-15.79	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	32.02	15.42	47.44	74.00	-26.56	peak
2*	17265.000	31.57	22.32	53.89	68.20	-14.31	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	32.45	15.42	47.87	74.00	-26.13	peak
2*	17265.000	31.55	22.32	53.87	68.20	-14.33	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	31.91	15.14	47.05	74.00	-26.95	peak
2*	17385.000	31.36	23.11	54.47	68.20	-13.73	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	32.13	15.14	47.27	74.00	-26.73	peak
2*	17385.000	31.77	23.11	54.88	68.20	-13.32	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	32.41	14.78	47.19	74.00	-26.81	peak
2*	16590.000	33.06	18.23	51.29	68.20	-16.91	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	32.85	14.78	47.63	74.00	-26.37	peak
2*	16590.000	31.60	18.23	49.83	68.20	-18.37	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	33.96	14.70	48.66	74.00	-25.34	peak
2*	16830.000	31.07	19.36	50.43	68.20	-17.77	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	33.20	14.70	47.90	74.00	-26.10	peak
2*	16830.000	32.18	19.36	51.54	68.20	-16.66	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	32.73	15.00	47.73	74.00	-26.27	peak
2*	17070.000	32.06	20.46	52.52	68.20	-15.68	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	32.33	15.00	47.33	74.00	-26.67	peak
2*	17070.000	31.34	20.46	51.80	68.20	-16.40	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	32.07	15.28	47.35	74.00	-26.65	peak
2*	17325.000	31.03	22.79	53.82	68.20	-14.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	32.51	15.28	47.79	74.00	-26.21	peak
2*	17325.000	31.36	22.79	54.15	68.20	-14.05	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11140.000	33.89	14.77	48.66	74.00	-25.34	peak
2*	16710.000	32.35	18.74	51.09	68.20	-17.11	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11140.000	33.23	14.77	48.00	74.00	-26.00	peak
2*	16710.000	32.47	18.74	51.21	68.20	-16.99	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	Simultaneous Transmitting (WLAN 2.4 GHz + 5 GHz + Bluetooth LE + Matter)		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2819.000	40.68	-5.26	35.42	74.00	-38.58	peak
2	5029.000	38.43	0.93	39.36	74.00	-34.64	peak
3*	7545.000	33.53	8.45	41.98	74.00	-32.02	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	Simultaneous Transmitting (WLAN 2.4 GHz + 5 GHz + Bluetooth LE + Matter)		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2751.000	40.96	-5.61	35.35	74.00	-38.65	peak
2	4910.000	37.36	0.47	37.83	74.00	-36.17	peak
3*	7477.000	34.54	8.41	42.95	74.00	-31.05	peak



Band Edge


Peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.640	57.70	1.72	59.42	74.00	-14.58	peak
2	5460.000	57.54	1.73	59.27	74.00	-14.73	peak
3	5469.520	64.85	1.74	66.59	68.20	-1.61	peak
4	5470.000	56.82	1.74	58.56	68.20	-9.64	peak
5*	5493.760	109.54	1.78	111.32	68.20	43.12	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.400	57.51	1.72	59.23	74.00	-14.77	peak
2	5460.000	54.49	1.73	56.22	74.00	-17.78	peak
3	5470.000	60.45	1.74	62.19	68.20	-6.01	peak
4*	5506.240	108.01	1.80	109.81	68.20	41.61	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.275	60.06	1.72	61.78	74.00	-12.22	peak
2	5460.000	57.95	1.73	59.68	74.00	-14.32	peak
3	5470.000	58.45	1.74	60.19	68.20	-8.01	peak
4*	5563.350	118.85	2.05	120.90	68.20	52.70	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.675	58.60	1.72	60.32	74.00	-13.68	peak
2	5460.000	56.00	1.73	57.73	74.00	-16.27	peak
3	5462.625	58.79	1.73	60.52	68.20	-7.68	peak
4	5470.000	57.66	1.74	59.40	68.20	-8.80	peak
5*	5554.000	117.56	2.05	119.61	68.20	51.41	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5705.980	111.18	2.13	113.31	68.20	45.11	peak
2	5725.000	60.89	2.30	63.19	68.20	-5.01	peak
3	5726.570	64.38	2.31	66.69	68.20	-1.51	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5693.365	108.66	2.05	110.71	68.20	42.51	peak
2	5725.000	58.40	2.30	60.70	68.20	-7.50	peak
3	5730.485	61.34	2.36	63.70	68.20	-4.50	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5427.500	58.25	1.64	59.89	74.00	-14.11	peak
2	5460.000	56.11	1.73	57.84	74.00	-16.16	peak
3	5470.000	56.66	1.74	58.40	68.20	-9.80	peak
4*	5713.125	118.20	2.18	120.38	68.20	52.18	peak
5	5850.000	57.55	2.98	60.53	68.20	-7.67	peak
6	5906.250	58.49	3.14	61.63	68.20	-6.57	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5449.375	58.12	1.71	59.83	74.00	-14.17	peak
2	5460.000	54.78	1.73	56.51	74.00	-17.49	peak
3	5470.000	55.34	1.74	57.08	68.20	-11.12	peak
4*	5715.625	115.40	2.23	117.63	68.20	49.43	peak
5	5850.000	56.85	2.98	59.83	68.20	-8.37	peak
6	5883.125	59.18	3.11	62.29	68.20	-5.91	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5635.250	61.91	1.94	63.85	68.20	-4.35	peak
2*	5650.000	62.28	1.90	64.18	68.20	-4.02	peak
3	5700.000	73.37	2.06	75.43	105.20	-29.77	peak
4	5720.000	83.36	2.26	85.62	110.80	-25.18	peak
5	5725.000	91.90	2.30	94.20	122.20	-28.00	peak
6	5741.375	117.27	2.45	119.72	131.20	-11.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5745 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5641.250	59.50	1.92	61.42	68.20	-6.78	peak
2	5650.000	58.00	1.90	59.90	68.20	-8.30	peak
3	5700.000	70.78	2.06	72.84	105.20	-32.36	peak
4	5720.000	81.75	2.26	84.01	110.80	-26.79	peak
5	5725.000	89.74	2.30	92.04	122.20	-30.16	peak
6	5741.375	115.04	2.45	117.49	131.20	-13.71	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5623.625	61.26	1.97	63.23	68.20	-4.97	peak
2	5650.000	58.40	1.90	60.30	68.20	-7.90	peak
3	5700.000	61.92	2.06	63.98	105.20	-41.22	peak
4	5720.000	70.02	2.26	72.28	110.80	-38.52	peak
5	5725.000	70.77	2.30	73.07	122.20	-49.13	peak
6	5788.250	119.84	2.75	122.59	131.20	-8.61	peak
7	5850.000	68.16	2.98	71.14	122.20	-51.06	peak
8	5855.000	67.53	3.01	70.54	110.80	-40.26	peak
9	5875.000	57.56	3.07	60.63	105.20	-44.57	peak
10!	5925.000	59.33	3.10	62.43	68.20	-5.77	peak
11!	5956.625	59.33	3.07	62.40	68.20	-5.80	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5627.375	60.21	1.95	62.16	68.20	-6.04	peak
2	5650.000	57.52	1.90	59.42	68.20	-8.78	peak
3	5700.000	60.56	2.06	62.62	105.20	-42.58	peak
4	5720.000	69.91	2.26	72.17	110.80	-38.63	peak
5	5725.000	66.85	2.30	69.15	122.20	-53.05	peak
6	5779.250	116.21	2.70	118.91	131.20	-12.29	peak
7	5850.000	64.58	2.98	67.56	122.20	-54.64	peak
8	5855.000	60.72	3.01	63.73	110.80	-47.07	peak
9	5875.000	57.53	3.07	60.60	105.20	-44.60	peak
10	5925.000	58.00	3.10	61.10	68.20	-7.10	peak
11*	5956.625	59.75	3.07	62.82	68.20	-5.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5823.125	115.91	2.89	118.80	131.20	-12.40	peak
2	5850.000	80.06	2.98	83.04	122.20	-39.16	peak
3	5855.000	77.83	3.01	80.84	110.80	-29.96	peak
4	5875.000	61.24	3.07	64.31	105.20	-40.89	peak
5	5925.000	57.80	3.10	60.90	68.20	-7.30	peak
6*	5932.250	59.33	3.07	62.40	68.20	-5.80	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5819.000	112.90	2.88	115.78	131.20	-15.42	peak
2	5850.000	79.46	2.98	82.44	122.20	-39.76	peak
3	5855.000	75.24	3.01	78.25	110.80	-32.55	peak
4	5875.000	62.07	3.07	65.14	105.20	-40.06	peak
5	5925.000	57.87	3.10	60.97	68.20	-7.23	peak
6*	5963.000	59.74	3.09	62.83	68.20	-5.37	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.320	58.80	1.72	60.52	74.00	-13.48	peak
2	5460.000	56.25	1.73	57.98	74.00	-16.02	peak
3	5468.080	64.96	1.74	66.70	68.20	-1.50	peak
4	5470.000	61.64	1.74	63.38	68.20	-4.82	peak
5*	5506.000	111.50	1.80	113.30	68.20	45.10	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5416.480	58.45	1.60	60.05	74.00	-13.95	peak
2	5460.000	55.80	1.73	57.53	74.00	-16.47	peak
3	5470.000	59.81	1.74	61.55	68.20	-6.65	peak
4*	5500.960	108.96	1.78	110.74	68.20	42.54	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.550	59.49	1.72	61.21	74.00	-12.79	peak
2	5460.000	58.88	1.73	60.61	74.00	-13.39	peak
3	5466.450	61.12	1.74	62.86	68.20	-5.34	peak
4	5470.000	60.72	1.74	62.46	68.20	-5.74	peak
5*	5562.925	119.36	2.05	121.41	68.20	53.21	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5449.025	59.62	1.71	61.33	74.00	-12.67	peak
2	5460.000	58.04	1.73	59.77	74.00	-14.23	peak
3	5468.575	60.09	1.74	61.83	68.20	-6.37	peak
4	5470.000	58.88	1.74	60.62	68.20	-7.58	peak
5*	5562.500	116.51	2.05	118.56	68.20	50.36	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5705.690	110.91	2.13	113.04	68.20	44.84	peak
2	5725.000	60.50	2.30	62.80	68.20	-5.40	peak
3	5726.570	64.94	2.31	67.25	68.20	-0.95	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5705.980	109.69	2.13	111.82	68.20	43.62	peak
2	5725.000	60.57	2.30	62.87	68.20	-5.33	peak
3	5726.425	63.88	2.31	66.19	68.20	-2.01	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.750	58.58	1.71	60.29	74.00	-13.71	peak
2	5460.000	56.77	1.73	58.50	74.00	-15.50	peak
3	5468.750	58.04	1.74	59.78	68.20	-8.42	peak
4	5470.000	55.89	1.74	57.63	68.20	-10.57	peak
5*	5721.875	117.98	2.27	120.25	68.20	52.05	peak
6	5850.000	56.56	2.98	59.54	68.20	-8.66	peak
7	5859.375	59.10	3.02	62.12	68.20	-6.08	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5447.500	57.61	1.70	59.31	74.00	-14.69	peak
2	5460.000	57.68	1.73	59.41	74.00	-14.59	peak
3	5470.000	56.35	1.74	58.09	68.20	-10.11	peak
4*	5717.500	114.44	2.24	116.68	68.20	48.48	peak
5	5850.000	56.68	2.98	59.66	68.20	-8.54	peak
6	5903.125	59.40	3.15	62.55	68.20	-5.65	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5643.500	61.21	1.91	63.12	68.20	-5.08	peak
2	5650.000	58.93	1.90	60.83	68.20	-7.37	peak
3	5700.000	74.54	2.06	76.60	105.20	-28.60	peak
4	5720.000	91.88	2.26	94.14	110.80	-16.66	peak
5	5725.000	95.69	2.30	97.99	122.20	-24.21	peak
6	5747.000	116.58	2.52	119.10	131.20	-12.10	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5637.875	60.54	1.93	62.47	68.20	-5.73	peak
2	5650.000	58.79	1.90	60.69	68.20	-7.51	peak
3	5700.000	73.66	2.06	75.72	105.20	-29.48	peak
4	5720.000	85.92	2.26	88.18	110.80	-22.62	peak
5	5725.000	90.04	2.30	92.34	122.20	-29.86	peak
6	5740.250	114.31	2.44	116.75	131.20	-14.45	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5636.750	60.52	1.93	62.45	68.20	-5.75	peak
2	5650.000	59.08	1.90	60.98	68.20	-7.22	peak
3	5700.000	63.04	2.06	65.10	105.20	-40.10	peak
4	5720.000	70.56	2.26	72.82	110.80	-37.98	peak
5	5725.000	73.49	2.30	75.79	122.20	-46.41	peak
6	5783.750	119.38	2.72	122.10	131.20	-9.10	peak
7	5850.000	70.33	2.98	73.31	122.20	-48.89	peak
8	5855.000	69.84	3.01	72.85	110.80	-37.95	peak
9	5875.000	59.65	3.07	62.72	105.20	-42.48	peak
10	5925.000	57.35	3.10	60.45	68.20	-7.75	peak
11	5965.250	58.82	3.10	61.92	68.20	-6.28	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5628.875	60.31	1.94	62.25	68.20	-5.95	peak
2	5650.000	56.20	1.90	58.10	68.20	-10.10	peak
3	5700.000	62.13	2.06	64.19	105.20	-41.01	peak
4	5720.000	69.91	2.26	72.17	110.80	-38.63	peak
5	5725.000	68.37	2.30	70.67	122.20	-51.53	peak
6	5787.500	114.83	2.75	117.58	131.20	-13.62	peak
7	5850.000	66.04	2.98	69.02	122.20	-53.18	peak
8	5855.000	65.28	3.01	68.29	110.80	-42.51	peak
9	5875.000	58.79	3.07	61.86	105.20	-43.34	peak
10	5925.000	56.05	3.10	59.15	68.20	-9.05	peak
11*	5934.500	59.57	3.06	62.63	68.20	-5.57	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5820.125	114.30	2.88	117.18	131.20	-14.02	peak
2	5850.000	85.44	2.98	88.42	122.20	-33.78	peak
3	5855.000	78.37	3.01	81.38	110.80	-29.42	peak
4	5875.000	66.80	3.07	69.87	105.20	-35.33	peak
5	5925.000	56.27	3.10	59.37	68.20	-8.83	peak
6*	5941.625	59.47	3.05	62.52	68.20	-5.68	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5819.375	112.07	2.88	114.95	131.20	-16.25	peak
2	5850.000	85.59	2.98	88.57	122.20	-33.63	peak
3	5855.000	77.43	3.01	80.44	110.80	-30.36	peak
4	5875.000	62.45	3.07	65.52	105.20	-39.68	peak
5	5925.000	57.56	3.10	60.66	68.20	-7.54	peak
6*	5938.625	58.72	3.07	61.79	68.20	-6.41	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0	5448.880	61.71	1.71	63.42	74.00	-10.58	peak
1	5460.000	58.66	1.73	60.39	74.00	-13.61	peak
2	5462.080	63.67	1.73	65.40	68.20	-2.80	peak
3	5466.160	64.79	1.74	66.53	68.20	-1.67	peak
4	5468.080	65.19	1.74	66.93	68.20	-1.27	peak
5	5470.000	62.99	1.74	64.73	68.20	-3.47	peak
6*	5502.640	108.00	1.79	109.79	68.20	41.59	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.360	62.51	1.72	64.23	74.00	-9.77	peak
2	5460.000	58.10	1.73	59.83	74.00	-14.17	peak
3	5467.840	64.64	1.74	66.38	68.20	-1.82	peak
4	5470.000	60.77	1.74	62.51	68.20	-5.69	peak
5*	5523.520	106.29	1.91	108.20	68.20	40.00	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5446.050	58.96	1.70	60.66	74.00	-13.34	peak
2	5460.000	59.22	1.73	60.95	74.00	-13.05	peak
3	5470.000	59.49	1.74	61.23	68.20	-6.97	peak
4*	5537.425	112.64	1.99	114.63	68.20	46.43	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.825	58.17	1.72	59.89	74.00	-14.11	peak
2	5460.000	55.57	1.73	57.30	74.00	-16.70	peak
3	5468.575	61.41	1.74	63.15	68.20	-5.05	peak
4	5470.000	59.73	1.74	61.47	68.20	-6.73	peak
5*	5540.825	111.23	2.00	113.23	68.20	45.03	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5656.970	109.82	1.91	111.73	68.20	43.53	peak
2	5725.000	61.61	2.30	63.91	68.20	-4.29	peak
3	5727.150	64.69	2.32	67.01	68.20	-1.19	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5652.620	108.46	1.91	110.37	68.20	42.17	peak
2	5725.000	58.68	2.30	60.98	68.20	-7.22	peak
3	5727.150	64.21	2.32	66.53	68.20	-1.67	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5450.000	58.26	1.71	59.97	74.00	-14.03	peak
2	5460.000	56.80	1.73	58.53	74.00	-15.47	peak
3	5470.000	55.05	1.74	56.79	68.20	-11.41	peak
4*	5721.875	112.79	2.27	115.06	68.20	46.86	peak
5	5850.000	62.21	2.98	65.19	68.20	-3.01	peak
6	5851.875	63.64	2.98	66.62	68.20	-1.58	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5401.875	58.43	1.55	59.98	74.00	-14.02	peak
2	5460.000	56.31	1.73	58.04	74.00	-15.96	peak
3	5470.000	55.44	1.74	57.18	68.20	-11.02	peak
4*	5708.750	111.43	2.15	113.58	68.20	45.38	peak
5	5850.000	60.29	2.98	63.27	68.20	-4.93	peak
6	5855.000	61.54	3.01	64.55	68.20	-3.65	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5646.500	64.24	1.91	66.15	68.20	-2.05	peak
2	5650.000	58.95	1.90	60.85	68.20	-7.35	peak
3	5700.000	72.27	2.06	74.33	105.20	-30.87	peak
4	5720.000	83.92	2.26	86.18	110.80	-24.62	peak
5	5725.000	86.81	2.30	89.11	122.20	-33.09	peak
6	5745.875	111.87	2.51	114.38	131.20	-16.82	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5645.000	61.25	1.90	63.15	68.20	-5.05	peak
2	5650.000	59.02	1.90	60.92	68.20	-7.28	peak
3	5700.000	72.30	2.06	74.36	105.20	-30.84	peak
4	5720.000	82.60	2.26	84.86	110.80	-25.94	peak
5	5725.000	84.35	2.30	86.65	122.20	-35.55	peak
6	5751.875	109.10	2.55	111.65	131.20	-19.55	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0*	5646.875	63.15	1.91	65.06	68.20	-3.14	peak
1!	5650.000	63.03	1.90	64.93	68.20	-3.27	peak
2	5700.000	72.50	2.06	74.56	105.20	-30.64	peak
3	5720.000	75.47	2.26	77.73	110.80	-33.07	peak
4	5725.000	74.32	2.30	76.62	122.20	-45.58	peak
5	5781.875	113.66	2.71	116.37	131.20	-14.83	peak
6	5850.000	79.12	2.98	82.10	122.20	-40.10	peak
7	5855.000	77.35	3.01	80.36	110.80	-30.44	peak
8	5875.000	65.56	3.07	68.63	105.20	-36.57	peak
9	5925.000	57.95	3.10	61.05	68.20	-7.15	peak
10!	5934.875	59.31	3.06	62.37	68.20	-5.83	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0*	5640.875	62.22	1.92	64.14	68.20	-4.06	peak
1!	5650.000	60.54	1.90	62.44	68.20	-5.76	peak
2	5700.000	67.36	2.06	69.42	105.20	-35.78	peak
3	5720.000	75.47	2.26	77.73	110.80	-33.07	peak
4	5725.000	74.40	2.30	76.70	122.20	-45.50	peak
5	5787.875	111.27	2.75	114.02	131.20	-17.18	peak
6	5850.000	77.40	2.98	80.38	122.20	-41.82	peak
7	5855.000	75.31	3.01	78.32	110.80	-32.48	peak
8	5875.000	65.30	3.07	68.37	105.20	-36.83	peak
9	5925.000	57.27	3.10	60.37	68.20	-7.83	peak
10	5964.875	58.79	3.10	61.89	68.20	-6.31	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.280	61.22	1.72	62.94	74.00	-11.06	peak
2	5460.000	58.80	1.73	60.53	74.00	-13.47	peak
3	5470.000	63.22	1.74	64.96	68.20	-3.24	peak
4*	5539.360	107.15	2.00	109.15	68.20	40.95	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.520	59.63	1.72	61.35	74.00	-12.65	peak
2	5460.000	58.19	1.73	59.92	74.00	-14.08	peak
3	5463.280	60.26	1.73	61.99	68.20	-6.21	peak
4	5465.440	60.13	1.74	61.87	68.20	-6.33	peak
5	5470.000	57.96	1.74	59.70	68.20	-8.50	peak
6*	5540.080	103.93	2.00	105.93	68.20	37.73	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5449.025	59.57	1.71	61.28	74.00	-12.72	peak
2	5460.000	57.19	1.73	58.92	74.00	-15.08	peak
3	5470.000	60.36	1.74	62.10	68.20	-6.10	peak
4*	5644.950	108.33	1.90	110.23	68.20	42.03	peak
5	5725.000	62.76	2.30	65.06	68.20	-3.14	peak
6	5727.400	63.78	2.32	66.10	68.20	-2.10	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.950	59.25	1.72	60.97	74.00	-13.03	peak
2	5460.000	58.61	1.73	60.34	74.00	-13.66	peak
3	5470.000	58.67	1.74	60.41	68.20	-7.79	peak
4*	5619.450	106.96	1.98	108.94	68.20	40.74	peak
5	5725.000	58.74	2.30	61.04	68.20	-7.16	peak
6	5731.225	61.76	2.37	64.13	68.20	-4.07	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0	5406.875	58.87	1.56	60.43	74.00	-13.57	peak
1	5460.000	55.56	1.73	57.29	74.00	-16.71	peak
2	5463.125	57.62	1.73	59.35	68.20	-8.85	peak
3	5470.000	56.24	1.74	57.98	68.20	-10.22	peak
4*	5661.875	107.13	1.94	109.07	68.20	40.87	peak
5	5850.000	63.72	2.98	66.70	68.20	-1.50	peak
6	5863.125	60.24	3.03	63.27	68.20	-4.93	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0	5392.500	57.85	1.48	59.33	74.00	-14.67	peak
1	5460.000	55.65	1.73	57.38	74.00	-16.62	peak
2	5467.500	58.20	1.74	59.94	68.20	-8.26	peak
3	5470.000	55.08	1.74	56.82	68.20	-11.38	peak
4*	5698.125	106.25	2.06	108.31	68.20	40.11	peak
5	5850.000	58.71	2.98	61.69	68.20	-6.51	peak
6	5918.750	59.20	3.11	62.31	68.20	-5.89	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0*	5646.875	64.12	1.91	66.03	68.20	-2.17	peak
1!	5650.000	63.10	1.90	65.00	68.20	-3.20	peak
2	5700.000	70.76	2.06	72.82	105.20	-32.38	peak
3	5720.000	75.44	2.26	77.70	110.80	-33.10	peak
4	5725.000	77.44	2.30	79.74	122.20	-42.46	peak
5	5788.625	106.64	2.75	109.39	131.20	-21.81	peak
6	5850.000	74.52	2.98	77.50	122.20	-44.70	peak
7	5855.000	71.53	3.01	74.54	110.80	-36.26	peak
8	5875.000	63.04	3.07	66.11	105.20	-39.09	peak
9	5925.000	55.72	3.10	58.82	68.20	-9.38	peak
10	5942.375	58.81	3.05	61.86	68.20	-6.34	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0*	5634.500	61.53	1.94	63.47	68.20	-4.73	peak
1	5650.000	57.95	1.90	59.85	68.20	-8.35	peak
2	5700.000	74.56	2.06	76.62	105.20	-28.58	peak
3	5720.000	73.31	2.26	75.57	110.80	-35.23	peak
4	5725.000	72.67	2.30	74.97	122.20	-47.23	peak
5	5767.250	104.88	2.63	107.51	131.20	-23.69	peak
6	5850.000	69.60	2.98	72.58	122.20	-49.62	peak
7	5855.000	66.65	3.01	69.66	110.80	-41.14	peak
8	5875.000	59.69	3.07	62.76	105.20	-42.44	peak
9	5925.000	57.03	3.10	60.13	68.20	-8.07	peak
10	5948.750	59.04	3.03	62.07	68.20	-6.13	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.800	63.25	1.73	64.98	74.00	-9.02	peak
2	5460.000	56.79	1.73	58.52	74.00	-15.48	peak
3	5466.875	63.73	1.74	65.47	68.20	-2.73	peak
4	5470.000	62.56	1.74	64.30	68.20	-3.90	peak
5*	5552.725	100.87	2.05	102.92	68.20	34.72	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.700	59.13	1.72	60.85	74.00	-13.15	peak
2	5460.000	58.22	1.73	59.95	74.00	-14.05	peak
3	5466.025	60.83	1.74	62.57	68.20	-5.63	peak
4	5470.000	57.98	1.74	59.72	68.20	-8.48	peak
5*	5550.600	98.15	2.06	100.21	68.20	32.01	peak


Average

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5440.480	48.23	1.68	49.91	54.00	-4.09	AVG
2	5460.000	47.82	1.73	49.55	54.00	-4.45	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.600	47.98	1.72	49.70	54.00	-4.30	AVG
2	5460.000	47.53	1.73	49.26	54.00	-4.74	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	49.57	1.72	51.29	54.00	-2.71	AVG
2	5460.000	49.13	1.73	50.86	54.00	-3.14	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.825	49.20	1.72	50.92	54.00	-3.08	AVG
2	5460.000	49.07	1.73	50.80	54.00	-3.20	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5452.500	48.77	1.72	50.49	54.00	-3.51	AVG
2	5460.000	48.30	1.73	50.03	54.00	-3.97	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.750	47.96	1.72	49.68	54.00	-4.32	AVG
2	5460.000	47.84	1.73	49.57	54.00	-4.43	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.840	47.37	1.72	49.09	54.00	-4.91	AVG
2*	5460.000	47.43	1.73	49.16	54.00	-4.84	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.280	47.24	1.72	48.96	54.00	-5.04	AVG
2*	5460.000	47.34	1.73	49.07	54.00	-4.93	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5454.125	48.78	1.72	50.50	54.00	-3.50	AVG
2	5460.000	48.77	1.73	50.50	54.00	-3.50	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	48.41	1.72	50.13	54.00	-3.87	AVG
2	5460.000	48.32	1.73	50.05	54.00	-3.95	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5451.875	47.80	1.72	49.52	54.00	-4.48	AVG
2	5460.000	47.50	1.73	49.23	54.00	-4.77	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5442.500	47.50	1.70	49.20	54.00	-4.80	AVG
2	5460.000	47.00	1.73	48.73	54.00	-5.27	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.720	48.84	1.73	50.57	54.00	-3.43	AVG
2	5460.000	48.43	1.73	50.16	54.00	-3.84	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.760	47.79	1.72	49.51	54.00	-4.49	AVG
2	5460.000	47.77	1.73	49.50	54.00	-4.50	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.250	48.39	1.72	50.11	54.00	-3.89	AVG
2*	5460.000	48.77	1.73	50.50	54.00	-3.50	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.275	48.07	1.72	49.79	54.00	-4.21	AVG
2	5460.000	47.82	1.73	49.55	54.00	-4.45	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5450.000	47.58	1.71	49.29	54.00	-4.71	AVG
2	5460.000	47.53	1.73	49.26	54.00	-4.74	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5452.500	47.43	1.72	49.15	54.00	-4.85	AVG
2	5460.000	47.00	1.73	48.73	54.00	-5.27	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.000	49.28	1.72	51.00	54.00	-3.00	AVG
2	5460.000	49.18	1.73	50.91	54.00	-3.09	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.160	47.89	1.72	49.61	54.00	-4.39	AVG
2*	5460.000	47.99	1.73	49.72	54.00	-4.28	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.825	48.25	1.72	49.97	54.00	-4.03	AVG
2	5460.000	48.11	1.73	49.84	54.00	-4.16	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5449.450	47.41	1.71	49.12	54.00	-4.88	AVG
2	5460.000	47.10	1.73	48.83	54.00	-5.17	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.000	47.53	1.72	49.25	54.00	-4.75	AVG
2	5460.000	47.23	1.73	48.96	54.00	-5.04	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5449.375	47.16	1.71	48.87	54.00	-5.13	AVG
2	5460.000	46.86	1.73	48.59	54.00	-5.41	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	49.69	1.72	51.41	54.00	-2.59	AVG
2	5460.000	49.22	1.73	50.95	54.00	-3.05	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5454.125	48.74	1.72	50.46	54.00	-3.54	AVG
2	5460.000	47.97	1.73	49.70	54.00	-4.30	AVG




MIMO Low Band B1 & B2A 4X4

Harmonic


Above 1 GHz

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	34.16	13.99	48.15	68.20	-20.05	peak
2	15540.000	32.66	17.31	49.97	74.00	-24.03	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	34.50	13.99	48.49	68.20	-19.71	peak
2	15540.000	32.93	17.31	50.24	74.00	-23.76	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10400.000	35.10	14.10	49.20	68.20	-19.00	peak
2	15600.000	42.90	17.01	59.91	74.00	-14.09	peak
3*	15600.000	33.96	17.01	50.97	54.00	-3.03	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10400.000	35.24	14.10	49.34	68.20	-18.86	peak
2	15600.000	41.74	17.01	58.75	74.00	-15.25	peak
3*	15600.000	32.41	17.01	49.42	54.00	-4.58	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10480.000	36.32	14.54	50.86	68.20	-17.34	peak
2	15720.000	44.96	17.34	62.30	74.00	-11.70	peak
3*	15720.000	33.25	17.34	50.59	54.00	-3.41	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10480.000	35.98	14.54	50.52	68.20	-17.68	peak
2	15720.000	39.69	17.34	57.03	74.00	-16.97	peak
3*	15720.000	31.51	17.34	48.85	54.00	-5.15	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	34.68	14.60	49.28	68.20	-18.92	peak
2	15780.000	42.71	17.10	59.81	74.00	-14.19	peak
3*	15780.000	33.03	17.10	50.13	54.00	-3.87	AVG


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	36.51	14.60	51.11	68.20	-17.09	peak
2	15780.000	38.34	17.10	55.44	74.00	-18.56	peak
3*	15780.000	30.51	17.10	47.61	54.00	-6.39	AVG




Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10560.000	35.35	14.48	49.83	68.20	-18.37	peak
2	15840.000	42.49	16.90	59.39	74.00	-14.61	peak
3*	15840.000	33.40	16.90	50.30	54.00	-3.70	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10560.000	35.00	14.48	49.48	68.20	-18.72	peak
2	15840.000	41.57	16.90	58.47	74.00	-15.53	peak
3*	15840.000	30.11	16.90	47.01	54.00	-6.99	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	33.51	14.41	47.92	74.00	-26.08	peak
2*	15960.000	35.33	16.55	51.88	74.00	-22.12	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	33.55	14.41	47.96	74.00	-26.04	peak
2*	15960.000	32.12	16.55	48.67	74.00	-25.33	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	33.57	13.99	47.56	68.20	-20.64	peak
2	15540.000	32.24	17.31	49.55	74.00	-24.45	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	33.07	13.99	47.06	68.20	-21.14	peak
2	15540.000	31.68	17.31	48.99	74.00	-25.01	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10400.000	33.57	14.10	47.67	68.20	-20.53	peak
2	15600.000	42.43	17.01	59.44	74.00	-14.56	peak
3*	15600.000	33.63	17.01	50.64	54.00	-3.36	AVG


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10400.000	33.74	14.10	47.84	68.20	-20.36	peak
2	15600.000	38.45	17.01	55.46	74.00	-18.54	peak
3*	15600.000	28.60	17.01	45.61	54.00	-8.39	AVG




Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10480.000	35.64	14.54	50.18	68.20	-18.02	peak
2	15720.000	42.82	17.34	60.16	74.00	-13.84	peak
3*	15720.000	33.02	17.34	50.36	54.00	-3.64	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10480.000	35.40	14.54	49.94	68.20	-18.26	peak
2	15720.000	38.26	17.34	55.60	74.00	-18.40	peak
3*	15720.000	30.42	17.34	47.76	54.00	-6.24	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	34.52	14.60	49.12	68.20	-19.08	peak
2	15780.000	43.02	17.10	60.12	74.00	-13.88	peak
3*	15780.000	33.76	17.10	50.86	54.00	-3.14	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	34.27	14.60	48.87	68.20	-19.33	peak
2	15780.000	37.50	17.10	54.60	74.00	-19.40	peak
3*	15780.000	29.24	17.10	46.34	54.00	-7.66	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10560.000	35.25	14.48	49.73	68.20	-18.47	peak
2	15840.000	44.43	16.90	61.33	74.00	-12.67	peak
3*	15840.000	33.66	16.90	50.56	54.00	-3.44	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10560.000	33.78	14.48	48.26	68.20	-19.94	peak
2	15840.000	38.72	16.90	55.62	74.00	-18.38	peak
3*	15840.000	28.92	16.90	45.82	54.00	-8.18	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	34.91	14.41	49.32	74.00	-24.68	peak
2*	15960.000	35.45	16.55	52.00	74.00	-22.00	peak


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	33.38	14.41	47.79	74.00	-26.21	peak
2*	15960.000	32.88	16.55	49.43	74.00	-24.57	peak




Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	34.09	14.04	48.13	68.20	-20.07	peak
2	15570.000	34.05	17.16	51.21	74.00	-22.79	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	33.49	14.04	47.53	68.20	-20.67	peak
2	15570.000	32.40	17.16	49.56	74.00	-24.44	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10460.000	34.45	14.43	48.88	68.20	-19.32	peak
2	15690.000	40.26	17.37	57.63	74.00	-16.37	peak
3*	15690.000	29.31	17.37	46.68	54.00	-7.32	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	34.66	14.43	49.09	68.20	-19.11	peak
2	15690.000	34.44	17.37	51.81	74.00	-22.19	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10540.000	34.55	14.55	49.10	68.20	-19.10	peak
2	15810.000	41.56	17.00	58.56	74.00	-15.44	peak
3*	15810.000	33.03	17.00	50.03	54.00	-3.97	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10540.000	34.91	14.55	49.46	68.20	-18.74	peak
2	15810.000	36.97	17.00	53.97	74.00	-20.03	peak
3*	15810.000	28.85	17.00	45.85	54.00	-8.15	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	34.18	14.40	48.58	74.00	-25.42	peak
2*	15930.000	33.14	16.64	49.78	74.00	-24.22	peak


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	34.27	14.40	48.67	74.00	-25.33	peak
2*	15930.000	32.19	16.64	48.83	74.00	-25.17	peak




Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	34.06	14.20	48.26	68.20	-19.94	peak
2	15630.000	33.51	17.14	50.65	74.00	-23.35	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	34.87	14.20	49.07	68.20	-19.13	peak
2	15630.000	33.63	17.14	50.77	74.00	-23.23	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	34.23	14.43	48.66	68.20	-19.54	peak
2	15870.000	33.51	16.81	50.32	74.00	-23.68	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	34.50	14.43	48.93	68.20	-19.27	peak
2	15870.000	33.14	16.81	49.95	74.00	-24.05	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10500.000	34.47	14.66	49.13	68.20	-19.07	peak
2	15750.000	33.05	17.22	50.27	74.00	-23.73	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10500.000	34.80	14.66	49.46	68.20	-18.74	peak
2	15750.000	32.35	17.22	49.57	74.00	-24.43	peak

Band Edge


Peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	61.64	1.42	63.06	74.00	-10.94	peak
2	5150.000	59.21	1.42	60.63	74.00	-13.37	peak
3*	5173.360	114.77	1.35	116.12	68.20	47.92	peak


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5094.320	60.51	1.33	61.84	74.00	-12.16	peak
2	5150.000	60.16	1.42	61.58	74.00	-12.42	peak
3*	5187.040	113.12	1.31	114.43	68.20	46.23	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	63.49	1.41	64.90	74.00	-9.10	peak
2	5150.000	63.47	1.42	64.89	74.00	-9.11	peak
3*	5202.720	119.62	1.27	120.89	68.20	52.69	peak
4	5350.000	55.94	1.08	57.02	74.00	-16.98	peak
5	5353.440	58.82	1.11	59.93	74.00	-14.07	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5136.480	67.40	1.40	68.80	74.00	-5.20	peak
2	5150.000	64.87	1.42	66.29	74.00	-7.71	peak
3*	5197.920	120.58	1.29	121.87	68.20	53.67	peak
4	5350.000	59.71	1.08	60.79	74.00	-13.21	peak
5	5357.280	58.74	1.15	59.89	74.00	-14.11	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5109.600	60.90	1.37	62.27	74.00	-11.73	peak
2	5150.000	58.69	1.42	60.11	74.00	-13.89	peak
3*	5239.200	117.57	1.09	118.66	68.20	50.46	peak
4	5350.000	57.03	1.08	58.11	74.00	-15.89	peak
5	5354.400	58.95	1.13	60.08	74.00	-13.92	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5081.760	61.60	1.26	62.86	74.00	-11.14	peak
2	5150.000	58.69	1.42	60.11	74.00	-13.89	peak
3*	5236.320	117.60	1.11	118.71	68.20	50.51	peak
4	5350.000	56.23	1.08	57.31	74.00	-16.69	peak
5	5376.480	58.73	1.33	60.06	74.00	-13.94	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	61.92	1.42	63.34	74.00	-10.66	peak
2	5150.000	58.76	1.42	60.18	74.00	-13.82	peak
3*	5258.400	118.23	1.04	119.27	68.20	51.07	peak
4	5350.000	58.15	1.08	59.23	74.00	-14.77	peak
5	5374.560	58.98	1.31	60.29	74.00	-13.71	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5136.480	61.17	1.40	62.57	74.00	-11.43	peak
2	5150.000	58.60	1.42	60.02	74.00	-13.98	peak
3*	5258.400	119.17	1.04	120.21	68.20	52.01	peak
4	5350.000	58.02	1.08	59.10	74.00	-14.90	peak
5	5451.360	58.34	1.71	60.05	74.00	-13.95	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5126.880	60.99	1.39	62.38	74.00	-11.62	peak
2	5150.000	58.51	1.42	59.93	74.00	-14.07	peak
3*	5273.760	117.57	0.98	118.55	68.20	50.35	peak
4	5350.000	59.29	1.08	60.37	74.00	-13.63	peak
5	5356.320	59.93	1.14	61.07	74.00	-12.93	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5108.640	60.70	1.37	62.07	74.00	-11.93	peak
2	5150.000	59.60	1.42	61.02	74.00	-12.98	peak
3*	5276.640	117.57	0.98	118.55	68.20	50.35	peak
4	5350.000	58.55	1.08	59.63	74.00	-14.37	peak
5	5356.320	59.11	1.14	60.25	74.00	-13.75	peak




Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5313.120	116.10	0.97	117.07	68.20	48.87	peak
2	5350.000	61.25	1.08	62.33	74.00	-11.67	peak
3	5352.960	62.39	1.10	63.49	74.00	-10.51	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5326.560	112.75	1.01	113.76	68.20	45.56	peak
2	5350.000	58.49	1.08	59.57	74.00	-14.43	peak
3	5351.280	60.54	1.09	61.63	74.00	-12.37	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5093.560	61.82	1.32	63.14	74.00	-10.86	peak
2	5150.000	60.72	1.42	62.14	74.00	-11.86	peak
3*	5174.120	116.14	1.35	117.49	68.20	49.29	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.520	60.72	1.42	62.14	74.00	-11.86	peak
2	5150.000	59.79	1.42	61.21	74.00	-12.79	peak
3*	5184.000	111.66	1.32	112.98	68.20	44.78	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5103.840	61.15	1.35	62.50	74.00	-11.50	peak
2	5150.000	58.94	1.42	60.36	74.00	-13.64	peak
3*	5205.600	115.78	1.26	117.04	68.20	48.84	peak
4	5350.000	56.81	1.08	57.89	74.00	-16.11	peak
5	5353.440	59.51	1.11	60.62	74.00	-13.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.920	61.81	1.42	63.23	74.00	-10.77	peak
2	5150.000	59.68	1.42	61.10	74.00	-12.90	peak
3*	5196.960	117.79	1.29	119.08	68.20	50.88	peak
4	5350.000	57.61	1.08	58.69	74.00	-15.31	peak
5	5393.760	58.96	1.49	60.45	74.00	-13.55	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5056.800	62.01	1.12	63.13	74.00	-10.87	peak
2	5150.000	59.31	1.42	60.73	74.00	-13.27	peak
3*	5239.200	120.48	1.09	121.57	68.20	53.37	peak
4	5350.000	57.98	1.08	59.06	74.00	-14.94	peak
5	5375.520	59.15	1.32	60.47	74.00	-13.53	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5100.960	62.07	1.35	63.42	74.00	-10.58	peak
2	5150.000	60.46	1.42	61.88	74.00	-12.12	peak
3*	5236.320	119.78	1.11	120.89	68.20	52.69	peak
4	5350.000	59.67	1.08	60.75	74.00	-13.25	peak
5	5388.960	59.07	1.44	60.51	74.00	-13.49	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5096.160	61.37	1.33	62.70	74.00	-11.30	peak
2	5150.000	59.89	1.42	61.31	74.00	-12.69	peak
3*	5267.040	121.60	1.00	122.60	68.20	54.40	peak
4	5350.000	59.94	1.08	61.02	74.00	-12.98	peak
5	5357.280	60.15	1.15	61.30	74.00	-12.70	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	61.64	1.42	63.06	74.00	-10.94	peak
2	5150.000	62.79	1.42	64.21	74.00	-9.79	peak
3*	5263.200	122.48	1.02	123.50	68.20	55.30	peak
4	5350.000	61.04	1.08	62.12	74.00	-11.88	peak
5	5351.520	61.19	1.09	62.28	74.00	-11.72	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5124.000	61.06	1.38	62.44	74.00	-11.56	peak
2	5150.000	58.86	1.42	60.28	74.00	-13.72	peak
3*	5273.760	120.72	0.98	121.70	68.20	53.50	peak
4	5350.000	59.79	1.08	60.87	74.00	-13.13	peak
5	5352.480	63.07	1.10	64.17	74.00	-9.83	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	62.15	1.41	63.56	74.00	-10.44	peak
2	5150.000	59.64	1.42	61.06	74.00	-12.94	peak
3*	5287.200	121.33	0.95	122.28	68.20	54.08	peak
4	5350.000	60.10	1.08	61.18	74.00	-12.82	peak
5	5351.520	62.44	1.09	63.53	74.00	-10.47	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5314.080	116.17	0.97	117.14	68.20	48.94	peak
2	5350.000	63.92	1.08	65.00	74.00	-9.00	peak
3	5352.480	63.02	1.10	64.12	74.00	-9.88	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5325.840	112.80	1.00	113.80	68.20	45.60	peak
2	5350.000	57.03	1.08	58.11	74.00	-15.89	peak
3	5351.520	60.65	1.09	61.74	74.00	-12.26	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	60.83	1.42	62.25	74.00	-11.75	peak
2	5150.000	60.55	1.42	61.97	74.00	-12.03	peak
3*	5182.480	111.10	1.33	112.43	68.20	44.23	peak


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	62.57	1.42	63.99	74.00	-10.01	peak
2	5150.000	59.32	1.42	60.74	74.00	-13.26	peak
3*	5180.960	108.51	1.34	109.85	68.20	41.65	peak




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5118.240	60.88	1.38	62.26	74.00	-11.74	peak
2	5150.000	61.78	1.42	63.20	74.00	-10.80	peak
3*	5243.040	112.79	1.08	113.87	68.20	45.67	peak
4	5350.000	56.41	1.08	57.49	74.00	-16.51	peak
5	5361.120	58.75	1.19	59.94	74.00	-14.06	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5123.040	61.09	1.38	62.47	74.00	-11.53	peak
2	5150.000	60.64	1.42	62.06	74.00	-11.94	peak
3*	5242.080	113.19	1.09	114.28	68.20	46.08	peak
4	5350.000	56.54	1.08	57.62	74.00	-16.38	peak
5	5353.440	59.41	1.11	60.52	74.00	-13.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5135.520	62.17	1.40	63.57	74.00	-10.43	peak
2	5150.000	60.10	1.42	61.52	74.00	-12.48	peak
3*	5283.360	115.02	0.96	115.98	68.20	47.78	peak
4	5350.000	59.32	1.08	60.40	74.00	-13.60	peak
5	5353.440	61.93	1.11	63.04	74.00	-10.96	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5062.560	61.35	1.16	62.51	74.00	-11.49	peak
2	5150.000	60.77	1.42	62.19	74.00	-11.81	peak
3*	5276.640	114.16	0.98	115.14	68.20	46.94	peak
4	5350.000	61.59	1.08	62.67	74.00	-11.33	peak
5	5357.280	61.80	1.15	62.95	74.00	-11.05	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5322.240	110.90	0.98	111.88	68.20	43.68	peak
2	5350.000	59.52	1.08	60.60	74.00	-13.40	peak
3	5354.640	61.60	1.13	62.73	74.00	-11.27	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5312.880	108.87	0.97	109.84	68.20	41.64	peak
2	5350.000	58.60	1.08	59.68	74.00	-14.32	peak
3	5350.560	60.58	1.08	61.66	74.00	-12.34	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.680	61.94	1.38	63.32	74.00	-10.68	peak
2	5150.000	60.22	1.42	61.64	74.00	-12.36	peak
3*	5223.520	108.14	1.17	109.31	68.20	41.11	peak


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5130.040	61.42	1.39	62.81	74.00	-11.19	peak
2	5150.000	58.32	1.42	59.74	74.00	-14.26	peak
3*	5198.440	106.29	1.29	107.58	68.20	39.38	peak




Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5302.560	108.49	0.93	109.42	68.20	41.22	peak
2	5350.000	60.83	1.08	61.91	74.00	-12.09	peak
3	5352.960	61.84	1.10	62.94	74.00	-11.06	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5319.120	107.54	0.98	108.52	68.20	40.32	peak
2	5350.000	59.34	1.08	60.42	74.00	-13.58	peak
3	5357.520	60.55	1.15	61.70	74.00	-12.30	peak

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	61.96	1.41	63.37	74.00	-10.63	peak
2	5150.000	59.22	1.42	60.64	74.00	-13.36	peak
3*	5282.400	104.44	0.96	105.40	68.20	37.20	peak
4	5350.000	57.83	1.08	58.91	74.00	-15.09	peak
5	5381.280	60.85	1.37	62.22	74.00	-11.78	peak


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5095.200	61.68	1.33	63.01	74.00	-10.99	peak
2	5150.000	59.87	1.42	61.29	74.00	-12.71	peak
3*	5219.040	101.67	1.20	102.87	68.20	34.67	peak
4	5350.000	56.90	1.08	57.98	74.00	-16.02	peak
5	5377.440	59.92	1.34	61.26	74.00	-12.74	peak


Average

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5143.720	51.48	1.41	52.89	54.00	-1.11	AVG
2	5150.000	51.39	1.42	52.81	54.00	-1.19	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5110.280	51.09	1.37	52.46	54.00	-1.54	AVG
2	5150.000	50.97	1.42	52.39	54.00	-1.61	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5144.160	51.55	1.41	52.96	54.00	-1.04	AVG
2	5150.000	51.44	1.42	52.86	54.00	-1.14	AVG
3	5350.000	48.68	1.08	49.76	54.00	-4.24	AVG
4	5360.160	49.48	1.18	50.66	54.00	-3.34	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.200	51.45	1.41	52.86	54.00	-1.14	AVG
2*	5150.000	51.46	1.42	52.88	54.00	-1.12	AVG
3	5350.000	48.39	1.08	49.47	54.00	-4.53	AVG
4	5364.000	49.41	1.21	50.62	54.00	-3.38	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5116.320	51.51	1.37	52.88	54.00	-1.12	AVG
2	5150.000	50.83	1.42	52.25	54.00	-1.75	AVG
3	5350.000	49.07	1.08	50.15	54.00	-3.85	AVG
4	5351.520	49.27	1.09	50.36	54.00	-3.64	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5142.240	51.37	1.41	52.78	54.00	-1.22	AVG
2	5150.000	50.68	1.42	52.10	54.00	-1.90	AVG
3	5350.000	49.20	1.08	50.28	54.00	-3.72	AVG
4	5358.240	49.54	1.16	50.70	54.00	-3.30	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5146.080	51.44	1.42	52.86	54.00	-1.14	AVG
2	5150.000	50.93	1.42	52.35	54.00	-1.65	AVG
3	5350.000	49.41	1.08	50.49	54.00	-3.51	AVG
4	5357.280	49.61	1.15	50.76	54.00	-3.24	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5139.360	51.40	1.40	52.80	54.00	-1.20	AVG
2	5150.000	50.72	1.42	52.14	54.00	-1.86	AVG
3	5350.000	49.08	1.08	50.16	54.00	-3.84	AVG
4	5353.440	49.55	1.11	50.66	54.00	-3.34	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5119.200	51.50	1.38	52.88	54.00	-1.12	AVG
2	5150.000	50.75	1.42	52.17	54.00	-1.83	AVG
3	5350.000	49.92	1.08	51.00	54.00	-3.00	AVG
4	5361.120	50.44	1.19	51.63	54.00	-2.37	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5138.400	51.55	1.40	52.95	54.00	-1.05	AVG
2	5150.000	50.54	1.42	51.96	54.00	-2.04	AVG
3	5350.000	49.81	1.08	50.89	54.00	-3.11	AVG
4	5354.400	50.59	1.13	51.72	54.00	-2.28	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	51.16	1.08	52.24	54.00	-1.76	AVG
2*	5351.280	51.76	1.09	52.85	54.00	-1.15	AVG


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.25	1.08	51.33	54.00	-2.67	AVG
2	5350.800	50.00	1.09	51.09	54.00	-2.91	AVG




Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5149.040	51.44	1.42	52.86	54.00	-1.14	AVG
2	5150.000	51.44	1.42	52.86	54.00	-1.14	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5149.040	50.44	1.42	51.86	54.00	-2.14	AVG
2	5150.000	50.33	1.42	51.75	54.00	-2.25	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	47.89	1.08	48.97	54.00	-5.03	AVG
2	5364.960	48.28	1.22	49.50	54.00	-4.50	AVG
3*	5150.000	51.20	1.42	52.62	54.00	-1.38	AVG
4	5143.200	50.95	1.41	52.36	54.00	-1.64	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5144.160	51.58	1.41	52.99	54.00	-1.01	AVG
2	5150.000	51.24	1.42	52.66	54.00	-1.34	AVG
3	5350.000	47.84	1.08	48.92	54.00	-5.08	AVG
4	5364.960	48.45	1.22	49.67	54.00	-4.33	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	51.36	1.41	52.77	54.00	-1.23	AVG
2*	5150.000	51.57	1.42	52.99	54.00	-1.01	AVG
3	5350.000	49.47	1.08	50.55	54.00	-3.45	AVG
4	5356.320	49.52	1.14	50.66	54.00	-3.34	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	51.36	1.42	52.78	54.00	-1.22	AVG
2*	5150.000	51.42	1.42	52.84	54.00	-1.16	AVG
3	5350.000	49.18	1.08	50.26	54.00	-3.74	AVG
4	5353.440	49.37	1.11	50.48	54.00	-3.52	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	51.33	1.42	52.75	54.00	-1.25	AVG
2	5350.000	51.34	1.08	52.42	54.00	-1.58	AVG
3	5353.440	51.14	1.11	52.25	54.00	-1.75	AVG
4*	5141.280	51.59	1.40	52.99	54.00	-1.01	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5144.160	51.41	1.41	52.82	54.00	-1.18	AVG
2	5150.000	51.32	1.42	52.74	54.00	-1.26	AVG
3	5350.000	51.15	1.08	52.23	54.00	-1.77	AVG
4	5351.520	50.75	1.09	51.84	54.00	-2.16	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5125.920	51.17	1.39	52.56	54.00	-1.44	AVG
2	5150.000	50.82	1.42	52.24	54.00	-1.76	AVG
3	5350.000	51.67	1.08	52.75	54.00	-1.25	AVG
4*	5356.320	51.80	1.14	52.94	54.00	-1.06	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5112.480	51.46	1.37	52.83	54.00	-1.17	AVG
2	5150.000	50.89	1.42	52.31	54.00	-1.69	AVG
3	5350.000	51.52	1.08	52.60	54.00	-1.40	AVG
4	5353.440	51.33	1.11	52.44	54.00	-1.56	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.65	1.08	52.73	54.00	-1.27	AVG
2	5350.320	51.65	1.08	52.73	54.00	-1.27	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.35	1.08	50.43	54.00	-3.57	AVG
2	5351.520	49.27	1.09	50.36	54.00	-3.64	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	51.11	1.42	52.53	54.00	-1.47	AVG
2*	5150.000	51.20	1.42	52.62	54.00	-1.38	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5149.040	50.50	1.42	51.92	54.00	-2.08	AVG
2	5150.000	50.45	1.42	51.87	54.00	-2.13	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5140.320	51.19	1.40	52.59	54.00	-1.41	AVG
2*	5150.000	51.48	1.42	52.90	54.00	-1.10	AVG
3	5350.000	48.40	1.08	49.48	54.00	-4.52	AVG
4	5362.080	48.42	1.20	49.62	54.00	-4.38	AVG


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5136.480	51.19	1.40	52.59	54.00	-1.41	AVG
2*	5150.000	51.44	1.42	52.86	54.00	-1.14	AVG
3	5350.000	48.45	1.08	49.53	54.00	-4.47	AVG
4	5361.120	48.45	1.19	49.64	54.00	-4.36	AVG




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5123.040	51.03	1.38	52.41	54.00	-1.59	AVG
2	5150.000	50.87	1.42	52.29	54.00	-1.71	AVG
3	5350.000	51.15	1.08	52.23	54.00	-1.77	AVG
4*	5351.520	51.62	1.09	52.71	54.00	-1.29	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	51.16	1.42	52.58	54.00	-1.42	AVG
2	5150.000	50.55	1.42	51.97	54.00	-2.03	AVG
3*	5350.000	51.85	1.08	52.93	54.00	-1.07	AVG
4	5351.520	51.06	1.09	52.15	54.00	-1.85	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.60	1.08	52.68	54.00	-1.32	AVG
2	5350.560	51.45	1.08	52.53	54.00	-1.47	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.86	1.08	50.94	54.00	-3.06	AVG
2	5350.320	49.74	1.08	50.82	54.00	-3.18	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5145.240	51.48	1.41	52.89	54.00	-1.11	AVG
2	5150.000	51.36	1.42	52.78	54.00	-1.22	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5148.280	50.64	1.42	52.06	54.00	-1.94	AVG
2	5150.000	50.34	1.42	51.76	54.00	-2.24	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	51.81	1.08	52.89	54.00	-1.11	AVG
2*	5352.000	51.84	1.10	52.94	54.00	-1.06	AVG


Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.43	1.08	51.51	54.00	-2.49	AVG
2	5350.560	50.37	1.08	51.45	54.00	-2.55	AVG




Standard:	Part 15E	Test Site:	Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5141.280	51.52	1.40	52.92	54.00	-1.08	AVG
2	5150.000	50.96	1.42	52.38	54.00	-1.62	AVG
3	5350.000	49.26	1.08	50.34	54.00	-3.66	AVG
4	5357.280	49.45	1.15	50.60	54.00	-3.40	AVG

Standard:	Part 15E	Test Site:	Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5119.200	51.35	1.38	52.73	54.00	-1.27	AVG
2	5150.000	50.46	1.42	51.88	54.00	-2.12	AVG
3	5350.000	48.47	1.08	49.55	54.00	-4.45	AVG
4	5359.200	49.27	1.17	50.44	54.00	-3.56	AVG