


MIMO High Band_B2C & B3 2X2

Harmonic


Above 1 GHz

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	34.10	14.73	48.83	74.00	-25.17	peak
2*	16500.000	31.07	17.77	48.84	68.20	-19.36	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	34.62	14.73	49.35	74.00	-24.65	peak
2*	16500.000	32.03	17.77	49.80	68.20	-18.40	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	34.20	14.79	48.99	74.00	-25.01	peak
2*	16680.000	32.15	18.61	50.76	68.20	-17.44	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	34.01	14.79	48.80	74.00	-25.20	peak
2*	16680.000	31.95	18.61	50.56	68.20	-17.64	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	34.40	15.07	49.47	74.00	-24.53	peak
2*	17100.000	32.47	20.64	53.11	68.20	-15.09	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	33.22	15.07	48.29	74.00	-25.71	peak
2*	17100.000	31.68	20.64	52.32	68.20	-15.88	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	33.39	15.23	48.62	74.00	-25.38	peak
2*	17160.000	32.82	21.25	54.07	68.20	-14.13	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	35.27	15.23	50.50	74.00	-23.50	peak
2*	17160.000	31.92	21.25	53.17	68.20	-15.03	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	34.99	15.42	50.41	74.00	-23.59	peak
2*	17235.000	31.81	22.01	53.82	68.20	-14.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	32.84	15.42	48.26	74.00	-25.74	peak
2*	17235.000	32.28	22.01	54.29	68.20	-13.91	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.96	15.21	48.17	74.00	-25.83	peak
2*	17355.000	31.67	22.96	54.63	68.20	-13.57	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	33.90	15.21	49.11	74.00	-24.89	peak
2*	17355.000	31.91	22.96	54.87	68.20	-13.33	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	33.33	15.04	48.37	74.00	-25.63	peak
2*	17475.000	32.96	23.95	56.91	68.20	-11.29	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	34.05	15.04	49.09	74.00	-24.91	peak
2*	17475.000	32.49	23.95	56.44	68.20	-11.76	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.13	14.73	46.86	74.00	-27.14	peak
2*	16500.000	32.24	17.77	50.01	68.20	-18.19	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	31.69	14.73	46.42	74.00	-27.58	peak
2*	16500.000	30.65	17.77	48.42	68.20	-19.78	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	32.86	14.79	47.65	74.00	-26.35	peak
2*	16680.000	31.34	18.61	49.95	68.20	-18.25	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	32.44	14.79	47.23	74.00	-26.77	peak
2*	16680.000	31.69	18.61	50.30	68.20	-17.90	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	31.50	15.07	46.57	74.00	-27.43	peak
2*	17100.000	31.00	20.64	51.64	68.20	-16.56	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	32.64	15.07	47.71	74.00	-26.29	peak
2*	17100.000	31.29	20.64	51.93	68.20	-16.27	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.70	15.23	47.93	74.00	-26.07	peak
2*	17160.000	31.70	21.25	52.95	68.20	-15.25	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.35	15.23	47.58	74.00	-26.42	peak
2*	17160.000	31.07	21.25	52.32	68.20	-15.88	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	32.53	15.42	47.95	74.00	-26.05	peak
2*	17235.000	30.41	22.01	52.42	68.20	-15.78	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	33.27	15.42	48.69	74.00	-25.31	peak
2*	17235.000	30.29	22.01	52.30	68.20	-15.90	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.36	15.21	47.57	74.00	-26.43	peak
2*	17355.000	31.84	22.96	54.80	68.20	-13.40	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.73	15.21	47.94	74.00	-26.06	peak
2*	17355.000	31.18	22.96	54.14	68.20	-14.06	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	32.57	15.04	47.61	74.00	-26.39	peak
2*	17475.000	31.56	23.95	55.51	68.20	-12.69	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	32.26	15.04	47.30	74.00	-26.70	peak
2*	17475.000	31.70	23.95	55.65	68.20	-12.55	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	33.14	14.75	47.89	74.00	-26.11	peak
2*	16530.000	31.53	17.92	49.45	68.20	-18.75	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	33.87	14.75	48.62	74.00	-25.38	peak
2*	16530.000	31.67	17.92	49.59	68.20	-18.61	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	32.95	14.82	47.77	74.00	-26.23	peak
2*	16650.000	30.78	18.49	49.27	68.20	-18.93	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	33.37	14.82	48.19	74.00	-25.81	peak
2*	16650.000	30.92	18.49	49.41	68.20	-18.79	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	33.40	14.84	48.24	74.00	-25.76	peak
2*	17010.000	31.52	20.09	51.61	68.20	-16.59	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	32.78	14.84	47.62	74.00	-26.38	peak
2*	17010.000	31.98	20.09	52.07	68.20	-16.13	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	32.05	15.15	47.20	74.00	-26.80	peak
2*	17130.000	32.36	20.95	53.31	68.20	-14.89	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	32.64	15.15	47.79	74.00	-26.21	peak
2*	17130.000	31.91	20.95	52.86	68.20	-15.34	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	33.28	15.42	48.70	74.00	-25.30	peak
2*	17265.000	31.72	22.32	54.04	68.20	-14.16	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	33.02	15.42	48.44	74.00	-25.56	peak
2*	17265.000	31.40	22.32	53.72	68.20	-14.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	33.03	15.14	48.17	74.00	-25.83	peak
2*	17385.000	30.50	23.11	53.61	68.20	-14.59	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	33.67	15.14	48.81	74.00	-25.19	peak
2*	17385.000	30.86	23.11	53.97	68.20	-14.23	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	33.19	14.78	47.97	74.00	-26.03	peak
2*	16590.000	30.78	18.23	49.01	68.20	-19.19	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	32.41	14.78	47.19	74.00	-26.81	peak
2*	16590.000	30.95	18.23	49.18	68.20	-19.02	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	33.45	14.70	48.15	74.00	-25.85	peak
2*	16830.000	30.50	19.36	49.86	68.20	-18.34	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	32.53	14.70	47.23	74.00	-26.77	peak
2*	16830.000	31.04	19.36	50.40	68.20	-17.80	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	32.36	15.00	47.36	74.00	-26.64	peak
2*	17070.000	29.98	20.46	50.44	68.20	-17.76	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	32.85	15.00	47.85	74.00	-26.15	peak
2*	17070.000	32.33	20.46	52.79	68.20	-15.41	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	31.92	15.28	47.20	74.00	-26.80	peak
2*	17325.000	30.28	22.79	53.07	68.20	-15.13	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	32.83	15.28	48.11	74.00	-25.89	peak
2*	17325.000	31.53	22.79	54.32	68.20	-13.88	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11140.000	30.32	14.77	45.09	74.00	-28.91	peak
2*	16710.000	30.02	18.74	48.76	68.20	-19.44	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11140.000	30.26	14.77	45.03	74.00	-28.97	peak
2*	16710.000	30.36	18.74	49.10	68.20	-19.10	peak

Band Edge


Peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5440.960	58.97	1.68	60.65	74.00	-13.35	peak
2	5460.000	56.22	1.73	57.95	74.00	-16.05	peak
3	5468.560	64.58	1.74	66.32	68.20	-1.88	peak
4	5470.000	63.44	1.74	65.18	68.20	-3.02	peak
5*	5494.720	113.63	1.78	115.41	68.20	47.21	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.160	58.29	1.72	60.01	74.00	-13.99	peak
2	5460.000	55.91	1.73	57.64	74.00	-16.36	peak
3	5469.280	64.93	1.74	66.67	68.20	-1.53	peak
4	5470.000	59.54	1.74	61.28	68.20	-6.92	peak
5*	5496.400	110.36	1.78	112.14	68.20	43.94	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.100	64.31	1.72	66.03	74.00	-7.97	peak
2	5460.000	60.75	1.73	62.48	74.00	-11.52	peak
3	5470.000	62.36	1.74	64.10	68.20	-4.10	peak
4*	5555.700	122.46	2.05	124.51	68.20	56.31	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5452.425	63.95	1.72	65.67	74.00	-8.33	peak
2	5460.000	60.88	1.73	62.61	74.00	-11.39	peak
3	5470.000	63.98	1.74	65.72	68.20	-2.48	peak
4*	5560.375	123.18	2.04	125.22	68.20	57.02	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5695.830	114.91	2.05	116.96	68.20	48.76	peak
2	5725.000	62.33	2.30	64.63	68.20	-3.57	peak
3	5726.860	64.72	2.31	67.03	68.20	-1.17	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5706.705	112.48	2.13	114.61	68.20	46.41	peak
2	5725.000	60.31	2.30	62.61	68.20	-5.59	peak
3	5737.445	60.86	2.42	63.28	68.20	-4.92	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5450.000	58.77	1.71	60.48	74.00	-13.52	peak
2	5460.000	56.47	1.73	58.20	74.00	-15.80	peak
3	5470.000	56.30	1.74	58.04	68.20	-10.16	peak
4*	5720.625	120.51	2.27	122.78	68.20	54.58	peak
5	5850.000	57.77	2.98	60.75	68.20	-7.45	peak
6	5858.750	59.79	3.02	62.81	68.20	-5.39	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5421.875	57.76	1.61	59.37	74.00	-14.63	peak
2	5460.000	55.82	1.73	57.55	74.00	-16.45	peak
3	5470.000	58.20	1.74	59.94	68.20	-8.26	peak
4*	5716.250	121.34	2.23	123.57	68.20	55.37	peak
5	5850.000	56.94	2.98	59.92	68.20	-8.28	peak
6	5912.500	59.11	3.13	62.24	68.20	-5.96	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5640.875	63.44	1.92	65.36	68.20	-2.84	peak
2!	5650.000	61.63	1.90	63.53	68.20	-4.67	peak
3	5700.000	76.17	2.06	78.23	105.20	-26.97	peak
4	5720.000	85.74	2.26	88.00	110.80	-22.80	peak
5	5725.000	95.08	2.30	97.38	122.20	-24.82	peak
6	5740.625	122.28	2.44	124.72	131.20	-6.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5745 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5636.750	60.91	1.93	62.84	68.20	-5.36	peak
2	5650.000	59.66	1.90	61.56	68.20	-6.64	peak
3	5700.000	70.66	2.06	72.72	105.20	-32.48	peak
4	5720.000	82.36	2.26	84.62	110.80	-26.18	peak
5	5725.000	91.48	2.30	93.78	122.20	-28.42	peak
6	5741.375	118.98	2.45	121.43	131.20	-9.77	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5639.000	61.11	1.92	63.03	68.20	-5.17	peak
2	5650.000	58.52	1.90	60.42	68.20	-7.78	peak
3	5700.000	66.24	2.06	68.30	105.20	-36.90	peak
4	5720.000	72.38	2.26	74.64	110.80	-36.16	peak
5	5725.000	78.19	2.30	80.49	122.20	-41.71	peak
6	5780.750	122.63	2.70	125.33	131.20	-5.87	peak
7	5850.000	70.85	2.98	73.83	122.20	-48.37	peak
8	5855.000	70.60	3.01	73.61	110.80	-37.19	peak
9	5875.000	58.74	3.07	61.81	105.20	-43.39	peak
10	5925.000	57.42	3.10	60.52	68.20	-7.68	peak
11!	5951.000	59.46	3.02	62.48	68.20	-5.72	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5609.750	60.98	2.00	62.98	68.20	-5.22	peak
2	5650.000	59.00	1.90	60.90	68.20	-7.30	peak
3	5700.000	62.75	2.06	64.81	105.20	-40.39	peak
4	5720.000	71.52	2.26	73.78	110.80	-37.02	peak
5	5725.000	74.40	2.30	76.70	122.20	-45.50	peak
6	5786.000	119.95	2.74	122.69	131.20	-8.51	peak
7	5850.000	70.98	2.98	73.96	122.20	-48.24	peak
8	5855.000	68.44	3.01	71.45	110.80	-39.35	peak
9	5875.000	58.09	3.07	61.16	105.20	-44.04	peak
10	5925.000	58.33	3.10	61.43	68.20	-6.77	peak
11	5945.375	58.77	3.04	61.81	68.20	-6.39	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5821.625	120.94	2.88	123.82	131.20	-7.38	peak
2	5850.000	90.25	2.98	93.23	122.20	-28.97	peak
3	5855.000	84.91	3.01	87.92	110.80	-22.88	peak
4	5875.000	70.29	3.07	73.36	105.20	-31.84	peak
5	5925.000	58.16	3.10	61.26	68.20	-6.94	peak
6*	5959.250	58.62	3.08	61.70	68.20	-6.50	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5822.000	119.07	2.88	121.95	131.20	-9.25	peak
2	5850.000	90.51	2.98	93.49	122.20	-28.71	peak
3	5855.000	83.80	3.01	86.81	110.80	-23.99	peak
4	5875.000	69.98	3.07	73.05	105.20	-32.15	peak
5	5925.000	56.12	3.10	59.22	68.20	-8.98	Peak
6*	5955.500	58.62	3.06	61.68	68.20	-6.52	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5421.040	58.87	1.61	60.48	74.00	-13.52	peak
2	5460.000	56.43	1.73	58.16	74.00	-15.84	peak
3	5470.000	64.75	1.74	66.49	68.20	-1.71	peak
4*	5507.680	113.29	1.83	115.12	68.20	46.92	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5438.320	58.75	1.68	60.43	74.00	-13.57	peak
2	5460.000	58.79	1.73	60.52	74.00	-13.48	peak
3	5463.760	61.82	1.73	63.55	68.20	-4.65	peak
4	5467.120	63.72	1.74	65.46	68.20	-2.74	peak
5	5470.000	59.04	1.74	60.78	68.20	-7.42	peak
6*	5507.920	110.57	1.83	112.40	68.20	44.20	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.950	64.69	1.72	66.41	74.00	-7.59	peak
2	5460.000	62.51	1.73	64.24	74.00	-9.76	peak
3	5470.000	62.29	1.74	64.03	68.20	-4.17	peak
4*	5555.700	122.02	2.05	124.07	68.20	55.87	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5450.725	62.50	1.71	64.21	74.00	-9.79	peak
2	5460.000	60.13	1.73	61.86	74.00	-12.14	peak
3	5464.325	64.59	1.73	66.32	68.20	-1.88	peak
4	5470.000	65.31	1.74	67.05	68.20	-1.15	peak
5*	5555.700	120.66	2.05	122.71	68.20	54.51	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5695.395	113.55	2.05	115.60	68.20	47.40	peak
2	5725.000	62.07	2.30	64.37	68.20	-3.83	peak
3	5726.425	64.35	2.31	66.66	68.20	-1.54	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5703.225	111.91	2.11	114.02	68.20	45.82	peak
2	5725.000	59.45	2.30	61.75	68.20	-6.45	peak
3	5727.875	64.54	2.32	66.86	68.20	-1.34	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5440.625	58.02	1.68	59.70	74.00	-14.30	peak
2	5460.000	56.46	1.73	58.19	74.00	-15.81	peak
3	5470.000	56.81	1.74	58.55	68.20	-9.65	peak
4*	5715.625	121.57	2.23	123.80	68.20	55.60	peak
5	5850.000	57.88	2.98	60.86	68.20	-7.34	peak
6	5860.625	60.06	3.02	63.08	68.20	-5.12	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5450.625	58.21	1.71	59.92	74.00	-14.08	peak
2	5460.000	55.71	1.73	57.44	74.00	-16.56	peak
3	5470.000	56.50	1.74	58.24	68.20	-9.96	peak
4*	5725.625	118.93	2.30	121.23	68.20	53.03	peak
5	5850.000	57.62	2.98	60.60	68.20	-7.60	peak
6	5857.500	59.30	3.01	62.31	68.20	-5.89	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5640.125	64.98	1.92	66.90	68.20	-1.30	peak
2*	5648.375	65.51	1.91	67.42	68.20	-0.78	peak
3!	5650.000	60.96	1.90	62.86	68.20	-5.34	peak
4	5700.000	80.66	2.06	82.72	105.20	-22.48	peak
5	5720.000	93.54	2.26	95.80	110.80	-15.00	peak
6	5725.000	97.95	2.30	100.25	122.20	-21.95	peak
7	5740.250	121.38	2.44	123.82	131.20	-7.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5639.750	64.14	1.92	66.06	68.20	-2.14	peak
2!	5650.000	62.73	1.90	64.63	68.20	-3.57	peak
3	5700.000	77.32	2.06	79.38	105.20	-25.82	peak
4	5720.000	93.77	2.26	96.03	110.80	-14.77	peak
5	5725.000	96.53	2.30	98.83	122.20	-23.37	peak
6	5748.500	119.81	2.53	122.34	131.20	-8.86	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5609.375	61.11	2.00	63.11	68.20	-5.09	peak
2	5650.000	59.66	1.90	61.56	68.20	-6.64	peak
3	5700.000	63.79	2.06	65.85	105.20	-39.35	peak
4	5720.000	72.30	2.26	74.56	110.80	-36.24	peak
5	5725.000	74.30	2.30	76.60	122.20	-45.60	peak
6	5781.125	121.87	2.70	124.57	131.20	-6.63	peak
7	5850.000	70.85	2.98	73.83	122.20	-48.37	peak
8	5855.000	71.02	3.01	74.03	110.80	-36.77	peak
9	5875.000	59.06	3.07	62.13	105.20	-43.07	peak
10	5925.000	56.01	3.10	59.11	68.20	-9.09	peak
11	5934.125	58.71	3.06	61.77	68.20	-6.43	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5603.000	60.81	2.01	62.82	68.20	-5.38	peak
2	5650.000	58.84	1.90	60.74	68.20	-7.46	peak
3	5700.000	64.24	2.06	66.30	105.20	-38.90	peak
4	5720.000	71.57	2.26	73.83	110.80	-36.97	peak
5	5725.000	73.25	2.30	75.55	122.20	-46.65	peak
6	5783.750	118.96	2.72	121.68	131.20	-9.52	peak
7	5850.000	71.32	2.98	74.30	122.20	-47.90	peak
8	5855.000	69.43	3.01	72.44	110.80	-38.36	peak
9	5875.000	59.30	3.07	62.37	105.20	-42.83	peak
10	5925.000	55.44	3.10	58.54	68.20	-9.66	peak
11!	5946.125	59.69	3.04	62.73	68.20	-5.47	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5821.250	117.91	2.88	120.79	131.20	-10.41	peak
2	5850.000	94.71	2.98	97.69	122.20	-24.51	peak
3	5855.000	84.37	3.01	87.38	110.80	-23.42	peak
4	5875.000	70.54	3.07	73.61	105.20	-31.59	peak
5	5925.000	56.93	3.10	60.03	68.20	-8.17	peak
6*	5951.750	58.61	3.05	61.66	68.20	-6.54	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5820.875	118.11	2.88	120.99	131.20	-10.21	peak
2	5850.000	89.30	2.98	92.28	122.20	-29.92	peak
3	5855.000	84.24	3.01	87.25	110.80	-23.55	peak
4	5875.000	71.46	3.07	74.53	105.20	-30.67	peak
5	5925.000	57.51	3.10	60.61	68.20	-7.59	peak
6*	5972.750	59.74	3.15	62.89	68.20	-5.31	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.760	61.80	1.72	63.52	74.00	-10.48	peak
2	5460.000	56.61	1.73	58.34	74.00	-15.66	peak
3	5462.800	60.57	1.73	62.30	68.20	-5.90	peak
4	5466.160	62.70	1.74	64.44	68.20	-3.76	peak
5	5468.320	64.34	1.74	66.08	68.20	-2.12	peak
6	5470.000	58.48	1.74	60.22	68.20	-7.98	peak
7*	5527.360	109.93	1.93	111.86	68.20	43.66	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.160	59.33	1.72	61.05	74.00	-12.95	peak
2	5460.000	57.05	1.73	58.78	74.00	-15.22	peak
3	5463.040	62.15	1.73	63.88	68.20	-4.32	peak
4	5466.160	61.45	1.74	63.19	68.20	-5.01	peak
5	5470.000	58.71	1.74	60.45	68.20	-7.75	peak
6*	5523.040	106.36	1.91	108.27	68.20	40.07	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.125	59.83	1.72	61.55	74.00	-12.45	peak
2	5460.000	59.15	1.73	60.88	74.00	-13.12	peak
3	5464.325	62.89	1.73	64.62	68.20	-3.58	peak
4	5470.000	59.86	1.74	61.60	68.20	-6.60	peak
5*	5556.975	115.48	2.05	117.53	68.20	49.33	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5442.650	58.98	1.70	60.68	74.00	-13.32	peak
2	5460.000	57.17	1.73	58.90	74.00	-15.10	peak
3	5470.000	59.95	1.74	61.69	68.20	-6.51	peak
4*	5542.525	113.43	2.01	115.44	68.20	47.24	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5662.915	112.10	1.95	114.05	68.20	45.85	peak
2	5725.000	59.86	2.30	62.16	68.20	-6.04	peak
3	5725.990	64.70	2.31	67.01	68.20	-1.19	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5660.740	109.81	1.94	111.75	68.20	43.55	peak
2	5725.000	63.63	2.30	65.93	68.20	-2.27	peak
3	5732.370	61.76	2.38	64.14	68.20	-4.06	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5421.250	59.06	1.61	60.67	74.00	-13.33	peak
2	5460.000	58.04	1.73	59.77	74.00	-14.23	peak
3	5470.000	58.25	1.74	59.99	68.20	-8.21	peak
4*	5697.500	117.70	2.05	119.75	68.20	51.55	peak
5	5850.000	59.91	2.98	62.89	68.20	-5.31	peak
6	5858.125	63.74	3.02	66.76	68.20	-1.44	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.375	59.02	1.72	60.74	74.00	-13.26	peak
2	5460.000	55.08	1.73	56.81	74.00	-17.19	peak
3	5470.000	56.33	1.74	58.07	68.20	-10.13	peak
4*	5700.625	113.79	2.07	115.86	68.20	47.66	peak
5	5850.000	59.58	2.98	62.56	68.20	-5.64	peak
6	5870.000	59.30	3.06	62.36	68.20	-5.84	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5648.000	63.50	1.91	65.41	68.20	-2.79	peak
2	5650.000	60.16	1.90	62.06	68.20	-6.14	peak
3*	5651.000	66.53	1.90	68.43	68.94	-0.51	peak
4!	5660.375	69.93	1.94	71.87	75.88	-4.01	peak
5	5700.000	72.94	2.06	75.00	105.20	-30.20	peak
6	5720.000	90.65	2.26	92.91	110.80	-17.89	peak
7	5725.000	89.59	2.30	91.89	122.20	-30.31	peak
8	5749.625	115.83	2.54	118.37	131.20	-12.83	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5636.750	62.11	1.93	64.04	68.20	-4.16	peak
2	5650.000	59.78	1.90	61.68	68.20	-6.52	peak
3	5700.000	70.66	2.06	72.72	105.20	-32.48	peak
4	5720.000	84.07	2.26	86.33	110.80	-24.47	peak
5	5725.000	84.69	2.30	86.99	122.20	-35.21	peak
6	5743.625	114.43	2.49	116.92	131.20	-14.28	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5646.875	65.11	1.91	67.02	68.20	-1.18	peak
2!	5650.000	60.54	1.90	62.44	68.20	-5.76	peak
3	5700.000	71.48	2.06	73.54	105.20	-31.66	peak
4	5720.000	74.01	2.26	76.27	110.80	-34.53	peak
5	5725.000	75.06	2.30	77.36	122.20	-44.84	peak
6	5784.125	115.56	2.72	118.28	131.20	-12.92	peak
7	5850.000	86.33	2.98	89.31	122.20	-32.89	peak
8	5855.000	80.46	3.01	83.47	110.80	-27.33	peak
9	5875.000	70.25	3.07	73.32	105.20	-31.88	peak
10	5925.000	58.18	3.10	61.28	68.20	-6.92	peak
11	5948.750	58.68	3.03	61.71	68.20	-6.49	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5646.500	64.46	1.91	66.37	68.20	-1.83	peak
2!	5650.000	62.75	1.90	64.65	68.20	-3.55	peak
3	5700.000	70.82	2.06	72.88	105.20	-32.32	peak
4	5720.000	77.18	2.26	79.44	110.80	-31.36	peak
5	5725.000	79.08	2.30	81.38	122.20	-40.82	peak
6	5800.625	115.91	2.82	118.73	131.20	-12.47	peak
7	5850.000	86.42	2.98	89.40	122.20	-32.80	peak
8	5855.000	80.10	3.01	83.11	110.80	-27.69	peak
9	5875.000	72.97	3.07	76.04	105.20	-29.16	peak
10	5925.000	56.81	3.10	59.91	68.20	-8.29	peak
11!	5938.250	59.35	3.07	62.42	68.20	-5.78	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.840	63.52	1.72	65.24	74.00	-8.76	peak
2	5460.000	60.18	1.73	61.91	74.00	-12.09	peak
3	5465.440	62.95	1.74	64.69	68.20	-3.51	peak
4	5468.080	64.53	1.74	66.27	68.20	-1.93	peak
5	5470.000	61.17	1.74	62.91	68.20	-5.29	peak
6*	5539.840	110.67	2.00	112.67	68.20	44.47	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.080	62.24	1.72	63.96	74.00	-10.04	peak
2	5460.000	57.88	1.73	59.61	74.00	-14.39	peak
3	5463.760	60.52	1.73	62.25	68.20	-5.95	peak
4	5465.680	61.84	1.74	63.58	68.20	-4.62	peak
5	5470.000	57.80	1.74	59.54	68.20	-8.66	peak
6*	5547.760	106.28	2.03	108.31	68.20	40.11	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.100	57.65	1.72	59.37	74.00	-14.63	peak
2	5460.000	56.00	1.73	57.73	74.00	-16.27	peak
3	5470.000	58.30	1.74	60.04	68.20	-8.16	peak
4*	5620.300	111.54	1.98	113.52	68.20	45.32	peak
5	5725.000	61.63	2.30	63.93	68.20	-4.27	peak
6	5732.925	64.34	2.38	66.72	68.20	-1.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5439.675	58.92	1.68	60.60	74.00	-13.40	peak
2	5460.000	55.83	1.73	57.56	74.00	-16.44	peak
3	5470.000	55.99	1.74	57.73	68.20	-10.47	peak
4*	5605.425	106.74	2.02	108.76	68.20	40.56	peak
5	5725.000	60.15	2.30	62.45	68.20	-5.75	peak
6	5743.975	61.21	2.49	63.70	68.20	-4.50	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5433.750	57.68	1.66	59.34	74.00	-14.66	peak
2	5460.000	56.50	1.73	58.23	74.00	-15.77	peak
3	5470.000	57.49	1.74	59.23	68.20	-8.97	peak
4*	5660.625	111.12	1.94	113.06	68.20	44.86	peak
5	5850.000	59.62	2.98	62.60	68.20	-5.60	peak
6	5855.625	63.91	3.01	66.92	68.20	-1.28	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.375	58.30	1.72	60.02	74.00	-13.98	peak
2	5460.000	56.51	1.73	58.24	74.00	-15.76	peak
3	5470.000	56.17	1.74	57.91	68.20	-10.29	peak
4*	5726.250	107.72	2.31	110.03	68.20	41.83	peak
5	5850.000	57.64	2.98	60.62	68.20	-7.58	peak
6	5911.875	58.87	3.13	62.00	68.20	-6.20	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5647.625	63.08	1.91	64.99	68.20	-3.21	peak
2!	5650.000	60.65	1.90	62.55	68.20	-5.65	peak
3	5700.000	72.61	2.06	74.67	105.20	-30.53	peak
4	5720.000	74.97	2.26	77.23	110.80	-33.57	peak
5	5725.000	73.83	2.30	76.13	122.20	-46.07	peak
6	5780.750	109.29	2.70	111.99	131.20	-19.21	peak
7	5850.000	68.94	2.98	71.92	122.20	-50.28	peak
8	5855.000	70.45	3.01	73.46	110.80	-37.34	peak
9	5875.000	60.15	3.07	63.22	105.20	-41.98	peak
10	5925.000	55.54	3.10	58.64	68.20	-9.56	peak
11	5929.250	58.87	3.08	61.95	68.20	-6.25	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5642.750	62.71	1.91	64.62	68.20	-3.58	peak
2	5650.000	60.16	1.90	62.06	68.20	-6.14	peak
3	5700.000	67.98	2.06	70.04	105.20	-35.16	peak
4	5720.000	71.30	2.26	73.56	110.80	-37.24	peak
5	5725.000	76.29	2.30	78.59	122.20	-43.61	peak
6	5773.250	108.18	2.67	110.85	131.20	-20.35	peak
7	5850.000	71.07	2.98	74.05	122.20	-48.15	peak
8	5855.000	67.93	3.01	70.94	110.80	-39.86	peak
9	5875.000	59.07	3.07	62.14	105.20	-43.06	peak
10	5925.000	56.76	3.10	59.86	68.20	-8.34	peak
11	5927.375	58.93	3.09	62.02	68.20	-6.18	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0	5452.425	60.73	1.72	62.45	74.00	-11.55	peak
1	5460.000	59.05	1.73	60.78	74.00	-13.22	peak
2	5468.150	64.99	1.74	66.73	68.20	-1.47	peak
3	5470.000	64.38	1.74	66.12	68.20	-2.08	peak
4*	5629.650	104.23	1.94	106.17	68.20	37.97	peak
5	5725.000	57.73	2.30	60.03	68.20	-8.17	peak
6	5738.450	60.69	2.43	63.12	68.20	-5.08	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.250	59.96	1.72	61.68	74.00	-12.32	peak
2	5460.000	58.78	1.73	60.51	74.00	-13.49	peak
3	5470.000	58.43	1.74	60.17	68.20	-8.03	peak
4*	5606.700	103.00	2.01	105.01	68.20	36.81	peak
5	5725.000	58.38	2.30	60.68	68.20	-7.52	peak
6	5760.125	60.00	2.60	62.60	68.20	-5.60	peak


Average

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.040	47.90	1.72	49.62	54.00	-4.38	AVG
2	5460.000	47.86	1.73	49.59	54.00	-4.41	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.680	47.26	1.72	48.98	54.00	-5.02	AVG
2	5460.000	47.09	1.73	48.82	54.00	-5.18	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.375	50.15	1.73	51.88	74.00	-22.12	peak
2*	5460.000	50.45	1.73	52.18	74.00	-21.82	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.675	51.16	1.72	52.88	54.00	-1.12	AVG
2*	5460.000	51.25	1.73	52.98	54.00	-1.02	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5446.875	47.82	1.70	49.52	54.00	-4.48	AVG
2*	5460.000	47.82	1.73	49.55	54.00	-4.45	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.750	47.66	1.72	49.38	54.00	-4.62	AVG
2	5460.000	47.43	1.73	49.16	54.00	-4.84	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.760	48.60	1.72	50.32	54.00	-3.68	AVG
2	5460.000	48.31	1.73	50.04	54.00	-3.96	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.080	47.62	1.72	49.34	54.00	-4.66	AVG
2*	5460.000	47.66	1.73	49.39	54.00	-4.61	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.550	51.11	1.72	52.83	54.00	-1.17	AVG
2*	5460.000	51.17	1.73	52.90	54.00	-1.10	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.825	50.50	1.72	52.22	54.00	-1.78	AVG
2*	5460.000	50.78	1.73	52.51	54.00	-1.49	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5451.875	48.09	1.72	49.81	54.00	-4.19	AVG
2*	5460.000	48.31	1.73	50.04	54.00	-3.96	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.000	47.64	1.72	49.36	54.00	-4.64	AVG
2*	5460.000	47.68	1.73	49.41	54.00	-4.59	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.840	47.80	1.72	49.52	54.00	-4.48	AVG
2*	5460.000	47.86	1.73	49.59	54.00	-4.41	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.920	47.46	1.72	49.18	54.00	-4.82	AVG
2	5460.000	47.30	1.73	49.03	54.00	-4.97	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5451.575	49.07	1.72	50.79	54.00	-3.21	AVG
2*	5460.000	49.07	1.73	50.80	54.00	-3.20	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.525	49.92	1.72	51.64	54.00	-2.36	AVG
2	5460.000	49.76	1.73	51.49	54.00	-2.51	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5450.000	48.04	1.71	49.75	54.00	-4.25	AVG
2	5460.000	47.79	1.73	49.52	54.00	-4.48	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5450.000	47.46	1.71	49.17	54.00	-4.83	AVG
2	5460.000	47.43	1.73	49.16	54.00	-4.84	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.000	50.42	1.72	52.14	54.00	-1.86	AVG
2*	5460.000	51.20	1.73	52.93	54.00	-1.07	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.280	48.82	1.72	50.54	54.00	-3.46	AVG
2	5460.000	48.63	1.73	50.36	54.00	-3.64	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.525	48.33	1.72	50.05	54.00	-3.95	AVG
2*	5460.000	48.36	1.73	50.09	54.00	-3.91	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5449.450	47.60	1.71	49.31	54.00	-4.69	AVG
2*	5460.000	47.68	1.73	49.41	54.00	-4.59	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	47.62	1.72	49.34	54.00	-4.66	AVG
2	5460.000	47.30	1.73	49.03	54.00	-4.97	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5452.500	47.18	1.72	48.90	54.00	-5.10	AVG
2	5460.000	47.09	1.73	48.82	54.00	-5.18	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	51.10	1.72	52.82	54.00	-1.18	AVG
2	5460.000	50.77	1.73	52.50	54.00	-1.50	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	49.52	1.72	51.24	54.00	-2.76	AVG
2	5460.000	48.36	1.73	50.09	54.00	-3.91	AVG

Beamforming on_MIMO Low Band B1 & B2A 4X4

Harmonic


Above 1 GHz

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	31.01	13.99	45.00	68.20	-23.20	peak
2	15540.000	30.65	17.31	47.96	74.00	-26.04	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	31.50	13.99	45.49	68.20	-22.71	peak
2	15540.000	31.01	17.31	48.32	74.00	-25.68	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	31.88	14.10	45.98	68.20	-22.22	peak
2	15600.000	30.22	17.01	47.23	74.00	-26.77	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	31.40	14.10	45.50	68.20	-22.70	peak
2	15600.000	30.97	17.01	47.98	74.00	-26.02	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	32.72	14.54	47.26	68.20	-20.94	peak
2	15720.000	31.08	17.34	48.42	74.00	-25.58	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	30.75	14.54	45.29	68.20	-22.91	peak
2	15720.000	31.10	17.34	48.44	74.00	-25.56	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	31.48	14.60	46.08	68.20	-22.12	peak
2	15780.000	32.96	17.10	50.06	74.00	-23.94	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	31.87	14.60	46.47	68.20	-21.73	peak
2	15780.000	31.87	17.10	48.97	74.00	-25.03	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	31.42	14.48	45.90	68.20	-22.30	peak
2	15840.000	30.54	16.90	47.44	74.00	-26.56	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	31.47	14.48	45.95	68.20	-22.25	peak
2	15840.000	31.44	16.90	48.34	74.00	-25.66	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	31.01	14.41	45.42	74.00	-28.58	peak
2*	15960.000	30.61	16.55	47.16	74.00	-26.84	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	32.46	14.41	46.87	74.00	-27.13	peak
2*	15960.000	30.84	16.55	47.39	74.00	-26.61	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	30.97	14.04	45.01	68.20	-23.19	peak
2	15570.000	31.32	17.16	48.48	74.00	-25.52	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	31.63	14.04	45.67	68.20	-22.53	peak
2	15570.000	31.13	17.16	48.29	74.00	-25.71	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	31.82	14.43	46.25	68.20	-21.95	peak
2	15690.000	31.07	17.37	48.44	74.00	-25.56	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	32.49	14.43	46.92	68.20	-21.28	peak
2	15690.000	31.98	17.37	49.35	74.00	-24.65	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	32.53	14.55	47.08	68.20	-21.12	peak
2	15810.000	30.88	17.00	47.88	74.00	-26.12	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	31.72	14.55	46.27	68.20	-21.93	peak
2	15810.000	31.22	17.00	48.22	74.00	-25.78	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	31.69	14.40	46.09	74.00	-27.91	peak
2*	15930.000	30.42	16.64	47.06	74.00	-26.94	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	31.30	14.40	45.70	74.00	-28.30	peak
2*	15930.000	30.22	16.64	46.86	74.00	-27.14	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	31.40	14.20	45.60	68.20	-22.60	peak
2	15630.000	30.67	17.14	47.81	74.00	-26.19	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	31.90	14.20	46.10	68.20	-22.10	peak
2	15630.000	32.79	17.14	49.93	74.00	-24.07	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	32.75	14.43	47.18	68.20	-21.02	peak
2	15870.000	30.31	16.81	47.12	74.00	-26.88	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	32.22	14.43	46.65	68.20	-21.55	peak
2	15870.000	31.24	16.81	48.05	74.00	-25.95	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10500.000	30.94	14.66	45.60	68.20	-22.60	peak
2	15750.000	30.81	17.22	48.03	74.00	-25.97	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10500.000	31.90	14.66	46.56	68.20	-21.64	peak
2	15750.000	31.53	17.22	48.75	74.00	-25.25	peak

Band Edge


Peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	64.82	1.42	66.24	74.00	-7.76	peak
2	5150.000	67.00	1.42	68.42	74.00	-5.58	peak
3*	5185.520	116.87	1.32	118.19	68.20	49.99	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	70.06	1.42	71.48	74.00	-2.52	peak
2	5150.000	66.04	1.42	67.46	74.00	-6.54	peak
3*	5188.560	117.77	1.32	119.09	68.20	50.89	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.480	62.25	1.41	63.66	74.00	-10.34	peak
2	5150.000	60.88	1.42	62.30	74.00	-11.70	peak
3*	5197.680	120.96	1.29	122.25	68.20	54.05	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	62.10	1.42	63.52	74.00	-10.48	peak
2	5150.000	63.20	1.42	64.62	74.00	-9.38	peak
3*	5192.360	119.82	1.31	121.13	68.20	52.93	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	62.55	1.41	63.96	74.00	-10.04	peak
2	5150.000	59.71	1.42	61.13	74.00	-12.87	peak
3*	5246.880	122.74	1.07	123.81	68.20	55.61	peak
4	5350.000	58.56	1.08	59.64	74.00	-14.36	peak
5	5363.040	58.98	1.20	60.18	74.00	-13.82	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5130.720	60.94	1.39	62.33	74.00	-11.67	peak
2	5150.000	61.62	1.42	63.04	74.00	-10.96	peak
3*	5244.000	123.81	1.09	124.90	68.20	56.70	peak
4	5350.000	56.86	1.08	57.94	74.00	-16.06	peak
5	5391.840	58.86	1.47	60.33	74.00	-13.67	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5134.560	60.56	1.40	61.96	74.00	-12.04	peak
2	5150.000	60.33	1.42	61.75	74.00	-12.25	peak
3*	5252.640	124.18	1.04	125.22	68.20	57.02	peak
4	5350.000	61.13	1.08	62.21	74.00	-11.79	peak
5	5357.280	60.20	1.15	61.35	74.00	-12.65	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5138.400	61.80	1.40	63.20	74.00	-10.80	peak
2	5150.000	60.92	1.42	62.34	74.00	-11.66	peak
3*	5260.320	124.86	1.03	125.89	68.20	57.69	peak
4	5350.000	64.90	1.08	65.98	74.00	-8.02	peak
5	5361.120	60.24	1.19	61.43	74.00	-12.57	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5120.160	62.61	1.38	63.99	74.00	-10.01	peak
2	5150.000	58.93	1.42	60.35	74.00	-13.65	peak
3*	5284.320	122.17	0.95	123.12	68.20	54.92	peak
4	5350.000	62.05	1.08	63.13	74.00	-10.87	peak
5	5353.440	62.37	1.11	63.48	74.00	-10.52	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5131.680	61.63	1.39	63.02	74.00	-10.98	peak
2	5150.000	59.54	1.42	60.96	74.00	-13.04	peak
3*	5271.840	124.48	0.99	125.47	68.20	57.27	peak
4	5350.000	60.21	1.08	61.29	74.00	-12.71	peak
5	5364.960	64.03	1.22	65.25	74.00	-8.75	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5326.320	118.45	1.00	119.45	68.20	51.25	peak
2	5350.000	64.03	1.08	65.11	74.00	-8.89	peak
3	5351.040	67.46	1.09	68.55	74.00	-5.45	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5316.720	118.19	0.97	119.16	68.20	50.96	peak
2	5350.000	66.64	1.08	67.72	74.00	-6.28	peak
3	5352.960	67.34	1.10	68.44	74.00	-5.56	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.920	61.71	1.40	63.11	74.00	-10.89	peak
2	5150.000	60.80	1.42	62.22	74.00	-11.78	peak
3*	5208.320	110.63	1.24	111.87	68.20	43.67	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.000	62.46	1.42	63.88	74.00	-10.12	peak
2	5150.000	61.48	1.42	62.90	74.00	-11.10	peak
3*	5191.600	112.06	1.30	113.36	68.20	45.16	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5134.600	64.86	1.40	66.26	74.00	-7.74	peak
2	5150.000	63.27	1.42	64.69	74.00	-9.31	peak
3*	5222.760	117.21	1.17	118.38	68.20	50.18	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5136.880	65.65	1.40	67.05	74.00	-6.95	peak
2	5150.000	64.36	1.42	65.78	74.00	-8.22	peak
3*	5222.760	117.52	1.17	118.69	68.20	50.49	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5131.680	62.05	1.39	63.44	74.00	-10.56	peak
2	5150.000	59.56	1.42	60.98	74.00	-13.02	peak
3*	5265.120	117.52	1.01	118.53	68.20	50.33	peak
4	5350.000	60.55	1.08	61.63	74.00	-12.37	peak
5	5366.880	62.88	1.24	64.12	74.00	-9.88	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.120	61.35	1.38	62.73	74.00	-11.27	peak
2	5150.000	59.85	1.42	61.27	74.00	-12.73	peak
3*	5266.080	118.14	1.01	119.15	68.20	50.95	peak
4	5350.000	63.28	1.08	64.36	74.00	-9.64	peak
5	5358.240	62.29	1.16	63.45	74.00	-10.55	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.160	113.23	0.98	114.21	68.20	46.01	peak
2	5350.000	59.84	1.08	60.92	74.00	-13.08	peak
3	5358.960	64.91	1.17	66.08	74.00	-7.92	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5317.200	113.62	0.97	114.59	68.20	46.39	peak
2	5350.000	61.36	1.08	62.44	74.00	-11.56	peak
3	5353.200	66.30	1.11	67.41	74.00	-6.59	peak
4	5434.320	58.47	1.66	60.13	74.00	-13.87	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5133.080	63.27	1.40	64.67	74.00	-9.33	peak
2	5150.000	61.98	1.42	63.40	74.00	-10.60	peak
3*	5230.360	109.94	1.15	111.09	68.20	42.89	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5140.680	62.53	1.40	63.93	74.00	-10.07	peak
2	5150.000	62.14	1.42	63.56	74.00	-10.44	peak
3*	5204.520	110.17	1.26	111.43	68.20	43.23	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5267.280	109.64	1.00	110.64	68.20	42.44	peak
2	5350.000	64.98	1.08	66.06	74.00	-7.94	peak
3	5351.040	67.83	1.09	68.92	74.00	-5.08	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5293.200	110.63	0.94	111.57	68.20	43.37	peak
2	5350.000	63.70	1.08	64.78	74.00	-9.22	peak
3	5359.920	69.92	1.18	71.10	74.00	-2.90	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	61.18	1.41	62.59	74.00	-11.41	peak
2	5150.000	60.00	1.42	61.42	74.00	-12.58	peak
3*	5232.480	105.57	1.14	106.71	68.20	38.51	peak
4	5350.000	56.93	1.08	58.01	74.00	-15.99	peak
5	5405.280	58.64	1.56	60.20	74.00	-13.80	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5124.960	61.56	1.38	62.94	74.00	-11.06	peak
2	5150.000	60.86	1.42	62.28	74.00	-11.72	peak
3*	5180.640	106.35	1.34	107.69	68.20	39.49	peak
4	5350.000	57.43	1.08	58.51	74.00	-15.49	peak
5	5405.280	59.34	1.56	60.90	74.00	-13.10	peak


Average

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	49.74	1.41	51.15	54.00	-2.85	AVG
2*	5150.000	50.23	1.42	51.65	54.00	-2.35	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	50.27	1.41	51.68	54.00	-2.32	AVG
2*	5150.000	51.43	1.42	52.85	54.00	-1.15	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	49.30	1.41	50.71	54.00	-3.29	AVG
2*	5150.000	49.88	1.42	51.30	54.00	-2.70	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.960	50.25	1.41	51.66	54.00	-2.34	AVG
2*	5150.000	51.19	1.42	52.61	54.00	-1.39	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.240	49.35	1.41	50.76	54.00	-3.24	AVG
2*	5150.000	49.82	1.42	51.24	54.00	-2.76	AVG
3	5350.000	47.48	1.08	48.56	54.00	-5.44	AVG
4	5357.280	47.17	1.15	48.32	54.00	-5.68	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	50.23	1.41	51.64	54.00	-2.36	AVG
2*	5150.000	51.46	1.42	52.88	54.00	-1.12	AVG
3	5350.000	48.04	1.08	49.12	54.00	-4.88	AVG
4	5361.120	47.51	1.19	48.70	54.00	-5.30	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5140.320	49.38	1.40	50.78	54.00	-3.22	AVG
2*	5150.000	49.74	1.42	51.16	54.00	-2.84	AVG
3	5350.000	49.72	1.08	50.80	54.00	-3.20	AVG
4	5354.400	48.61	1.13	49.74	54.00	-4.26	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	50.56	1.42	51.98	54.00	-2.02	AVG
2	5150.000	51.01	1.42	52.43	54.00	-1.57	AVG
3*	5350.000	51.60	1.08	52.68	54.00	-1.32	AVG
4	5354.400	50.63	1.13	51.76	54.00	-2.24	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5117.280	49.32	1.37	50.69	54.00	-3.31	AVG
2	5150.000	49.07	1.42	50.49	54.00	-3.51	AVG
3*	5350.000	50.23	1.08	51.31	54.00	-2.69	AVG
4	5354.400	50.00	1.13	51.13	54.00	-2.87	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5123.040	50.00	1.38	51.38	54.00	-2.62	AVG
2	5150.000	49.66	1.42	51.08	54.00	-2.92	AVG
3*	5350.000	51.65	1.08	52.73	54.00	-1.27	AVG
4	5355.360	51.26	1.13	52.39	54.00	-1.61	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.05	1.08	52.13	54.00	-1.87	AVG
2	5352.000	50.78	1.10	51.88	54.00	-2.12	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.75	1.08	52.83	54.00	-1.17	AVG
2	5351.760	50.59	1.09	51.68	54.00	-2.32	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	49.52	1.41	50.93	54.00	-3.07	AVG
2*	5150.000	50.31	1.42	51.73	54.00	-2.27	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	50.34	1.42	51.76	54.00	-2.24	AVG
2*	5150.000	51.40	1.42	52.82	54.00	-1.18	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	50.65	1.42	52.07	54.00	-1.93	AVG
2*	5150.000	51.32	1.42	52.74	54.00	-1.26	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	50.65	1.42	52.07	54.00	-1.93	AVG
2*	5150.000	51.20	1.42	52.62	54.00	-1.38	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.200	49.52	1.41	50.93	54.00	-3.07	AVG
2	5150.000	49.65	1.42	51.07	54.00	-2.93	AVG
3*	5350.000	50.79	1.08	51.87	54.00	-2.13	AVG
4	5357.280	49.79	1.15	50.94	54.00	-3.06	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5124.000	49.61	1.38	50.99	54.00	-3.01	AVG
2	5150.000	49.71	1.42	51.13	54.00	-2.87	AVG
3*	5350.000	51.64	1.08	52.72	54.00	-1.28	AVG
4	5355.360	50.85	1.13	51.98	54.00	-2.02	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	50.97	1.08	52.05	54.00	-1.95	AVG
2*	5351.520	51.03	1.09	52.12	54.00	-1.88	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.85	1.08	52.93	54.00	-1.07	AVG
2	5351.520	51.71	1.09	52.80	54.00	-1.20	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.480	50.87	1.41	52.28	54.00	-1.72	AVG
2*	5150.000	51.56	1.42	52.98	54.00	-1.02	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.000	50.85	1.42	52.27	54.00	-1.73	AVG
2*	5150.000	51.44	1.42	52.86	54.00	-1.14	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	51.20	1.08	52.28	54.00	-1.72	AVG
2*	5352.480	51.44	1.10	52.54	54.00	-1.46	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.74	1.08	52.82	54.00	-1.18	AVG
2	5352.240	51.38	1.10	52.48	54.00	-1.52	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.360	50.94	1.40	52.34	54.00	-1.66	AVG
2*	5150.000	51.01	1.42	52.43	54.00	-1.57	AVG
3	5350.000	47.05	1.08	48.13	54.00	-5.87	AVG
4	5399.520	46.92	1.55	48.47	54.00	-5.53	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5250 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5134.560	50.96	1.40	52.36	54.00	-1.64	AVG
2	5150.000	50.71	1.42	52.13	54.00	-1.87	AVG
3	5350.000	47.58	1.08	48.66	54.00	-5.34	AVG
4	5405.280	47.36	1.56	48.92	54.00	-5.08	AVG

Beamforming on_ MIMO High Band_B2C & B3 2X2

Harmonic


Above 1 GHz

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	28.97	14.73	43.70	74.00	-30.30	peak
2*	16500.000	29.82	17.77	47.59	68.20	-20.61	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	29.76	14.73	44.49	74.00	-29.51	peak
2*	16500.000	29.92	17.77	47.69	68.20	-20.51	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	29.83	14.79	44.62	74.00	-29.38	peak
2*	16680.000	29.31	18.61	47.92	68.20	-20.28	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	31.49	14.79	46.28	74.00	-27.72	peak
2*	16680.000	29.72	18.61	48.33	68.20	-19.87	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	29.84	15.07	44.91	74.00	-29.09	peak
2*	17100.000	30.12	20.64	50.76	68.20	-17.44	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	31.27	15.07	46.34	74.00	-27.66	peak
2*	17100.000	30.01	20.64	50.65	68.20	-17.55	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	30.85	15.23	46.08	74.00	-27.92	peak
2*	17160.000	29.73	21.25	50.98	68.20	-17.22	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	31.12	15.23	46.35	74.00	-27.65	peak
2*	17160.000	31.07	21.25	52.32	68.20	-15.88	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	30.04	15.42	45.46	74.00	-28.54	peak
2*	17235.000	29.04	22.01	51.05	68.20	-17.15	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	30.65	15.42	46.07	74.00	-27.93	peak
2*	17235.000	29.05	22.01	51.06	68.20	-17.14	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	30.63	15.21	45.84	74.00	-28.16	peak
2*	17355.000	30.78	22.96	53.74	68.20	-14.46	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	29.64	15.21	44.85	74.00	-29.15	peak
2*	17355.000	30.51	22.96	53.47	68.20	-14.73	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	30.49	15.04	45.53	74.00	-28.47	peak
2*	17475.000	30.12	23.95	54.07	68.20	-14.13	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	29.71	15.04	44.75	74.00	-29.25	peak
2*	17475.000	29.77	23.95	53.72	68.20	-14.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	30.65	14.75	45.40	74.00	-28.60	peak
2*	16530.000	30.25	17.92	48.17	68.20	-20.03	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	30.85	14.75	45.60	74.00	-28.40	peak
2*	16530.000	29.86	17.92	47.78	68.20	-20.42	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	31.16	14.82	45.98	74.00	-28.02	peak
2*	16650.000	30.54	18.49	49.03	68.20	-19.17	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	30.79	14.82	45.61	74.00	-28.39	peak
2*	16650.000	29.52	18.49	48.01	68.20	-20.19	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	30.24	14.84	45.08	74.00	-28.92	peak
2*	17010.000	29.37	20.09	49.46	68.20	-18.74	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	30.93	14.84	45.77	74.00	-28.23	peak
2*	17010.000	29.81	20.09	49.90	68.20	-18.30	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	30.81	15.15	45.96	74.00	-28.04	peak
2*	17130.000	30.97	20.95	51.92	68.20	-16.28	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	31.24	15.15	46.39	74.00	-27.61	peak
2*	17130.000	29.52	20.95	50.47	68.20	-17.73	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	31.32	15.42	46.74	74.00	-27.26	peak
2*	17265.000	29.43	22.32	51.75	68.20	-16.45	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	30.91	15.42	46.33	74.00	-27.67	peak
2*	17265.000	29.36	22.32	51.68	68.20	-16.52	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	31.03	15.14	46.17	74.00	-27.83	peak
2*	17385.000	29.36	23.11	52.47	68.20	-15.73	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	30.57	15.14	45.71	74.00	-28.29	peak
2*	17385.000	30.72	23.11	53.83	68.20	-14.37	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	30.20	14.78	44.98	74.00	-29.02	peak
2*	16590.000	30.14	18.23	48.37	68.20	-19.83	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	30.87	14.78	45.65	74.00	-28.35	peak
2*	16590.000	30.56	18.23	48.79	68.20	-19.41	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	30.66	14.70	45.36	74.00	-28.64	peak
2*	16830.000	30.46	19.36	49.82	68.20	-18.38	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	30.20	14.70	44.90	74.00	-29.10	peak
2*	16830.000	29.83	19.36	49.19	68.20	-19.01	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	25.16	15.00	40.16	74.00	-33.84	peak
2*	17070.000	27.34	20.46	47.80	68.20	-20.40	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	31.42	15.00	46.42	74.00	-27.58	peak
2*	17070.000	30.00	20.46	50.46	68.20	-17.74	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	30.95	15.28	46.23	74.00	-27.77	peak
2*	17325.000	28.87	22.79	51.66	68.20	-16.54	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	31.56	15.28	46.84	74.00	-27.16	peak
2*	17325.000	29.26	22.79	52.05	68.20	-16.15	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11140.000	30.32	14.77	45.09	74.00	-28.91	peak
2*	16710.000	30.02	18.74	48.76	68.20	-19.44	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11140.000	30.26	14.77	45.03	74.00	-28.97	peak
2*	16710.000	30.36	18.74	49.10	68.20	-19.10	peak

Band Edge


Peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.520	58.48	1.72	60.20	74.00	-13.80	peak
2	5460.000	55.48	1.73	57.21	74.00	-16.79	peak
3	5467.600	65.31	1.74	67.05	68.20	-1.15	peak
4	5470.000	60.93	1.74	62.67	68.20	-5.53	peak
5*	5498.800	115.56	1.78	117.34	68.20	49.14	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5427.760	58.81	1.65	60.46	74.00	-13.54	peak
2	5460.000	55.43	1.73	57.16	74.00	-16.84	peak
3	5467.840	61.84	1.74	63.58	68.20	-4.62	peak
4	5470.000	57.60	1.74	59.34	68.20	-8.86	peak
5*	5502.880	108.81	1.79	110.60	68.20	42.40	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.250	57.75	1.72	59.47	74.00	-14.53	peak
2	5460.000	56.68	1.73	58.41	74.00	-15.59	peak
3	5464.750	57.29	1.73	59.02	68.20	-9.18	peak
4	5470.000	57.54	1.74	59.28	68.20	-8.92	peak
5*	5553.575	115.95	2.05	118.00	68.20	49.80	peak
6	5725.000	58.74	2.30	61.04	68.20	-7.16	peak
7	5758.850	63.70	2.60	66.30	68.20	-1.90	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.700	59.30	1.72	61.02	74.00	-12.98	peak
2	5460.000	56.13	1.73	57.86	74.00	-16.14	peak
3	5468.150	58.29	1.74	60.03	68.20	-8.17	peak
4	5470.000	56.67	1.74	58.41	68.20	-9.79	peak
5*	5555.275	109.24	2.05	111.29	68.20	43.09	peak
6	5725.000	56.40	2.30	58.70	68.20	-9.50	peak
7	5758.000	59.91	2.59	62.50	68.20	-5.70	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5694.235	113.30	2.05	115.35	68.20	47.15	peak
2	5725.000	64.58	2.30	66.88	68.20	-1.32	peak
3	5726.135	62.83	2.31	65.14	68.20	-3.06	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5692.060	108.88	2.04	110.92	68.20	42.72	peak
2	5725.000	58.25	2.30	60.55	68.20	-7.65	peak
3	5752.670	59.46	2.55	62.01	68.20	-6.19	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.125	58.43	1.71	60.14	74.00	-13.86	peak
2	5460.000	57.56	1.73	59.29	74.00	-14.71	peak
3	5465.625	58.15	1.74	59.89	68.20	-8.31	peak
4	5470.000	57.09	1.74	58.83	68.20	-9.37	peak
5*	5724.375	122.68	2.30	124.98	68.20	56.78	peak
6	5850.000	58.09	2.98	61.07	68.20	-7.13	peak
7	5873.750	60.09	3.07	63.16	68.20	-5.04	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5440.000	58.89	1.68	60.57	74.00	-13.43	peak
2	5460.000	57.76	1.73	59.49	74.00	-14.51	peak
3	5464.375	57.50	1.73	59.23	68.20	-8.97	peak
4	5470.000	56.51	1.74	58.25	68.20	-9.95	peak
5*	5715.625	117.00	2.23	119.23	68.20	51.03	peak
6	5850.000	58.27	2.98	61.25	68.20	-6.95	peak
7	5936.875	60.37	3.05	63.42	68.20	-4.78	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5647.625	64.34	1.91	66.25	68.20	-1.95	peak
2!	5650.000	63.10	1.90	65.00	68.20	-3.20	peak
3	5700.000	78.56	2.06	80.62	105.20	-24.58	peak
4	5720.000	93.85	2.26	96.11	110.80	-14.69	peak
5	5725.000	100.46	2.30	102.76	122.20	-19.44	peak
6	5748.125	122.09	2.52	124.61	131.20	-6.59	peak
7	5850.000	61.46	2.98	64.44	122.20	-57.76	peak
8	5855.000	59.39	3.01	62.40	110.80	-48.40	peak
9	5875.000	57.62	3.07	60.69	105.20	-44.51	peak
10	5925.000	56.30	3.10	59.40	68.20	-8.80	peak
11	5943.500	58.98	3.05	62.03	68.20	-6.17	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5601.875	60.41	2.01	62.42	68.20	-5.78	peak
2	5650.000	58.70	1.90	60.60	68.20	-7.60	peak
3	5700.000	73.20	2.06	75.26	105.20	-29.94	peak
4	5720.000	87.52	2.26	89.78	110.80	-21.02	peak
5	5725.000	96.10	2.30	98.40	122.20	-23.80	peak
6	5749.625	117.36	2.54	119.90	131.20	-11.30	peak
7	5850.000	59.23	2.98	62.21	122.20	-59.99	peak
8	5855.000	57.78	3.01	60.79	110.80	-50.01	peak
9	5875.000	57.19	3.07	60.26	105.20	-44.94	peak
10	5925.000	58.45	3.10	61.55	68.20	-6.65	peak
11	5926.250	58.80	3.10	61.90	68.20	-6.30	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5600.000	64.71	2.02	66.73	68.20	-1.47	peak
2!	5650.000	62.66	1.90	64.56	68.20	-3.64	peak
3	5700.000	68.71	2.06	70.77	105.20	-34.43	peak
4	5720.000	73.44	2.26	75.70	110.80	-35.10	peak
5!	5725.000	77.55	2.30	79.85	122.20	-42.35	peak
6	5781.875	122.79	2.71	125.50	131.20	-5.70	peak
7	5850.000	69.26	2.98	72.24	122.20	-49.96	peak
8	5855.000	68.86	3.01	71.87	110.80	-38.93	peak
9	5875.000	64.02	3.07	67.09	105.20	-38.11	peak
10	5925.000	56.73	3.10	59.83	68.20	-8.37	peak
11!	5968.625	59.55	3.13	62.68	68.20	-5.52	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5610.125	60.51	2.00	62.51	68.20	-5.69	peak
2	5650.000	56.20	1.90	58.10	68.20	-10.10	peak
3	5700.000	60.75	2.06	62.81	105.20	-42.39	peak
4	5720.000	68.78	2.26	71.04	110.80	-39.76	peak
5	5725.000	69.00	2.30	71.30	122.20	-50.90	peak
6	5791.250	116.85	2.76	119.61	131.20	-11.59	peak
7	5850.000	68.14	2.98	71.12	122.20	-51.08	peak
8	5855.000	66.89	3.01	69.90	110.80	-40.90	peak
9	5875.000	59.85	3.07	62.92	105.20	-42.28	peak
10	5925.000	57.39	3.10	60.49	68.20	-7.71	peak
11*	5956.250	59.45	3.07	62.52	68.20	-5.68	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5622.875	65.14	1.97	67.11	68.20	-1.09	peak
2	5650.000	56.01	1.90	57.91	68.20	-10.29	peak
3	5700.000	56.91	2.06	58.97	105.20	-46.23	peak
4	5720.000	58.62	2.26	60.88	110.80	-49.92	peak
5	5725.000	57.74	2.30	60.04	122.20	-62.16	peak
6	5822.750	117.25	2.89	120.14	131.20	-11.06	peak
7	5850.000	80.83	2.98	83.81	122.20	-38.39	peak
8	5855.000	74.85	3.01	77.86	110.80	-32.94	peak
9	5875.000	60.13	3.07	63.20	105.20	-42.00	peak
10	5925.000	55.35	3.10	58.45	68.20	-9.75	peak
11	5940.875	57.08	3.06	60.14	68.20	-8.06	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5633.375	61.37	1.95	63.32	68.20	-4.88	peak
2	5650.000	55.10	1.90	57.00	68.20	-11.20	peak
3	5700.000	55.42	2.06	57.48	105.20	-47.72	peak
4	5720.000	55.51	2.26	57.77	110.80	-53.03	peak
5	5725.000	55.59	2.30	57.89	122.20	-64.31	peak
6	5827.625	112.08	2.92	115.00	131.20	-16.20	peak
7	5850.000	78.87	2.98	81.85	122.20	-40.35	peak
8	5855.000	67.43	3.01	70.44	110.80	-40.36	peak
9	5875.000	60.71	3.07	63.78	105.20	-41.42	peak
10	5925.000	55.19	3.10	58.29	68.20	-9.91	peak
11	5938.250	57.49	3.07	60.56	68.20	-7.64	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5450.560	63.74	1.71	65.45	74.00	-8.55	peak
2	5460.000	58.70	1.73	60.43	74.00	-13.57	peak
3	5467.840	63.62	1.74	65.36	68.20	-2.84	peak
4	5470.000	61.57	1.74	63.31	68.20	-4.89	peak
5*	5504.800	110.18	1.80	111.98	68.20	43.78	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.960	60.39	1.73	62.12	74.00	-11.88	peak
2	5460.000	56.10	1.73	57.83	74.00	-16.17	peak
3	5468.560	64.97	1.74	66.71	68.20	-1.49	peak
4	5470.000	57.04	1.74	58.78	68.20	-9.42	peak
5*	5505.040	107.73	1.80	109.53	68.20	41.33	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.975	59.44	1.72	61.16	74.00	-12.84	peak
2	5460.000	56.90	1.73	58.63	74.00	-15.37	peak
3	5469.850	59.38	1.74	61.12	68.20	-7.08	peak
4	5470.000	58.91	1.74	60.65	68.20	-7.55	peak
5*	5556.975	114.11	2.05	116.16	68.20	47.96	peak
6	5725.000	61.81	2.30	64.11	68.20	-4.09	peak
7	5737.600	64.61	2.42	67.03	68.20	-1.17	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5438.400	58.52	1.68	60.20	74.00	-13.80	peak
2	5460.000	56.97	1.73	58.70	74.00	-15.30	peak
3	5463.475	57.32	1.73	59.05	68.20	-9.15	peak
4	5470.000	56.92	1.74	58.66	68.20	-9.54	peak
5*	5559.100	106.81	2.04	108.85	68.20	40.65	peak
6	5725.000	56.40	2.30	58.70	68.20	-9.50	peak
7	5734.625	59.98	2.40	62.38	68.20	-5.82	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5676.545	115.44	1.99	117.43	68.20	49.23	peak
2	5725.000	60.15	2.30	62.45	68.20	-5.75	peak
3	5725.265	64.39	2.30	66.69	68.20	-1.51	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5662.190	108.24	1.94	110.18	68.20	41.98	peak
2	5725.000	57.33	2.30	59.63	68.20	-8.57	peak
3	5727.005	60.74	2.32	63.06	68.20	-5.14	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.125	59.31	1.71	61.02	74.00	-12.98	peak
2	5460.000	59.48	1.73	61.21	74.00	-12.79	peak
3	5463.125	58.68	1.73	60.41	68.20	-7.79	peak
4	5470.000	57.33	1.74	59.07	68.20	-9.13	peak
5*	5727.500	120.22	2.32	122.54	68.20	54.34	peak
6	5850.000	62.44	2.98	65.42	68.20	-2.78	peak
7	5853.125	63.79	2.99	66.78	68.20	-1.42	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5439.375	58.64	1.68	60.32	74.00	-13.68	peak
2	5460.000	57.08	1.73	58.81	74.00	-15.19	peak
3	5465.000	57.62	1.73	59.35	68.20	-8.85	peak
4	5470.000	57.77	1.74	59.51	68.20	-8.69	peak
5*	5716.250	116.76	2.23	118.99	68.20	50.79	peak
6	5850.000	61.20	2.98	64.18	68.20	-4.02	peak
7	5856.250	62.74	3.01	65.75	68.20	-2.45	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5649.500	64.98	1.90	66.88	68.20	-1.32	peak
2!	5650.000	61.38	1.90	63.28	68.20	-4.92	peak
3	5700.000	75.11	2.06	77.17	105.20	-28.03	peak
4	5720.000	87.30	2.26	89.56	110.80	-21.24	peak
5	5725.000	90.75	2.30	93.05	122.20	-29.15	peak
6	5760.125	116.30	2.60	118.90	131.20	-12.30	peak
7	5850.000	67.02	2.98	70.00	122.20	-52.20	peak
8	5855.000	64.52	3.01	67.53	110.80	-43.27	peak
9	5875.000	58.03	3.07	61.10	105.20	-44.10	peak
10	5925.000	56.07	3.10	59.17	68.20	-9.03	peak
11	5935.250	57.92	3.06	60.98	68.20	-7.22	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5649.875	62.89	1.90	64.79	68.20	-3.41	peak
2	5650.000	58.02	1.90	59.92	68.20	-8.28	peak
3	5700.000	68.42	2.06	70.48	105.20	-34.72	peak
4	5720.000	83.32	2.26	85.58	110.80	-25.22	peak
5	5725.000	85.36	2.30	87.66	122.20	-34.54	peak
6	5761.625	111.25	2.61	113.86	131.20	-17.34	peak
7	5850.000	59.53	2.98	62.51	122.20	-59.69	peak
8	5855.000	59.95	3.01	62.96	110.80	-47.84	peak
9	5875.000	55.36	3.07	58.43	105.20	-46.77	peak
10	5925.000	55.22	3.10	58.32	68.20	-9.88	peak
11	5959.625	57.27	3.08	60.35	68.20	-7.85	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5614.625	65.14	1.98	67.12	68.20	-1.08	peak
2!	5650.000	63.22	1.90	65.12	68.20	-3.08	peak
3	5700.000	71.82	2.06	73.88	105.20	-31.32	peak
4	5720.000	75.87	2.26	78.13	110.80	-32.67	peak
5	5725.000	80.98	2.30	83.28	122.20	-38.92	peak
6	5780.000	117.78	2.70	120.48	131.20	-10.72	peak
7	5850.000	83.63	2.98	86.61	122.20	-35.59	peak
8	5855.000	79.49	3.01	82.50	110.80	-28.30	peak
9	5875.000	70.54	3.07	73.61	105.20	-31.59	peak
10	5925.000	55.17	3.10	58.27	68.20	-9.93	peak
11	5972.000	57.74	3.15	60.89	68.20	-7.31	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5638.625	60.60	1.93	62.53	68.20	-5.67	peak
2	5650.000	60.18	1.90	62.08	68.20	-6.12	peak
3	5700.000	65.39	2.06	67.45	105.20	-37.75	peak
4	5720.000	71.99	2.26	74.25	110.80	-36.55	peak
5	5725.000	75.53	2.30	77.83	122.20	-44.37	peak
6	5799.500	111.96	2.82	114.78	131.20	-16.42	peak
7	5850.000	77.19	2.98	80.17	122.20	-42.03	peak
8	5855.000	74.42	3.01	77.43	110.80	-33.37	peak
9	5875.000	64.22	3.07	67.29	105.20	-37.91	peak
10	5925.000	56.14	3.10	59.24	68.20	-8.96	peak
11!	5925.875	59.34	3.10	62.44	68.20	-5.76	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0	5448.175	59.07	1.71	60.78	74.00	-13.22	peak
1	5460.000	56.36	1.73	58.09	74.00	-15.91	peak
2	5463.050	58.66	1.73	60.39	68.20	-7.81	peak
3	5470.000	57.13	1.74	58.87	68.20	-9.33	peak
4*	5644.100	109.71	1.90	111.61	68.20	43.41	peak
5	5725.000	61.84	2.30	64.14	68.20	-4.06	peak
6	5737.175	63.50	2.42	65.92	68.20	-2.28	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
0	5382.300	58.63	1.39	60.02	74.00	-13.98	peak
1	5460.000	55.90	1.73	57.63	74.00	-16.37	peak
2	5463.050	58.25	1.73	59.98	68.20	-8.22	peak
3	5470.000	56.77	1.74	58.51	68.20	-9.69	peak
4*	5626.675	107.59	1.95	109.54	68.20	41.34	peak
5	5725.000	61.43	2.30	63.73	68.20	-4.47	peak
6	5741.425	61.94	2.45	64.39	68.20	-3.81	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.480	62.93	1.73	64.66	74.00	-9.34	peak
2	5460.000	60.48	1.73	62.21	74.00	-11.79	peak
3	5464.480	65.32	1.73	67.05	68.20	-1.15	peak
4	5470.000	62.61	1.74	64.35	68.20	-3.85	peak
5*	5537.680	107.36	1.99	109.35	68.20	41.15	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5444.320	58.69	1.70	60.39	74.00	-13.61	peak
2	5460.000	55.80	1.73	57.53	74.00	-16.47	peak
3	5466.400	58.81	1.74	60.55	68.20	-7.65	peak
4	5470.000	58.74	1.74	60.48	68.20	-7.72	peak
5*	5541.280	102.35	2.01	104.36	68.20	36.16	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5439.675	59.37	1.68	61.05	74.00	-12.95	peak
2	5460.000	56.76	1.73	58.49	74.00	-15.51	peak
3	5461.350	58.72	1.73	60.45	68.20	-7.75	peak
4	5470.000	58.52	1.74	60.26	68.20	-7.94	peak
5*	5615.625	111.22	1.98	113.20	68.20	45.00	peak
6	5725.000	64.08	2.30	66.38	68.20	-1.82	peak
7	5728.675	64.50	2.33	66.83	68.20	-1.37	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.525	58.99	1.72	60.71	74.00	-13.29	peak
2	5460.000	55.67	1.73	57.40	74.00	-16.60	peak
3	5464.750	57.70	1.73	59.43	68.20	-8.77	peak
4	5470.000	57.87	1.74	59.61	68.20	-8.59	peak
5*	5605.000	106.75	2.02	108.77	68.20	40.57	peak
6	5725.000	57.94	2.30	60.24	68.20	-7.96	peak
7	5744.825	60.83	2.50	63.33	68.20	-4.87	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.500	59.87	1.72	61.59	74.00	-12.41	peak
2	5460.000	59.90	1.73	61.63	74.00	-12.37	peak
3	5464.375	61.77	1.73	63.50	68.20	-4.70	peak
4	5470.000	60.21	1.74	61.95	68.20	-6.25	peak
5*	5685.625	116.44	2.01	118.45	68.20	50.25	peak
6	5850.000	62.07	2.98	65.05	68.20	-3.15	peak
7	5852.500	63.79	2.98	66.77	68.20	-1.43	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5400.000	57.99	1.55	59.54	74.00	-14.46	peak
2	5460.000	57.17	1.73	58.90	74.00	-15.10	peak
3	5467.500	58.44	1.74	60.18	68.20	-8.02	peak
4	5470.000	57.08	1.74	58.82	68.20	-9.38	peak
5*	5698.125	109.84	2.06	111.90	68.20	43.70	peak
6	5850.000	59.29	2.98	62.27	68.20	-5.93	peak
7	5856.250	60.35	3.01	63.36	68.20	-4.84	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5648.750	65.04	1.91	66.95	68.20	-1.25	peak
2!	5650.000	64.40	1.90	66.30	68.20	-1.90	peak
3	5700.000	78.66	2.06	80.72	105.20	-24.48	peak
4	5720.000	81.13	2.26	83.39	110.80	-27.41	peak
5	5725.000	81.58	2.30	83.88	122.20	-38.32	peak
6	5762.750	111.42	2.61	114.03	131.20	-17.17	peak
7	5850.000	77.91	2.98	80.89	122.20	-41.31	peak
8	5855.000	79.45	3.01	82.46	110.80	-28.34	peak
9	5875.000	67.50	3.07	70.57	105.20	-34.63	peak
10	5925.000	54.20	3.10	57.30	68.20	-10.90	peak
11	5969.750	57.77	3.14	60.91	68.20	-7.29	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5644.625	62.64	1.90	64.54	68.20	-3.66	peak
2	5650.000	58.99	1.90	60.89	68.20	-7.31	peak
3	5700.000	72.93	2.06	74.99	105.20	-30.21	peak
4	5720.000	76.71	2.26	78.97	110.80	-31.83	peak
5	5725.000	74.58	2.30	76.88	122.20	-45.32	peak
6	5760.875	110.14	2.60	112.74	131.20	-18.46	peak
7	5850.000	70.63	2.98	73.61	122.20	-48.59	peak
8	5855.000	69.98	3.01	72.99	110.80	-37.81	peak
9	5875.000	59.14	3.07	62.21	105.20	-42.99	peak
10	5925.000	55.39	3.10	58.49	68.20	-9.71	peak
11	5956.250	57.00	3.07	60.07	68.20	-8.13	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.800	63.11	1.73	64.84	74.00	-9.16	peak
2	5460.000	60.09	1.73	61.82	74.00	-12.18	peak
3	5465.175	63.16	1.73	64.89	68.20	-3.31	peak
4	5470.000	60.48	1.74	62.22	68.20	-5.98	peak
5*	5627.100	105.54	1.95	107.49	68.20	39.29	peak
6	5725.000	59.54	2.30	61.84	68.20	-6.36	peak
7	5750.775	60.52	2.54	63.06	68.20	-5.14	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.825	58.53	1.72	60.25	74.00	-13.75	peak
2	5460.000	60.32	1.73	62.05	74.00	-11.95	peak
3	5467.725	65.01	1.74	66.75	68.20	-1.45	peak
4	5470.000	56.45	1.74	58.19	68.20	-10.01	peak
5*	5593.525	101.10	2.03	103.13	68.20	34.93	peak
6	5725.000	58.63	2.30	60.93	68.20	-7.27	peak
1	5764.375	60.05	2.62	62.67	68.20	-5.53	peak


Average

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	46.86	1.73	48.59	54.00	-5.41	AVG
2*	5460.000	46.92	1.73	48.65	54.00	-5.35	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.960	45.84	1.73	47.57	54.00	-6.43	AVG
2*	5460.000	45.85	1.73	47.58	54.00	-6.42	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.950	46.20	1.72	47.92	54.00	-6.08	AVG
2	5460.000	46.18	1.73	47.91	54.00	-6.09	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.250	45.62	1.72	47.34	54.00	-6.66	AVG
2*	5460.000	45.62	1.73	47.35	54.00	-6.65	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.750	47.46	1.73	49.19	54.00	-4.81	AVG
2*	5460.000	47.49	1.73	49.22	54.00	-4.78	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.500	46.09	1.72	47.81	54.00	-6.19	AVG
2*	5460.000	46.09	1.73	47.82	54.00	-6.18	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.720	47.78	1.73	49.51	54.00	-4.49	AVG
2	5460.000	47.54	1.73	49.27	54.00	-4.73	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.720	46.36	1.73	48.09	54.00	-5.91	AVG
2	5460.000	46.25	1.73	47.98	54.00	-6.02	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.650	47.00	1.73	48.73	54.00	-5.27	AVG
2*	5460.000	47.04	1.73	48.77	54.00	-5.23	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.650	45.93	1.73	47.66	54.00	-6.34	AVG
2*	5460.000	45.95	1.73	47.68	54.00	-6.32	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5460.000	48.00	1.73	49.73	54.00	-4.27	AVG
2	5459.375	47.99	1.73	49.72	54.00	-4.28	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	46.19	1.73	47.92	54.00	-6.08	AVG
2*	5458.750	46.22	1.73	47.95	54.00	-6.05	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5452.000	48.54	1.72	50.26	54.00	-3.74	AVG
2*	5460.000	48.58	1.73	50.31	54.00	-3.69	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	47.61	1.72	49.33	54.00	-4.67	AVG
2	5460.000	47.31	1.73	49.04	54.00	-4.96	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.200	49.89	1.73	51.62	54.00	-2.38	AVG
2	5460.000	49.81	1.73	51.54	54.00	-2.46	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.680	45.47	1.73	47.20	54.00	-6.80	AVG
2	5460.000	45.44	1.73	47.17	54.00	-6.83	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5460.000	47.22	1.73	48.95	54.00	-5.05	AVG
2	5459.225	47.20	1.73	48.93	54.00	-5.07	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.650	45.81	1.73	47.54	54.00	-6.46	AVG
2*	5460.000	45.83	1.73	47.56	54.00	-6.44	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.125	48.17	1.72	49.89	54.00	-4.11	AVG
2	5460.000	47.75	1.73	49.48	54.00	-4.52	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.375	46.34	1.73	48.07	54.00	-5.93	AVG
2	5460.000	46.19	1.73	47.92	54.00	-6.08	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.225	51.03	1.73	52.76	54.00	-1.24	AVG
2	5460.000	50.75	1.73	52.48	54.00	-1.52	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.650	45.79	1.73	47.52	54.00	-6.48	AVG
2	5460.000	45.69	1.73	47.42	54.00	-6.58	AVG