

Appendix A: Test Data

1X1

Duty cycle						
Test Mode	Frequency (MHz)	On time (ms)	On+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11b	2412	1.035	1.080	95.833	0.185	0.966
802.11g	2412	0.840	0.885	94.915	0.227	1.190
802.11n VHT20	2412	1.336	1.376	97.093	0.128	0.749
802.11n VHT40	2422	0.670	0.715	93.706	0.282	1.493
802.11ax HE20	2412	0.765	0.810	94.444	0.248	1.307
802.11ax HE40	2422	0.756	0.804	94.030	0.267	1.323

2.4 GHz Band																	
Test Mode	Frequency (MHz)	Data Rate	Avg Conducted Power (dBm)					Peak Conducted Power (dBm)					Conducted Power Limit (dBm)				
			Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11b	2412	1M	27.15	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11b	2437	1M	27.51	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11b	2462	1M	26.91	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11g	2412	6M	23.05	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11g	2437	6M	26.36	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11g	2462	6M	22.82	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n HT20	2412	6.5M	21.70	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n HT20	2437	6.5M	26.15	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n HT20	2462	6.5M	21.53	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n HT40	2422	13.5M	20.40	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n HT40	2437	13.5M	22.95	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n HT40	2452	13.5M	20.38	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	2412	6.5M	21.85	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	2437	6.5M	26.28	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	2462	6.5M	21.65	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	2422	13.5M	20.55	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	2437	13.5M	23.08	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	2452	13.5M	20.50	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-

2.4 GHz Band																		
Test Mode	Frequency (MHz)	RU	Data Rate	Avg Conducted Power (dBm)					Peak Conducted Power (dBm)					Conducted Power Limit (dBm)				
				Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11ax HE20	2412	Full	MCS0	22.11	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	2437	Full	MCS0	26.44	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	2462	Full	MCS0	21.90	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	2422	Full	MCS0	20.72	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	2437	Full	MCS0	23.33	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	2452	Full	MCS0	20.73	-	-	-	-	-	-	-	-	-	30.00	-	-	-	-

6 dB Bandwidth						
Test Mode	Frequency (MHz)	6 dB Bandwidth (kHz)				6 dB Bandwidth Min.Limit (kHz)
		Ant-0	Ant-1	Ant-2	Ant-3	
802.11b	2412	8570	-	-	-	≥ 500
802.11b	2437	9072	-	-	-	≥ 500
802.11b	2462	9018	-	-	-	≥ 500
802.11g	2412	15160	-	-	-	≥ 500
802.11g	2437	15160	-	-	-	≥ 500
802.11g	2462	15160	-	-	-	≥ 500
802.11n VHT20	2412	15160	-	-	-	≥ 500
802.11n VHT20	2437	15160	-	-	-	≥ 500
802.11n VHT20	2462	15120	-	-	-	≥ 500
802.11n VHT40	2422	35190	-	-	-	≥ 500
802.11n VHT40	2437	35170	-	-	-	≥ 500
802.11n VHT40	2452	35180	-	-	-	≥ 500
802.11ax HE20	2412	17710	-	-	-	≥ 500
802.11ax HE20	2437	16130	-	-	-	≥ 500
802.11ax HE20	2462	16810	-	-	-	≥ 500
802.11ax HE40	2422	36660	-	-	-	≥ 500
802.11ax HE40	2437	36140	-	-	-	≥ 500
802.11ax HE40	2452	36140	-	-	-	≥ 500

99 % Occupied BW					
Test Mode	Frequency (MHz)	99 % Occupied BW (MHz)			
		Ant-0	Ant-1	Ant-2	Ant-3
802.11b	2412	13.87	-	-	-
802.11b	2437	14.40	-	-	-
802.11b	2462	13.70	-	-	-
802.11g	2412	16.81	-	-	-
802.11g	2437	23.39	-	-	-
802.11g	2462	16.70	-	-	-
802.11n VHT20	2412	17.74	-	-	-
802.11n VHT20	2437	23.04	-	-	-
802.11n VHT20	2462	17.64	-	-	-
802.11n VHT40	2422	36.37	-	-	-
802.11n VHT40	2437	36.59	-	-	-
802.11n VHT40	2452	36.44	-	-	-
802.11ax HE20	2412	18.78	-	-	-
802.11ax HE20	2437	23.24	-	-	-
802.11ax HE20	2462	18.88	-	-	-
802.11ax HE40	2422	37.64	-	-	-
802.11ax HE40	2437	37.89	-	-	-
802.11ax HE40	2452	37.68	-	-	-

Maximum Power Spectral Density Measurement

Test Mode	Frequency (MHz)	Measurement (dBm/3 kHz)					Max.Limit (dBm/ 3 kHz)				
		Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11b	2412	5.18	-	-	-	-	8.00	-	-	-	-
802.11b	2437	5.65	-	-	-	-	8.00	-	-	-	-
802.11b	2462	4.56	-	-	-	-	8.00	-	-	-	-
802.11g	2412	-1.04	-	-	-	-	8.00	-	-	-	-
802.11g	2437	3.10	-	-	-	-	8.00	-	-	-	-
802.11g	2462	-0.73	-	-	-	-	8.00	-	-	-	-
802.11n VHT20	2412	-3.57	-	-	-	-	8.00	-	-	-	-
802.11n VHT20	2437	1.52	-	-	-	-	8.00	-	-	-	-
802.11n VHT20	2462	-2.96	-	-	-	-	8.00	-	-	-	-
802.11n VHT40	2422	-6.86	-	-	-	-	8.00	-	-	-	-
802.11n VHT40	2437	-4.66	-	-	-	-	8.00	-	-	-	-
802.11n VHT40	2452	-7.31	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2412	-3.43	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2437	1.87	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2462	-2.89	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2422	-6.67	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2437	-4.44	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2452	-6.90	-	-	-	-	8.00	-	-	-	-

2X2

Duty cycle						
Test Mode	Frequency (MHz)	On time (ms)	On+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11b	2412	1.035	1.080	95.833	0.185	0.966
802.11g	2412	0.840	0.885	94.915	0.227	1.190
802.11n VHT20	2412	1.336	1.376	97.093	0.128	0.749
802.11n VHT40	2422	0.860	0.905	95.028	0.222	1.163
802.11ax HE20	2412	0.770	0.815	94.479	0.247	1.299
802.11ax HE40	2422	0.555	0.600	92.500	0.339	1.802

2.4 GHz Band																	
Test Mode	Frequency (MHz)	Data Rate	Avg Conducted Power (dBm)					Peak Conducted Power (dBm)					Conducted Power Limit (dBm)				
			Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11b	2412	1M	26.50	26.55	-	-	29.54	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11b	2437	1M	26.58	26.83	-	-	29.72	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11b	2462	1M	26.43	27.10	-	-	29.79	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11g	2412	6M	23.06	22.54	-	-	25.82	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11g	2437	6M	26.39	26.82	-	-	29.62	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11g	2462	6M	22.38	23.12	-	-	25.78	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT20	2412	13M	21.68	21.45	-	-	24.58	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT20	2437	13M	26.15	26.55	-	-	29.36	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT20	2462	13M	21.40	22.16	-	-	24.81	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT40	2422	27M	20.80	20.56	-	-	23.69	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT40	2437	27M	22.71	22.80	-	-	25.77	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT40	2452	27M	20.16	20.40	-	-	23.29	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT20	2412	13M	21.82	21.63	-	-	24.74	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT20	2437	13M	26.28	26.66	-	-	29.48	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT20	2462	13M	21.58	22.35	-	-	24.99	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT40	2422	27M	20.85	20.61	-	-	23.74	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT40	2437	27M	22.76	22.95	-	-	25.87	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT40	2452	27M	20.25	20.46	-	-	23.37	-	-	-	-	-	30.00	30.00	-	-	30.00

2.4 GHz Band																		
Test Mode	Frequency (MHz)	RU	Data Rate	Avg Conducted Power (dBm)					Peak Conducted Power (dBm)					Conducted Power Limit (dBm)				
				Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11ax HE20	2412	Full	MCS0	22.03	21.85	-	-	24.95	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE20	2437	Full	MCS0	26.44	26.85	-	-	29.66	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE20	2462	Full	MCS0	21.81	22.63	-	-	25.25	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE40	2422	Full	MCS0	20.93	20.66	-	-	23.81	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE40	2437	Full	MCS0	22.83	23.04	-	-	25.95	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE40	2452	Full	MCS0	20.31	20.50	-	-	23.42	-	-	-	-	-	30.00	30.00	-	-	30.00

6 dB Bandwidth						
Test Mode	Frequency (MHz)	6 dB Bandwidth (kHz)				6 dB Bandwidth Min.Limit (kHz)
		Ant-0	Ant-1	Ant-2	Ant-3	
802.11b	2412	8569	8575	-	-	≥ 500
802.11b	2437	8096	8570	-	-	≥ 500
802.11b	2462	8104	9068	-	-	≥ 500
802.11g	2412	15160	15150	-	-	≥ 500
802.11g	2437	15160	15150	-	-	≥ 500
802.11g	2462	15150	15140	-	-	≥ 500
802.11n VHT20	2412	15160	16320	-	-	≥ 500
802.11n VHT20	2437	15150	15740	-	-	≥ 500
802.11n VHT20	2462	15160	15690	-	-	≥ 500
802.11n VHT40	2422	35200	35160	-	-	≥ 500
802.11n VHT40	2437	35180	35130	-	-	≥ 500
802.11n VHT40	2452	35180	35160	-	-	≥ 500
802.11ax HE20	2412	18230	17330	-	-	≥ 500
802.11ax HE20	2437	15170	15140	-	-	≥ 500
802.11ax HE20	2462	16480	15140	-	-	≥ 500
802.11ax HE40	2422	37020	35160	-	-	≥ 500
802.11ax HE40	2437	36360	35840	-	-	≥ 500
802.11ax HE40	2452	36080	35890	-	-	≥ 500

99 % Occupied BW					
Test Mode	Frequency (MHz)	99 % Occupied BW (MHz)			
		Ant-0	Ant-1	Ant-2	Ant-3
802.11b	2412	13.43	13.24	-	-
802.11b	2437	13.22	13.47	-	-
802.11b	2462	13.40	14.04	-	-
802.11g	2412	16.78	16.58	-	-
802.11g	2437	22.68	24.01	-	-
802.11g	2462	16.58	16.61	-	-
802.11n VHT20	2412	17.67	17.61	-	-
802.11n VHT20	2437	21.17	22.28	-	-
802.11n VHT20	2462	17.65	17.60	-	-
802.11n VHT40	2422	36.46	36.30	-	-
802.11n VHT40	2437	36.75	36.47	-	-
802.11n VHT40	2452	36.48	36.34	-	-
802.11ax HE20	2412	18.76	18.76	-	-
802.11ax HE20	2437	22.52	23.76	-	-
802.11ax HE20	2462	18.88	18.90	-	-
802.11ax HE40	2422	37.77	37.63	-	-
802.11ax HE40	2437	37.83	37.80	-	-
802.11ax HE40	2452	37.69	37.57	-	-

Maximum Power Spectral Density Measurement

Test Mode	Frequency (MHz)	Measurement (dBm/3 kHz)					Max.Limit (dBm/ 3 kHz)				
		Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11b	2412	4.44	4.79	-	-	7.63	8.00	8.00	-	-	8.00
802.11b	2437	4.10	4.94	-	-	7.55	8.00	8.00	-	-	8.00
802.11b	2462	4.11	5.10	-	-	7.64	8.00	8.00	-	-	8.00
802.11g	2412	-2.02	-1.59	-	-	1.21	8.00	8.00	-	-	8.00
802.11g	2437	1.99	2.72	-	-	5.38	8.00	8.00	-	-	8.00
802.11g	2462	-2.43	-1.29	-	-	1.19	8.00	8.00	-	-	8.00
802.11n VHT20	2412	-4.04	-4.29	-	-	-1.15	8.00	8.00	-	-	8.00
802.11n VHT20	2437	1.24	1.02	-	-	4.14	8.00	8.00	-	-	8.00
802.11n VHT20	2462	-4.21	-3.01	-	-	-0.56	8.00	8.00	-	-	8.00
802.11n VHT40	2422	-6.06	-6.30	-	-	-3.17	8.00	8.00	-	-	8.00
802.11n VHT40	2437	-4.64	-4.73	-	-	-1.67	8.00	8.00	-	-	8.00
802.11n VHT40	2452	-8.17	-7.80	-	-	-4.97	8.00	8.00	-	-	8.00
802.11ax HE20	2412	-3.90	-4.08	-	-	-0.98	8.00	8.00	-	-	8.00
802.11ax HE20	2437	1.51	1.53	-	-	4.53	8.00	8.00	-	-	8.00
802.11ax HE20	2462	-3.97	-2.81	-	-	-0.34	8.00	8.00	-	-	8.00
802.11ax HE40	2422	-6.78	-5.40	-	-	-3.03	8.00	8.00	-	-	8.00
802.11ax HE40	2437	-4.25	-3.69	-	-	-0.95	8.00	8.00	-	-	8.00
802.11ax HE40	2452	-8.06	-7.62	-	-	-4.82	8.00	8.00	-	-	8.00

Beamforming on

Duty cycle						
Test Mode	Frequency (MHz)	On time (ms)	On+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11n VHT20	2412	2.540	2.820	90.071	0.454	0.394
802.11n VHT40	2422	2.460	2.720	90.441	0.436	0.407
802.11ax HE20	2412	3.810	4.065	93.727	0.281	0.262
802.11ax HE40	2422	1.936	2.222	87.129	0.598	0.517

2.4 GHz Band																	
Test Mode	Frequency (MHz)	Data Rate	Avg Conducted Power (dBm)					Peak Conducted Power (dBm)					Conducted Power Limit (dBm)				
			Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11n HT20	2412	13M	20.43	20.28	-	-	23.37	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT20	2437	13M	24.91	25.23	-	-	28.08	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT20	2462	13M	21.28	21.93	-	-	24.63	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT40	2422	27M	20.40	20.08	-	-	23.25	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT40	2437	27M	22.73	23.13	-	-	25.94	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n HT40	2452	27M	21.10	21.44	-	-	24.28	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT20	2412	13M	20.56	20.37	-	-	23.48	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT20	2437	13M	24.94	25.32	-	-	28.14	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT20	2462	13M	21.34	22.05	-	-	24.72	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT40	2422	27M	20.47	20.13	-	-	23.31	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT40	2437	27M	22.80	23.18	-	-	26.00	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11n VHT40	2452	27M	21.23	21.53	-	-	24.39	-	-	-	-	-	30.00	30.00	-	-	30.00

2.4 GHz Band																		
Test Mode	Frequency (MHz)	RU	Data Rate	Avg Conducted Power (dBm)					Peak Conducted Power (dBm)					Conducted Power Limit (dBm)				
				Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11ax HE20	2412	Full	MCS0	20.60	20.40	-	-	23.51	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE20	2437	Full	MCS0	25.02	25.41	-	-	28.23	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE20	2462	Full	MCS0	21.39	22.10	-	-	24.77	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE40	2422	Full	MCS0	20.54	20.26	-	-	23.41	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE40	2437	Full	MCS0	22.90	23.20	-	-	26.06	-	-	-	-	-	30.00	30.00	-	-	30.00
802.11ax HE40	2452	Full	MCS0	21.32	21.55	-	-	24.45	-	-	-	-	-	30.00	30.00	-	-	30.00

6 dB Bandwidth						
Test Mode	Frequency (MHz)	6 dB Bandwidth (kHz)				6 dB Bandwidth Min.Limit (kHz)
		Ant-0	Ant-1	Ant-2	Ant-3	
802.11n VHT20	2412	15100	15160	-	-	≥ 500
802.11n VHT20	2437	15140	15140	-	-	≥ 500
802.11n VHT20	2462	15140	15720	-	-	≥ 500
802.11n VHT40	2422	35190	35190	-	-	≥ 500
802.11n VHT40	2437	35190	35140	-	-	≥ 500
802.11n VHT40	2452	35190	35160	-	-	≥ 500
802.11ax HE20	2412	18250	17860	-	-	≥ 500
802.11ax HE20	2437	16210	16320	-	-	≥ 500
802.11ax HE20	2462	15330	16900	-	-	≥ 500
802.11ax HE40	2422	36450	35160	-	-	≥ 500
802.11ax HE40	2437	36260	36320	-	-	≥ 500
802.11ax HE40	2452	37030	35760	-	-	≥ 500

99 % Occupied BW					
Test Mode	Frequency (MHz)	99 % Occupied BW (MHz)			
		Ant-0	Ant-1	Ant-2	Ant-3
802.11n VHT20	2412	17.64	17.65	-	-
802.11n VHT20	2437	17.89	17.90	-	-
802.11n VHT20	2462	17.59	17.66	-	-
802.11n VHT40	2422	36.62	36.32	-	-
802.11n VHT40	2437	36.57	36.40	-	-
802.11n VHT40	2452	36.64	36.50	-	-
802.11ax HE20	2412	18.75	18.75	-	-
802.11ax HE20	2437	19.29	19.44	-	-
802.11ax HE20	2462	18.88	18.89	-	-
802.11ax HE40	2422	37.66	37.62	-	-
802.11ax HE40	2437	37.81	37.86	-	-
802.11ax HE40	2452	37.70	37.74	-	-

Maximum Power Spectral Density Measurement											
Test Mode	Frequency (MHz)	Measurement (dBm/3 kHz)					Max.Limit (dBm/ 3 kHz)				
		Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11n VHT20	2412	-4.71	-4.80	-	-	-1.74	8.00	8.00	-	-	8.00
802.11n VHT20	2437	-0.58	-0.84	-	-	2.30	8.00	8.00	-	-	8.00
802.11n VHT20	2462	-4.19	-3.05	-	-	-0.57	8.00	8.00	-	-	8.00
802.11n VHT40	2422	-7.84	-7.75	-	-	-4.78	8.00	8.00	-	-	8.00
802.11n VHT40	2437	-6.18	-4.88	-	-	-2.47	8.00	8.00	-	-	8.00
802.11n VHT40	2452	-6.03	-6.93	-	-	-3.45	8.00	8.00	-	-	8.00
802.11ax HE20	2412	-4.55	-4.46	-	-	-1.49	8.00	8.00	-	-	8.00
802.11ax HE20	2437	-0.52	-0.21	-	-	2.65	8.00	8.00	-	-	8.00
802.11ax HE20	2462	-3.74	-2.86	-	-	-0.27	8.00	8.00	-	-	8.00
802.11ax HE40	2422	-7.75	-7.40	-	-	-4.56	8.00	8.00	-	-	8.00
802.11ax HE40	2437	-5.61	-4.56	-	-	-2.04	8.00	8.00	-	-	8.00
802.11ax HE40	2452	-5.23	-6.50	-	-	-2.81	8.00	8.00	-	-	8.00