


Appendix B. Radiated Emission

SISO 1X1


Below 1 GHz

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | Transmit mode | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 121.1800 | 40.95 | -9.77 | 31.18 | 43.50 | -12.32 | QP |
| 2 | 216.2400 | 45.24 | -9.27 | 35.97 | 46.00 | -10.03 | QP |
| 3* | 281.2300 | 43.67 | -6.28 | 37.39 | 46.00 | -8.61 | QP |
| 4 | 326.8200 | 41.30 | -5.24 | 36.06 | 46.00 | -9.94 | QP |
| 5 | 518.8800 | 30.83 | -1.60 | 29.23 | 46.00 | -16.77 | QP |
| 6 | 661.4700 | 28.00 | 0.70 | 28.70 | 46.00 | -17.30 | QP |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | Transmit mode | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 133.7900 | 38.66 | -8.52 | 30.14 | 43.50 | -13.36 | QP |
| 2 | 166.7700 | 35.94 | -7.05 | 28.89 | 43.50 | -14.61 | QP |
| 3 | 224.9700 | 37.59 | -8.78 | 28.81 | 46.00 | -17.19 | QP |
| 4 | 298.6900 | 37.10 | -5.81 | 31.29 | 46.00 | -14.71 | QP |
| 5 | 353.0100 | 31.29 | -4.68 | 26.61 | 46.00 | -19.39 | QP |
| 6 | 486.8700 | 27.60 | -2.11 | 25.49 | 46.00 | -20.51 | QP |

Harmonic


Above 1 GHz

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 34.94 | 14.80 | 49.74 | 74.00 | -24.26 | peak |
| 2* | 17865.000 | 32.49 | 26.43 | 58.92 | 74.00 | -15.08 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 34.36 | 14.80 | 49.16 | 74.00 | -24.84 | peak |
| 2* | 17865.000 | 32.82 | 26.43 | 59.25 | 74.00 | -14.75 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12350.000 | 34.09 | 14.59 | 48.68 | 74.00 | -25.32 | peak |
| 2 | 18525.000 | 30.61 | 17.99 | 48.60 | 74.00 | -25.40 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12350.000 | 34.23 | 14.59 | 48.82 | 74.00 | -25.18 | peak |
| 2 | 18525.000 | 30.07 | 17.99 | 48.06 | 74.00 | -25.94 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 34.35 | 15.34 | 49.69 | 88.20 | -38.51 | peak |
| 2* | 19245.000 | 31.31 | 18.58 | 49.89 | 74.00 | -24.11 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 32.97 | 15.34 | 48.31 | 88.20 | -39.89 | peak |
| 2* | 19245.000 | 29.66 | 18.58 | 48.24 | 74.00 | -25.76 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 33.80 | 15.44 | 49.24 | 88.20 | -38.96 | peak |
| 2* | 19305.000 | 29.48 | 18.65 | 48.13 | 74.00 | -25.87 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 34.30 | 15.44 | 49.74 | 88.20 | -38.46 | peak |
| 2* | 19305.000 | 31.76 | 18.65 | 50.41 | 74.00 | -23.59 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 34.80 | 15.62 | 50.42 | 88.20 | -37.78 | peak |
| 2* | 19425.000 | 30.29 | 18.79 | 49.08 | 74.00 | -24.92 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 34.25 | 15.62 | 49.87 | 88.20 | -38.33 | peak |
| 2* | 19425.000 | 30.69 | 18.79 | 49.48 | 74.00 | -24.52 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 33.22 | 15.84 | 49.06 | 88.20 | -39.14 | peak |
| 2* | 19545.000 | 29.97 | 18.88 | 48.85 | 74.00 | -25.15 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 33.25 | 15.84 | 49.09 | 88.20 | -39.11 | peak |
| 2* | 19545.000 | 29.20 | 18.88 | 48.08 | 74.00 | -25.92 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 33.96 | 15.97 | 49.93 | 88.20 | -38.27 | peak |
| 2* | 19605.000 | 30.30 | 18.89 | 49.19 | 74.00 | -24.81 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 34.22 | 15.97 | 50.19 | 88.20 | -38.01 | peak |
| 2* | 19605.000 | 29.69 | 18.89 | 48.58 | 74.00 | -25.42 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13390.000 | 33.58 | 17.03 | 50.61 | 74.00 | -23.39 | peak |
| 2 | 20085.000 | 30.37 | 19.01 | 49.38 | 74.00 | -24.62 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13390.000 | 34.18 | 17.03 | 51.21 | 74.00 | -22.79 | peak |
| 2 | 20085.000 | 31.87 | 19.01 | 50.88 | 74.00 | -23.12 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 33.26 | 17.72 | 50.98 | 88.20 | -37.22 | peak |
| 2* | 20565.000 | 30.47 | 19.58 | 50.05 | 74.00 | -23.95 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 33.20 | 17.72 | 50.92 | 88.20 | -37.28 | peak |
| 2* | 20565.000 | 31.18 | 19.58 | 50.76 | 74.00 | -23.24 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 33.53 | 17.77 | 51.30 | 88.20 | -36.90 | peak |
| 2* | 20625.000 | 28.33 | 19.61 | 47.94 | 74.00 | -26.06 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 32.75 | 17.77 | 50.52 | 88.20 | -37.68 | peak |
| 2* | 20625.000 | 29.85 | 19.61 | 49.46 | 74.00 | -24.54 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 33.60 | 17.84 | 51.44 | 88.20 | -36.76 | peak |
| 2* | 20685.000 | 28.89 | 19.63 | 48.52 | 74.00 | -25.48 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 33.98 | 17.84 | 51.82 | 88.20 | -36.38 | peak |
| 2* | 20685.000 | 30.71 | 19.63 | 50.34 | 74.00 | -23.66 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 34.62 | 18.15 | 52.77 | 88.20 | -35.43 | peak |
| 2* | 20985.000 | 29.08 | 19.79 | 48.87 | 74.00 | -25.13 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 33.90 | 18.15 | 52.05 | 88.20 | -36.15 | peak |
| 2* | 20985.000 | 31.23 | 19.79 | 51.02 | 74.00 | -22.98 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 34.22 | 18.57 | 52.79 | 88.20 | -35.41 | peak |
| 2* | 21345.000 | 29.58 | 19.35 | 48.93 | 74.00 | -25.07 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 33.62 | 18.57 | 52.19 | 88.20 | -36.01 | peak |
| 2* | 21345.000 | 29.31 | 19.35 | 48.66 | 74.00 | -25.34 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 32.63 | 14.80 | 47.43 | 74.00 | -26.57 | peak |
| 2 | 17865.000 | 30.09 | 27.02 | 57.11 | 74.00 | -16.89 | peak |
| 3* | 17865.000 | 18.78 | 27.02 | 45.80 | 54.00 | -8.20 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 33.27 | 14.80 | 48.07 | 74.00 | -25.93 | peak |
| 2 | 17865.000 | 30.29 | 27.02 | 57.31 | 74.00 | -16.69 | peak |
| 3* | 17865.000 | 18.96 | 27.02 | 45.98 | 54.00 | -8.02 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12350.000 | 31.75 | 15.01 | 46.76 | 74.00 | -27.24 | peak |
| 2 | 18525.000 | 28.56 | 17.99 | 46.55 | 74.00 | -27.45 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12350.000 | 32.21 | 15.01 | 47.22 | 74.00 | -26.78 | peak |
| 2 | 18525.000 | 28.81 | 17.99 | 46.80 | 74.00 | -27.20 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 31.42 | 15.71 | 47.13 | 88.20 | -41.07 | peak |
| 2* | 19245.000 | 29.55 | 18.58 | 48.13 | 74.00 | -25.87 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 31.31 | 15.71 | 47.02 | 88.20 | -41.18 | peak |
| 2* | 19245.000 | 29.27 | 18.58 | 47.85 | 74.00 | -26.15 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 31.61 | 15.79 | 47.40 | 88.20 | -40.80 | peak |
| 2* | 19305.000 | 30.81 | 18.65 | 49.46 | 74.00 | -24.54 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 32.18 | 15.79 | 47.97 | 88.20 | -40.23 | peak |
| 2* | 19305.000 | 27.40 | 18.65 | 46.05 | 74.00 | -27.95 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 31.72 | 15.79 | 47.51 | 88.20 | -40.69 | peak |
| 2* | 19425.000 | 29.64 | 18.79 | 48.43 | 74.00 | -25.57 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 31.77 | 15.79 | 47.56 | 88.20 | -40.64 | peak |
| 2* | 19425.000 | 28.68 | 18.79 | 47.47 | 74.00 | -26.53 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 31.50 | 15.71 | 47.21 | 88.20 | -40.99 | peak |
| 2* | 19545.000 | 31.39 | 18.88 | 50.27 | 74.00 | -23.73 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 30.92 | 15.71 | 46.63 | 88.20 | -41.57 | peak |
| 2* | 19545.000 | 27.69 | 18.88 | 46.57 | 74.00 | -27.43 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 31.76 | 15.68 | 47.44 | 88.20 | -40.76 | peak |
| 2* | 19605.000 | 27.52 | 18.89 | 46.41 | 74.00 | -27.59 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 31.86 | 15.68 | 47.54 | 88.20 | -40.66 | peak |
| 2* | 19605.000 | 28.40 | 18.89 | 47.29 | 74.00 | -26.71 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13390.000 | 31.27 | 16.53 | 47.80 | 74.00 | -26.20 | peak |
| 2* | 20085.000 | 29.74 | 19.01 | 48.75 | 74.00 | -25.25 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13390.000 | 32.04 | 16.53 | 48.57 | 74.00 | -25.43 | peak |
| 2* | 20085.000 | 30.68 | 19.01 | 49.69 | 74.00 | -24.31 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 31.69 | 17.26 | 48.95 | 88.20 | -39.25 | peak |
| 2* | 20565.000 | 30.02 | 19.58 | 49.60 | 74.00 | -24.40 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 33.17 | 17.26 | 50.43 | 88.20 | -37.77 | peak |
| 2* | 20565.000 | 28.05 | 19.58 | 47.63 | 74.00 | -26.37 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 31.23 | 17.17 | 48.40 | 88.20 | -39.80 | peak |
| 2* | 20625.000 | 31.16 | 19.61 | 50.77 | 74.00 | -23.23 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 31.72 | 17.17 | 48.89 | 88.20 | -39.31 | peak |
| 2* | 20625.000 | 28.62 | 19.61 | 48.23 | 74.00 | -25.77 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 31.75 | 17.10 | 48.85 | 88.20 | -39.35 | peak |
| 2* | 20685.000 | 29.78 | 19.63 | 49.41 | 74.00 | -24.59 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 32.57 | 17.10 | 49.67 | 88.20 | -38.53 | peak |
| 2* | 20685.000 | 28.89 | 19.63 | 48.52 | 74.00 | -25.48 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 32.10 | 17.85 | 49.95 | 88.20 | -38.25 | peak |
| 2* | 20985.000 | 31.31 | 19.79 | 51.10 | 74.00 | -22.90 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 30.71 | 17.85 | 48.56 | 88.20 | -39.64 | peak |
| 2* | 20985.000 | 30.01 | 19.79 | 49.80 | 74.00 | -24.20 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 31.75 | 18.53 | 50.28 | 88.20 | -37.92 | peak |
| 2* | 21345.000 | 28.33 | 19.35 | 47.68 | 74.00 | -26.32 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 33.07 | 18.53 | 51.60 | 88.20 | -36.60 | peak |
| 2* | 21345.000 | 29.26 | 19.35 | 48.61 | 74.00 | -25.39 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11930.000 | 32.27 | 14.81 | 47.08 | 74.00 | -26.92 | peak |
| 2 | 17895.000 | 31.35 | 27.39 | 58.74 | 74.00 | -15.26 | peak |
| 3* | 17895.000 | 19.14 | 27.39 | 46.53 | 54.00 | -7.47 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11930.000 | 33.12 | 14.81 | 47.93 | 74.00 | -26.07 | peak |
| 2 | 17895.000 | 30.92 | 27.39 | 58.31 | 74.00 | -15.69 | peak |
| 3* | 17895.000 | 18.93 | 27.39 | 46.32 | 54.00 | -7.68 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6165 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12330.000 | 33.53 | 15.07 | 48.60 | 74.00 | -25.40 | peak |
| 2 | 18495.000 | 30.16 | 17.97 | 48.13 | 74.00 | -25.87 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6165 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12330.000 | 32.51 | 15.07 | 47.58 | 74.00 | -26.42 | peak |
| 2* | 18495.000 | 30.89 | 17.97 | 48.86 | 74.00 | -25.14 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6405 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12810.000 | 31.24 | 15.67 | 46.91 | 88.20 | -41.29 | peak |
| 2* | 19215.000 | 29.26 | 18.55 | 47.81 | 74.00 | -26.19 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6405 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12810.000 | 31.90 | 15.67 | 47.57 | 88.20 | -40.63 | peak |
| 2* | 19215.000 | 29.72 | 18.55 | 48.27 | 74.00 | -25.73 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6445 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12890.000 | 31.32 | 15.83 | 47.15 | 88.20 | -41.05 | peak |
| 2* | 19335.000 | 29.07 | 18.69 | 47.76 | 74.00 | -26.24 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6445 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12890.000 | 32.34 | 15.83 | 48.17 | 88.20 | -40.03 | peak |
| 2* | 19335.000 | 28.96 | 18.69 | 47.65 | 74.00 | -26.35 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6485 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12970.000 | 32.33 | 15.77 | 48.10 | 88.20 | -40.10 | peak |
| 2* | 19455.000 | 28.05 | 18.83 | 46.88 | 74.00 | -27.12 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6485 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12970.000 | 32.79 | 15.77 | 48.56 | 88.20 | -39.64 | peak |
| 2* | 19455.000 | 29.84 | 18.83 | 48.67 | 74.00 | -25.33 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6525 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13050.000 | 32.63 | 15.69 | 48.32 | 88.20 | -39.88 | peak |
| 2* | 19575.000 | 29.53 | 18.89 | 48.42 | 74.00 | -25.58 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6525 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13050.000 | 32.27 | 15.69 | 47.96 | 88.20 | -40.24 | peak |
| 2* | 19575.000 | 27.13 | 18.89 | 46.02 | 74.00 | -27.98 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6565 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13130.000 | 31.53 | 15.71 | 47.24 | 88.20 | -40.96 | peak |
| 2* | 19695.000 | 28.36 | 18.89 | 47.25 | 74.00 | -26.75 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6565 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13130.000 | 33.26 | 15.71 | 48.97 | 88.20 | -39.23 | peak |
| 2* | 19695.000 | 28.45 | 18.89 | 47.34 | 74.00 | -26.66 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6685 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13370.000 | 32.00 | 16.43 | 48.43 | 74.00 | -25.57 | peak |
| 2 | 20055.000 | 28.34 | 18.97 | 47.31 | 74.00 | -26.69 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6685 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13370.000 | 30.80 | 16.43 | 47.23 | 74.00 | -26.77 | peak |
| 2* | 20055.000 | 29.74 | 18.97 | 48.71 | 74.00 | -25.29 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6845 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13690.000 | 32.57 | 17.27 | 49.84 | 88.20 | -38.36 | peak |
| 2* | 20535.000 | 29.69 | 19.55 | 49.24 | 74.00 | -24.76 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6845 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13690.000 | 32.57 | 17.27 | 49.84 | 88.20 | -38.36 | peak |
| 2* | 20535.000 | 28.71 | 19.55 | 48.26 | 74.00 | -25.74 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6885 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13770.000 | 31.30 | 17.14 | 48.44 | 88.20 | -39.76 | peak |
| 2* | 20655.000 | 30.02 | 19.62 | 49.64 | 74.00 | -24.36 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6885 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13770.000 | 32.25 | 17.14 | 49.39 | 88.20 | -38.81 | peak |
| 2* | 20655.000 | 29.72 | 19.62 | 49.34 | 74.00 | -24.66 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6925 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13850.000 | 31.29 | 17.38 | 48.67 | 88.20 | -39.53 | peak |
| 2* | 20775.000 | 29.20 | 19.69 | 48.89 | 74.00 | -25.11 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6925 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13850.000 | 31.05 | 17.38 | 48.43 | 88.20 | -39.77 | peak |
| 2* | 20775.000 | 30.44 | 19.69 | 50.13 | 74.00 | -23.87 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7005 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14010.000 | 33.08 | 17.91 | 50.99 | 88.20 | -37.21 | peak |
| 2* | 21015.000 | 29.19 | 19.79 | 48.98 | 74.00 | -25.02 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7005 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14010.000 | 31.74 | 17.91 | 49.65 | 88.20 | -38.55 | peak |
| 2* | 21015.000 | 28.55 | 19.79 | 48.34 | 74.00 | -25.66 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14170.000 | 32.03 | 18.44 | 50.47 | 88.20 | -37.73 | peak |
| 2* | 21255.000 | 30.09 | 19.47 | 49.56 | 74.00 | -24.44 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14170.000 | 31.62 | 18.44 | 50.06 | 88.20 | -38.14 | peak |
| 2* | 21255.000 | 29.36 | 19.47 | 48.83 | 74.00 | -25.17 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11970.000 | 33.48 | 14.83 | 48.31 | 74.00 | -25.69 | peak |
| 2 | 17955.000 | 30.96 | 28.19 | 59.15 | 74.00 | -14.85 | peak |
| 3* | 17955.000 | 19.83 | 28.19 | 48.02 | 54.00 | -5.98 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11970.000 | 32.82 | 14.83 | 47.65 | 74.00 | -26.35 | peak |
| 2 | 17955.000 | 30.04 | 28.19 | 58.23 | 74.00 | -15.77 | peak |
| 3* | 17955.000 | 19.35 | 28.19 | 47.54 | 54.00 | -6.46 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6145 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12290.000 | 32.37 | 15.18 | 47.55 | 74.00 | -26.45 | peak |
| 2 | 18435.000 | 27.75 | 17.82 | 45.57 | 74.00 | -28.43 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6145 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12290.000 | 31.91 | 15.18 | 47.09 | 74.00 | -26.91 | peak |
| 2* | 18435.000 | 31.17 | 17.82 | 48.99 | 74.00 | -25.01 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6385 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12770.000 | 32.67 | 15.59 | 48.26 | 88.20 | -39.94 | peak |
| 2* | 19155.000 | 29.37 | 18.48 | 47.85 | 74.00 | -26.15 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6385 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12770.000 | 31.90 | 15.59 | 47.49 | 88.20 | -40.71 | peak |
| 2* | 19155.000 | 29.63 | 18.48 | 48.11 | 74.00 | -25.89 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6465 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12930.000 | 31.47 | 15.82 | 47.29 | 88.20 | -40.91 | peak |
| 2* | 19395.000 | 28.37 | 18.76 | 47.13 | 74.00 | -26.87 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6465 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12930.000 | 31.75 | 15.82 | 47.57 | 88.20 | -40.63 | peak |
| 2* | 19395.000 | 27.97 | 18.76 | 46.73 | 74.00 | -27.27 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6545 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13090.000 | 31.07 | 15.66 | 46.73 | 88.20 | -41.47 | peak |
| 2* | 19635.000 | 27.45 | 18.89 | 46.34 | 74.00 | -27.66 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6545 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13090.000 | 31.71 | 15.66 | 47.37 | 88.20 | -40.83 | peak |
| 2* | 19635.000 | 29.00 | 18.89 | 47.89 | 74.00 | -26.11 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6625 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13250.000 | 30.84 | 15.97 | 46.81 | 74.00 | -27.19 | peak |
| 2* | 19875.000 | 28.32 | 18.90 | 47.22 | 74.00 | -26.78 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6625 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13250.000 | 31.89 | 15.97 | 47.86 | 74.00 | -26.14 | peak |
| 2* | 19875.000 | 29.40 | 18.90 | 48.30 | 74.00 | -25.70 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6705 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13410.000 | 31.86 | 16.63 | 48.49 | 88.20 | -39.71 | peak |
| 2* | 20115.000 | 31.01 | 19.05 | 50.06 | 74.00 | -23.94 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6705 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13410.000 | 32.14 | 16.63 | 48.77 | 88.20 | -39.43 | peak |
| 2* | 20115.000 | 28.66 | 19.05 | 47.71 | 74.00 | -26.29 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6785 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13570.000 | 33.17 | 17.16 | 50.33 | 88.20 | -37.87 | peak |
| 2* | 20355.000 | 28.17 | 19.36 | 47.53 | 74.00 | -26.47 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6785 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13570.000 | 31.47 | 17.16 | 48.63 | 88.20 | -39.57 | peak |
| 2* | 20355.000 | 28.34 | 19.36 | 47.70 | 74.00 | -26.30 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6865 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13730.000 | 32.35 | 17.22 | 49.57 | 88.20 | -38.63 | peak |
| 2* | 20595.000 | 29.73 | 19.59 | 49.32 | 74.00 | -24.68 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6865 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13730.000 | 32.06 | 17.22 | 49.28 | 88.20 | -38.92 | peak |
| 2* | 20595.000 | 29.42 | 19.59 | 49.01 | 74.00 | -24.99 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6945 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13890.000 | 32.26 | 17.61 | 49.87 | 88.20 | -38.33 | peak |
| 2* | 20835.000 | 30.06 | 19.71 | 49.77 | 74.00 | -24.23 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6945 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13890.000 | 31.89 | 17.61 | 49.50 | 88.20 | -38.70 | peak |
| 2* | 20835.000 | 30.86 | 19.71 | 50.57 | 74.00 | -23.43 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14050.000 | 33.19 | 18.08 | 51.27 | 88.20 | -36.93 | peak |
| 2* | 21075.000 | 29.15 | 19.69 | 48.84 | 74.00 | -25.16 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14050.000 | 31.54 | 18.08 | 49.62 | 88.20 | -38.58 | peak |
| 2* | 21075.000 | 26.94 | 19.69 | 46.63 | 74.00 | -27.37 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12050.000 | 31.54 | 14.95 | 46.49 | 74.00 | -27.51 | peak |
| 2 | 18075.000 | 27.96 | 17.06 | 45.02 | 74.00 | -28.98 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12050.000 | 31.57 | 14.95 | 46.52 | 74.00 | -27.48 | peak |
| 2* | 18075.000 | 31.14 | 17.06 | 48.20 | 74.00 | -25.80 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6185 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12370.000 | 32.82 | 14.96 | 47.78 | 74.00 | -26.22 | peak |
| 2 | 18555.000 | 28.26 | 18.01 | 46.27 | 74.00 | -27.73 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6185 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12370.000 | 32.35 | 14.96 | 47.31 | 74.00 | -26.69 | peak |
| 2* | 18555.000 | 29.96 | 18.01 | 47.97 | 74.00 | -26.03 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6345 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12690.000 | 32.83 | 15.42 | 48.25 | 74.00 | -25.75 | peak |
| 2* | 19035.000 | 30.31 | 18.34 | 48.65 | 74.00 | -25.35 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6345 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12690.000 | 31.35 | 15.42 | 46.77 | 74.00 | -27.23 | peak |
| 2 | 19035.000 | 27.96 | 18.34 | 46.30 | 74.00 | -27.70 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6505 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13010.000 | 31.13 | 15.73 | 46.86 | 88.20 | -41.34 | peak |
| 2* | 19515.000 | 29.47 | 18.87 | 48.34 | 74.00 | -25.66 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6505 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13010.000 | 33.35 | 15.73 | 49.08 | 88.20 | -39.12 | peak |
| 2* | 19515.000 | 28.34 | 18.87 | 47.21 | 74.00 | -26.79 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6665 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13330.000 | 31.07 | 16.22 | 47.29 | 74.00 | -26.71 | peak |
| 2 | 19995.000 | 27.09 | 18.90 | 45.99 | 74.00 | -28.01 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6665 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13330.000 | 32.02 | 16.22 | 48.24 | 74.00 | -25.76 | peak |
| 2 | 19995.000 | 27.96 | 18.90 | 46.86 | 74.00 | -27.14 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6825 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13650.000 | 32.64 | 17.23 | 49.87 | 88.20 | -38.33 | peak |
| 2* | 20475.000 | 27.99 | 19.51 | 47.50 | 74.00 | -26.50 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6825 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13650.000 | 31.53 | 17.23 | 48.76 | 88.20 | -39.44 | peak |
| 2* | 20475.000 | 28.97 | 19.51 | 48.48 | 74.00 | -25.52 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13970.000 | 31.47 | 17.81 | 49.28 | 88.20 | -38.92 | peak |
| 2* | 20955.000 | 30.30 | 19.77 | 50.07 | 74.00 | -23.93 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13970.000 | 31.63 | 17.81 | 49.44 | 88.20 | -38.76 | peak |
| 2* | 20955.000 | 28.90 | 19.77 | 48.67 | 74.00 | -25.33 | peak |

Band Edge


Peak

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5923.000 | 75.21 | 3.02 | 78.23 | 88.20 | -9.97 | peak |
| 2* | 5925.000 | 76.40 | 3.04 | 79.44 | 88.20 | -8.76 | peak |
| 3 | 5959.400 | 111.73 | 3.11 | 114.84 | 130.00 | -15.16 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5923.000 | 82.01 | 3.02 | 85.03 | 88.20 | -3.17 | peak |
| 2* | 5925.000 | 83.19 | 3.04 | 86.23 | 88.20 | -1.97 | peak |
| 3 | 5952.400 | 114.72 | 3.10 | 117.82 | 130.00 | -12.18 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7111.600 | 97.23 | 7.07 | 104.30 | 130.00 | -25.70 | peak |
| 2* | 7125.000 | 73.70 | 7.11 | 80.81 | 88.20 | -7.39 | peak |
| 3 | 7127.000 | 69.18 | 7.12 | 76.30 | 88.20 | -11.90 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7115.800 | 100.30 | 7.07 | 107.37 | 130.00 | -22.63 | peak |
| 2* | 7125.000 | 79.05 | 7.11 | 86.16 | 88.20 | -2.04 | peak |
| 3 | 7127.000 | 73.80 | 7.12 | 80.92 | 88.20 | -7.28 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5833.400 | 50.69 | 2.93 | 53.62 | 88.20 | -34.58 | peak |
| 2 | 5925.000 | 48.89 | 3.10 | 51.99 | 88.20 | -36.21 | peak |
| 3* | 5956.600 | 98.58 | 3.07 | 101.65 | 130.00 | -28.35 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5903.400 | 51.04 | 3.15 | 54.19 | 88.20 | -34.01 | peak |
| 2 | 5925.000 | 48.77 | 3.10 | 51.87 | 88.20 | -36.33 | peak |
| 3* | 5959.400 | 101.74 | 3.08 | 104.82 | 130.00 | -25.18 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7110.200 | 85.34 | 7.44 | 92.78 | 130.00 | -37.22 | peak |
| 2* | 7125.000 | 74.90 | 7.49 | 82.39 | 88.20 | -5.81 | peak |
| 3 | 7162.000 | 50.28 | 7.61 | 57.89 | 88.20 | -30.31 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7108.800 | 90.21 | 7.44 | 97.65 | 130.00 | -32.35 | peak |
| 2* | 7125.000 | 78.70 | 7.49 | 86.19 | 88.20 | -2.01 | peak |
| 3 | 7129.800 | 54.38 | 7.50 | 61.88 | 88.20 | -26.32 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5920.200 | 58.93 | 3.10 | 62.03 | 88.20 | -26.17 | peak |
| 2 | 5925.000 | 58.99 | 3.10 | 62.09 | 88.20 | -26.11 | peak |
| 3* | 5959.400 | 100.85 | 3.08 | 103.93 | 130.00 | -26.07 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5923.000 | 61.41 | 3.09 | 64.50 | 88.20 | -23.70 | peak |
| 2 | 5925.000 | 60.33 | 3.10 | 63.43 | 88.20 | -24.77 | peak |
| 3 | 5967.800 | 103.17 | 3.13 | 106.30 | 130.00 | -23.70 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7079.400 | 96.11 | 7.24 | 103.35 | 130.00 | -26.65 | peak |
| 2 | 7125.000 | 52.93 | 7.49 | 60.42 | 88.20 | -27.78 | peak |
| 3* | 7129.800 | 54.55 | 7.50 | 62.05 | 88.20 | -26.15 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7086.400 | 101.30 | 7.30 | 108.60 | 130.00 | -21.40 | peak |
| 2* | 7125.000 | 59.42 | 7.49 | 66.91 | 88.20 | -21.29 | peak |
| 3 | 7128.400 | 57.87 | 7.50 | 65.37 | 88.20 | -22.83 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5920.200 | 62.82 | 3.10 | 65.92 | 88.20 | -22.28 | peak |
| 2 | 5925.000 | 62.44 | 3.10 | 65.54 | 88.20 | -22.66 | peak |
| 3 | 5994.400 | 100.06 | 3.28 | 103.34 | 130.00 | -26.66 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5914.600 | 64.33 | 3.12 | 67.45 | 88.20 | -20.75 | peak |
| 2 | 5925.000 | 62.98 | 3.10 | 66.08 | 88.20 | -22.12 | peak |
| 3 | 5958.000 | 102.37 | 3.07 | 105.44 | 130.00 | -24.56 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7034.600 | 96.43 | 6.85 | 103.28 | 130.00 | -26.72 | peak |
| 2 | 7125.000 | 57.37 | 7.49 | 64.86 | 88.20 | -23.34 | peak |
| 3* | 7129.800 | 60.36 | 7.50 | 67.86 | 88.20 | -20.34 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7016.400 | 100.23 | 6.68 | 106.91 | 130.00 | -23.09 | peak |
| 2 | 7125.000 | 61.94 | 7.49 | 69.43 | 88.20 | -18.77 | peak |
| 3* | 7132.600 | 64.39 | 7.51 | 71.90 | 88.20 | -16.30 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5923.000 | 74.64 | 3.09 | 77.73 | 88.20 | -10.47 | peak |
| 2 | 5925.000 | 73.25 | 3.10 | 76.35 | 88.20 | -11.85 | peak |
| 3 | 5994.400 | 99.44 | 3.28 | 102.72 | 130.00 | -27.28 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5911.800 | 74.68 | 3.13 | 77.81 | 88.20 | -10.39 | peak |
| 2 | 5925.000 | 73.43 | 3.10 | 76.53 | 88.20 | -11.67 | peak |
| 3 | 6001.400 | 102.77 | 3.30 | 106.07 | 130.00 | -23.93 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7006.600 | 96.57 | 6.59 | 103.16 | 130.00 | -26.84 | peak |
| 2 | 7125.000 | 70.52 | 7.49 | 78.01 | 88.20 | -10.19 | peak |
| 3* | 7128.400 | 72.73 | 7.50 | 80.23 | 88.20 | -7.97 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 6996.800 | 99.98 | 6.55 | 106.53 | 130.00 | -23.47 | peak |
| 2 | 7125.000 | 75.44 | 7.49 | 82.93 | 88.20 | -5.27 | peak |
| 3* | 7128.400 | 78.66 | 7.50 | 86.16 | 88.20 | -2.04 | peak |

MIMO 4X4


Below 1 GHz

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | Transmit mode | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 125.0600 | 41.71 | -9.31 | 32.40 | 43.50 | -11.10 | QP |
| 2 | 226.9100 | 41.08 | -8.63 | 32.45 | 46.00 | -13.55 | QP |
| 3 | 279.2900 | 42.63 | -6.35 | 36.28 | 46.00 | -9.72 | QP |
| 4* | 335.5500 | 41.67 | -5.06 | 36.61 | 46.00 | -9.39 | QP |
| 5 | 375.3200 | 31.60 | -4.19 | 27.41 | 46.00 | -18.59 | QP |
| 6 | 631.4000 | 27.77 | 0.34 | 28.11 | 46.00 | -17.89 | QP |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | Transmit mode | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 198.7800 | 39.43 | -9.44 | 29.99 | 43.50 | -13.51 | QP |
| 2* | 264.7400 | 41.42 | -6.89 | 34.53 | 46.00 | -11.47 | QP |
| 3 | 336.5200 | 38.99 | -5.03 | 33.96 | 46.00 | -12.04 | QP |
| 4 | 381.1400 | 33.05 | -4.07 | 28.98 | 46.00 | -17.02 | QP |
| 5 | 499.4800 | 30.48 | -1.95 | 28.53 | 46.00 | -17.47 | QP |
| 6 | 563.5000 | 28.44 | -0.71 | 27.73 | 46.00 | -18.27 | QP |

Harmonic


Above 1 GHz

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 34.62 | 14.80 | 49.42 | 74.00 | -24.58 | peak |
| 2* | 17865.000 | 32.94 | 26.43 | 59.37 | 74.00 | -14.63 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 33.85 | 14.80 | 48.65 | 74.00 | -25.35 | peak |
| 2* | 17865.000 | 32.56 | 26.43 | 58.99 | 74.00 | -15.01 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12350.000 | 34.86 | 14.59 | 49.45 | 74.00 | -24.55 | peak |
| 2* | 18525.000 | 32.87 | 17.99 | 50.86 | 74.00 | -23.14 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12350.000 | 34.81 | 14.59 | 49.40 | 74.00 | -24.60 | peak |
| 2 | 18525.000 | 29.82 | 17.99 | 47.81 | 74.00 | -26.19 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 33.39 | 15.34 | 48.73 | 88.20 | -39.47 | peak |
| 2* | 19245.000 | 30.31 | 18.58 | 48.89 | 74.00 | -25.11 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 34.76 | 15.34 | 50.10 | 88.20 | -38.10 | peak |
| 2* | 19245.000 | 29.37 | 18.58 | 47.95 | 74.00 | -26.05 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 33.79 | 15.44 | 49.23 | 88.20 | -38.97 | peak |
| 2* | 19305.000 | 30.92 | 18.65 | 49.57 | 74.00 | -24.43 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 34.59 | 15.44 | 50.03 | 88.20 | -38.17 | peak |
| 2* | 19305.000 | 30.02 | 18.65 | 48.67 | 74.00 | -25.33 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 34.38 | 15.62 | 50.00 | 88.20 | -38.20 | peak |
| 2* | 19425.000 | 29.73 | 18.79 | 48.52 | 74.00 | -25.48 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 34.99 | 15.62 | 50.61 | 88.20 | -37.59 | peak |
| 2* | 19425.000 | 29.97 | 18.79 | 48.76 | 74.00 | -25.24 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 33.89 | 15.84 | 49.73 | 88.20 | -38.47 | peak |
| 2* | 19545.000 | 29.98 | 18.88 | 48.86 | 74.00 | -25.14 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 34.02 | 15.84 | 49.86 | 88.20 | -38.34 | peak |
| 2* | 19545.000 | 30.83 | 18.88 | 49.71 | 74.00 | -24.29 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 33.56 | 15.97 | 49.53 | 88.20 | -38.67 | peak |
| 2* | 19605.000 | 29.11 | 18.89 | 48.00 | 74.00 | -26.00 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 32.77 | 15.97 | 48.74 | 88.20 | -39.46 | peak |
| 2* | 19605.000 | 30.55 | 18.89 | 49.44 | 74.00 | -24.56 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13390.000 | 33.81 | 17.03 | 50.84 | 74.00 | -23.16 | peak |
| 2 | 20085.000 | 31.20 | 19.01 | 50.21 | 74.00 | -23.79 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13390.000 | 35.27 | 17.03 | 52.30 | 74.00 | -21.70 | peak |
| 2 | 20085.000 | 29.89 | 19.01 | 48.90 | 74.00 | -25.10 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 33.49 | 17.72 | 51.21 | 88.20 | -36.99 | peak |
| 2* | 20565.000 | 29.87 | 19.58 | 49.45 | 74.00 | -24.55 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 33.86 | 17.72 | 51.58 | 88.20 | -36.62 | peak |
| 2* | 20565.000 | 30.05 | 19.58 | 49.63 | 74.00 | -24.37 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 32.96 | 17.77 | 50.73 | 88.20 | -37.47 | peak |
| 2* | 20625.000 | 30.84 | 19.61 | 50.45 | 74.00 | -23.55 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 33.47 | 17.77 | 51.24 | 88.20 | -36.96 | peak |
| 2* | 20625.000 | 29.95 | 19.61 | 49.56 | 74.00 | -24.44 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 34.61 | 17.84 | 52.45 | 88.20 | -35.75 | peak |
| 2* | 20685.000 | 31.75 | 19.63 | 51.38 | 74.00 | -22.62 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 34.17 | 17.84 | 52.01 | 88.20 | -36.19 | peak |
| 2* | 20685.000 | 30.60 | 19.63 | 50.23 | 74.00 | -23.77 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 33.60 | 18.15 | 51.75 | 88.20 | -36.45 | peak |
| 2* | 20985.000 | 29.15 | 19.79 | 48.94 | 74.00 | -25.06 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 33.46 | 18.15 | 51.61 | 88.20 | -36.59 | peak |
| 2* | 20985.000 | 29.96 | 19.79 | 49.75 | 74.00 | -24.25 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 33.44 | 18.57 | 52.01 | 88.20 | -36.19 | peak |
| 2* | 21345.000 | 32.74 | 19.35 | 52.09 | 74.00 | -21.91 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 33.60 | 18.57 | 52.17 | 88.20 | -36.03 | peak |
| 2* | 21345.000 | 30.60 | 19.35 | 49.95 | 74.00 | -24.05 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 34.01 | 14.80 | 48.81 | 74.00 | -25.19 | peak |
| 2 | 17865.000 | 32.82 | 27.02 | 59.84 | 74.00 | -14.16 | peak |
| 3* | 17865.000 | 20.13 | 27.02 | 47.15 | 54.00 | -6.85 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 33.76 | 14.80 | 48.56 | 74.00 | -25.44 | peak |
| 2 | 17865.000 | 31.22 | 27.02 | 58.24 | 74.00 | -15.76 | peak |
| 3* | 17865.000 | 20.01 | 27.02 | 47.03 | 54.00 | -6.97 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12350.000 | 33.21 | 15.01 | 48.22 | 74.00 | -25.78 | peak |
| 2* | 18525.000 | 32.46 | 17.99 | 50.45 | 74.00 | -23.55 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12350.000 | 33.09 | 15.01 | 48.10 | 74.00 | -25.90 | peak |
| 2* | 18525.000 | 32.14 | 17.99 | 50.13 | 74.00 | -23.87 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12830.000 | 60.29 | 15.71 | 76.00 | 88.20 | -12.20 | peak |
| 2 | 12830.000 | 22.11 | 15.71 | 37.82 | 68.20 | -30.38 | AVG |
| 3 | 19245.000 | 32.60 | 18.58 | 51.18 | 74.00 | -22.82 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 33.01 | 15.71 | 48.72 | 88.20 | -39.48 | peak |
| 2* | 19245.000 | 31.51 | 18.58 | 50.09 | 74.00 | -23.91 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 33.82 | 15.79 | 49.61 | 88.20 | -38.59 | peak |
| 2* | 19305.000 | 32.39 | 18.65 | 51.04 | 74.00 | -22.96 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 34.63 | 15.79 | 50.42 | 88.20 | -37.78 | peak |
| 2* | 19305.000 | 33.17 | 18.65 | 51.82 | 74.00 | -22.18 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 33.18 | 15.79 | 48.97 | 88.20 | -39.23 | peak |
| 2* | 19425.000 | 33.14 | 18.79 | 51.93 | 74.00 | -22.07 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 32.65 | 15.79 | 48.44 | 88.20 | -39.76 | peak |
| 2* | 19425.000 | 32.87 | 18.79 | 51.66 | 74.00 | -22.34 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 34.08 | 15.71 | 49.79 | 88.20 | -38.41 | peak |
| 2* | 19545.000 | 31.44 | 18.88 | 50.32 | 74.00 | -23.68 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 33.50 | 15.71 | 49.21 | 88.20 | -38.99 | peak |
| 2* | 19545.000 | 31.80 | 18.88 | 50.68 | 74.00 | -23.32 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 33.71 | 15.68 | 49.39 | 88.20 | -38.81 | peak |
| 2* | 19605.000 | 32.21 | 18.89 | 51.10 | 74.00 | -22.90 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 33.15 | 15.68 | 48.83 | 88.20 | -39.37 | peak |
| 2* | 19605.000 | 32.27 | 18.89 | 51.16 | 74.00 | -22.84 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13390.000 | 33.06 | 16.53 | 49.59 | 74.00 | -24.41 | peak |
| 2* | 20085.000 | 32.41 | 19.01 | 51.42 | 74.00 | -22.58 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13390.000 | 32.89 | 16.53 | 49.42 | 74.00 | -24.58 | peak |
| 2* | 20085.000 | 33.89 | 19.01 | 52.90 | 74.00 | -21.10 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 32.79 | 17.26 | 50.05 | 88.20 | -38.15 | peak |
| 2* | 20565.000 | 32.15 | 19.58 | 51.73 | 74.00 | -22.27 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 33.26 | 17.26 | 50.52 | 88.20 | -37.68 | peak |
| 2 | 20565.000 | 33.32 | 19.58 | 52.90 | 74.00 | -21.10 | peak |
| 3* | 20565.000 | 27.66 | 19.58 | 47.24 | 54.00 | -6.76 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 32.97 | 17.17 | 50.14 | 88.20 | -38.06 | peak |
| 2* | 20625.000 | 31.74 | 19.61 | 51.35 | 74.00 | -22.65 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 32.87 | 17.17 | 50.04 | 88.20 | -38.16 | peak |
| 2* | 20625.000 | 31.94 | 19.61 | 51.55 | 74.00 | -22.45 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 32.53 | 17.10 | 49.63 | 88.20 | -38.57 | peak |
| 2* | 20685.000 | 32.13 | 19.63 | 51.76 | 74.00 | -22.24 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 33.81 | 17.10 | 50.91 | 88.20 | -37.29 | peak |
| 2* | 20685.000 | 31.64 | 19.63 | 51.27 | 74.00 | -22.73 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 32.78 | 17.85 | 50.63 | 88.20 | -37.57 | peak |
| 2* | 20985.000 | 31.78 | 19.79 | 51.57 | 74.00 | -22.43 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 34.29 | 17.85 | 52.14 | 88.20 | -36.06 | peak |
| 2 | 20985.000 | 32.53 | 19.79 | 52.32 | 74.00 | -21.68 | peak |
| 3* | 20985.000 | 27.44 | 19.79 | 47.23 | 54.00 | -6.77 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 32.91 | 18.53 | 51.44 | 88.20 | -36.76 | peak |
| 2 | 21345.000 | 33.28 | 19.35 | 52.63 | 74.00 | -21.37 | peak |
| 3* | 21345.000 | 20.68 | 19.35 | 40.03 | 54.00 | -13.97 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 32.37 | 18.53 | 50.90 | 88.20 | -37.30 | peak |
| 2* | 21345.000 | 32.14 | 19.35 | 51.49 | 74.00 | -22.51 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11930.000 | 34.59 | 14.81 | 49.40 | 74.00 | -24.60 | peak |
| 2 | 17895.000 | 30.87 | 27.39 | 58.26 | 74.00 | -15.74 | peak |
| 3* | 17895.000 | 21.00 | 27.39 | 48.39 | 54.00 | -5.61 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11930.000 | 35.46 | 14.81 | 50.27 | 74.00 | -23.73 | peak |
| 2 | 17895.000 | 32.01 | 27.39 | 59.40 | 74.00 | -14.60 | peak |
| 3* | 17895.000 | 20.94 | 27.39 | 48.33 | 54.00 | -5.67 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6165 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12330.000 | 33.52 | 15.07 | 48.59 | 74.00 | -25.41 | peak |
| 2* | 18495.000 | 31.32 | 17.97 | 49.29 | 74.00 | -24.71 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6165 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12330.000 | 33.38 | 15.07 | 48.45 | 74.00 | -25.55 | peak |
| 2* | 18495.000 | 32.35 | 17.97 | 50.32 | 74.00 | -23.68 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6405 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12810.000 | 33.51 | 15.67 | 49.18 | 88.20 | -39.02 | peak |
| 2* | 19215.000 | 32.09 | 18.55 | 50.64 | 74.00 | -23.36 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6405 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12810.000 | 33.07 | 15.67 | 48.74 | 88.20 | -39.46 | peak |
| 2* | 19215.000 | 32.20 | 18.55 | 50.75 | 74.00 | -23.25 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6445 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12890.000 | 33.71 | 15.83 | 49.54 | 88.20 | -38.66 | peak |
| 2* | 19335.000 | 31.30 | 18.69 | 49.99 | 74.00 | -24.01 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6445 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12890.000 | 32.80 | 15.83 | 48.63 | 88.20 | -39.57 | peak |
| 2* | 19335.000 | 31.94 | 18.69 | 50.63 | 74.00 | -23.37 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6485 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12970.000 | 33.58 | 15.77 | 49.35 | 88.20 | -38.85 | peak |
| 2* | 19455.000 | 31.19 | 18.83 | 50.02 | 74.00 | -23.98 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6485 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12970.000 | 34.32 | 15.77 | 50.09 | 88.20 | -38.11 | peak |
| 2* | 19455.000 | 32.48 | 18.83 | 51.31 | 74.00 | -22.69 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6525 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13050.000 | 33.46 | 15.69 | 49.15 | 88.20 | -39.05 | peak |
| 2 | 19575.000 | 33.24 | 18.89 | 52.13 | 74.00 | -21.87 | peak |
| 3* | 19575.000 | 20.52 | 18.89 | 39.41 | 54.00 | -14.59 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6525 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13050.000 | 33.81 | 15.69 | 49.50 | 88.20 | -38.70 | peak |
| 2* | 19575.000 | 32.25 | 18.89 | 51.14 | 74.00 | -22.86 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6565 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13130.000 | 32.71 | 15.71 | 48.42 | 88.20 | -39.78 | peak |
| 2* | 19695.000 | 31.62 | 18.89 | 50.51 | 74.00 | -23.49 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6565 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13130.000 | 34.01 | 15.71 | 49.72 | 88.20 | -38.48 | peak |
| 2 | 19695.000 | 33.14 | 18.89 | 52.03 | 74.00 | -21.97 | peak |
| 3* | 19695.000 | 20.57 | 18.89 | 39.46 | 54.00 | -14.54 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6685 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13370.000 | 33.34 | 16.43 | 49.77 | 74.00 | -24.23 | peak |
| 2* | 20055.000 | 32.48 | 18.97 | 51.45 | 74.00 | -22.55 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6685 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13370.000 | 32.91 | 16.43 | 49.34 | 74.00 | -24.66 | peak |
| 2* | 20055.000 | 32.27 | 18.97 | 51.24 | 74.00 | -22.76 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6845 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13690.000 | 33.05 | 17.27 | 50.32 | 88.20 | -37.88 | peak |
| 2* | 20535.000 | 31.71 | 19.55 | 51.26 | 74.00 | -22.74 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6845 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13690.000 | 33.06 | 17.27 | 50.33 | 88.20 | -37.87 | peak |
| 2 | 20535.000 | 32.69 | 19.55 | 52.24 | 74.00 | -21.76 | peak |
| 3* | 20535.000 | 20.82 | 19.55 | 40.37 | 54.00 | -13.63 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6885 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13770.000 | 33.28 | 17.14 | 50.42 | 88.20 | -37.78 | peak |
| 2* | 20655.000 | 31.65 | 19.62 | 51.27 | 74.00 | -22.73 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6885 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13770.000 | 32.88 | 17.14 | 50.02 | 88.20 | -38.18 | peak |
| 2* | 20655.000 | 32.26 | 19.62 | 51.88 | 74.00 | -22.12 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6925 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13850.000 | 34.71 | 17.38 | 52.09 | 88.20 | -36.11 | peak |
| 2 | 20775.000 | 33.40 | 19.69 | 53.09 | 74.00 | -20.91 | peak |
| 3* | 20775.000 | 23.87 | 19.69 | 43.56 | 54.00 | -10.44 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6925 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13850.000 | 33.43 | 17.38 | 50.81 | 88.20 | -37.39 | peak |
| 2* | 20775.000 | 31.81 | 19.69 | 51.50 | 74.00 | -22.50 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7005 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14010.000 | 32.65 | 17.91 | 50.56 | 88.20 | -37.64 | peak |
| 2 | 21015.000 | 32.92 | 19.79 | 52.71 | 74.00 | -21.29 | peak |
| 3* | 21015.000 | 21.02 | 19.79 | 40.81 | 54.00 | -13.19 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7005 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14010.000 | 33.18 | 17.91 | 51.09 | 88.20 | -37.11 | peak |
| 2 | 21015.000 | 32.37 | 19.79 | 52.16 | 74.00 | -21.84 | peak |
| 3* | 21015.000 | 20.87 | 19.79 | 40.66 | 54.00 | -13.34 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14170.000 | 34.22 | 18.44 | 52.66 | 88.20 | -35.54 | peak |
| 2 | 21255.000 | 33.20 | 19.47 | 52.67 | 74.00 | -21.33 | peak |
| 3* | 21255.000 | 21.14 | 19.47 | 40.61 | 54.00 | -13.39 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14170.000 | 33.01 | 18.44 | 51.45 | 88.20 | -36.75 | peak |
| 2* | 21255.000 | 32.34 | 19.47 | 51.81 | 74.00 | -22.19 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11970.000 | 34.30 | 14.83 | 49.13 | 74.00 | -24.87 | peak |
| 2 | 17955.000 | 32.75 | 28.19 | 60.94 | 74.00 | -13.06 | peak |
| 3* | 17955.000 | 20.82 | 28.19 | 49.01 | 54.00 | -4.99 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11970.000 | 35.07 | 14.83 | 49.90 | 74.00 | -24.10 | peak |
| 2 | 17955.000 | 32.24 | 28.19 | 60.43 | 74.00 | -13.57 | peak |
| 3* | 17955.000 | 22.37 | 28.19 | 50.56 | 54.00 | -3.44 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6145 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12290.000 | 34.56 | 15.18 | 49.74 | 74.00 | -24.26 | peak |
| 2 | 18435.000 | 31.78 | 17.82 | 49.60 | 74.00 | -24.40 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6145 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12290.000 | 33.59 | 15.18 | 48.77 | 74.00 | -25.23 | peak |
| 2* | 18435.000 | 32.71 | 17.82 | 50.53 | 74.00 | -23.47 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6385 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12770.000 | 33.83 | 15.59 | 49.42 | 88.20 | -38.78 | peak |
| 2* | 19155.000 | 32.38 | 18.48 | 50.86 | 74.00 | -23.14 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6385 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12770.000 | 33.24 | 15.59 | 48.83 | 88.20 | -39.37 | peak |
| 2* | 19155.000 | 32.76 | 18.48 | 51.24 | 74.00 | -22.76 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6465 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12930.000 | 33.79 | 15.82 | 49.61 | 88.20 | -38.59 | peak |
| 2* | 19395.000 | 32.55 | 18.76 | 51.31 | 74.00 | -22.69 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6465 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12930.000 | 33.49 | 15.82 | 49.31 | 88.20 | -38.89 | peak |
| 2* | 19395.000 | 32.19 | 18.76 | 50.95 | 74.00 | -23.05 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6545 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13090.000 | 33.66 | 15.66 | 49.32 | 88.20 | -38.88 | peak |
| 2* | 19635.000 | 31.40 | 18.89 | 50.29 | 74.00 | -23.71 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6545 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13090.000 | 34.01 | 15.66 | 49.67 | 88.20 | -38.53 | peak |
| 2* | 19635.000 | 31.84 | 18.89 | 50.73 | 74.00 | -23.27 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6625 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13250.000 | 32.32 | 15.97 | 48.29 | 74.00 | -25.71 | peak |
| 2* | 19875.000 | 31.88 | 18.90 | 50.78 | 74.00 | -23.22 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6625 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13250.000 | 33.51 | 15.97 | 49.48 | 74.00 | -24.52 | peak |
| 2* | 19875.000 | 31.98 | 18.90 | 50.88 | 74.00 | -23.12 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6705 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13410.000 | 32.44 | 16.63 | 49.07 | 88.20 | -39.13 | peak |
| 2 | 20115.000 | 33.05 | 19.05 | 52.10 | 74.00 | -21.90 | peak |
| 3* | 20115.000 | 21.08 | 19.05 | 40.13 | 54.00 | -13.87 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6705 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13410.000 | 33.79 | 16.63 | 50.42 | 88.20 | -37.78 | peak |
| 2* | 20115.000 | 32.71 | 19.05 | 51.76 | 74.00 | -22.24 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6785 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13570.000 | 33.30 | 17.16 | 50.46 | 88.20 | -37.74 | peak |
| 2* | 20355.000 | 31.72 | 19.36 | 51.08 | 74.00 | -22.92 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6785 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13570.000 | 32.78 | 17.16 | 49.94 | 88.20 | -38.26 | peak |
| 2* | 20355.000 | 31.86 | 19.36 | 51.22 | 74.00 | -22.78 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6865 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13730.000 | 32.98 | 17.22 | 50.20 | 88.20 | -38.00 | peak |
| 2* | 20595.000 | 32.32 | 19.59 | 51.91 | 74.00 | -22.09 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6865 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13730.000 | 33.76 | 17.22 | 50.98 | 88.20 | -37.22 | peak |
| 2* | 20595.000 | 32.35 | 19.59 | 51.94 | 74.00 | -22.06 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6945 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13890.000 | 34.52 | 17.61 | 52.13 | 88.20 | -36.07 | peak |
| 2* | 20835.000 | 31.80 | 19.71 | 51.51 | 74.00 | -22.49 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6945 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13890.000 | 33.24 | 17.61 | 50.85 | 88.20 | -37.35 | peak |
| 2 | 20835.000 | 32.78 | 19.71 | 52.49 | 74.00 | -21.51 | peak |
| 3* | 20835.000 | 20.84 | 19.71 | 40.55 | 54.00 | -13.45 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14050.000 | 33.24 | 18.08 | 51.32 | 88.20 | -36.88 | peak |
| 2* | 21075.000 | 31.76 | 19.69 | 51.45 | 74.00 | -22.55 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14050.000 | 33.78 | 18.08 | 51.86 | 88.20 | -36.34 | peak |
| 2* | 21075.000 | 31.68 | 19.69 | 51.37 | 74.00 | -22.63 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12050.000 | 33.64 | 14.95 | 48.59 | 74.00 | -25.41 | peak |
| 2* | 18075.000 | 32.42 | 17.06 | 49.48 | 74.00 | -24.52 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 12050.000 | 35.49 | 14.95 | 50.44 | 74.00 | -23.56 | peak |
| 2 | 18075.000 | 33.30 | 17.06 | 50.36 | 74.00 | -23.64 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6185 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12370.000 | 35.00 | 14.96 | 49.96 | 74.00 | -24.04 | peak |
| 2* | 18555.000 | 33.04 | 18.01 | 51.05 | 74.00 | -22.95 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6185 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12370.000 | 33.87 | 14.96 | 48.83 | 74.00 | -25.17 | peak |
| 2* | 18555.000 | 32.40 | 18.01 | 50.41 | 74.00 | -23.59 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6345 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12690.000 | 34.23 | 15.42 | 49.65 | 74.00 | -24.35 | peak |
| 2* | 19035.000 | 32.04 | 18.34 | 50.38 | 74.00 | -23.62 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6345 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12690.000 | 32.87 | 15.42 | 48.29 | 74.00 | -25.71 | peak |
| 2* | 19035.000 | 32.06 | 18.34 | 50.40 | 74.00 | -23.60 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6505 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13010.000 | 33.21 | 15.73 | 48.94 | 88.20 | -39.26 | peak |
| 2* | 19515.000 | 32.42 | 18.87 | 51.29 | 74.00 | -22.71 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6505 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13010.000 | 33.55 | 15.73 | 49.28 | 88.20 | -38.92 | peak |
| 2* | 19515.000 | 32.45 | 18.87 | 51.32 | 74.00 | -22.68 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6665 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13330.000 | 34.05 | 16.22 | 50.27 | 74.00 | -23.73 | peak |
| 2* | 19995.000 | 31.92 | 18.90 | 50.82 | 74.00 | -23.18 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6665 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13330.000 | 33.41 | 16.22 | 49.63 | 74.00 | -24.37 | peak |
| 2* | 19995.000 | 32.66 | 18.90 | 51.56 | 74.00 | -22.44 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6825 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13650.000 | 33.76 | 17.23 | 50.99 | 88.20 | -37.21 | peak |
| 2* | 20475.000 | 32.24 | 19.51 | 51.75 | 74.00 | -22.25 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6825 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13650.000 | 34.47 | 17.23 | 51.70 | 88.20 | -36.50 | peak |
| 2 | 20475.000 | 32.67 | 19.51 | 52.18 | 74.00 | -21.82 | peak |
| 3* | 20475.000 | 20.68 | 19.51 | 40.19 | 54.00 | -13.81 | AVG |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13970.000 | 34.16 | 17.81 | 51.97 | 88.20 | -36.23 | peak |
| 2 | 20955.000 | 32.49 | 19.77 | 52.26 | 74.00 | -21.74 | peak |
| 3* | 20955.000 | 20.84 | 19.77 | 40.61 | 54.00 | -13.39 | AVG |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13970.000 | 32.63 | 17.81 | 50.44 | 88.20 | -37.76 | peak |
| 2 | 20955.000 | 32.30 | 19.77 | 52.07 | 74.00 | -21.93 | peak |
| 3* | 20955.000 | 20.79 | 19.77 | 40.56 | 54.00 | -13.44 | AVG |

Band Edge


Peak

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5921.600 | 80.68 | 3.02 | 83.70 | 88.20 | -4.50 | peak |
| 2* | 5925.000 | 84.17 | 3.04 | 87.21 | 88.20 | -0.99 | peak |
| 3 | 5952.400 | 124.31 | 3.10 | 127.41 | 130.00 | -2.59 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11a 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5921.600 | 81.00 | 3.02 | 84.02 | 88.20 | -4.18 | peak |
| 2 | 5925.000 | 80.14 | 3.04 | 83.18 | 88.20 | -5.02 | peak |
| 3 | 5962.200 | 120.22 | 3.11 | 123.33 | 130.00 | -6.67 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7108.800 | 101.10 | 7.06 | 108.16 | 130.00 | -21.84 | peak |
| 2* | 7125.000 | 79.39 | 7.11 | 86.50 | 88.20 | -1.70 | peak |
| 3 | 7127.000 | 69.75 | 7.12 | 76.87 | 88.20 | -11.33 | peak |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11a 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7110.200 | 100.81 | 7.06 | 107.87 | 130.00 | -22.13 | peak |
| 2* | 7125.000 | 78.40 | 7.11 | 85.51 | 88.20 | -2.69 | peak |
| 3 | 7128.400 | 67.79 | 7.12 | 74.91 | 88.20 | -13.29 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5836.200 | 52.88 | 2.93 | 55.81 | 88.20 | -32.39 | peak |
| 2 | 5925.000 | 51.50 | 3.10 | 54.60 | 88.20 | -33.60 | peak |
| 3* | 5952.400 | 96.26 | 3.05 | 99.31 | 130.00 | -30.69 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5869.800 | 51.63 | 3.06 | 54.69 | 88.20 | -33.51 | peak |
| 2 | 5925.000 | 49.19 | 3.10 | 52.29 | 88.20 | -35.91 | peak |
| 3* | 5951.000 | 94.96 | 3.02 | 97.98 | 130.00 | -32.02 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7120.000 | 90.66 | 7.48 | 98.14 | 130.00 | -31.86 | peak |
| 2* | 7125.000 | 79.04 | 7.49 | 86.53 | 88.20 | -1.67 | peak |
| 3 | 7128.400 | 57.53 | 7.50 | 65.03 | 88.20 | -23.17 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7117.200 | 83.10 | 7.46 | 90.56 | 130.00 | -39.44 | peak |
| 2* | 7125.000 | 73.70 | 7.49 | 81.19 | 88.20 | -7.01 | peak |
| 3 | 7127.000 | 56.13 | 7.49 | 63.62 | 88.20 | -24.58 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5923.000 | 52.19 | 3.09 | 55.28 | 88.20 | -32.92 | peak |
| 2 | 5925.000 | 50.71 | 3.10 | 53.81 | 88.20 | -34.39 | peak |
| 3* | 5959.400 | 96.45 | 3.08 | 99.53 | 130.00 | -30.47 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5827.800 | 52.24 | 2.92 | 55.16 | 88.20 | -33.04 | peak |
| 2 | 5925.000 | 51.12 | 3.10 | 54.22 | 88.20 | -33.98 | peak |
| 3* | 5976.200 | 96.77 | 3.16 | 99.93 | 130.00 | -30.07 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 7089.200 | 93.53 | 7.32 | 100.85 | 130.00 | -29.15 | peak |
| 2 | 7125.000 | 48.79 | 7.49 | 56.28 | 88.20 | -31.92 | peak |
| 3 | 7185.800 | 51.07 | 7.72 | 58.79 | 88.20 | -29.41 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7075.200 | 84.80 | 7.20 | 92.00 | 130.00 | -38.00 | peak |
| 2 | 7125.000 | 49.29 | 7.49 | 56.78 | 88.20 | -31.42 | peak |
| 3* | 7177.400 | 51.28 | 7.69 | 58.97 | 88.20 | -29.23 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5923.000 | 55.59 | 3.09 | 58.68 | 88.20 | -29.52 | peak |
| 2* | 5925.000 | 56.63 | 3.10 | 59.73 | 88.20 | -28.47 | peak |
| 3 | 5977.600 | 97.25 | 3.17 | 100.42 | 130.00 | -29.58 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5910.400 | 52.84 | 3.14 | 55.98 | 88.20 | -32.22 | peak |
| 2 | 5925.000 | 52.45 | 3.10 | 55.55 | 88.20 | -32.65 | peak |
| 3* | 5979.000 | 95.83 | 3.18 | 99.01 | 130.00 | -30.99 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 7045.800 | 95.68 | 6.95 | 102.63 | 130.00 | -27.37 | peak |
| 2 | 7125.000 | 48.48 | 7.49 | 55.97 | 88.20 | -32.23 | peak |
| 3 | 7183.000 | 51.28 | 7.71 | 58.99 | 88.20 | -29.21 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7031.800 | 89.28 | 6.82 | 96.10 | 130.00 | -33.90 | peak |
| 2 | 7125.000 | 49.22 | 7.49 | 56.71 | 88.20 | -31.49 | peak |
| 3* | 7148.000 | 51.21 | 7.55 | 58.76 | 88.20 | -29.44 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5900.600 | 58.83 | 3.16 | 61.99 | 88.20 | -26.21 | peak |
| 2 | 5925.000 | 57.54 | 3.10 | 60.64 | 88.20 | -27.56 | peak |
| 3 | 6049.000 | 96.96 | 3.24 | 100.20 | 130.00 | -29.80 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5900.600 | 56.70 | 3.16 | 59.86 | 88.20 | -28.34 | peak |
| 2 | 5925.000 | 53.73 | 3.10 | 56.83 | 88.20 | -31.37 | peak |
| 3 | 5990.200 | 95.29 | 3.24 | 98.53 | 130.00 | -31.47 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 6974.400 | 96.62 | 6.57 | 103.19 | 130.00 | -26.81 | peak |
| 2 | 7125.000 | 50.07 | 7.49 | 57.56 | 88.20 | -30.64 | peak |
| 3 | 7136.800 | 52.21 | 7.52 | 59.73 | 88.20 | -28.47 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 6968.800 | 87.86 | 6.58 | 94.44 | 130.00 | -35.56 | peak |
| 2 | 7125.000 | 50.97 | 7.49 | 58.46 | 88.20 | -29.74 | peak |
| 3* | 7149.400 | 51.85 | 7.55 | 59.40 | 88.20 | -28.80 | peak |

Beamforming on_MIMO 4X4


Below 1 GHz

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | Transmit mode | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 140.5800 | 39.49 | -7.77 | 31.72 | 43.50 | -11.78 | QP |
| 2 | 229.8200 | 42.87 | -8.42 | 34.45 | 46.00 | -11.55 | QP |
| 3* | 327.7900 | 40.32 | -5.21 | 35.11 | 46.00 | -10.89 | QP |
| 4 | 376.2900 | 32.52 | -4.18 | 28.34 | 46.00 | -17.66 | QP |
| 5 | 490.7500 | 33.21 | -2.05 | 31.16 | 46.00 | -14.84 | QP |
| 6 | 517.9100 | 31.89 | -1.62 | 30.27 | 46.00 | -15.73 | QP |

| | | | |
|---------------|------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | Transmit mode | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 151.2500 | 41.49 | -7.01 | 34.48 | 43.50 | -9.02 | QP |
| 2 | 195.8700 | 40.27 | -9.23 | 31.04 | 43.50 | -12.46 | QP |
| 3 | 225.9400 | 37.64 | -8.70 | 28.94 | 46.00 | -17.06 | QP |
| 4 | 339.4300 | 39.45 | -4.96 | 34.49 | 46.00 | -11.51 | QP |
| 5 | 379.2000 | 31.37 | -4.11 | 27.26 | 46.00 | -18.74 | QP |
| 6 | 584.8400 | 29.40 | -0.15 | 29.25 | 46.00 | -16.75 | QP |

Harmonic


Above 1 GHz

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 35.65 | 14.80 | 50.45 | 74.00 | -23.55 | peak |
| 2 | 17865.000 | 33.20 | 27.02 | 60.22 | 74.00 | -13.78 | peak |
| 3* | 17865.000 | 20.16 | 27.02 | 47.18 | 54.00 | -6.82 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11910.000 | 35.10 | 14.80 | 49.90 | 74.00 | -24.10 | peak |
| 2 | 17865.000 | 33.21 | 27.02 | 60.23 | 74.00 | -13.77 | peak |
| 3* | 17865.000 | 20.24 | 27.02 | 47.26 | 54.00 | -6.74 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12350.000 | 35.21 | 15.01 | 50.22 | 74.00 | -23.78 | peak |
| 2* | 18525.000 | 32.55 | 17.99 | 50.54 | 74.00 | -23.46 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6175 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12350.000 | 34.64 | 15.01 | 49.65 | 74.00 | -24.35 | peak |
| 2* | 18525.000 | 32.69 | 17.99 | 50.68 | 74.00 | -23.32 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 35.13 | 15.71 | 50.84 | 88.20 | -37.36 | peak |
| 2 | 19245.000 | 34.02 | 18.58 | 52.60 | 74.00 | -21.40 | peak |
| 3* | 19245.000 | 20.04 | 18.58 | 38.62 | 54.00 | -15.38 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6415 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12830.000 | 34.26 | 15.71 | 49.97 | 88.20 | -38.23 | peak |
| 2* | 19245.000 | 33.07 | 18.58 | 51.65 | 74.00 | -22.35 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 35.76 | 15.79 | 51.55 | 88.20 | -36.65 | peak |
| 2* | 19305.000 | 32.39 | 18.65 | 51.04 | 74.00 | -22.96 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6435 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12870.000 | 33.93 | 15.79 | 49.72 | 88.20 | -38.48 | peak |
| 2* | 19305.000 | 32.76 | 18.65 | 51.41 | 74.00 | -22.59 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 34.95 | 15.79 | 50.74 | 88.20 | -37.46 | peak |
| 2* | 19425.000 | 32.27 | 18.79 | 51.06 | 74.00 | -22.94 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6475 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12950.000 | 34.07 | 15.79 | 49.86 | 88.20 | -38.34 | peak |
| 2* | 19425.000 | 33.08 | 18.79 | 51.87 | 74.00 | -22.13 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 33.91 | 15.71 | 49.62 | 88.20 | -38.58 | peak |
| 2* | 19545.000 | 32.00 | 18.88 | 50.88 | 74.00 | -23.12 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6515 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13030.000 | 33.37 | 15.71 | 49.08 | 88.20 | -39.12 | peak |
| 2* | 19545.000 | 32.77 | 18.88 | 51.65 | 74.00 | -22.35 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 34.03 | 15.68 | 49.71 | 88.20 | -38.49 | peak |
| 2* | 19605.000 | 33.03 | 18.89 | 51.92 | 74.00 | -22.08 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6535 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13070.000 | 33.99 | 15.68 | 49.67 | 88.20 | -38.53 | peak |
| 2* | 19605.000 | 31.27 | 18.89 | 50.16 | 74.00 | -23.84 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13390.000 | 34.23 | 16.53 | 50.76 | 74.00 | -23.24 | peak |
| 2 | 20085.000 | 33.72 | 19.01 | 52.73 | 74.00 | -21.27 | peak |
| 3* | 20085.000 | 20.37 | 19.01 | 39.38 | 54.00 | -14.62 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6695 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13390.000 | 33.96 | 16.53 | 50.49 | 74.00 | -23.51 | peak |
| 2* | 20085.000 | 32.50 | 19.01 | 51.51 | 74.00 | -22.49 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 34.25 | 17.26 | 51.51 | 88.20 | -36.69 | peak |
| 2* | 20565.000 | 32.27 | 19.58 | 51.85 | 74.00 | -22.15 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6855 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13710.000 | 34.51 | 17.26 | 51.77 | 88.20 | -36.43 | peak |
| 2 | 20565.000 | 33.02 | 19.58 | 52.60 | 74.00 | -21.40 | peak |
| 3* | 20565.000 | 19.88 | 19.58 | 39.46 | 54.00 | -14.54 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 33.92 | 17.17 | 51.09 | 88.20 | -37.11 | peak |
| 2* | 20625.000 | 32.11 | 19.61 | 51.72 | 74.00 | -22.28 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6875 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13750.000 | 32.83 | 17.17 | 50.00 | 88.20 | -38.20 | peak |
| 2 | 20625.000 | 32.55 | 19.61 | 52.16 | 74.00 | -21.84 | peak |
| 3* | 20625.000 | 20.35 | 19.61 | 39.96 | 54.00 | -14.04 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 33.53 | 17.10 | 50.63 | 88.20 | -37.57 | peak |
| 2* | 20685.000 | 32.03 | 19.63 | 51.66 | 74.00 | -22.34 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6895 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13790.000 | 33.15 | 17.10 | 50.25 | 88.20 | -37.95 | peak |
| 2 | 20685.000 | 33.75 | 19.63 | 53.38 | 74.00 | -20.62 | peak |
| 3* | 20685.000 | 20.23 | 19.63 | 39.86 | 54.00 | -14.14 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 33.71 | 17.85 | 51.56 | 88.20 | -36.64 | peak |
| 2* | 20985.000 | 31.91 | 19.79 | 51.70 | 74.00 | -22.30 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 6995 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13990.000 | 34.28 | 17.85 | 52.13 | 88.20 | -36.07 | peak |
| 2* | 20985.000 | 31.30 | 19.79 | 51.09 | 74.00 | -22.91 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 33.95 | 18.53 | 52.48 | 88.20 | -35.72 | peak |
| 2* | 21345.000 | 32.25 | 19.35 | 51.60 | 74.00 | -22.40 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14230.000 | 33.73 | 18.53 | 52.26 | 88.20 | -35.94 | peak |
| 2* | 21345.000 | 32.09 | 19.35 | 51.44 | 74.00 | -22.56 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11930.000 | 32.18 | 14.81 | 46.99 | 74.00 | -27.01 | peak |
| 2 | 17895.000 | 31.18 | 27.39 | 58.57 | 74.00 | -15.43 | peak |
| 3* | 17895.000 | 18.95 | 27.39 | 46.34 | 54.00 | -7.66 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11930.000 | 33.29 | 14.81 | 48.10 | 74.00 | -25.90 | peak |
| 2 | 17895.000 | 31.15 | 27.39 | 58.54 | 74.00 | -15.46 | peak |
| 3* | 17895.000 | 19.42 | 27.39 | 46.81 | 54.00 | -7.19 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6165 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12330.000 | 33.08 | 15.07 | 48.15 | 74.00 | -25.85 | peak |
| 2* | 18495.000 | 30.55 | 17.97 | 48.52 | 74.00 | -25.48 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6165 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12330.000 | 32.69 | 15.07 | 47.76 | 74.00 | -26.24 | peak |
| 2* | 18495.000 | 30.72 | 17.97 | 48.69 | 74.00 | -25.31 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6405 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12810.000 | 31.60 | 15.67 | 47.27 | 88.20 | -40.93 | peak |
| 2* | 19215.000 | 29.77 | 18.55 | 48.32 | 74.00 | -25.68 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6405 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12810.000 | 32.14 | 15.67 | 47.81 | 88.20 | -40.39 | peak |
| 2* | 19215.000 | 29.99 | 18.55 | 48.54 | 74.00 | -25.46 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6445 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12890.000 | 31.90 | 15.83 | 47.73 | 88.20 | -40.47 | peak |
| 2* | 19335.000 | 29.44 | 18.69 | 48.13 | 74.00 | -25.87 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6445 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12890.000 | 32.32 | 15.83 | 48.15 | 88.20 | -40.05 | peak |
| 2* | 19335.000 | 29.33 | 18.69 | 48.02 | 74.00 | -25.98 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6485 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12970.000 | 32.58 | 15.77 | 48.35 | 88.20 | -39.85 | peak |
| 2* | 19455.000 | 29.14 | 18.83 | 47.97 | 74.00 | -26.03 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6485 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12970.000 | 32.93 | 15.77 | 48.70 | 88.20 | -39.50 | peak |
| 2* | 19455.000 | 29.71 | 18.83 | 48.54 | 74.00 | -25.46 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6525 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13050.000 | 32.42 | 15.69 | 48.11 | 88.20 | -40.09 | peak |
| 2* | 19575.000 | 29.36 | 18.89 | 48.25 | 74.00 | -25.75 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6525 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13050.000 | 32.54 | 15.69 | 48.23 | 88.20 | -39.97 | peak |
| 2* | 19575.000 | 28.93 | 18.89 | 47.82 | 74.00 | -26.18 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6565 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13130.000 | 32.36 | 15.71 | 48.07 | 88.20 | -40.13 | peak |
| 2* | 19695.000 | 28.93 | 18.89 | 47.82 | 74.00 | -26.18 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6565 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13130.000 | 33.05 | 15.71 | 48.76 | 88.20 | -39.44 | peak |
| 2* | 19695.000 | 29.08 | 18.89 | 47.97 | 74.00 | -26.03 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6685 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13370.000 | 32.10 | 16.43 | 48.53 | 74.00 | -25.47 | peak |
| 2 | 20055.000 | 29.15 | 18.97 | 48.12 | 74.00 | -25.88 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6685 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 13370.000 | 32.45 | 16.43 | 48.88 | 74.00 | -25.12 | peak |
| 2 | 20055.000 | 29.62 | 18.97 | 48.59 | 74.00 | -25.41 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6845 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13690.000 | 32.00 | 17.27 | 49.27 | 88.20 | -38.93 | peak |
| 2* | 20535.000 | 29.38 | 19.55 | 48.93 | 74.00 | -25.07 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6845 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13690.000 | 32.34 | 17.27 | 49.61 | 88.20 | -38.59 | peak |
| 2* | 20535.000 | 28.79 | 19.55 | 48.34 | 74.00 | -25.66 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6885 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13770.000 | 31.42 | 17.14 | 48.56 | 88.20 | -39.64 | peak |
| 2* | 20655.000 | 29.19 | 19.62 | 48.81 | 74.00 | -25.19 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6885 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13770.000 | 31.96 | 17.14 | 49.10 | 88.20 | -39.10 | peak |
| 2* | 20655.000 | 29.34 | 19.62 | 48.96 | 74.00 | -25.04 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 6925 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13850.000 | 31.39 | 17.38 | 48.77 | 88.20 | -39.43 | peak |
| 2* | 20775.000 | 29.33 | 19.69 | 49.02 | 74.00 | -24.98 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 6925 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13850.000 | 31.27 | 17.38 | 48.65 | 88.20 | -39.55 | peak |
| 2* | 20775.000 | 30.12 | 19.69 | 49.81 | 74.00 | -24.19 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7005 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14010.000 | 31.80 | 17.91 | 49.71 | 88.20 | -38.49 | peak |
| 2* | 21015.000 | 28.60 | 19.79 | 48.39 | 74.00 | -25.61 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7005 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14010.000 | 31.41 | 17.91 | 49.32 | 88.20 | -38.88 | peak |
| 2* | 21015.000 | 28.99 | 19.79 | 48.78 | 74.00 | -25.22 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14170.000 | 31.52 | 18.44 | 49.96 | 88.20 | -38.24 | peak |
| 2* | 21255.000 | 29.76 | 19.47 | 49.23 | 74.00 | -24.77 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14170.000 | 31.10 | 18.44 | 49.54 | 88.20 | -38.66 | peak |
| 2* | 21255.000 | 29.10 | 19.47 | 48.57 | 74.00 | -25.43 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11970.000 | 33.19 | 14.83 | 48.02 | 74.00 | -25.98 | peak |
| 2 | 17955.000 | 31.07 | 28.19 | 59.26 | 74.00 | -14.74 | peak |
| 3* | 17955.000 | 19.72 | 28.19 | 47.91 | 54.00 | -6.09 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 11970.000 | 32.75 | 14.83 | 47.58 | 74.00 | -26.42 | peak |
| 2 | 17955.000 | 30.48 | 28.19 | 58.67 | 74.00 | -15.33 | peak |
| 3* | 17955.000 | 19.41 | 28.19 | 47.60 | 54.00 | -6.40 | AVG |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6145 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12290.000 | 32.84 | 15.18 | 48.02 | 74.00 | -25.98 | peak |
| 2* | 18435.000 | 30.72 | 17.82 | 48.54 | 74.00 | -25.46 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6145 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12290.000 | 32.60 | 15.18 | 47.78 | 74.00 | -26.22 | peak |
| 2* | 18435.000 | 31.49 | 17.82 | 49.31 | 74.00 | -24.69 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6385 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12770.000 | 33.02 | 15.59 | 48.61 | 88.20 | -39.59 | peak |
| 2* | 19155.000 | 29.65 | 18.48 | 48.13 | 74.00 | -25.87 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6385 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12770.000 | 32.50 | 15.59 | 48.09 | 88.20 | -40.11 | peak |
| 2* | 19155.000 | 29.91 | 18.48 | 48.39 | 74.00 | -25.61 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6465 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12930.000 | 32.30 | 15.82 | 48.12 | 88.20 | -40.08 | peak |
| 2* | 19395.000 | 30.31 | 18.76 | 49.07 | 74.00 | -24.93 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6465 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12930.000 | 32.23 | 15.82 | 48.05 | 88.20 | -40.15 | peak |
| 2* | 19395.000 | 29.15 | 18.76 | 47.91 | 74.00 | -26.09 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6545 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13090.000 | 32.40 | 15.66 | 48.06 | 88.20 | -40.14 | peak |
| 2* | 19635.000 | 29.43 | 18.89 | 48.32 | 74.00 | -25.68 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6545 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13090.000 | 32.51 | 15.66 | 48.17 | 88.20 | -40.03 | peak |
| 2* | 19635.000 | 29.91 | 18.89 | 48.80 | 74.00 | -25.20 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6625 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13250.000 | 31.85 | 15.97 | 47.82 | 74.00 | -26.18 | peak |
| 2* | 19875.000 | 29.64 | 18.90 | 48.54 | 74.00 | -25.46 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6625 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13250.000 | 32.18 | 15.97 | 48.15 | 74.00 | -25.85 | peak |
| 2* | 19875.000 | 29.73 | 18.90 | 48.63 | 74.00 | -25.37 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6705 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13410.000 | 31.94 | 16.63 | 48.57 | 88.20 | -39.63 | peak |
| 2* | 20115.000 | 30.70 | 19.05 | 49.75 | 74.00 | -24.25 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6705 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13410.000 | 31.61 | 16.63 | 48.24 | 88.20 | -39.96 | peak |
| 2* | 20115.000 | 29.34 | 19.05 | 48.39 | 74.00 | -25.61 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6785 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13570.000 | 31.53 | 17.16 | 48.69 | 88.20 | -39.51 | peak |
| 2* | 20355.000 | 28.76 | 19.36 | 48.12 | 74.00 | -25.88 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6785 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13570.000 | 31.24 | 17.16 | 48.40 | 88.20 | -39.80 | peak |
| 2* | 20355.000 | 28.94 | 19.36 | 48.30 | 74.00 | -25.70 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6865 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13730.000 | 31.87 | 17.22 | 49.09 | 88.20 | -39.11 | peak |
| 2* | 20595.000 | 30.03 | 19.59 | 49.62 | 74.00 | -24.38 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6865 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13730.000 | 31.03 | 17.22 | 48.25 | 88.20 | -39.95 | peak |
| 2* | 20595.000 | 29.78 | 19.59 | 49.37 | 74.00 | -24.63 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 6945 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13890.000 | 32.11 | 17.61 | 49.72 | 88.20 | -38.48 | peak |
| 2* | 20835.000 | 30.04 | 19.71 | 49.75 | 74.00 | -24.25 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 6945 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13890.000 | 31.64 | 17.61 | 49.25 | 88.20 | -38.95 | peak |
| 2* | 20835.000 | 30.12 | 19.71 | 49.83 | 74.00 | -24.17 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14050.000 | 32.54 | 18.08 | 50.62 | 88.20 | -37.58 | peak |
| 2* | 21075.000 | 29.56 | 19.69 | 49.25 | 74.00 | -24.75 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 14050.000 | 31.73 | 18.08 | 49.81 | 88.20 | -38.39 | peak |
| 2* | 21075.000 | 29.24 | 19.69 | 48.93 | 74.00 | -25.07 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12050.000 | 32.97 | 14.95 | 47.92 | 74.00 | -26.08 | peak |
| 2* | 18075.000 | 32.08 | 17.06 | 49.14 | 74.00 | -24.86 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12050.000 | 33.32 | 14.95 | 48.27 | 74.00 | -25.73 | peak |
| 2* | 18075.000 | 31.84 | 17.06 | 48.90 | 74.00 | -25.10 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6185 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12370.000 | 33.13 | 14.96 | 48.09 | 74.00 | -25.91 | peak |
| 2* | 18555.000 | 31.28 | 18.01 | 49.29 | 74.00 | -24.71 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6185 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12370.000 | 32.72 | 14.96 | 47.68 | 74.00 | -26.32 | peak |
| 2* | 18555.000 | 31.02 | 18.01 | 49.03 | 74.00 | -24.97 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6345 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12690.000 | 32.59 | 15.42 | 48.01 | 74.00 | -25.99 | peak |
| 2* | 19035.000 | 30.68 | 18.34 | 49.02 | 74.00 | -24.98 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6345 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 12690.000 | 31.72 | 15.42 | 47.14 | 74.00 | -26.86 | peak |
| 2* | 19035.000 | 30.22 | 18.34 | 48.56 | 74.00 | -25.44 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6505 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13010.000 | 33.21 | 15.73 | 48.94 | 88.20 | -39.26 | peak |
| 2* | 19515.000 | 30.28 | 18.87 | 49.15 | 74.00 | -24.85 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6505 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13010.000 | 33.59 | 15.73 | 49.32 | 88.20 | -38.88 | peak |
| 2* | 19515.000 | 30.06 | 18.87 | 48.93 | 74.00 | -25.07 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6665 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13330.000 | 32.16 | 16.22 | 48.38 | 74.00 | -25.62 | peak |
| 2* | 19995.000 | 29.92 | 18.90 | 48.82 | 74.00 | -25.18 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6665 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13330.000 | 32.38 | 16.22 | 48.60 | 74.00 | -25.40 | peak |
| 2* | 19995.000 | 30.15 | 18.90 | 49.05 | 74.00 | -24.95 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6825 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13650.000 | 32.32 | 17.23 | 49.55 | 88.20 | -38.65 | peak |
| 2* | 20475.000 | 29.57 | 19.51 | 49.08 | 74.00 | -24.92 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6825 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13650.000 | 31.79 | 17.23 | 49.02 | 88.20 | -39.18 | peak |
| 2* | 20475.000 | 29.41 | 19.51 | 48.92 | 74.00 | -25.08 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13970.000 | 31.92 | 17.81 | 49.73 | 88.20 | -38.47 | peak |
| 2* | 20955.000 | 30.09 | 19.77 | 49.86 | 74.00 | -24.14 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 13970.000 | 31.40 | 17.81 | 49.21 | 88.20 | -38.99 | peak |
| 2* | 20955.000 | 29.38 | 19.77 | 49.15 | 74.00 | -24.85 | peak |

| | | | |
|---------------|---|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | Simultaneous Transmitting Bluetooth + WLAN 2.4 GHz + 5 GHz + 6 GHz + Matter | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 2802.000 | 39.54 | -5.27 | 34.27 | 74.00 | -39.73 | peak |
| 2 | 4570.000 | 37.78 | -0.68 | 37.10 | 74.00 | -36.90 | peak |
| 3* | 7273.000 | 35.73 | 8.00 | 43.73 | 74.00 | -30.27 | peak |

| | | | |
|---------------|---|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | Simultaneous Transmitting Bluetooth + WLAN 2.4 GHz + 5 GHz + 6 GHz + Matter | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 2819.000 | 39.88 | -5.26 | 34.62 | 74.00 | -39.38 | peak |
| 2 | 4825.000 | 38.16 | 0.28 | 38.44 | 74.00 | -35.56 | peak |
| 3* | 7613.000 | 33.53 | 8.35 | 41.88 | 74.00 | -32.12 | peak |

Band Edge


Peak

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5916.000 | 57.64 | 3.12 | 60.76 | 88.20 | -27.44 | peak |
| 2 | 5925.000 | 63.21 | 3.10 | 66.31 | 88.20 | -21.89 | peak |
| 3* | 5960.800 | 110.58 | 3.08 | 113.66 | 130.00 | -16.34 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 5955 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5923.000 | 59.57 | 3.09 | 62.66 | 88.20 | -25.54 | peak |
| 2 | 5925.000 | 65.12 | 3.10 | 68.22 | 88.20 | -19.98 | peak |
| 3* | 5952.400 | 111.19 | 3.05 | 114.24 | 130.00 | -15.76 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7111.600 | 92.70 | 7.44 | 100.14 | 130.00 | -29.86 | peak |
| 2* | 7125.000 | 79.70 | 7.49 | 87.19 | 88.20 | -1.01 | peak |
| 3 | 7127.000 | 63.32 | 7.49 | 70.81 | 88.20 | -17.39 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE20 7115 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 7111.600 | 91.62 | 7.44 | 99.06 | 130.00 | -30.94 | peak |
| 2* | 7125.000 | 74.98 | 7.49 | 82.47 | 88.20 | -5.73 | peak |
| 3 | 7127.000 | 62.11 | 7.49 | 69.60 | 88.20 | -18.60 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5885.200 | 52.79 | 3.11 | 55.90 | 88.20 | -32.30 | peak |
| 2 | 5925.000 | 50.66 | 3.10 | 53.76 | 88.20 | -34.44 | peak |
| 3* | 5962.200 | 101.85 | 3.09 | 104.94 | 130.00 | -25.06 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 5965 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5857.200 | 51.34 | 3.01 | 54.35 | 88.20 | -33.85 | peak |
| 2 | 5925.000 | 51.41 | 3.10 | 54.51 | 88.20 | -33.69 | peak |
| 3* | 5977.600 | 103.26 | 3.17 | 106.43 | 130.00 | -23.57 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 7096.200 | 97.40 | 7.38 | 104.78 | 130.00 | -25.22 | peak |
| 2 | 7125.000 | 49.93 | 7.49 | 57.42 | 88.20 | -30.78 | peak |
| 3 | 7181.600 | 50.77 | 7.71 | 58.48 | 88.20 | -29.72 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE40 7085 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 7082.200 | 95.49 | 7.27 | 102.76 | 130.00 | -27.24 | peak |
| 2 | 7125.000 | 50.29 | 7.49 | 57.78 | 88.20 | -30.42 | peak |
| 3 | 7206.800 | 50.11 | 7.83 | 57.94 | 88.20 | -30.26 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5921.600 | 56.14 | 3.09 | 59.23 | 88.20 | -28.97 | peak |
| 2 | 5925.000 | 54.28 | 3.10 | 57.38 | 88.20 | -30.82 | peak |
| 3* | 5980.400 | 102.79 | 3.20 | 105.99 | 130.00 | -24.01 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 5985 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1 | 5913.200 | 52.37 | 3.13 | 55.50 | 88.20 | -32.70 | peak |
| 2 | 5925.000 | 52.34 | 3.10 | 55.44 | 88.20 | -32.76 | peak |
| 3* | 5995.800 | 98.25 | 3.28 | 101.53 | 130.00 | -28.47 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 7005.200 | 98.09 | 6.58 | 104.67 | 130.00 | -25.33 | peak |
| 2 | 7125.000 | 48.86 | 7.49 | 56.35 | 88.20 | -31.85 | peak |
| 3 | 7204.000 | 51.03 | 7.81 | 58.84 | 88.20 | -29.36 | peak |

| | | | |
|---------------|------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE80 7025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 7006.600 | 95.51 | 6.59 | 102.10 | 130.00 | -27.90 | peak |
| 2 | 7125.000 | 49.70 | 7.49 | 57.19 | 88.20 | -31.01 | peak |
| 3 | 7201.200 | 51.37 | 7.79 | 59.16 | 88.20 | -29.04 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5900.600 | 62.98 | 3.16 | 66.14 | 88.20 | -22.06 | peak |
| 2 | 5925.000 | 59.08 | 3.10 | 62.18 | 88.20 | -26.02 | peak |
| 3 | 5984.600 | 101.77 | 3.22 | 104.99 | 130.00 | -25.01 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6025 MHz | | |
| Remark: | | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 5923.000 | 62.38 | 3.09 | 65.47 | 88.20 | -22.73 | peak |
| 2 | 5925.000 | 58.78 | 3.10 | 61.88 | 88.20 | -26.32 | peak |
| 3 | 6015.400 | 98.65 | 3.28 | 101.93 | 130.00 | -28.07 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Horizontal | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 6974.400 | 98.30 | 6.57 | 104.87 | 130.00 | -25.13 | peak |
| 2 | 7125.000 | 48.83 | 7.49 | 56.32 | 88.20 | -31.88 | peak |
| 3 | 7195.600 | 50.81 | 7.77 | 58.58 | 88.20 | -29.62 | peak |

| | | | |
|---------------|-------------------------|------------|-------------|
| Standard: | Part 15E_WIFI 6E | Test Site: | 966 Chamber |
| Polarization: | Vertical | | |
| Test Mode: | 802.11ax HE160 6985 MHz | | |
| Remark: | | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|-------------------|-----------------|----------------|-------------|--------|
| 1* | 7034.600 | 94.87 | 6.85 | 101.72 | 130.00 | -28.28 | peak |
| 2 | 7125.000 | 50.18 | 7.49 | 57.67 | 88.20 | -30.53 | peak |
| 3 | 7177.400 | 50.53 | 7.69 | 58.22 | 88.20 | -29.98 | peak |