


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5648.000	63.96	1.65	65.61	68.20	-2.59	peak
2*	5650.000	64.20	1.65	65.85	68.20	-2.35	peak
3	5700.000	78.71	1.58	80.29	105.20	-24.91	peak
4	5720.000	82.53	1.83	84.36	110.80	-26.44	peak
5	5725.000	85.35	1.89	87.24	122.20	-34.96	peak
6	5766.500	105.32	2.32	107.64	131.20	-23.56	peak
7	5850.000	78.97	2.57	81.54	122.20	-40.66	peak
8	5855.000	76.50	2.59	79.09	110.80	-31.71	peak
9	5875.000	69.95	2.64	72.59	105.20	-32.61	peak
10	5925.000	58.16	2.58	60.74	68.20	-7.46	peak
11	5932.250	59.12	2.54	61.66	68.20	-6.54	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5648.000	65.08	1.65	66.73	68.20	-1.47	peak
2*	5650.000	65.49	1.65	67.14	68.20	-1.06	peak
3	5700.000	80.35	1.58	81.93	105.20	-23.27	peak
4	5720.000	85.22	1.83	87.05	110.80	-23.75	peak
5	5725.000	87.47	1.89	89.36	122.20	-32.84	peak
6	5771.750	105.52	2.36	107.88	131.20	-23.32	peak
7	5850.000	80.27	2.57	82.84	122.20	-39.36	peak
8	5855.000	80.22	2.59	82.81	110.80	-27.99	peak
9	5875.000	71.21	2.64	73.85	105.20	-31.35	peak
10!	5925.000	60.62	2.58	63.20	68.20	-5.00	peak
11!	5931.125	63.12	2.54	65.66	68.20	-2.54	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	61.02	1.42	62.44	74.00	-11.56	peak
2	5150.000	58.95	1.42	60.37	74.00	-13.63	peak
3*	5177.920	105.96	1.35	107.31	68.20	39.11	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	59.35	1.42	60.77	74.00	-13.23	peak
2	5150.000	61.85	1.42	63.27	74.00	-10.73	peak
3*	5174.120	105.84	1.35	107.19	68.20	38.99	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	61.65	1.42	63.07	74.00	-10.93	peak
2	5150.000	62.80	1.42	64.22	74.00	-9.78	peak
3*	5202.720	114.96	1.27	116.23	68.20	48.03	peak
4	5350.000	49.73	1.08	50.81	74.00	-23.19	peak
5	5419.680	52.34	1.61	53.95	74.00	-20.05	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	62.08	1.42	63.50	74.00	-10.50	peak
2	5150.000	61.91	1.42	63.33	74.00	-10.67	peak
3*	5200.800	115.44	1.28	116.72	68.20	48.52	peak
4	5350.000	49.15	1.08	50.23	74.00	-23.77	peak
5	5436.960	51.94	1.66	53.60	74.00	-20.40	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	57.10	1.41	58.51	74.00	-15.49	peak
2	5150.000	54.98	1.42	56.40	74.00	-17.60	peak
3*	5241.120	117.24	1.08	118.32	68.20	50.12	peak
4	5350.000	53.30	1.08	54.38	74.00	-19.62	peak
5	5353.440	53.67	1.11	54.78	74.00	-19.22	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	58.94	1.42	60.36	74.00	-13.64	peak
2	5150.000	55.11	1.42	56.53	74.00	-17.47	peak
3*	5239.200	118.32	1.09	119.41	68.20	51.21	peak
4	5350.000	55.86	1.08	56.94	74.00	-17.06	peak
5	5353.440	53.81	1.11	54.92	74.00	-19.08	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	56.59	1.42	58.01	74.00	-15.99	peak
2	5150.000	54.71	1.42	56.13	74.00	-17.87	peak
3*	5262.240	117.90	1.02	118.92	68.20	50.72	peak
4	5350.000	60.74	1.08	61.82	74.00	-12.18	peak
5	5362.080	59.58	1.20	60.78	74.00	-13.22	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	55.79	1.41	57.20	74.00	-16.80	peak
2	5150.000	54.71	1.42	56.13	74.00	-17.87	peak
3*	5254.560	116.56	1.03	117.59	68.20	49.39	peak
4	5350.000	59.65	1.08	60.73	74.00	-13.27	peak
5	5360.160	59.72	1.18	60.90	74.00	-13.10	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5122.080	54.40	1.38	55.78	74.00	-18.22	peak
2	5150.000	51.84	1.42	53.26	74.00	-20.74	peak
3*	5281.440	117.30	0.96	118.26	68.20	50.06	peak
4	5350.000	63.95	1.08	65.03	74.00	-8.97	peak
5	5352.480	65.40	1.10	66.50	74.00	-7.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5117.280	53.81	1.37	55.18	74.00	-18.82	peak
2	5150.000	51.14	1.42	52.56	74.00	-21.44	peak
3*	5280.480	117.61	0.97	118.58	68.20	50.38	peak
4	5350.000	64.60	1.08	65.68	74.00	-8.32	peak
5	5351.520	67.76	1.09	68.85	74.00	-5.15	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.880	112.69	0.98	113.67	68.20	45.47	peak
2	5350.000	65.01	1.08	66.09	74.00	-7.91	peak
3	5353.200	63.94	1.11	65.05	74.00	-8.95	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5317.920	109.96	0.98	110.94	68.20	42.74	peak
2	5350.000	61.39	1.08	62.47	74.00	-11.53	peak
3	5352.000	65.58	1.10	66.68	74.00	-7.32	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	61.87	1.73	63.60	74.00	-10.40	peak
2*	5500.960	109.15	1.78	110.93	68.20	42.73	peak
3	5449.840	60.87	1.71	62.58	74.00	-11.42	peak
4	5470.000	63.77	1.74	65.51	68.20	-2.69	peak
5	5467.360	65.08	1.74	66.82	68.20	-1.38	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.200	61.79	1.73	63.52	74.00	-10.48	peak
2	5460.000	58.70	1.73	60.43	74.00	-13.57	peak
3	5469.040	65.21	1.74	66.95	68.20	-1.25	peak
4	5470.000	65.20	1.74	66.94	68.20	-1.26	peak
5*	5501.200	108.29	1.78	110.07	68.20	41.87	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5436.700	55.60	1.66	57.26	74.00	-16.74	peak
2	5460.000	53.01	1.73	54.74	74.00	-19.26	peak
3	5466.450	57.23	1.74	58.97	68.20	-9.23	peak
4	5470.000	56.51	1.74	58.25	68.20	-9.95	peak
5*	5555.700	114.07	2.05	116.12	68.20	47.92	peak
6	5725.000	51.14	2.30	53.44	68.20	-14.76	peak
7	5727.400	52.77	2.32	55.09	68.20	-13.11	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5442.225	55.43	1.69	57.12	74.00	-16.88	peak
2	5460.000	54.76	1.73	56.49	74.00	-17.51	peak
3	5462.625	56.75	1.73	58.48	68.20	-9.72	peak
4	5470.000	53.92	1.74	55.66	68.20	-12.54	peak
5*	5556.975	115.63	2.05	117.68	68.20	49.48	peak
6	5725.000	51.48	2.30	53.78	68.20	-14.42	peak
7	5758.000	52.76	2.59	55.35	68.20	-12.85	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5699.745	104.91	2.06	106.97	68.20	38.77	peak
2	5725.000	61.49	2.30	63.79	68.20	-4.41	peak
3	5726.425	62.32	2.31	64.63	68.20	-3.57	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5702.065	105.61	2.10	107.71	68.20	39.51	peak
2	5725.000	61.47	2.30	63.77	68.20	-4.43	peak
3	5725.845	63.16	2.31	65.47	68.20	-2.73	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5419.375	53.61	1.61	55.22	74.00	-18.78	peak
2	5460.000	50.21	1.73	51.94	74.00	-22.06	peak
3	5469.375	52.16	1.74	53.90	68.20	-14.30	peak
4	5470.000	51.39	1.74	53.13	68.20	-15.07	peak
5*	5701.250	110.41	2.07	112.48	68.20	44.28	peak
6	5850.000	50.40	2.98	53.38	68.20	-14.82	peak
7	5852.500	50.89	2.98	53.87	68.20	-14.33	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.125	52.71	1.71	54.42	74.00	-19.58	peak
2	5460.000	49.85	1.73	51.58	74.00	-22.42	peak
3	5466.875	50.64	1.74	52.38	68.20	-15.82	peak
4	5470.000	50.13	1.74	51.87	68.20	-16.33	peak
5*	5699.375	110.41	2.06	112.47	68.20	44.27	peak
6	5850.000	47.88	2.98	50.86	68.20	-17.34	peak
7	5963.750	50.38	3.10	53.48	68.20	-14.72	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5635.250	52.81	1.94	54.75	68.20	-13.45	peak
2	5650.000	50.73	1.90	52.63	68.20	-15.57	peak
3	5700.000	64.47	2.06	66.53	105.20	-38.67	peak
4	5720.000	83.71	2.26	85.97	110.80	-24.83	peak
5	5725.000	85.84	2.30	88.14	122.20	-34.06	peak
6	5746.250	110.38	2.51	112.89	131.20	-18.31	peak
7	5850.000	47.63	2.98	50.61	122.20	-71.59	peak
8	5855.000	49.10	3.01	52.11	110.80	-58.69	peak
9	5875.000	47.66	3.07	50.73	105.20	-54.47	peak
10	5925.000	49.23	3.10	52.33	68.20	-15.87	peak
11	5950.250	50.82	3.02	53.84	68.20	-14.36	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5605.625	54.07	2.02	56.09	68.20	-12.11	peak
2	5650.000	50.61	1.90	52.51	68.20	-15.69	peak
3	5700.000	66.30	2.06	68.36	105.20	-36.84	peak
4	5720.000	80.44	2.26	82.70	110.80	-28.10	peak
5	5725.000	88.03	2.30	90.33	122.20	-31.87	peak
6	5749.625	110.42	2.54	112.96	131.20	-18.24	peak
7	5850.000	49.14	2.98	52.12	122.20	-70.08	peak
8	5855.000	47.72	3.01	50.73	110.80	-60.07	peak
9	5875.000	48.51	3.07	51.58	105.20	-53.62	peak
10	5925.000	48.39	3.10	51.49	68.20	-16.71	peak
11	5941.250	50.44	3.05	53.49	68.20	-14.71	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5649.875	54.74	1.90	56.64	68.20	-11.56	peak
2	5650.000	53.27	1.90	55.17	68.20	-13.03	peak
3	5700.000	56.20	2.06	58.26	105.20	-46.94	peak
4	5720.000	63.03	2.26	65.29	110.80	-45.51	peak
5	5725.000	66.58	2.30	68.88	122.20	-53.32	peak
6	5787.875	113.14	2.75	115.89	131.20	-15.31	peak
7	5850.000	62.05	2.98	65.03	122.20	-57.17	peak
8	5855.000	58.72	3.01	61.73	110.80	-49.07	peak
9	5875.000	54.76	3.07	57.83	105.20	-47.37	peak
10	5925.000	50.55	3.10	53.65	68.20	-14.55	peak
11	5939.375	51.17	3.06	54.23	68.20	-13.97	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5630.750	54.59	1.94	56.53	68.20	-11.67	peak
2	5650.000	53.28	1.90	55.18	68.20	-13.02	peak
3	5700.000	56.53	2.06	58.59	105.20	-46.61	peak
4	5720.000	62.92	2.26	65.18	110.80	-45.62	peak
5	5725.000	65.87	2.30	68.17	122.20	-54.03	peak
6	5782.250	113.53	2.71	116.24	131.20	-14.96	peak
7	5850.000	60.40	2.98	63.38	122.20	-58.82	peak
8	5855.000	59.45	3.01	62.46	110.80	-48.34	peak
9	5875.000	53.34	3.07	56.41	105.20	-48.79	peak
10	5925.000	48.65	3.10	51.75	68.20	-16.45	peak
11	5965.625	52.25	3.12	55.37	68.20	-12.83	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5636.750	51.41	1.93	53.34	68.20	-14.86	peak
2	5650.000	48.79	1.90	50.69	68.20	-17.51	peak
3	5700.000	50.18	2.06	52.24	105.20	-52.96	peak
4	5720.000	52.11	2.26	54.37	110.80	-56.43	peak
5	5725.000	52.78	2.30	55.08	122.20	-67.12	peak
6	5827.625	108.54	2.92	111.46	131.20	-19.74	peak
7	5850.000	83.44	2.98	86.42	122.20	-35.78	peak
8	5855.000	79.17	3.01	82.18	110.80	-28.62	peak
9	5875.000	65.85	3.07	68.92	105.20	-36.28	peak
10	5925.000	52.49	3.10	55.59	68.20	-12.61	peak
11*	5931.500	53.93	3.07	57.00	68.20	-11.20	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5639.750	53.70	1.92	55.62	68.20	-12.58	peak
2	5650.000	49.45	1.90	51.35	68.20	-16.85	peak
3	5700.000	50.96	2.06	53.02	105.20	-52.18	peak
4	5720.000	54.22	2.26	56.48	110.80	-54.32	peak
5	5725.000	54.38	2.30	56.68	122.20	-65.52	peak
6	5826.125	109.61	2.89	112.50	131.20	-18.70	peak
7	5850.000	83.72	2.98	86.70	122.20	-35.50	peak
8	5855.000	81.26	3.01	84.27	110.80	-26.53	peak
9	5875.000	70.26	3.07	73.33	105.20	-31.87	peak
10	5925.000	55.08	3.10	58.18	68.20	-10.02	peak
11*	5930.750	55.41	3.08	58.49	68.20	-9.71	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.520	62.13	1.42	63.55	74.00	-10.45	peak
2	5150.000	60.50	1.42	61.92	74.00	-12.08	peak
3*	5188.560	102.38	1.32	103.70	68.20	35.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.520	64.63	1.42	66.05	74.00	-7.95	peak
2	5150.000	64.91	1.42	66.33	74.00	-7.67	peak
3*	5193.880	102.59	1.30	103.89	68.20	35.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	63.87	1.41	65.28	74.00	-8.72	peak
2	5150.000	64.92	1.42	66.34	74.00	-7.66	peak
3*	5225.760	112.89	1.17	114.06	68.20	45.86	peak
4	5350.000	55.24	1.08	56.32	74.00	-17.68	peak
5	5358.240	58.25	1.16	59.41	74.00	-14.59	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	63.56	1.42	64.98	74.00	-9.02	peak
2	5150.000	63.28	1.42	64.70	74.00	-9.30	peak
3*	5227.680	113.30	1.15	114.45	68.20	46.25	peak
4	5350.000	55.10	1.08	56.18	74.00	-17.82	peak
5	5358.240	56.85	1.16	58.01	74.00	-15.99	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5135.520	58.26	1.40	59.66	74.00	-14.34	peak
2	5150.000	59.75	1.42	61.17	74.00	-12.83	peak
3*	5266.080	112.89	1.01	113.90	68.20	45.70	peak
4	5350.000	64.76	1.08	65.84	74.00	-8.16	peak
5	5360.160	68.01	1.18	69.19	74.00	-4.81	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.200	57.82	1.41	59.23	74.00	-14.77	peak
2	5150.000	60.11	1.42	61.53	74.00	-12.47	peak
3*	5269.920	114.10	0.99	115.09	68.20	46.89	peak
4	5350.000	64.16	1.08	65.24	74.00	-8.76	peak
5	5354.400	67.09	1.13	68.22	74.00	-5.78	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5307.840	108.14	0.94	109.08	68.20	40.88	peak
2	5350.000	69.55	1.08	70.63	74.00	-3.37	peak
3	5356.560	68.98	1.14	70.12	74.00	-3.88	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5311.200	106.71	0.95	107.66	68.20	39.46	peak
2	5350.000	64.82	1.08	65.90	74.00	-8.10	peak
3	5350.800	67.62	1.09	68.71	74.00	-5.29	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	63.38	1.73	65.11	74.00	-8.89	peak
2	5460.000	60.26	1.73	61.99	74.00	-12.01	peak
3	5466.400	65.42	1.74	67.16	68.20	-1.04	peak
4	5470.000	63.58	1.74	65.32	68.20	-2.88	peak
5*	5509.360	107.03	1.84	108.87	68.20	40.67	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.480	62.70	1.73	64.43	74.00	-9.57	peak
2	5460.000	60.94	1.73	62.67	74.00	-11.33	peak
3	5465.200	65.43	1.73	67.16	68.20	-1.04	peak
4	5470.000	65.01	1.74	66.75	68.20	-1.45	peak
5*	5513.200	104.86	1.85	106.71	68.20	38.51	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.400	63.38	1.72	65.10	74.00	-8.90	peak
2	5460.000	62.40	1.73	64.13	74.00	-9.87	peak
3	5463.050	64.30	1.73	66.03	68.20	-2.17	peak
4	5470.000	65.13	1.74	66.87	68.20	-1.33	peak
5*	5548.050	114.24	2.03	116.27	68.20	48.07	peak
6	5725.000	52.90	2.30	55.20	68.20	-13.00	peak
7	5739.300	54.40	2.43	56.83	68.20	-11.37	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.375	64.28	1.73	66.01	74.00	-7.99	peak
2	5460.000	64.25	1.73	65.98	74.00	-8.02	peak
3	5469.425	64.82	1.74	66.56	68.20	-1.64	peak
4	5470.000	63.92	1.74	65.66	68.20	-2.54	peak
5*	5553.150	112.19	2.05	114.24	68.20	46.04	peak
6	5725.000	51.15	2.30	53.45	68.20	-14.75	peak
7	5735.475	54.16	2.40	56.56	68.20	-11.64	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5672.775	105.77	1.97	107.74	68.20	39.54	peak
2	5725.000	63.12	2.30	65.42	68.20	-2.78	peak
3	5735.415	63.73	2.40	66.13	68.20	-2.07	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5665.090	107.21	1.95	109.16	68.20	40.96	peak
2	5725.000	64.50	2.30	66.80	68.20	-1.40	peak
3	5726.860	64.60	2.31	66.91	68.20	-1.29	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5430.000	54.13	1.65	55.78	74.00	-18.22	peak
2	5460.000	49.08	1.73	50.81	74.00	-23.19	peak
3	5465.000	51.19	1.73	52.92	68.20	-15.28	peak
4	5470.000	52.20	1.74	53.94	68.20	-14.26	peak
5*	5709.375	108.22	2.16	110.38	68.20	42.18	peak
6	5850.000	51.33	2.98	54.31	68.20	-13.89	peak
7	5855.000	53.72	3.01	56.73	68.20	-11.47	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.750	52.76	1.71	54.47	74.00	-19.53	peak
2	5460.000	51.36	1.73	53.09	74.00	-20.91	peak
3	5469.375	50.97	1.74	52.71	68.20	-15.49	peak
4	5470.000	50.84	1.74	52.58	68.20	-15.62	peak
5*	5713.750	107.53	2.19	109.72	68.20	41.52	peak
6	5850.000	50.97	2.98	53.95	68.20	-14.25	peak
7	5853.125	53.95	2.99	56.94	68.20	-11.26	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5647.250	59.91	1.91	61.82	68.20	-6.38	peak
2	5650.000	59.23	1.90	61.13	68.20	-7.07	peak
3	5700.000	70.43	2.06	72.49	105.20	-32.71	peak
4	5720.000	84.38	2.26	86.64	110.80	-24.16	peak
5	5725.000	85.44	2.30	87.74	122.20	-34.46	peak
6	5745.125	107.66	2.50	110.16	131.20	-21.04	peak
7	5850.000	57.21	2.98	60.19	122.20	-62.01	peak
8	5855.000	57.40	3.01	60.41	110.80	-50.39	peak
9	5875.000	53.16	3.07	56.23	105.20	-48.97	peak
10	5925.000	48.01	3.10	51.11	68.20	-17.09	peak
11	5926.625	50.73	3.09	53.82	68.20	-14.38	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5647.250	60.23	1.91	62.14	68.20	-6.06	peak
2	5650.000	57.29	1.90	59.19	68.20	-9.01	peak
3	5700.000	74.16	2.06	76.22	105.20	-28.98	peak
4	5720.000	84.20	2.26	86.46	110.80	-24.34	peak
5	5725.000	88.72	2.30	91.02	122.20	-31.18	peak
6	5758.625	107.79	2.59	110.38	131.20	-20.82	peak
7	5850.000	56.76	2.98	59.74	122.20	-62.46	peak
8	5855.000	58.54	3.01	61.55	110.80	-49.25	peak
9	5875.000	56.95	3.07	60.02	105.20	-45.18	peak
10	5925.000	48.51	3.10	51.61	68.20	-16.59	peak
11	5937.125	50.57	3.05	53.62	68.20	-14.58	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5646.125	53.23	1.92	55.15	68.20	-13.05	peak
2	5650.000	52.01	1.90	53.91	68.20	-14.29	peak
3	5700.000	58.62	2.06	60.68	105.20	-44.52	peak
4	5720.000	64.82	2.26	67.08	110.80	-43.72	peak
5	5725.000	65.29	2.30	67.59	122.20	-54.61	peak
6	5786.000	107.16	2.74	109.90	131.20	-21.30	peak
7	5850.000	72.38	2.98	75.36	122.20	-46.84	peak
8	5855.000	71.68	3.01	74.69	110.80	-36.11	peak
9	5875.000	61.35	3.07	64.42	105.20	-40.78	peak
10	5925.000	50.77	3.10	53.87	68.20	-14.33	peak
11*	5928.500	52.99	3.09	56.08	68.20	-12.12	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5646.125	53.92	1.92	55.84	68.20	-12.36	peak
2	5650.000	51.20	1.90	53.10	68.20	-15.10	peak
3	5700.000	63.50	2.06	65.56	105.20	-39.64	peak
4	5720.000	66.30	2.26	68.56	110.80	-42.24	peak
5	5725.000	66.53	2.30	68.83	122.20	-53.37	peak
6	5796.875	107.68	2.79	110.47	131.20	-20.73	peak
7	5850.000	73.19	2.98	76.17	122.20	-46.03	peak
8	5855.000	70.34	3.01	73.35	110.80	-37.45	peak
9	5875.000	60.91	3.07	63.98	105.20	-41.22	peak
10	5925.000	51.51	3.10	54.61	68.20	-13.59	peak
11	5928.875	52.71	3.08	55.79	68.20	-12.41	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	62.85	1.42	64.27	74.00	-9.73	peak
2	5150.000	62.59	1.42	64.01	74.00	-9.99	peak
3*	5202.240	98.78	1.28	100.06	68.20	31.86	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.480	65.16	1.41	66.57	74.00	-7.43	peak
2	5150.000	61.04	1.42	62.46	74.00	-11.54	peak
3*	5208.320	100.37	1.24	101.61	68.20	33.41	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5279.760	103.04	0.97	104.01	68.20	35.81	peak
2	5350.000	64.06	1.08	65.14	74.00	-8.86	peak
3	5352.240	69.04	1.10	70.14	74.00	-3.86	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5288.640	103.38	0.95	104.33	68.20	36.13	peak
2	5350.000	67.50	1.08	68.58	74.00	-5.42	peak
3	5350.320	67.48	1.08	68.56	74.00	-5.44	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.800	66.59	1.72	68.31	74.00	-5.69	peak
2	5460.000	63.92	1.73	65.65	74.00	-8.35	peak
3	5467.120	64.98	1.74	66.72	68.20	-1.48	peak
4	5470.000	63.69	1.74	65.43	68.20	-2.77	peak
5*	5531.680	102.52	1.95	104.47	68.20	36.27	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.640	65.77	1.72	67.49	74.00	-6.51	peak
2	5460.000	62.81	1.73	64.54	74.00	-9.46	peak
3	5464.240	65.05	1.73	66.78	68.20	-1.42	peak
4	5470.000	64.85	1.74	66.59	68.20	-1.61	peak
5*	5529.280	102.71	1.94	104.65	68.20	36.45	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.700	62.43	1.72	64.15	74.00	-9.85	peak
2	5460.000	59.62	1.73	61.35	74.00	-12.65	peak
3	5464.750	64.30	1.73	66.03	68.20	-2.17	peak
4	5470.000	61.62	1.74	63.36	68.20	-4.84	peak
5*	5612.650	105.22	1.99	107.21	68.20	39.01	peak
6	5725.000	63.23	2.30	65.53	68.20	-2.67	peak
7	5727.825	64.73	2.32	67.05	68.20	-1.15	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.675	61.21	1.72	62.93	74.00	-11.07	peak
2	5460.000	61.29	1.73	63.02	74.00	-10.98	peak
3	5467.300	61.20	1.74	62.94	68.20	-5.26	peak
4	5470.000	63.10	1.74	64.84	68.20	-3.36	peak
5*	5612.650	105.09	1.99	107.08	68.20	38.88	peak
6	5725.000	64.03	2.30	66.33	68.20	-1.87	peak
7	5726.975	64.52	2.32	66.84	68.20	-1.36	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5426.250	54.97	1.64	56.61	74.00	-17.39	peak
2	5460.000	51.91	1.73	53.64	74.00	-20.36	peak
3	5468.750	55.65	1.74	57.39	68.20	-10.81	peak
4	5470.000	54.51	1.74	56.25	68.20	-11.95	peak
5*	5689.375	104.52	2.04	106.56	68.20	38.36	peak
6	5850.000	56.27	2.98	59.25	68.20	-8.95	peak
7	5853.125	57.14	2.99	60.13	68.20	-8.07	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5447.500	55.74	1.70	57.44	74.00	-16.56	peak
2	5460.000	53.60	1.73	55.33	74.00	-18.67	peak
3	5465.625	58.27	1.74	60.01	68.20	-8.19	peak
4	5470.000	52.38	1.74	54.12	68.20	-14.08	peak
5*	5689.375	107.46	2.04	109.50	68.20	41.30	peak
6	5850.000	56.81	2.98	59.79	68.20	-8.41	peak
7	5857.500	61.02	3.01	64.03	68.20	-4.17	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5643.125	62.39	1.91	64.30	68.20	-3.90	peak
2!	5650.000	61.71	1.90	63.61	68.20	-4.59	peak
3	5700.000	76.35	2.06	78.41	105.20	-26.79	peak
4	5720.000	79.61	2.26	81.87	110.80	-28.93	peak
5	5725.000	82.44	2.30	84.74	122.20	-37.46	peak
6	5772.500	105.03	2.67	107.70	131.20	-23.50	peak
7	5850.000	74.04	2.98	77.02	122.20	-45.18	peak
8	5855.000	73.48	3.01	76.49	110.80	-34.31	peak
9	5875.000	67.37	3.07	70.44	105.20	-34.76	peak
10	5925.000	55.25	3.10	58.35	68.20	-9.85	peak
11	5927.750	58.00	3.09	61.09	68.20	-7.11	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5648.750	64.40	1.91	66.31	68.20	-1.89	peak
2!	5650.000	61.16	1.90	63.06	68.20	-5.14	peak
3	5700.000	78.26	2.06	80.32	105.20	-24.88	peak
4	5720.000	83.41	2.26	85.67	110.80	-25.13	peak
5	5725.000	82.94	2.30	85.24	122.20	-36.96	peak
6	5781.500	104.30	2.71	107.01	131.20	-24.19	peak
7	5850.000	75.49	2.98	78.47	122.20	-43.73	peak
8	5855.000	76.47	3.01	79.48	110.80	-31.32	peak
9	5875.000	69.52	3.07	72.59	105.20	-32.61	peak
10	5925.000	58.28	3.10	61.38	68.20	-6.82	peak
11!	5926.250	59.90	3.10	63.00	68.20	-5.20	peak


1X1 - Average

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	48.18	1.42	49.60	54.00	-4.40	AVG
2*	5150.000	49.28	1.42	50.70	54.00	-3.30	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	49.13	1.42	50.55	54.00	-3.45	AVG
2*	5150.000	50.36	1.42	51.78	54.00	-2.22	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	49.11	1.42	50.53	54.00	-3.47	AVG
2*	5150.000	50.41	1.42	51.83	54.00	-2.17	AVG
3	5350.000	39.34	1.08	40.42	54.00	-13.58	AVG
4	5359.200	40.51	1.17	41.68	54.00	-12.32	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	50.03	1.42	51.45	54.00	-2.55	AVG
2*	5150.000	51.50	1.42	52.92	54.00	-1.08	AVG
3	5350.000	39.45	1.08	40.53	54.00	-13.47	AVG
4	5359.200	40.71	1.17	41.88	54.00	-12.12	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	41.39	1.42	42.81	54.00	-11.19	AVG
2*	5150.000	41.40	1.42	42.82	54.00	-11.18	AVG
3	5350.000	39.39	1.08	40.47	54.00	-13.53	AVG
4	5398.560	40.24	1.54	41.78	54.00	-12.22	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	41.70	1.42	43.12	54.00	-10.88	AVG
2*	5150.000	41.97	1.42	43.39	54.00	-10.61	AVG
3	5350.000	39.36	1.08	40.44	54.00	-13.56	AVG
4	5398.560	40.01	1.54	41.55	54.00	-12.45	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	41.86	1.42	43.28	54.00	-10.72	AVG
2*	5150.000	41.92	1.42	43.34	54.00	-10.66	AVG
3	5350.000	42.07	1.08	43.15	54.00	-10.85	AVG
4	5353.440	41.76	1.11	42.87	54.00	-11.13	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	41.57	1.42	42.99	54.00	-11.01	AVG
2	5150.000	41.67	1.42	43.09	54.00	-10.91	AVG
3*	5350.000	42.47	1.08	43.55	54.00	-10.45	AVG
4	5353.440	42.11	1.11	43.22	54.00	-10.78	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.120	41.86	1.38	43.24	54.00	-10.76	AVG
2	5150.000	41.15	1.42	42.57	54.00	-11.43	AVG
3*	5350.000	47.65	1.08	48.73	54.00	-5.27	AVG
4	5351.520	47.50	1.09	48.59	54.00	-5.41	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.120	41.17	1.38	42.55	54.00	-11.45	AVG
2	5150.000	40.58	1.42	42.00	54.00	-12.00	AVG
3*	5350.000	47.29	1.08	48.37	54.00	-5.63	AVG
4	5353.440	46.47	1.11	47.58	54.00	-6.42	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.69	1.08	52.77	54.00	-1.23	AVG
2	5350.080	51.69	1.08	52.77	54.00	-1.23	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.58	1.08	52.66	54.00	-1.34	AVG
2	5350.320	51.37	1.08	52.45	54.00	-1.55	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.920	46.24	1.73	47.97	54.00	-6.03	AVG
2*	5460.000	46.37	1.73	48.10	54.00	-5.90	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	45.04	1.73	46.77	54.00	-7.23	AVG
2*	5460.000	45.26	1.73	46.99	54.00	-7.01	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5399.725	41.43	1.55	42.98	54.00	-11.02	AVG
2	5460.000	40.42	1.73	42.15	54.00	-11.85	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5401.000	42.26	1.55	43.81	54.00	-10.19	AVG
2	5460.000	40.50	1.73	42.23	54.00	-11.77	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.125	40.48	1.72	42.20	54.00	-11.80	AVG
2	5460.000	40.42	1.73	42.15	54.00	-11.85	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	40.30	1.73	42.03	54.00	-11.97	AVG
2*	5453.750	40.41	1.72	42.13	54.00	-11.87	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	47.99	1.13	49.12	54.00	-4.88	AVG
2*	5150.000	48.85	1.13	49.98	54.00	-4.02	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	48.40	1.13	49.53	54.00	-4.47	AVG
2*	5150.000	48.93	1.13	50.06	54.00	-3.94	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	49.82	1.13	50.95	54.00	-3.05	AVG
2*	5150.000	51.28	1.13	52.41	54.00	-1.59	AVG
3	5350.000	40.79	0.89	41.68	54.00	-12.32	AVG
4	5359.200	41.81	0.97	42.78	54.00	-11.22	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	50.89	1.13	52.02	54.00	-1.98	AVG
2*	5150.000	52.33	1.13	53.46	54.00	-0.54	AVG
3	5350.000	40.50	0.89	41.39	54.00	-12.61	AVG
4	5359.200	41.86	0.97	42.83	54.00	-11.17	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5148.000	43.37	1.13	44.50	54.00	-9.50	AVG
2	5150.000	43.29	1.13	44.42	54.00	-9.58	AVG
3	5350.000	40.49	0.89	41.38	54.00	-12.62	AVG
4	5400.480	41.21	1.27	42.48	54.00	-11.52	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	43.71	1.13	44.84	54.00	-9.16	AVG
2*	5150.000	44.30	1.13	45.43	54.00	-8.57	AVG
3	5350.000	40.38	0.89	41.27	54.00	-12.73	AVG
4	5398.560	41.36	1.26	42.62	54.00	-11.38	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	42.05	1.13	43.18	54.00	-10.82	AVG
2	5150.000	42.12	1.13	43.25	54.00	-10.75	AVG
3*	5350.000	43.23	0.89	44.12	54.00	-9.88	AVG
4	5352.480	43.16	0.90	44.06	54.00	-9.94	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5148.000	42.63	1.13	43.76	54.00	-10.24	AVG
2	5150.000	42.52	1.13	43.65	54.00	-10.35	AVG
3	5350.000	42.83	0.89	43.72	54.00	-10.28	AVG
4	5352.480	42.58	0.90	43.48	54.00	-10.52	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.120	41.74	1.14	42.88	54.00	-11.12	AVG
2	5150.000	41.56	1.13	42.69	54.00	-11.31	AVG
3*	5350.000	48.16	0.89	49.05	54.00	-4.95	AVG
4	5353.440	47.93	0.91	48.84	54.00	-5.16	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.120	41.98	1.14	43.12	54.00	-10.88	AVG
2	5150.000	41.51	1.13	42.64	54.00	-11.36	AVG
3*	5350.000	48.32	0.89	49.21	54.00	-4.79	AVG
4	5351.520	48.05	0.90	48.95	54.00	-5.05	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	52.08	0.89	52.97	54.00	-1.03	AVG
2	5350.320	51.85	0.89	52.74	54.00	-1.26	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	51.81	0.89	52.70	54.00	-1.30	AVG
2*	5350.560	51.86	0.89	52.75	54.00	-1.25	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.720	46.93	1.79	48.72	54.00	-5.28	AVG
2*	5460.000	47.14	1.79	48.93	54.00	-5.07	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.440	46.50	1.79	48.29	54.00	-5.71	AVG
2	5460.000	46.41	1.79	48.20	54.00	-5.80	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.225	42.86	1.79	44.65	54.00	-9.35	AVG
2	5460.000	42.83	1.79	44.62	54.00	-9.38	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.650	42.64	1.79	44.43	54.00	-9.57	AVG
2	5460.000	42.40	1.79	44.19	54.00	-9.81	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5450.625	40.32	1.77	42.09	54.00	-11.91	AVG
2	5460.000	40.17	1.79	41.96	54.00	-12.04	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5443.750	40.28	1.71	41.99	54.00	-12.01	AVG
2*	5460.000	40.26	1.79	42.05	54.00	-11.95	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	50.38	1.13	51.51	54.00	-2.49	AVG
2*	5150.000	50.95	1.13	52.08	54.00	-1.92	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	51.21	1.13	52.34	54.00	-1.66	AVG
2*	5150.000	51.89	1.13	53.02	54.00	-0.98	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	50.23	1.13	51.36	54.00	-2.64	AVG
2*	5150.000	50.96	1.13	52.09	54.00	-1.91	AVG
3	5350.000	42.95	0.89	43.84	54.00	-10.16	AVG
4	5351.520	43.00	0.90	43.90	54.00	-10.10	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	51.90	1.13	53.03	54.00	-0.97	AVG
2*	5150.000	52.29	1.13	53.42	54.00	-0.58	AVG
3	5350.000	42.95	0.89	43.84	54.00	-10.16	AVG
4	5356.320	42.93	0.93	43.86	54.00	-10.14	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	45.22	1.13	46.35	54.00	-7.65	AVG
2	5150.000	45.43	1.13	46.56	54.00	-7.44	AVG
3*	5350.000	52.57	0.89	53.46	54.00	-0.54	AVG
4	5351.520	52.53	0.90	53.43	54.00	-0.57	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	45.98	1.13	47.11	54.00	-6.89	AVG
2	5150.000	46.35	1.13	47.48	54.00	-6.52	AVG
3*	5350.000	52.59	0.89	53.48	54.00	-0.52	AVG
4	5352.480	52.32	0.90	53.22	54.00	-0.78	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.99	0.89	52.88	54.00	-1.12	AVG
2	5350.560	51.70	0.89	52.59	54.00	-1.41	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	51.33	0.89	52.22	54.00	-1.78	AVG
2*	5350.800	51.35	0.89	52.24	54.00	-1.76	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	48.77	1.79	50.56	54.00	-3.44	AVG
2*	5460.000	49.37	1.79	51.16	54.00	-2.84	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	48.71	1.79	50.50	54.00	-3.50	AVG
2*	5460.000	49.31	1.79	51.10	54.00	-2.90	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.225	49.78	1.79	51.57	54.00	-2.43	AVG
2*	5460.000	50.04	1.79	51.83	54.00	-2.17	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.650	50.11	1.79	51.90	54.00	-2.10	AVG
2	5460.000	49.76	1.79	51.55	54.00	-2.45	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.750	41.14	1.77	42.91	54.00	-11.09	AVG
2	5460.000	40.72	1.79	42.51	54.00	-11.49	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5440.625	41.12	1.68	42.80	54.00	-11.20	AVG
2	5460.000	40.66	1.79	42.45	54.00	-11.55	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.520	51.92	1.12	53.04	54.00	-0.96	AVG
2*	5150.000	52.34	1.13	53.47	54.00	-0.53	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	51.63	1.13	52.76	54.00	-1.24	AVG
2*	5150.000	51.99	1.13	53.12	54.00	-0.88	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	51.11	0.89	52.00	54.00	-2.00	AVG
2*	5352.000	52.31	0.90	53.21	54.00	-0.79	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	52.46	0.89	53.35	54.00	-0.65	AVG
2	5353.680	52.34	0.91	53.25	54.00	-0.75	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.440	51.13	1.79	52.92	54.00	-1.08	AVG
2	5460.000	50.21	1.79	52.00	54.00	-2.00	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.240	51.49	1.78	53.27	54.00	-0.73	AVG
2	5460.000	50.64	1.79	52.43	54.00	-1.57	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.225	51.28	1.79	53.07	54.00	-0.93	AVG
2	5460.000	51.09	1.79	52.88	54.00	-1.12	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.225	50.79	1.79	52.58	54.00	-1.42	AVG
2	5460.000	50.60	1.79	52.39	54.00	-1.61	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.000	44.68	1.77	46.45	54.00	-7.55	AVG
2	5460.000	44.48	1.79	46.27	54.00	-7.73	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5448.125	44.55	1.75	46.30	54.00	-7.70	AVG
2	5460.000	44.37	1.79	46.16	54.00	-7.84	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	48.43	1.42	49.85	54.00	-4.15	AVG
2*	5150.000	49.51	1.42	50.93	54.00	-3.07	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	49.76	1.42	51.18	54.00	-2.82	AVG
2*	5150.000	50.81	1.42	52.23	54.00	-1.77	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	48.92	1.42	50.34	54.00	-3.66	AVG
2*	5150.000	50.96	1.42	52.38	54.00	-1.62	AVG
3	5350.000	40.33	1.08	41.41	54.00	-12.59	AVG
4	5362.080	41.05	1.20	42.25	54.00	-11.75	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	49.88	1.42	51.30	74.00	-22.70	peak
2*	5150.000	51.16	1.42	52.58	74.00	-21.42	peak
3	5350.000	39.45	1.08	40.53	74.00	-33.47	peak
4	5362.080	40.14	1.20	41.34	74.00	-32.66	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	43.38	1.42	44.80	54.00	-9.20	AVG
2*	5150.000	43.93	1.42	45.35	54.00	-8.65	AVG
3	5350.000	41.64	1.08	42.72	54.00	-11.28	AVG
4	5400.480	41.30	1.55	42.85	54.00	-11.15	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	43.31	1.42	44.73	54.00	-9.27	AVG
2*	5150.000	43.68	1.42	45.10	54.00	-8.90	AVG
3	5350.000	41.30	1.08	42.38	54.00	-11.62	AVG
4	5399.520	41.11	1.55	42.66	54.00	-11.34	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	42.26	1.42	43.68	74.00	-30.32	peak
2	5150.000	42.50	1.42	43.92	74.00	-30.08	peak
3*	5350.000	45.00	1.08	46.08	74.00	-27.92	peak
4	5352.480	44.69	1.10	45.79	74.00	-28.21	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	42.96	1.42	44.38	54.00	-9.62	AVG
2	5150.000	43.42	1.42	44.84	54.00	-9.16	AVG
3*	5350.000	44.34	1.08	45.42	54.00	-8.58	AVG
4	5352.480	44.10	1.10	45.20	54.00	-8.80	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5122.080	41.70	1.38	43.08	74.00	-30.92	peak
2	5150.000	41.36	1.42	42.78	74.00	-31.22	peak
3	5350.000	49.74	1.08	50.82	74.00	-23.18	peak
4*	5351.520	49.89	1.09	50.98	74.00	-23.02	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.120	41.44	1.38	42.82	54.00	-11.18	AVG
2	5150.000	41.26	1.42	42.68	54.00	-11.32	AVG
3*	5350.000	49.06	1.08	50.14	54.00	-3.86	AVG
4	5353.440	48.26	1.11	49.37	54.00	-4.63	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.89	1.08	52.97	54.00	-1.03	AVG
2	5350.320	51.79	1.08	52.87	54.00	-1.13	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.51	1.08	52.59	54.00	-1.41	AVG
2	5350.320	51.37	1.08	52.45	54.00	-1.55	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	47.64	1.73	49.37	54.00	-4.63	AVG
2*	5460.000	47.90	1.73	49.63	54.00	-4.37	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	47.19	1.73	48.92	54.00	-5.08	AVG
2*	5460.000	47.48	1.73	49.21	54.00	-4.79	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5402.275	42.77	1.55	44.32	54.00	-9.68	AVG
2	5460.000	41.52	1.73	43.25	54.00	-10.75	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.225	42.89	1.73	44.62	54.00	-9.38	AVG
2*	5460.000	42.90	1.73	44.63	54.00	-9.37	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.375	40.46	1.73	42.19	54.00	-11.81	AVG
2	5460.000	40.46	1.73	42.19	54.00	-11.81	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.875	40.35	1.72	42.07	54.00	-11.93	AVG
2	5460.000	40.33	1.73	42.06	54.00	-11.94	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	48.88	1.42	50.30	54.00	-3.70	AVG
2*	5150.000	49.55	1.42	50.97	54.00	-3.03	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	50.45	1.42	51.87	54.00	-2.13	AVG
2*	5150.000	51.04	1.42	52.46	54.00	-1.54	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	49.87	1.42	51.29	54.00	-2.71	AVG
2*	5150.000	50.84	1.42	52.26	54.00	-1.74	AVG
3	5350.000	43.48	1.08	44.56	54.00	-9.44	AVG
4	5351.520	43.62	1.09	44.71	54.00	-9.29	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	50.08	1.42	51.50	54.00	-2.50	AVG
2*	5150.000	50.83	1.42	52.25	54.00	-1.75	AVG
3	5350.000	41.91	1.08	42.99	54.00	-11.01	AVG
4	5354.400	41.72	1.13	42.85	54.00	-11.15	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	44.74	1.42	46.16	54.00	-7.84	AVG
2	5150.000	45.34	1.42	46.76	54.00	-7.24	AVG
3*	5350.000	51.85	1.08	52.93	54.00	-1.07	AVG
4	5353.440	51.22	1.11	52.33	54.00	-1.67	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	44.81	1.42	46.23	54.00	-7.77	AVG
2	5150.000	44.89	1.42	46.31	54.00	-7.69	AVG
3	5350.000	51.15	1.08	52.23	54.00	-1.77	AVG
4*	5351.520	51.30	1.09	52.39	54.00	-1.61	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.49	1.08	52.57	54.00	-1.43	AVG
2	5350.320	51.46	1.08	52.54	54.00	-1.46	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.50	1.08	51.58	54.00	-2.42	AVG
2	5350.320	50.42	1.08	51.50	54.00	-2.50	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	48.88	1.73	50.61	54.00	-3.39	AVG
2*	5460.000	49.15	1.73	50.88	54.00	-3.12	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	49.05	1.73	50.78	54.00	-3.22	AVG
2*	5460.000	49.31	1.73	51.04	54.00	-2.96	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.225	46.91	1.73	48.64	54.00	-5.36	AVG
2*	5460.000	46.94	1.73	48.67	54.00	-5.33	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.650	47.40	1.73	49.13	54.00	-4.87	AVG
2*	5460.000	47.62	1.73	49.35	54.00	-4.65	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	40.84	1.73	42.57	54.00	-11.43	AVG
2*	5460.625	40.85	1.73	42.58	48.20	-5.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5443.750	39.92	1.70	41.62	54.00	-12.38	AVG
2	5460.000	39.74	1.73	41.47	54.00	-12.53	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.000	49.63	1.42	51.05	54.00	-2.95	AVG
2*	5150.000	49.73	1.42	51.15	54.00	-2.85	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5146.000	51.56	1.42	52.98	54.00	-1.02	AVG
2	5150.000	51.44	1.42	52.86	54.00	-1.14	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.80	1.08	51.88	54.00	-2.12	AVG
2	5350.320	50.77	1.08	51.85	54.00	-2.15	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.60	1.08	51.68	54.00	-2.32	AVG
2	5350.320	50.57	1.08	51.65	54.00	-2.35	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.480	50.08	1.73	51.81	54.00	-2.19	AVG
2	5460.000	49.70	1.73	51.43	54.00	-2.57	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.480	50.58	1.73	52.31	54.00	-1.69	AVG
2	5460.000	50.20	1.73	51.93	54.00	-2.07	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.800	49.22	1.73	50.95	54.00	-3.05	AVG
2	5460.000	49.09	1.73	50.82	54.00	-3.18	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.800	46.69	1.73	48.42	54.00	-5.58	AVG
2	5460.000	46.60	1.73	48.33	54.00	-5.67	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.750	43.70	1.73	45.43	54.00	-8.57	AVG
2	5460.000	43.66	1.73	45.39	54.00	-8.61	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.750	42.55	1.73	44.28	54.00	-9.72	AVG
2	5460.000	42.51	1.73	44.24	54.00	-9.76	AVG

4X4

Harmonic


Above 1 GHz

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	32.87	13.99	46.86	68.20	-21.34	peak
2	15540.000	33.38	17.31	50.69	74.00	-23.31	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	33.84	13.99	47.83	68.20	-20.37	peak
2	15540.000	33.55	17.31	50.86	74.00	-23.14	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	33.87	14.10	47.97	68.20	-20.23	peak
2	15600.000	33.13	17.01	50.14	74.00	-23.86	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	33.39	14.10	47.49	68.20	-20.71	peak
2	15600.000	33.89	17.01	50.90	74.00	-23.10	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	33.11	14.54	47.65	68.20	-20.55	peak
2	15720.000	33.13	17.34	50.47	74.00	-23.53	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	33.48	14.54	48.02	68.20	-20.18	peak
2	15720.000	33.06	17.34	50.40	74.00	-23.60	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	33.71	14.60	48.31	68.20	-19.89	peak
2	15780.000	33.36	17.10	50.46	74.00	-23.54	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	33.07	14.60	47.67	68.20	-20.53	peak
2	15780.000	33.39	17.10	50.49	74.00	-23.51	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	34.30	14.48	48.78	68.20	-19.42	peak
2	15840.000	33.61	16.90	50.51	74.00	-23.49	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	33.08	14.48	47.56	68.20	-20.64	peak
2	15840.000	33.28	16.90	50.18	74.00	-23.82	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	33.66	14.41	48.07	74.00	-25.93	peak
2*	15960.000	33.39	16.55	49.94	74.00	-24.06	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	33.51	14.41	47.92	74.00	-26.08	peak
2*	15960.000	33.76	16.55	50.31	74.00	-23.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.93	14.73	47.66	74.00	-26.34	peak
2*	16500.000	33.03	17.77	50.80	68.20	-17.40	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.65	14.73	47.38	74.00	-26.62	peak
2*	16500.000	32.93	17.77	50.70	68.20	-17.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	34.90	14.79	49.69	74.00	-24.31	peak
2*	16680.000	34.09	18.61	52.70	68.20	-15.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	33.13	14.79	47.92	74.00	-26.08	peak
2*	16680.000	33.10	18.61	51.71	68.20	-16.49	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	33.82	15.07	48.89	74.00	-25.11	peak
2*	17100.000	35.63	20.64	56.27	68.20	-11.93	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	32.83	15.07	47.90	74.00	-26.10	peak
2*	17100.000	33.43	20.64	54.07	68.20	-14.13	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	33.76	15.23	48.99	74.00	-25.01	peak
2*	17160.000	33.67	21.25	54.92	68.20	-13.28	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	33.59	15.23	48.82	74.00	-25.18	peak
2*	17160.000	34.84	21.25	56.09	68.20	-12.11	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	32.57	15.42	47.99	74.00	-26.01	peak
2*	17235.000	33.29	22.01	55.30	68.20	-12.90	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	32.85	15.42	48.27	74.00	-25.73	peak
2*	17235.000	35.98	22.01	57.99	68.20	-10.21	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.37	15.21	47.58	74.00	-26.42	peak
2*	17355.000	32.54	22.96	55.50	68.20	-12.70	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.56	15.21	47.77	74.00	-26.23	peak
2*	17355.000	32.59	22.96	55.55	68.20	-12.65	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	33.92	15.04	48.96	74.00	-25.04	peak
2*	17475.000	34.21	23.95	58.16	68.20	-10.04	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	33.41	15.04	48.45	74.00	-25.55	peak
2*	17475.000	35.64	23.95	59.59	68.20	-8.61	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	32.77	13.82	46.59	68.20	-21.61	peak
2	15540.000	32.05	16.74	48.79	74.00	-25.21	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	32.77	13.82	46.59	68.20	-21.61	peak
2	15540.000	32.05	16.74	48.79	74.00	-25.21	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	31.74	14.05	45.79	68.20	-22.41	peak
2	15600.000	31.91	16.51	48.42	74.00	-25.58	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	33.45	14.05	47.50	68.20	-20.70	peak
2	15600.000	33.69	16.51	50.20	74.00	-23.80	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	32.43	14.26	46.69	68.20	-21.51	peak
2	15720.000	33.15	16.48	49.63	74.00	-24.37	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	32.70	14.26	46.96	68.20	-21.24	peak
2	15720.000	31.58	16.48	48.06	74.00	-25.94	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	33.93	14.31	48.24	68.20	-19.96	peak
2	15780.000	32.92	16.38	49.30	74.00	-24.70	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	33.05	14.31	47.36	68.20	-20.84	peak
2	15780.000	31.73	16.38	48.11	74.00	-25.89	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	32.41	14.31	46.72	68.20	-21.48	peak
2	15840.000	32.02	16.18	48.20	74.00	-25.80	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	32.43	14.31	46.74	68.20	-21.46	peak
2	15840.000	31.41	16.18	47.59	74.00	-26.41	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	33.27	14.19	47.46	74.00	-26.54	peak
2*	15960.000	32.36	15.77	48.13	74.00	-25.87	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10640.000	33.46	14.19	47.65	74.00	-26.35	peak
2	15960.000	30.84	15.77	46.61	74.00	-27.39	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.26	14.22	46.48	74.00	-27.52	peak
2*	16500.000	30.90	16.87	47.77	68.20	-20.43	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.90	14.22	47.12	74.00	-26.88	peak
2*	16500.000	30.92	16.87	47.79	68.20	-20.41	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	33.00	14.49	47.49	74.00	-26.51	peak
2*	16680.000	31.90	17.98	49.88	68.20	-18.32	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	33.70	14.49	48.19	74.00	-25.81	peak
2*	16680.000	32.39	17.98	50.37	68.20	-17.83	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	32.85	14.26	47.11	74.00	-26.89	peak
2*	17100.000	32.72	20.69	53.41	68.20	-14.79	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	33.18	14.26	47.44	74.00	-26.56	peak
2*	17100.000	32.41	20.69	53.10	68.20	-15.10	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.03	14.56	46.59	74.00	-27.41	peak
2*	17160.000	31.54	21.09	52.63	68.20	-15.57	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	31.67	14.56	46.23	74.00	-27.77	peak
2*	17160.000	31.31	21.09	52.40	68.20	-15.80	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	31.26	14.93	46.19	74.00	-27.81	peak
2*	17235.000	32.61	21.70	54.31	68.20	-13.89	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	32.12	14.93	47.05	74.00	-26.95	peak
2*	17235.000	31.03	21.70	52.73	68.20	-15.47	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	31.71	14.60	46.31	74.00	-27.69	peak
2*	17355.000	30.97	22.64	53.61	68.20	-14.59	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	31.64	14.60	46.24	74.00	-27.76	peak
2*	17355.000	31.46	22.64	54.10	68.20	-14.10	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	31.73	14.39	46.12	74.00	-27.88	peak
2*	17475.000	32.02	23.92	55.94	68.20	-12.26	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	32.38	14.39	46.77	74.00	-27.23	peak
2*	17475.000	31.47	23.92	55.39	68.20	-12.81	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	34.39	13.93	48.32	68.20	-19.88	peak
2	15570.000	32.91	16.62	49.53	74.00	-24.47	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	33.33	13.93	47.26	68.20	-20.94	peak
2	15570.000	33.69	16.62	50.31	74.00	-23.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	33.03	14.20	47.23	68.20	-20.97	peak
2	15690.000	32.03	16.52	48.55	74.00	-25.45	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	33.09	14.20	47.29	68.20	-20.91	peak
2	15690.000	33.15	16.52	49.67	74.00	-24.33	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	33.45	14.32	47.77	68.20	-20.43	peak
2	15810.000	32.47	16.29	48.76	74.00	-25.24	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	35.06	14.32	49.38	68.20	-18.82	peak
2	15810.000	33.16	16.29	49.45	74.00	-24.55	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10620.000	34.05	14.26	48.31	74.00	-25.69	peak
2	15930.000	31.98	15.86	47.84	74.00	-26.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	33.90	14.26	48.16	74.00	-25.84	peak
2*	15930.000	32.44	15.86	48.30	74.00	-25.70	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	34.83	14.29	49.12	74.00	-24.88	peak
2*	16530.000	33.58	17.05	50.63	68.20	-17.57	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	34.42	14.29	48.71	74.00	-25.29	peak
2*	16530.000	31.19	17.05	48.24	68.20	-19.96	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	34.35	14.56	48.91	74.00	-25.09	peak
2*	16650.000	33.74	17.78	51.52	68.20	-16.68	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	34.10	14.56	48.66	74.00	-25.34	peak
2*	16650.000	33.42	17.78	51.20	68.20	-17.00	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	33.67	14.36	48.03	74.00	-25.97	peak
2*	17010.000	32.57	19.92	52.49	68.20	-15.71	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	32.33	14.36	46.69	74.00	-27.31	peak
2*	17010.000	31.09	19.92	51.01	68.20	-17.19	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	32.51	14.41	46.92	74.00	-27.08	peak
2*	17130.000	32.84	20.89	53.73	68.20	-14.47	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	32.60	14.41	47.01	74.00	-26.99	peak
2*	17130.000	31.52	20.89	52.41	68.20	-15.79	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	32.32	14.94	47.26	74.00	-26.74	peak
2*	17265.000	31.50	21.98	53.48	68.20	-14.72	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	32.15	14.94	47.09	74.00	-26.91	peak
2*	17265.000	31.25	21.98	53.23	68.20	-14.97	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	32.87	14.49	47.36	74.00	-26.64	peak
2*	17385.000	32.07	22.80	54.87	68.20	-13.33	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	31.39	14.49	45.88	74.00	-28.12	peak
2*	17385.000	31.64	22.80	54.44	68.20	-13.76	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	33.08	14.10	47.18	68.20	-21.02	peak
2	15630.000	32.04	16.52	48.56	74.00	-25.44	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	33.42	14.10	47.52	68.20	-20.68	peak
2	15630.000	31.54	16.52	48.06	74.00	-25.94	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	32.86	14.32	47.18	68.20	-21.02	peak
2	15870.000	32.03	16.06	48.09	74.00	-25.91	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	33.78	14.32	48.10	68.20	-20.10	peak
2	15870.000	30.79	16.06	46.85	74.00	-27.15	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	33.41	14.42	47.83	74.00	-26.17	peak
2*	16590.000	32.65	17.39	50.04	68.20	-18.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	33.55	14.42	47.97	74.00	-26.03	peak
2*	16590.000	31.37	17.39	48.76	68.20	-19.44	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	33.07	14.24	47.31	74.00	-26.69	peak
2*	16830.000	31.64	19.09	50.73	68.20	-17.47	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	32.71	14.24	46.95	74.00	-27.05	peak
2*	16830.000	32.11	19.09	51.20	68.20	-17.00	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	31.36	14.29	45.65	74.00	-28.35	peak
2*	17070.000	29.78	20.43	50.21	68.20	-17.99	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	31.71	14.29	46.00	74.00	-28.00	peak
2*	17070.000	32.09	20.43	52.52	68.20	-15.68	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	31.98	14.71	46.69	74.00	-27.31	peak
2*	17325.000	30.69	22.46	53.15	68.20	-15.05	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	32.81	14.71	47.52	74.00	-26.48	peak
2*	17325.000	32.13	22.46	54.59	68.20	-13.61	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	34.03	13.99	48.02	68.20	-20.18	peak
2	15540.000	33.52	17.31	50.83	74.00	-23.17	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	33.96	13.99	47.95	68.20	-20.25	peak
2	15540.000	33.55	17.31	50.86	74.00	-23.14	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	33.83	14.10	47.93	68.20	-20.27	peak
2	15600.000	33.49	17.01	50.50	74.00	-23.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	34.10	14.10	48.20	68.20	-20.00	peak
2	15600.000	33.83	17.01	50.84	74.00	-23.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	35.11	14.54	49.65	68.20	-18.55	peak
2	15720.000	33.74	17.34	51.08	74.00	-22.92	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	35.09	14.54	49.63	68.20	-18.57	peak
2	15720.000	33.30	17.34	50.64	74.00	-23.36	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	35.59	14.60	50.19	68.20	-18.01	peak
2	15780.000	33.34	17.10	50.44	74.00	-23.56	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	35.25	14.60	49.85	68.20	-18.35	peak
2	15780.000	33.67	17.10	50.77	74.00	-23.23	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	34.70	14.48	49.18	68.20	-19.02	peak
2	15840.000	33.94	16.90	50.84	74.00	-23.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	34.19	14.48	48.67	68.20	-19.53	peak
2	15840.000	33.85	16.90	50.75	74.00	-23.25	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	34.60	14.41	49.01	74.00	-24.99	peak
2*	15960.000	34.43	16.55	50.98	74.00	-23.02	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	34.60	14.41	49.01	74.00	-24.99	peak
2*	15960.000	34.36	16.55	50.91	74.00	-23.09	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	34.73	14.73	49.46	74.00	-24.54	peak
2*	16500.000	33.16	17.77	50.93	68.20	-17.27	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	34.79	14.73	49.52	74.00	-24.48	peak
2*	16500.000	34.57	17.77	52.34	68.20	-15.86	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	34.89	14.79	49.68	74.00	-24.32	peak
2*	16680.000	34.04	18.61	52.65	68.20	-15.55	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	34.45	14.79	49.24	74.00	-24.76	peak
2*	16680.000	35.40	18.61	54.01	68.20	-14.19	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	34.50	15.07	49.57	74.00	-24.43	peak
2*	17100.000	34.89	20.64	55.53	68.20	-12.67	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	34.77	15.07	49.84	74.00	-24.16	peak
2*	17100.000	35.18	20.64	55.82	68.20	-12.38	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	34.58	15.23	49.81	74.00	-24.19	peak
2*	17160.000	34.82	21.25	56.07	68.20	-12.13	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	33.78	15.23	49.01	74.00	-24.99	peak
2*	17160.000	34.72	21.25	55.97	68.20	-12.23	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	33.62	15.42	49.04	74.00	-24.96	peak
2*	17235.000	34.77	22.01	56.78	68.20	-11.42	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	35.21	15.42	50.63	74.00	-23.37	peak
2*	17235.000	34.94	22.01	56.95	68.20	-11.25	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	34.93	15.21	50.14	74.00	-23.86	peak
2*	17355.000	32.86	22.96	55.82	68.20	-12.38	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.78	15.21	47.99	74.00	-26.01	peak
2*	17355.000	31.62	22.96	54.58	68.20	-13.62	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	33.97	15.04	49.01	74.00	-24.99	peak
2*	17475.000	33.54	23.95	57.49	68.20	-10.71	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	34.37	15.04	49.41	74.00	-24.59	peak
2*	17475.000	34.13	23.95	58.08	68.20	-10.12	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	34.67	14.04	48.71	68.20	-19.49	peak
2	15570.000	33.78	17.16	50.94	74.00	-23.06	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	34.93	14.04	48.97	68.20	-19.23	peak
2	15570.000	33.39	17.16	50.55	74.00	-23.45	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	35.07	14.43	49.50	68.20	-18.70	peak
2	15690.000	33.27	17.37	50.64	74.00	-23.36	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	34.46	14.43	48.89	68.20	-19.31	peak
2	15690.000	33.47	17.37	50.84	74.00	-23.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	34.38	14.55	48.93	68.20	-19.27	peak
2	15810.000	33.83	17.00	50.83	74.00	-23.17	peak