



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	34.80	14.55	49.35	68.20	-18.85	peak
2	15810.000	33.58	17.00	50.58	74.00	-23.42	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	34.58	14.40	48.98	74.00	-25.02	peak
2*	15930.000	33.72	16.64	50.36	74.00	-23.64	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	34.74	14.40	49.14	74.00	-24.86	peak
2*	15930.000	34.28	16.64	50.92	74.00	-23.08	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	35.00	14.75	49.75	74.00	-24.25	peak
2*	16530.000	35.26	17.92	53.18	68.20	-15.02	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	34.77	14.75	49.52	74.00	-24.48	peak
2*	16530.000	33.56	17.92	51.48	68.20	-16.72	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	34.50	14.82	49.32	74.00	-24.68	peak
2*	16650.000	34.32	18.49	52.81	68.20	-15.39	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	34.35	14.82	49.17	74.00	-24.83	peak
2*	16650.000	34.90	18.49	53.39	68.20	-14.81	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	35.07	14.84	49.91	74.00	-24.09	peak
2*	17010.000	33.30	20.09	53.39	68.20	-14.81	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	35.29	14.84	50.13	74.00	-23.87	peak
2*	17010.000	34.41	20.09	54.50	68.20	-13.70	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	34.77	15.15	49.92	74.00	-24.08	peak
2*	17130.000	33.78	20.95	54.73	68.20	-13.47	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	34.46	15.15	49.61	74.00	-24.39	peak
2*	17130.000	34.21	20.95	55.16	68.20	-13.04	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	33.88	15.42	49.30	74.00	-24.70	peak
2*	17265.000	35.33	22.32	57.65	68.20	-10.55	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	35.35	15.42	50.77	74.00	-23.23	peak
2*	17265.000	34.61	22.32	56.93	68.20	-11.27	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	33.27	15.14	48.41	74.00	-25.59	peak
2*	17385.000	32.43	23.11	55.54	68.20	-12.66	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	34.15	15.14	49.29	74.00	-24.71	peak
2*	17385.000	32.10	23.11	55.21	68.20	-12.99	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	35.17	14.20	49.37	68.20	-18.83	peak
2	15630.000	33.69	17.14	50.83	74.00	-23.17	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	35.19	14.20	49.39	68.20	-18.81	peak
2	15630.000	33.71	17.14	50.85	74.00	-23.15	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	34.62	14.43	49.05	68.20	-19.15	peak
2	15870.000	34.01	16.81	50.82	74.00	-23.18	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	35.43	14.43	49.86	68.20	-18.34	peak
2	15870.000	34.18	16.81	50.99	74.00	-23.01	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	35.43	14.78	50.21	74.00	-23.79	peak
2*	16590.000	34.28	18.23	52.51	68.20	-15.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	35.60	14.78	50.38	74.00	-23.62	peak
2*	16590.000	35.41	18.23	53.64	68.20	-14.56	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	34.03	14.70	48.73	74.00	-25.27	peak
2*	16830.000	34.82	19.36	54.18	68.20	-14.02	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	35.10	14.70	49.80	74.00	-24.20	peak
2*	16830.000	33.85	19.36	53.21	68.20	-14.99	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	35.58	15.00	50.58	74.00	-23.42	peak
2*	17070.000	34.41	20.46	54.87	68.20	-13.33	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	35.34	15.00	50.34	74.00	-23.66	peak
2*	17070.000	35.09	20.46	55.55	68.20	-12.65	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	33.48	15.28	48.76	74.00	-25.24	peak
2*	17325.000	32.93	22.79	55.72	68.20	-12.48	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	33.43	15.28	48.71	74.00	-25.29	peak
2*	17325.000	32.84	22.79	55.63	68.20	-12.57	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	Simultaneous Transmitting Bluetooth + WLAN 2.4 GHz + 5 GHz + 6 GHz + Matter		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1833.000	42.26	-9.28	32.98	68.20	-35.22	peak
2	3074.000	39.58	-4.34	35.24	68.20	-32.96	peak
3*	6831.000	35.43	6.08	41.51	68.20	-26.69	peak

Note: All unwanted emissions outside the restricted band are limited using a peak value of 68.2 dBuV/MHz to meet Bluetooth + Matter + WLAN 2.4 GHz + 5 GHz + 6 GHz RSE simultaneous transmissions.

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	Simultaneous Transmitting Bluetooth + WLAN 2.4 GHz + 5 GHz + 6 GHz + Matter		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1986.000	40.79	-8.13	32.66	68.20	-35.54	peak
2	3091.000	40.27	-4.22	36.05	68.20	-32.15	peak
3*	7103.000	35.86	7.43	43.29	68.20	-24.91	peak

Note: All unwanted emissions outside the restricted band are limited using a peak value of 68.2 dBuV/MHz to meet Bluetooth + Matter + WLAN 2.4 GHz + 5 GHz + 6 GHz RSE simultaneous transmissions.

## Band Edge


4X4 - Peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4928.640	61.05	0.50	61.55	74.00	-12.45	peak
2	5150.000	60.64	1.42	62.06	74.00	-11.94	peak
3*	5179.440	111.31	1.34	112.65	68.20	44.45	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5136.880	59.64	1.40	61.04	74.00	-12.96	peak
2	5150.000	61.97	1.42	63.39	74.00	-10.61	peak
3*	5179.440	109.81	1.34	111.15	68.20	42.95	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	62.33	1.42	63.75	74.00	-10.25	peak
2	5150.000	62.78	1.42	64.20	74.00	-9.80	peak
3*	5200.800	112.51	1.28	113.79	68.20	45.59	peak
4	5350.000	49.53	1.08	50.61	74.00	-23.39	peak
5	5446.560	50.18	1.70	51.88	74.00	-22.12	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	60.06	1.41	61.47	74.00	-12.53	peak
2	5150.000	61.08	1.42	62.50	74.00	-11.50	peak
3*	5203.680	112.83	1.27	114.10	68.20	45.90	peak
4	5350.000	48.36	1.08	49.44	74.00	-24.56	peak
5	5359.200	51.38	1.17	52.55	74.00	-21.45	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5136.480	53.79	1.40	55.19	74.00	-18.81	peak
2	5150.000	53.91	1.42	55.33	74.00	-18.67	peak
3*	5244.960	113.33	1.08	114.41	68.20	46.21	peak
4	5350.000	50.95	1.08	52.03	74.00	-21.97	peak
5	5357.280	51.17	1.15	52.32	74.00	-21.68	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	54.77	1.42	56.19	74.00	-17.81	peak
2	5150.000	54.94	1.42	56.36	74.00	-17.64	peak
3*	5241.120	114.69	1.08	115.77	68.20	47.57	peak
4	5350.000	50.40	1.08	51.48	74.00	-22.52	peak
5	5354.400	50.90	1.13	52.03	74.00	-21.97	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	52.88	1.41	54.29	74.00	-19.71	peak
2	5150.000	50.52	1.42	51.94	74.00	-22.06	peak
3*	5263.200	114.37	1.02	115.39	68.20	47.19	peak
4	5350.000	53.03	1.08	54.11	74.00	-19.89	peak
5	5351.520	55.09	1.09	56.18	74.00	-17.82	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	52.29	1.41	53.70	74.00	-20.30	peak
2	5150.000	49.42	1.42	50.84	74.00	-23.16	peak
3*	5264.160	113.82	1.01	114.83	68.20	46.63	peak
4	5350.000	52.05	1.08	53.13	74.00	-20.87	peak
5	5358.240	53.75	1.16	54.91	74.00	-19.09	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	52.08	1.41	53.49	74.00	-20.51	peak
2	5150.000	50.96	1.42	52.38	74.00	-21.62	peak
3*	5278.560	114.70	0.98	115.68	68.20	47.48	peak
4	5350.000	60.30	1.08	61.38	74.00	-12.62	peak
5	5355.360	62.14	1.13	63.27	74.00	-10.73	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5100.960	52.28	1.35	53.63	74.00	-20.37	peak
2	5150.000	50.28	1.42	51.70	74.00	-22.30	peak
3*	5277.600	115.43	0.98	116.41	68.20	48.21	peak
4	5350.000	58.05	1.08	59.13	74.00	-14.87	peak
5	5353.440	58.95	1.11	60.06	74.00	-13.94	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5322.960	112.70	0.99	113.69	68.20	45.49	peak
2	5350.000	59.48	1.08	60.56	74.00	-13.44	peak
3	5350.560	62.97	1.08	64.05	74.00	-9.95	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5319.120	114.05	0.98	115.03	68.20	46.83	peak
2	5350.000	61.19	1.08	62.27	74.00	-11.73	peak
3	5352.720	62.41	1.10	63.51	74.00	-10.49	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5446.000	60.14	1.70	61.84	74.00	-12.16	peak
2	5460.000	59.15	1.73	60.88	74.00	-13.12	peak
3	5468.320	63.40	1.74	65.14	68.20	-3.06	peak
4	5470.000	58.55	1.74	60.29	68.20	-7.91	peak
5*	5498.800	113.17	1.78	114.95	68.20	46.75	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.160	60.01	1.71	61.72	74.00	-12.28	peak
2	5460.000	58.13	1.73	59.86	74.00	-14.14	peak
3	5468.800	65.27	1.74	67.01	68.20	-1.19	peak
4	5470.000	61.71	1.74	63.45	68.20	-4.75	peak
5*	5505.520	112.01	1.80	113.81	68.20	45.61	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.950	54.25	1.72	55.97	74.00	-18.03	peak
2	5460.000	51.29	1.73	53.02	74.00	-20.98	peak
3	5468.575	55.65	1.74	57.39	68.20	-10.81	peak
4	5470.000	54.96	1.74	56.70	68.20	-11.50	peak
5*	5559.100	114.37	2.04	116.41	68.20	48.21	peak
6	5725.000	49.11	2.30	51.41	68.20	-16.79	peak
7	5744.825	50.36	2.50	52.86	68.20	-15.34	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.225	53.58	1.73	55.31	74.00	-18.69	peak
2	5460.000	52.56	1.73	54.29	74.00	-19.71	peak
3	5468.575	58.38	1.74	60.12	68.20	-8.08	peak
4	5470.000	55.88	1.74	57.62	68.20	-10.58	peak
5*	5559.525	112.68	2.04	114.72	68.20	46.52	peak
6	5725.000	48.77	2.30	51.07	68.20	-17.13	peak
7	5769.900	50.83	2.64	53.47	68.20	-14.73	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5702.210	109.97	2.10	112.07	68.20	43.87	peak
2	5725.000	59.28	2.30	61.58	68.20	-6.62	peak
3	5727.585	60.68	2.32	63.00	68.20	-5.20	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5699.020	110.27	2.06	112.33	68.20	44.13	peak
2	5725.000	59.18	2.30	61.48	68.20	-6.72	peak
3	5725.990	62.63	2.31	64.94	68.20	-3.26	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5415.000	59.67	1.60	61.27	74.00	-12.73	peak
2	5460.000	58.00	1.73	59.73	74.00	-14.27	peak
3	5470.000	58.80	1.74	60.54	68.20	-7.66	peak
4*	5721.250	115.58	2.27	117.85	68.20	49.65	peak
5	5850.000	55.87	2.98	58.85	68.20	-9.35	peak
6	5965.000	59.17	3.10	62.27	68.20	-5.93	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5400.000	59.93	1.55	61.48	74.00	-12.52	peak
2	5460.000	58.88	1.73	60.61	74.00	-13.39	peak
3	5470.000	58.13	1.74	59.87	68.20	-8.33	peak
4*	5721.250	116.21	2.27	118.48	68.20	50.28	peak
5	5850.000	56.28	2.98	59.26	68.20	-8.94	peak
6	5858.125	60.11	3.02	63.13	68.20	-5.07	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5648.750	61.12	1.91	63.03	68.20	-5.17	peak
2	5650.000	59.07	1.90	60.97	68.20	-7.23	peak
3	5700.000	75.75	2.06	77.81	105.20	-27.39	peak
4	5720.000	91.17	2.26	93.43	110.80	-17.37	peak
5	5725.000	96.77	2.30	99.07	122.20	-23.13	peak
6	5744.375	117.61	2.49	120.10	131.20	-11.10	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5745 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5643.125	63.67	1.91	65.58	68.20	-2.62	peak
2	5650.000	59.44	1.90	61.34	68.20	-6.86	peak
3	5700.000	75.46	2.06	77.52	105.20	-27.68	peak
4	5720.000	92.10	2.26	94.36	110.80	-16.44	peak
5	5725.000	97.31	2.30	99.61	122.20	-22.59	peak
6	5747.000	122.02	2.52	124.54	131.20	-6.66	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5634.875	59.52	1.64	61.16	68.20	-7.04	peak
2	5650.000	56.95	1.65	58.60	68.20	-9.60	peak
3	5700.000	62.92	1.58	64.50	105.20	-40.70	peak
4	5720.000	64.33	1.83	66.16	110.80	-44.64	peak
5	5725.000	68.21	1.89	70.10	122.20	-52.10	peak
6	5787.125	118.95	2.46	121.41	131.20	-9.79	peak
7	5850.000	69.59	2.57	72.16	122.20	-50.04	peak
8	5855.000	67.58	2.59	70.17	110.80	-40.63	peak
9	5875.000	64.19	2.64	66.83	105.20	-38.37	peak
10	5925.000	56.39	2.58	58.97	68.20	-9.23	peak
11*	5944.250	59.05	2.46	61.51	68.20	-6.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			






Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5785 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5607.125	59.51	1.62	61.13	68.20	-7.07	peak
2	5650.000	58.69	1.65	60.34	68.20	-7.86	peak
3	5700.000	66.65	1.58	68.23	105.20	-36.97	peak
4	5720.000	66.15	1.83	67.98	110.80	-42.82	peak
5	5725.000	69.77	1.89	71.66	122.20	-50.54	peak
6*	5786.000	122.43	2.46	124.89	131.20	-6.31	peak
7	5850.000	69.66	2.57	72.23	122.20	-49.97	peak
8	5855.000	66.14	2.59	68.73	110.80	-42.07	peak
9	5875.000	60.71	2.64	63.35	105.20	-41.85	peak
10	5925.000	56.73	2.58	59.31	68.20	-8.89	peak
11	5974.250	58.83	2.50	61.33	68.20	-6.87	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5822.000	117.68	2.88	120.56	131.20	-10.64	peak
2	5850.000	86.86	2.98	89.84	122.20	-32.36	peak
3	5855.000	85.52	3.01	88.53	110.80	-22.27	peak
4	5875.000	69.28	3.07	72.35	105.20	-32.85	peak
5	5925.000	57.61	3.10	60.71	68.20	-7.49	peak
6*	5937.125	59.20	3.05	62.25	68.20	-5.95	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5826.500	121.97	2.91	124.88	131.20	-6.32	peak
2	5850.000	89.68	2.98	92.66	122.20	-29.54	peak
3	5855.000	85.57	3.01	88.58	110.80	-22.22	peak
4	5875.000	71.60	3.07	74.67	105.20	-30.53	peak
5	5925.000	57.81	3.10	60.91	68.20	-7.29	peak
6*	5931.500	60.91	3.07	63.98	68.20	-4.22	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5093.560	60.48	1.10	61.58	74.00	-12.42	peak
2	5150.000	58.10	1.13	59.23	74.00	-14.77	peak
3*	5178.680	105.83	0.95	106.78	68.20	38.58	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5133.840	61.12	1.13	62.25	74.00	-11.75	peak
2	5150.000	59.62	1.13	60.75	74.00	-13.25	peak
3*	5180.960	108.07	0.94	109.01	68.20	40.81	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	57.44	1.13	58.57	74.00	-15.43	peak
2	5150.000	57.66	1.13	58.79	74.00	-15.21	peak
3*	5200.800	111.91	0.82	112.73	68.20	44.53	peak
4	5350.000	49.95	0.89	50.84	74.00	-23.16	peak
5	5447.520	51.96	1.74	53.70	74.00	-20.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	57.88	1.13	59.01	74.00	-14.99	peak
2	5150.000	59.42	1.13	60.55	74.00	-13.45	peak
3*	5200.800	112.75	0.82	113.57	68.20	45.37	peak
4	5350.000	49.43	0.89	50.32	74.00	-23.68	peak
5	5358.240	52.88	0.95	53.83	74.00	-20.17	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.200	56.00	1.12	57.12	74.00	-16.88	peak
2	5150.000	53.83	1.13	54.96	74.00	-19.04	peak
3*	5244.960	112.75	0.80	113.55	68.20	45.35	peak
4	5350.000	51.47	0.89	52.36	74.00	-21.64	peak
5	5372.640	53.03	1.06	54.09	74.00	-19.91	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5140.320	55.28	1.13	56.41	74.00	-17.59	peak
2	5150.000	56.70	1.13	57.83	74.00	-16.17	peak
3*	5238.240	115.60	0.81	116.41	68.20	48.21	peak
4	5350.000	54.09	0.89	54.98	74.00	-19.02	peak
5	5360.160	53.57	0.97	54.54	74.00	-19.46	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5045.280	54.33	0.81	55.14	74.00	-18.86	peak
2	5150.000	51.31	1.13	52.44	74.00	-21.56	peak
3*	5262.240	112.88	0.78	113.66	68.20	45.46	peak
4	5350.000	53.48	0.89	54.37	74.00	-19.63	peak
5	5358.240	54.39	0.95	55.34	74.00	-18.66	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	53.50	1.13	54.63	74.00	-19.37	peak
2	5150.000	52.34	1.13	53.47	74.00	-20.53	peak
3*	5259.360	112.91	0.78	113.69	68.20	45.49	peak
4	5350.000	51.74	0.89	52.63	74.00	-21.37	peak
5	5356.320	53.77	0.93	54.70	74.00	-19.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5131.680	53.17	1.13	54.30	74.00	-19.70	peak
2	5150.000	52.11	1.13	53.24	74.00	-20.76	peak
3*	5281.440	114.21	0.73	114.94	68.20	46.74	peak
4	5350.000	56.16	0.89	57.05	74.00	-16.95	peak
5	5357.280	55.54	0.94	56.48	74.00	-17.52	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5118.240	54.39	1.13	55.52	74.00	-18.48	peak
2	5150.000	50.70	1.13	51.83	74.00	-22.17	peak
3*	5281.440	114.95	0.73	115.68	68.20	47.48	peak
4	5350.000	57.19	0.89	58.08	74.00	-15.92	peak
5	5355.360	61.78	0.92	62.70	74.00	-11.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.880	108.94	0.77	109.71	68.20	41.51	peak
2	5350.000	59.77	0.89	60.66	74.00	-13.34	peak
3	5354.640	61.43	0.92	62.35	74.00	-11.65	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.640	111.65	0.77	112.42	68.20	44.22	peak
2	5350.000	60.91	0.89	61.80	74.00	-12.20	peak
3	5352.000	61.51	0.90	62.41	74.00	-11.59	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.880	59.81	1.77	61.58	74.00	-12.42	peak
2	5460.000	56.46	1.79	58.25	74.00	-15.75	peak
3	5468.800	63.27	1.80	65.07	68.20	-3.13	peak
4	5470.000	57.92	1.80	59.72	68.20	-8.48	peak
5*	5498.800	108.74	1.85	110.59	68.20	42.39	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5438.080	58.66	1.64	60.30	74.00	-13.70	peak
2	5460.000	56.88	1.79	58.67	74.00	-15.33	peak
3	5467.600	61.88	1.80	63.68	68.20	-4.52	peak
4	5470.000	60.88	1.80	62.68	68.20	-5.52	peak
5*	5501.680	110.82	1.85	112.67	68.20	44.47	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5439.250	54.35	1.65	56.00	74.00	-18.00	peak
2	5460.000	54.11	1.79	55.90	74.00	-18.10	peak
3	5463.050	59.07	1.79	60.86	68.20	-7.34	peak
4	5470.000	56.00	1.80	57.80	68.20	-10.40	peak
5*	5556.550	113.00	1.69	114.69	68.20	46.49	peak
6	5725.000	50.23	1.89	52.12	68.20	-16.08	peak
7	5763.100	51.38	2.30	53.68	68.20	-14.52	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.525	54.28	1.77	56.05	74.00	-17.95	peak
2	5460.000	54.59	1.79	56.38	74.00	-17.62	peak
3	5461.775	58.10	1.79	59.89	68.20	-8.31	peak
4	5470.000	55.51	1.80	57.31	68.20	-10.89	peak
5*	5557.400	112.30	1.69	113.99	68.20	45.79	peak
6	5725.000	50.62	1.89	52.51	68.20	-15.69	peak
7	5771.600	52.19	2.36	54.55	68.20	-13.65	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5701.485	102.89	1.60	104.49	68.20	36.29	peak
2	5725.000	57.29	1.89	59.18	68.20	-9.02	peak
3	5725.700	60.83	1.91	62.74	68.20	-5.46	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5699.165	108.60	1.58	110.18	68.20	41.98	peak
2	5725.000	58.84	1.89	60.73	68.20	-7.47	peak
3	5725.410	64.43	1.90	66.33	68.20	-1.87	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5441.875	58.38	1.69	60.07	74.00	-13.93	peak
2	5460.000	55.74	1.79	57.53	74.00	-16.47	peak
3	5470.000	57.54	1.80	59.34	68.20	-8.86	peak
4*	5725.625	109.63	1.91	111.54	68.20	43.34	peak
5	5850.000	57.17	2.57	59.74	68.20	-8.46	peak
6	5907.500	59.37	2.66	62.03	68.20	-6.17	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5407.500	59.60	1.35	60.95	74.00	-13.05	peak
2	5460.000	57.16	1.79	58.95	74.00	-15.05	peak
3	5470.000	55.83	1.80	57.63	68.20	-10.57	peak
4*	5721.250	113.94	1.84	115.78	68.20	47.58	peak
5	5850.000	57.87	2.57	60.44	68.20	-7.76	peak
6	5871.875	59.30	2.63	61.93	68.20	-6.27	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5648.375	62.02	1.65	63.67	68.20	-4.53	peak
2	5650.000	59.20	1.65	60.85	68.20	-7.35	peak
3	5700.000	73.39	1.58	74.97	105.20	-30.23	peak
4	5720.000	91.20	1.83	93.03	110.80	-17.77	peak
5	5725.000	95.23	1.89	97.12	122.20	-25.08	peak
6	5743.250	117.49	2.13	119.62	131.20	-11.58	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5745 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5648.375	60.92	1.65	62.57	68.20	-5.63	peak
2	5650.000	57.16	1.65	58.81	68.20	-9.39	peak
3	5700.000	71.83	1.58	73.41	105.20	-31.79	peak
4	5720.000	89.26	1.83	91.09	110.80	-19.71	peak
5	5725.000	93.09	1.89	94.98	122.20	-27.22	peak
6	5743.250	119.19	2.13	121.32	131.20	-9.88	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5621.375	60.26	1.63	61.89	68.20	-6.31	peak
2	5650.000	56.87	1.65	58.52	68.20	-9.68	peak
3	5700.000	57.63	1.58	59.21	105.20	-45.99	peak
4	5720.000	63.63	1.83	65.46	110.80	-45.34	peak
5	5725.000	68.05	1.89	69.94	122.20	-52.26	peak
6	5780.375	117.25	2.41	119.66	131.20	-11.54	peak
7	5850.000	64.57	2.57	67.14	122.20	-55.06	peak
8	5855.000	62.88	2.59	65.47	110.80	-45.33	peak
9	5875.000	59.26	2.64	61.90	105.20	-43.30	peak
10	5925.000	56.66	2.58	59.24	68.20	-8.96	peak
11	5942.000	59.08	2.48	61.56	68.20	-6.64	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5603.750	59.49	1.62	61.11	68.20	-7.09	peak
2	5650.000	57.01	1.65	58.66	68.20	-9.54	peak
3	5700.000	60.24	1.58	61.82	105.20	-43.38	peak
4	5720.000	65.36	1.83	67.19	110.80	-43.61	peak
5	5725.000	68.51	1.89	70.40	122.20	-51.80	peak
6	5781.125	118.52	2.42	120.94	131.20	-10.26	peak
7	5850.000	65.51	2.57	68.08	122.20	-54.12	peak
8	5855.000	65.98	2.59	68.57	110.80	-42.23	peak
9	5875.000	63.04	2.64	65.68	105.20	-39.52	peak
10	5925.000	58.15	2.58	60.73	68.20	-7.47	peak
11*	5939.000	59.37	2.50	61.87	68.20	-6.33	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5827.625	117.41	2.56	119.97	131.20	-11.23	peak
2	5850.000	90.47	2.57	93.04	122.20	-29.16	peak
3	5855.000	85.28	2.59	87.87	110.80	-22.93	peak
4	5875.000	72.55	2.64	75.19	105.20	-30.01	peak
5	5925.000	53.79	2.58	56.37	68.20	-11.83	peak
6*	5928.125	57.60	2.56	60.16	68.20	-8.04	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5827.625	118.64	2.56	121.20	131.20	-10.00	peak
2	5850.000	89.33	2.57	91.90	122.20	-30.30	peak
3	5855.000	84.99	2.59	87.58	110.80	-23.22	peak
4	5875.000	71.28	2.64	73.92	105.20	-31.28	peak
5	5925.000	55.97	2.58	58.55	68.20	-9.65	peak
6*	5928.500	58.17	2.56	60.73	68.20	-7.47	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5095.840	61.60	1.11	62.71	74.00	-11.29	peak
2	5150.000	58.61	1.13	59.74	74.00	-14.26	peak
3*	5188.560	100.05	0.88	100.93	68.20	32.73	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.480	63.22	1.13	64.35	74.00	-9.65	peak
2	5150.000	60.59	1.13	61.72	74.00	-12.28	peak
3*	5193.120	104.07	0.87	104.94	68.20	36.74	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	64.34	1.13	65.47	74.00	-8.53	peak
2	5150.000	59.98	1.13	61.11	74.00	-12.89	peak
3*	5226.720	107.66	0.81	108.47	68.20	40.27	peak
4	5350.000	52.46	0.89	53.35	74.00	-20.65	peak
5	5395.680	52.85	1.24	54.09	74.00	-19.91	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5118.240	58.75	1.13	59.88	74.00	-14.12	peak
2	5150.000	57.04	1.13	58.17	74.00	-15.83	peak
3*	5231.520	107.99	0.81	108.80	68.20	40.60	peak
4	5350.000	51.62	0.89	52.51	74.00	-21.49	peak
5	5388.000	53.64	1.19	54.83	74.00	-19.17	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.360	55.71	1.13	56.84	74.00	-17.16	peak
2	5150.000	55.57	1.13	56.70	74.00	-17.30	peak
3*	5271.840	110.62	0.75	111.37	68.20	43.17	peak
4	5350.000	64.29	0.89	65.18	74.00	-8.82	peak
5	5354.400	65.03	0.92	65.95	74.00	-8.05	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	56.13	1.13	57.26	74.00	-16.74	peak
2	5150.000	54.51	1.13	55.64	74.00	-18.36	peak
3*	5266.080	111.75	0.78	112.53	68.20	44.33	peak
4	5350.000	61.86	0.89	62.75	74.00	-11.25	peak
5	5355.360	61.26	0.92	62.18	74.00	-11.82	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5311.920	103.33	0.74	104.07	68.20	35.87	peak
2	5350.000	60.37	0.89	61.26	74.00	-12.74	peak
3	5357.040	64.07	0.94	65.01	74.00	-8.99	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5311.200	108.80	0.74	109.54	68.20	41.34	peak
2	5350.000	63.05	0.89	63.94	74.00	-10.06	peak
3	5356.080	65.51	0.93	66.44	74.00	-7.56	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5447.440	59.52	1.74	61.26	74.00	-12.74	peak
2	5460.000	56.48	1.79	58.27	74.00	-15.73	peak
3	5464.960	62.39	1.79	64.18	68.20	-4.02	peak
4	5470.000	58.56	1.80	60.36	68.20	-7.84	peak
5*	5507.680	101.59	1.83	103.42	68.20	35.22	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.000	59.41	1.78	61.19	74.00	-12.81	peak
2	5460.000	57.22	1.79	59.01	74.00	-14.99	peak
3	5463.760	63.78	1.79	65.57	68.20	-2.63	peak
4	5470.000	60.25	1.80	62.05	68.20	-6.15	peak
5*	5512.480	106.50	1.81	108.31	68.20	40.11	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.525	62.02	1.77	63.79	74.00	-10.21	peak
2	5460.000	59.06	1.79	60.85	74.00	-13.15	peak
3	5464.750	63.22	1.79	65.01	68.20	-3.19	peak
4	5470.000	60.22	1.80	62.02	68.20	-6.18	peak
5*	5544.225	109.74	1.71	111.45	68.20	43.25	peak
6	5725.000	49.74	1.89	51.63	68.20	-16.57	peak
7	5756.725	51.28	2.26	53.54	68.20	-14.66	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5446.050	62.02	1.73	63.75	74.00	-10.25	peak
2	5460.000	58.44	1.79	60.23	74.00	-13.77	peak
3	5463.050	63.05	1.79	64.84	68.20	-3.36	peak
4	5470.000	59.82	1.80	61.62	68.20	-6.58	peak
5*	5551.450	110.68	1.69	112.37	68.20	44.17	peak
6	5725.000	50.61	1.89	52.50	68.20	-15.70	peak
7	5738.025	52.78	2.06	54.84	68.20	-13.36	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5667.845	104.48	1.62	106.10	68.20	37.90	peak
2	5725.000	58.60	1.89	60.49	68.20	-7.71	peak
3	5731.355	60.40	1.98	62.38	68.20	-5.82	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5671.905	108.29	1.63	109.92	68.20	41.72	peak
2	5725.000	57.79	1.89	59.68	68.20	-8.52	peak
3	5729.180	60.68	1.95	62.63	68.20	-5.57	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5399.375	58.81	1.27	60.08	74.00	-13.92	peak
2	5460.000	55.89	1.79	57.68	74.00	-16.32	peak
3	5462.500	58.01	1.79	59.80	68.20	-8.40	peak
4	5470.000	55.05	1.80	56.85	68.20	-11.35	peak
5*	5712.500	107.27	1.74	109.01	68.20	40.81	peak
6	5850.000	57.77	2.57	60.34	68.20	-7.86	peak
7	5901.875	58.94	2.70	61.64	68.20	-6.56	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.750	58.43	1.75	60.18	74.00	-13.82	peak
2	5460.000	55.80	1.79	57.59	74.00	-16.41	peak
3	5465.625	58.11	1.79	59.90	68.20	-8.30	peak
4	5470.000	57.03	1.80	58.83	68.20	-9.37	peak
5*	5712.500	109.67	1.74	111.41	68.20	43.21	peak
6	5850.000	57.12	2.57	59.69	68.20	-8.51	peak
7	5858.125	59.80	2.60	62.40	68.20	-5.80	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5636.000	61.49	1.64	63.13	68.20	-5.07	peak
2	5650.000	60.54	1.65	62.19	68.20	-6.01	peak
3	5700.000	76.75	1.58	78.33	105.20	-26.87	peak
4	5720.000	88.03	1.83	89.86	110.80	-20.94	peak
5	5725.000	91.17	1.89	93.06	122.20	-29.14	peak
6	5759.000	113.77	2.27	116.04	131.20	-15.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5755 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5645.750	62.31	1.65	63.96	68.20	-4.24	peak
2	5650.000	59.76	1.65	61.41	68.20	-6.79	peak
3	5700.000	77.14	1.58	78.72	105.20	-26.48	peak
4	5720.000	88.12	1.83	89.95	110.80	-20.85	peak
5	5725.000	88.14	1.89	90.03	122.20	-32.17	peak
6	5752.250	115.18	2.22	117.40	131.20	-13.80	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5795 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5797.625	114.99	2.54	117.53	131.20	-13.67	peak
2	5850.000	76.74	2.57	79.31	122.20	-42.89	peak
3	5855.000	76.64	2.59	79.23	110.80	-31.57	peak
4	5875.000	67.16	2.64	69.80	105.20	-35.40	peak
5*	5925.000	60.01	2.58	62.59	68.20	-5.61	peak
6!	5937.875	59.79	2.50	62.29	68.20	-5.91	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5792.375	114.68	2.49	117.17	131.20	-14.03	peak
2	5850.000	76.79	2.57	79.36	122.20	-42.84	peak
3	5855.000	74.95	2.59	77.54	110.80	-33.26	peak
4	5875.000	69.23	2.64	71.87	105.20	-33.33	peak
5	5925.000	57.87	2.58	60.45	68.20	-7.75	peak
6*	5938.250	59.72	2.50	62.22	68.20	-5.98	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5101.920	60.91	1.14	62.05	74.00	-11.95	peak
2	5150.000	59.53	1.13	60.66	74.00	-13.34	peak
3*	5207.560	96.19	0.81	97.00	68.20	28.80	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5102.680	61.94	1.13	63.07	74.00	-10.93	peak
2	5150.000	59.60	1.13	60.73	74.00	-13.27	peak
3*	5208.320	101.89	0.81	102.70	68.20	34.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5291.760	100.59	0.72	101.31	68.20	33.11	peak
2	5350.000	59.74	0.89	60.63	74.00	-13.37	peak
3	5454.000	59.50	1.77	61.27	74.00	-12.73	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5296.320	105.20	0.70	105.90	68.20	37.70	peak
2	5350.000	59.32	0.89	60.21	74.00	-13.79	peak
3	5356.800	63.28	0.94	64.22	74.00	-9.78	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.760	60.91	1.78	62.69	74.00	-11.31	peak
2	5460.000	57.29	1.79	59.08	74.00	-14.92	peak
3	5465.440	61.93	1.79	63.72	68.20	-4.48	peak
4	5470.000	57.68	1.80	59.48	68.20	-8.72	peak
5*	5526.160	99.61	1.77	101.38	68.20	33.18	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.120	59.57	1.77	61.34	74.00	-12.66	peak
2	5460.000	57.41	1.79	59.20	74.00	-14.80	peak
3	5470.000	61.59	1.80	63.39	68.20	-4.81	peak
4*	5523.520	102.90	1.78	104.68	68.20	36.48	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			






Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5422.250	58.09	1.50	59.59	74.00	-14.41	peak
2	5460.000	57.31	1.79	59.10	74.00	-14.90	peak
3	5465.175	59.79	1.79	61.58	68.20	-6.62	peak
4	5470.000	56.11	1.80	57.91	68.20	-10.29	peak
5*	5611.375	103.72	1.62	105.34	68.20	37.14	peak
6	5725.000	58.89	1.89	60.78	68.20	-7.42	peak
7	5732.075	59.99	1.98	61.97	68.20	-6.23	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.375	59.48	1.79	61.27	74.00	-12.73	peak
2	5460.000	57.75	1.79	59.54	74.00	-14.46	peak
3	5465.175	59.33	1.79	61.12	68.20	-7.08	peak
4	5470.000	57.53	1.80	59.33	68.20	-8.87	peak
5*	5612.650	107.24	1.62	108.86	68.20	40.66	peak
6	5725.000	59.32	1.89	61.21	68.20	-6.99	peak
7	5728.250	60.42	1.94	62.36	68.20	-5.84	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5433.125	58.63	1.61	60.24	74.00	-13.76	peak
2	5460.000	55.61	1.79	57.40	74.00	-16.60	peak
3	5470.000	56.10	1.80	57.90	68.20	-10.30	peak
4*	5697.500	103.99	1.58	105.57	68.20	37.37	peak
5	5850.000	58.49	2.57	61.06	68.20	-7.14	peak
6	5864.375	60.79	2.61	63.40	68.20	-4.80	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.375	57.94	1.77	59.71	74.00	-14.29	peak
2	5460.000	56.91	1.79	58.70	74.00	-15.30	peak
3	5465.000	58.44	1.79	60.23	68.20	-7.97	peak
4	5470.000	55.04	1.80	56.84	68.20	-11.36	peak
5*	5695.000	108.13	1.58	109.71	68.20	41.51	peak
6	5850.000	57.44	2.57	60.01	68.20	-8.19	peak
7	5855.000	59.48	2.59	62.07	68.20	-6.13	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5630.750	60.92	1.64	62.56	68.20	-5.64	peak
2	5650.000	60.46	1.65	62.11	68.20	-6.09	peak
3	5700.000	75.63	1.58	77.21	105.20	-27.99	peak
4	5720.000	79.08	1.83	80.91	110.80	-29.89	peak
5	5725.000	78.71	1.89	80.60	122.20	-41.60	peak
6	5778.500	110.23	2.40	112.63	131.20	-18.57	peak
7	5850.000	78.80	2.57	81.37	122.20	-40.83	peak
8	5855.000	72.41	2.59	75.00	110.80	-35.80	peak
9	5875.000	66.35	2.64	68.99	105.20	-36.21	peak
10	5925.000	58.04	2.58	60.62	68.20	-7.58	peak
11*	5928.500	60.88	2.56	63.44	68.20	-4.76	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5614.250	62.26	1.63	63.89	68.20	-4.31	peak
2	5650.000	60.18	1.65	61.83	68.20	-6.37	peak
3	5700.000	76.49	1.58	78.07	105.20	-27.13	peak
4	5720.000	80.80	1.83	82.63	110.80	-28.17	peak
5	5725.000	78.01	1.89	79.90	122.20	-42.30	peak
6	5766.125	111.44	2.32	113.76	131.20	-17.44	peak
7	5850.000	75.87	2.57	78.44	122.20	-43.76	peak
8	5855.000	72.20	2.59	74.79	110.80	-36.01	peak
9	5875.000	67.05	2.64	69.69	105.20	-35.51	peak
10	5925.000	57.67	2.58	60.25	68.20	-7.95	peak
11!	5936.750	59.74	2.52	62.26	68.20	-5.94	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5128.520	59.75	1.39	61.14	74.00	-12.86	peak
2	5150.000	58.54	1.42	59.96	74.00	-14.04	peak
3*	5186.280	105.72	1.31	107.03	68.20	38.83	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5123.960	60.89	1.38	62.27	74.00	-11.73	peak
2	5150.000	61.53	1.42	62.95	74.00	-11.05	peak
3*	5177.160	108.43	1.35	109.78	68.20	41.58	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	60.89	1.42	62.31	74.00	-11.69	peak
2	5150.000	64.54	1.42	65.96	74.00	-8.04	peak
3*	5202.720	110.83	1.27	112.10	68.20	43.90	peak
4	5350.000	49.39	1.08	50.47	74.00	-23.53	peak
5	5384.160	50.72	1.40	52.12	74.00	-21.88	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	65.08	1.42	66.50	74.00	-7.50	peak
2	5150.000	61.46	1.42	62.88	74.00	-11.12	peak
3*	5200.800	113.02	1.28	114.30	68.20	46.10	peak
4	5350.000	49.62	1.08	50.70	74.00	-23.30	peak
5	5460.000	51.03	1.73	52.76	74.00	-21.24	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	56.94	1.41	58.35	74.00	-15.65	peak
2	5150.000	55.38	1.42	56.80	74.00	-17.20	peak
3*	5238.240	113.12	1.10	114.22	68.20	46.02	peak
4	5350.000	51.87	1.08	52.95	74.00	-21.05	peak
5	5359.200	53.59	1.17	54.76	74.00	-19.24	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.200	54.98	1.41	56.39	74.00	-17.61	peak
2	5150.000	56.36	1.42	57.78	74.00	-16.22	peak
3*	5239.200	116.09	1.09	117.18	68.20	48.98	peak
4	5350.000	50.87	1.08	51.95	74.00	-22.05	peak
5	5368.800	52.55	1.26	53.81	74.00	-20.19	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5135.520	53.42	1.40	54.82	74.00	-19.18	peak
2	5150.000	52.53	1.42	53.95	74.00	-20.05	peak
3*	5260.320	114.53	1.03	115.56	68.20	47.36	peak
4	5350.000	57.25	1.08	58.33	74.00	-15.67	peak
5	5351.520	57.17	1.09	58.26	74.00	-15.74	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	54.54	1.42	55.96	74.00	-18.04	peak
2	5150.000	53.72	1.42	55.14	74.00	-18.86	peak
3*	5266.080	113.54	1.01	114.55	68.20	46.35	peak
4	5350.000	53.95	1.08	55.03	74.00	-18.97	peak
5	5365.920	57.35	1.23	58.58	74.00	-15.42	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5119.200	52.25	1.38	53.63	74.00	-20.37	peak
2	5150.000	50.71	1.42	52.13	74.00	-21.87	peak
3*	5276.640	114.83	0.98	115.81	68.20	47.61	peak
4	5350.000	60.08	1.08	61.16	74.00	-12.84	peak
5	5353.440	63.70	1.11	64.81	74.00	-9.19	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	53.34	1.42	54.76	74.00	-19.24	peak
2	5150.000	50.34	1.42	51.76	74.00	-22.24	peak
3*	5279.520	114.16	0.97	115.13	68.20	46.93	peak
4	5350.000	60.19	1.08	61.27	74.00	-12.73	peak
5	5353.440	66.33	1.11	67.44	74.00	-6.56	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5321.520	110.00	0.98	110.98	68.20	42.78	peak
2	5350.000	60.71	1.08	61.79	74.00	-12.21	peak
3	5350.560	63.43	1.08	64.51	74.00	-9.49	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5321.520	112.63	0.98	113.61	68.20	45.41	peak
2	5350.000	63.70	1.08	64.78	74.00	-9.22	peak
3	5352.720	62.12	1.10	63.22	74.00	-10.78	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5374.480	60.39	1.31	61.70	74.00	-12.30	peak
2	5460.000	57.96	1.73	59.69	74.00	-14.31	peak
3	5464.240	60.70	1.73	62.43	68.20	-5.77	peak
4	5470.000	59.77	1.74	61.51	68.20	-6.69	peak
5*	5499.520	109.12	1.78	110.90	68.20	42.70	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5449.120	61.40	1.71	63.11	74.00	-10.89	peak
2	5460.000	58.06	1.73	59.79	74.00	-14.21	peak
3	5470.000	64.75	1.74	66.49	68.20	-1.71	peak
4*	5501.200	111.85	1.78	113.63	68.20	45.43	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.675	57.12	1.72	58.84	74.00	-15.16	peak
2	5460.000	55.29	1.73	57.02	74.00	-16.98	peak
3	5468.150	58.12	1.74	59.86	68.20	-8.34	peak
4	5470.000	57.86	1.74	59.60	68.20	-8.60	peak
5*	5557.400	113.76	2.05	115.81	68.20	47.61	peak
6	5725.000	49.04	2.30	51.34	68.20	-16.86	peak
7	5758.000	50.99	2.59	53.58	68.20	-14.62	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.225	60.50	1.73	62.23	74.00	-11.77	peak
2	5460.000	56.19	1.73	57.92	74.00	-16.08	peak
3	5466.450	60.64	1.74	62.38	68.20	-5.82	peak
4	5470.000	58.70	1.74	60.44	68.20	-7.76	peak
5*	5562.500	112.88	2.05	114.93	68.20	46.73	peak
6	5725.000	48.53	2.30	50.83	68.20	-17.37	peak
7	5741.000	50.77	2.45	53.22	68.20	-14.98	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5698.730	104.87	2.06	106.93	68.20	38.73	peak
2	5725.000	60.05	2.30	62.35	68.20	-5.85	peak
3	5725.555	61.00	2.30	63.30	68.20	-4.90	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5701.630	109.68	2.09	111.77	68.20	43.57	peak
2	5725.000	64.85	2.30	67.15	68.20	-1.05	peak
3	5725.845	64.24	2.31	66.55	68.20	-1.65	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5415.625	60.07	1.60	61.67	74.00	-12.33	peak
2	5460.000	57.69	1.73	59.42	74.00	-14.58	peak
3	5470.000	58.10	1.74	59.84	68.20	-8.36	peak
4*	5721.250	109.72	2.27	111.99	68.20	43.79	peak
5	5850.000	56.59	2.98	59.57	68.20	-8.63	peak
6	5961.250	59.17	3.09	62.26	68.20	-5.94	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5429.375	59.51	1.65	61.16	74.00	-12.84	peak
2	5460.000	57.49	1.73	59.22	74.00	-14.78	peak
3	5470.000	56.91	1.74	58.65	68.20	-9.55	peak
4*	5722.500	113.94	2.28	116.22	68.20	48.02	peak
5	5850.000	56.57	2.98	59.55	68.20	-8.65	peak
6	5923.125	58.68	3.09	61.77	68.20	-6.43	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5640.500	61.87	1.92	63.79	68.20	-4.41	peak
2*	5650.000	62.36	1.90	64.26	68.20	-3.94	peak
3	5700.000	78.02	2.06	80.08	105.20	-25.12	peak
4	5720.000	90.80	2.26	93.06	110.80	-17.74	peak
5	5725.000	96.56	2.30	98.86	122.20	-23.34	peak
6	5744.000	118.41	2.49	120.90	131.20	-10.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5646.500	64.31	1.91	66.22	68.20	-1.98	peak
2!	5650.000	60.63	1.90	62.53	68.20	-5.67	peak
3	5700.000	80.50	2.06	82.56	105.20	-22.64	peak
4	5720.000	93.96	2.26	96.22	110.80	-14.58	peak
5	5725.000	97.87	2.30	100.17	122.20	-22.03	peak
6	5740.625	121.01	2.44	123.45	131.20	-7.75	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5623.250	60.35	1.63	61.98	68.20	-6.22	peak
2	5650.000	57.46	1.65	59.11	68.20	-9.09	peak
3	5700.000	63.47	1.58	65.05	105.20	-40.15	peak
4	5720.000	66.14	1.83	67.97	110.80	-42.83	peak
5	5725.000	67.66	1.89	69.55	122.20	-52.65	peak
6	5784.500	116.90	2.45	119.35	131.20	-11.85	peak
7	5850.000	68.51	2.57	71.08	122.20	-51.12	peak
8	5855.000	67.92	2.59	70.51	110.80	-40.29	peak
9	5875.000	60.12	2.64	62.76	105.20	-42.44	peak
10	5925.000	56.75	2.58	59.33	68.20	-8.87	peak
11	5933.000	58.88	2.53	61.41	68.20	-6.79	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5624.750	59.27	1.63	60.90	68.20	-7.30	peak
2	5650.000	57.20	1.65	58.85	68.20	-9.35	peak
3	5700.000	62.65	1.58	64.23	105.20	-40.97	peak
4	5720.000	68.19	1.83	70.02	110.80	-40.78	peak
5	5725.000	69.47	1.89	71.36	122.20	-50.84	peak
6	5784.500	120.92	2.45	123.37	131.20	-7.83	peak
7	5850.000	71.29	2.57	73.86	122.20	-48.34	peak
8	5855.000	69.74	2.59	72.33	110.80	-38.47	peak
9	5875.000	66.19	2.64	68.83	105.20	-36.37	peak
10	5925.000	57.62	2.58	60.20	68.20	-8.00	peak
11*	5928.500	59.11	2.56	61.67	68.20	-6.53	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5826.500	117.71	2.91	120.62	131.20	-10.58	peak
2	5850.000	92.67	2.98	95.65	122.20	-26.55	peak
3	5855.000	87.63	3.01	90.64	110.80	-20.16	peak
4	5875.000	72.28	3.07	75.35	105.20	-29.85	peak
5	5925.000	59.05	3.10	62.15	68.20	-6.05	peak
6*	5930.750	60.78	3.08	63.86	68.20	-4.34	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5824.625	119.61	2.89	122.50	131.20	-8.70	peak
2	5850.000	92.11	2.98	95.09	122.20	-27.11	peak
3	5855.000	88.42	3.01	91.43	110.80	-19.37	peak
4	5875.000	75.93	3.07	79.00	105.20	-26.20	peak
5!	5925.000	59.88	3.10	62.98	68.20	-5.22	peak
6*	5926.250	62.17	3.10	65.27	68.20	-2.93	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4911.160	61.64	0.47	62.11	74.00	-11.89	peak
2	5150.000	57.86	1.42	59.28	74.00	-14.72	peak
3*	5185.520	99.82	1.32	101.14	68.20	32.94	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.480	60.78	1.41	62.19	74.00	-11.81	peak
2	5150.000	58.52	1.42	59.94	74.00	-14.06	peak
3*	5185.520	104.64	1.32	105.96	68.20	37.76	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	62.82	1.42	64.24	74.00	-9.76	peak
2	5150.000	61.43	1.42	62.85	74.00	-11.15	peak
3*	5227.680	109.48	1.15	110.63	68.20	42.43	peak
4	5350.000	52.97	1.08	54.05	74.00	-19.95	peak
5	5352.480	55.54	1.10	56.64	74.00	-17.36	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	59.35	1.42	60.77	74.00	-13.23	peak
2	5150.000	60.59	1.42	62.01	74.00	-11.99	peak
3*	5227.680	109.84	1.15	110.99	68.20	42.79	peak
4	5350.000	50.36	1.08	51.44	74.00	-22.56	peak
5	5352.480	54.57	1.10	55.67	74.00	-18.33	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	55.20	1.42	56.62	74.00	-17.38	peak
2	5150.000	53.17	1.42	54.59	74.00	-19.41	peak
3*	5270.880	111.02	1.00	112.02	68.20	43.82	peak
4	5350.000	60.94	1.08	62.02	74.00	-11.98	peak
5	5352.480	62.79	1.10	63.89	74.00	-10.11	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	55.24	1.42	56.66	74.00	-17.34	peak
2	5150.000	53.93	1.42	55.35	74.00	-18.65	peak
3*	5276.640	112.45	0.98	113.43	68.20	45.23	peak
4	5350.000	60.06	1.08	61.14	74.00	-12.86	peak
5	5360.160	61.67	1.18	62.85	74.00	-11.15	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5309.760	104.52	0.95	105.47	68.20	37.27	peak
2	5350.000	58.51	1.08	59.59	74.00	-14.41	peak
3	5426.880	60.17	1.64	61.81	74.00	-12.19	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5306.880	110.58	0.93	111.51	68.20	43.31	peak
2	5350.000	63.57	1.08	64.65	74.00	-9.35	peak
3	5351.760	63.18	1.09	64.27	74.00	-9.73	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5444.560	60.92	1.70	62.62	74.00	-11.38	peak
2	5460.000	58.52	1.73	60.25	74.00	-13.75	peak
3	5469.520	63.20	1.74	64.94	68.20	-3.26	peak
4	5470.000	58.38	1.74	60.12	68.20	-8.08	peak
5*	5505.520	102.76	1.80	104.56	68.20	36.36	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.760	59.97	1.72	61.69	74.00	-12.31	peak
2	5460.000	58.25	1.73	59.98	74.00	-14.02	peak
3	5469.520	64.34	1.74	66.08	68.20	-2.12	peak
4	5470.000	60.95	1.74	62.69	68.20	-5.51	peak
5*	5514.160	106.56	1.86	108.42	68.20	40.22	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.700	61.50	1.72	63.22	74.00	-10.78	peak
2	5460.000	59.41	1.73	61.14	74.00	-12.86	peak
3	5468.150	64.86	1.74	66.60	68.20	-1.60	peak
4	5470.000	64.92	1.74	66.66	68.20	-1.54	peak
5	5725.000	51.65	2.30	53.95	68.20	-14.25	peak
6	5726.975	51.87	2.32	54.19	68.20	-14.01	peak
7*	5547.625	110.21	2.03	112.24	68.20	44.04	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.975	61.64	1.72	63.36	74.00	-10.64	peak
2	5460.000	63.82	1.73	65.55	74.00	-8.45	peak
3	5467.300	63.33	1.74	65.07	68.20	-3.13	peak
4	5470.000	61.17	1.74	62.91	68.20	-5.29	peak
5*	5551.875	111.52	2.06	113.58	68.20	45.38	peak
6	5725.000	49.26	2.30	51.56	68.20	-16.64	peak
7	5726.975	50.74	2.32	53.06	68.20	-15.14	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5668.280	104.50	1.96	106.46	68.20	38.26	peak
2	5725.000	57.62	2.30	59.92	68.20	-8.28	peak
3	5727.875	59.28	2.32	61.60	68.20	-6.60	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5663.930	108.51	1.95	110.46	68.20	42.26	peak
2	5725.000	60.75	2.30	63.05	68.20	-5.15	peak
3	5725.845	64.28	2.31	66.59	68.20	-1.61	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5451.875	59.11	1.72	60.83	74.00	-13.17	peak
2	5460.000	57.18	1.73	58.91	74.00	-15.09	peak
3	5470.000	56.88	1.74	58.62	68.20	-9.58	peak
4*	5707.500	107.79	2.14	109.93	68.20	41.73	peak
5	5850.000	57.80	2.98	60.78	68.20	-7.42	peak
6	5938.750	59.12	3.07	62.19	68.20	-6.01	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5425.625	60.21	1.64	61.85	74.00	-12.15	peak
2	5460.000	58.94	1.73	60.67	74.00	-13.33	peak
3	5470.000	57.66	1.74	59.40	68.20	-8.80	peak
4*	5713.125	110.44	2.18	112.62	68.20	44.42	peak
5	5850.000	61.28	2.98	64.26	68.20	-3.94	peak
6	5858.750	60.96	3.02	63.98	68.20	-4.22	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5627.375	64.86	1.95	66.81	68.20	-1.39	peak
2!	5650.000	62.17	1.90	64.07	68.20	-4.13	peak
3	5700.000	79.62	2.06	81.68	105.20	-23.52	peak
4	5720.000	90.49	2.26	92.75	110.80	-18.05	peak
5	5725.000	92.01	2.30	94.31	122.20	-27.89	peak
6	5756.750	114.85	2.57	117.42	131.20	-13.78	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5644.625	63.90	1.90	65.80	68.20	-2.40	peak
2!	5650.000	62.59	1.90	64.49	68.20	-3.71	peak
3	5700.000	80.78	2.06	82.84	105.20	-22.36	peak
4	5720.000	90.63	2.26	92.89	110.80	-17.91	peak
5	5725.000	93.98	2.30	96.28	122.20	-25.92	peak
6	5752.625	116.56	2.55	119.11	131.20	-12.09	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5798.750	115.34	2.82	118.16	131.20	-13.04	peak
2	5850.000	81.57	2.98	84.55	122.20	-37.65	peak
3	5855.000	79.06	3.01	82.07	110.80	-28.73	peak
4	5875.000	73.93	3.07	77.00	105.20	-28.20	peak
5!	5925.000	61.86	3.10	64.96	68.20	-3.24	peak
6*	5936.750	62.48	3.05	65.53	68.20	-2.67	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5792.375	115.66	2.77	118.43	131.20	-12.77	peak
2	5850.000	81.05	2.98	84.03	122.20	-38.17	peak
3	5855.000	81.67	3.01	84.68	110.80	-26.12	peak
4	5875.000	70.75	3.07	73.82	105.20	-31.38	peak
5!	5925.000	60.06	3.10	63.16	68.20	-5.04	peak
6*	5934.125	62.21	3.06	65.27	68.20	-2.93	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4883.040	60.31	0.39	60.70	74.00	-13.30	peak
2	5150.000	58.14	1.42	59.56	74.00	-14.44	peak
3*	5209.840	96.24	1.24	97.48	68.20	29.28	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5122.440	60.70	1.38	62.08	74.00	-11.92	peak
2	5150.000	59.90	1.42	61.32	74.00	-12.68	peak
3*	5203.000	102.59	1.27	103.86	68.20	35.66	peak




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5298.480	101.07	0.92	101.99	68.20	33.79	peak
2	5350.000	56.22	1.08	57.30	74.00	-16.70	peak
3	5413.440	60.01	1.60	61.61	74.00	-12.39	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5287.200	106.02	0.95	106.97	68.20	38.77	peak
2	5350.000	58.26	1.08	59.34	74.00	-14.66	peak
3	5355.600	62.53	1.13	63.66	74.00	-10.34	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5409.520	59.94	1.58	61.52	74.00	-12.48	peak
2	5460.000	57.34	1.73	59.07	74.00	-14.93	peak
3	5470.000	59.27	1.74	61.01	68.20	-7.19	peak
4*	5538.880	99.69	2.00	101.69	68.20	33.49	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.560	63.63	1.72	65.35	74.00	-8.65	peak
2	5460.000	58.64	1.73	60.37	74.00	-13.63	peak
3	5468.080	63.77	1.74	65.51	68.20	-2.69	peak
4	5470.000	59.87	1.74	61.61	68.20	-6.59	peak
5*	5519.440	103.93	1.88	105.81	68.20	37.61	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5411.625	61.26	1.59	62.85	74.00	-11.15	peak
2	5460.000	59.72	1.73	61.45	74.00	-12.55	peak
3	5470.000	57.90	1.74	59.64	68.20	-8.56	peak
4*	5619.025	103.53	1.98	105.51	68.20	37.31	peak
5	5725.000	59.19	2.30	61.49	68.20	-6.71	peak
6	5737.175	60.39	2.42	62.81	68.20	-5.39	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5384.850	60.87	1.41	62.28	74.00	-11.72	peak
2	5460.000	60.72	1.73	62.45	74.00	-11.55	peak
3	5466.025	61.84	1.74	63.58	68.20	-4.62	peak
4	5470.000	60.29	1.74	62.03	68.20	-6.17	peak
5*	5616.900	107.30	1.97	109.27	68.20	41.07	peak
6	5725.000	61.44	2.30	63.74	68.20	-4.46	peak
7	5731.225	62.42	2.37	64.79	68.20	-3.41	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			






Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5431.250	60.18	1.65	61.83	74.00	-12.17	peak
2	5460.000	58.26	1.73	59.99	74.00	-14.01	peak
3	5469.375	60.27	1.74	62.01	68.20	-6.19	peak
4	5470.000	56.82	1.74	58.56	68.20	-9.64	peak
5*	5688.750	104.82	2.04	106.86	68.20	38.66	peak
6	5850.000	59.72	2.98	62.70	68.20	-5.50	peak
7	5858.750	60.75	3.02	63.77	68.20	-4.43	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5421.875	61.18	1.61	62.79	74.00	-11.21	peak
2	5460.000	59.32	1.73	61.05	74.00	-12.95	peak
3	5464.375	60.57	1.73	62.30	68.20	-5.90	peak
4	5470.000	59.47	1.74	61.21	68.20	-6.99	peak
5*	5681.250	108.83	2.00	110.83	68.20	42.63	peak
6	5850.000	61.82	2.98	64.80	68.20	-3.40	peak
7	5876.250	61.14	3.07	64.21	68.20	-3.99	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5641.250	62.89	1.92	64.81	68.20	-3.39	peak
2*	5650.000	64.35	1.90	66.25	68.20	-1.95	peak
3	5700.000	76.10	2.06	78.16	105.20	-27.04	peak
4	5720.000	83.57	2.26	85.83	110.80	-24.97	peak
5	5725.000	82.22	2.30	84.52	122.20	-37.68	peak
6	5780.750	110.78	2.70	113.48	131.20	-17.72	peak
7	5850.000	76.76	2.98	79.74	122.20	-42.46	peak
8	5855.000	75.03	3.01	78.04	110.80	-32.76	peak
9	5875.000	70.34	3.07	73.41	105.20	-31.79	peak
10	5925.000	57.85	3.10	60.95	68.20	-7.25	peak
11!	5930.000	60.16	3.08	63.24	68.20	-4.96	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5646.875	63.58	1.91	65.49	68.20	-2.71	peak
2!	5650.000	63.29	1.90	65.19	68.20	-3.01	peak
3	5700.000	75.44	2.06	77.50	105.20	-27.70	peak
4	5720.000	81.86	2.26	84.12	110.80	-26.68	peak
5	5725.000	82.18	2.30	84.48	122.20	-37.72	peak
6	5773.250	111.87	2.67	114.54	131.20	-16.66	peak
7	5850.000	77.66	2.98	80.64	122.20	-41.56	peak
8	5855.000	75.37	3.01	78.38	110.80	-32.42	peak
9	5875.000	70.04	3.07	73.11	105.20	-32.09	peak
10!	5925.000	60.01	3.10	63.11	68.20	-5.09	peak
11!	5945.000	62.30	3.04	65.34	68.20	-2.86	peak

4X4 - Average


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5180 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	50.12	1.42	51.54	54.00	-2.46	AVG
2*	5150.000	51.55	1.42	52.97	54.00	-1.03	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	50.46	1.42	51.88	54.00	-2.12	AVG
2*	5150.000	51.22	1.42	52.64	54.00	-1.36	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	47.96	1.42	49.38	54.00	-4.62	AVG
2*	5150.000	49.44	1.42	50.86	54.00	-3.14	AVG
3	5350.000	39.04	1.08	40.12	54.00	-13.88	AVG
4	5361.120	39.98	1.19	41.17	54.00	-12.83	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	48.17	1.42	49.59	54.00	-4.41	AVG
2*	5150.000	49.63	1.42	51.05	54.00	-2.95	AVG
3	5350.000	38.75	1.08	39.83	54.00	-14.17	AVG
4	5357.280	40.03	1.15	41.18	54.00	-12.82	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5148.000	42.99	1.42	44.41	54.00	-9.59	AVG
2	5150.000	42.62	1.42	44.04	54.00	-9.96	AVG
3	5350.000	39.48	1.08	40.56	54.00	-13.44	AVG
4	5400.480	40.00	1.55	41.55	54.00	-12.45	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	42.68	1.42	44.10	54.00	-9.90	AVG
2*	5150.000	43.05	1.42	44.47	54.00	-9.53	AVG
3	5350.000	39.24	1.08	40.32	54.00	-13.68	AVG
4	5401.440	40.15	1.55	41.70	54.00	-12.30	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	41.31	1.42	42.73	54.00	-11.27	AVG
2	5150.000	41.14	1.42	42.56	54.00	-11.44	AVG
3	5350.000	41.80	1.08	42.88	54.00	-11.12	AVG
4*	5351.520	41.88	1.09	42.97	54.00	-11.03	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	41.32	1.42	42.74	54.00	-11.26	AVG
2	5150.000	41.20	1.42	42.62	54.00	-11.38	AVG
3*	5350.000	41.69	1.08	42.77	54.00	-11.23	AVG
4	5350.560	41.69	1.08	42.77	54.00	-11.23	AVG


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5280 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5120.160	41.22	1.38	42.60	54.00	-11.40	AVG
2	5150.000	40.74	1.42	42.16	54.00	-11.84	AVG
3*	5350.000	47.32	1.08	48.40	54.00	-5.60	AVG
4	5351.520	46.80	1.09	47.89	54.00	-6.11	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5119.200	41.24	1.38	42.62	54.00	-11.38	AVG
2	5150.000	40.71	1.42	42.13	54.00	-11.87	AVG
3	5350.000	46.54	1.08	47.62	54.00	-6.38	AVG
4*	5351.520	47.00	1.09	48.09	54.00	-5.91	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.56	1.08	50.64	54.00	-3.36	AVG
2	5351.040	49.06	1.09	50.15	54.00	-3.85	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.69	1.08	52.77	54.00	-1.23	AVG
2	5351.040	51.29	1.09	52.38	54.00	-1.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.000	50.33	1.72	52.05	54.00	-1.95	AVG
2*	5460.000	50.83	1.73	52.56	54.00	-1.44	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.240	50.48	1.72	52.20	54.00	-1.80	AVG
2*	5460.000	50.72	1.73	52.45	54.00	-1.55	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	42.42	1.73	44.15	54.00	-9.85	AVG
2*	5459.650	42.48	1.73	44.21	54.00	-9.79	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5560 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.800	42.41	1.73	44.14	54.00	-9.86	AVG
2*	5460.000	42.59	1.73	44.32	54.00	-9.68	AVG


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5720 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5434.375	48.52	1.66	50.18	54.00	-3.82	AVG
2	5460.000	48.08	1.73	49.81	54.00	-4.19	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	48.41	1.72	50.13	54.00	-3.87	AVG
2	5460.000	48.06	1.73	49.79	54.00	-4.21	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5127.760	49.71	1.13	50.84	54.00	-3.16	AVG
2	5150.000	49.25	1.13	50.38	54.00	-3.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5140.680	50.02	1.13	51.15	54.00	-2.85	AVG
2*	5150.000	50.55	1.13	51.68	54.00	-2.32	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	47.18	1.13	48.31	54.00	-5.69	AVG
2*	5150.000	48.72	1.13	49.85	54.00	-4.15	AVG
3	5350.000	41.65	0.89	42.54	54.00	-11.46	AVG
4	5358.240	42.52	0.95	43.47	54.00	-10.53	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	47.69	1.13	48.82	54.00	-5.18	AVG
2*	5150.000	49.10	1.13	50.23	54.00	-3.77	AVG
3	5350.000	41.42	0.89	42.31	54.00	-11.69	AVG
4	5359.200	42.66	0.97	43.63	54.00	-10.37	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.200	44.14	1.12	45.26	54.00	-8.74	AVG
2*	5150.000	44.16	1.13	45.29	54.00	-8.71	AVG
3	5350.000	42.24	0.89	43.13	54.00	-10.87	AVG
4	5398.560	42.55	1.26	43.81	54.00	-10.19	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.200	44.22	1.12	45.34	54.00	-8.66	AVG
2*	5150.000	45.11	1.13	46.24	54.00	-7.76	AVG
3	5350.000	42.31	0.89	43.20	54.00	-10.80	AVG
4	5402.400	42.12	1.30	43.42	54.00	-10.58	AVG


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5141.280	43.28	1.13	44.41	54.00	-9.59	AVG
2	5150.000	42.65	1.13	43.78	54.00	-10.22	AVG
3	5350.000	42.90	0.89	43.79	54.00	-10.21	AVG
4	5360.160	42.91	0.97	43.88	54.00	-10.12	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5134.560	42.90	1.14	44.04	54.00	-9.96	AVG
2*	5150.000	43.23	1.13	44.36	54.00	-9.64	AVG
3	5350.000	43.08	0.89	43.97	54.00	-10.03	AVG
4	5415.840	42.80	1.44	44.24	54.00	-9.76	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	43.17	1.13	44.30	54.00	-9.70	AVG
2	5150.000	43.01	1.13	44.14	54.00	-9.86	AVG
3*	5350.000	49.22	0.89	50.11	54.00	-3.89	AVG
4	5354.400	48.16	0.92	49.08	54.00	-4.92	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5127.840	43.32	1.13	44.45	54.00	-9.55	AVG
2	5150.000	42.87	1.13	44.00	54.00	-10.00	AVG
3*	5350.000	49.20	0.89	50.09	54.00	-3.91	AVG
4	5355.360	48.43	0.92	49.35	54.00	-4.65	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.95	0.89	50.84	54.00	-3.16	AVG
2	5351.280	49.53	0.90	50.43	54.00	-3.57	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.81	0.89	51.70	54.00	-2.30	AVG
2	5351.040	50.48	0.90	51.38	54.00	-2.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.040	49.65	1.77	51.42	54.00	-2.58	AVG
2*	5460.000	50.06	1.79	51.85	54.00	-2.15	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.600	49.86	1.77	51.63	54.00	-2.37	AVG
2	5460.000	49.59	1.79	51.38	54.00	-2.62	AVG


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.825	43.36	1.77	45.13	54.00	-8.87	AVG
2	5460.000	43.32	1.79	45.11	54.00	-8.89	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	43.90	1.77	45.67	54.00	-8.33	AVG
2	5460.000	43.69	1.79	45.48	54.00	-8.52	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.125	47.34	1.77	49.11	54.00	-4.89	AVG
2	5460.000	46.95	1.79	48.74	54.00	-5.26	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5447.500	47.32	1.74	49.06	54.00	-4.94	AVG
2	5460.000	46.88	1.79	48.67	54.00	-5.33	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5107.240	49.88	1.15	51.03	54.00	-2.97	AVG
2	5150.000	49.54	1.13	50.67	54.00	-3.33	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5093.560	50.16	1.10	51.26	54.00	-2.74	AVG
2*	5150.000	50.43	1.13	51.56	54.00	-2.44	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	48.01	1.13	49.14	54.00	-4.86	AVG
2*	5150.000	49.72	1.13	50.85	54.00	-3.15	AVG
3	5350.000	42.94	0.89	43.83	54.00	-10.17	AVG
4	5359.200	43.25	0.97	44.22	54.00	-9.78	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	49.22	1.13	50.35	54.00	-3.65	AVG
2*	5150.000	51.05	1.13	52.18	54.00	-1.82	AVG
3	5350.000	43.27	0.89	44.16	54.00	-9.84	AVG
4	5372.640	43.08	1.06	44.14	54.00	-9.86	AVG


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5140.320	44.10	1.13	45.23	54.00	-8.77	AVG
2	5150.000	44.54	1.13	45.67	54.00	-8.33	AVG
3*	5350.000	51.10	0.89	51.99	54.00	-2.01	AVG
4	5354.400	50.44	0.92	51.36	54.00	-2.64	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	45.11	1.13	46.24	54.00	-7.76	AVG
2	5150.000	46.06	1.13	47.19	54.00	-6.81	AVG
3*	5350.000	50.92	0.89	51.81	54.00	-2.19	AVG
4	5354.400	50.57	0.92	51.49	54.00	-2.51	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	49.49	0.89	50.38	54.00	-3.62	AVG
2*	5352.960	49.69	0.91	50.60	54.00	-3.40	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.52	0.89	51.41	54.00	-2.59	AVG
2	5352.960	50.47	0.91	51.38	54.00	-2.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.560	49.62	1.77	51.39	54.00	-2.61	AVG
2*	5460.000	49.88	1.79	51.67	54.00	-2.33	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.000	49.27	1.78	51.05	54.00	-2.95	AVG
2*	5460.000	49.44	1.79	51.23	54.00	-2.77	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.675	48.64	1.77	50.41	54.00	-3.59	AVG
2*	5460.000	49.46	1.79	51.25	54.00	-2.75	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.675	49.25	1.77	51.02	54.00	-2.98	AVG
2*	5460.000	49.87	1.79	51.66	54.00	-2.34	AVG


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	48.11	1.77	49.88	54.00	-4.12	AVG
2	5460.000	47.65	1.79	49.44	54.00	-4.56	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5454.375	48.08	1.77	49.85	54.00	-4.15	AVG
2	5460.000	47.27	1.79	49.06	54.00	-4.94	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5128.520	49.55	1.13	50.68	54.00	-3.32	AVG
2*	5150.000	49.79	1.13	50.92	54.00	-3.08	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5134.600	50.78	1.14	51.92	54.00	-2.08	AVG
2	5150.000	50.67	1.13	51.80	54.00	-2.20	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.83	0.89	50.72	54.00	-3.28	AVG
2	5353.200	49.38	0.91	50.29	54.00	-3.71	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	50.52	0.89	51.41	54.00	-2.59	AVG
2*	5351.520	50.72	0.90	51.62	54.00	-2.38	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.440	48.98	1.77	50.75	54.00	-3.25	AVG
2	5460.000	48.55	1.79	50.34	54.00	-3.66	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.280	49.60	1.77	51.37	54.00	-2.63	AVG
2	5460.000	49.01	1.79	50.80	54.00	-3.20	AVG


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.175	48.84	1.75	50.59	54.00	-3.41	AVG
2*	5460.000	48.95	1.79	50.74	54.00	-3.26	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5452.425	49.37	1.77	51.14	54.00	-2.86	AVG
2	5460.000	49.18	1.79	50.97	54.00	-3.03	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.125	49.24	1.77	51.01	54.00	-2.99	AVG
2	5460.000	48.28	1.79	50.07	54.00	-3.93	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.125	48.67	1.77	50.44	54.00	-3.56	AVG
2	5460.000	48.56	1.79	50.35	54.00	-3.65	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5143.720	48.91	1.41	50.32	54.00	-3.68	AVG
2*	5150.000	50.00	1.42	51.42	54.00	-2.58	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	49.99	1.42	51.41	54.00	-2.59	AVG
2*	5150.000	50.90	1.42	52.32	54.00	-1.68	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	49.02	1.42	50.44	54.00	-3.56	AVG
2*	5150.000	50.01	1.42	51.43	54.00	-2.57	AVG
3	5350.000	39.82	1.08	40.90	54.00	-13.10	AVG
4	5359.200	40.57	1.17	41.74	54.00	-12.26	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	48.50	1.42	49.92	54.00	-4.08	AVG
2*	5150.000	49.97	1.42	51.39	54.00	-2.61	AVG
3	5350.000	39.86	1.08	40.94	54.00	-13.06	AVG
4	5360.160	40.56	1.18	41.74	54.00	-12.26	AVG


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5149.920	45.06	1.42	46.48	54.00	-7.52	AVG
2	5150.000	44.86	1.42	46.28	54.00	-7.72	AVG
3	5350.000	41.31	1.08	42.39	54.00	-11.61	AVG
4	5351.520	41.39	1.09	42.48	54.00	-11.52	AVG




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	44.24	1.42	45.66	54.00	-8.34	AVG
2*	5150.000	44.91	1.42	46.33	54.00	-7.67	AVG
3	5350.000	41.06	1.08	42.14	54.00	-11.86	AVG
4	5351.520	40.76	1.09	41.85	54.00	-12.15	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	42.64	1.42	44.06	54.00	-9.94	AVG
2	5150.000	42.73	1.42	44.15	54.00	-9.85	AVG
3*	5350.000	44.38	1.08	45.46	54.00	-8.54	AVG
4	5350.560	44.38	1.08	45.46	54.00	-8.54	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.920	42.37	1.42	43.79	54.00	-10.21	AVG
2	5150.000	42.55	1.42	43.97	54.00	-10.03	AVG
3	5350.000	43.85	1.08	44.93	54.00	-9.07	AVG
4*	5351.520	44.02	1.09	45.11	54.00	-8.89	AVG